

PHP Version 5.3.0



System	Darwin qBook.local 10.0.0 Darwin Kernel Version 10.0.0: Fri Jul 31 22:47:34 PDT 2009; root:xnu-1456.1.25~1/RELEASE_I386 i386
Build Date	Oct 22 2009 16:59:20
Configure Command	'./configure' '--prefix=/opt/local' '--mandir=/opt/local/share/man' '--infodir=/opt/local/share/info' '--with-config-file-path=/opt/local/etc/php5' '--with-config-file-scan-dir=/opt/local/var/db/php5' '--disable-all' '--enable-bcmath' '--enable-ctype' '--enable-dom' '--enable-fileinfo' '--enable-filter' '--enable-hash' '--enable-json' '--enable-libxml' '--enable-pdo' '--enable-phar' '--enable-session' '--enable-simplexml' '--enable-tokenizer' '--enable-xml' '--enable-xmlreader' '--enable-xmlwriter' '--with-bz2=/opt/local' '--with-mhash=/opt/local' '--with-pcre-regex=/opt/local' '--with-readline=/opt/local' '--with-libxml-dir=/opt/local' '--with-zlib=/opt/local' '--without-pear' '--disable-cgi' '--with-ldap=/usr' '--with-apxs2=/opt/local/apache2/bin/apxs'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/opt/local/etc/php5
Loaded Configuration File	/opt/local/etc/php5/php.ini
Scan this dir for additional .ini files	/opt/local/var/db/php5
Additional .ini files parsed	/opt/local/var/db/php5/mysql.ini
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar
Registered Stream Socket Transports	tcp, udp, unix, udg
Registered Stream Filters	zlib.*, bzip2.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2009 Zend Technologies



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.2.14 (Unix) mod_ssl/2.2.14 OpenSSL/0.9.8k DAV/2 PHP/5.3.0
-----------------------	--

Apache API Version	20051115
Server Administrator	you@example.com
Hostname:Port	qbook.local:0
User/Group	tqwhite(501)/501
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	Yes
Server Root	/opt/local/apache2
Loaded Modules	core prefork http_core mod_so mod_authn_file mod_authn_dbm mod_authn_anon mod_authn_dbd mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_dbm mod_authz_owner mod_authz_default mod_auth_basic mod_auth_digest mod_file_cache mod_cache mod_disk_cache mod_mem_cache mod_dbd mod_dumpio mod_ext_filter mod_include mod_filter mod_substitute mod_deflate mod_log_config mod_log_forensic mod_logio mod_env mod_mime_magic mod_cern_meta mod_expires mod_headers mod_ident mod_usertrack mod_unique_id mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_ajp mod_proxy_balancer mod_ssl mod_mime mod_dav mod_status mod_autoindex mod_asis mod_info mod_cgi mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_imagemap mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	SuDc0H8AAAEAApMQPNMAAAAE
HTTP_HOST	qbook.local
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_1; en-us) AppleWebKit/531.9 (KHTML, like Gecko) Version/4.0.3 Safari/531.9
HTTP_CACHE_CONTROL	max-age=0
HTTP_ACCEPT	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	en-us
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_CONNECTION	keep-alive
PATH	/opt/local/bin:/opt/local/sbin:/opt/local/bin:/opt/local/sbin:/opt/local/sbin:/usr/bin:/bin:/usr/sbin:/sbin:/usr/local/bin:/usr/X11/bin:/opt/local/bin:/opt/local/sbin:/usr/local/bin:/Users/tqwhite
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache/2.2.14 (Unix) mod_ssl/2.2.14 OpenSSL/0.9.8k DAV/2 PHP/5.3.0
SERVER_NAME	qbook.local
SERVER_ADDR	127.0.0.1
SERVER_PORT	80
REMOTE_ADDR	127.0.0.1
DOCUMENT_ROOT	/Users/tqwhite/Sites
SERVER_ADMIN	you@example.com
SCRIPT_FILENAME	/Users/tqwhite/Sites/index.php
REMOTE_PORT	49356
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/
SCRIPT_NAME	/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET / HTTP/1.1
Host	qbook.local
User-Agent	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_1; en-us) AppleWebKit/531.9 (KHTML, like Gecko) Version/4.0.3 Safari/531.9
Cache-Control	max-age=0
Accept	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language	en-us
Accept-	gzip, deflate

Encoding	
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.3.0
Cache-Control	max-age=0
Expires	Thu, 22 Oct 2009 22:29:36 GMT
Keep-Alive	timeout=5, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

Core

PHP Version	5.3.0
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	no value	no value
auto_globals_jit	On	On
auto_prepend_file	no value	no value
browscap	no value	no value
default_charset	no value	no value
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	no value	no value
disable_functions	no value	no value
display_errors	On	On
display_startup_errors	On	On
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	Off	Off
error_append_string	no value	no value
error_log	no value	no value
error_prepend_string	no value	no value
error_reporting	32767	32767
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	./	./
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000

highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	::	::
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	On	On
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
-----------------	---------

date

date/time support	enabled
"Olson" Timezone Database Version	2009.10
Timezone Database	internal
Default timezone	America/Chicago

Directive	Local Value	Master Value
date.default_latitude	44.95177	44.95177
date.default_longitude	93.671844	93.671844
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	America/Chicago	America/Chicago

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.39.2.16 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.161.2.3.2.11.2.30 2009/06/25 15:19:29 johannes Exp \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP

Vendor Version	20411
----------------	-------

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.5-dev - 081106 - \$Revision: 1.3.2.27 \$
Command buffer size	2048
Read buffer size	32768
Collecting statistics	Yes
Collecting memory statistics	Yes

Client statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0

rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_ammount	0
mem_ecalloc_count	0
mem_ecalloc_ammount	0
mem_erealloc_count	0
mem_erealloc_ammount	0
mem_efree_count	0
mem_malloc_count	0
mem_malloc_ammount	0
mem_calloc_count	0
mem_calloc_ammount	0
mem_realloc_count	0
mem_realloc_ammount	0
mem_free_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0

proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.9 2009-04-11

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	<i>no value</i>

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.0-dev
Phar API version	1.1.1
CVS revision	\$Revision: 1.370.2.62 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	disabled (install ext/openssl)

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

Reflection

Reflection	enabled
Version	\$Revision: 1.164.2.33.2.45.2.58 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.35.2.32 \$
Schema support	enabled

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	1	1
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
DYLD_FALLBACK_LIBRARY_PATH	/opt/local/lib:
SHELL	/bin/bash
TERM	xterm-color
USER	root
SUDO_USER	tqwhite
SUDO_UID	501
SSH_AUTH_SOCK	/tmp/launch-VqbOf/Listeners
__CF_USER_TEXT_ENCODING	0x0:0:0
USERNAME	root
PATH	/opt/local/bin:/opt/local/sbin:/opt/local/bin:/opt/local/sbin:/opt/local/bin:/opt/local/sbin:/usr/bin:/bin:/usr/sbin:/sbin:/usr/local/bin:/usr/X11/bin:/opt/local/bin:/opt/local/sbin:/usr/local/bin:/Use
PWD	/Users/tqwhite
EDITOR	bbedit -w
LANG	en_US.UTF-8
SHLVL	1
SUDO_COMMAND	/opt/local/apache2/bin/apachectl start
HOME	/Users/tqwhite
LOGNAME	root
SUDO_GID	501
DISPLAY	:0.0
_	/opt/local/apache2/bin/httpd

PHP Variables

Variable	Value
SERVER["UNIQUE_ID"]	SuDc0H8AAAEAAPmQPNMAAAAE
SERVER["HTTP_HOST"]	qbook.local
SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_1; en-us) AppleWebKit/531.9 (KHTML, like Gecko) Version/4.0.3 Safari/531.9
SERVER["HTTP_CACHE_CONTROL"]	max-age=0
SERVER["HTTP_ACCEPT"]	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us
SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
SERVER["HTTP_CONNECTION"]	keep-alive
SERVER["PATH"]	/opt/local/bin:/opt/local/sbin:/opt/local/bin:/opt/local/sbin:/opt/local/bin:/opt/local/sbin:/usr/bin:/bin:/usr/sbin:/sbin:/usr/local/bin:/usr/X11/bin:/opt/local/bin:/opt/local/sbin:/usr/local/bin
SERVER["SERVER_SIGNATURE"]	<i>no value</i>
SERVER["SERVER_SOFTWARE"]	Apache/2.2.14 (Unix) mod_ssl/2.2.14 OpenSSL/0.9.8k DAV/2 PHP/5.3.0
SERVER["SERVER_NAME"]	qbook.local
SERVER["SERVER_ADDR"]	127.0.0.1
SERVER["SERVER_PORT"]	80
SERVER["REMOTE_ADDR"]	127.0.0.1
SERVER["DOCUMENT_ROOT"]	/Users/tqwhite/Sites
SERVER["SERVER_ADMIN"]	you@example.com
SERVER["SCRIPT_FILENAME"]	/Users/tqwhite/Sites/index.php
SERVER["REMOTE_PORT"]	49356
SERVER["GATEWAY_INTERFACE"]	CGI/1.1
SERVER["SERVER_PROTOCOL"]	HTTP/1.1
SERVER["REQUEST_METHOD"]	GET
SERVER["QUERY_STRING"]	<i>no value</i>
SERVER["REQUEST_URI"]	/
SERVER["SCRIPT_NAME"]	/index.php
SERVER["PHP_SELF"]	/index.php
SERVER["REQUEST_TIME"]	1256250576

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.