

Last login: Thu Oct 24 20:53:42 on ttys000

Macintosh:~ bismillah786786\$ sudo port -v install kmymoney

WARNING: Improper use of the sudo command could lead to data loss or the deletion of important system files. Please double-check your typing when using sudo. Type "man sudo" for more information.

To proceed, enter your password, or type Ctrl-C to abort.

Password:

Macintosh:~ bismillah786786\$ sudo port -v install kmymoney

WARNING: Improper use of the sudo command could lead to data loss or the deletion of important system files. Please double-check your typing when using sudo. Type "man sudo" for more information.

To proceed, enter your password, or type Ctrl-C to abort.

Password:

bismillah1786

---> Computing dependencies for kmymoney.....
.....
---> Dependencies to be installed: kdelibs3 aspell gettext expat libiconv ncurses texinfo autoconf263 help2man p5.12-locale-gettext perl5.12 gdbm m4 perl5 auto

make17 bzip2 dejavu-fonts fontconfig freetype libpng zlib flex glib2 libffi hico
lor-icon-theme jasper jpeg libart_lgpl libidn libxml2 xz libxslt mesa xorg-dri2p
roto xorg-glxproto xorg-libXfixes xorg-fixesproto xorg-xextproto xorg-libX11 xorg
-kbproto xorg-libXau xorg-xproto xorg-libXdmp xorg-libxcb python27 db46 db_sele
ct libedit openssl python_select sqlite3 xorg-libpthread-stubs xorg-xcb-proto xo
rg-libXi xorg-inputproto xorg-libXext xorg-libXmu xorg-libXt xorg-libsm xorg-lib
ice openexr ilmbase pcre pkgconfig qt3 Xft2 xrender xorg-renderproto xorg-libXcu
rsor xorg-util-macros xorg-libXinerama xorg-xineramaproto xorg-libXrandr xorg-ra
ndrproto tiff untermake python26 libofx opensp libtool makeicns

---> Fetching archive for expat

---> expat-2.1.0_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/va
r/macports/incoming/verified

---> Attempting to fetch expat-2.1.0_0.darwin_10.x86_64.tbz2 from http://packag
es.macports.org/expat

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	144k	100	144k	0	0	88100	0	0:00:01	0:00:01	--:--:--	99420

---> Attempting to fetch expat-2.1.0_0.darwin_10.x86_64.tbz2.rmd160 from http://
/packages.macports.org/expat

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1374	0	--:--:--	--:--:--	--:--:--	2708

---> Installing expat @2.1.0_0

---> Activating expat @2.1.0_0

- x ./
- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/doc/
- x ./opt/local/share/examples/
- x ./opt/local/share/man/
- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man1/xmlwf.1.gz
- x ./opt/local/share/examples/expat/
- x ./opt/local/share/examples/expat/elements.c
- x ./opt/local/share/examples/expat/outline.c
- x ./opt/local/share/doc/expat/
- x ./opt/local/share/doc/expat/COPYING
- x ./opt/local/share/doc/expat/Changes
- x ./opt/local/share/doc/expat/README

```
x ./opt/local/share/doc/expat/html/
x ./opt/local/share/doc/expat/html/expat.png
x ./opt/local/share/doc/expat/html/reference.html
x ./opt/local/share/doc/expat/html/style.css
x ./opt/local/share/doc/expat/html/valid-xhtml10.png
x ./opt/local/share/doc/expat/html/xmlwf.1
x ./opt/local/share/doc/expat/html/xmlwf.shtml
x ./opt/local/lib/libexpat.1.dylib
x ./opt/local/lib/libexpat.a
x ./opt/local/lib/libexpat.dylib
x ./opt/local/lib/libexpat.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/expat.pc
x ./opt/local/include/expat.h
x ./opt/local/include/expat_external.h
x ./opt/local/bin/xmlwf
---> Cleaning expat
---> Removing work directory for expat
---> Fetching archive for libiconv
---> libiconv-1.14_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified
---> Attempting to fetch libiconv-1.14_0.darwin_10.x86_64.tbz2 from http://pack
ages.macports.org/libiconv
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
```

						Dload	Upload	Total	Spent	Left	Speed
100	1486k	100	1486k	0	0	368k	0	0:00:04	0:00:04	--:--:--	386k

---> Attempting to fetch libiconv-1.14_0.darwin_10.x86_64.tbz2.rmd160 from <http://packages.macports.org/libiconv>

% Total	% Received	% Xferd	Average	Speed	Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
102	512	102	512	0	0	1331	0	--:--:--	--:--:--	--:--:--	2652

---> Installing libiconv @1.14_0

---> Activating libiconv @1.14_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/share/

x ./opt/local/share/doc/

x ./opt/local/share/man/

x ./opt/local/share/man/man1/

- x ./opt/local/share/man/man3/
- x ./opt/local/share/man/man3/iconv.3.gz
- x ./opt/local/share/man/man3/iconv_close.3.gz
- x ./opt/local/share/man/man3/iconv_open.3.gz
- x ./opt/local/share/man/man3/iconv_open_into.3.gz
- x ./opt/local/share/man/man3/iconvctl.3.gz
- x ./opt/local/share/man/man1/iconv.1.gz
- x ./opt/local/share/doc/libiconv/
- x ./opt/local/share/doc/libiconv/iconv.1.html
- x ./opt/local/share/doc/libiconv/iconv.3.html
- x ./opt/local/share/doc/libiconv/iconv_close.3.html
- x ./opt/local/share/doc/libiconv/iconv_open.3.html
- x ./opt/local/share/doc/libiconv/iconv_open_into.3.html
- x ./opt/local/share/doc/libiconv/iconvctl.3.html
- x ./opt/local/lib/libcharset.1.dylib
- x ./opt/local/lib/libcharset.a
- x ./opt/local/lib/libcharset.dylib
- x ./opt/local/lib/libcharset.la
- x ./opt/local/lib/libiconv.2.dylib
- x ./opt/local/lib/libiconv.a
- x ./opt/local/lib/libiconv.dylib
- x ./opt/local/lib/libiconv.la
- x ./opt/local/include/iconv.h
- x ./opt/local/include/libcharset.h

```

x ./opt/local/include/localcharset.h
x ./opt/local/bin/iconv
---> Cleaning libiconv
---> Removing work directory for libiconv
---> Fetching archive for ncurses
---> ncurses-5.9_2.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch ncurses-5.9_2.darwin_10.x86_64.tbz2 from http://packages.macports.org/ncurses
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
100 1113k  100 1113k    0      0   336k      0  0:00:03  0:00:03  --:--:--   355k
---> Attempting to fetch ncurses-5.9_2.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/ncurses
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0      0   1324      0  --:--:--  --:--:--  --:--:--   2625
---> Installing ncurses @5.9_2
---> Activating ncurses @5.9_2
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE

```

```
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/tabset/
x ./opt/local/share/terminfo/
x ./opt/local/share/terminfo/31/
x ./opt/local/share/terminfo/32/
x ./opt/local/share/terminfo/33/
x ./opt/local/share/terminfo/34/
x ./opt/local/share/terminfo/35/
x ./opt/local/share/terminfo/36/
x ./opt/local/share/terminfo/37/
x ./opt/local/share/terminfo/38/
x ./opt/local/share/terminfo/39/
x ./opt/local/share/terminfo/41/
x ./opt/local/share/terminfo/45/
x ./opt/local/share/terminfo/4c/
x ./opt/local/share/terminfo/4d/
x ./opt/local/share/terminfo/4e/
```


x ./opt/local/share/terminfo/50/
x ./opt/local/share/terminfo/51/
x ./opt/local/share/terminfo/58/
x ./opt/local/share/terminfo/61/
x ./opt/local/share/terminfo/62/
x ./opt/local/share/terminfo/63/
x ./opt/local/share/terminfo/64/
x ./opt/local/share/terminfo/65/
x ./opt/local/share/terminfo/66/
x ./opt/local/share/terminfo/67/
x ./opt/local/share/terminfo/68/
x ./opt/local/share/terminfo/69/
x ./opt/local/share/terminfo/6a/
x ./opt/local/share/terminfo/6b/
x ./opt/local/share/terminfo/6c/
x ./opt/local/share/terminfo/6d/
x ./opt/local/share/terminfo/6e/
x ./opt/local/share/terminfo/6f/
x ./opt/local/share/terminfo/70/
x ./opt/local/share/terminfo/71/
x ./opt/local/share/terminfo/72/
x ./opt/local/share/terminfo/73/
x ./opt/local/share/terminfo/74/
x ./opt/local/share/terminfo/75/

- x ./opt/local/share/terminfo/76/
- x ./opt/local/share/terminfo/77/
- x ./opt/local/share/terminfo/78/
- x ./opt/local/share/terminfo/7a/
- x ./opt/local/share/terminfo/7a/z-100
- x ./opt/local/share/terminfo/7a/z-100bw
- x ./opt/local/share/terminfo/7a/z100
- x ./opt/local/share/terminfo/7a/z100bw
- x ./opt/local/share/terminfo/7a/z110
- x ./opt/local/share/terminfo/7a/z110bw
- x ./opt/local/share/terminfo/7a/z19
- x ./opt/local/share/terminfo/7a/z29
- x ./opt/local/share/terminfo/7a/z29a
- x ./opt/local/share/terminfo/7a/z29a-kc-bc
- x ./opt/local/share/terminfo/7a/z29a-kc-uc
- x ./opt/local/share/terminfo/7a/z29a-nkc-bc
- x ./opt/local/share/terminfo/7a/z29a-nkc-uc
- x ./opt/local/share/terminfo/7a/z29b
- x ./opt/local/share/terminfo/7a/z30
- x ./opt/local/share/terminfo/7a/z340
- x ./opt/local/share/terminfo/7a/z340-nam
- x ./opt/local/share/terminfo/7a/z39-a
- x ./opt/local/share/terminfo/7a/z39a
- x ./opt/local/share/terminfo/7a/z50

x ./opt/local/share/terminfo/7a/z8001
x ./opt/local/share/terminfo/7a/zen30
x ./opt/local/share/terminfo/7a/zen50
x ./opt/local/share/terminfo/7a/zen8001
x ./opt/local/share/terminfo/7a/zenith
x ./opt/local/share/terminfo/7a/zenith29
x ./opt/local/share/terminfo/7a/zenith39-a
x ./opt/local/share/terminfo/7a/zenith39-ansi
x ./opt/local/share/terminfo/7a/zt-1
x ./opt/local/share/terminfo/7a/ztx
x ./opt/local/share/terminfo/7a/ztx-1-a
x ./opt/local/share/terminfo/7a/ztx11
x ./opt/local/share/terminfo/78/x10term
x ./opt/local/share/terminfo/78/x1700
x ./opt/local/share/terminfo/78/x1700-lm
x ./opt/local/share/terminfo/78/x1720
x ./opt/local/share/terminfo/78/x1750
x ./opt/local/share/terminfo/78/x68k
x ./opt/local/share/terminfo/78/x68k-ite
x ./opt/local/share/terminfo/78/x820
x ./opt/local/share/terminfo/78/xdku
x ./opt/local/share/terminfo/78/xenix
x ./opt/local/share/terminfo/78/xerox
x ./opt/local/share/terminfo/78/xerox-lm

- x ./opt/local/share/terminfo/78/xerox1720
- x ./opt/local/share/terminfo/78/xerox820
- x ./opt/local/share/terminfo/78/xfce
- x ./opt/local/share/terminfo/78/xiterm
- x ./opt/local/share/terminfo/78/xl83
- x ./opt/local/share/terminfo/78/xnuppc
- x ./opt/local/share/terminfo/78/xnuppc+100x37
- x ./opt/local/share/terminfo/78/xnuppc+112x37
- x ./opt/local/share/terminfo/78/xnuppc+128x40
- x ./opt/local/share/terminfo/78/xnuppc+128x48
- x ./opt/local/share/terminfo/78/xnuppc+144x48
- x ./opt/local/share/terminfo/78/xnuppc+160x64
- x ./opt/local/share/terminfo/78/xnuppc+200x64
- x ./opt/local/share/terminfo/78/xnuppc+200x75
- x ./opt/local/share/terminfo/78/xnuppc+256x96
- x ./opt/local/share/terminfo/78/xnuppc+80x25
- x ./opt/local/share/terminfo/78/xnuppc+80x30
- x ./opt/local/share/terminfo/78/xnuppc+90x30
- x ./opt/local/share/terminfo/78/xnuppc+b
- x ./opt/local/share/terminfo/78/xnuppc+basic
- x ./opt/local/share/terminfo/78/xnuppc+c
- x ./opt/local/share/terminfo/78/xnuppc+f
- x ./opt/local/share/terminfo/78/xnuppc+f2
- x ./opt/local/share/terminfo/78/xnuppc-100x37

x ./opt/local/share/terminfo/78/xnuppc-100x37-m
x ./opt/local/share/terminfo/78/xnuppc-112x37
x ./opt/local/share/terminfo/78/xnuppc-112x37-m
x ./opt/local/share/terminfo/78/xnuppc-128x40
x ./opt/local/share/terminfo/78/xnuppc-128x40-m
x ./opt/local/share/terminfo/78/xnuppc-128x48
x ./opt/local/share/terminfo/78/xnuppc-128x48-m
x ./opt/local/share/terminfo/78/xnuppc-144x48
x ./opt/local/share/terminfo/78/xnuppc-144x48-m
x ./opt/local/share/terminfo/78/xnuppc-160x64
x ./opt/local/share/terminfo/78/xnuppc-160x64-m
x ./opt/local/share/terminfo/78/xnuppc-200x64
x ./opt/local/share/terminfo/78/xnuppc-200x64-m
x ./opt/local/share/terminfo/78/xnuppc-200x75
x ./opt/local/share/terminfo/78/xnuppc-200x75-m
x ./opt/local/share/terminfo/78/xnuppc-256x96
x ./opt/local/share/terminfo/78/xnuppc-256x96-m
x ./opt/local/share/terminfo/78/xnuppc-80x25
x ./opt/local/share/terminfo/78/xnuppc-80x25-m
x ./opt/local/share/terminfo/78/xnuppc-80x30
x ./opt/local/share/terminfo/78/xnuppc-80x30-m
x ./opt/local/share/terminfo/78/xnuppc-90x30
x ./opt/local/share/terminfo/78/xnuppc-90x30-m
x ./opt/local/share/terminfo/78/xnuppc-b

- x ./opt/local/share/terminfo/78/xnuppc-f
- x ./opt/local/share/terminfo/78/xnuppc-f2
- x ./opt/local/share/terminfo/78/xnuppc-m
- x ./opt/local/share/terminfo/78/xnuppc-m-b
- x ./opt/local/share/terminfo/78/xnuppc-m-f
- x ./opt/local/share/terminfo/78/xnuppc-m-f2
- x ./opt/local/share/terminfo/78/xtalk
- x ./opt/local/share/terminfo/78/xterm
- x ./opt/local/share/terminfo/78/xterm+256color
- x ./opt/local/share/terminfo/78/xterm+88color
- x ./opt/local/share/terminfo/78/xterm+app
- x ./opt/local/share/terminfo/78/xterm+edit
- x ./opt/local/share/terminfo/78/xterm+noapp
- x ./opt/local/share/terminfo/78/xterm+pc+edit
- x ./opt/local/share/terminfo/78/xterm+pcc0
- x ./opt/local/share/terminfo/78/xterm+pcc1
- x ./opt/local/share/terminfo/78/xterm+pcc2
- x ./opt/local/share/terminfo/78/xterm+pcc3
- x ./opt/local/share/terminfo/78/xterm+pce2
- x ./opt/local/share/terminfo/78/xterm+pcf0
- x ./opt/local/share/terminfo/78/xterm+pcf2
- x ./opt/local/share/terminfo/78/xterm+pcfkeys
- x ./opt/local/share/terminfo/78/xterm+r6f2
- x ./opt/local/share/terminfo/78/xterm+sl

- x ./opt/local/share/terminfo/78/xterm+sl-twm
- x ./opt/local/share/terminfo/78/xterm+vt+edit
- x ./opt/local/share/terminfo/78/xterm-1002
- x ./opt/local/share/terminfo/78/xterm-1003
- x ./opt/local/share/terminfo/78/xterm-16color
- x ./opt/local/share/terminfo/78/xterm-24
- x ./opt/local/share/terminfo/78/xterm-256color
- x ./opt/local/share/terminfo/78/xterm-88color
- x ./opt/local/share/terminfo/78/xterm-8bit
- x ./opt/local/share/terminfo/78/xterm-basic
- x ./opt/local/share/terminfo/78/xterm-bold
- x ./opt/local/share/terminfo/78/xterm-color
- x ./opt/local/share/terminfo/78/xterm-hp
- x ./opt/local/share/terminfo/78/xterm-new
- x ./opt/local/share/terminfo/78/xterm-nic
- x ./opt/local/share/terminfo/78/xterm-noapp
- x ./opt/local/share/terminfo/78/xterm-old
- x ./opt/local/share/terminfo/78/xterm-pcolor
- x ./opt/local/share/terminfo/78/xterm-r5
- x ./opt/local/share/terminfo/78/xterm-r6
- x ./opt/local/share/terminfo/78/xterm-sco
- x ./opt/local/share/terminfo/78/xterm-sun
- x ./opt/local/share/terminfo/78/xterm-utf8
- x ./opt/local/share/terminfo/78/xterm-vt220

- x ./opt/local/share/terminfo/78/xterm-vt52
- x ./opt/local/share/terminfo/78/xterm-xf86-v32
- x ./opt/local/share/terminfo/78/xterm-xf86-v33
- x ./opt/local/share/terminfo/78/xterm-xf86-v333
- x ./opt/local/share/terminfo/78/xterm-xf86-v40
- x ./opt/local/share/terminfo/78/xterm-xf86-v43
- x ./opt/local/share/terminfo/78/xterm-xf86-v44
- x ./opt/local/share/terminfo/78/xterm-xfree86
- x ./opt/local/share/terminfo/78/xterm-xi
- x ./opt/local/share/terminfo/78/xterm1
- x ./opt/local/share/terminfo/78/xtermc
- x ./opt/local/share/terminfo/78/xtermm
- x ./opt/local/share/terminfo/78/xterms
- x ./opt/local/share/terminfo/78/xterms-sun
- x ./opt/local/share/terminfo/78/xwsh
- x ./opt/local/share/terminfo/77/wren
- x ./opt/local/share/terminfo/77/wrenw
- x ./opt/local/share/terminfo/77/wsirisi
- x ./opt/local/share/terminfo/77/wsvt25
- x ./opt/local/share/terminfo/77/wsvt25m
- x ./opt/local/share/terminfo/77/wy-75ap
- x ./opt/local/share/terminfo/77/wy-99fgt
- x ./opt/local/share/terminfo/77/wy-99fgta
- x ./opt/local/share/terminfo/77/wy100

- x ./opt/local/share/terminfo/77/wy100q
- x ./opt/local/share/terminfo/77/wy120
- x ./opt/local/share/terminfo/77/wy120-25
- x ./opt/local/share/terminfo/77/wy120-25-w
- x ./opt/local/share/terminfo/77/wy120-vb
- x ./opt/local/share/terminfo/77/wy120-w
- x ./opt/local/share/terminfo/77/wy120-w-vb
- x ./opt/local/share/terminfo/77/wy120-wvb
- x ./opt/local/share/terminfo/77/wy150
- x ./opt/local/share/terminfo/77/wy150-25
- x ./opt/local/share/terminfo/77/wy150-25-w
- x ./opt/local/share/terminfo/77/wy150-vb
- x ./opt/local/share/terminfo/77/wy150-w
- x ./opt/local/share/terminfo/77/wy150-w-vb
- x ./opt/local/share/terminfo/77/wy160
- x ./opt/local/share/terminfo/77/wy160-25
- x ./opt/local/share/terminfo/77/wy160-25-w
- x ./opt/local/share/terminfo/77/wy160-42
- x ./opt/local/share/terminfo/77/wy160-42-w
- x ./opt/local/share/terminfo/77/wy160-43
- x ./opt/local/share/terminfo/77/wy160-43-w
- x ./opt/local/share/terminfo/77/wy160-tek
- x ./opt/local/share/terminfo/77/wy160-vb
- x ./opt/local/share/terminfo/77/wy160-w

x ./opt/local/share/terminfo/77/wy160-w-vb
x ./opt/local/share/terminfo/77/wy160-wvb
x ./opt/local/share/terminfo/77/wy185
x ./opt/local/share/terminfo/77/wy185-24
x ./opt/local/share/terminfo/77/wy185-vb
x ./opt/local/share/terminfo/77/wy185-w
x ./opt/local/share/terminfo/77/wy185-wvb
x ./opt/local/share/terminfo/77/wy30
x ./opt/local/share/terminfo/77/wy30-mc
x ./opt/local/share/terminfo/77/wy30-vb
x ./opt/local/share/terminfo/77/wy325
x ./opt/local/share/terminfo/77/wy325-25
x ./opt/local/share/terminfo/77/wy325-25w
x ./opt/local/share/terminfo/77/wy325-42
x ./opt/local/share/terminfo/77/wy325-42w
x ./opt/local/share/terminfo/77/wy325-42w-vb
x ./opt/local/share/terminfo/77/wy325-42wvb
x ./opt/local/share/terminfo/77/wy325-43
x ./opt/local/share/terminfo/77/wy325-43w
x ./opt/local/share/terminfo/77/wy325-43w-vb
x ./opt/local/share/terminfo/77/wy325-43wvb
x ./opt/local/share/terminfo/77/wy325-80
x ./opt/local/share/terminfo/77/wy325-vb
x ./opt/local/share/terminfo/77/wy325-w

x ./opt/local/share/terminfo/77/wy325-w-vb
x ./opt/local/share/terminfo/77/wy325-wvb
x ./opt/local/share/terminfo/77/wy325w-24
x ./opt/local/share/terminfo/77/wy350
x ./opt/local/share/terminfo/77/wy350-vb
x ./opt/local/share/terminfo/77/wy350-w
x ./opt/local/share/terminfo/77/wy350-wvb
x ./opt/local/share/terminfo/77/wy370
x ./opt/local/share/terminfo/77/wy370-101k
x ./opt/local/share/terminfo/77/wy370-105k
x ./opt/local/share/terminfo/77/wy370-EPC
x ./opt/local/share/terminfo/77/wy370-nk
x ./opt/local/share/terminfo/77/wy370-rv
x ./opt/local/share/terminfo/77/wy370-tek
x ./opt/local/share/terminfo/77/wy370-vb
x ./opt/local/share/terminfo/77/wy370-w
x ./opt/local/share/terminfo/77/wy370-wvb
x ./opt/local/share/terminfo/77/wy50
x ./opt/local/share/terminfo/77/wy50-mc
x ./opt/local/share/terminfo/77/wy50-vb
x ./opt/local/share/terminfo/77/wy50-w
x ./opt/local/share/terminfo/77/wy50-wvb
x ./opt/local/share/terminfo/77/wy520
x ./opt/local/share/terminfo/77/wy520-24

- x ./opt/local/share/terminfo/77/wy520-36
- x ./opt/local/share/terminfo/77/wy520-36pc
- x ./opt/local/share/terminfo/77/wy520-36w
- x ./opt/local/share/terminfo/77/wy520-36wpc
- x ./opt/local/share/terminfo/77/wy520-48
- x ./opt/local/share/terminfo/77/wy520-48pc
- x ./opt/local/share/terminfo/77/wy520-48w
- x ./opt/local/share/terminfo/77/wy520-48wpc
- x ./opt/local/share/terminfo/77/wy520-epc
- x ./opt/local/share/terminfo/77/wy520-epc-24
- x ./opt/local/share/terminfo/77/wy520-epc-vb
- x ./opt/local/share/terminfo/77/wy520-epc-w
- x ./opt/local/share/terminfo/77/wy520-epc-wvb
- x ./opt/local/share/terminfo/77/wy520-vb
- x ./opt/local/share/terminfo/77/wy520-w
- x ./opt/local/share/terminfo/77/wy520-wvb
- x ./opt/local/share/terminfo/77/wy60
- x ./opt/local/share/terminfo/77/wy60-25
- x ./opt/local/share/terminfo/77/wy60-25-w
- x ./opt/local/share/terminfo/77/wy60-316X
- x ./opt/local/share/terminfo/77/wy60-42
- x ./opt/local/share/terminfo/77/wy60-42-w
- x ./opt/local/share/terminfo/77/wy60-43
- x ./opt/local/share/terminfo/77/wy60-43-w

- x ./opt/local/share/terminfo/77/wy60-AT
- x ./opt/local/share/terminfo/77/wy60-PC
- x ./opt/local/share/terminfo/77/wy60-vb
- x ./opt/local/share/terminfo/77/wy60-w
- x ./opt/local/share/terminfo/77/wy60-w-vb
- x ./opt/local/share/terminfo/77/wy60-wvb
- x ./opt/local/share/terminfo/77/wy75
- x ./opt/local/share/terminfo/77/wy75-mc
- x ./opt/local/share/terminfo/77/wy75-vb
- x ./opt/local/share/terminfo/77/wy75-w
- x ./opt/local/share/terminfo/77/wy75-wvb
- x ./opt/local/share/terminfo/77/wy75ap
- x ./opt/local/share/terminfo/77/wy85
- x ./opt/local/share/terminfo/77/wy85-8bit
- x ./opt/local/share/terminfo/77/wy85-vb
- x ./opt/local/share/terminfo/77/wy85-w
- x ./opt/local/share/terminfo/77/wy85-wvb
- x ./opt/local/share/terminfo/77/wy99-ansi
- x ./opt/local/share/terminfo/77/wy99a-ansi
- x ./opt/local/share/terminfo/77/wy99f
- x ./opt/local/share/terminfo/77/wy99fa
- x ./opt/local/share/terminfo/77/wy99fgt
- x ./opt/local/share/terminfo/77/wy99fgta
- x ./opt/local/share/terminfo/77/wy99gt

x ./opt/local/share/terminfo/77/wy99gt-25
x ./opt/local/share/terminfo/77/wy99gt-25-w
x ./opt/local/share/terminfo/77/wy99gt-tek
x ./opt/local/share/terminfo/77/wy99gt-vb
x ./opt/local/share/terminfo/77/wy99gt-w
x ./opt/local/share/terminfo/77/wy99gt-w-vb
x ./opt/local/share/terminfo/77/wy99gt-wvb
x ./opt/local/share/terminfo/77/wyse-325
x ./opt/local/share/terminfo/77/wyse-75ap
x ./opt/local/share/terminfo/77/wyse-vp
x ./opt/local/share/terminfo/77/wyse120
x ./opt/local/share/terminfo/77/wyse120-25
x ./opt/local/share/terminfo/77/wyse120-25-w
x ./opt/local/share/terminfo/77/wyse120-vb
x ./opt/local/share/terminfo/77/wyse120-w
x ./opt/local/share/terminfo/77/wyse120-wvb
x ./opt/local/share/terminfo/77/wyse150
x ./opt/local/share/terminfo/77/wyse150-25
x ./opt/local/share/terminfo/77/wyse150-25-w
x ./opt/local/share/terminfo/77/wyse150-vb
x ./opt/local/share/terminfo/77/wyse150-w
x ./opt/local/share/terminfo/77/wyse150-w-vb
x ./opt/local/share/terminfo/77/wyse160
x ./opt/local/share/terminfo/77/wyse160-25

x ./opt/local/share/terminfo/77/wyse160-25-w
x ./opt/local/share/terminfo/77/wyse160-42
x ./opt/local/share/terminfo/77/wyse160-42-w
x ./opt/local/share/terminfo/77/wyse160-43
x ./opt/local/share/terminfo/77/wyse160-43-w
x ./opt/local/share/terminfo/77/wyse160-vb
x ./opt/local/share/terminfo/77/wyse160-w
x ./opt/local/share/terminfo/77/wyse160-wvb
x ./opt/local/share/terminfo/77/wyse185
x ./opt/local/share/terminfo/77/wyse185-24
x ./opt/local/share/terminfo/77/wyse185-vb
x ./opt/local/share/terminfo/77/wyse185-w
x ./opt/local/share/terminfo/77/wyse185-wvb
x ./opt/local/share/terminfo/77/wyse30
x ./opt/local/share/terminfo/77/wyse30-mc
x ./opt/local/share/terminfo/77/wyse30-vb
x ./opt/local/share/terminfo/77/wyse325
x ./opt/local/share/terminfo/77/wyse325-25
x ./opt/local/share/terminfo/77/wyse325-25w
x ./opt/local/share/terminfo/77/wyse325-42
x ./opt/local/share/terminfo/77/wyse325-42w
x ./opt/local/share/terminfo/77/wyse325-43
x ./opt/local/share/terminfo/77/wyse325-43w
x ./opt/local/share/terminfo/77/wyse325-vb

x ./opt/local/share/terminfo/77/wyse325-w
x ./opt/local/share/terminfo/77/wyse325-wvb
x ./opt/local/share/terminfo/77/wyse350
x ./opt/local/share/terminfo/77/wyse350-vb
x ./opt/local/share/terminfo/77/wyse350-w
x ./opt/local/share/terminfo/77/wyse350-wvb
x ./opt/local/share/terminfo/77/wyse370
x ./opt/local/share/terminfo/77/wyse50
x ./opt/local/share/terminfo/77/wyse50-mc
x ./opt/local/share/terminfo/77/wyse50-vb
x ./opt/local/share/terminfo/77/wyse50-w
x ./opt/local/share/terminfo/77/wyse50-wvb
x ./opt/local/share/terminfo/77/wyse520
x ./opt/local/share/terminfo/77/wyse520-24
x ./opt/local/share/terminfo/77/wyse520-36
x ./opt/local/share/terminfo/77/wyse520-36pc
x ./opt/local/share/terminfo/77/wyse520-36w
x ./opt/local/share/terminfo/77/wyse520-36wpc
x ./opt/local/share/terminfo/77/wyse520-48
x ./opt/local/share/terminfo/77/wyse520-48pc
x ./opt/local/share/terminfo/77/wyse520-48w
x ./opt/local/share/terminfo/77/wyse520-48wpc
x ./opt/local/share/terminfo/77/wyse520-epc
x ./opt/local/share/terminfo/77/wyse520-epc-w

- x ./opt/local/share/terminfo/77/wyse520-p-wvb
- x ./opt/local/share/terminfo/77/wyse520-pc-24
- x ./opt/local/share/terminfo/77/wyse520-pc-vb
- x ./opt/local/share/terminfo/77/wyse520-vb
- x ./opt/local/share/terminfo/77/wyse520-w
- x ./opt/local/share/terminfo/77/wyse520-wvb
- x ./opt/local/share/terminfo/77/wyse60
- x ./opt/local/share/terminfo/77/wyse60-25
- x ./opt/local/share/terminfo/77/wyse60-25-w
- x ./opt/local/share/terminfo/77/wyse60-316X
- x ./opt/local/share/terminfo/77/wyse60-42
- x ./opt/local/share/terminfo/77/wyse60-42-w
- x ./opt/local/share/terminfo/77/wyse60-43
- x ./opt/local/share/terminfo/77/wyse60-43-w
- x ./opt/local/share/terminfo/77/wyse60-AT
- x ./opt/local/share/terminfo/77/wyse60-PC
- x ./opt/local/share/terminfo/77/wyse60-vb
- x ./opt/local/share/terminfo/77/wyse60-w
- x ./opt/local/share/terminfo/77/wyse60-wvb
- x ./opt/local/share/terminfo/77/wyse75
- x ./opt/local/share/terminfo/77/wyse75-mc
- x ./opt/local/share/terminfo/77/wyse75-vb
- x ./opt/local/share/terminfo/77/wyse75-w
- x ./opt/local/share/terminfo/77/wyse75-wvb

- x ./opt/local/share/terminfo/77/wyse75ap
- x ./opt/local/share/terminfo/77/wyse85
- x ./opt/local/share/terminfo/77/wyse85-8bit
- x ./opt/local/share/terminfo/77/wyse85-vb
- x ./opt/local/share/terminfo/77/wyse85-w
- x ./opt/local/share/terminfo/77/wyse85-wvb
- x ./opt/local/share/terminfo/77/wyse99gt
- x ./opt/local/share/terminfo/77/wyse99gt-25
- x ./opt/local/share/terminfo/77/wyse99gt-25-w
- x ./opt/local/share/terminfo/77/wyse99gt-vb
- x ./opt/local/share/terminfo/77/wyse99gt-w
- x ./opt/local/share/terminfo/77/wyse99gt-wvb
- x ./opt/local/share/terminfo/76/v200-nam
- x ./opt/local/share/terminfo/76/v320n
- x ./opt/local/share/terminfo/76/v3220
- x ./opt/local/share/terminfo/76/v5410
- x ./opt/local/share/terminfo/76/vanilla
- x ./opt/local/share/terminfo/76/vapple
- x ./opt/local/share/terminfo/76/vc103
- x ./opt/local/share/terminfo/76/vc203
- x ./opt/local/share/terminfo/76/vc303
- x ./opt/local/share/terminfo/76/vc303a
- x ./opt/local/share/terminfo/76/vc403a
- x ./opt/local/share/terminfo/76/vc404

- x ./opt/local/share/terminfo/76/vc404-s
- x ./opt/local/share/terminfo/76/vc414
- x ./opt/local/share/terminfo/76/vc414h
- x ./opt/local/share/terminfo/76/vc415
- x ./opt/local/share/terminfo/76/venix
- x ./opt/local/share/terminfo/76/versaterm
- x ./opt/local/share/terminfo/76/vi200
- x ./opt/local/share/terminfo/76/vi200-f
- x ./opt/local/share/terminfo/76/vi200-rv
- x ./opt/local/share/terminfo/76/vi300
- x ./opt/local/share/terminfo/76/vi300-old
- x ./opt/local/share/terminfo/76/vi50
- x ./opt/local/share/terminfo/76/vi500
- x ./opt/local/share/terminfo/76/vi50adm
- x ./opt/local/share/terminfo/76/vi55
- x ./opt/local/share/terminfo/76/vi550
- x ./opt/local/share/terminfo/76/vi603
- x ./opt/local/share/terminfo/76/viewpoint
- x ./opt/local/share/terminfo/76/viewpoint3a+
- x ./opt/local/share/terminfo/76/viewpoint60
- x ./opt/local/share/terminfo/76/viewpoint90
- x ./opt/local/share/terminfo/76/vip
- x ./opt/local/share/terminfo/76/vip-H
- x ./opt/local/share/terminfo/76/vip-Hw

- x ./opt/local/share/terminfo/76/vip-w
- x ./opt/local/share/terminfo/76/vip7800-H
- x ./opt/local/share/terminfo/76/vip7800-Hw
- x ./opt/local/share/terminfo/76/vip7800-w
- x ./opt/local/share/terminfo/76/visa50
- x ./opt/local/share/terminfo/76/visual603
- x ./opt/local/share/terminfo/76/vitty
- x ./opt/local/share/terminfo/76/vk100
- x ./opt/local/share/terminfo/76/vp3a+
- x ./opt/local/share/terminfo/76/vp60
- x ./opt/local/share/terminfo/76/vp90
- x ./opt/local/share/terminfo/76/vremote
- x ./opt/local/share/terminfo/76/vs100
- x ./opt/local/share/terminfo/76/vs100-x10
- x ./opt/local/share/terminfo/76/vsc
- x ./opt/local/share/terminfo/76/vt-61
- x ./opt/local/share/terminfo/76/vt-utf8
- x ./opt/local/share/terminfo/76/vt100
- x ./opt/local/share/terminfo/76/vt100+
- x ./opt/local/share/terminfo/76/vt100+enq
- x ./opt/local/share/terminfo/76/vt100+fnkeys
- x ./opt/local/share/terminfo/76/vt100+keypad
- x ./opt/local/share/terminfo/76/vt100+pfkeys
- x ./opt/local/share/terminfo/76/vt100-am

x ./opt/local/share/terminfo/76/vt100-bm
x ./opt/local/share/terminfo/76/vt100-bm-o
x ./opt/local/share/terminfo/76/vt100-bot-s
x ./opt/local/share/terminfo/76/vt100-nam
x ./opt/local/share/terminfo/76/vt100-nam-w
x ./opt/local/share/terminfo/76/vt100-nav
x ./opt/local/share/terminfo/76/vt100-nav-w
x ./opt/local/share/terminfo/76/vt100-putty
x ./opt/local/share/terminfo/76/vt100-s
x ./opt/local/share/terminfo/76/vt100-s-bot
x ./opt/local/share/terminfo/76/vt100-s-top
x ./opt/local/share/terminfo/76/vt100-top-s
x ./opt/local/share/terminfo/76/vt100-vb
x ./opt/local/share/terminfo/76/vt100-w
x ./opt/local/share/terminfo/76/vt100-w-am
x ./opt/local/share/terminfo/76/vt100-w-nam
x ./opt/local/share/terminfo/76/vt100-w-nav
x ./opt/local/share/terminfo/76/vt100nam
x ./opt/local/share/terminfo/76/vt102
x ./opt/local/share/terminfo/76/vt102+enq
x ./opt/local/share/terminfo/76/vt102-nsgr
x ./opt/local/share/terminfo/76/vt102-w
x ./opt/local/share/terminfo/76/vt125
x ./opt/local/share/terminfo/76/vt131

- x ./opt/local/share/terminfo/76/vt132
- x ./opt/local/share/terminfo/76/vt200
- x ./opt/local/share/terminfo/76/vt200-8
- x ./opt/local/share/terminfo/76/vt200-8bit
- x ./opt/local/share/terminfo/76/vt200-js
- x ./opt/local/share/terminfo/76/vt200-old
- x ./opt/local/share/terminfo/76/vt200-w
- x ./opt/local/share/terminfo/76/vt220
- x ./opt/local/share/terminfo/76/vt220+keypad
- x ./opt/local/share/terminfo/76/vt220-8
- x ./opt/local/share/terminfo/76/vt220-8bit
- x ./opt/local/share/terminfo/76/vt220-js
- x ./opt/local/share/terminfo/76/vt220-nam
- x ./opt/local/share/terminfo/76/vt220-old
- x ./opt/local/share/terminfo/76/vt220-w
- x ./opt/local/share/terminfo/76/vt220d
- x ./opt/local/share/terminfo/76/vt300
- x ./opt/local/share/terminfo/76/vt300-nam
- x ./opt/local/share/terminfo/76/vt300-w
- x ./opt/local/share/terminfo/76/vt300-w-nam
- x ./opt/local/share/terminfo/76/vt320
- x ./opt/local/share/terminfo/76/vt320-k3
- x ./opt/local/share/terminfo/76/vt320-k311
- x ./opt/local/share/terminfo/76/vt320-nam

- x ./opt/local/share/terminfo/76/vt320-w
- x ./opt/local/share/terminfo/76/vt320-w-nam
- x ./opt/local/share/terminfo/76/vt320nam
- x ./opt/local/share/terminfo/76/vt330
- x ./opt/local/share/terminfo/76/vt340
- x ./opt/local/share/terminfo/76/vt400
- x ./opt/local/share/terminfo/76/vt400-24
- x ./opt/local/share/terminfo/76/vt420
- x ./opt/local/share/terminfo/76/vt420f
- x ./opt/local/share/terminfo/76/vt420pc
- x ./opt/local/share/terminfo/76/vt420pcdos
- x ./opt/local/share/terminfo/76/vt50
- x ./opt/local/share/terminfo/76/vt50h
- x ./opt/local/share/terminfo/76/vt510
- x ./opt/local/share/terminfo/76/vt510pc
- x ./opt/local/share/terminfo/76/vt510pcdos
- x ./opt/local/share/terminfo/76/vt52
- x ./opt/local/share/terminfo/76/vt520
- x ./opt/local/share/terminfo/76/vt525
- x ./opt/local/share/terminfo/76/vt61
- x ./opt/local/share/terminfo/76/vt61.5
- x ./opt/local/share/terminfo/76/vte
- x ./opt/local/share/terminfo/76/vte+pcfkeys
- x ./opt/local/share/terminfo/76/vte-2007

- x ./opt/local/share/terminfo/76/vte-2008
- x ./opt/local/share/terminfo/76/vte-256color
- x ./opt/local/share/terminfo/76/vtnt
- x ./opt/local/share/terminfo/76/vv100
- x ./opt/local/share/terminfo/76/vwmterm
- x ./opt/local/share/terminfo/75/ultima2
- x ./opt/local/share/terminfo/75/ultimaII
- x ./opt/local/share/terminfo/75/uniterm
- x ./opt/local/share/terminfo/75/uniterm49
- x ./opt/local/share/terminfo/75/unixpc
- x ./opt/local/share/terminfo/75/unknown
- x ./opt/local/share/terminfo/75/uts30
- x ./opt/local/share/terminfo/75/uwin
- x ./opt/local/share/terminfo/74/t10
- x ./opt/local/share/terminfo/74/t1061
- x ./opt/local/share/terminfo/74/t1061f
- x ./opt/local/share/terminfo/74/t16
- x ./opt/local/share/terminfo/74/t3700
- x ./opt/local/share/terminfo/74/t3800
- x ./opt/local/share/terminfo/74/t653x
- x ./opt/local/share/terminfo/74/tab
- x ./opt/local/share/terminfo/74/tab132
- x ./opt/local/share/terminfo/74/tab132-15
- x ./opt/local/share/terminfo/74/tab132-rv

- x ./opt/local/share/terminfo/74/tab132-w
- x ./opt/local/share/terminfo/74/tab132-w-rv
- x ./opt/local/share/terminfo/74/tandem6510
- x ./opt/local/share/terminfo/74/tandem653
- x ./opt/local/share/terminfo/74/tek
- x ./opt/local/share/terminfo/74/tek4012
- x ./opt/local/share/terminfo/74/tek4013
- x ./opt/local/share/terminfo/74/tek4014
- x ./opt/local/share/terminfo/74/tek4014-sm
- x ./opt/local/share/terminfo/74/tek4015
- x ./opt/local/share/terminfo/74/tek4015-sm
- x ./opt/local/share/terminfo/74/tek4023
- x ./opt/local/share/terminfo/74/tek4024
- x ./opt/local/share/terminfo/74/tek4025
- x ./opt/local/share/terminfo/74/tek4025-17
- x ./opt/local/share/terminfo/74/tek4025-17-ws
- x ./opt/local/share/terminfo/74/tek4025-cr
- x ./opt/local/share/terminfo/74/tek4025-ex
- x ./opt/local/share/terminfo/74/tek4025a
- x ./opt/local/share/terminfo/74/tek4025ex
- x ./opt/local/share/terminfo/74/tek4027
- x ./opt/local/share/terminfo/74/tek4027-ex
- x ./opt/local/share/terminfo/74/tek4105
- x ./opt/local/share/terminfo/74/tek4105-30

- x ./opt/local/share/terminfo/74/tek4105a
- x ./opt/local/share/terminfo/74/tek4106brl
- x ./opt/local/share/terminfo/74/tek4107
- x ./opt/local/share/terminfo/74/tek4107brl
- x ./opt/local/share/terminfo/74/tek4109
- x ./opt/local/share/terminfo/74/tek4109brl
- x ./opt/local/share/terminfo/74/tek4112
- x ./opt/local/share/terminfo/74/tek4112-5
- x ./opt/local/share/terminfo/74/tek4112-nd
- x ./opt/local/share/terminfo/74/tek4113
- x ./opt/local/share/terminfo/74/tek4113-34
- x ./opt/local/share/terminfo/74/tek4113-nd
- x ./opt/local/share/terminfo/74/tek4114
- x ./opt/local/share/terminfo/74/tek4115
- x ./opt/local/share/terminfo/74/tek4125
- x ./opt/local/share/terminfo/74/tek4205
- x ./opt/local/share/terminfo/74/tek4207
- x ./opt/local/share/terminfo/74/tek4207-s
- x ./opt/local/share/terminfo/74/tek4404
- x ./opt/local/share/terminfo/74/teleray
- x ./opt/local/share/terminfo/74/teletec
- x ./opt/local/share/terminfo/74/teraterm
- x ./opt/local/share/terminfo/74/teraterm2.3
- x ./opt/local/share/terminfo/74/teraterm4.59

- x ./opt/local/share/terminfo/74/terminet
- x ./opt/local/share/terminfo/74/terminet1200
- x ./opt/local/share/terminfo/74/terminet300
- x ./opt/local/share/terminfo/74/tgtelnet
- x ./opt/local/share/terminfo/74/ti700
- x ./opt/local/share/terminfo/74/ti733
- x ./opt/local/share/terminfo/74/ti735
- x ./opt/local/share/terminfo/74/ti745
- x ./opt/local/share/terminfo/74/ti800
- x ./opt/local/share/terminfo/74/ti916
- x ./opt/local/share/terminfo/74/ti916-132
- x ./opt/local/share/terminfo/74/ti916-220-7
- x ./opt/local/share/terminfo/74/ti916-220-8
- x ./opt/local/share/terminfo/74/ti916-8
- x ./opt/local/share/terminfo/74/ti916-8-132
- x ./opt/local/share/terminfo/74/ti924
- x ./opt/local/share/terminfo/74/ti924-8
- x ./opt/local/share/terminfo/74/ti924-8w
- x ./opt/local/share/terminfo/74/ti924w
- x ./opt/local/share/terminfo/74/ti926
- x ./opt/local/share/terminfo/74/ti926-8
- x ./opt/local/share/terminfo/74/ti928
- x ./opt/local/share/terminfo/74/ti928-8
- x ./opt/local/share/terminfo/74/ti931

- x ./opt/local/share/terminfo/74/ti_ansi
- x ./opt/local/share/terminfo/74/tkterm
- x ./opt/local/share/terminfo/74/tn1200
- x ./opt/local/share/terminfo/74/tn300
- x ./opt/local/share/terminfo/74/trs16
- x ./opt/local/share/terminfo/74/trs2
- x ./opt/local/share/terminfo/74/trs80II
- x ./opt/local/share/terminfo/74/trsII
- x ./opt/local/share/terminfo/74/ts-1
- x ./opt/local/share/terminfo/74/ts-1p
- x ./opt/local/share/terminfo/74/ts1
- x ./opt/local/share/terminfo/74/ts100
- x ./opt/local/share/terminfo/74/ts100-ctxt
- x ./opt/local/share/terminfo/74/ts100-sp
- x ./opt/local/share/terminfo/74/ts1p
- x ./opt/local/share/terminfo/74/tt
- x ./opt/local/share/terminfo/74/tt505-22
- x ./opt/local/share/terminfo/74/tt52
- x ./opt/local/share/terminfo/74/tty33
- x ./opt/local/share/terminfo/74/tty35
- x ./opt/local/share/terminfo/74/tty37
- x ./opt/local/share/terminfo/74/tty40
- x ./opt/local/share/terminfo/74/tty43
- x ./opt/local/share/terminfo/74/tty4420

x ./opt/local/share/terminfo/74/tty4424
x ./opt/local/share/terminfo/74/tty4424-1
x ./opt/local/share/terminfo/74/tty4424m
x ./opt/local/share/terminfo/74/tty4426
x ./opt/local/share/terminfo/74/tty5410
x ./opt/local/share/terminfo/74/tty5410-w
x ./opt/local/share/terminfo/74/tty5410v1
x ./opt/local/share/terminfo/74/tty5410v1-w
x ./opt/local/share/terminfo/74/tty5420
x ./opt/local/share/terminfo/74/tty5420+n1
x ./opt/local/share/terminfo/74/tty5420-n1
x ./opt/local/share/terminfo/74/tty5420-rv
x ./opt/local/share/terminfo/74/tty5420-rv-n1
x ./opt/local/share/terminfo/74/tty5420-w
x ./opt/local/share/terminfo/74/tty5420-w-n1
x ./opt/local/share/terminfo/74/tty5420-w-rv
x ./opt/local/share/terminfo/74/tty5420-w-rv-n
x ./opt/local/share/terminfo/74/tty5425
x ./opt/local/share/terminfo/74/tty5425-n1
x ./opt/local/share/terminfo/74/tty5425-w
x ./opt/local/share/terminfo/74/tty5620
x ./opt/local/share/terminfo/74/tty5620-1
x ./opt/local/share/terminfo/74/tty5620-24
x ./opt/local/share/terminfo/74/tty5620-34

x ./opt/local/share/terminfo/74/tty5620-s
x ./opt/local/share/terminfo/74/ttydmd
x ./opt/local/share/terminfo/74/tvi803
x ./opt/local/share/terminfo/74/tvi9065
x ./opt/local/share/terminfo/74/tvi910
x ./opt/local/share/terminfo/74/tvi910+
x ./opt/local/share/terminfo/74/tvi912
x ./opt/local/share/terminfo/74/tvi912b
x ./opt/local/share/terminfo/74/tvi912b+2p
x ./opt/local/share/terminfo/74/tvi912b+dim
x ./opt/local/share/terminfo/74/tvi912b+mc
x ./opt/local/share/terminfo/74/tvi912b+printer
x ./opt/local/share/terminfo/74/tvi912b+vb
x ./opt/local/share/terminfo/74/tvi912b-2p
x ./opt/local/share/terminfo/74/tvi912b-2p-mc
x ./opt/local/share/terminfo/74/tvi912b-2p-p
x ./opt/local/share/terminfo/74/tvi912b-2p-unk
x ./opt/local/share/terminfo/74/tvi912b-mc
x ./opt/local/share/terminfo/74/tvi912b-mc-2p
x ./opt/local/share/terminfo/74/tvi912b-mc-vb
x ./opt/local/share/terminfo/74/tvi912b-p
x ./opt/local/share/terminfo/74/tvi912b-p-2p
x ./opt/local/share/terminfo/74/tvi912b-p-vb
x ./opt/local/share/terminfo/74/tvi912b-unk

x ./opt/local/share/terminfo/74/tvi912b-unk-2p
x ./opt/local/share/terminfo/74/tvi912b-unk-vb
x ./opt/local/share/terminfo/74/tvi912b-vb
x ./opt/local/share/terminfo/74/tvi912b-vb-mc
x ./opt/local/share/terminfo/74/tvi912b-vb-p
x ./opt/local/share/terminfo/74/tvi912b-vb-unk
x ./opt/local/share/terminfo/74/tvi912c
x ./opt/local/share/terminfo/74/tvi912c-2p
x ./opt/local/share/terminfo/74/tvi912c-2p-mc
x ./opt/local/share/terminfo/74/tvi912c-2p-p
x ./opt/local/share/terminfo/74/tvi912c-2p-unk
x ./opt/local/share/terminfo/74/tvi912c-mc
x ./opt/local/share/terminfo/74/tvi912c-mc-2p
x ./opt/local/share/terminfo/74/tvi912c-mc-vb
x ./opt/local/share/terminfo/74/tvi912c-p
x ./opt/local/share/terminfo/74/tvi912c-p-2p
x ./opt/local/share/terminfo/74/tvi912c-p-vb
x ./opt/local/share/terminfo/74/tvi912c-unk
x ./opt/local/share/terminfo/74/tvi912c-unk-2p
x ./opt/local/share/terminfo/74/tvi912c-unk-vb
x ./opt/local/share/terminfo/74/tvi912c-vb
x ./opt/local/share/terminfo/74/tvi912c-vb-mc
x ./opt/local/share/terminfo/74/tvi912c-vb-p
x ./opt/local/share/terminfo/74/tvi912c-vb-unk

x ./opt/local/share/terminfo/74/tvi912cc
x ./opt/local/share/terminfo/74/tvi914
x ./opt/local/share/terminfo/74/tvi920
x ./opt/local/share/terminfo/74/tvi920b
x ./opt/local/share/terminfo/74/tvi920b+fn
x ./opt/local/share/terminfo/74/tvi920b-2p
x ./opt/local/share/terminfo/74/tvi920b-2p-mc
x ./opt/local/share/terminfo/74/tvi920b-2p-p
x ./opt/local/share/terminfo/74/tvi920b-2p-unk
x ./opt/local/share/terminfo/74/tvi920b-mc
x ./opt/local/share/terminfo/74/tvi920b-mc-2p
x ./opt/local/share/terminfo/74/tvi920b-mc-vb
x ./opt/local/share/terminfo/74/tvi920b-p
x ./opt/local/share/terminfo/74/tvi920b-p-2p
x ./opt/local/share/terminfo/74/tvi920b-p-vb
x ./opt/local/share/terminfo/74/tvi920b-unk
x ./opt/local/share/terminfo/74/tvi920b-unk-2p
x ./opt/local/share/terminfo/74/tvi920b-unk-vb
x ./opt/local/share/terminfo/74/tvi920b-vb
x ./opt/local/share/terminfo/74/tvi920b-vb-mc
x ./opt/local/share/terminfo/74/tvi920b-vb-p
x ./opt/local/share/terminfo/74/tvi920b-vb-unk
x ./opt/local/share/terminfo/74/tvi920c
x ./opt/local/share/terminfo/74/tvi920c-2p

x ./opt/local/share/terminfo/74/tvi920c-2p-mc
x ./opt/local/share/terminfo/74/tvi920c-2p-p
x ./opt/local/share/terminfo/74/tvi920c-2p-unk
x ./opt/local/share/terminfo/74/tvi920c-mc
x ./opt/local/share/terminfo/74/tvi920c-mc-2p
x ./opt/local/share/terminfo/74/tvi920c-mc-vb
x ./opt/local/share/terminfo/74/tvi920c-p
x ./opt/local/share/terminfo/74/tvi920c-p-2p
x ./opt/local/share/terminfo/74/tvi920c-p-vb
x ./opt/local/share/terminfo/74/tvi920c-unk
x ./opt/local/share/terminfo/74/tvi920c-unk-2p
x ./opt/local/share/terminfo/74/tvi920c-unk-vb
x ./opt/local/share/terminfo/74/tvi920c-vb
x ./opt/local/share/terminfo/74/tvi920c-vb-mc
x ./opt/local/share/terminfo/74/tvi920c-vb-p
x ./opt/local/share/terminfo/74/tvi920c-vb-unk
x ./opt/local/share/terminfo/74/tvi921
x ./opt/local/share/terminfo/74/tvi924
x ./opt/local/share/terminfo/74/tvi925
x ./opt/local/share/terminfo/74/tvi925-hi
x ./opt/local/share/terminfo/74/tvi92B
x ./opt/local/share/terminfo/74/tvi92D
x ./opt/local/share/terminfo/74/tvi950
x ./opt/local/share/terminfo/74/tvi950-2p

- x ./opt/local/share/terminfo/74/tvi950-4p
- x ./opt/local/share/terminfo/74/tvi950-rv
- x ./opt/local/share/terminfo/74/tvi950-rv-2p
- x ./opt/local/share/terminfo/74/tvi950-rv-4p
- x ./opt/local/share/terminfo/74/tvi955
- x ./opt/local/share/terminfo/74/tvi955-hb
- x ./opt/local/share/terminfo/74/tvi955-w
- x ./opt/local/share/terminfo/74/tvi970
- x ./opt/local/share/terminfo/74/tvi970-2p
- x ./opt/local/share/terminfo/74/tvi970-vb
- x ./opt/local/share/terminfo/74/tvipt
- x ./opt/local/share/terminfo/74/tw100
- x ./opt/local/share/terminfo/74/tw52
- x ./opt/local/share/terminfo/74/tw52-color
- x ./opt/local/share/terminfo/74/tw52-m
- x ./opt/local/share/terminfo/74/tws-generic
- x ./opt/local/share/terminfo/74/tws2102-sna
- x ./opt/local/share/terminfo/74/tws2103
- x ./opt/local/share/terminfo/74/tws2103-sna
- x ./opt/local/share/terminfo/73/s4
- x ./opt/local/share/terminfo/73/sb1
- x ./opt/local/share/terminfo/73/sb2
- x ./opt/local/share/terminfo/73/sb3
- x ./opt/local/share/terminfo/73/sbi

- x ./opt/local/share/terminfo/73/sbobcat
- x ./opt/local/share/terminfo/73/sc410
- x ./opt/local/share/terminfo/73/sc415
- x ./opt/local/share/terminfo/73/scanset
- x ./opt/local/share/terminfo/73/scoansi
- x ./opt/local/share/terminfo/73/scoansi-new
- x ./opt/local/share/terminfo/73/scoansi-old
- x ./opt/local/share/terminfo/73/screen
- x ./opt/local/share/terminfo/73/screen+fkeys
- x ./opt/local/share/terminfo/73/screen-16color
- x ./opt/local/share/terminfo/73/screen-16color-bce
- x ./opt/local/share/terminfo/73/screen-16color-bce-s
- x ./opt/local/share/terminfo/73/screen-16color-s
- x ./opt/local/share/terminfo/73/screen-256color
- x ./opt/local/share/terminfo/73/screen-256color-bce
- x ./opt/local/share/terminfo/73/screen-256color-bce-s
- x ./opt/local/share/terminfo/73/screen-256color-s
- x ./opt/local/share/terminfo/73/screen-bce
- x ./opt/local/share/terminfo/73/screen-bce.Eterm
- x ./opt/local/share/terminfo/73/screen-bce.gnome
- x ./opt/local/share/terminfo/73/screen-bce.konsole
- x ./opt/local/share/terminfo/73/screen-bce.linux
- x ./opt/local/share/terminfo/73/screen-bce.mlterm
- x ./opt/local/share/terminfo/73/screen-bce.mrxvt

- x ./opt/local/share/terminfo/73/screen-bce.rxvt
- x ./opt/local/share/terminfo/73/screen-bce.xterm-new
- x ./opt/local/share/terminfo/73/screen-s
- x ./opt/local/share/terminfo/73/screen-w
- x ./opt/local/share/terminfo/73/screen.Eterm
- x ./opt/local/share/terminfo/73/screen.gnome
- x ./opt/local/share/terminfo/73/screen.konsole
- x ./opt/local/share/terminfo/73/screen.linux
- x ./opt/local/share/terminfo/73/screen.mlterm
- x ./opt/local/share/terminfo/73/screen.mrxvt
- x ./opt/local/share/terminfo/73/screen.rxvt
- x ./opt/local/share/terminfo/73/screen.teraterm
- x ./opt/local/share/terminfo/73/screen.vte
- x ./opt/local/share/terminfo/73/screen.xterm-new
- x ./opt/local/share/terminfo/73/screen.xterm-r6
- x ./opt/local/share/terminfo/73/screen.xterm-xfree86
- x ./opt/local/share/terminfo/73/screen2
- x ./opt/local/share/terminfo/73/screen3
- x ./opt/local/share/terminfo/73/screwpoint
- x ./opt/local/share/terminfo/73/scrhp
- x ./opt/local/share/terminfo/73/sibo
- x ./opt/local/share/terminfo/73/simterm
- x ./opt/local/share/terminfo/73/soroc
- x ./opt/local/share/terminfo/73/soroc120

- x ./opt/local/share/terminfo/73/soroc140
- x ./opt/local/share/terminfo/73/spinwriter
- x ./opt/local/share/terminfo/73/st52
- x ./opt/local/share/terminfo/73/st52-color
- x ./opt/local/share/terminfo/73/st52-m
- x ./opt/local/share/terminfo/73/st52-old
- x ./opt/local/share/terminfo/73/stv52
- x ./opt/local/share/terminfo/73/stv52pc
- x ./opt/local/share/terminfo/73/sun
- x ./opt/local/share/terminfo/73/sun-1
- x ./opt/local/share/terminfo/73/sun-12
- x ./opt/local/share/terminfo/73/sun-17
- x ./opt/local/share/terminfo/73/sun-24
- x ./opt/local/share/terminfo/73/sun-34
- x ./opt/local/share/terminfo/73/sun-48
- x ./opt/local/share/terminfo/73/sun-c
- x ./opt/local/share/terminfo/73/sun-cgsix
- x ./opt/local/share/terminfo/73/sun-cmd
- x ./opt/local/share/terminfo/73/sun-color
- x ./opt/local/share/terminfo/73/sun-e
- x ./opt/local/share/terminfo/73/sun-e-s
- x ./opt/local/share/terminfo/73/sun-il
- x ./opt/local/share/terminfo/73/sun-nic
- x ./opt/local/share/terminfo/73/sun-s

- x ./opt/local/share/terminfo/73/sun-s-e
- x ./opt/local/share/terminfo/73/sun-ss5
- x ./opt/local/share/terminfo/73/sun-type4
- x ./opt/local/share/terminfo/73/sun1
- x ./opt/local/share/terminfo/73/sun2
- x ./opt/local/share/terminfo/73/sune
- x ./opt/local/share/terminfo/73/superbee
- x ./opt/local/share/terminfo/73/superbee-xsb
- x ./opt/local/share/terminfo/73/superbeeic
- x ./opt/local/share/terminfo/73/superbrain
- x ./opt/local/share/terminfo/73/sv80
- x ./opt/local/share/terminfo/73/swtp
- x ./opt/local/share/terminfo/73/synertek
- x ./opt/local/share/terminfo/73/synertek380
- x ./opt/local/share/terminfo/73/system1
- x ./opt/local/share/terminfo/72/rbcomm
- x ./opt/local/share/terminfo/72/rbcomm-nam
- x ./opt/local/share/terminfo/72/rbcomm-w
- x ./opt/local/share/terminfo/72/rca
- x ./opt/local/share/terminfo/72/rcons
- x ./opt/local/share/terminfo/72/rcons-color
- x ./opt/local/share/terminfo/72/rebus3180
- x ./opt/local/share/terminfo/72/regent
- x ./opt/local/share/terminfo/72/regent100

- x ./opt/local/share/terminfo/72/regent20
- x ./opt/local/share/terminfo/72/regent200
- x ./opt/local/share/terminfo/72/regent25
- x ./opt/local/share/terminfo/72/regent40
- x ./opt/local/share/terminfo/72/regent40+
- x ./opt/local/share/terminfo/72/regent60
- x ./opt/local/share/terminfo/72/rt6221
- x ./opt/local/share/terminfo/72/rt6221-w
- x ./opt/local/share/terminfo/72/rtpc
- x ./opt/local/share/terminfo/72/rxvt
- x ./opt/local/share/terminfo/72/rxvt+pcfkeys
- x ./opt/local/share/terminfo/72/rxvt-16color
- x ./opt/local/share/terminfo/72/rxvt-256color
- x ./opt/local/share/terminfo/72/rxvt-88color
- x ./opt/local/share/terminfo/72/rxvt-basic
- x ./opt/local/share/terminfo/72/rxvt-color
- x ./opt/local/share/terminfo/72/rxvt-cygwin
- x ./opt/local/share/terminfo/72/rxvt-cygwin-native
- x ./opt/local/share/terminfo/72/rxvt-xpm
- x ./opt/local/share/terminfo/71/qansi
- x ./opt/local/share/terminfo/71/qansi-g
- x ./opt/local/share/terminfo/71/qansi-m
- x ./opt/local/share/terminfo/71/qansi-t
- x ./opt/local/share/terminfo/71/qansi-w

- x ./opt/local/share/terminfo/71/qdcons
- x ./opt/local/share/terminfo/71/qdss
- x ./opt/local/share/terminfo/71/qnx
- x ./opt/local/share/terminfo/71/qnx4
- x ./opt/local/share/terminfo/71/qnxm
- x ./opt/local/share/terminfo/71/qnxt
- x ./opt/local/share/terminfo/71/qnxt2
- x ./opt/local/share/terminfo/71/qnxt4
- x ./opt/local/share/terminfo/71/qnxtmono
- x ./opt/local/share/terminfo/71/qnxw
- x ./opt/local/share/terminfo/71/qume
- x ./opt/local/share/terminfo/71/qume5
- x ./opt/local/share/terminfo/71/qvt101
- x ./opt/local/share/terminfo/71/qvt101+
- x ./opt/local/share/terminfo/71/qvt101p
- x ./opt/local/share/terminfo/71/qvt102
- x ./opt/local/share/terminfo/71/qvt103
- x ./opt/local/share/terminfo/71/qvt103-w
- x ./opt/local/share/terminfo/71/qvt108
- x ./opt/local/share/terminfo/71/qvt119
- x ./opt/local/share/terminfo/71/qvt119+
- x ./opt/local/share/terminfo/71/qvt119+-25
- x ./opt/local/share/terminfo/71/qvt119+-25-w
- x ./opt/local/share/terminfo/71/qvt119+-w

- x ./opt/local/share/terminfo/71/qvt119-25-w
- x ./opt/local/share/terminfo/71/qvt119-w
- x ./opt/local/share/terminfo/71/qvt119p
- x ./opt/local/share/terminfo/71/qvt119p-25
- x ./opt/local/share/terminfo/71/qvt119p-25-w
- x ./opt/local/share/terminfo/71/qvt119p-w
- x ./opt/local/share/terminfo/71/qvt203
- x ./opt/local/share/terminfo/71/qvt203+
- x ./opt/local/share/terminfo/71/qvt203-25
- x ./opt/local/share/terminfo/71/qvt203-25-w
- x ./opt/local/share/terminfo/71/qvt203-w
- x ./opt/local/share/terminfo/71/qvt203-w-am
- x ./opt/local/share/terminfo/70/p12
- x ./opt/local/share/terminfo/70/p12-m
- x ./opt/local/share/terminfo/70/p12-m-w
- x ./opt/local/share/terminfo/70/p12-w
- x ./opt/local/share/terminfo/70/p14
- x ./opt/local/share/terminfo/70/p14-m
- x ./opt/local/share/terminfo/70/p14-m-w
- x ./opt/local/share/terminfo/70/p14-w
- x ./opt/local/share/terminfo/70/p19
- x ./opt/local/share/terminfo/70/p4
- x ./opt/local/share/terminfo/70/p5
- x ./opt/local/share/terminfo/70/p7

- x ./opt/local/share/terminfo/70/p8
- x ./opt/local/share/terminfo/70/p8-w
- x ./opt/local/share/terminfo/70/p8gl
- x ./opt/local/share/terminfo/70/p9
- x ./opt/local/share/terminfo/70/p9-8
- x ./opt/local/share/terminfo/70/p9-8-w
- x ./opt/local/share/terminfo/70/p9-w
- x ./opt/local/share/terminfo/70/pc-coherent
- x ./opt/local/share/terminfo/70/pc-minix
- x ./opt/local/share/terminfo/70/pc-venix
- x ./opt/local/share/terminfo/70/pc3
- x ./opt/local/share/terminfo/70/pc3-bold
- x ./opt/local/share/terminfo/70/pc3r
- x ./opt/local/share/terminfo/70/pc3r-m
- x ./opt/local/share/terminfo/70/pc6300plus
- x ./opt/local/share/terminfo/70/pc7300
- x ./opt/local/share/terminfo/70/pcansi
- x ./opt/local/share/terminfo/70/pcansi-25
- x ./opt/local/share/terminfo/70/pcansi-25-m
- x ./opt/local/share/terminfo/70/pcansi-33
- x ./opt/local/share/terminfo/70/pcansi-33-m
- x ./opt/local/share/terminfo/70/pcansi-43
- x ./opt/local/share/terminfo/70/pcansi-43-m
- x ./opt/local/share/terminfo/70/pcansi-m

- x ./opt/local/share/terminfo/70/pcansi-mono
- x ./opt/local/share/terminfo/70/pcansi25
- x ./opt/local/share/terminfo/70/pcansi25m
- x ./opt/local/share/terminfo/70/pcansi33
- x ./opt/local/share/terminfo/70/pcansi33m
- x ./opt/local/share/terminfo/70/pcansi43
- x ./opt/local/share/terminfo/70/pcccons
- x ./opt/local/share/terminfo/70/pccconsole
- x ./opt/local/share/terminfo/70/pcix
- x ./opt/local/share/terminfo/70/pckermi
- x ./opt/local/share/terminfo/70/pckermi12
- x ./opt/local/share/terminfo/70/pckermi120
- x ./opt/local/share/terminfo/70/pcmw
- x ./opt/local/share/terminfo/70/pcplot
- x ./opt/local/share/terminfo/70/pcvt25
- x ./opt/local/share/terminfo/70/pcvt25-color
- x ./opt/local/share/terminfo/70/pcvt25w
- x ./opt/local/share/terminfo/70/pcvt28
- x ./opt/local/share/terminfo/70/pcvt28w
- x ./opt/local/share/terminfo/70/pcvt35
- x ./opt/local/share/terminfo/70/pcvt35w
- x ./opt/local/share/terminfo/70/pcvt40
- x ./opt/local/share/terminfo/70/pcvt40w
- x ./opt/local/share/terminfo/70/pcvt43

- x ./opt/local/share/terminfo/70/pcvt43w
- x ./opt/local/share/terminfo/70/pcvt50
- x ./opt/local/share/terminfo/70/pcvt50w
- x ./opt/local/share/terminfo/70/pcvtXX
- x ./opt/local/share/terminfo/70/pcz19
- x ./opt/local/share/terminfo/70/pe1100
- x ./opt/local/share/terminfo/70/pe1200
- x ./opt/local/share/terminfo/70/pe1251
- x ./opt/local/share/terminfo/70/pe550
- x ./opt/local/share/terminfo/70/pe6100
- x ./opt/local/share/terminfo/70/pe6300
- x ./opt/local/share/terminfo/70/pe6312
- x ./opt/local/share/terminfo/70/pe7000c
- x ./opt/local/share/terminfo/70/pe7000m
- x ./opt/local/share/terminfo/70/pilot
- x ./opt/local/share/terminfo/70/pmcons
- x ./opt/local/share/terminfo/70/pmconsole
- x ./opt/local/share/terminfo/70/printer
- x ./opt/local/share/terminfo/70/prism12
- x ./opt/local/share/terminfo/70/prism12-m
- x ./opt/local/share/terminfo/70/prism12-m-w
- x ./opt/local/share/terminfo/70/prism12-w
- x ./opt/local/share/terminfo/70/prism14
- x ./opt/local/share/terminfo/70/prism14-m

x ./opt/local/share/terminfo/70/prism14-m-w
x ./opt/local/share/terminfo/70/prism14-w
x ./opt/local/share/terminfo/70/prism2
x ./opt/local/share/terminfo/70/prism4
x ./opt/local/share/terminfo/70/prism5
x ./opt/local/share/terminfo/70/prism7
x ./opt/local/share/terminfo/70/prism8
x ./opt/local/share/terminfo/70/prism8-w
x ./opt/local/share/terminfo/70/prism8gl
x ./opt/local/share/terminfo/70/prism9
x ./opt/local/share/terminfo/70/prism9-8
x ./opt/local/share/terminfo/70/prism9-8-w
x ./opt/local/share/terminfo/70/prism9-w
x ./opt/local/share/terminfo/70/pro350
x ./opt/local/share/terminfo/70/ps300
x ./opt/local/share/terminfo/70/pstern
x ./opt/local/share/terminfo/70/pstern-80x24
x ./opt/local/share/terminfo/70/pstern-90x28
x ./opt/local/share/terminfo/70/pstern-96x48
x ./opt/local/share/terminfo/70/pstern-basic
x ./opt/local/share/terminfo/70/pstern-fast
x ./opt/local/share/terminfo/70/psx_ansi
x ./opt/local/share/terminfo/70/pt100
x ./opt/local/share/terminfo/70/pt100w

- x ./opt/local/share/terminfo/70/pt200
- x ./opt/local/share/terminfo/70/pt200w
- x ./opt/local/share/terminfo/70/pt210
- x ./opt/local/share/terminfo/70/pt250
- x ./opt/local/share/terminfo/70/pt250w
- x ./opt/local/share/terminfo/70/pt505
- x ./opt/local/share/terminfo/70/pt505-22
- x ./opt/local/share/terminfo/70/pt505-24
- x ./opt/local/share/terminfo/70/pty
- x ./opt/local/share/terminfo/70/putty
- x ./opt/local/share/terminfo/70/putty-256color
- x ./opt/local/share/terminfo/70/putty-vt100
- x ./opt/local/share/terminfo/6f/o31
- x ./opt/local/share/terminfo/6f/o4112-nd
- x ./opt/local/share/terminfo/6f/o85h
- x ./opt/local/share/terminfo/6f/oabm85h
- x ./opt/local/share/terminfo/6f/oblit
- x ./opt/local/share/terminfo/6f/oc100
- x ./opt/local/share/terminfo/6f/oconcept
- x ./opt/local/share/terminfo/6f/ofcons
- x ./opt/local/share/terminfo/6f/ojerq
- x ./opt/local/share/terminfo/6f/oldibmpc3
- x ./opt/local/share/terminfo/6f/oldpc3
- x ./opt/local/share/terminfo/6f/oldsun

x ./opt/local/share/terminfo/6f/omron
x ./opt/local/share/terminfo/6f/opennt
x ./opt/local/share/terminfo/6f/opennt-100
x ./opt/local/share/terminfo/6f/opennt-100-nti
x ./opt/local/share/terminfo/6f/opennt-25
x ./opt/local/share/terminfo/6f/opennt-25-nti
x ./opt/local/share/terminfo/6f/opennt-25-w
x ./opt/local/share/terminfo/6f/opennt-25-w-vt
x ./opt/local/share/terminfo/6f/opennt-35
x ./opt/local/share/terminfo/6f/opennt-35-nti
x ./opt/local/share/terminfo/6f/opennt-35-w
x ./opt/local/share/terminfo/6f/opennt-50
x ./opt/local/share/terminfo/6f/opennt-50-nti
x ./opt/local/share/terminfo/6f/opennt-50-w
x ./opt/local/share/terminfo/6f/opennt-60
x ./opt/local/share/terminfo/6f/opennt-60-nti
x ./opt/local/share/terminfo/6f/opennt-60-w
x ./opt/local/share/terminfo/6f/opennt-nti
x ./opt/local/share/terminfo/6f/opennt-w
x ./opt/local/share/terminfo/6f/opennt-w-vt
x ./opt/local/share/terminfo/6f/opus3n1+
x ./opt/local/share/terminfo/6f/origibmpc3
x ./opt/local/share/terminfo/6f/origpc3
x ./opt/local/share/terminfo/6f/os9LII

- x ./opt/local/share/terminfo/6f/osborne
- x ./opt/local/share/terminfo/6f/osborne-w
- x ./opt/local/share/terminfo/6f/osborne1
- x ./opt/local/share/terminfo/6f/osborne1-w
- x ./opt/local/share/terminfo/6f/osexec
- x ./opt/local/share/terminfo/6f/otek4112
- x ./opt/local/share/terminfo/6f/otek4113
- x ./opt/local/share/terminfo/6f/otek4114
- x ./opt/local/share/terminfo/6f/otek4115
- x ./opt/local/share/terminfo/6f/owl
- x ./opt/local/share/terminfo/6e/nansi.sys
- x ./opt/local/share/terminfo/6e/nansi.sysk
- x ./opt/local/share/terminfo/6e/nansisys
- x ./opt/local/share/terminfo/6e/nansisysk
- x ./opt/local/share/terminfo/6e/ncr160vppp
- x ./opt/local/share/terminfo/6e/ncr160vpwpp
- x ./opt/local/share/terminfo/6e/ncr160vt100an
- x ./opt/local/share/terminfo/6e/ncr160vt100pp
- x ./opt/local/share/terminfo/6e/ncr160vt100wan
- x ./opt/local/share/terminfo/6e/ncr160vt100wpp
- x ./opt/local/share/terminfo/6e/ncr160vt200an
- x ./opt/local/share/terminfo/6e/ncr160vt200pp
- x ./opt/local/share/terminfo/6e/ncr160vt200wan
- x ./opt/local/share/terminfo/6e/ncr160vt200wpp

x ./opt/local/share/terminfo/6e/ncr160vt300an
x ./opt/local/share/terminfo/6e/ncr160vt300pp
x ./opt/local/share/terminfo/6e/ncr160vt300wan
x ./opt/local/share/terminfo/6e/ncr160vt300wpp
x ./opt/local/share/terminfo/6e/ncr160wy50+pp
x ./opt/local/share/terminfo/6e/ncr160wy50+wpp
x ./opt/local/share/terminfo/6e/ncr160wy60pp
x ./opt/local/share/terminfo/6e/ncr160wy60wpp
x ./opt/local/share/terminfo/6e/ncr260intan
x ./opt/local/share/terminfo/6e/ncr260intpp
x ./opt/local/share/terminfo/6e/ncr260intwan
x ./opt/local/share/terminfo/6e/ncr260intwpp
x ./opt/local/share/terminfo/6e/ncr260vppp
x ./opt/local/share/terminfo/6e/ncr260vpwpp
x ./opt/local/share/terminfo/6e/ncr260vt100an
x ./opt/local/share/terminfo/6e/ncr260vt100pp
x ./opt/local/share/terminfo/6e/ncr260vt100wan
x ./opt/local/share/terminfo/6e/ncr260vt100wpp
x ./opt/local/share/terminfo/6e/ncr260vt200an
x ./opt/local/share/terminfo/6e/ncr260vt200pp
x ./opt/local/share/terminfo/6e/ncr260vt200wan
x ./opt/local/share/terminfo/6e/ncr260vt200wpp
x ./opt/local/share/terminfo/6e/ncr260vt300an
x ./opt/local/share/terminfo/6e/ncr260vt300pp

x ./opt/local/share/terminfo/6e/ncr260vt300wan
x ./opt/local/share/terminfo/6e/ncr260vt300wpp
x ./opt/local/share/terminfo/6e/ncr260wy325pp
x ./opt/local/share/terminfo/6e/ncr260wy325wpp
x ./opt/local/share/terminfo/6e/ncr260wy350pp
x ./opt/local/share/terminfo/6e/ncr260wy350wpp
x ./opt/local/share/terminfo/6e/ncr260wy50+pp
x ./opt/local/share/terminfo/6e/ncr260wy50+wpp
x ./opt/local/share/terminfo/6e/ncr260wy60pp
x ./opt/local/share/terminfo/6e/ncr260wy60wpp
x ./opt/local/share/terminfo/6e/ncr7900
x ./opt/local/share/terminfo/6e/ncr7900i
x ./opt/local/share/terminfo/6e/ncr7900iv
x ./opt/local/share/terminfo/6e/ncr7901
x ./opt/local/share/terminfo/6e/ncrvt100an
x ./opt/local/share/terminfo/6e/ncrvt100pp
x ./opt/local/share/terminfo/6e/ncrvt100wan
x ./opt/local/share/terminfo/6e/ncrvt100wpp
x ./opt/local/share/terminfo/6e/ncsa
x ./opt/local/share/terminfo/6e/ncsa-m
x ./opt/local/share/terminfo/6e/ncsa-m-ns
x ./opt/local/share/terminfo/6e/ncsa-ns
x ./opt/local/share/terminfo/6e/ncsa-vt220
x ./opt/local/share/terminfo/6e/ncsa-vt220-8

x ./opt/local/share/terminfo/6e/nd9500
x ./opt/local/share/terminfo/6e/ndr9500
x ./opt/local/share/terminfo/6e/ndr9500-25
x ./opt/local/share/terminfo/6e/ndr9500-25-mc
x ./opt/local/share/terminfo/6e/ndr9500-25-mc-nl
x ./opt/local/share/terminfo/6e/ndr9500-25-nl
x ./opt/local/share/terminfo/6e/ndr9500-mc
x ./opt/local/share/terminfo/6e/ndr9500-mc-nl
x ./opt/local/share/terminfo/6e/ndr9500-nl
x ./opt/local/share/terminfo/6e/nec
x ./opt/local/share/terminfo/6e/nec5520
x ./opt/local/share/terminfo/6e/newhp
x ./opt/local/share/terminfo/6e/newhpkeyboard
x ./opt/local/share/terminfo/6e/news
x ./opt/local/share/terminfo/6e/news-29
x ./opt/local/share/terminfo/6e/news-29-euc
x ./opt/local/share/terminfo/6e/news-29-sjis
x ./opt/local/share/terminfo/6e/news-33
x ./opt/local/share/terminfo/6e/news-33-euc
x ./opt/local/share/terminfo/6e/news-33-sjis
x ./opt/local/share/terminfo/6e/news-42
x ./opt/local/share/terminfo/6e/news-42-euc
x ./opt/local/share/terminfo/6e/news-42-sjis
x ./opt/local/share/terminfo/6e/news-a

x ./opt/local/share/terminfo/6e/news-o
x ./opt/local/share/terminfo/6e/news-old-unk
x ./opt/local/share/terminfo/6e/news-unk
x ./opt/local/share/terminfo/6e/news28
x ./opt/local/share/terminfo/6e/news28-a
x ./opt/local/share/terminfo/6e/news29
x ./opt/local/share/terminfo/6e/news31
x ./opt/local/share/terminfo/6e/news31-a
x ./opt/local/share/terminfo/6e/news31-o
x ./opt/local/share/terminfo/6e/news33
x ./opt/local/share/terminfo/6e/news40
x ./opt/local/share/terminfo/6e/news40-a
x ./opt/local/share/terminfo/6e/news40-o
x ./opt/local/share/terminfo/6e/news42
x ./opt/local/share/terminfo/6e/newscbm
x ./opt/local/share/terminfo/6e/newscbm-a
x ./opt/local/share/terminfo/6e/newscbm-o
x ./opt/local/share/terminfo/6e/newscbm33
x ./opt/local/share/terminfo/6e/next
x ./opt/local/share/terminfo/6e/nextshell
x ./opt/local/share/terminfo/6e/northstar
x ./opt/local/share/terminfo/6e/nsterm
x ./opt/local/share/terminfo/6e/nsterm+7
x ./opt/local/share/terminfo/6e/nsterm+acs

- x ./opt/local/share/terminfo/6e/nsterm+c
- x ./opt/local/share/terminfo/6e/nsterm+c41
- x ./opt/local/share/terminfo/6e/nsterm+mac
- x ./opt/local/share/terminfo/6e/nsterm+s
- x ./opt/local/share/terminfo/6e/nsterm-16color
- x ./opt/local/share/terminfo/6e/nsterm-7
- x ./opt/local/share/terminfo/6e/nsterm-7-c
- x ./opt/local/share/terminfo/6e/nsterm-7-c-s
- x ./opt/local/share/terminfo/6e/nsterm-7-m
- x ./opt/local/share/terminfo/6e/nsterm-7-m-s
- x ./opt/local/share/terminfo/6e/nsterm-7-s
- x ./opt/local/share/terminfo/6e/nsterm-acs
- x ./opt/local/share/terminfo/6e/nsterm-acs-c
- x ./opt/local/share/terminfo/6e/nsterm-acs-c-s
- x ./opt/local/share/terminfo/6e/nsterm-acs-m
- x ./opt/local/share/terminfo/6e/nsterm-acs-m-s
- x ./opt/local/share/terminfo/6e/nsterm-acs-s
- x ./opt/local/share/terminfo/6e/nsterm-bce
- x ./opt/local/share/terminfo/6e/nsterm-c
- x ./opt/local/share/terminfo/6e/nsterm-c-7
- x ./opt/local/share/terminfo/6e/nsterm-c-acs
- x ./opt/local/share/terminfo/6e/nsterm-c-s
- x ./opt/local/share/terminfo/6e/nsterm-c-s-7
- x ./opt/local/share/terminfo/6e/nsterm-c-s-acs

- x ./opt/local/share/terminfo/6e/nsterm-m
- x ./opt/local/share/terminfo/6e/nsterm-m-7
- x ./opt/local/share/terminfo/6e/nsterm-m-acsc
- x ./opt/local/share/terminfo/6e/nsterm-m-s
- x ./opt/local/share/terminfo/6e/nsterm-m-s-7
- x ./opt/local/share/terminfo/6e/nsterm-m-s-acsc
- x ./opt/local/share/terminfo/6e/nsterm-old
- x ./opt/local/share/terminfo/6e/nsterm-s
- x ./opt/local/share/terminfo/6e/nsterm-s-7
- x ./opt/local/share/terminfo/6e/nsterm-s-acsc
- x ./opt/local/share/terminfo/6e/ntconsole
- x ./opt/local/share/terminfo/6e/ntconsole-100
- x ./opt/local/share/terminfo/6e/ntconsole-100-nti
- x ./opt/local/share/terminfo/6e/ntconsole-25
- x ./opt/local/share/terminfo/6e/ntconsole-25-nti
- x ./opt/local/share/terminfo/6e/ntconsole-25-w
- x ./opt/local/share/terminfo/6e/ntconsole-25-w-vt
- x ./opt/local/share/terminfo/6e/ntconsole-35
- x ./opt/local/share/terminfo/6e/ntconsole-35-nti
- x ./opt/local/share/terminfo/6e/ntconsole-35-w
- x ./opt/local/share/terminfo/6e/ntconsole-50
- x ./opt/local/share/terminfo/6e/ntconsole-50-nti
- x ./opt/local/share/terminfo/6e/ntconsole-50-w
- x ./opt/local/share/terminfo/6e/ntconsole-60

x ./opt/local/share/terminfo/6e/ntconsole-60-nti
x ./opt/local/share/terminfo/6e/ntconsole-60-w
x ./opt/local/share/terminfo/6e/ntconsole-w
x ./opt/local/share/terminfo/6e/ntconsole-w-vt
x ./opt/local/share/terminfo/6e/nwe501
x ./opt/local/share/terminfo/6e/nwe501-a
x ./opt/local/share/terminfo/6e/nwe501-o
x ./opt/local/share/terminfo/6e/nwp-511
x ./opt/local/share/terminfo/6e/nwp-517
x ./opt/local/share/terminfo/6e/nwp-517-w
x ./opt/local/share/terminfo/6e/nwp251-a
x ./opt/local/share/terminfo/6e/nwp251-o
x ./opt/local/share/terminfo/6e/nwp511
x ./opt/local/share/terminfo/6e/nwp512
x ./opt/local/share/terminfo/6e/nwp512-a
x ./opt/local/share/terminfo/6e/nwp512-o
x ./opt/local/share/terminfo/6e/nwp513
x ./opt/local/share/terminfo/6e/nwp513-a
x ./opt/local/share/terminfo/6e/nwp513-o
x ./opt/local/share/terminfo/6e/nwp514
x ./opt/local/share/terminfo/6e/nwp514-a
x ./opt/local/share/terminfo/6e/nwp514-o
x ./opt/local/share/terminfo/6e/nwp517
x ./opt/local/share/terminfo/6e/nwp517-w

- x ./opt/local/share/terminfo/6e/nwp518
- x ./opt/local/share/terminfo/6e/nwp518-a
- x ./opt/local/share/terminfo/6e/nwp518-o
- x ./opt/local/share/terminfo/6e/nxterm
- x ./opt/local/share/terminfo/6d/m2-nam
- x ./opt/local/share/terminfo/6d/mac
- x ./opt/local/share/terminfo/6d/mac-w
- x ./opt/local/share/terminfo/6d/mach
- x ./opt/local/share/terminfo/6d/mach-bold
- x ./opt/local/share/terminfo/6d/mach-color
- x ./opt/local/share/terminfo/6d/macintosh
- x ./opt/local/share/terminfo/6d/macterminal-w
- x ./opt/local/share/terminfo/6d/mai
- x ./opt/local/share/terminfo/6d/masscomp
- x ./opt/local/share/terminfo/6d/masscomp1
- x ./opt/local/share/terminfo/6d/masscomp2
- x ./opt/local/share/terminfo/6d/mdl110
- x ./opt/local/share/terminfo/6d/megatek
- x ./opt/local/share/terminfo/6d/memhp
- x ./opt/local/share/terminfo/6d/mgr
- x ./opt/local/share/terminfo/6d/mgr-linux
- x ./opt/local/share/terminfo/6d/mgr-sun
- x ./opt/local/share/terminfo/6d/mgt
- x ./opt/local/share/terminfo/6d/mgterm

- x ./opt/local/share/terminfo/6d/microb
- x ./opt/local/share/terminfo/6d/microbee
- x ./opt/local/share/terminfo/6d/microterm
- x ./opt/local/share/terminfo/6d/microterm5
- x ./opt/local/share/terminfo/6d/mime
- x ./opt/local/share/terminfo/6d/mime-3ax
- x ./opt/local/share/terminfo/6d/mime-fb
- x ./opt/local/share/terminfo/6d/mime-hb
- x ./opt/local/share/terminfo/6d/mime1
- x ./opt/local/share/terminfo/6d/mime2
- x ./opt/local/share/terminfo/6d/mime2a
- x ./opt/local/share/terminfo/6d/mime2a-s
- x ./opt/local/share/terminfo/6d/mime2a-v
- x ./opt/local/share/terminfo/6d/mime314
- x ./opt/local/share/terminfo/6d/mime340
- x ./opt/local/share/terminfo/6d/mime3a
- x ./opt/local/share/terminfo/6d/mime3ax
- x ./opt/local/share/terminfo/6d/mime_i
- x ./opt/local/share/terminfo/6d/mime_ii
- x ./opt/local/share/terminfo/6d/minitel
- x ./opt/local/share/terminfo/6d/minitel-2
- x ./opt/local/share/terminfo/6d/minitel-2-nam
- x ./opt/local/share/terminfo/6d/minitel1
- x ./opt/local/share/terminfo/6d/minitel1b

- x ./opt/local/share/terminfo/6d/minitel1b-80
- x ./opt/local/share/terminfo/6d/minix
- x ./opt/local/share/terminfo/6d/minix-1.5
- x ./opt/local/share/terminfo/6d/minix-1.7
- x ./opt/local/share/terminfo/6d/minix-old
- x ./opt/local/share/terminfo/6d/minix-old-am
- x ./opt/local/share/terminfo/6d/mlterm
- x ./opt/local/share/terminfo/6d/mlterm+pcfkeys
- x ./opt/local/share/terminfo/6d/mlterm-256color
- x ./opt/local/share/terminfo/6d/mm314
- x ./opt/local/share/terminfo/6d/mm340
- x ./opt/local/share/terminfo/6d/mod
- x ./opt/local/share/terminfo/6d/mod24
- x ./opt/local/share/terminfo/6d/modgraph
- x ./opt/local/share/terminfo/6d/modgraph2
- x ./opt/local/share/terminfo/6d/modgraph48
- x ./opt/local/share/terminfo/6d/mono-emx
- x ./opt/local/share/terminfo/6d/morphos
- x ./opt/local/share/terminfo/6d/mouse-sun
- x ./opt/local/share/terminfo/6d/mrxvt
- x ./opt/local/share/terminfo/6d/mrxvt-256color
- x ./opt/local/share/terminfo/6d/ms-vt-utf8
- x ./opt/local/share/terminfo/6d/ms-vt100
- x ./opt/local/share/terminfo/6d/ms-vt100+

- x ./opt/local/share/terminfo/6d/ms-vt100-color
- x ./opt/local/share/terminfo/6d/msk227
- x ./opt/local/share/terminfo/6d/msk22714
- x ./opt/local/share/terminfo/6d/msk227am
- x ./opt/local/share/terminfo/6d/mskermit227
- x ./opt/local/share/terminfo/6d/mskermit22714
- x ./opt/local/share/terminfo/6d/mskermit227am
- x ./opt/local/share/terminfo/6d/mt-70
- x ./opt/local/share/terminfo/6d/mt4520-rv
- x ./opt/local/share/terminfo/6d/mt70
- x ./opt/local/share/terminfo/6d/mterm
- x ./opt/local/share/terminfo/6d/mterm-ansi
- x ./opt/local/share/terminfo/6d/mvterm
- x ./opt/local/share/terminfo/6c/la120
- x ./opt/local/share/terminfo/6c/layer
- x ./opt/local/share/terminfo/6c/lft
- x ./opt/local/share/terminfo/6c/lft-pc850
- x ./opt/local/share/terminfo/6c/linux
- x ./opt/local/share/terminfo/6c/linux-16color
- x ./opt/local/share/terminfo/6c/linux-basic
- x ./opt/local/share/terminfo/6c/linux-c
- x ./opt/local/share/terminfo/6c/linux-c-nc
- x ./opt/local/share/terminfo/6c/linux-koi8
- x ./opt/local/share/terminfo/6c/linux-koi8r

- x ./opt/local/share/terminfo/6c/linux-lat
- x ./opt/local/share/terminfo/6c/linux-m
- x ./opt/local/share/terminfo/6c/linux-nic
- x ./opt/local/share/terminfo/6c/linux-vt
- x ./opt/local/share/terminfo/6c/linux2.6.26
- x ./opt/local/share/terminfo/6c/lisa
- x ./opt/local/share/terminfo/6c/lisaterm
- x ./opt/local/share/terminfo/6c/lisaterm-w
- x ./opt/local/share/terminfo/6c/liswb
- x ./opt/local/share/terminfo/6c/ln03
- x ./opt/local/share/terminfo/6c/ln03-w
- x ./opt/local/share/terminfo/6c/lpr
- x ./opt/local/share/terminfo/6c/luna
- x ./opt/local/share/terminfo/6c/luna68k
- x ./opt/local/share/terminfo/6b/k45
- x ./opt/local/share/terminfo/6b/kaypro
- x ./opt/local/share/terminfo/6b/kaypro2
- x ./opt/local/share/terminfo/6b/kds6402
- x ./opt/local/share/terminfo/6b/kds7372
- x ./opt/local/share/terminfo/6b/kds7372-w
- x ./opt/local/share/terminfo/6b/kermit
- x ./opt/local/share/terminfo/6b/kermit-am
- x ./opt/local/share/terminfo/6b/klone+acs
- x ./opt/local/share/terminfo/6b/klone+color

- x ./opt/local/share/terminfo/6b/klone+koi8acs
- x ./opt/local/share/terminfo/6b/klone+sgr
- x ./opt/local/share/terminfo/6b/klone+sgr-dumb
- x ./opt/local/share/terminfo/6b/klone+sgr8
- x ./opt/local/share/terminfo/6b/kon
- x ./opt/local/share/terminfo/6b/kon2
- x ./opt/local/share/terminfo/6b/konsole
- x ./opt/local/share/terminfo/6b/konsole+pcfkeys
- x ./opt/local/share/terminfo/6b/konsole-16color
- x ./opt/local/share/terminfo/6b/konsole-256color
- x ./opt/local/share/terminfo/6b/konsole-base
- x ./opt/local/share/terminfo/6b/konsole-linux
- x ./opt/local/share/terminfo/6b/konsole-solaris
- x ./opt/local/share/terminfo/6b/konsole-vt100
- x ./opt/local/share/terminfo/6b/konsole-vt420pc
- x ./opt/local/share/terminfo/6b/konsole-xf3x
- x ./opt/local/share/terminfo/6b/konsole-xf4x
- x ./opt/local/share/terminfo/6b/kt7
- x ./opt/local/share/terminfo/6b/kt7ix
- x ./opt/local/share/terminfo/6b/kterm
- x ./opt/local/share/terminfo/6b/kterm-co
- x ./opt/local/share/terminfo/6b/kterm-color
- x ./opt/local/share/terminfo/6b/ktm
- x ./opt/local/share/terminfo/6b/kvt

- x ./opt/local/share/terminfo/6a/jaixterm
- x ./opt/local/share/terminfo/6a/jaixterm-m
- x ./opt/local/share/terminfo/6a/jerq
- x ./opt/local/share/terminfo/6a/jfbterm
- x ./opt/local/share/terminfo/69/i100
- x ./opt/local/share/terminfo/69/i3101
- x ./opt/local/share/terminfo/69/i3164
- x ./opt/local/share/terminfo/69/i400
- x ./opt/local/share/terminfo/69/ibcs2
- x ./opt/local/share/terminfo/69/ibm+16color
- x ./opt/local/share/terminfo/69/ibm+color
- x ./opt/local/share/terminfo/69/ibm-apl
- x ./opt/local/share/terminfo/69/ibm-pc
- x ./opt/local/share/terminfo/69/ibm-system1
- x ./opt/local/share/terminfo/69/ibm3101
- x ./opt/local/share/terminfo/69/ibm3151
- x ./opt/local/share/terminfo/69/ibm3161
- x ./opt/local/share/terminfo/69/ibm3161-C
- x ./opt/local/share/terminfo/69/ibm3162
- x ./opt/local/share/terminfo/69/ibm3163
- x ./opt/local/share/terminfo/69/ibm3164
- x ./opt/local/share/terminfo/69/ibm327x
- x ./opt/local/share/terminfo/69/ibm5051
- x ./opt/local/share/terminfo/69/ibm5081

x ./opt/local/share/terminfo/69/ibm5081-c
x ./opt/local/share/terminfo/69/ibm5151
x ./opt/local/share/terminfo/69/ibm5154
x ./opt/local/share/terminfo/69/ibm5154-c
x ./opt/local/share/terminfo/69/ibm6153
x ./opt/local/share/terminfo/69/ibm6153-40
x ./opt/local/share/terminfo/69/ibm6153-90
x ./opt/local/share/terminfo/69/ibm6154
x ./opt/local/share/terminfo/69/ibm6154-c
x ./opt/local/share/terminfo/69/ibm6155
x ./opt/local/share/terminfo/69/ibm8503
x ./opt/local/share/terminfo/69/ibm8507
x ./opt/local/share/terminfo/69/ibm8512
x ./opt/local/share/terminfo/69/ibm8513
x ./opt/local/share/terminfo/69/ibm8514
x ./opt/local/share/terminfo/69/ibm8514-c
x ./opt/local/share/terminfo/69/ibm8604
x ./opt/local/share/terminfo/69/ibmaed
x ./opt/local/share/terminfo/69/ibmapa16
x ./opt/local/share/terminfo/69/ibmapa8
x ./opt/local/share/terminfo/69/ibmapa8c
x ./opt/local/share/terminfo/69/ibmapa8c-c
x ./opt/local/share/terminfo/69/ibmega
x ./opt/local/share/terminfo/69/ibmega-c

- x ./opt/local/share/terminfo/69/ibmmono
- x ./opt/local/share/terminfo/69/ibmmpel-c
- x ./opt/local/share/terminfo/69/ibmpc
- x ./opt/local/share/terminfo/69/ibmpc3
- x ./opt/local/share/terminfo/69/ibmpc3r
- x ./opt/local/share/terminfo/69/ibmpc3r-mono
- x ./opt/local/share/terminfo/69/ibmpcx
- x ./opt/local/share/terminfo/69/ibmvga
- x ./opt/local/share/terminfo/69/ibmvga-c
- x ./opt/local/share/terminfo/69/ibmx
- x ./opt/local/share/terminfo/69/icl6402
- x ./opt/local/share/terminfo/69/icl6404
- x ./opt/local/share/terminfo/69/icl6404-w
- x ./opt/local/share/terminfo/69/ifmr
- x ./opt/local/share/terminfo/69/ims-ansi
- x ./opt/local/share/terminfo/69/ims950
- x ./opt/local/share/terminfo/69/ims950-b
- x ./opt/local/share/terminfo/69/ims950-rv
- x ./opt/local/share/terminfo/69/infoton
- x ./opt/local/share/terminfo/69/interix
- x ./opt/local/share/terminfo/69/interix-nti
- x ./opt/local/share/terminfo/69/intertec
- x ./opt/local/share/terminfo/69/intertube
- x ./opt/local/share/terminfo/69/intertube2

- x ./opt/local/share/terminfo/69/intext
- x ./opt/local/share/terminfo/69/intext2
- x ./opt/local/share/terminfo/69/intextii
- x ./opt/local/share/terminfo/69/ips
- x ./opt/local/share/terminfo/69/ipsi
- x ./opt/local/share/terminfo/69/iq120
- x ./opt/local/share/terminfo/69/iq140
- x ./opt/local/share/terminfo/69/iris-ansi
- x ./opt/local/share/terminfo/69/iris-ansi-ap
- x ./opt/local/share/terminfo/69/iris-ansi-net
- x ./opt/local/share/terminfo/69/iris-color
- x ./opt/local/share/terminfo/69/iris40
- x ./opt/local/share/terminfo/69/iTerm.app
- x ./opt/local/share/terminfo/68/h-100
- x ./opt/local/share/terminfo/68/h-100bw
- x ./opt/local/share/terminfo/68/h100
- x ./opt/local/share/terminfo/68/h100bw
- x ./opt/local/share/terminfo/68/h19
- x ./opt/local/share/terminfo/68/h19-a
- x ./opt/local/share/terminfo/68/h19-b
- x ./opt/local/share/terminfo/68/h19-bs
- x ./opt/local/share/terminfo/68/h19-g
- x ./opt/local/share/terminfo/68/h19-smul
- x ./opt/local/share/terminfo/68/h19-u

- x ./opt/local/share/terminfo/68/h19-us
- x ./opt/local/share/terminfo/68/h19a
- x ./opt/local/share/terminfo/68/h19g
- x ./opt/local/share/terminfo/68/h19k
- x ./opt/local/share/terminfo/68/h19kermi
- x ./opt/local/share/terminfo/68/h19us
- x ./opt/local/share/terminfo/68/h29a-kc-bc
- x ./opt/local/share/terminfo/68/h29a-kc-uc
- x ./opt/local/share/terminfo/68/h29a-nkc-bc
- x ./opt/local/share/terminfo/68/h29a-nkc-uc
- x ./opt/local/share/terminfo/68/h80
- x ./opt/local/share/terminfo/68/ha8675
- x ./opt/local/share/terminfo/68/ha8686
- x ./opt/local/share/terminfo/68/hazel
- x ./opt/local/share/terminfo/68/hds200
- x ./opt/local/share/terminfo/68/he80
- x ./opt/local/share/terminfo/68/heath
- x ./opt/local/share/terminfo/68/heath-19
- x ./opt/local/share/terminfo/68/heath-ansi
- x ./opt/local/share/terminfo/68/heathkit
- x ./opt/local/share/terminfo/68/heathkit-a
- x ./opt/local/share/terminfo/68/hft
- x ./opt/local/share/terminfo/68/hft-c
- x ./opt/local/share/terminfo/68/hft-c-old

- x ./opt/local/share/terminfo/68/hft-old
- x ./opt/local/share/terminfo/68/hirez100
- x ./opt/local/share/terminfo/68/hirez100-w
- x ./opt/local/share/terminfo/68/hmod1
- x ./opt/local/share/terminfo/68/hp
- x ./opt/local/share/terminfo/68/hp+arrows
- x ./opt/local/share/terminfo/68/hp+color
- x ./opt/local/share/terminfo/68/hp+labels
- x ./opt/local/share/terminfo/68/hp+pfk+arrows
- x ./opt/local/share/terminfo/68/hp+pfk+cr
- x ./opt/local/share/terminfo/68/hp+pfk-cr
- x ./opt/local/share/terminfo/68/hp+printer
- x ./opt/local/share/terminfo/68/hp110
- x ./opt/local/share/terminfo/68/hp150
- x ./opt/local/share/terminfo/68/hp2
- x ./opt/local/share/terminfo/68/hp236
- x ./opt/local/share/terminfo/68/hp2382
- x ./opt/local/share/terminfo/68/hp2382a
- x ./opt/local/share/terminfo/68/hp2392
- x ./opt/local/share/terminfo/68/hp2397
- x ./opt/local/share/terminfo/68/hp2397a
- x ./opt/local/share/terminfo/68/hp2621
- x ./opt/local/share/terminfo/68/hp2621-48
- x ./opt/local/share/terminfo/68/hp2621-a

- x ./opt/local/share/terminfo/68/hp2621-ba
- x ./opt/local/share/terminfo/68/hp2621-fl
- x ./opt/local/share/terminfo/68/hp2621-k45
- x ./opt/local/share/terminfo/68/hp2621-nl
- x ./opt/local/share/terminfo/68/hp2621-nt
- x ./opt/local/share/terminfo/68/hp2621-wl
- x ./opt/local/share/terminfo/68/hp2621a
- x ./opt/local/share/terminfo/68/hp2621a-a
- x ./opt/local/share/terminfo/68/hp2621b
- x ./opt/local/share/terminfo/68/hp2621b-kx
- x ./opt/local/share/terminfo/68/hp2621b-kx-p
- x ./opt/local/share/terminfo/68/hp2621b-p
- x ./opt/local/share/terminfo/68/hp2621k45
- x ./opt/local/share/terminfo/68/hp2621p
- x ./opt/local/share/terminfo/68/hp2621p-a
- x ./opt/local/share/terminfo/68/hp2622
- x ./opt/local/share/terminfo/68/hp2622a
- x ./opt/local/share/terminfo/68/hp2623
- x ./opt/local/share/terminfo/68/hp2623a
- x ./opt/local/share/terminfo/68/hp2624
- x ./opt/local/share/terminfo/68/hp2624-10p
- x ./opt/local/share/terminfo/68/hp2624a
- x ./opt/local/share/terminfo/68/hp2624a-10p
- x ./opt/local/share/terminfo/68/hp2624b

- x ./opt/local/share/terminfo/68/hp2624b-10p
- x ./opt/local/share/terminfo/68/hp2624b-10p-p
- x ./opt/local/share/terminfo/68/hp2624b-4p
- x ./opt/local/share/terminfo/68/hp2624b-4p-p
- x ./opt/local/share/terminfo/68/hp2624b-p
- x ./opt/local/share/terminfo/68/hp2626
- x ./opt/local/share/terminfo/68/hp2626-12
- x ./opt/local/share/terminfo/68/hp2626-12-s
- x ./opt/local/share/terminfo/68/hp2626-12x40
- x ./opt/local/share/terminfo/68/hp2626-ns
- x ./opt/local/share/terminfo/68/hp2626-s
- x ./opt/local/share/terminfo/68/hp2626-x40
- x ./opt/local/share/terminfo/68/hp2626a
- x ./opt/local/share/terminfo/68/hp2626p
- x ./opt/local/share/terminfo/68/hp2627a
- x ./opt/local/share/terminfo/68/hp2627a-rev
- x ./opt/local/share/terminfo/68/hp2627c
- x ./opt/local/share/terminfo/68/hp262x
- x ./opt/local/share/terminfo/68/hp2640a
- x ./opt/local/share/terminfo/68/hp2640b
- x ./opt/local/share/terminfo/68/hp2641a
- x ./opt/local/share/terminfo/68/hp2644a
- x ./opt/local/share/terminfo/68/hp2645
- x ./opt/local/share/terminfo/68/hp2645a

- x ./opt/local/share/terminfo/68/hp2647a
- x ./opt/local/share/terminfo/68/hp2648
- x ./opt/local/share/terminfo/68/hp2648a
- x ./opt/local/share/terminfo/68/hp300h
- x ./opt/local/share/terminfo/68/hp45
- x ./opt/local/share/terminfo/68/hp700
- x ./opt/local/share/terminfo/68/hp700-wy
- x ./opt/local/share/terminfo/68/hp70092
- x ./opt/local/share/terminfo/68/hp70092a
- x ./opt/local/share/terminfo/68/hp9837
- x ./opt/local/share/terminfo/68/hp9845
- x ./opt/local/share/terminfo/68/hp98550
- x ./opt/local/share/terminfo/68/hp98550a
- x ./opt/local/share/terminfo/68/hp98720
- x ./opt/local/share/terminfo/68/hp98721
- x ./opt/local/share/terminfo/68/hpansi
- x ./opt/local/share/terminfo/68/hpex
- x ./opt/local/share/terminfo/68/hpex2
- x ./opt/local/share/terminfo/68/hpgeneric
- x ./opt/local/share/terminfo/68/hpsub
- x ./opt/local/share/terminfo/68/hpterm
- x ./opt/local/share/terminfo/68/hpterm-color
- x ./opt/local/share/terminfo/68/htx11
- x ./opt/local/share/terminfo/68/hurd

- x ./opt/local/share/terminfo/68/hz1000
- x ./opt/local/share/terminfo/68/hz1420
- x ./opt/local/share/terminfo/68/hz1500
- x ./opt/local/share/terminfo/68/hz1510
- x ./opt/local/share/terminfo/68/hz1520
- x ./opt/local/share/terminfo/68/hz1520-noesc
- x ./opt/local/share/terminfo/68/hz1552
- x ./opt/local/share/terminfo/68/hz1552-rv
- x ./opt/local/share/terminfo/68/hz2000
- x ./opt/local/share/terminfo/67/gator
- x ./opt/local/share/terminfo/67/gator-52
- x ./opt/local/share/terminfo/67/gator-52t
- x ./opt/local/share/terminfo/67/gator-t
- x ./opt/local/share/terminfo/67/gigi
- x ./opt/local/share/terminfo/67/glasstty
- x ./opt/local/share/terminfo/67/gnome
- x ./opt/local/share/terminfo/67/gnome+pcfkeys
- x ./opt/local/share/terminfo/67/gnome-2007
- x ./opt/local/share/terminfo/67/gnome-2008
- x ./opt/local/share/terminfo/67/gnome-256color
- x ./opt/local/share/terminfo/67/gnome-fc5
- x ./opt/local/share/terminfo/67/gnome-rh62
- x ./opt/local/share/terminfo/67/gnome-rh72
- x ./opt/local/share/terminfo/67/gnome-rh80

- x ./opt/local/share/terminfo/67/gnome-rh90
- x ./opt/local/share/terminfo/67/go-225
- x ./opt/local/share/terminfo/67/go140
- x ./opt/local/share/terminfo/67/go140w
- x ./opt/local/share/terminfo/67/go225
- x ./opt/local/share/terminfo/67/graphos
- x ./opt/local/share/terminfo/67/graphos-30
- x ./opt/local/share/terminfo/67/gs5430
- x ./opt/local/share/terminfo/67/gs5430-22
- x ./opt/local/share/terminfo/67/gs5430-24
- x ./opt/local/share/terminfo/67/gs6300
- x ./opt/local/share/terminfo/67/gsi
- x ./opt/local/share/terminfo/67/gt100
- x ./opt/local/share/terminfo/67/gt100a
- x ./opt/local/share/terminfo/67/gt40
- x ./opt/local/share/terminfo/67/gt42
- x ./opt/local/share/terminfo/67/guru
- x ./opt/local/share/terminfo/67/guru+rv
- x ./opt/local/share/terminfo/67/guru+s
- x ./opt/local/share/terminfo/67/guru+unk
- x ./opt/local/share/terminfo/67/guru-24
- x ./opt/local/share/terminfo/67/guru-33
- x ./opt/local/share/terminfo/67/guru-33-rv
- x ./opt/local/share/terminfo/67/guru-33-s

x ./opt/local/share/terminfo/67/guru-44
x ./opt/local/share/terminfo/67/guru-44-s
x ./opt/local/share/terminfo/67/guru-76
x ./opt/local/share/terminfo/67/guru-76-lp
x ./opt/local/share/terminfo/67/guru-76-s
x ./opt/local/share/terminfo/67/guru-76-w
x ./opt/local/share/terminfo/67/guru-76-w-s
x ./opt/local/share/terminfo/67/guru-76-wm
x ./opt/local/share/terminfo/67/guru-lp
x ./opt/local/share/terminfo/67/guru-nctxt
x ./opt/local/share/terminfo/67/guru-rv
x ./opt/local/share/terminfo/67/guru-s
x ./opt/local/share/terminfo/66/f100
x ./opt/local/share/terminfo/66/f100-rv
x ./opt/local/share/terminfo/66/f110
x ./opt/local/share/terminfo/66/f110-14
x ./opt/local/share/terminfo/66/f110-14w
x ./opt/local/share/terminfo/66/f110-w
x ./opt/local/share/terminfo/66/f1720
x ./opt/local/share/terminfo/66/f1720a
x ./opt/local/share/terminfo/66/f200
x ./opt/local/share/terminfo/66/f200-w
x ./opt/local/share/terminfo/66/f200vi
x ./opt/local/share/terminfo/66/f200vi-w

- x ./opt/local/share/terminfo/66/falco
- x ./opt/local/share/terminfo/66/falco-p
- x ./opt/local/share/terminfo/66/fenix
- x ./opt/local/share/terminfo/66/fenixw
- x ./opt/local/share/terminfo/66/fixterm
- x ./opt/local/share/terminfo/66/fortune
- x ./opt/local/share/terminfo/66/fos
- x ./opt/local/share/terminfo/66/fox
- x ./opt/local/share/terminfo/66/freedom
- x ./opt/local/share/terminfo/66/freedom-rv
- x ./opt/local/share/terminfo/66/freedom100
- x ./opt/local/share/terminfo/66/freedom110
- x ./opt/local/share/terminfo/66/freedom200
- x ./opt/local/share/terminfo/65/ecma+color
- x ./opt/local/share/terminfo/65/ecma+sgr
- x ./opt/local/share/terminfo/65/elks
- x ./opt/local/share/terminfo/65/elks-ansi
- x ./opt/local/share/terminfo/65/elks-glasstty
- x ./opt/local/share/terminfo/65/elks-vt52
- x ./opt/local/share/terminfo/65/emots
- x ./opt/local/share/terminfo/65/emu
- x ./opt/local/share/terminfo/65/emu-220
- x ./opt/local/share/terminfo/65/emx-base
- x ./opt/local/share/terminfo/65/env230

- x ./opt/local/share/terminfo/65/envision230
- x ./opt/local/share/terminfo/65/ep40
- x ./opt/local/share/terminfo/65/ep4000
- x ./opt/local/share/terminfo/65/ep4080
- x ./opt/local/share/terminfo/65/ep48
- x ./opt/local/share/terminfo/65/ergo4000
- x ./opt/local/share/terminfo/65/esprit
- x ./opt/local/share/terminfo/65/esprit-am
- x ./opt/local/share/terminfo/65/eterm
- x ./opt/local/share/terminfo/65/eterm-color
- x ./opt/local/share/terminfo/65/ex155
- x ./opt/local/share/terminfo/65/excel62
- x ./opt/local/share/terminfo/65/excel62-rv
- x ./opt/local/share/terminfo/65/excel62-w
- x ./opt/local/share/terminfo/65/excel64
- x ./opt/local/share/terminfo/65/excel64-rv
- x ./opt/local/share/terminfo/65/excel64-w
- x ./opt/local/share/terminfo/65/exec80
- x ./opt/local/share/terminfo/64/d132
- x ./opt/local/share/terminfo/64/d2
- x ./opt/local/share/terminfo/64/d2-dg
- x ./opt/local/share/terminfo/64/d200
- x ./opt/local/share/terminfo/64/d200-dg
- x ./opt/local/share/terminfo/64/d210

x ./opt/local/share/terminfo/64/d210-dg
x ./opt/local/share/terminfo/64/d211
x ./opt/local/share/terminfo/64/d211-7b
x ./opt/local/share/terminfo/64/d211-dg
x ./opt/local/share/terminfo/64/d214
x ./opt/local/share/terminfo/64/d214-dg
x ./opt/local/share/terminfo/64/d215
x ./opt/local/share/terminfo/64/d215-7b
x ./opt/local/share/terminfo/64/d215-dg
x ./opt/local/share/terminfo/64/d216+
x ./opt/local/share/terminfo/64/d216+25
x ./opt/local/share/terminfo/64/d216+dg
x ./opt/local/share/terminfo/64/d216-dg
x ./opt/local/share/terminfo/64/d216-unix
x ./opt/local/share/terminfo/64/d216-unix-25
x ./opt/local/share/terminfo/64/d216e+
x ./opt/local/share/terminfo/64/d216e+dg
x ./opt/local/share/terminfo/64/d216e-dg
x ./opt/local/share/terminfo/64/d216e-unix
x ./opt/local/share/terminfo/64/d217-dg
x ./opt/local/share/terminfo/64/d217-unix
x ./opt/local/share/terminfo/64/d217-unix-25
x ./opt/local/share/terminfo/64/d220
x ./opt/local/share/terminfo/64/d220-7b

x ./opt/local/share/terminfo/64/d220-dg
x ./opt/local/share/terminfo/64/d230
x ./opt/local/share/terminfo/64/d230-dg
x ./opt/local/share/terminfo/64/d230c
x ./opt/local/share/terminfo/64/d230c-dg
x ./opt/local/share/terminfo/64/d400
x ./opt/local/share/terminfo/64/d400-dg
x ./opt/local/share/terminfo/64/d410
x ./opt/local/share/terminfo/64/d410-7b
x ./opt/local/share/terminfo/64/d410-7b-w
x ./opt/local/share/terminfo/64/d410-dg
x ./opt/local/share/terminfo/64/d410-w
x ./opt/local/share/terminfo/64/d411
x ./opt/local/share/terminfo/64/d411-7b
x ./opt/local/share/terminfo/64/d411-7b-w
x ./opt/local/share/terminfo/64/d411-dg
x ./opt/local/share/terminfo/64/d411-w
x ./opt/local/share/terminfo/64/d412+
x ./opt/local/share/terminfo/64/d412+25
x ./opt/local/share/terminfo/64/d412+dg
x ./opt/local/share/terminfo/64/d412+s
x ./opt/local/share/terminfo/64/d412+sr
x ./opt/local/share/terminfo/64/d412+w
x ./opt/local/share/terminfo/64/d412-dg

x ./opt/local/share/terminfo/64/d412-unix
x ./opt/local/share/terminfo/64/d412-unix-25
x ./opt/local/share/terminfo/64/d412-unix-s
x ./opt/local/share/terminfo/64/d412-unix-sr
x ./opt/local/share/terminfo/64/d412-unix-w
x ./opt/local/share/terminfo/64/d413-dg
x ./opt/local/share/terminfo/64/d413-unix
x ./opt/local/share/terminfo/64/d413-unix-25
x ./opt/local/share/terminfo/64/d413-unix-s
x ./opt/local/share/terminfo/64/d413-unix-sr
x ./opt/local/share/terminfo/64/d413-unix-w
x ./opt/local/share/terminfo/64/d414-unix
x ./opt/local/share/terminfo/64/d414-unix-25
x ./opt/local/share/terminfo/64/d414-unix-s
x ./opt/local/share/terminfo/64/d414-unix-sr
x ./opt/local/share/terminfo/64/d414-unix-w
x ./opt/local/share/terminfo/64/d430-dg
x ./opt/local/share/terminfo/64/d430-dg-ccc
x ./opt/local/share/terminfo/64/d430-unix
x ./opt/local/share/terminfo/64/d430-unix-25
x ./opt/local/share/terminfo/64/d430-unix-25-ccc
x ./opt/local/share/terminfo/64/d430-unix-ccc
x ./opt/local/share/terminfo/64/d430-unix-s
x ./opt/local/share/terminfo/64/d430-unix-s-ccc

x ./opt/local/share/terminfo/64/d430-unix-sr
x ./opt/local/share/terminfo/64/d430-unix-sr-ccc
x ./opt/local/share/terminfo/64/d430-unix-w
x ./opt/local/share/terminfo/64/d430-unix-w-ccc
x ./opt/local/share/terminfo/64/d430c-dg
x ./opt/local/share/terminfo/64/d430c-dg-ccc
x ./opt/local/share/terminfo/64/d430c-unix
x ./opt/local/share/terminfo/64/d430c-unix-25
x ./opt/local/share/terminfo/64/d430c-unix-25-ccc
x ./opt/local/share/terminfo/64/d430c-unix-ccc
x ./opt/local/share/terminfo/64/d430c-unix-s
x ./opt/local/share/terminfo/64/d430c-unix-s-ccc
x ./opt/local/share/terminfo/64/d430c-unix-sr
x ./opt/local/share/terminfo/64/d430c-unix-sr-ccc
x ./opt/local/share/terminfo/64/d430c-unix-w
x ./opt/local/share/terminfo/64/d430c-unix-w-ccc
x ./opt/local/share/terminfo/64/d450
x ./opt/local/share/terminfo/64/d450-dg
x ./opt/local/share/terminfo/64/d460
x ./opt/local/share/terminfo/64/d460-7b
x ./opt/local/share/terminfo/64/d460-7b-w
x ./opt/local/share/terminfo/64/d460-dg
x ./opt/local/share/terminfo/64/d460-w
x ./opt/local/share/terminfo/64/d461

x ./opt/local/share/terminfo/64/d461-7b
x ./opt/local/share/terminfo/64/d461-7b-w
x ./opt/local/share/terminfo/64/d461-dg
x ./opt/local/share/terminfo/64/d461-w
x ./opt/local/share/terminfo/64/d462+
x ./opt/local/share/terminfo/64/d462+25
x ./opt/local/share/terminfo/64/d462+dg
x ./opt/local/share/terminfo/64/d462+s
x ./opt/local/share/terminfo/64/d462+sr
x ./opt/local/share/terminfo/64/d462+w
x ./opt/local/share/terminfo/64/d462-dg
x ./opt/local/share/terminfo/64/d462-unix
x ./opt/local/share/terminfo/64/d462-unix-25
x ./opt/local/share/terminfo/64/d462-unix-s
x ./opt/local/share/terminfo/64/d462-unix-sr
x ./opt/local/share/terminfo/64/d462-unix-w
x ./opt/local/share/terminfo/64/d462e-dg
x ./opt/local/share/terminfo/64/d463-dg
x ./opt/local/share/terminfo/64/d463-unix
x ./opt/local/share/terminfo/64/d463-unix-25
x ./opt/local/share/terminfo/64/d463-unix-s
x ./opt/local/share/terminfo/64/d463-unix-sr
x ./opt/local/share/terminfo/64/d463-unix-w
x ./opt/local/share/terminfo/64/d464-unix

- x ./opt/local/share/terminfo/64/d464-unix-25
- x ./opt/local/share/terminfo/64/d464-unix-s
- x ./opt/local/share/terminfo/64/d464-unix-sr
- x ./opt/local/share/terminfo/64/d464-unix-w
- x ./opt/local/share/terminfo/64/d470
- x ./opt/local/share/terminfo/64/d470-7b
- x ./opt/local/share/terminfo/64/d470-dg
- x ./opt/local/share/terminfo/64/d470c
- x ./opt/local/share/terminfo/64/d470c-7b
- x ./opt/local/share/terminfo/64/d470c-dg
- x ./opt/local/share/terminfo/64/d555
- x ./opt/local/share/terminfo/64/d555-7b
- x ./opt/local/share/terminfo/64/d555-7b-w
- x ./opt/local/share/terminfo/64/d555-dg
- x ./opt/local/share/terminfo/64/d555-w
- x ./opt/local/share/terminfo/64/d577
- x ./opt/local/share/terminfo/64/d577-7b
- x ./opt/local/share/terminfo/64/d577-7b-w
- x ./opt/local/share/terminfo/64/d577-dg
- x ./opt/local/share/terminfo/64/d577-w
- x ./opt/local/share/terminfo/64/d578
- x ./opt/local/share/terminfo/64/d578-7b
- x ./opt/local/share/terminfo/64/d578-dg
- x ./opt/local/share/terminfo/64/d80

x ./opt/local/share/terminfo/64/d800
x ./opt/local/share/terminfo/64/darwin
x ./opt/local/share/terminfo/64/darwin-100x37
x ./opt/local/share/terminfo/64/darwin-100x37-m
x ./opt/local/share/terminfo/64/darwin-112x37
x ./opt/local/share/terminfo/64/darwin-112x37-m
x ./opt/local/share/terminfo/64/darwin-128x40
x ./opt/local/share/terminfo/64/darwin-128x40-m
x ./opt/local/share/terminfo/64/darwin-128x48
x ./opt/local/share/terminfo/64/darwin-128x48-m
x ./opt/local/share/terminfo/64/darwin-144x48
x ./opt/local/share/terminfo/64/darwin-144x48-m
x ./opt/local/share/terminfo/64/darwin-160x64
x ./opt/local/share/terminfo/64/darwin-160x64-m
x ./opt/local/share/terminfo/64/darwin-200x64
x ./opt/local/share/terminfo/64/darwin-200x64-m
x ./opt/local/share/terminfo/64/darwin-200x75
x ./opt/local/share/terminfo/64/darwin-200x75-m
x ./opt/local/share/terminfo/64/darwin-256x96
x ./opt/local/share/terminfo/64/darwin-256x96-m
x ./opt/local/share/terminfo/64/darwin-80x25
x ./opt/local/share/terminfo/64/darwin-80x25-m
x ./opt/local/share/terminfo/64/darwin-80x30
x ./opt/local/share/terminfo/64/darwin-80x30-m

x ./opt/local/share/terminfo/64/darwin-90x30
x ./opt/local/share/terminfo/64/darwin-90x30-m
x ./opt/local/share/terminfo/64/darwin-b
x ./opt/local/share/terminfo/64/darwin-f
x ./opt/local/share/terminfo/64/darwin-f2
x ./opt/local/share/terminfo/64/darwin-m
x ./opt/local/share/terminfo/64/darwin-m-b
x ./opt/local/share/terminfo/64/darwin-m-f
x ./opt/local/share/terminfo/64/darwin-m-f2
x ./opt/local/share/terminfo/64/datagraphix
x ./opt/local/share/terminfo/64/datamedia2500
x ./opt/local/share/terminfo/64/datapoint
x ./opt/local/share/terminfo/64/dataspeed40
x ./opt/local/share/terminfo/64/dd5000
x ./opt/local/share/terminfo/64/ddr
x ./opt/local/share/terminfo/64/ddr3180
x ./opt/local/share/terminfo/64/dec-vt100
x ./opt/local/share/terminfo/64/dec-vt220
x ./opt/local/share/terminfo/64/dec-vt330
x ./opt/local/share/terminfo/64/dec-vt340
x ./opt/local/share/terminfo/64/dec-vt400
x ./opt/local/share/terminfo/64/decansi
x ./opt/local/share/terminfo/64/decpro
x ./opt/local/share/terminfo/64/decwriter

- x ./opt/local/share/terminfo/64/delta
- x ./opt/local/share/terminfo/64/dg+ccc
- x ./opt/local/share/terminfo/64/dg+color
- x ./opt/local/share/terminfo/64/dg+color8
- x ./opt/local/share/terminfo/64/dg+fixed
- x ./opt/local/share/terminfo/64/dg-ansi
- x ./opt/local/share/terminfo/64/dg-generic
- x ./opt/local/share/terminfo/64/dg100
- x ./opt/local/share/terminfo/64/dg200
- x ./opt/local/share/terminfo/64/dg210
- x ./opt/local/share/terminfo/64/dg211
- x ./opt/local/share/terminfo/64/dg450
- x ./opt/local/share/terminfo/64/dg460-ansi
- x ./opt/local/share/terminfo/64/dg6053
- x ./opt/local/share/terminfo/64/dg6053-old
- x ./opt/local/share/terminfo/64/dg605x
- x ./opt/local/share/terminfo/64/dg6134
- x ./opt/local/share/terminfo/64/dgkeys+11
- x ./opt/local/share/terminfo/64/dgkeys+15
- x ./opt/local/share/terminfo/64/dgkeys+7b
- x ./opt/local/share/terminfo/64/dgkeys+8b
- x ./opt/local/share/terminfo/64/dgmode+color
- x ./opt/local/share/terminfo/64/dgmode+color8
- x ./opt/local/share/terminfo/64/dgunix+ccc

- x ./opt/local/share/terminfo/64/dgunix+fixed
- x ./opt/local/share/terminfo/64/diablo
- x ./opt/local/share/terminfo/64/diablo-lm
- x ./opt/local/share/terminfo/64/diablo1620
- x ./opt/local/share/terminfo/64/diablo1620-m8
- x ./opt/local/share/terminfo/64/diablo1640
- x ./opt/local/share/terminfo/64/diablo1640-lm
- x ./opt/local/share/terminfo/64/diablo1640-m8
- x ./opt/local/share/terminfo/64/diablo1720
- x ./opt/local/share/terminfo/64/diablo1730
- x ./opt/local/share/terminfo/64/diablo1740
- x ./opt/local/share/terminfo/64/diablo1740-lm
- x ./opt/local/share/terminfo/64/diablo450
- x ./opt/local/share/terminfo/64/diablo630
- x ./opt/local/share/terminfo/64/dialogue
- x ./opt/local/share/terminfo/64/dialogue80
- x ./opt/local/share/terminfo/64/digilog
- x ./opt/local/share/terminfo/64/djgpp
- x ./opt/local/share/terminfo/64/djgpp203
- x ./opt/local/share/terminfo/64/djgpp204
- x ./opt/local/share/terminfo/64/dku7003
- x ./opt/local/share/terminfo/64/dku7003-dumb
- x ./opt/local/share/terminfo/64/dku7102
- x ./opt/local/share/terminfo/64/dku7102-old

- x ./opt/local/share/terminfo/64/dku7102-sna
- x ./opt/local/share/terminfo/64/dku7103-sna
- x ./opt/local/share/terminfo/64/dku7202
- x ./opt/local/share/terminfo/64/dm1520
- x ./opt/local/share/terminfo/64/dm1521
- x ./opt/local/share/terminfo/64/dm2500
- x ./opt/local/share/terminfo/64/dm3025
- x ./opt/local/share/terminfo/64/dm3045
- x ./opt/local/share/terminfo/64/dm80
- x ./opt/local/share/terminfo/64/dm80w
- x ./opt/local/share/terminfo/64/dmchat
- x ./opt/local/share/terminfo/64/dmd
- x ./opt/local/share/terminfo/64/dmd-24
- x ./opt/local/share/terminfo/64/dmd-34
- x ./opt/local/share/terminfo/64/dmd1
- x ./opt/local/share/terminfo/64/dmdt80
- x ./opt/local/share/terminfo/64/dmdt80w
- x ./opt/local/share/terminfo/64/dmterm
- x ./opt/local/share/terminfo/64/dp3360
- x ./opt/local/share/terminfo/64/dp8242
- x ./opt/local/share/terminfo/64/ds40
- x ./opt/local/share/terminfo/64/ds40-2
- x ./opt/local/share/terminfo/64/dt-100
- x ./opt/local/share/terminfo/64/dt-100w

- x ./opt/local/share/terminfo/64/dt100
- x ./opt/local/share/terminfo/64/dt100w
- x ./opt/local/share/terminfo/64/dt110
- x ./opt/local/share/terminfo/64/dt80
- x ./opt/local/share/terminfo/64/dt80-sas
- x ./opt/local/share/terminfo/64/dt80w
- x ./opt/local/share/terminfo/64/dtc300s
- x ./opt/local/share/terminfo/64/dtc382
- x ./opt/local/share/terminfo/64/dtterm
- x ./opt/local/share/terminfo/64/dumb
- x ./opt/local/share/terminfo/64/dw
- x ./opt/local/share/terminfo/64/dw1
- x ./opt/local/share/terminfo/64/dw2
- x ./opt/local/share/terminfo/64/dw3
- x ./opt/local/share/terminfo/64/dw4
- x ./opt/local/share/terminfo/64/dwk
- x ./opt/local/share/terminfo/64/dwk-vt
- x ./opt/local/share/terminfo/63/c100
- x ./opt/local/share/terminfo/63/c100-1p
- x ./opt/local/share/terminfo/63/c100-4p
- x ./opt/local/share/terminfo/63/c100-rv
- x ./opt/local/share/terminfo/63/c100-rv-4p
- x ./opt/local/share/terminfo/63/c104
- x ./opt/local/share/terminfo/63/c108

- x ./opt/local/share/terminfo/63/c108-4p
- x ./opt/local/share/terminfo/63/c108-8p
- x ./opt/local/share/terminfo/63/c108-rv
- x ./opt/local/share/terminfo/63/c108-rv-4p
- x ./opt/local/share/terminfo/63/c108-rv-8p
- x ./opt/local/share/terminfo/63/c108-w
- x ./opt/local/share/terminfo/63/c108-w-8p
- x ./opt/local/share/terminfo/63/c300
- x ./opt/local/share/terminfo/63/c301
- x ./opt/local/share/terminfo/63/c321
- x ./opt/local/share/terminfo/63/ca22851
- x ./opt/local/share/terminfo/63/cad68-2
- x ./opt/local/share/terminfo/63/cad68-3
- x ./opt/local/share/terminfo/63/cbblit
- x ./opt/local/share/terminfo/63/cbunix
- x ./opt/local/share/terminfo/63/cci
- x ./opt/local/share/terminfo/63/cci1
- x ./opt/local/share/terminfo/63/cdc456
- x ./opt/local/share/terminfo/63/cdc721
- x ./opt/local/share/terminfo/63/cdc721-esc
- x ./opt/local/share/terminfo/63/cdc721ll
- x ./opt/local/share/terminfo/63/cdc752
- x ./opt/local/share/terminfo/63/cdc756
- x ./opt/local/share/terminfo/63/cg7900

- x ./opt/local/share/terminfo/63/cgc2
- x ./opt/local/share/terminfo/63/cgc3
- x ./opt/local/share/terminfo/63/chromatics
- x ./opt/local/share/terminfo/63/ci8510
- x ./opt/local/share/terminfo/63/cit-80
- x ./opt/local/share/terminfo/63/cit101
- x ./opt/local/share/terminfo/63/cit101e
- x ./opt/local/share/terminfo/63/cit101e-132
- x ./opt/local/share/terminfo/63/cit101e-n
- x ./opt/local/share/terminfo/63/cit101e-n132
- x ./opt/local/share/terminfo/63/cit101e-rv
- x ./opt/local/share/terminfo/63/cit500
- x ./opt/local/share/terminfo/63/cit80
- x ./opt/local/share/terminfo/63/citc
- x ./opt/local/share/terminfo/63/citoh
- x ./opt/local/share/terminfo/63/citoh-6lpi
- x ./opt/local/share/terminfo/63/citoh-8lpi
- x ./opt/local/share/terminfo/63/citoh-comp
- x ./opt/local/share/terminfo/63/citoh-elite
- x ./opt/local/share/terminfo/63/citoh-pica
- x ./opt/local/share/terminfo/63/citoh-prop
- x ./opt/local/share/terminfo/63/citoh-ps
- x ./opt/local/share/terminfo/63/coco3
- x ./opt/local/share/terminfo/63/coherent

- x ./opt/local/share/terminfo/63/color_xterm
- x ./opt/local/share/terminfo/63/colorscan
- x ./opt/local/share/terminfo/63/commodore
- x ./opt/local/share/terminfo/63/concept
- x ./opt/local/share/terminfo/63/concept-avt
- x ./opt/local/share/terminfo/63/concept100
- x ./opt/local/share/terminfo/63/concept100-rv
- x ./opt/local/share/terminfo/63/concept108
- x ./opt/local/share/terminfo/63/concept108-4p
- x ./opt/local/share/terminfo/63/concept108-8p
- x ./opt/local/share/terminfo/63/concept108-w-8
- x ./opt/local/share/terminfo/63/concept108-w8p
- x ./opt/local/share/terminfo/63/concept108rv4p
- x ./opt/local/share/terminfo/63/cons25
- x ./opt/local/share/terminfo/63/cons25-debian
- x ./opt/local/share/terminfo/63/cons25-iso-m
- x ./opt/local/share/terminfo/63/cons25-iso8859
- x ./opt/local/share/terminfo/63/cons25-koi8-r
- x ./opt/local/share/terminfo/63/cons25-koi8r-m
- x ./opt/local/share/terminfo/63/cons25-m
- x ./opt/local/share/terminfo/63/cons25l1
- x ./opt/local/share/terminfo/63/cons25l1-m
- x ./opt/local/share/terminfo/63/cons25r
- x ./opt/local/share/terminfo/63/cons25r-m

x ./opt/local/share/terminfo/63/cons25w
x ./opt/local/share/terminfo/63/cons30
x ./opt/local/share/terminfo/63/cons30-m
x ./opt/local/share/terminfo/63/cons43
x ./opt/local/share/terminfo/63/cons43-m
x ./opt/local/share/terminfo/63/cons50
x ./opt/local/share/terminfo/63/cons50-iso-m
x ./opt/local/share/terminfo/63/cons50-iso8859
x ./opt/local/share/terminfo/63/cons50-koi8r
x ./opt/local/share/terminfo/63/cons50-koi8r-m
x ./opt/local/share/terminfo/63/cons50-m
x ./opt/local/share/terminfo/63/cons50l1
x ./opt/local/share/terminfo/63/cons50l1-m
x ./opt/local/share/terminfo/63/cons50r
x ./opt/local/share/terminfo/63/cons50r-m
x ./opt/local/share/terminfo/63/cons60
x ./opt/local/share/terminfo/63/cons60-iso
x ./opt/local/share/terminfo/63/cons60-iso-m
x ./opt/local/share/terminfo/63/cons60-koi8r
x ./opt/local/share/terminfo/63/cons60-koi8r-m
x ./opt/local/share/terminfo/63/cons60-m
x ./opt/local/share/terminfo/63/cons60l1
x ./opt/local/share/terminfo/63/cons60l1-m
x ./opt/local/share/terminfo/63/cons60r

- x ./opt/local/share/terminfo/63/cons60r-m
- x ./opt/local/share/terminfo/63/contel300
- x ./opt/local/share/terminfo/63/contel301
- x ./opt/local/share/terminfo/63/contel320
- x ./opt/local/share/terminfo/63/contel321
- x ./opt/local/share/terminfo/63/cops
- x ./opt/local/share/terminfo/63/cops-10
- x ./opt/local/share/terminfo/63/cops10
- x ./opt/local/share/terminfo/63/crt
- x ./opt/local/share/terminfo/63/crt-vt220
- x ./opt/local/share/terminfo/63/cs10
- x ./opt/local/share/terminfo/63/cs10-w
- x ./opt/local/share/terminfo/63/ct82
- x ./opt/local/share/terminfo/63/ct8500
- x ./opt/local/share/terminfo/63/ctrm
- x ./opt/local/share/terminfo/63/cx
- x ./opt/local/share/terminfo/63/cx100
- x ./opt/local/share/terminfo/63/cyb110
- x ./opt/local/share/terminfo/63/cyb83
- x ./opt/local/share/terminfo/63/cygwin
- x ./opt/local/share/terminfo/63/cygwinB19
- x ./opt/local/share/terminfo/63/cygwinDBG
- x ./opt/local/share/terminfo/62/b-128
- x ./opt/local/share/terminfo/62/bantam

- x ./opt/local/share/terminfo/62/basic4
- x ./opt/local/share/terminfo/62/basis
- x ./opt/local/share/terminfo/62/bct510a
- x ./opt/local/share/terminfo/62/bct510d
- x ./opt/local/share/terminfo/62/beacon
- x ./opt/local/share/terminfo/62/bee
- x ./opt/local/share/terminfo/62/bee hive
- x ./opt/local/share/terminfo/62/bee hive3
- x ./opt/local/share/terminfo/62/bee hive4
- x ./opt/local/share/terminfo/62/bee hiveIII m
- x ./opt/local/share/terminfo/62/beterm
- x ./opt/local/share/terminfo/62/bg1.25
- x ./opt/local/share/terminfo/62/bg1.25nv
- x ./opt/local/share/terminfo/62/bg1.25rv
- x ./opt/local/share/terminfo/62/bg2.0
- x ./opt/local/share/terminfo/62/bg2.0nv
- x ./opt/local/share/terminfo/62/bg2.0rv
- x ./opt/local/share/terminfo/62/bg3.10
- x ./opt/local/share/terminfo/62/bg3.10nv
- x ./opt/local/share/terminfo/62/bg3.10rv
- x ./opt/local/share/terminfo/62/bh3m
- x ./opt/local/share/terminfo/62/bh4
- x ./opt/local/share/terminfo/62/bitgraph
- x ./opt/local/share/terminfo/62/blit

- x ./opt/local/share/terminfo/62/bobcat
- x ./opt/local/share/terminfo/62/bq300
- x ./opt/local/share/terminfo/62/bq300-8
- x ./opt/local/share/terminfo/62/bq300-8-pc
- x ./opt/local/share/terminfo/62/bq300-8-pc-rv
- x ./opt/local/share/terminfo/62/bq300-8-pc-w
- x ./opt/local/share/terminfo/62/bq300-8-pc-w-rv
- x ./opt/local/share/terminfo/62/bq300-8rv
- x ./opt/local/share/terminfo/62/bq300-8w
- x ./opt/local/share/terminfo/62/bq300-pc
- x ./opt/local/share/terminfo/62/bq300-pc-rv
- x ./opt/local/share/terminfo/62/bq300-pc-w
- x ./opt/local/share/terminfo/62/bq300-pc-w-rv
- x ./opt/local/share/terminfo/62/bq300-rv
- x ./opt/local/share/terminfo/62/bq300-w
- x ./opt/local/share/terminfo/62/bq300-w-8rv
- x ./opt/local/share/terminfo/62/bq300-w-rv
- x ./opt/local/share/terminfo/62/bsdos-pc
- x ./opt/local/share/terminfo/62/bsdos-pc-m
- x ./opt/local/share/terminfo/62/bsdos-pc-mono
- x ./opt/local/share/terminfo/62/bsdos-pc-nobold
- x ./opt/local/share/terminfo/62/bsdos-ppc
- x ./opt/local/share/terminfo/62/bsdos-sparc
- x ./opt/local/share/terminfo/62/bterm

- x ./opt/local/share/terminfo/61/a210
- x ./opt/local/share/terminfo/61/a80
- x ./opt/local/share/terminfo/61/a980
- x ./opt/local/share/terminfo/61/aa4080
- x ./opt/local/share/terminfo/61/aaa
- x ./opt/local/share/terminfo/61/aaa+dec
- x ./opt/local/share/terminfo/61/aaa+rv
- x ./opt/local/share/terminfo/61/aaa+unk
- x ./opt/local/share/terminfo/61/aaa-18
- x ./opt/local/share/terminfo/61/aaa-18-rv
- x ./opt/local/share/terminfo/61/aaa-20
- x ./opt/local/share/terminfo/61/aaa-22
- x ./opt/local/share/terminfo/61/aaa-24
- x ./opt/local/share/terminfo/61/aaa-24-rv
- x ./opt/local/share/terminfo/61/aaa-26
- x ./opt/local/share/terminfo/61/aaa-28
- x ./opt/local/share/terminfo/61/aaa-30
- x ./opt/local/share/terminfo/61/aaa-30-ctxt
- x ./opt/local/share/terminfo/61/aaa-30-rv
- x ./opt/local/share/terminfo/61/aaa-30-rv-ctxt
- x ./opt/local/share/terminfo/61/aaa-30-s
- x ./opt/local/share/terminfo/61/aaa-30-s-ctxt
- x ./opt/local/share/terminfo/61/aaa-30-s-rv
- x ./opt/local/share/terminfo/61/aaa-30-s-rv-ct

- x ./opt/local/share/terminfo/61/aaa-36
- x ./opt/local/share/terminfo/61/aaa-36-rv
- x ./opt/local/share/terminfo/61/aaa-40
- x ./opt/local/share/terminfo/61/aaa-40-rv
- x ./opt/local/share/terminfo/61/aaa-48
- x ./opt/local/share/terminfo/61/aaa-48-rv
- x ./opt/local/share/terminfo/61/aaa-60
- x ./opt/local/share/terminfo/61/aaa-60-dec-rv
- x ./opt/local/share/terminfo/61/aaa-60-rv
- x ./opt/local/share/terminfo/61/aaa-60-s
- x ./opt/local/share/terminfo/61/aaa-60-s-rv
- x ./opt/local/share/terminfo/61/aaa-ctxt
- x ./opt/local/share/terminfo/61/aaa-db
- x ./opt/local/share/terminfo/61/aaa-rv
- x ./opt/local/share/terminfo/61/aaa-rv-ctxt
- x ./opt/local/share/terminfo/61/aaa-rv-unk
- x ./opt/local/share/terminfo/61/aaa-s
- x ./opt/local/share/terminfo/61/aaa-s-ctxt
- x ./opt/local/share/terminfo/61/aaa-s-rv
- x ./opt/local/share/terminfo/61/aaa-s-rv-ctxt
- x ./opt/local/share/terminfo/61/aaa-unk
- x ./opt/local/share/terminfo/61/aas1901
- x ./opt/local/share/terminfo/61/abm80
- x ./opt/local/share/terminfo/61/abm85

- x ./opt/local/share/terminfo/61/abm85e
- x ./opt/local/share/terminfo/61/abm85h
- x ./opt/local/share/terminfo/61/abm85h-old
- x ./opt/local/share/terminfo/61/act4
- x ./opt/local/share/terminfo/61/act5
- x ./opt/local/share/terminfo/61/addrinfo
- x ./opt/local/share/terminfo/61/adds980
- x ./opt/local/share/terminfo/61/addsviewpoint
- x ./opt/local/share/terminfo/61/addsvp60
- x ./opt/local/share/terminfo/61/adm+sgr
- x ./opt/local/share/terminfo/61/adm1
- x ./opt/local/share/terminfo/61/adm11
- x ./opt/local/share/terminfo/61/adm1178
- x ./opt/local/share/terminfo/61/adm12
- x ./opt/local/share/terminfo/61/adm1a
- x ./opt/local/share/terminfo/61/adm2
- x ./opt/local/share/terminfo/61/adm20
- x ./opt/local/share/terminfo/61/adm21
- x ./opt/local/share/terminfo/61/adm22
- x ./opt/local/share/terminfo/61/adm3
- x ./opt/local/share/terminfo/61/adm31
- x ./opt/local/share/terminfo/61/adm31-old
- x ./opt/local/share/terminfo/61/adm36
- x ./opt/local/share/terminfo/61/adm3a

- x ./opt/local/share/terminfo/61/adm3a+
- x ./opt/local/share/terminfo/61/adm42
- x ./opt/local/share/terminfo/61/adm42-ns
- x ./opt/local/share/terminfo/61/adm5
- x ./opt/local/share/terminfo/61/aepro
- x ./opt/local/share/terminfo/61/aixterm
- x ./opt/local/share/terminfo/61/aixterm-16color
- x ./opt/local/share/terminfo/61/aixterm-m
- x ./opt/local/share/terminfo/61/aixterm-m-old
- x ./opt/local/share/terminfo/61/aj
- x ./opt/local/share/terminfo/61/aj510
- x ./opt/local/share/terminfo/61/aj830
- x ./opt/local/share/terminfo/61/aj832
- x ./opt/local/share/terminfo/61/alt2
- x ./opt/local/share/terminfo/61/alt3
- x ./opt/local/share/terminfo/61/alt4
- x ./opt/local/share/terminfo/61/alt5
- x ./opt/local/share/terminfo/61/alt7
- x ./opt/local/share/terminfo/61/alt7pc
- x ./opt/local/share/terminfo/61/alto-h19
- x ./opt/local/share/terminfo/61/alto-heath
- x ./opt/local/share/terminfo/61/altoh19
- x ./opt/local/share/terminfo/61/altoheath
- x ./opt/local/share/terminfo/61/altos-2

- x ./opt/local/share/terminfo/61/altos-3
- x ./opt/local/share/terminfo/61/altos-4
- x ./opt/local/share/terminfo/61/altos-5
- x ./opt/local/share/terminfo/61/altos2
- x ./opt/local/share/terminfo/61/altos3
- x ./opt/local/share/terminfo/61/altos4
- x ./opt/local/share/terminfo/61/altos5
- x ./opt/local/share/terminfo/61/altos7
- x ./opt/local/share/terminfo/61/altos7pc
- x ./opt/local/share/terminfo/61/ambas
- x ./opt/local/share/terminfo/61/ambassador
- x ./opt/local/share/terminfo/61/amiga
- x ./opt/local/share/terminfo/61/amiga-8bit
- x ./opt/local/share/terminfo/61/amiga-h
- x ./opt/local/share/terminfo/61/amiga-vnc
- x ./opt/local/share/terminfo/61/amp219
- x ./opt/local/share/terminfo/61/amp219w
- x ./opt/local/share/terminfo/61/ampex-219
- x ./opt/local/share/terminfo/61/ampex-219w
- x ./opt/local/share/terminfo/61/ampex-232
- x ./opt/local/share/terminfo/61/ampex175
- x ./opt/local/share/terminfo/61/ampex175-b
- x ./opt/local/share/terminfo/61/ampex210
- x ./opt/local/share/terminfo/61/ampex219

x ./opt/local/share/terminfo/61/ampex219w
x ./opt/local/share/terminfo/61/ampex232
x ./opt/local/share/terminfo/61/ampex232w
x ./opt/local/share/terminfo/61/ampex80
x ./opt/local/share/terminfo/61/annarbor4080
x ./opt/local/share/terminfo/61/ansi
x ./opt/local/share/terminfo/61/ansi+arrows
x ./opt/local/share/terminfo/61/ansi+csr
x ./opt/local/share/terminfo/61/ansi+cup
x ./opt/local/share/terminfo/61/ansi+enq
x ./opt/local/share/terminfo/61/ansi+erase
x ./opt/local/share/terminfo/61/ansi+idc
x ./opt/local/share/terminfo/61/ansi+idl
x ./opt/local/share/terminfo/61/ansi+idl1
x ./opt/local/share/terminfo/61/ansi+inittabs
x ./opt/local/share/terminfo/61/ansi+local
x ./opt/local/share/terminfo/61/ansi+local1
x ./opt/local/share/terminfo/61/ansi+pp
x ./opt/local/share/terminfo/61/ansi+rca
x ./opt/local/share/terminfo/61/ansi+rep
x ./opt/local/share/terminfo/61/ansi+sgr
x ./opt/local/share/terminfo/61/ansi+sgrbold
x ./opt/local/share/terminfo/61/ansi+sgrdim
x ./opt/local/share/terminfo/61/ansi+sgrso

- x ./opt/local/share/terminfo/61/ansi+sgrul
- x ./opt/local/share/terminfo/61/ansi+tabs
- x ./opt/local/share/terminfo/61/ansi-color-2-emx
- x ./opt/local/share/terminfo/61/ansi-color-3-emx
- x ./opt/local/share/terminfo/61/ansi-emx
- x ./opt/local/share/terminfo/61/ansi-generic
- x ./opt/local/share/terminfo/61/ansi-m
- x ./opt/local/share/terminfo/61/ansi-mini
- x ./opt/local/share/terminfo/61/ansi-mono
- x ./opt/local/share/terminfo/61/ansi-mr
- x ./opt/local/share/terminfo/61/ansi-mtabs
- x ./opt/local/share/terminfo/61/ansi-nt
- x ./opt/local/share/terminfo/61/ansi.sys
- x ./opt/local/share/terminfo/61/ansi.sys-old
- x ./opt/local/share/terminfo/61/ansi.sysk
- x ./opt/local/share/terminfo/61/ansi43m
- x ./opt/local/share/terminfo/61/ansi77
- x ./opt/local/share/terminfo/61/ansi80x25
- x ./opt/local/share/terminfo/61/ansi80x25-mono
- x ./opt/local/share/terminfo/61/ansi80x25-raw
- x ./opt/local/share/terminfo/61/ansi80x30
- x ./opt/local/share/terminfo/61/ansi80x30-mono
- x ./opt/local/share/terminfo/61/ansi80x43
- x ./opt/local/share/terminfo/61/ansi80x43-mono

- x ./opt/local/share/terminfo/61/ansi80x50
- x ./opt/local/share/terminfo/61/ansi80x50-mono
- x ./opt/local/share/terminfo/61/ansi80x60
- x ./opt/local/share/terminfo/61/ansi80x60-mono
- x ./opt/local/share/terminfo/61/ansil
- x ./opt/local/share/terminfo/61/ansil-mono
- x ./opt/local/share/terminfo/61/ansis
- x ./opt/local/share/terminfo/61/ansis-mono
- x ./opt/local/share/terminfo/61/ansisysk
- x ./opt/local/share/terminfo/61/ansiw
- x ./opt/local/share/terminfo/61/ap-vm80
- x ./opt/local/share/terminfo/61/apl
- x ./opt/local/share/terminfo/61/apollo
- x ./opt/local/share/terminfo/61/apollo_15P
- x ./opt/local/share/terminfo/61/apollo_19L
- x ./opt/local/share/terminfo/61/apollo_color
- x ./opt/local/share/terminfo/61/apple-80
- x ./opt/local/share/terminfo/61/apple-ae
- x ./opt/local/share/terminfo/61/apple-soroc
- x ./opt/local/share/terminfo/61/apple-uterm
- x ./opt/local/share/terminfo/61/apple-uterm-vb
- x ./opt/local/share/terminfo/61/apple-videx
- x ./opt/local/share/terminfo/61/apple-videx2
- x ./opt/local/share/terminfo/61/apple-videx3

- x ./opt/local/share/terminfo/61/apple-vm80
- x ./opt/local/share/terminfo/61/apple2e
- x ./opt/local/share/terminfo/61/apple2e-p
- x ./opt/local/share/terminfo/61/apple80p
- x ./opt/local/share/terminfo/61/appleII
- x ./opt/local/share/terminfo/61/appleIIc
- x ./opt/local/share/terminfo/61/appleIIe
- x ./opt/local/share/terminfo/61/appleIIgs
- x ./opt/local/share/terminfo/61/arm100
- x ./opt/local/share/terminfo/61/arm100-am
- x ./opt/local/share/terminfo/61/arm100-w
- x ./opt/local/share/terminfo/61/arm100-wam
- x ./opt/local/share/terminfo/61/at
- x ./opt/local/share/terminfo/61/at-color
- x ./opt/local/share/terminfo/61/at-m
- x ./opt/local/share/terminfo/61/at386
- x ./opt/local/share/terminfo/61/atari
- x ./opt/local/share/terminfo/61/atari-color
- x ./opt/local/share/terminfo/61/atari-m
- x ./opt/local/share/terminfo/61/atari-old
- x ./opt/local/share/terminfo/61/atari_st
- x ./opt/local/share/terminfo/61/atari_st-color
- x ./opt/local/share/terminfo/61/atarist-m
- x ./opt/local/share/terminfo/61/aterm

x ./opt/local/share/terminfo/61/att2300
x ./opt/local/share/terminfo/61/att2350
x ./opt/local/share/terminfo/61/att4410
x ./opt/local/share/terminfo/61/att4410-w
x ./opt/local/share/terminfo/61/att4410v1
x ./opt/local/share/terminfo/61/att4410v1-w
x ./opt/local/share/terminfo/61/att4415
x ./opt/local/share/terminfo/61/att4415+n1
x ./opt/local/share/terminfo/61/att4415-n1
x ./opt/local/share/terminfo/61/att4415-rv
x ./opt/local/share/terminfo/61/att4415-rv-n1
x ./opt/local/share/terminfo/61/att4415-w
x ./opt/local/share/terminfo/61/att4415-w-n1
x ./opt/local/share/terminfo/61/att4415-w-rv
x ./opt/local/share/terminfo/61/att4415-w-rv-n
x ./opt/local/share/terminfo/61/att4418
x ./opt/local/share/terminfo/61/att4418-w
x ./opt/local/share/terminfo/61/att4420
x ./opt/local/share/terminfo/61/att4424
x ./opt/local/share/terminfo/61/att4424-1
x ./opt/local/share/terminfo/61/att4424m
x ./opt/local/share/terminfo/61/att4425
x ./opt/local/share/terminfo/61/att4425-n1
x ./opt/local/share/terminfo/61/att4425-w

x ./opt/local/share/terminfo/61/att4426
x ./opt/local/share/terminfo/61/att500
x ./opt/local/share/terminfo/61/att505
x ./opt/local/share/terminfo/61/att505-24
x ./opt/local/share/terminfo/61/att510a
x ./opt/local/share/terminfo/61/att510d
x ./opt/local/share/terminfo/61/att513
x ./opt/local/share/terminfo/61/att5310
x ./opt/local/share/terminfo/61/att5320
x ./opt/local/share/terminfo/61/att5410
x ./opt/local/share/terminfo/61/att5410-w
x ./opt/local/share/terminfo/61/att5410v1
x ./opt/local/share/terminfo/61/att5410v1-w
x ./opt/local/share/terminfo/61/att5418
x ./opt/local/share/terminfo/61/att5418-w
x ./opt/local/share/terminfo/61/att5420
x ./opt/local/share/terminfo/61/att5420+nl
x ./opt/local/share/terminfo/61/att5420-nl
x ./opt/local/share/terminfo/61/att5420-rv
x ./opt/local/share/terminfo/61/att5420-rv-nl
x ./opt/local/share/terminfo/61/att5420-w
x ./opt/local/share/terminfo/61/att5420-w-nl
x ./opt/local/share/terminfo/61/att5420-w-rv
x ./opt/local/share/terminfo/61/att5420-w-rv-n

x ./opt/local/share/terminfo/61/att5420_2
x ./opt/local/share/terminfo/61/att5420_2-w
x ./opt/local/share/terminfo/61/att5425
x ./opt/local/share/terminfo/61/att5425-nl
x ./opt/local/share/terminfo/61/att5425-w
x ./opt/local/share/terminfo/61/att5430
x ./opt/local/share/terminfo/61/att5620
x ./opt/local/share/terminfo/61/att5620-1
x ./opt/local/share/terminfo/61/att5620-24
x ./opt/local/share/terminfo/61/att5620-34
x ./opt/local/share/terminfo/61/att5620-s
x ./opt/local/share/terminfo/61/att605
x ./opt/local/share/terminfo/61/att605-pc
x ./opt/local/share/terminfo/61/att605-w
x ./opt/local/share/terminfo/61/att610
x ./opt/local/share/terminfo/61/att610-103k
x ./opt/local/share/terminfo/61/att610-103k-w
x ./opt/local/share/terminfo/61/att610-w
x ./opt/local/share/terminfo/61/att615
x ./opt/local/share/terminfo/61/att615-103k
x ./opt/local/share/terminfo/61/att615-103k-w
x ./opt/local/share/terminfo/61/att615-w
x ./opt/local/share/terminfo/61/att620
x ./opt/local/share/terminfo/61/att620-103k

- x ./opt/local/share/terminfo/61/att620-103k-w
- x ./opt/local/share/terminfo/61/att620-w
- x ./opt/local/share/terminfo/61/att630
- x ./opt/local/share/terminfo/61/att630-24
- x ./opt/local/share/terminfo/61/att6386
- x ./opt/local/share/terminfo/61/att700
- x ./opt/local/share/terminfo/61/att730
- x ./opt/local/share/terminfo/61/att730-24
- x ./opt/local/share/terminfo/61/att730-41
- x ./opt/local/share/terminfo/61/att7300
- x ./opt/local/share/terminfo/61/att730r
- x ./opt/local/share/terminfo/61/att730r-24
- x ./opt/local/share/terminfo/61/att730r-41
- x ./opt/local/share/terminfo/61/avatar
- x ./opt/local/share/terminfo/61/avatar0
- x ./opt/local/share/terminfo/61/avatar0+
- x ./opt/local/share/terminfo/61/avatar1
- x ./opt/local/share/terminfo/61/avt
- x ./opt/local/share/terminfo/61/avt+s
- x ./opt/local/share/terminfo/61/avt-ns
- x ./opt/local/share/terminfo/61/avt-rv
- x ./opt/local/share/terminfo/61/avt-rv-ns
- x ./opt/local/share/terminfo/61/avt-rv-s
- x ./opt/local/share/terminfo/61/avt-s

- x ./opt/local/share/terminfo/61/avt-w
- x ./opt/local/share/terminfo/61/avt-w-ns
- x ./opt/local/share/terminfo/61/avt-w-rv
- x ./opt/local/share/terminfo/61/avt-w-rv-ns
- x ./opt/local/share/terminfo/61/avt-w-rv-s
- x ./opt/local/share/terminfo/61/avt-w-s
- x ./opt/local/share/terminfo/61/aws
- x ./opt/local/share/terminfo/61/awsc
- x ./opt/local/share/terminfo/58/X-hpterm
- x ./opt/local/share/terminfo/51/Q306-8-pc
- x ./opt/local/share/terminfo/51/Q310-vip-H
- x ./opt/local/share/terminfo/51/Q310-vip-H-am
- x ./opt/local/share/terminfo/51/Q310-vip-Hw
- x ./opt/local/share/terminfo/51/Q310-vip-w
- x ./opt/local/share/terminfo/51/Q310-vip-w-am
- x ./opt/local/share/terminfo/50/P12
- x ./opt/local/share/terminfo/50/P12-M
- x ./opt/local/share/terminfo/50/P12-M-W
- x ./opt/local/share/terminfo/50/P12-W
- x ./opt/local/share/terminfo/50/P14
- x ./opt/local/share/terminfo/50/P14-M
- x ./opt/local/share/terminfo/50/P14-M-W
- x ./opt/local/share/terminfo/50/P14-W
- x ./opt/local/share/terminfo/50/P4

- x ./opt/local/share/terminfo/50/P5
- x ./opt/local/share/terminfo/50/P7
- x ./opt/local/share/terminfo/50/P8
- x ./opt/local/share/terminfo/50/P8-W
- x ./opt/local/share/terminfo/50/P9
- x ./opt/local/share/terminfo/50/P9-8
- x ./opt/local/share/terminfo/50/P9-8-W
- x ./opt/local/share/terminfo/50/P9-W
- x ./opt/local/share/terminfo/4e/NCR260VT300WPP
- x ./opt/local/share/terminfo/4e/NCRVT100WPP
- x ./opt/local/share/terminfo/4d/MtxOrb
- x ./opt/local/share/terminfo/4d/MtxOrb162
- x ./opt/local/share/terminfo/4d/MtxOrb204
- x ./opt/local/share/terminfo/4c/LFT-PC850
- x ./opt/local/share/terminfo/45/Eterm
- x ./opt/local/share/terminfo/45/Eterm-256color
- x ./opt/local/share/terminfo/45/Eterm-88color
- x ./opt/local/share/terminfo/45/Eterm-color
- x ./opt/local/share/terminfo/41/Apple_Terminal
- x ./opt/local/share/terminfo/39/955-hb
- x ./opt/local/share/terminfo/39/955-w
- x ./opt/local/share/terminfo/39/9term
- x ./opt/local/share/terminfo/38/8510
- x ./opt/local/share/terminfo/37/730MTG-24

- x ./opt/local/share/terminfo/37/730MTG-41
- x ./opt/local/share/terminfo/37/730MTG-41r
- x ./opt/local/share/terminfo/37/730MTGr
- x ./opt/local/share/terminfo/37/730MTGr-24
- x ./opt/local/share/terminfo/36/6053
- x ./opt/local/share/terminfo/36/6053-dg
- x ./opt/local/share/terminfo/36/605x
- x ./opt/local/share/terminfo/36/605x-dg
- x ./opt/local/share/terminfo/36/630-lm
- x ./opt/local/share/terminfo/36/630MTG-24
- x ./opt/local/share/terminfo/35/5051
- x ./opt/local/share/terminfo/35/5410-w
- x ./opt/local/share/terminfo/35/5620
- x ./opt/local/share/terminfo/35/5630-24
- x ./opt/local/share/terminfo/35/5630DMD-24
- x ./opt/local/share/terminfo/34/4025ex
- x ./opt/local/share/terminfo/34/4027ex
- x ./opt/local/share/terminfo/34/4410-w
- x ./opt/local/share/terminfo/33/386at
- x ./opt/local/share/terminfo/33/3b1
- x ./opt/local/share/terminfo/32/2621
- x ./opt/local/share/terminfo/32/2621-wl
- x ./opt/local/share/terminfo/32/2621a
- x ./opt/local/share/terminfo/31/1178

- x ./opt/local/share/terminfo/31/1730-lm
- x ./opt/local/share/tabset/std
- x ./opt/local/share/tabset/stdcrt
- x ./opt/local/share/tabset/vt100
- x ./opt/local/share/tabset/vt300
- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man3/
- x ./opt/local/share/man/man5/
- x ./opt/local/share/man/man7/
- x ./opt/local/share/man/man7/term.7.gz
- x ./opt/local/share/man/man5/term.5.gz
- x ./opt/local/share/man/man5/terminfo.5.gz
- x ./opt/local/share/man/man3/_nc_free_and_exit.3x.gz
- x ./opt/local/share/man/man3/_nc_freeall.3x.gz
- x ./opt/local/share/man/man3/_nc_tracebits.3x.gz
- x ./opt/local/share/man/man3/_traceattr.3x.gz
- x ./opt/local/share/man/man3/_traceattr2.3x.gz
- x ./opt/local/share/man/man3/_tracecchar_t.3x.gz
- x ./opt/local/share/man/man3/_tracecchar_t2.3x.gz
- x ./opt/local/share/man/man3/_tracechar.3x.gz
- x ./opt/local/share/man/man3/_tracectype.3x.gz
- x ./opt/local/share/man/man3/_tracectype2.3x.gz
- x ./opt/local/share/man/man3/_tracedump.3x.gz
- x ./opt/local/share/man/man3/_tracef.3x.gz

x ./opt/local/share/man/man3/_tracemouse.3x.gz
x ./opt/local/share/man/man3/acs_map.3x.gz
x ./opt/local/share/man/man3/add_wch.3x.gz
x ./opt/local/share/man/man3/add_wchnstr.3x.gz
x ./opt/local/share/man/man3/add_wchstr.3x.gz
x ./opt/local/share/man/man3/addch.3x.gz
x ./opt/local/share/man/man3/addchnstr.3x.gz
x ./opt/local/share/man/man3/addchstr.3x.gz
x ./opt/local/share/man/man3/addnstr.3x.gz
x ./opt/local/share/man/man3/addnwstr.3x.gz
x ./opt/local/share/man/man3/addstr.3x.gz
x ./opt/local/share/man/man3/addwstr.3x.gz
x ./opt/local/share/man/man3/assume_default_colors.3x.gz
x ./opt/local/share/man/man3/assume_default_colors_sp.3x.gz
x ./opt/local/share/man/man3/attr_get.3x.gz
x ./opt/local/share/man/man3/attr_off.3x.gz
x ./opt/local/share/man/man3/attr_on.3x.gz
x ./opt/local/share/man/man3/attr_set.3x.gz
x ./opt/local/share/man/man3/attroff.3x.gz
x ./opt/local/share/man/man3/attron.3x.gz
x ./opt/local/share/man/man3/attrset.3x.gz
x ./opt/local/share/man/man3/ baudrate.3x.gz
x ./opt/local/share/man/man3/ baudrate_sp.3x.gz
x ./opt/local/share/man/man3/BC.3x.gz

x ./opt/local/share/man/man3/beep.3x.gz
x ./opt/local/share/man/man3/beep_sp.3x.gz
x ./opt/local/share/man/man3/bkgd.3x.gz
x ./opt/local/share/man/man3/bkgdset.3x.gz
x ./opt/local/share/man/man3/bkgrnd.3x.gz
x ./opt/local/share/man/man3/bkgrndset.3x.gz
x ./opt/local/share/man/man3/boolcodes.3x.gz
x ./opt/local/share/man/man3/boolfnames.3x.gz
x ./opt/local/share/man/man3/boolnames.3x.gz
x ./opt/local/share/man/man3/border.3x.gz
x ./opt/local/share/man/man3/border_set.3x.gz
x ./opt/local/share/man/man3/bottom_panel.3x.gz
x ./opt/local/share/man/man3/box.3x.gz
x ./opt/local/share/man/man3/box_set.3x.gz
x ./opt/local/share/man/man3/can_change_color.3x.gz
x ./opt/local/share/man/man3/can_change_color_sp.3x.gz
x ./opt/local/share/man/man3/cbreak.3x.gz
x ./opt/local/share/man/man3/cbreak_sp.3x.gz
x ./opt/local/share/man/man3/ceiling_panel.3x.gz
x ./opt/local/share/man/man3/chgat.3x.gz
x ./opt/local/share/man/man3/clear.3x.gz
x ./opt/local/share/man/man3/clearok.3x.gz
x ./opt/local/share/man/man3/clrtobot.3x.gz
x ./opt/local/share/man/man3/clrtoeol.3x.gz

x ./opt/local/share/man/man3/color_content.3x.gz
x ./opt/local/share/man/man3/color_content_sp.3x.gz
x ./opt/local/share/man/man3/COLOR_PAIR.3x.gz
x ./opt/local/share/man/man3/COLOR_PAIRS.3x.gz
x ./opt/local/share/man/man3/color_set.3x.gz
x ./opt/local/share/man/man3/COLORS.3x.gz
x ./opt/local/share/man/man3/COLS.3x.gz
x ./opt/local/share/man/man3/copywin.3x.gz
x ./opt/local/share/man/man3/cur_term.3x.gz
x ./opt/local/share/man/man3/current_field.3x.gz
x ./opt/local/share/man/man3/current_item.3x.gz
x ./opt/local/share/man/man3/curs_add_wch.3x.gz
x ./opt/local/share/man/man3/curs_add_wchstr.3x.gz
x ./opt/local/share/man/man3/curs_addch.3x.gz
x ./opt/local/share/man/man3/curs_addchstr.3x.gz
x ./opt/local/share/man/man3/curs_addstr.3x.gz
x ./opt/local/share/man/man3/curs_addwstr.3x.gz
x ./opt/local/share/man/man3/curs_attr.3x.gz
x ./opt/local/share/man/man3/curs_beep.3x.gz
x ./opt/local/share/man/man3/curs_bkgd.3x.gz
x ./opt/local/share/man/man3/curs_bkgrnd.3x.gz
x ./opt/local/share/man/man3/curs_border.3x.gz
x ./opt/local/share/man/man3/curs_border_set.3x.gz
x ./opt/local/share/man/man3/curs_clear.3x.gz

x ./opt/local/share/man/man3/curs_color.3x.gz
x ./opt/local/share/man/man3/curs_delch.3x.gz
x ./opt/local/share/man/man3/curs_deleteln.3x.gz
x ./opt/local/share/man/man3/curs_extend.3x.gz
x ./opt/local/share/man/man3/curs_get_wch.3x.gz
x ./opt/local/share/man/man3/curs_get_wstr.3x.gz
x ./opt/local/share/man/man3/curs_getcchar.3x.gz
x ./opt/local/share/man/man3/curs_getch.3x.gz
x ./opt/local/share/man/man3/curs_getstr.3x.gz
x ./opt/local/share/man/man3/curs_getyx.3x.gz
x ./opt/local/share/man/man3/curs_in_wch.3x.gz
x ./opt/local/share/man/man3/curs_in_wchstr.3x.gz
x ./opt/local/share/man/man3/curs_inch.3x.gz
x ./opt/local/share/man/man3/curs_inchstr.3x.gz
x ./opt/local/share/man/man3/curs_initscr.3x.gz
x ./opt/local/share/man/man3/curs_inopts.3x.gz
x ./opt/local/share/man/man3/curs_ins_wch.3x.gz
x ./opt/local/share/man/man3/curs_ins_wstr.3x.gz
x ./opt/local/share/man/man3/curs_insch.3x.gz
x ./opt/local/share/man/man3/curs_insstr.3x.gz
x ./opt/local/share/man/man3/curs_instr.3x.gz
x ./opt/local/share/man/man3/curs_inwstr.3x.gz
x ./opt/local/share/man/man3/curs_kernel.3x.gz
x ./opt/local/share/man/man3/curs_legacy.3x.gz

x ./opt/local/share/man/man3/curs_memleaks.3x.gz
x ./opt/local/share/man/man3/curs_mouse.3x.gz
x ./opt/local/share/man/man3/curs_move.3x.gz
x ./opt/local/share/man/man3/curs_opaque.3x.gz
x ./opt/local/share/man/man3/curs_outopts.3x.gz
x ./opt/local/share/man/man3/curs_overlay.3x.gz
x ./opt/local/share/man/man3/curs_pad.3x.gz
x ./opt/local/share/man/man3/curs_print.3x.gz
x ./opt/local/share/man/man3/curs_printw.3x.gz
x ./opt/local/share/man/man3/curs_refresh.3x.gz
x ./opt/local/share/man/man3/curs_scanw.3x.gz
x ./opt/local/share/man/man3/curs_scr_dump.3x.gz
x ./opt/local/share/man/man3/curs_scroll.3x.gz
x ./opt/local/share/man/man3/curs_set.3x.gz
x ./opt/local/share/man/man3/curs_set_sp.3x.gz
x ./opt/local/share/man/man3/curs_slk.3x.gz
x ./opt/local/share/man/man3/curs_sp_funcs.3x.gz
x ./opt/local/share/man/man3/curs_termattrs.3x.gz
x ./opt/local/share/man/man3/curs_termcap.3x.gz
x ./opt/local/share/man/man3/curs_terminfo.3x.gz
x ./opt/local/share/man/man3/curs_threads.3x.gz
x ./opt/local/share/man/man3/curs_touch.3x.gz
x ./opt/local/share/man/man3/curs_trace.3x.gz
x ./opt/local/share/man/man3/curs_util.3x.gz

x ./opt/local/share/man/man3/curs_variables.3x.gz
x ./opt/local/share/man/man3/curs_window.3x.gz
x ./opt/local/share/man/man3/curscr.3x.gz
x ./opt/local/share/man/man3/curses_version.3x.gz
x ./opt/local/share/man/man3/data_ahead.3x.gz
x ./opt/local/share/man/man3/data_behind.3x.gz
x ./opt/local/share/man/man3/def_prog_mode.3x.gz
x ./opt/local/share/man/man3/def_prog_mode_sp.3x.gz
x ./opt/local/share/man/man3/def_shell_mode.3x.gz
x ./opt/local/share/man/man3/def_shell_mode_sp.3x.gz
x ./opt/local/share/man/man3/default_colors.3x.gz
x ./opt/local/share/man/man3/define_key.3x.gz
x ./opt/local/share/man/man3/define_key_sp.3x.gz
x ./opt/local/share/man/man3/del_curterm.3x.gz
x ./opt/local/share/man/man3/del_curterm_sp.3x.gz
x ./opt/local/share/man/man3/del_panel.3x.gz
x ./opt/local/share/man/man3/delay_output.3x.gz
x ./opt/local/share/man/man3/delay_output_sp.3x.gz
x ./opt/local/share/man/man3/delch.3x.gz
x ./opt/local/share/man/man3/deleteln.3x.gz
x ./opt/local/share/man/man3/delscreen.3x.gz
x ./opt/local/share/man/man3/delwin.3x.gz
x ./opt/local/share/man/man3/derwin.3x.gz
x ./opt/local/share/man/man3/doupdate.3x.gz

x ./opt/local/share/man/man3/doupdate_sp.3x.gz
x ./opt/local/share/man/man3/dup_field.3x.gz
x ./opt/local/share/man/man3/dupwin.3x.gz
x ./opt/local/share/man/man3/dynamic_field_info.3x.gz
x ./opt/local/share/man/man3/echo.3x.gz
x ./opt/local/share/man/man3/echo_sp.3x.gz
x ./opt/local/share/man/man3/echo_wchar.3x.gz
x ./opt/local/share/man/man3/echochar.3x.gz
x ./opt/local/share/man/man3/endwin.3x.gz
x ./opt/local/share/man/man3/endwin_sp.3x.gz
x ./opt/local/share/man/man3/erase.3x.gz
x ./opt/local/share/man/man3/erasechar.3x.gz
x ./opt/local/share/man/man3/erasechar_sp.3x.gz
x ./opt/local/share/man/man3/erasewchar.3x.gz
x ./opt/local/share/man/man3/ESCDELAY.3x.gz
x ./opt/local/share/man/man3/field_arg.3x.gz
x ./opt/local/share/man/man3/field_back.3x.gz
x ./opt/local/share/man/man3/field_buffer.3x.gz
x ./opt/local/share/man/man3/field_count.3x.gz
x ./opt/local/share/man/man3/field_fore.3x.gz
x ./opt/local/share/man/man3/field_index.3x.gz
x ./opt/local/share/man/man3/field_info.3x.gz
x ./opt/local/share/man/man3/field_init.3x.gz
x ./opt/local/share/man/man3/field_just.3x.gz

x ./opt/local/share/man/man3/field_opts.3x.gz
x ./opt/local/share/man/man3/field_opts_off.3x.gz
x ./opt/local/share/man/man3/field_opts_on.3x.gz
x ./opt/local/share/man/man3/field_pad.3x.gz
x ./opt/local/share/man/man3/field_status.3x.gz
x ./opt/local/share/man/man3/field_term.3x.gz
x ./opt/local/share/man/man3/field_type.3x.gz
x ./opt/local/share/man/man3/field_userptr.3x.gz
x ./opt/local/share/man/man3/filter.3x.gz
x ./opt/local/share/man/man3/filter_sp.3x.gz
x ./opt/local/share/man/man3/flash.3x.gz
x ./opt/local/share/man/man3/flash_sp.3x.gz
x ./opt/local/share/man/man3/flushinp.3x.gz
x ./opt/local/share/man/man3/flushinp_sp.3x.gz
x ./opt/local/share/man/man3/form.3x.gz
x ./opt/local/share/man/man3/form_cursor.3x.gz
x ./opt/local/share/man/man3/form_data.3x.gz
x ./opt/local/share/man/man3/form_driver.3x.gz
x ./opt/local/share/man/man3/form_field.3x.gz
x ./opt/local/share/man/man3/form_field_attributes.3x.gz
x ./opt/local/share/man/man3/form_field_buffer.3x.gz
x ./opt/local/share/man/man3/form_field_info.3x.gz
x ./opt/local/share/man/man3/form_field_just.3x.gz
x ./opt/local/share/man/man3/form_field_new.3x.gz

x ./opt/local/share/man/man3/form_field_opts.3x.gz
x ./opt/local/share/man/man3/form_field_userptr.3x.gz
x ./opt/local/share/man/man3/form_field_validation.3x.gz
x ./opt/local/share/man/man3/form_fields.3x.gz
x ./opt/local/share/man/man3/form_fieldtype.3x.gz
x ./opt/local/share/man/man3/form_hook.3x.gz
x ./opt/local/share/man/man3/form_init.3x.gz
x ./opt/local/share/man/man3/form_new.3x.gz
x ./opt/local/share/man/man3/form_new_page.3x.gz
x ./opt/local/share/man/man3/form_opts.3x.gz
x ./opt/local/share/man/man3/form_opts_off.3x.gz
x ./opt/local/share/man/man3/form_opts_on.3x.gz
x ./opt/local/share/man/man3/form_page.3x.gz
x ./opt/local/share/man/man3/form_post.3x.gz
x ./opt/local/share/man/man3/form_request_by_name.3x.gz
x ./opt/local/share/man/man3/form_request_name.3x.gz
x ./opt/local/share/man/man3/form_requestname.3x.gz
x ./opt/local/share/man/man3/form_sub.3x.gz
x ./opt/local/share/man/man3/form_term.3x.gz
x ./opt/local/share/man/man3/form_userptr.3x.gz
x ./opt/local/share/man/man3/form_variables.3x.gz
x ./opt/local/share/man/man3/form_win.3x.gz
x ./opt/local/share/man/man3/free_field.3x.gz
x ./opt/local/share/man/man3/free_fieldtype.3x.gz

x ./opt/local/share/man/man3/free_form.3x.gz
x ./opt/local/share/man/man3/free_item.3x.gz
x ./opt/local/share/man/man3/free_menu.3x.gz
x ./opt/local/share/man/man3/get_escdelay.3x.gz
x ./opt/local/share/man/man3/get_escdelay_sp.3x.gz
x ./opt/local/share/man/man3/get_wch.3x.gz
x ./opt/local/share/man/man3/get_wstr.3x.gz
x ./opt/local/share/man/man3/getattrs.3x.gz
x ./opt/local/share/man/man3/getbegx.3x.gz
x ./opt/local/share/man/man3/getbegy.3x.gz
x ./opt/local/share/man/man3/getbegyx.3x.gz
x ./opt/local/share/man/man3/getbkgd.3x.gz
x ./opt/local/share/man/man3/getbkgrnd.3x.gz
x ./opt/local/share/man/man3/getcchar.3x.gz
x ./opt/local/share/man/man3/getch.3x.gz
x ./opt/local/share/man/man3/getcurx.3x.gz
x ./opt/local/share/man/man3/getcury.3x.gz
x ./opt/local/share/man/man3/getmaxx.3x.gz
x ./opt/local/share/man/man3/getmaxy.3x.gz
x ./opt/local/share/man/man3/getmaxyx.3x.gz
x ./opt/local/share/man/man3/getmouse.3x.gz
x ./opt/local/share/man/man3/getmouse_sp.3x.gz
x ./opt/local/share/man/man3/getn_wstr.3x.gz
x ./opt/local/share/man/man3/getnstr.3x.gz

x ./opt/local/share/man/man3/getparx.3x.gz
x ./opt/local/share/man/man3/getpary.3x.gz
x ./opt/local/share/man/man3/getparyx.3x.gz
x ./opt/local/share/man/man3/getstr.3x.gz
x ./opt/local/share/man/man3/getsyx.3x.gz
x ./opt/local/share/man/man3/getwin.3x.gz
x ./opt/local/share/man/man3/getwin_sp.3x.gz
x ./opt/local/share/man/man3/getyx.3x.gz
x ./opt/local/share/man/man3/ground_panel.3x.gz
x ./opt/local/share/man/man3/halfdelay.3x.gz
x ./opt/local/share/man/man3/halfdelay_sp.3x.gz
x ./opt/local/share/man/man3/has_colors.3x.gz
x ./opt/local/share/man/man3/has_colors_sp.3x.gz
x ./opt/local/share/man/man3/has_ic.3x.gz
x ./opt/local/share/man/man3/has_ic_sp.3x.gz
x ./opt/local/share/man/man3/has_il.3x.gz
x ./opt/local/share/man/man3/has_il_sp.3x.gz
x ./opt/local/share/man/man3/has_key.3x.gz
x ./opt/local/share/man/man3/has_key_sp.3x.gz
x ./opt/local/share/man/man3/has_mouse.3x.gz
x ./opt/local/share/man/man3/has_mouse_sp.3x.gz
x ./opt/local/share/man/man3/hide_panel.3x.gz
x ./opt/local/share/man/man3/hline.3x.gz
x ./opt/local/share/man/man3/hline_set.3x.gz

x ./opt/local/share/man/man3/idcok.3x.gz
x ./opt/local/share/man/man3/idlok.3x.gz
x ./opt/local/share/man/man3/immedok.3x.gz
x ./opt/local/share/man/man3/in_wch.3x.gz
x ./opt/local/share/man/man3/in_wchnstr.3x.gz
x ./opt/local/share/man/man3/in_wchstr.3x.gz
x ./opt/local/share/man/man3/inch.3x.gz
x ./opt/local/share/man/man3/inchnstr.3x.gz
x ./opt/local/share/man/man3/inchstr.3x.gz
x ./opt/local/share/man/man3/init_color.3x.gz
x ./opt/local/share/man/man3/init_color_sp.3x.gz
x ./opt/local/share/man/man3/init_pair.3x.gz
x ./opt/local/share/man/man3/init_pair_sp.3x.gz
x ./opt/local/share/man/man3/initscr.3x.gz
x ./opt/local/share/man/man3/innstr.3x.gz
x ./opt/local/share/man/man3/innwstr.3x.gz
x ./opt/local/share/man/man3/ins_nwstr.3x.gz
x ./opt/local/share/man/man3/ins_wch.3x.gz
x ./opt/local/share/man/man3/ins_wstr.3x.gz
x ./opt/local/share/man/man3/insch.3x.gz
x ./opt/local/share/man/man3/insdelln.3x.gz
x ./opt/local/share/man/man3/insertln.3x.gz
x ./opt/local/share/man/man3/insnstr.3x.gz
x ./opt/local/share/man/man3/insstr.3x.gz

x ./opt/local/share/man/man3/instr.3x.gz
x ./opt/local/share/man/man3/intrflush.3x.gz
x ./opt/local/share/man/man3/intrflush_sp.3x.gz
x ./opt/local/share/man/man3/inwstr.3x.gz
x ./opt/local/share/man/man3/is_cleared.3x.gz
x ./opt/local/share/man/man3/is_idcok.3x.gz
x ./opt/local/share/man/man3/is_idlok.3x.gz
x ./opt/local/share/man/man3/is_immedok.3x.gz
x ./opt/local/share/man/man3/is_keypad.3x.gz
x ./opt/local/share/man/man3/is_leaveok.3x.gz
x ./opt/local/share/man/man3/is_linetouched.3x.gz
x ./opt/local/share/man/man3/is_nodelay.3x.gz
x ./opt/local/share/man/man3/is_notimeout.3x.gz
x ./opt/local/share/man/man3/is_pad.3x.gz
x ./opt/local/share/man/man3/is_scrollok.3x.gz
x ./opt/local/share/man/man3/is_subwin.3x.gz
x ./opt/local/share/man/man3/is_syncok.3x.gz
x ./opt/local/share/man/man3/is_term_resized.3x.gz
x ./opt/local/share/man/man3/is_term_resized_sp.3x.gz
x ./opt/local/share/man/man3/is_wintouched.3x.gz
x ./opt/local/share/man/man3/isendwin.3x.gz
x ./opt/local/share/man/man3/isendwin_sp.3x.gz
x ./opt/local/share/man/man3/item_count.3x.gz
x ./opt/local/share/man/man3/item_description.3x.gz

x ./opt/local/share/man/man3/item_index.3x.gz
x ./opt/local/share/man/man3/item_init.3x.gz
x ./opt/local/share/man/man3/item_name.3x.gz
x ./opt/local/share/man/man3/item_opts.3x.gz
x ./opt/local/share/man/man3/item_opts_off.3x.gz
x ./opt/local/share/man/man3/item_opts_on.3x.gz
x ./opt/local/share/man/man3/item_term.3x.gz
x ./opt/local/share/man/man3/item_userptr.3x.gz
x ./opt/local/share/man/man3/item_value.3x.gz
x ./opt/local/share/man/man3/item_visible.3x.gz
x ./opt/local/share/man/man3/key_defined.3x.gz
x ./opt/local/share/man/man3/key_defined_sp.3x.gz
x ./opt/local/share/man/man3/key_name.3x.gz
x ./opt/local/share/man/man3/keybound.3x.gz
x ./opt/local/share/man/man3/keybound_sp.3x.gz
x ./opt/local/share/man/man3/keyname.3x.gz
x ./opt/local/share/man/man3/keyname_sp.3x.gz
x ./opt/local/share/man/man3/keyok.3x.gz
x ./opt/local/share/man/man3/keyok_sp.3x.gz
x ./opt/local/share/man/man3/keypad.3x.gz
x ./opt/local/share/man/man3/killchar.3x.gz
x ./opt/local/share/man/man3/killchar_sp.3x.gz
x ./opt/local/share/man/man3/killwchar.3x.gz
x ./opt/local/share/man/man3/leaveok.3x.gz

x ./opt/local/share/man/man3/legacy_coding.3x.gz
x ./opt/local/share/man/man3/LINES.3x.gz
x ./opt/local/share/man/man3/link_field.3x.gz
x ./opt/local/share/man/man3/link_fieldtype.3x.gz
x ./opt/local/share/man/man3/longname.3x.gz
x ./opt/local/share/man/man3/mcprint.3x.gz
x ./opt/local/share/man/man3/mcprint_sp.3x.gz
x ./opt/local/share/man/man3/menu.3x.gz
x ./opt/local/share/man/man3/menu_attributes.3x.gz
x ./opt/local/share/man/man3/menu_back.3x.gz
x ./opt/local/share/man/man3/menu_cursor.3x.gz
x ./opt/local/share/man/man3/menu_driver.3x.gz
x ./opt/local/share/man/man3/menu_fore.3x.gz
x ./opt/local/share/man/man3/menu_format.3x.gz
x ./opt/local/share/man/man3/menu_grey.3x.gz
x ./opt/local/share/man/man3/menu_hook.3x.gz
x ./opt/local/share/man/man3/menu_init.3x.gz
x ./opt/local/share/man/man3/menu_items.3x.gz
x ./opt/local/share/man/man3/menu_mark.3x.gz
x ./opt/local/share/man/man3/menu_new.3x.gz
x ./opt/local/share/man/man3/menu_opts.3x.gz
x ./opt/local/share/man/man3/menu_opts_off.3x.gz
x ./opt/local/share/man/man3/menu_opts_on.3x.gz
x ./opt/local/share/man/man3/menu_pad.3x.gz

x ./opt/local/share/man/man3/menu_pattern.3x.gz
x ./opt/local/share/man/man3/menu_post.3x.gz
x ./opt/local/share/man/man3/menu_request_by_name.3x.gz
x ./opt/local/share/man/man3/menu_request_name.3x.gz
x ./opt/local/share/man/man3/menu_requestname.3x.gz
x ./opt/local/share/man/man3/menu_spacing.3x.gz
x ./opt/local/share/man/man3/menu_sub.3x.gz
x ./opt/local/share/man/man3/menu_term.3x.gz
x ./opt/local/share/man/man3/menu_userptr.3x.gz
x ./opt/local/share/man/man3/menu_win.3x.gz
x ./opt/local/share/man/man3/meta.3x.gz
x ./opt/local/share/man/man3/mitem_current.3x.gz
x ./opt/local/share/man/man3/mitem_name.3x.gz
x ./opt/local/share/man/man3/mitem_new.3x.gz
x ./opt/local/share/man/man3/mitem_opts.3x.gz
x ./opt/local/share/man/man3/mitem_userptr.3x.gz
x ./opt/local/share/man/man3/mitem_value.3x.gz
x ./opt/local/share/man/man3/mitem_visible.3x.gz
x ./opt/local/share/man/man3/mouse_trafo.3x.gz
x ./opt/local/share/man/man3/mouseinterval.3x.gz
x ./opt/local/share/man/man3/mouseinterval_sp.3x.gz
x ./opt/local/share/man/man3/mousemask.3x.gz
x ./opt/local/share/man/man3/mousemask_sp.3x.gz
x ./opt/local/share/man/man3/move.3x.gz

x ./opt/local/share/man/man3/move_field.3x.gz
x ./opt/local/share/man/man3/move_panel.3x.gz
x ./opt/local/share/man/man3/mvadd_wch.3x.gz
x ./opt/local/share/man/man3/mvadd_wchnstr.3x.gz
x ./opt/local/share/man/man3/mvadd_wchstr.3x.gz
x ./opt/local/share/man/man3/mvaddch.3x.gz
x ./opt/local/share/man/man3/mvaddchnstr.3x.gz
x ./opt/local/share/man/man3/mvaddchstr.3x.gz
x ./opt/local/share/man/man3/mvaddnstr.3x.gz
x ./opt/local/share/man/man3/mvaddnwstr.3x.gz
x ./opt/local/share/man/man3/mvaddstr.3x.gz
x ./opt/local/share/man/man3/mvaddwstr.3x.gz
x ./opt/local/share/man/man3/mvchgat.3x.gz
x ./opt/local/share/man/man3/mvcur.3x.gz
x ./opt/local/share/man/man3/mvcur_sp.3x.gz
x ./opt/local/share/man/man3/mvdelch.3x.gz
x ./opt/local/share/man/man3/mvderwin.3x.gz
x ./opt/local/share/man/man3/mvget_wch.3x.gz
x ./opt/local/share/man/man3/mvget_wstr.3x.gz
x ./opt/local/share/man/man3/mvgetch.3x.gz
x ./opt/local/share/man/man3/mvgetn_wstr.3x.gz
x ./opt/local/share/man/man3/mvgetnstr.3x.gz
x ./opt/local/share/man/man3/mvgetstr.3x.gz
x ./opt/local/share/man/man3/mvhline.3x.gz

x ./opt/local/share/man/man3/mvhlne_set.3x.gz
x ./opt/local/share/man/man3/mvin_wch.3x.gz
x ./opt/local/share/man/man3/mvin_wchnstr.3x.gz
x ./opt/local/share/man/man3/mvin_wchstr.3x.gz
x ./opt/local/share/man/man3/mvinch.3x.gz
x ./opt/local/share/man/man3/mvinchnstr.3x.gz
x ./opt/local/share/man/man3/mvinchstr.3x.gz
x ./opt/local/share/man/man3/mvinnstr.3x.gz
x ./opt/local/share/man/man3/mvinnwstr.3x.gz
x ./opt/local/share/man/man3/mvins_nwstr.3x.gz
x ./opt/local/share/man/man3/mvins_wch.3x.gz
x ./opt/local/share/man/man3/mvins_wstr.3x.gz
x ./opt/local/share/man/man3/mvinsch.3x.gz
x ./opt/local/share/man/man3/mvinsnstr.3x.gz
x ./opt/local/share/man/man3/mvinsstr.3x.gz
x ./opt/local/share/man/man3/mvinstr.3x.gz
x ./opt/local/share/man/man3/mvinwstr.3x.gz
x ./opt/local/share/man/man3/mvprintw.3x.gz
x ./opt/local/share/man/man3/mvscanw.3x.gz
x ./opt/local/share/man/man3/mvvline.3x.gz
x ./opt/local/share/man/man3/mvvline_set.3x.gz
x ./opt/local/share/man/man3/mvwadd_wch.3x.gz
x ./opt/local/share/man/man3/mvwadd_wchnstr.3x.gz
x ./opt/local/share/man/man3/mvwadd_wchstr.3x.gz

x ./opt/local/share/man/man3/mvwaddch.3x.gz
x ./opt/local/share/man/man3/mvwaddchnstr.3x.gz
x ./opt/local/share/man/man3/mvwaddchstr.3x.gz
x ./opt/local/share/man/man3/mvwaddnstr.3x.gz
x ./opt/local/share/man/man3/mvwaddnwstr.3x.gz
x ./opt/local/share/man/man3/mvwaddstr.3x.gz
x ./opt/local/share/man/man3/mvwaddwstr.3x.gz
x ./opt/local/share/man/man3/mvwchgat.3x.gz
x ./opt/local/share/man/man3/mvwdelch.3x.gz
x ./opt/local/share/man/man3/mvwget_wch.3x.gz
x ./opt/local/share/man/man3/mvwget_wstr.3x.gz
x ./opt/local/share/man/man3/mvwgetch.3x.gz
x ./opt/local/share/man/man3/mvwgetn_wstr.3x.gz
x ./opt/local/share/man/man3/mvwgetnstr.3x.gz
x ./opt/local/share/man/man3/mvwgetstr.3x.gz
x ./opt/local/share/man/man3/mvwhline.3x.gz
x ./opt/local/share/man/man3/mvwhline_set.3x.gz
x ./opt/local/share/man/man3/mvwin.3x.gz
x ./opt/local/share/man/man3/mvwin_wch.3x.gz
x ./opt/local/share/man/man3/mvwin_wchnstr.3x.gz
x ./opt/local/share/man/man3/mvwin_wchstr.3x.gz
x ./opt/local/share/man/man3/mvwinch.3x.gz
x ./opt/local/share/man/man3/mvwinchnstr.3x.gz
x ./opt/local/share/man/man3/mvwinchstr.3x.gz

x ./opt/local/share/man/man3/mvwinnstr.3x.gz
x ./opt/local/share/man/man3/mvwinnwstr.3x.gz
x ./opt/local/share/man/man3/mvwins_nwstr.3x.gz
x ./opt/local/share/man/man3/mvwins_wch.3x.gz
x ./opt/local/share/man/man3/mvwins_wstr.3x.gz
x ./opt/local/share/man/man3/mvwinsch.3x.gz
x ./opt/local/share/man/man3/mvwinsnstr.3x.gz
x ./opt/local/share/man/man3/mvwinsstr.3x.gz
x ./opt/local/share/man/man3/mvwinstr.3x.gz
x ./opt/local/share/man/man3/mvwinwstr.3x.gz
x ./opt/local/share/man/man3/mvwprintw.3x.gz
x ./opt/local/share/man/man3/mvwscanw.3x.gz
x ./opt/local/share/man/man3/mvwvline.3x.gz
x ./opt/local/share/man/man3/mvwvline_set.3x.gz
x ./opt/local/share/man/man3/napms.3x.gz
x ./opt/local/share/man/man3/napms_sp.3x.gz
x ./opt/local/share/man/man3/ncurses.3x.gz
x ./opt/local/share/man/man3/new_field.3x.gz
x ./opt/local/share/man/man3/new_fieldtype.3x.gz
x ./opt/local/share/man/man3/new_form.3x.gz
x ./opt/local/share/man/man3/new_form_sp.3x.gz
x ./opt/local/share/man/man3/new_item.3x.gz
x ./opt/local/share/man/man3/new_menu.3x.gz
x ./opt/local/share/man/man3/new_menu_sp.3x.gz

x ./opt/local/share/man/man3/new_page.3x.gz
x ./opt/local/share/man/man3/new_panel.3x.gz
x ./opt/local/share/man/man3/new_prescr.3x.gz
x ./opt/local/share/man/man3/newpad.3x.gz
x ./opt/local/share/man/man3/newpad_sp.3x.gz
x ./opt/local/share/man/man3/newsr.3x.gz
x ./opt/local/share/man/man3/newterm.3x.gz
x ./opt/local/share/man/man3/newterm_sp.3x.gz
x ./opt/local/share/man/man3/newwin.3x.gz
x ./opt/local/share/man/man3/newwin_sp.3x.gz
x ./opt/local/share/man/man3/nl.3x.gz
x ./opt/local/share/man/man3/nl_sp.3x.gz
x ./opt/local/share/man/man3/nocbreak.3x.gz
x ./opt/local/share/man/man3/nocbreak_sp.3x.gz
x ./opt/local/share/man/man3/nodelay.3x.gz
x ./opt/local/share/man/man3/noecho.3x.gz
x ./opt/local/share/man/man3/noecho_sp.3x.gz
x ./opt/local/share/man/man3/nofilter.3x.gz
x ./opt/local/share/man/man3/nofilter_sp.3x.gz
x ./opt/local/share/man/man3/nonl.3x.gz
x ./opt/local/share/man/man3/nonl_sp.3x.gz
x ./opt/local/share/man/man3/noqiflush.3x.gz
x ./opt/local/share/man/man3/noqiflush_sp.3x.gz
x ./opt/local/share/man/man3/noraw.3x.gz

x ./opt/local/share/man/man3/noraw_sp.3x.gz
x ./opt/local/share/man/man3/notimeout.3x.gz
x ./opt/local/share/man/man3/numcodes.3x.gz
x ./opt/local/share/man/man3/numfnames.3x.gz
x ./opt/local/share/man/man3/numnames.3x.gz
x ./opt/local/share/man/man3/ospeed.3x.gz
x ./opt/local/share/man/man3/overlay.3x.gz
x ./opt/local/share/man/man3/overwrite.3x.gz
x ./opt/local/share/man/man3/pair_content.3x.gz
x ./opt/local/share/man/man3/pair_content_sp.3x.gz
x ./opt/local/share/man/man3/PAIR_NUMBER.3x.gz
x ./opt/local/share/man/man3/panel.3x.gz
x ./opt/local/share/man/man3/panel_above.3x.gz
x ./opt/local/share/man/man3/panel_below.3x.gz
x ./opt/local/share/man/man3/panel_hidden.3x.gz
x ./opt/local/share/man/man3/panel_userptr.3x.gz
x ./opt/local/share/man/man3/panel_window.3x.gz
x ./opt/local/share/man/man3/PC.3x.gz
x ./opt/local/share/man/man3/pecho_wchar.3x.gz
x ./opt/local/share/man/man3/pechochar.3x.gz
x ./opt/local/share/man/man3/pnoutrefresh.3x.gz
x ./opt/local/share/man/man3/pos_form_cursor.3x.gz
x ./opt/local/share/man/man3/pos_menu_cursor.3x.gz
x ./opt/local/share/man/man3/post_form.3x.gz

x ./opt/local/share/man/man3/post_menu.3x.gz
x ./opt/local/share/man/man3/prefresh.3x.gz
x ./opt/local/share/man/man3/printw.3x.gz
x ./opt/local/share/man/man3/putp.3x.gz
x ./opt/local/share/man/man3/putp_sp.3x.gz
x ./opt/local/share/man/man3/putwin.3x.gz
x ./opt/local/share/man/man3/qiflush.3x.gz
x ./opt/local/share/man/man3/qiflush_sp.3x.gz
x ./opt/local/share/man/man3/raw.3x.gz
x ./opt/local/share/man/man3/raw_sp.3x.gz
x ./opt/local/share/man/man3/redrawwin.3x.gz
x ./opt/local/share/man/man3/refresh.3x.gz
x ./opt/local/share/man/man3/replace_panel.3x.gz
x ./opt/local/share/man/man3/reset_prog_mode.3x.gz
x ./opt/local/share/man/man3/reset_prog_mode_sp.3x.gz
x ./opt/local/share/man/man3/reset_shell_mode.3x.gz
x ./opt/local/share/man/man3/reset_shell_mode_sp.3x.gz
x ./opt/local/share/man/man3/resetty.3x.gz
x ./opt/local/share/man/man3/resetty_sp.3x.gz
x ./opt/local/share/man/man3/resize_term.3x.gz
x ./opt/local/share/man/man3/resize_term_sp.3x.gz
x ./opt/local/share/man/man3/resizeterm.3x.gz
x ./opt/local/share/man/man3/resizeterm_sp.3x.gz
x ./opt/local/share/man/man3/restartterm.3x.gz

x ./opt/local/share/man/man3/restartterm_sp.3x.gz
x ./opt/local/share/man/man3/ripoffline.3x.gz
x ./opt/local/share/man/man3/ripoffline_sp.3x.gz
x ./opt/local/share/man/man3/savetty.3x.gz
x ./opt/local/share/man/man3/savetty_sp.3x.gz
x ./opt/local/share/man/man3/scale_form.3x.gz
x ./opt/local/share/man/man3/scale_menu.3x.gz
x ./opt/local/share/man/man3/scanw.3x.gz
x ./opt/local/share/man/man3/scr_dump.3x.gz
x ./opt/local/share/man/man3/scr_init.3x.gz
x ./opt/local/share/man/man3/scr_init_sp.3x.gz
x ./opt/local/share/man/man3/scr_restore.3x.gz
x ./opt/local/share/man/man3/scr_restore_sp.3x.gz
x ./opt/local/share/man/man3/scr_set.3x.gz
x ./opt/local/share/man/man3/scr_set_sp.3x.gz
x ./opt/local/share/man/man3/scr1.3x.gz
x ./opt/local/share/man/man3/scroll.3x.gz
x ./opt/local/share/man/man3/scrollok.3x.gz
x ./opt/local/share/man/man3/set_current_field.3x.gz
x ./opt/local/share/man/man3/set_current_item.3x.gz
x ./opt/local/share/man/man3/set_curterm.3x.gz
x ./opt/local/share/man/man3/set_curterm_sp.3x.gz
x ./opt/local/share/man/man3/set_escdelay.3x.gz
x ./opt/local/share/man/man3/set_escdelay_sp.3x.gz

x ./opt/local/share/man/man3/set_field_back.3x.gz
x ./opt/local/share/man/man3/set_field_buffer.3x.gz
x ./opt/local/share/man/man3/set_field_fore.3x.gz
x ./opt/local/share/man/man3/set_field_init.3x.gz
x ./opt/local/share/man/man3/set_field_just.3x.gz
x ./opt/local/share/man/man3/set_field_opts.3x.gz
x ./opt/local/share/man/man3/set_field_pad.3x.gz
x ./opt/local/share/man/man3/set_field_status.3x.gz
x ./opt/local/share/man/man3/set_field_term.3x.gz
x ./opt/local/share/man/man3/set_field_type.3x.gz
x ./opt/local/share/man/man3/set_field_userptr.3x.gz
x ./opt/local/share/man/man3/set_fieldtype_arg.3x.gz
x ./opt/local/share/man/man3/set_fieldtype_choice.3x.gz
x ./opt/local/share/man/man3/set_form_fields.3x.gz
x ./opt/local/share/man/man3/set_form_init.3x.gz
x ./opt/local/share/man/man3/set_form_opts.3x.gz
x ./opt/local/share/man/man3/set_form_page.3x.gz
x ./opt/local/share/man/man3/set_form_sub.3x.gz
x ./opt/local/share/man/man3/set_form_term.3x.gz
x ./opt/local/share/man/man3/set_form_userptr.3x.gz
x ./opt/local/share/man/man3/set_form_win.3x.gz
x ./opt/local/share/man/man3/set_item_init.3x.gz
x ./opt/local/share/man/man3/set_item_opts.3x.gz
x ./opt/local/share/man/man3/set_item_term.3x.gz

x ./opt/local/share/man/man3/set_item_userptr.3x.gz
x ./opt/local/share/man/man3/set_item_value.3x.gz
x ./opt/local/share/man/man3/set_max_field.3x.gz
x ./opt/local/share/man/man3/set_menu_back.3x.gz
x ./opt/local/share/man/man3/set_menu_fore.3x.gz
x ./opt/local/share/man/man3/set_menu_format.3x.gz
x ./opt/local/share/man/man3/set_menu_grey.3x.gz
x ./opt/local/share/man/man3/set_menu_init.3x.gz
x ./opt/local/share/man/man3/set_menu_items.3x.gz
x ./opt/local/share/man/man3/set_menu_mark.3x.gz
x ./opt/local/share/man/man3/set_menu_opts.3x.gz
x ./opt/local/share/man/man3/set_menu_pad.3x.gz
x ./opt/local/share/man/man3/set_menu_pattern.3x.gz
x ./opt/local/share/man/man3/set_menu_spacing.3x.gz
x ./opt/local/share/man/man3/set_menu_sub.3x.gz
x ./opt/local/share/man/man3/set_menu_term.3x.gz
x ./opt/local/share/man/man3/set_menu_userptr.3x.gz
x ./opt/local/share/man/man3/set_menu_win.3x.gz
x ./opt/local/share/man/man3/set_new_page.3x.gz
x ./opt/local/share/man/man3/set_panel_userptr.3x.gz
x ./opt/local/share/man/man3/set_tabsize.3x.gz
x ./opt/local/share/man/man3/set_tabsize_sp.3x.gz
x ./opt/local/share/man/man3/set_term.3x.gz
x ./opt/local/share/man/man3/set_top_row.3x.gz

x ./opt/local/share/man/man3/setcchar.3x.gz
x ./opt/local/share/man/man3/setscreg.3x.gz
x ./opt/local/share/man/man3/setsyx.3x.gz
x ./opt/local/share/man/man3/setterm.3x.gz
x ./opt/local/share/man/man3/setupterm.3x.gz
x ./opt/local/share/man/man3/show_panel.3x.gz
x ./opt/local/share/man/man3/slk_attr.3x.gz
x ./opt/local/share/man/man3/slk_attr_off.3x.gz
x ./opt/local/share/man/man3/slk_attr_on.3x.gz
x ./opt/local/share/man/man3/slk_attr_set.3x.gz
x ./opt/local/share/man/man3/slk_attr_set_sp.3x.gz
x ./opt/local/share/man/man3/slk_attr_sp.3x.gz
x ./opt/local/share/man/man3/slk_attroff.3x.gz
x ./opt/local/share/man/man3/slk_attroff_sp.3x.gz
x ./opt/local/share/man/man3/slk_attron.3x.gz
x ./opt/local/share/man/man3/slk_attron_sp.3x.gz
x ./opt/local/share/man/man3/slk_attrset.3x.gz
x ./opt/local/share/man/man3/slk_attrset_sp.3x.gz
x ./opt/local/share/man/man3/slk_clear.3x.gz
x ./opt/local/share/man/man3/slk_clear_sp.3x.gz
x ./opt/local/share/man/man3/slk_color.3x.gz
x ./opt/local/share/man/man3/slk_color_sp.3x.gz
x ./opt/local/share/man/man3/slk_init.3x.gz
x ./opt/local/share/man/man3/slk_init_sp.3x.gz

x ./opt/local/share/man/man3/slk_label.3x.gz
x ./opt/local/share/man/man3/slk_label_sp.3x.gz
x ./opt/local/share/man/man3/slk_noutrefresh.3x.gz
x ./opt/local/share/man/man3/slk_noutrefresh_sp.3x.gz
x ./opt/local/share/man/man3/slk_refresh.3x.gz
x ./opt/local/share/man/man3/slk_refresh_sp.3x.gz
x ./opt/local/share/man/man3/slk_restore.3x.gz
x ./opt/local/share/man/man3/slk_restore_sp.3x.gz
x ./opt/local/share/man/man3/slk_set.3x.gz
x ./opt/local/share/man/man3/slk_set_sp.3x.gz
x ./opt/local/share/man/man3/slk_touch.3x.gz
x ./opt/local/share/man/man3/slk_touch_sp.3x.gz
x ./opt/local/share/man/man3/slk_wset.3x.gz
x ./opt/local/share/man/man3/SP.3x.gz
x ./opt/local/share/man/man3/standend.3x.gz
x ./opt/local/share/man/man3/standout.3x.gz
x ./opt/local/share/man/man3/start_color.3x.gz
x ./opt/local/share/man/man3/start_color_sp.3x.gz
x ./opt/local/share/man/man3/stdscr.3x.gz
x ./opt/local/share/man/man3/strcodes.3x.gz
x ./opt/local/share/man/man3/strfnames.3x.gz
x ./opt/local/share/man/man3/strnames.3x.gz
x ./opt/local/share/man/man3/subpad.3x.gz
x ./opt/local/share/man/man3/subwin.3x.gz

x ./opt/local/share/man/man3/syncok.3x.gz
x ./opt/local/share/man/man3/TABSIZE.3x.gz
x ./opt/local/share/man/man3/term_attrs.3x.gz
x ./opt/local/share/man/man3/term_attrs_sp.3x.gz
x ./opt/local/share/man/man3/term_variables.3x.gz
x ./opt/local/share/man/man3/termattrs.3x.gz
x ./opt/local/share/man/man3/termattrs_sp.3x.gz
x ./opt/local/share/man/man3/termname.3x.gz
x ./opt/local/share/man/man3/termname_sp.3x.gz
x ./opt/local/share/man/man3/tgetent.3x.gz
x ./opt/local/share/man/man3/tgetent_sp.3x.gz
x ./opt/local/share/man/man3/tgetflag.3x.gz
x ./opt/local/share/man/man3/tgetflag_sp.3x.gz
x ./opt/local/share/man/man3/tgetnum.3x.gz
x ./opt/local/share/man/man3/tgetnum_sp.3x.gz
x ./opt/local/share/man/man3/tgetstr.3x.gz
x ./opt/local/share/man/man3/tgetstr_sp.3x.gz
x ./opt/local/share/man/man3/tgoto.3x.gz
x ./opt/local/share/man/man3/tigetflag.3x.gz
x ./opt/local/share/man/man3/tigetflag_sp.3x.gz
x ./opt/local/share/man/man3/tigetnum.3x.gz
x ./opt/local/share/man/man3/tigetnum_sp.3x.gz
x ./opt/local/share/man/man3/tigetstr.3x.gz
x ./opt/local/share/man/man3/tigetstr_sp.3x.gz

x ./opt/local/share/man/man3/timeout.3x.gz
x ./opt/local/share/man/man3/tiparm.3x.gz
x ./opt/local/share/man/man3/top_panel.3x.gz
x ./opt/local/share/man/man3/top_row.3x.gz
x ./opt/local/share/man/man3/touchline.3x.gz
x ./opt/local/share/man/man3/touchwin.3x.gz
x ./opt/local/share/man/man3/tparm.3x.gz
x ./opt/local/share/man/man3/tputs.3x.gz
x ./opt/local/share/man/man3/tputs_sp.3x.gz
x ./opt/local/share/man/man3/trace.3x.gz
x ./opt/local/share/man/man3/ttytype.3x.gz
x ./opt/local/share/man/man3/TYPE_ALNUM.3x.gz
x ./opt/local/share/man/man3/TYPE_ALPHA.3x.gz
x ./opt/local/share/man/man3/TYPE_ENUM.3x.gz
x ./opt/local/share/man/man3/TYPE_INTEGER.3x.gz
x ./opt/local/share/man/man3/TYPE_IPV4.3x.gz
x ./opt/local/share/man/man3/TYPE_NUMERIC.3x.gz
x ./opt/local/share/man/man3/TYPE_REGEX.3x.gz
x ./opt/local/share/man/man3/typeahead.3x.gz
x ./opt/local/share/man/man3/typeahead_sp.3x.gz
x ./opt/local/share/man/man3/unctrl.3x.gz
x ./opt/local/share/man/man3/unctrl_sp.3x.gz
x ./opt/local/share/man/man3/unget_wch.3x.gz
x ./opt/local/share/man/man3/unget_wch_sp.3x.gz

x ./opt/local/share/man/man3/ungetch.3x.gz
x ./opt/local/share/man/man3/ungetch_sp.3x.gz
x ./opt/local/share/man/man3/ungetmouse.3x.gz
x ./opt/local/share/man/man3/ungetmouse_sp.3x.gz
x ./opt/local/share/man/man3/unpost_form.3x.gz
x ./opt/local/share/man/man3/unpost_menu.3x.gz
x ./opt/local/share/man/man3/untouchwin.3x.gz
x ./opt/local/share/man/man3/UP.3x.gz
x ./opt/local/share/man/man3/update_panels.3x.gz
x ./opt/local/share/man/man3/update_panels_sp.3x.gz
x ./opt/local/share/man/man3/use_default_colors.3x.gz
x ./opt/local/share/man/man3/use_default_colors_sp.3x.gz
x ./opt/local/share/man/man3/use_env.3x.gz
x ./opt/local/share/man/man3/use_env_sp.3x.gz
x ./opt/local/share/man/man3/use_extended_names.3x.gz
x ./opt/local/share/man/man3/use_legacy_coding.3x.gz
x ./opt/local/share/man/man3/use_legacy_coding_sp.3x.gz
x ./opt/local/share/man/man3/use_screen.3x.gz
x ./opt/local/share/man/man3/use_window.3x.gz
x ./opt/local/share/man/man3/vid_attr.3x.gz
x ./opt/local/share/man/man3/vid_attr_sp.3x.gz
x ./opt/local/share/man/man3/vid_puts.3x.gz
x ./opt/local/share/man/man3/vid_puts_sp.3x.gz
x ./opt/local/share/man/man3/vidattr.3x.gz

x ./opt/local/share/man/man3/vidattr_sp.3x.gz
x ./opt/local/share/man/man3/vidputs.3x.gz
x ./opt/local/share/man/man3/vidputs_sp.3x.gz
x ./opt/local/share/man/man3/vline.3x.gz
x ./opt/local/share/man/man3/vline_set.3x.gz
x ./opt/local/share/man/man3/vw_printw.3x.gz
x ./opt/local/share/man/man3/vw_scanw.3x.gz
x ./opt/local/share/man/man3/vwprintw.3x.gz
x ./opt/local/share/man/man3/vwscanw.3x.gz
x ./opt/local/share/man/man3/wadd_wch.3x.gz
x ./opt/local/share/man/man3/wadd_wchnstr.3x.gz
x ./opt/local/share/man/man3/wadd_wchstr.3x.gz
x ./opt/local/share/man/man3/waddch.3x.gz
x ./opt/local/share/man/man3/waddchnstr.3x.gz
x ./opt/local/share/man/man3/waddchstr.3x.gz
x ./opt/local/share/man/man3/waddnstr.3x.gz
x ./opt/local/share/man/man3/waddnwstr.3x.gz
x ./opt/local/share/man/man3/waddstr.3x.gz
x ./opt/local/share/man/man3/waddwstr.3x.gz
x ./opt/local/share/man/man3/wattr_get.3x.gz
x ./opt/local/share/man/man3/wattr_off.3x.gz
x ./opt/local/share/man/man3/wattr_on.3x.gz
x ./opt/local/share/man/man3/wattr_set.3x.gz
x ./opt/local/share/man/man3/wattroff.3x.gz

x ./opt/local/share/man/man3/wattron.3x.gz
x ./opt/local/share/man/man3/wattrset.3x.gz
x ./opt/local/share/man/man3/wbkgd.3x.gz
x ./opt/local/share/man/man3/wbkgdset.3x.gz
x ./opt/local/share/man/man3/wbkgrnd.3x.gz
x ./opt/local/share/man/man3/wbkgrndset.3x.gz
x ./opt/local/share/man/man3/wborder.3x.gz
x ./opt/local/share/man/man3/wborder_set.3x.gz
x ./opt/local/share/man/man3/wchgat.3x.gz
x ./opt/local/share/man/man3/wclear.3x.gz
x ./opt/local/share/man/man3/wclrtoobot.3x.gz
x ./opt/local/share/man/man3/wclrtoeol.3x.gz
x ./opt/local/share/man/man3/wcolor_set.3x.gz
x ./opt/local/share/man/man3/wcursyncup.3x.gz
x ./opt/local/share/man/man3/wdelch.3x.gz
x ./opt/local/share/man/man3/wdeleteln.3x.gz
x ./opt/local/share/man/man3/wecho_wchar.3x.gz
x ./opt/local/share/man/man3/wechochar.3x.gz
x ./opt/local/share/man/man3/wenclose.3x.gz
x ./opt/local/share/man/man3/werase.3x.gz
x ./opt/local/share/man/man3/wget_wch.3x.gz
x ./opt/local/share/man/man3/wget_wstr.3x.gz
x ./opt/local/share/man/man3/wgetbkgrnd.3x.gz
x ./opt/local/share/man/man3/wgetch.3x.gz

x ./opt/local/share/man/man3/wgetn_wstr.3x.gz
x ./opt/local/share/man/man3/wgetnstr.3x.gz
x ./opt/local/share/man/man3/wgetparent.3x.gz
x ./opt/local/share/man/man3/wgetscrreg.3x.gz
x ./opt/local/share/man/man3/wgetstr.3x.gz
x ./opt/local/share/man/man3/whline.3x.gz
x ./opt/local/share/man/man3/whline_set.3x.gz
x ./opt/local/share/man/man3/win_wch.3x.gz
x ./opt/local/share/man/man3/win_wchnstr.3x.gz
x ./opt/local/share/man/man3/win_wchstr.3x.gz
x ./opt/local/share/man/man3/winch.3x.gz
x ./opt/local/share/man/man3/winchnstr.3x.gz
x ./opt/local/share/man/man3/winchstr.3x.gz
x ./opt/local/share/man/man3/winnstr.3x.gz
x ./opt/local/share/man/man3/winnwstr.3x.gz
x ./opt/local/share/man/man3/wins_nwstr.3x.gz
x ./opt/local/share/man/man3/wins_wch.3x.gz
x ./opt/local/share/man/man3/wins_wstr.3x.gz
x ./opt/local/share/man/man3/winsch.3x.gz
x ./opt/local/share/man/man3/winsdelln.3x.gz
x ./opt/local/share/man/man3/winsertln.3x.gz
x ./opt/local/share/man/man3/winsnstr.3x.gz
x ./opt/local/share/man/man3/winsstr.3x.gz
x ./opt/local/share/man/man3/winstr.3x.gz

x ./opt/local/share/man/man3/winwstr.3x.gz
x ./opt/local/share/man/man3/wmouse_trafo.3x.gz
x ./opt/local/share/man/man3/wmove.3x.gz
x ./opt/local/share/man/man3/wnoutrefresh.3x.gz
x ./opt/local/share/man/man3/wprintw.3x.gz
x ./opt/local/share/man/man3/wredrawln.3x.gz
x ./opt/local/share/man/man3/wrefresh.3x.gz
x ./opt/local/share/man/man3/wresize.3x.gz
x ./opt/local/share/man/man3/wscanw.3x.gz
x ./opt/local/share/man/man3/wscr1.3x.gz
x ./opt/local/share/man/man3/wsetscrreg.3x.gz
x ./opt/local/share/man/man3/wstandend.3x.gz
x ./opt/local/share/man/man3/wstandout.3x.gz
x ./opt/local/share/man/man3/wsyncdown.3x.gz
x ./opt/local/share/man/man3/wsyncup.3x.gz
x ./opt/local/share/man/man3/wtimeout.3x.gz
x ./opt/local/share/man/man3/wtouchln.3x.gz
x ./opt/local/share/man/man3/wunctrl.3x.gz
x ./opt/local/share/man/man3/wunctrl_sp.3x.gz
x ./opt/local/share/man/man3/wvline.3x.gz
x ./opt/local/share/man/man3/wvline_set.3x.gz
x ./opt/local/share/man/man1/captoinfo.1m.gz
x ./opt/local/share/man/man1/clear.1.gz
x ./opt/local/share/man/man1/infocmp.1m.gz

- x ./opt/local/share/man/man1/infotocap.1m.gz
- x ./opt/local/share/man/man1/ncurses5-config.1.gz
- x ./opt/local/share/man/man1/reset.1.gz
- x ./opt/local/share/man/man1/tabs.1.gz
- x ./opt/local/share/man/man1/tic.1m.gz
- x ./opt/local/share/man/man1/toe.1m.gz
- x ./opt/local/share/man/man1/tput.1.gz
- x ./opt/local/share/man/man1/tset.1.gz
- x ./opt/local/lib/libcurses.a
- x ./opt/local/lib/libcurses.dylib
- x ./opt/local/lib/libform.5.dylib
- x ./opt/local/lib/libform.a
- x ./opt/local/lib/libform.dylib
- x ./opt/local/lib/libformw.5.dylib
- x ./opt/local/lib/libformw.a
- x ./opt/local/lib/libformw.dylib
- x ./opt/local/lib/libmenu.5.dylib
- x ./opt/local/lib/libmenu.a
- x ./opt/local/lib/libmenu.dylib
- x ./opt/local/lib/libmenuw.5.dylib
- x ./opt/local/lib/libmenuw.a
- x ./opt/local/lib/libmenuw.dylib
- x ./opt/local/lib/libncurses++.a
- x ./opt/local/lib/libncurses++w.a

- x ./opt/local/lib/libncurses.5.dylib
- x ./opt/local/lib/libncurses.a
- x ./opt/local/lib/libncurses.dylib
- x ./opt/local/lib/libncursesw.5.dylib
- x ./opt/local/lib/libncursesw.a
- x ./opt/local/lib/libncursesw.dylib
- x ./opt/local/lib/libpanel.5.dylib
- x ./opt/local/lib/libpanel.a
- x ./opt/local/lib/libpanel.dylib
- x ./opt/local/lib/libpanelw.5.dylib
- x ./opt/local/lib/libpanelw.a
- x ./opt/local/lib/libpanelw.dylib
- x ./opt/local/lib/libtermcap.dylib
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/terminfo
- x ./opt/local/lib/pkgconfig/form.pc
- x ./opt/local/lib/pkgconfig/formw.pc
- x ./opt/local/lib/pkgconfig/menu.pc
- x ./opt/local/lib/pkgconfig/menuw.pc
- x ./opt/local/lib/pkgconfig/ncurses++.pc
- x ./opt/local/lib/pkgconfig/ncurses++w.pc
- x ./opt/local/lib/pkgconfig/ncurses.pc
- x ./opt/local/lib/pkgconfig/ncursesw.pc
- x ./opt/local/lib/pkgconfig/panel.pc

- x ./opt/local/lib/pkgconfig/panelw.pc
- x ./opt/local/include/curses.h
- x ./opt/local/include/cursesapp.h
- x ./opt/local/include/cursesf.h
- x ./opt/local/include/cursesm.h
- x ./opt/local/include/cursesp.h
- x ./opt/local/include/cursesw.h
- x ./opt/local/include/cursslk.h
- x ./opt/local/include/eti.h
- x ./opt/local/include/etip.h
- x ./opt/local/include/form.h
- x ./opt/local/include/menu.h
- x ./opt/local/include/nc_tparm.h
- x ./opt/local/include/ncurses.h
- x ./opt/local/include/ncurses_dll.h
- x ./opt/local/include/panel.h
- x ./opt/local/include/term.h
- x ./opt/local/include/term_entry.h
- x ./opt/local/include/termcap.h
- x ./opt/local/include/tic.h
- x ./opt/local/include/unctrl.h
- x ./opt/local/bin/captoinfo
- x ./opt/local/bin/clear
- x ./opt/local/bin/infocmp

```

x ./opt/local/bin/infotocap
x ./opt/local/bin/ncurses5-config
x ./opt/local/bin/ncursesw5-config
x ./opt/local/bin/reset
x ./opt/local/bin/tabs
x ./opt/local/bin/tic
x ./opt/local/bin/toe
x ./opt/local/bin/tput
x ./opt/local/bin/tset
---> Cleaning ncurses
---> Removing work directory for ncurses
---> Fetching archive for gettext
---> gettext-0.18.3.1_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch gettext-0.18.3.1_1.darwin_10.x86_64.tbz2 from http://packages.macports.org/gettext
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                        Dload  Upload  Total   Spent    Left   Speed
100 5160k  100 5160k    0     0   315k      0  0:00:16  0:00:16 --:--:--  474k
---> Attempting to fetch gettext-0.18.3.1_1.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/gettext
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                        Dload  Upload  Total   Spent    Left   Speed
102   512   102   512    0     0   1413      0  --:--:--  --:--:--  --:--:--  2813

```

```
---> Installing gettext @0.18.3.1_1
---> Activating gettext @0.18.3.1_1
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/aclocal/
x ./opt/local/share/doc/
x ./opt/local/share/gettext/
x ./opt/local/share/info/
x ./opt/local/share/locale/
x ./opt/local/share/man/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/bind_textdomain_codeset.3.gz
x ./opt/local/share/man/man3/bindtextdomain.3.gz
```

x ./opt/local/share/man/man3/dcgettext.3.gz
x ./opt/local/share/man/man3/dcngettext.3.gz
x ./opt/local/share/man/man3/dgettext.3.gz
x ./opt/local/share/man/man3/dngettext.3.gz
x ./opt/local/share/man/man3/gettext.3.gz
x ./opt/local/share/man/man3/ngettext.3.gz
x ./opt/local/share/man/man3/textdomain.3.gz
x ./opt/local/share/man/man1/autopoint.1.gz
x ./opt/local/share/man/man1/envsubst.1.gz
x ./opt/local/share/man/man1/gettext.1.gz
x ./opt/local/share/man/man1/gettextize.1.gz
x ./opt/local/share/man/man1/msgattrib.1.gz
x ./opt/local/share/man/man1/msgcat.1.gz
x ./opt/local/share/man/man1/msgcmp.1.gz
x ./opt/local/share/man/man1/msgcomm.1.gz
x ./opt/local/share/man/man1/msgconv.1.gz
x ./opt/local/share/man/man1/msgen.1.gz
x ./opt/local/share/man/man1/msgexec.1.gz
x ./opt/local/share/man/man1/msgfilter.1.gz
x ./opt/local/share/man/man1/msgfmt.1.gz
x ./opt/local/share/man/man1/msggrep.1.gz
x ./opt/local/share/man/man1/msginit.1.gz
x ./opt/local/share/man/man1/msgmerge.1.gz
x ./opt/local/share/man/man1/msgunfmt.1.gz

- x ./opt/local/share/man/man1/msguniq.1.gz
- x ./opt/local/share/man/man1/ngettext.1.gz
- x ./opt/local/share/man/man1/recode-sr-latin.1.gz
- x ./opt/local/share/man/man1/xgettext.1.gz
- x ./opt/local/share/locale/be/
- x ./opt/local/share/locale/bg/
- x ./opt/local/share/locale/ca/
- x ./opt/local/share/locale/cs/
- x ./opt/local/share/locale/da/
- x ./opt/local/share/locale/de/
- x ./opt/local/share/locale/el/
- x ./opt/local/share/locale/en@boldquot/
- x ./opt/local/share/locale/en@quot/
- x ./opt/local/share/locale/eo/
- x ./opt/local/share/locale/es/
- x ./opt/local/share/locale/et/
- x ./opt/local/share/locale/eu/
- x ./opt/local/share/locale/fi/
- x ./opt/local/share/locale/fr/
- x ./opt/local/share/locale/ga/
- x ./opt/local/share/locale/gl/
- x ./opt/local/share/locale/hr/
- x ./opt/local/share/locale/id/
- x ./opt/local/share/locale/it/

- x ./opt/local/share/locale/ja/
- x ./opt/local/share/locale/ko/
- x ./opt/local/share/locale/nb/
- x ./opt/local/share/locale/nl/
- x ./opt/local/share/locale/nn/
- x ./opt/local/share/locale/pa/
- x ./opt/local/share/locale/pl/
- x ./opt/local/share/locale/pt/
- x ./opt/local/share/locale/pt_BR/
- x ./opt/local/share/locale/ro/
- x ./opt/local/share/locale/ru/
- x ./opt/local/share/locale/sk/
- x ./opt/local/share/locale/sl/
- x ./opt/local/share/locale/sr/
- x ./opt/local/share/locale/sv/
- x ./opt/local/share/locale/tr/
- x ./opt/local/share/locale/uk/
- x ./opt/local/share/locale/vi/
- x ./opt/local/share/locale/zh_CN/
- x ./opt/local/share/locale/zh_HK/
- x ./opt/local/share/locale/zh_TW/
- x ./opt/local/share/locale/zh_TW/LC_MESSAGES/
- x ./opt/local/share/locale/zh_TW/LC_MESSAGES/gettext-runtime.mo
- x ./opt/local/share/locale/zh_TW/LC_MESSAGES/gettext-tools.mo

x ./opt/local/share/locale/zh_HK/LC_MESSAGES/
x ./opt/local/share/locale/zh_HK/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/vi/LC_MESSAGES/
x ./opt/local/share/locale/vi/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/vi/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/uk/LC_MESSAGES/
x ./opt/local/share/locale/uk/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/uk/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/tr/LC_MESSAGES/
x ./opt/local/share/locale/tr/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/tr/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/sv/LC_MESSAGES/
x ./opt/local/share/locale/sv/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/sv/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/sr/LC_MESSAGES/
x ./opt/local/share/locale/sr/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/sr/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/sl/LC_MESSAGES/
x ./opt/local/share/locale/sl/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/sl/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/sk/LC_MESSAGES/

x ./opt/local/share/locale/sk/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/sk/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/ru/LC_MESSAGES/
x ./opt/local/share/locale/ru/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/ru/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/ro/LC_MESSAGES/
x ./opt/local/share/locale/ro/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/ro/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/pt/LC_MESSAGES/
x ./opt/local/share/locale/pt/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/pt/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/pl/LC_MESSAGES/
x ./opt/local/share/locale/pl/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/pl/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/pa/LC_MESSAGES/
x ./opt/local/share/locale/pa/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/nn/LC_MESSAGES/
x ./opt/local/share/locale/nn/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/nn/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/nl/LC_MESSAGES/
x ./opt/local/share/locale/nl/LC_MESSAGES/gettext-runtime.mo

x ./opt/local/share/locale/nl/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/nb/LC_MESSAGES/
x ./opt/local/share/locale/nb/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/nb/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/ko/LC_MESSAGES/
x ./opt/local/share/locale/ko/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/ko/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/ja/LC_MESSAGES/
x ./opt/local/share/locale/ja/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/ja/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/it/LC_MESSAGES/
x ./opt/local/share/locale/it/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/it/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/id/LC_MESSAGES/
x ./opt/local/share/locale/id/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/id/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/hr/LC_MESSAGES/
x ./opt/local/share/locale/hr/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/gl/LC_MESSAGES/
x ./opt/local/share/locale/gl/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/gl/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/ga/LC_MESSAGES/
x ./opt/local/share/locale/ga/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/fr/LC_MESSAGES/

x ./opt/local/share/locale/fr/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/fr/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/fi/LC_MESSAGES/
x ./opt/local/share/locale/fi/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/fi/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/eu/LC_MESSAGES/
x ./opt/local/share/locale/eu/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/et/LC_MESSAGES/
x ./opt/local/share/locale/et/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/et/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/es/LC_MESSAGES/
x ./opt/local/share/locale/es/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/es/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/eo/LC_MESSAGES/
x ./opt/local/share/locale/eo/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/en@quot/LC_MESSAGES/
x ./opt/local/share/locale/en@quot/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/en@quot/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/en@boldquot/LC_MESSAGES/
x ./opt/local/share/locale/en@boldquot/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/en@boldquot/LC_MESSAGES/gettext-tools.mo
x ./opt/local/share/locale/el/LC_MESSAGES/
x ./opt/local/share/locale/el/LC_MESSAGES/gettext-runtime.mo
x ./opt/local/share/locale/el/LC_MESSAGES/gettext-tools.mo

- x ./opt/local/share/locale/de/LC_MESSAGES/
- x ./opt/local/share/locale/de/LC_MESSAGES/gettext-runtime.mo
- x ./opt/local/share/locale/de/LC_MESSAGES/gettext-tools.mo
- x ./opt/local/share/locale/da/LC_MESSAGES/
- x ./opt/local/share/locale/da/LC_MESSAGES/gettext-runtime.mo
- x ./opt/local/share/locale/da/LC_MESSAGES/gettext-tools.mo
- x ./opt/local/share/locale/cs/LC_MESSAGES/
- x ./opt/local/share/locale/cs/LC_MESSAGES/gettext-runtime.mo
- x ./opt/local/share/locale/cs/LC_MESSAGES/gettext-tools.mo
- x ./opt/local/share/locale/ca/LC_MESSAGES/
- x ./opt/local/share/locale/ca/LC_MESSAGES/gettext-runtime.mo
- x ./opt/local/share/locale/ca/LC_MESSAGES/gettext-tools.mo
- x ./opt/local/share/locale/bg/LC_MESSAGES/
- x ./opt/local/share/locale/bg/LC_MESSAGES/gettext-runtime.mo
- x ./opt/local/share/locale/bg/LC_MESSAGES/gettext-tools.mo
- x ./opt/local/share/locale/be/LC_MESSAGES/
- x ./opt/local/share/locale/be/LC_MESSAGES/gettext-runtime.mo
- x ./opt/local/share/locale/be/LC_MESSAGES/gettext-tools.mo
- x ./opt/local/share/info/autosprintf.info
- x ./opt/local/share/info/gettext.info
- x ./opt/local/share/gettext/ABOUT-NLS
- x ./opt/local/share/gettext/archive.dir.tar.bz2
- x ./opt/local/share/gettext/config.rpath
- x ./opt/local/share/gettext/gettext.h

- x ./opt/local/share/gettext/gettext.jar
- x ./opt/local/share/gettext/intl/
- x ./opt/local/share/gettext/javaversion.class
- x ./opt/local/share/gettext/libintl.jar
- x ./opt/local/share/gettext/msgunfmt.tcl
- x ./opt/local/share/gettext/po/
- x ./opt/local/share/gettext/projects/
- x ./opt/local/share/gettext/styles/
- x ./opt/local/share/gettext/styles/po-default.css
- x ./opt/local/share/gettext/styles/po-emacs-x.css
- x ./opt/local/share/gettext/styles/po-emacs-xterm.css
- x ./opt/local/share/gettext/styles/po-emacs-xterm16.css
- x ./opt/local/share/gettext/styles/po-emacs-xterm256.css
- x ./opt/local/share/gettext/styles/po-vim.css
- x ./opt/local/share/gettext/projects/GNOME/
- x ./opt/local/share/gettext/projects/index
- x ./opt/local/share/gettext/projects/KDE/
- x ./opt/local/share/gettext/projects/team-address
- x ./opt/local/share/gettext/projects/TP/
- x ./opt/local/share/gettext/projects/TP/team-address
- x ./opt/local/share/gettext/projects/TP/teams.html
- x ./opt/local/share/gettext/projects/TP/teams.url
- x ./opt/local/share/gettext/projects/TP/trigger
- x ./opt/local/share/gettext/projects/KDE/team-address

- x ./opt/local/share/gettext/projects/KDE/teams.html
- x ./opt/local/share/gettext/projects/KDE/teams.url
- x ./opt/local/share/gettext/projects/KDE/trigger
- x ./opt/local/share/gettext/projects/GNOME/team-address
- x ./opt/local/share/gettext/projects/GNOME/teams.html
- x ./opt/local/share/gettext/projects/GNOME/teams.url
- x ./opt/local/share/gettext/projects/GNOME/trigger
- x ./opt/local/share/gettext/po/boldquot.sed
- x ./opt/local/share/gettext/po/en@boldquot.header
- x ./opt/local/share/gettext/po/en@quot.header
- x ./opt/local/share/gettext/po/insert-header.sin
- x ./opt/local/share/gettext/po/Makefile.in.in
- x ./opt/local/share/gettext/po/Makevars.template
- x ./opt/local/share/gettext/po/quot.sed
- x ./opt/local/share/gettext/po/remove-potcdate.sin
- x ./opt/local/share/gettext/po/Rules-quot
- x ./opt/local/share/gettext/intl/bindtextdom.c
- x ./opt/local/share/gettext/intl/ChangeLog
- x ./opt/local/share/gettext/intl/config.charset
- x ./opt/local/share/gettext/intl/COPYING.LIB
- x ./opt/local/share/gettext/intl/dcgettext.c
- x ./opt/local/share/gettext/intl/dcigettext.c
- x ./opt/local/share/gettext/intl/dcngettext.c
- x ./opt/local/share/gettext/intl/dgettext.c

x ./opt/local/share/gettext/intl/dngettext.c
x ./opt/local/share/gettext/intl/eval-plural.h
x ./opt/local/share/gettext/intl/explodename.c
x ./opt/local/share/gettext/intl/export.h
x ./opt/local/share/gettext/intl/finddomain.c
x ./opt/local/share/gettext/intl/gettext.c
x ./opt/local/share/gettext/intl/gettextP.h
x ./opt/local/share/gettext/intl/gmo.h
x ./opt/local/share/gettext/intl/hash-string.c
x ./opt/local/share/gettext/intl/hash-string.h
x ./opt/local/share/gettext/intl/intl-compat.c
x ./opt/local/share/gettext/intl/intl-exports.c
x ./opt/local/share/gettext/intl/l10nflist.c
x ./opt/local/share/gettext/intl/langprefs.c
x ./opt/local/share/gettext/intl/libgnuintl.in.h
x ./opt/local/share/gettext/intl/libintl.rc
x ./opt/local/share/gettext/intl/loadinfo.h
x ./opt/local/share/gettext/intl/loadmsgcat.c
x ./opt/local/share/gettext/intl/localcharset.c
x ./opt/local/share/gettext/intl/localcharset.h
x ./opt/local/share/gettext/intl/locale.alias
x ./opt/local/share/gettext/intl/localealias.c
x ./opt/local/share/gettext/intl/localename.c
x ./opt/local/share/gettext/intl/lock.c

x ./opt/local/share/gettext/intl/lock.h
x ./opt/local/share/gettext/intl/log.c
x ./opt/local/share/gettext/intl/Makefile.in
x ./opt/local/share/gettext/intl/ngettext.c
x ./opt/local/share/gettext/intl/os2compat.c
x ./opt/local/share/gettext/intl/os2compat.h
x ./opt/local/share/gettext/intl/osdep.c
x ./opt/local/share/gettext/intl/plural-exp.c
x ./opt/local/share/gettext/intl/plural-exp.h
x ./opt/local/share/gettext/intl/plural.c
x ./opt/local/share/gettext/intl/plural.y
x ./opt/local/share/gettext/intl/printf-args.c
x ./opt/local/share/gettext/intl/printf-args.h
x ./opt/local/share/gettext/intl/printf-parse.c
x ./opt/local/share/gettext/intl/printf-parse.h
x ./opt/local/share/gettext/intl/printf.c
x ./opt/local/share/gettext/intl/ref-add.sin
x ./opt/local/share/gettext/intl/ref-del.sin
x ./opt/local/share/gettext/intl/relocatable.c
x ./opt/local/share/gettext/intl/relocatable.h
x ./opt/local/share/gettext/intl/setlocale.c
x ./opt/local/share/gettext/intl/textdomain.c
x ./opt/local/share/gettext/intl/threadlib.c
x ./opt/local/share/gettext/intl/tsearch.c

- x ./opt/local/share/gettext/intl/tsearch.h
- x ./opt/local/share/gettext/intl/vasnprintf.c
- x ./opt/local/share/gettext/intl/vasnprintf.h
- x ./opt/local/share/gettext/intl/vasnwprintf.h
- x ./opt/local/share/gettext/intl/verify.h
- x ./opt/local/share/gettext/intl/VERSION
- x ./opt/local/share/gettext/intl/version.c
- x ./opt/local/share/gettext/intl/wprintf-parse.h
- x ./opt/local/share/gettext/intl/xsize.c
- x ./opt/local/share/gettext/intl/xsize.h
- x ./opt/local/share/doc/gettext/
- x ./opt/local/share/doc/libasprintf/
- x ./opt/local/share/doc/libasprintf/autosprintf_all.html
- x ./opt/local/share/doc/gettext/AUTHORS
- x ./opt/local/share/doc/gettext/autopoint.1.html
- x ./opt/local/share/doc/gettext/bind_textdomain_codeset.3.html
- x ./opt/local/share/doc/gettext/bindtextdomain.3.html
- x ./opt/local/share/doc/gettext/ChangeLog
- x ./opt/local/share/doc/gettext/ChangeLog.0
- x ./opt/local/share/doc/gettext/COPYING
- x ./opt/local/share/doc/gettext/csharpdoc/
- x ./opt/local/share/doc/gettext/DEPENDENCIES
- x ./opt/local/share/doc/gettext/envsubst.1.html
- x ./opt/local/share/doc/gettext/examples/

x ./opt/local/share/doc/gettext/FAQ.html
x ./opt/local/share/doc/gettext/gettext.1.html
x ./opt/local/share/doc/gettext/gettext.3.html
x ./opt/local/share/doc/gettext/gettext_1.html
x ./opt/local/share/doc/gettext/gettext_10.html
x ./opt/local/share/doc/gettext/gettext_11.html
x ./opt/local/share/doc/gettext/gettext_12.html
x ./opt/local/share/doc/gettext/gettext_13.html
x ./opt/local/share/doc/gettext/gettext_14.html
x ./opt/local/share/doc/gettext/gettext_15.html
x ./opt/local/share/doc/gettext/gettext_16.html
x ./opt/local/share/doc/gettext/gettext_17.html
x ./opt/local/share/doc/gettext/gettext_18.html
x ./opt/local/share/doc/gettext/gettext_19.html
x ./opt/local/share/doc/gettext/gettext_2.html
x ./opt/local/share/doc/gettext/gettext_20.html
x ./opt/local/share/doc/gettext/gettext_21.html
x ./opt/local/share/doc/gettext/gettext_22.html
x ./opt/local/share/doc/gettext/gettext_23.html
x ./opt/local/share/doc/gettext/gettext_24.html
x ./opt/local/share/doc/gettext/gettext_25.html
x ./opt/local/share/doc/gettext/gettext_3.html
x ./opt/local/share/doc/gettext/gettext_4.html
x ./opt/local/share/doc/gettext/gettext_5.html

- x ./opt/local/share/doc/gettext/gettext_6.html
- x ./opt/local/share/doc/gettext/gettext_7.html
- x ./opt/local/share/doc/gettext/gettext_8.html
- x ./opt/local/share/doc/gettext/gettext_9.html
- x ./opt/local/share/doc/gettext/gettext_foot.html
- x ./opt/local/share/doc/gettext/gettext_toc.html
- x ./opt/local/share/doc/gettext/gettextize.1.html
- x ./opt/local/share/doc/gettext/HACKING
- x ./opt/local/share/doc/gettext/javadoc2/
- x ./opt/local/share/doc/gettext/msgattrib.1.html
- x ./opt/local/share/doc/gettext/msgcat.1.html
- x ./opt/local/share/doc/gettext/msgcmp.1.html
- x ./opt/local/share/doc/gettext/msgcomm.1.html
- x ./opt/local/share/doc/gettext/msgconv.1.html
- x ./opt/local/share/doc/gettext/msgen.1.html
- x ./opt/local/share/doc/gettext/msgexec.1.html
- x ./opt/local/share/doc/gettext/msgfilter.1.html
- x ./opt/local/share/doc/gettext/msgfmt.1.html
- x ./opt/local/share/doc/gettext/msggrep.1.html
- x ./opt/local/share/doc/gettext/msginit.1.html
- x ./opt/local/share/doc/gettext/msgmerge.1.html
- x ./opt/local/share/doc/gettext/msgunfmt.1.html
- x ./opt/local/share/doc/gettext/msguniq.1.html
- x ./opt/local/share/doc/gettext/NEWS

- x [./opt/local/share/doc/gettext/ngettext.1.html](#)
- x [./opt/local/share/doc/gettext/ngettext.3.html](#)
- x [./opt/local/share/doc/gettext/README](#)
- x [./opt/local/share/doc/gettext/recode-sr-latin.1.html](#)
- x [./opt/local/share/doc/gettext/textdomain.3.html](#)
- x [./opt/local/share/doc/gettext/THANKS](#)
- x [./opt/local/share/doc/gettext/tutorial.html](#)
- x [./opt/local/share/doc/gettext/xgettext.1.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/allclasses-frame.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/deprecated-list.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/gnu/](#)
- x [./opt/local/share/doc/gettext/javadoc2/help-doc.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/index-all.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/index.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/overview-tree.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/package-list](#)
- x [./opt/local/share/doc/gettext/javadoc2/packages.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/serialized-form.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/stylesheet.css](#)
- x [./opt/local/share/doc/gettext/javadoc2/gnu/gettext/](#)
- x [./opt/local/share/doc/gettext/javadoc2/gnu/gettext/GettextResource.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/gnu/gettext/package-frame.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/gnu/gettext/package-summary.html](#)
- x [./opt/local/share/doc/gettext/javadoc2/gnu/gettext/package-tree.html](#)

- x ./opt/local/share/doc/gettext/examples/build-aux/
- x ./opt/local/share/doc/gettext/examples/hello-c/
- x ./opt/local/share/doc/gettext/examples/hello-c++/
- x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/
- x ./opt/local/share/doc/gettext/examples/hello-c++-kde/
- x ./opt/local/share/doc/gettext/examples/hello-c++-qt/
- x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/
- x ./opt/local/share/doc/gettext/examples/hello-c-gnome/
- x ./opt/local/share/doc/gettext/examples/hello-clisp/
- x ./opt/local/share/doc/gettext/examples/hello-csharp/
- x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/
- x ./opt/local/share/doc/gettext/examples/hello-gawk/
- x ./opt/local/share/doc/gettext/examples/hello-guile/
- x ./opt/local/share/doc/gettext/examples/hello-java/
- x ./opt/local/share/doc/gettext/examples/hello-java-awt/
- x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/
- x ./opt/local/share/doc/gettext/examples/hello-java-swing/
- x ./opt/local/share/doc/gettext/examples/hello-librep/
- x ./opt/local/share/doc/gettext/examples/hello-objc/
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/
- x ./opt/local/share/doc/gettext/examples/hello-pascal/
- x ./opt/local/share/doc/gettext/examples/hello-perl/
- x ./opt/local/share/doc/gettext/examples/hello-php/

- x ./opt/local/share/doc/gettext/examples/hello-python/
- x ./opt/local/share/doc/gettext/examples/hello-sh/
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/
- x ./opt/local/share/doc/gettext/examples/hello-tcl/
- x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/
- x ./opt/local/share/doc/gettext/examples/hello-ycp/
- x ./opt/local/share/doc/gettext/examples/installpaths
- x ./opt/local/share/doc/gettext/examples/README
- x ./opt/local/share/doc/gettext/examples/hello-ycp/autoclean.sh
- x ./opt/local/share/doc/gettext/examples/hello-ycp/autogen.sh
- x ./opt/local/share/doc/gettext/examples/hello-ycp/configure.ac
- x ./opt/local/share/doc/gettext/examples/hello-ycp/hello.ycp
- x ./opt/local/share/doc/gettext/examples/hello-ycp/INSTALL
- x ./opt/local/share/doc/gettext/examples/hello-ycp/m4/
- x ./opt/local/share/doc/gettext/examples/hello-ycp/Makefile.am
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/af.po
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/ast.po
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/bg.po
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/ca.po
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/cs.po
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/da.po
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/de.po
- x ./opt/local/share/doc/gettext/examples/hello-ycp/po/el.po

x ./opt/local/share/doc/gettext/examples/hello-ycp/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/sk.po

```
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-ycp/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/hello.tcl
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/m4/
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/da.po
```

x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/ro.po

```
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-tcl-tk/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-tcl/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-tcl/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-tcl/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-tcl/hello.tcl
x ./opt/local/share/doc/gettext/examples/hello-tcl/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-tcl/m4/
x ./opt/local/share/doc/gettext/examples/hello-tcl/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/ca.po
```

x ./opt/local/share/doc/gettext/examples/hello-tcl/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/pl.po

```
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-tcl/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/hello.st.in
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/m4/
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/ast.po
```

x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/nb.po

- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/nl.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/pl.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/pt.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/ro.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/ru.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/sk.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/sl.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/sr.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/sv.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/tr.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/uk.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/vi.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/zh_CN.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/zh_HK.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/po/zh_TW.po
- x ./opt/local/share/doc/gettext/examples/hello-smalltalk/m4/Makefile.am
- x ./opt/local/share/doc/gettext/examples/hello-sh/autoclean.sh
- x ./opt/local/share/doc/gettext/examples/hello-sh/autogen.sh
- x ./opt/local/share/doc/gettext/examples/hello-sh/configure.ac
- x ./opt/local/share/doc/gettext/examples/hello-sh/hello.sh
- x ./opt/local/share/doc/gettext/examples/hello-sh/INSTALL
- x ./opt/local/share/doc/gettext/examples/hello-sh/m4/
- x ./opt/local/share/doc/gettext/examples/hello-sh/Makefile.am
- x ./opt/local/share/doc/gettext/examples/hello-sh/po/

x ./opt/local/share/doc/gettext/examples/hello-sh/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-sh/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-sh/po/ms.po

```
x ./opt/local/share/doc/gettext/examples/hello-sh/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-sh/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-sh/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-python/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-python/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-python/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-python/hello.py.in
x ./opt/local/share/doc/gettext/examples/hello-python/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-python/m4/
```

```
x ./opt/local/share/doc/gettext/examples/hello-python/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-python/po/
x ./opt/local/share/doc/gettext/examples/hello-python/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-python/po/lv.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-python/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-python/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-python/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-python/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-php/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-php/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-php/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-php/hello.php
```

```
x ./opt/local/share/doc/gettext/examples/hello-php/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-php/m4/
x ./opt/local/share/doc/gettext/examples/hello-php/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-php/po/
x ./opt/local/share/doc/gettext/examples/hello-php/README
x ./opt/local/share/doc/gettext/examples/hello-php/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/ja.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-php/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-php/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-php/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-php/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-php/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-perl/autoclean.sh
```

```
x ./opt/local/share/doc/gettext/examples/hello-perl/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-perl/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-perl/hello-1.pl.in
x ./opt/local/share/doc/gettext/examples/hello-perl/hello-2.pl.in
x ./opt/local/share/doc/gettext/examples/hello-perl/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-perl/m4/
x ./opt/local/share/doc/gettext/examples/hello-perl/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-perl/po/
x ./opt/local/share/doc/gettext/examples/hello-perl/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/hu.po
```


x ./opt/local/share/doc/gettext/examples/hello-perl/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-perl/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-perl/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-perl/po/zh_HK.po

x ./opt/local/share/doc/gettext/examples/hello-perl/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-perl/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-pascal/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-pascal/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-pascal/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-pascal/hello.pas
x ./opt/local/share/doc/gettext/examples/hello-pascal/hello.rst
x ./opt/local/share/doc/gettext/examples/hello-pascal/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-pascal/m4/
x ./opt/local/share/doc/gettext/examples/hello-pascal/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/ga.po

x ./opt/local/share/doc/gettext/examples/hello-pascal/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-pascal/po/uk.po

- x ./opt/local/share/doc/gettext/examples/hello-pascal/po/vi.po
- x ./opt/local/share/doc/gettext/examples/hello-pascal/po/zh_CN.po
- x ./opt/local/share/doc/gettext/examples/hello-pascal/po/zh_HK.po
- x ./opt/local/share/doc/gettext/examples/hello-pascal/po/zh_TW.po
- x ./opt/local/share/doc/gettext/examples/hello-pascal/m4/Makefile.am
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/AppController.h
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/AppController.m
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/autoclean.sh
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/autogen.sh
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/BUGS
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/GNUMakefile
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/Hello.h
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/Hello.m
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/INSTALL
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/main.m
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/af.po
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/ast.po
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/bg.po
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/ca.po
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/cs.po
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/da.po
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/de.po
- x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/el.po

x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/GNUMakefile
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/LocaleAliases
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/ru.po

```
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnustep/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/hello.m
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/m4/
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/da.po
```

x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/Makevars
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/POTFILES.in
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/pt.po

```
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/m4/gnome-gnorba-check.
m4
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/m4/gnome-orbit-check.m
4
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/m4/gnome.m4
x ./opt/local/share/doc/gettext/examples/hello-objc-gnome/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-objc/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-objc/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-objc/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-objc/hello.m
x ./opt/local/share/doc/gettext/examples/hello-objc/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-objc/m4/
```



```
x ./opt/local/share/doc/gettext/examples/hello-objc/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-objc/po/
x ./opt/local/share/doc/gettext/examples/hello-objc/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/et.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-objc/po/lv.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-objc/po/Makevars
x ./opt/local/share/doc/gettext/examples/hello-objc/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/POTFILES.in
x ./opt/local/share/doc/gettext/examples/hello-objc/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-objc/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-objc/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-librep/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-librep/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-librep/configure.ac
```

```
x ./opt/local/share/doc/gettext/examples/hello-librep/hello.jl.in
x ./opt/local/share/doc/gettext/examples/hello-librep/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-librep/m4/
x ./opt/local/share/doc/gettext/examples/hello-librep/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-librep/po/
x ./opt/local/share/doc/gettext/examples/hello-librep/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/ja.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-librep/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-librep/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-librep/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-librep/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-librep/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-swing/autoclean.sh
```

```
x ./opt/local/share/doc/gettext/examples/hello-java-swing/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-java-swing/BUGS
x ./opt/local/share/doc/gettext/examples/hello-java-swing/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-java-swing/Hello.java
x ./opt/local/share/doc/gettext/examples/hello-java-swing/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-java-swing/m4/
x ./opt/local/share/doc/gettext/examples/hello-java-swing/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/hu.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/zh_HK.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-java-swing/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-java-swing/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-swing/m4/TestAWT.class
x ./opt/local/share/doc/gettext/examples/hello-java-swing/m4/TestAWT.java
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/BUGS
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/Hello.java
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/m4/
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/fi.po
```

x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/sv.po

x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/m4/Test15.class
x ./opt/local/share/doc/gettext/examples/hello-java-qtjambi/m4/Test15.java
x ./opt/local/share/doc/gettext/examples/hello-java-awt/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-java-awt/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-java-awt/BUGS
x ./opt/local/share/doc/gettext/examples/hello-java-awt/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-java-awt/Hello.java
x ./opt/local/share/doc/gettext/examples/hello-java-awt/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-java-awt/m4/
x ./opt/local/share/doc/gettext/examples/hello-java-awt/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/da.po

x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/ro.po

```
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-java-awt/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java-awt/m4/TestAWT.class
x ./opt/local/share/doc/gettext/examples/hello-java-awt/m4/TestAWT.java
x ./opt/local/share/doc/gettext/examples/hello-java/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-java/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-java/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-java/Hello.java
x ./opt/local/share/doc/gettext/examples/hello-java/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-java/m4/
x ./opt/local/share/doc/gettext/examples/hello-java/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java/po/
x ./opt/local/share/doc/gettext/examples/hello-java/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/ast.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-java/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-java/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-java/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/nb.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-java/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-java/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-java/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-guile/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-guile/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-guile/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-guile/hello.scm
x ./opt/local/share/doc/gettext/examples/hello-guile/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-guile/m4/
x ./opt/local/share/doc/gettext/examples/hello-guile/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-guile/po/
```

```
x ./opt/local/share/doc/gettext/examples/hello-guile/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-guile/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-guile/po/ms.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-guile/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-guile/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-guile/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-gawk/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-gawk/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-gawk/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-gawk/hello.awk
x ./opt/local/share/doc/gettext/examples/hello-gawk/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-gawk/m4/
```

```
x ./opt/local/share/doc/gettext/examples/hello-gawk/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/lv.po
```



```
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-gawk/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/BUGS
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/configure.ac
```

x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/hello.cs
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/m4/
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/README
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/it.po

x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-csharp-forms/m4/Makefile.am

```
x ./opt/local/share/doc/gettext/examples/hello-csharp/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-csharp/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-csharp/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-csharp/hello.cs
x ./opt/local/share/doc/gettext/examples/hello-csharp/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-csharp/m4/
x ./opt/local/share/doc/gettext/examples/hello-csharp/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/hu.po
```

x ./opt/local/share/doc/gettext/examples/hello-csharp/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/zh_HK.po

```
x ./opt/local/share/doc/gettext/examples/hello-csharp/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-csharp/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-clisp/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-clisp/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-clisp/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-clisp/hello.lisp.in
x ./opt/local/share/doc/gettext/examples/hello-clisp/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-clisp/m4/
x ./opt/local/share/doc/gettext/examples/hello-clisp/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/gl.po
```

x ./opt/local/share/doc/gettext/examples/hello-clisp/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/vi.po

x ./opt/local/share/doc/gettext/examples/hello-clisp/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-clisp/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/hello.c
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/m4/
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/fr.po

x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/Makevars
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/POTFILES.in
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/sv.po

```
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/m4/gnome-gnorba-check.m4
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/m4/gnome-orbit-check.m4
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/m4/gnome.m4
x ./opt/local/share/doc/gettext/examples/hello-c-gnome/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/hello.cc
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/m4/
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/da.po
```

x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/ro.po

```
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-wxwidgets/m4/wxwidgets.m4
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/BUGS
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/hello.cc
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/m4/
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/ast.po
```

x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/nb.po

```
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-qt/m4/qt.m4
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/BUGS
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/configure.in.in
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/hello.cc
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/helloworld.cc
```

```
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/helloworld.h
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/m4/
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/ja.po
```

```
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/Makevars
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/POTFILES.in
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/m4/Makefile.am
```



```
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/acinclude.m4.in
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/am_edit
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/ChangeLog
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/compile
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/conf.change.pl
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/config.guess
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/config.pl
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/config.sub
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/configure.in.bot.en
d
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/configure.in.min
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/cvs-clean.pl
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/cvs.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/debianrules
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/depcomp
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/detect-autoconf.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/Doxyfile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/Doxyfile.global
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/install-sh
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/libtool.m4.in
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/ltmain.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/Makefile.common
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/missing
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/mkinstalldirs
```

```
x ./opt/local/share/doc/gettext/examples/hello-c++-kde/admin/ylwrap
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/hello.cc
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/m4/
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/hr.po
```

x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/Makevars
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/POTFILES.in
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/vi.po

```
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/m4/gnome-gnorba-check.m4
4
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/m4/gnome-orbit-check.m4
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/m4/gnome.m4
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/m4/gtk--.m4
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/m4/gtk.m4
x ./opt/local/share/doc/gettext/examples/hello-c++-gnome/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-c++/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-c++/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-c++/hello.cc
x ./opt/local/share/doc/gettext/examples/hello-c++/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-c++/m4/
x ./opt/local/share/doc/gettext/examples/hello-c++/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c++/po/
x ./opt/local/share/doc/gettext/examples/hello-c++/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/bg.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/da.po
```

x ./opt/local/share/doc/gettext/examples/hello-c++/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-c++/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/Makevars
x ./opt/local/share/doc/gettext/examples/hello-c++/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/nl.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/POTFILES.in
x ./opt/local/share/doc/gettext/examples/hello-c++/po/pt.po

```
x ./opt/local/share/doc/gettext/examples/hello-c++/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-c++/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-c++/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c/autoclean.sh
x ./opt/local/share/doc/gettext/examples/hello-c/autogen.sh
x ./opt/local/share/doc/gettext/examples/hello-c/configure.ac
x ./opt/local/share/doc/gettext/examples/hello-c/hello.c
x ./opt/local/share/doc/gettext/examples/hello-c/INSTALL
x ./opt/local/share/doc/gettext/examples/hello-c/m4/
x ./opt/local/share/doc/gettext/examples/hello-c/Makefile.am
x ./opt/local/share/doc/gettext/examples/hello-c/po/
x ./opt/local/share/doc/gettext/examples/hello-c/po/af.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/ast.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/bg.po
```

x ./opt/local/share/doc/gettext/examples/hello-c/po/ca.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/cs.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/da.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/de.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/el.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/eo.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/es.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/fi.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/fr.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/ga.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/gl.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/hr.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/hu.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/id.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/it.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/ja.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/ky.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/LINGUAS
x ./opt/local/share/doc/gettext/examples/hello-c/po/lv.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/Makevars
x ./opt/local/share/doc/gettext/examples/hello-c/po/ms.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/mt.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/nb.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/nl.po

```
x ./opt/local/share/doc/gettext/examples/hello-c/po/pl.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/POTFILES.in
x ./opt/local/share/doc/gettext/examples/hello-c/po/pt.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/ro.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/ru.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/sk.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/sl.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/sr.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/sv.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/tr.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/uk.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/vi.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/zh_CN.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/zh_HK.po
x ./opt/local/share/doc/gettext/examples/hello-c/po/zh_TW.po
x ./opt/local/share/doc/gettext/examples/hello-c/m4/Makefile.am
x ./opt/local/share/doc/gettext/examples/build-aux/csharpcomp.m4
x ./opt/local/share/doc/gettext/examples/build-aux/csharpcomp.sh.in
x ./opt/local/share/doc/gettext/examples/build-aux/csharpexec-test.exe
x ./opt/local/share/doc/gettext/examples/build-aux/csharpexec.m4
x ./opt/local/share/doc/gettext/examples/build-aux/csharpexec.sh.in
x ./opt/local/share/doc/gettext/examples/build-aux/gcj.m4
x ./opt/local/share/doc/gettext/examples/build-aux/javacomp.m4
x ./opt/local/share/doc/gettext/examples/build-aux/javacomp.sh.in
```


- x ./opt/local/share/doc/gettext/examples/build-aux/javaexec.m4
- x ./opt/local/share/doc/gettext/examples/build-aux/javaexec.sh.in
- x ./opt/local/share/doc/gettext/csharpdoc/begin.html
- x ./opt/local/share/doc/gettext/csharpdoc/GNU_Gettext.html
- x ./opt/local/share/doc/gettext/csharpdoc/GNU_Gettext_GettextResourceManager.html
- x ./opt/local/share/doc/gettext/csharpdoc/GNU_Gettext_GettextResourceSet.html
- x ./opt/local/share/doc/gettext/csharpdoc/index.html
- x ./opt/local/share/doc/gettext/csharpdoc/namespaces.html
- x ./opt/local/share/aclocal/codeset.m4
- x ./opt/local/share/aclocal/fcntl-o.m4
- x ./opt/local/share/aclocal/gettext.m4
- x ./opt/local/share/aclocal/glibc2.m4
- x ./opt/local/share/aclocal/glibc21.m4
- x ./opt/local/share/aclocal/iconv.m4
- x ./opt/local/share/aclocal/intdiv0.m4
- x ./opt/local/share/aclocal/intl.m4
- x ./opt/local/share/aclocal/intl_dir.m4
- x ./opt/local/share/aclocal/intlmacosx.m4
- x ./opt/local/share/aclocal/intmax.m4
- x ./opt/local/share/aclocal/inttypes-pri.m4
- x ./opt/local/share/aclocal/inttypes_h.m4
- x ./opt/local/share/aclocal/lcmmessage.m4
- x ./opt/local/share/aclocal/lib-ld.m4

- x ./opt/local/share/aclocal/lib-link.m4
- x ./opt/local/share/aclocal/lib-prefix.m4
- x ./opt/local/share/aclocal/lock.m4
- x ./opt/local/share/aclocal/longlong.m4
- x ./opt/local/share/aclocal/nls.m4
- x ./opt/local/share/aclocal/po.m4
- x ./opt/local/share/aclocal/printf-posix.m4
- x ./opt/local/share/aclocal/progtest.m4
- x ./opt/local/share/aclocal/size_max.m4
- x ./opt/local/share/aclocal/stdint_h.m4
- x ./opt/local/share/aclocal/threadlib.m4
- x ./opt/local/share/aclocal/uintmax_t.m4
- x ./opt/local/share/aclocal/visibility.m4
- x ./opt/local/share/aclocal/wchar_t.m4
- x ./opt/local/share/aclocal/wint_t.m4
- x ./opt/local/share/aclocal/xsize.m4
- x ./opt/local/lib/gettext/
- x ./opt/local/lib/libasprintf.0.dylib
- x ./opt/local/lib/libasprintf.a
- x ./opt/local/lib/libasprintf.dylib
- x ./opt/local/lib/libasprintf.la
- x ./opt/local/lib/libgettextlib-0.18.3.dylib
- x ./opt/local/lib/libgettextlib.dylib
- x ./opt/local/lib/libgettextlib.la

- x ./opt/local/lib/libgettextpo.0.dylib
- x ./opt/local/lib/libgettextpo.a
- x ./opt/local/lib/libgettextpo.dylib
- x ./opt/local/lib/libgettextpo.la
- x ./opt/local/lib/libgettextsrc-0.18.3.dylib
- x ./opt/local/lib/libgettextsrc.dylib
- x ./opt/local/lib/libgettextsrc.la
- x ./opt/local/lib/libintl.8.dylib
- x ./opt/local/lib/libintl.a
- x ./opt/local/lib/libintl.dylib
- x ./opt/local/lib/libintl.la
- x ./opt/local/lib/gettext/hostname
- x ./opt/local/lib/gettext/project-id
- x ./opt/local/lib/gettext/urlget
- x ./opt/local/lib/gettext/user-email
- x ./opt/local/include/autosprintf.h
- x ./opt/local/include/gettext-po.h
- x ./opt/local/include/libintl.h
- x ./opt/local/bin/autopoint
- x ./opt/local/bin/envsubst
- x ./opt/local/bin/gettext
- x ./opt/local/bin/gettext.sh
- x ./opt/local/bin/gettextize
- x ./opt/local/bin/msgattrib

```
x ./opt/local/bin/msgcat
x ./opt/local/bin/msgcmp
x ./opt/local/bin/msgcomm
x ./opt/local/bin/msgconv
x ./opt/local/bin/msgen
x ./opt/local/bin/msgexec
x ./opt/local/bin/msgfilter
x ./opt/local/bin/msgfmt
x ./opt/local/bin/msggrep
x ./opt/local/bin/msginit
x ./opt/local/bin/msgmerge
x ./opt/local/bin/msgunfmt
x ./opt/local/bin/msguniq
x ./opt/local/bin/ngettext
x ./opt/local/bin/recode-sr-latin
x ./opt/local/bin/xgettext
---> Cleaning gettext
---> Removing work directory for gettext
---> Fetching archive for texinfo
---> texinfo-4.13_2.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/v
ar/macports/incoming/verified
---> Attempting to fetch texinfo-4.13_2.darwin_10.x86_64.tbz2 from http://packa
ges.macports.org/texinfo
% Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
```

```

          Dload Upload Total Spent Left Speed
100 971k 100 971k 0 0 220k 0 0:00:04 0:00:04 --:--:-- 240k
---> Attempting to fetch texinfo-4.13_2.darwin_10.x86_64.tbz2.rmd160 from http:
//packages.macports.org/texinfo
  % Total      % Received % Xferd Average Speed Time Time Time Current
          Dload Upload Total Spent Left Speed
102 512 102 512 0 0 1380 0 --:--:-- --:--:-- --:--:-- 2737
---> Installing texinfo @4.13_2
---> Activating texinfo @4.13_2
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/info/
x ./opt/local/share/locale/
x ./opt/local/share/man/
x ./opt/local/share/texinfo/

```

```
x ./opt/local/share/texmf/  
x ./opt/local/share/texmf/tex/  
x ./opt/local/share/texmf/tex/generic/  
x ./opt/local/share/texmf/tex/texinfo/  
x ./opt/local/share/texmf/tex/texinfo/texinfo.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-cs.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-de.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-en.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-es.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-fr.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-it.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-nb.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-nl.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-pl.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-pt.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-ru.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-sr.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-tr.tex  
x ./opt/local/share/texmf/tex/texinfo/txi-uk.tex  
x ./opt/local/share/texmf/tex/generic/epsf/  
x ./opt/local/share/texmf/tex/generic/epsf/epsf.tex  
x ./opt/local/share/texinfo/texinfo.cat  
x ./opt/local/share/texinfo/texinfo.dtd  
x ./opt/local/share/texinfo/texinfo.xsl
```

- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man5/
- x ./opt/local/share/man/man5/info.5.gz
- x ./opt/local/share/man/man5/texinfo.5.gz
- x ./opt/local/share/man/man1/info.1.gz
- x ./opt/local/share/man/man1/infokey.1.gz
- x ./opt/local/share/man/man1/install-info.1.gz
- x ./opt/local/share/man/man1/makeinfo.1.gz
- x ./opt/local/share/man/man1/pdftexi2dvi.1.gz
- x ./opt/local/share/man/man1/texi2dvi.1.gz
- x ./opt/local/share/man/man1/texi2pdf.1.gz
- x ./opt/local/share/man/man1/texindex.1.gz
- x ./opt/local/share/locale/cs/
- x ./opt/local/share/locale/da/
- x ./opt/local/share/locale/de/
- x ./opt/local/share/locale/de_AT/
- x ./opt/local/share/locale/eo/
- x ./opt/local/share/locale/es/
- x ./opt/local/share/locale/fr/
- x ./opt/local/share/locale/he/
- x ./opt/local/share/locale/hr/
- x ./opt/local/share/locale/hu/
- x ./opt/local/share/locale/ja/
- x ./opt/local/share/locale/nb/

x ./opt/local/share/locale/nl/
x ./opt/local/share/locale/pl/
x ./opt/local/share/locale/ro/
x ./opt/local/share/locale/ru/
x ./opt/local/share/locale/rw/
x ./opt/local/share/locale/sv/
x ./opt/local/share/locale/tr/
x ./opt/local/share/locale/vi/
x ./opt/local/share/locale/zh_CN/
x ./opt/local/share/locale/zh_TW/
x ./opt/local/share/locale/zh_TW/LC_MESSAGES/
x ./opt/local/share/locale/zh_TW/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/vi/LC_MESSAGES/
x ./opt/local/share/locale/vi/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/tr/LC_MESSAGES/
x ./opt/local/share/locale/tr/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/sv/LC_MESSAGES/
x ./opt/local/share/locale/sv/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/rw/LC_MESSAGES/
x ./opt/local/share/locale/rw/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/ru/LC_MESSAGES/
x ./opt/local/share/locale/ru/LC_MESSAGES/texinfo.mo

x ./opt/local/share/locale/ro/LC_MESSAGES/
x ./opt/local/share/locale/ro/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/pl/LC_MESSAGES/
x ./opt/local/share/locale/pl/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/nl/LC_MESSAGES/
x ./opt/local/share/locale/nl/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/nb/LC_MESSAGES/
x ./opt/local/share/locale/nb/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/ja/LC_MESSAGES/
x ./opt/local/share/locale/ja/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/hu/LC_MESSAGES/
x ./opt/local/share/locale/hu/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/hr/LC_MESSAGES/
x ./opt/local/share/locale/hr/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/he/LC_MESSAGES/
x ./opt/local/share/locale/he/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/fr/LC_MESSAGES/
x ./opt/local/share/locale/fr/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/es/LC_MESSAGES/
x ./opt/local/share/locale/es/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/eo/LC_MESSAGES/
x ./opt/local/share/locale/eo/LC_MESSAGES/texinfo.mo
x ./opt/local/share/locale/de_AT/LC_MESSAGES/
x ./opt/local/share/locale/de_AT/LC_MESSAGES/texinfo.mo

- x ./opt/local/share/locale/de/LC_MESSAGES/
- x ./opt/local/share/locale/de/LC_MESSAGES/texinfo.mo
- x ./opt/local/share/locale/da/LC_MESSAGES/
- x ./opt/local/share/locale/da/LC_MESSAGES/texinfo.mo
- x ./opt/local/share/locale/cs/LC_MESSAGES/
- x ./opt/local/share/locale/cs/LC_MESSAGES/texinfo.mo
- x ./opt/local/share/info/info-std.info
- x ./opt/local/share/info/info.info
- x ./opt/local/share/info/texinfo
- x ./opt/local/share/info/texinfo-1
- x ./opt/local/share/info/texinfo-2
- x ./opt/local/share/info/texinfo-3
- x ./opt/local/share/doc/texinfo/
- x ./opt/local/share/doc/texinfo/AUTHORS
- x ./opt/local/share/doc/texinfo/INTRODUCTION
- x ./opt/local/share/doc/texinfo/NEWS
- x ./opt/local/share/doc/texinfo/TODO
- x ./opt/local/share/doc/texinfo/txi-refcard.pdf
- x ./opt/local/bin/info
- x ./opt/local/bin/infokey
- x ./opt/local/bin/install-info
- x ./opt/local/bin/makeinfo
- x ./opt/local/bin/pdf-texi2dvi
- x ./opt/local/bin/texi2dvi

```

x ./opt/local/bin/texi2pdf
x ./opt/local/bin/texindex
---> Cleaning texinfo
---> Removing work directory for texinfo
---> Fetching archive for aspell
---> aspell-0.60.6.1_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch aspell-0.60.6.1_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/aspell
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
100  599k  100  599k    0      0   194k      0  0:00:03  0:00:03  --:--:--  206k
---> Attempting to fetch aspell-0.60.6.1_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/aspell
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0      0   1424      0  --:--:--  --:--:--  --:--:--  2813
---> Installing aspell @0.60.6.1_0
---> Activating aspell @0.60.6.1_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE

```

```
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/aspell/
x ./opt/local/share/info/
x ./opt/local/share/man/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man1/aspell-import.1.gz
x ./opt/local/share/man/man1/aspell.1.gz
x ./opt/local/share/man/man1/prezip-bin.1.gz
x ./opt/local/share/man/man1/pspell-config.1.gz
x ./opt/local/share/man/man1/run-with-aspell.1.gz
x ./opt/local/share/man/man1/word-list-compress.1.gz
x ./opt/local/share/info/aspell-dev.info
x ./opt/local/share/info/aspell.info
x ./opt/local/share/aspell/ccpp.amf
x ./opt/local/share/aspell/comment.amf
x ./opt/local/share/aspell/email.amf
x ./opt/local/share/aspell/html.amf
x ./opt/local/share/aspell/none.amf
```

- x ./opt/local/share/aspell/nroff.amf
- x ./opt/local/share/aspell/perl.amf
- x ./opt/local/share/aspell/sgml.amf
- x ./opt/local/share/aspell/tex.amf
- x ./opt/local/share/aspell/texinfo.amf
- x ./opt/local/share/aspell/url.amf
- x ./opt/local/lib/aspell-0.60/
- x ./opt/local/lib/libaspell.15.dylib
- x ./opt/local/lib/libaspell.dylib
- x ./opt/local/lib/libaspell.la
- x ./opt/local/lib/libpspell.15.dylib
- x ./opt/local/lib/libpspell.dylib
- x ./opt/local/lib/libpspell.la
- x ./opt/local/lib/aspell-0.60/cp1250.cmap
- x ./opt/local/lib/aspell-0.60/cp1250.cset
- x ./opt/local/lib/aspell-0.60/cp1251.cmap
- x ./opt/local/lib/aspell-0.60/cp1251.cset
- x ./opt/local/lib/aspell-0.60/cp1252.cmap
- x ./opt/local/lib/aspell-0.60/cp1252.cset
- x ./opt/local/lib/aspell-0.60/cp1253.cmap
- x ./opt/local/lib/aspell-0.60/cp1253.cset
- x ./opt/local/lib/aspell-0.60/cp1254.cmap
- x ./opt/local/lib/aspell-0.60/cp1254.cset
- x ./opt/local/lib/aspell-0.60/cp1255.cmap

x ./opt/local/lib/aspell-0.60/cp1255.cset
x ./opt/local/lib/aspell-0.60/cp1256.cmap
x ./opt/local/lib/aspell-0.60/cp1256.cset
x ./opt/local/lib/aspell-0.60/cp1257.cmap
x ./opt/local/lib/aspell-0.60/cp1257.cset
x ./opt/local/lib/aspell-0.60/cp1258.cmap
x ./opt/local/lib/aspell-0.60/cp1258.cset
x ./opt/local/lib/aspell-0.60/dvorak.kbd
x ./opt/local/lib/aspell-0.60/iso-8859-1.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-1.cset
x ./opt/local/lib/aspell-0.60/iso-8859-10.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-10.cset
x ./opt/local/lib/aspell-0.60/iso-8859-11.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-11.cset
x ./opt/local/lib/aspell-0.60/iso-8859-13.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-13.cset
x ./opt/local/lib/aspell-0.60/iso-8859-14.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-14.cset
x ./opt/local/lib/aspell-0.60/iso-8859-15.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-15.cset
x ./opt/local/lib/aspell-0.60/iso-8859-16.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-16.cset
x ./opt/local/lib/aspell-0.60/iso-8859-2.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-2.cset

x ./opt/local/lib/aspell-0.60/iso-8859-3.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-3.cset
x ./opt/local/lib/aspell-0.60/iso-8859-4.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-4.cset
x ./opt/local/lib/aspell-0.60/iso-8859-5.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-5.cset
x ./opt/local/lib/aspell-0.60/iso-8859-6.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-6.cset
x ./opt/local/lib/aspell-0.60/iso-8859-7.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-7.cset
x ./opt/local/lib/aspell-0.60/iso-8859-8.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-8.cset
x ./opt/local/lib/aspell-0.60/iso-8859-9.cmap
x ./opt/local/lib/aspell-0.60/iso-8859-9.cset
x ./opt/local/lib/aspell-0.60/ispell
x ./opt/local/lib/aspell-0.60/koi8-r.cmap
x ./opt/local/lib/aspell-0.60/koi8-r.cset
x ./opt/local/lib/aspell-0.60/koi8-u.cmap
x ./opt/local/lib/aspell-0.60/koi8-u.cset
x ./opt/local/lib/aspell-0.60/spell
x ./opt/local/lib/aspell-0.60/split.kbd
x ./opt/local/lib/aspell-0.60/standard.kbd
x ./opt/local/lib/aspell-0.60/u-deva.cmap
x ./opt/local/lib/aspell-0.60/u-deva.cset

```
x ./opt/local/include/aspell.h
x ./opt/local/include/pspell/
x ./opt/local/include/pspell/pspell.h
x ./opt/local/bin/aspell
x ./opt/local/bin/aspell-import
x ./opt/local/bin/ispell
x ./opt/local/bin/precat
x ./opt/local/bin/preunzip
x ./opt/local/bin/prezip
x ./opt/local/bin/prezip-bin
x ./opt/local/bin/pspell-config
x ./opt/local/bin/run-with-aspell
x ./opt/local/bin/word-list-compress
```

You must install (at least) one of the language dictionaries after installing this port in order for it to work.

```
---> Cleaning aspell
---> Removing work directory for aspell
---> Fetching archive for gdbm
---> gdbm-1.10_2.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/
macports/incoming/verified
---> Attempting to fetch gdbm-1.10_2.darwin_10.x86_64.tbz2 from http://packages
.macports.org/gdbm
```


% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current		
			Dload Upload	Total	Spent	Left	Speed		
100	86389	100 86389	0 0	62633	0	0:00:01	0:00:01	--:--:--	72413

---> Attempting to fetch gdbm-1.10_2.darwin_10.x86_64.tbz2.rmd160 from <http://packages.macports.org/gdbm>

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current		
			Dload Upload	Total	Spent	Left	Speed		
102	512	102 512	0 0	1451	0	--:--:--	--:--:--	--:--:--	2892

---> Installing gdbm @1.10_2
---> Activating gdbm @1.10_2

x ./

- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/info/
- x ./opt/local/share/locale/

- x ./opt/local/share/man/
- x ./opt/local/share/man/man3/
- x ./opt/local/share/man/man3/gdbm.3.gz
- x ./opt/local/share/locale/de/
- x ./opt/local/share/locale/fi/
- x ./opt/local/share/locale/ja/
- x ./opt/local/share/locale/pl/
- x ./opt/local/share/locale/uk/
- x ./opt/local/share/locale/uk/LC_MESSAGES/
- x ./opt/local/share/locale/uk/LC_MESSAGES/gdbm.mo
- x ./opt/local/share/locale/pl/LC_MESSAGES/
- x ./opt/local/share/locale/pl/LC_MESSAGES/gdbm.mo
- x ./opt/local/share/locale/ja/LC_MESSAGES/
- x ./opt/local/share/locale/ja/LC_MESSAGES/gdbm.mo
- x ./opt/local/share/locale/fi/LC_MESSAGES/
- x ./opt/local/share/locale/fi/LC_MESSAGES/gdbm.mo
- x ./opt/local/share/locale/de/LC_MESSAGES/
- x ./opt/local/share/locale/de/LC_MESSAGES/gdbm.mo
- x ./opt/local/share/info/gdbm.info
- x ./opt/local/lib/libgdbm.4.dylib
- x ./opt/local/lib/libgdbm.a
- x ./opt/local/lib/libgdbm.dylib
- x ./opt/local/lib/libgdbm.la
- x ./opt/local/include/gdbm.h

```
x ./opt/local/bin/testgdbm
```

```
---> Cleaning gdbm
```

```
---> Removing work directory for gdbm
```

```
---> Fetching archive for perl5.12
```

```
---> perl5.12-5.12.4_2.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
```

```
---> Attempting to fetch perl5.12-5.12.4_2.darwin_10.x86_64.tbz2 from http://packages.macports.org/perl5.12
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
100	11.8M	100	11.8M	0	0	357k	0	0:00:33	0:00:33	--:--:--	429k

```
---> Attempting to fetch perl5.12-5.12.4_2.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/perl5.12
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
102	512	102	512	0	0	1359	0	--:--:--	--:--:--	--:--:--	2708

```
---> Installing perl5.12 @5.12.4_2
```

```
---> Activating perl5.12 @5.12.4_2
```

```
x ./
```

```
x ./+COMMENT
```

```
x ./+CONTENTS
```

```
x ./+DESC
```

```
x ./+PORTFILE
```

```
x ./+STATE
```

- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/man/
- x ./opt/local/share/man/man1p/
- x ./opt/local/share/man/man3p/
- x ./opt/local/share/man/man3p/AnyDBM_File-5.12.3pm
- x ./opt/local/share/man/man3p/App::Cpan-5.12.3pm
- x ./opt/local/share/man/man3p/App::Prove-5.12.3pm
- x ./opt/local/share/man/man3p/App::Prove::State-5.12.3pm
- x ./opt/local/share/man/man3p/App::Prove::State::Result-5.12.3pm
- x ./opt/local/share/man/man3p/App::Prove::State::Result::Test-5.12.3pm
- x ./opt/local/share/man/man3p/Archive::Extract-5.12.3pm
- x ./opt/local/share/man/man3p/Archive::Tar-5.12.3pm
- x ./opt/local/share/man/man3p/Archive::Tar::File-5.12.3pm
- x ./opt/local/share/man/man3p/Attribute::Handlers-5.12.3pm
- x ./opt/local/share/man/man3p/attributes-5.12.3pm
- x ./opt/local/share/man/man3p/autodie-5.12.3pm
- x ./opt/local/share/man/man3p/autodie::exception-5.12.3pm
- x ./opt/local/share/man/man3p/autodie::exception::system-5.12.3pm
- x ./opt/local/share/man/man3p/autodie::hints-5.12.3pm
- x ./opt/local/share/man/man3p/AutoLoader-5.12.3pm

- x ./opt/local/share/man/man3p/AutoSplit-5.12.3pm
- x ./opt/local/share/man/man3p/autouse-5.12.3pm
- x ./opt/local/share/man/man3p/B-5.12.3pm
- x ./opt/local/share/man/man3p/B::Concise-5.12.3pm
- x ./opt/local/share/man/man3p/B::Debug-5.12.3pm
- x ./opt/local/share/man/man3p/B::Deparse-5.12.3pm
- x ./opt/local/share/man/man3p/B::Lint-5.12.3pm
- x ./opt/local/share/man/man3p/B::Lint::Debug-5.12.3pm
- x ./opt/local/share/man/man3p/B::Showlex-5.12.3pm
- x ./opt/local/share/man/man3p/B::Terse-5.12.3pm
- x ./opt/local/share/man/man3p/B::Xref-5.12.3pm
- x ./opt/local/share/man/man3p/base-5.12.3pm
- x ./opt/local/share/man/man3p/Benchmark-5.12.3pm
- x ./opt/local/share/man/man3p/bigint-5.12.3pm
- x ./opt/local/share/man/man3p/bignum-5.12.3pm
- x ./opt/local/share/man/man3p/bigint-5.12.3pm
- x ./opt/local/share/man/man3p/blib-5.12.3pm
- x ./opt/local/share/man/man3p/bytes-5.12.3pm
- x ./opt/local/share/man/man3p/Carp-5.12.3pm
- x ./opt/local/share/man/man3p/CGI-5.12.3pm
- x ./opt/local/share/man/man3p/CGI::Apache-5.12.3pm
- x ./opt/local/share/man/man3p/CGI::Carp-5.12.3pm
- x ./opt/local/share/man/man3p/CGI::Cookie-5.12.3pm
- x ./opt/local/share/man/man3p/CGI::Fast-5.12.3pm

- x ./opt/local/share/man/man3p/CGI::Pretty-5.12.3pm
- x ./opt/local/share/man/man3p/CGI::Push-5.12.3pm
- x ./opt/local/share/man/man3p/CGI::Switch-5.12.3pm
- x ./opt/local/share/man/man3p/CGI::Util-5.12.3pm
- x ./opt/local/share/man/man3p/charnames-5.12.3pm
- x ./opt/local/share/man/man3p/Class::ISA-5.12.3pm
- x ./opt/local/share/man/man3p/Class::Struct-5.12.3pm
- x ./opt/local/share/man/man3p/Compress::Raw::Bzip2-5.12.3pm
- x ./opt/local/share/man/man3p/Compress::Raw::Zlib-5.12.3pm
- x ./opt/local/share/man/man3p/Compress::Zlib-5.12.3pm
- x ./opt/local/share/man/man3p/Config-5.12.3pm
- x ./opt/local/share/man/man3p/Config::Extensions-5.12.3pm
- x ./opt/local/share/man/man3p/constant-5.12.3pm
- x ./opt/local/share/man/man3p/CORE-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::API::HOWTO-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::Debug-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::Distroprefs-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::FirstTime-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::HandleConfig-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::Kwalify-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::Nox-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::Queue-5.12.3pm
- x ./opt/local/share/man/man3p/CPAN::Tarzip-5.12.3pm

- x ./opt/local/share/man/man3p/CPAN::Version-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Backend-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Backend::RV-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Config-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Configure-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Autobundle-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Base-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Build-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Build::Constants-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::MM-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Sample-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Error-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::FAQ-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Hacking-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Extract-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Fetch-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Report-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Search-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Source-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Source::Memory-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Source::SQLite-5.12.3pm

- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Utils-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module::Author-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module::Author::Fake-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module::Checksums-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module::Fake-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Selfupdate-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Classic-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default::Plugins::CustomSource-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default::Plugins::HOWTO-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default::Plugins::Remote-5.12.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default::Plugins::Source-5.12.3pm
- x ./opt/local/share/man/man3p/Cwd-5.12.3pm
- x ./opt/local/share/man/man3p/Data::Dumper-5.12.3pm
- x ./opt/local/share/man/man3p/DB-5.12.3pm
- x ./opt/local/share/man/man3p/DB_File-5.12.3pm
- x ./opt/local/share/man/man3p/DBM_Filter-5.12.3pm
- x ./opt/local/share/man/man3p/DBM_Filter::compress-5.12.3pm
- x ./opt/local/share/man/man3p/DBM_Filter::encode-5.12.3pm
- x ./opt/local/share/man/man3p/DBM_Filter::int32-5.12.3pm
- x ./opt/local/share/man/man3p/DBM_Filter::null-5.12.3pm

- x ./opt/local/share/man/man3p/DBM_Filter::utf8-5.12.3pm
- x ./opt/local/share/man/man3p/deprecate-5.12.3pm
- x ./opt/local/share/man/man3p/Devel::DProf-5.12.3pm
- x ./opt/local/share/man/man3p/Devel::InnerPackage-5.12.3pm
- x ./opt/local/share/man/man3p/Devel::Peek-5.12.3pm
- x ./opt/local/share/man/man3p/Devel::PPPport-5.12.3pm
- x ./opt/local/share/man/man3p/Devel::SelfStubber-5.12.3pm
- x ./opt/local/share/man/man3p/diagnostics-5.12.3pm
- x ./opt/local/share/man/man3p/Digest-5.12.3pm
- x ./opt/local/share/man/man3p/Digest::base-5.12.3pm
- x ./opt/local/share/man/man3p/Digest::file-5.12.3pm
- x ./opt/local/share/man/man3p/Digest::MD5-5.12.3pm
- x ./opt/local/share/man/man3p/Digest::SHA-5.12.3pm
- x ./opt/local/share/man/man3p/DirHandle-5.12.3pm
- x ./opt/local/share/man/man3p/Dumpvalue-5.12.3pm
- x ./opt/local/share/man/man3p/DynaLoader-5.12.3pm
- x ./opt/local/share/man/man3p/Encode-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Alias-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Byte-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::CJKConstants-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::CN-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::CN::HZ-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Config-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::EBCDIC-5.12.3pm

- x ./opt/local/share/man/man3p/Encode::Encoder-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Encoding-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::GSM0338-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Guess-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::JP-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::JP::H2Z-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::JP::JIS7-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::KR-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::KR::2022_KR-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::MIME::Header-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::MIME::Name-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::PerlIO-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Supported-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Symbol-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::TW-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Unicode-5.12.3pm
- x ./opt/local/share/man/man3p/Encode::Unicode::UTF7-5.12.3pm
- x ./opt/local/share/man/man3p/encoding-5.12.3pm
- x ./opt/local/share/man/man3p/encoding::warnings-5.12.3pm
- x ./opt/local/share/man/man3p/English-5.12.3pm
- x ./opt/local/share/man/man3p/Env-5.12.3pm
- x ./opt/local/share/man/man3p/Errno-5.12.3pm
- x ./opt/local/share/man/man3p/Exporter-5.12.3pm
- x ./opt/local/share/man/man3p/Exporter::Heavy-5.12.3pm

- x ./opt/local/share/man/man3p/ExtUtils::CBuilder-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::CBuilder::Platform::Windows-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Command-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Command::MM-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Constant-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Constant::Base-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Constant::Utils-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Constant::XS-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Embed-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Install-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Installed-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Liblist-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MakerMaker-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MakerMaker::Config-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MakerMaker::FAQ-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MakerMaker::Tutorial-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Manifest-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Miniperl-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Mkbootstrap-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Mksymlists-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_AIX-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Any-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_BeOS-5.12.3pm

- x ./opt/local/share/man/man3p/ExtUtils::MM_Cygwin-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Darwin-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_DOS-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_MacOS-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_NW5-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_OS2-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_QNX-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Unix-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_UWIN-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_VMS-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_VOS-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Win32-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Win95-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MY-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Packlist-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::ParseXS-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::testlib-5.12.3pm
- x ./opt/local/share/man/man3p/ExtUtils::XSymSet-5.12.3pm
- x ./opt/local/share/man/man3p/Fatal-5.12.3pm
- x ./opt/local/share/man/man3p/Fcntl-5.12.3pm
- x ./opt/local/share/man/man3p/feature-5.12.3pm
- x ./opt/local/share/man/man3p/fields-5.12.3pm
- x ./opt/local/share/man/man3p/File::Basename-5.12.3pm
- x ./opt/local/share/man/man3p/File::CheckTree-5.12.3pm

- x ./opt/local/share/man/man3p/File::Compare-5.12.3pm
- x ./opt/local/share/man/man3p/File::Copy-5.12.3pm
- x ./opt/local/share/man/man3p/File::DosGlob-5.12.3pm
- x ./opt/local/share/man/man3p/File::Fetch-5.12.3pm
- x ./opt/local/share/man/man3p/File::Find-5.12.3pm
- x ./opt/local/share/man/man3p/File::Glob-5.12.3pm
- x ./opt/local/share/man/man3p/File::GlobMapper-5.12.3pm
- x ./opt/local/share/man/man3p/File::Path-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec::Cygwin-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec::Epoc-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec::Functions-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec::Mac-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec::OS2-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec::Unix-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec::VMS-5.12.3pm
- x ./opt/local/share/man/man3p/File::Spec::Win32-5.12.3pm
- x ./opt/local/share/man/man3p/File::stat-5.12.3pm
- x ./opt/local/share/man/man3p/File::Temp-5.12.3pm
- x ./opt/local/share/man/man3p/FileCache-5.12.3pm
- x ./opt/local/share/man/man3p/FileHandle-5.12.3pm
- x ./opt/local/share/man/man3p/filetest-5.12.3pm
- x ./opt/local/share/man/man3p/Filter::Simple-5.12.3pm
- x ./opt/local/share/man/man3p/Filter::Util::Call-5.12.3pm

- x ./opt/local/share/man/man3p/FindBin-5.12.3pm
- x ./opt/local/share/man/man3p/GDBM_File-5.12.3pm
- x ./opt/local/share/man/man3p/Getopt::Long-5.12.3pm
- x ./opt/local/share/man/man3p/Getopt::Std-5.12.3pm
- x ./opt/local/share/man/man3p/Hash::Util-5.12.3pm
- x ./opt/local/share/man/man3p/Hash::Util::FieldHash-5.12.3pm
- x ./opt/local/share/man/man3p/I18N::Collate-5.12.3pm
- x ./opt/local/share/man/man3p/I18N::Langinfo-5.12.3pm
- x ./opt/local/share/man/man3p/I18N::LangTags-5.12.3pm
- x ./opt/local/share/man/man3p/I18N::LangTags::Detect-5.12.3pm
- x ./opt/local/share/man/man3p/I18N::LangTags::List-5.12.3pm
- x ./opt/local/share/man/man3p/if-5.12.3pm
- x ./opt/local/share/man/man3p/inc::latest-5.12.3pm
- x ./opt/local/share/man/man3p/integer-5.12.3pm
- x ./opt/local/share/man/man3p/IO-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Base-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Bzip2-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Deflate-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Gzip-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Compress::RawDeflate-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Zip-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Dir-5.12.3pm
- x ./opt/local/share/man/man3p/IO::File-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Handle-5.12.3pm

- x ./opt/local/share/man/man3p/IO::Pipe-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Poll-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Seekable-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Select-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Socket-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Socket::INET-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Socket::UNIX-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::AnyInflate-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::AnyUncompress-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Base-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Bunzip2-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Gunzip-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Inflate-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::RawInflate-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Unzip-5.12.3pm
- x ./opt/local/share/man/man3p/IO::Zlib-5.12.3pm
- x ./opt/local/share/man/man3p/IPC::Cmd-5.12.3pm
- x ./opt/local/share/man/man3p/IPC::Msg-5.12.3pm
- x ./opt/local/share/man/man3p/IPC::Open2-5.12.3pm
- x ./opt/local/share/man/man3p/IPC::Open3-5.12.3pm
- x ./opt/local/share/man/man3p/IPC::Semaphore-5.12.3pm
- x ./opt/local/share/man/man3p/IPC::SharedMem-5.12.3pm
- x ./opt/local/share/man/man3p/IPC::SysV-5.12.3pm
- x ./opt/local/share/man/man3p/less-5.12.3pm

- x ./opt/local/share/man/man3p/lib-5.12.3pm
- x ./opt/local/share/man/man3p/List::Util-5.12.3pm
- x ./opt/local/share/man/man3p/List::Util::XS-5.12.3pm
- x ./opt/local/share/man/man3p/locale-5.12.3pm
- x ./opt/local/share/man/man3p/Locale::Constants-5.12.3pm
- x ./opt/local/share/man/man3p/Locale::Country-5.12.3pm
- x ./opt/local/share/man/man3p/Locale::Currency-5.12.3pm
- x ./opt/local/share/man/man3p/Locale::Language-5.12.3pm
- x ./opt/local/share/man/man3p/Locale::Maketext-5.12.3pm
- x ./opt/local/share/man/man3p/Locale::Maketext::Simple-5.12.3pm
- x ./opt/local/share/man/man3p/Locale::Maketext::TPJ13-5.12.3pm
- x ./opt/local/share/man/man3p/Locale::Script-5.12.3pm
- x ./opt/local/share/man/man3p/Log::Message-5.12.3pm
- x ./opt/local/share/man/man3p/Log::Message::Config-5.12.3pm
- x ./opt/local/share/man/man3p/Log::Message::Handlers-5.12.3pm
- x ./opt/local/share/man/man3p/Log::Message::Item-5.12.3pm
- x ./opt/local/share/man/man3p/Log::Message::Simple-5.12.3pm
- x ./opt/local/share/man/man3p/Math::BigFloat-5.12.3pm
- x ./opt/local/share/man/man3p/Math::BigInt-5.12.3pm
- x ./opt/local/share/man/man3p/Math::BigInt::Calc-5.12.3pm
- x ./opt/local/share/man/man3p/Math::BigInt::CalcEmu-5.12.3pm
- x ./opt/local/share/man/man3p/Math::BigInt::FastCalc-5.12.3pm
- x ./opt/local/share/man/man3p/Math::BigRat-5.12.3pm
- x ./opt/local/share/man/man3p/Math::Complex-5.12.3pm

- x ./opt/local/share/man/man3p/Math::Trig-5.12.3pm
- x ./opt/local/share/man/man3p/Memoize-5.12.3pm
- x ./opt/local/share/man/man3p/Memoize::AnyDBM_File-5.12.3pm
- x ./opt/local/share/man/man3p/Memoize::Expire-5.12.3pm
- x ./opt/local/share/man/man3p/Memoize::ExpireFile-5.12.3pm
- x ./opt/local/share/man/man3p/Memoize::ExpireTest-5.12.3pm
- x ./opt/local/share/man/man3p/Memoize::NDBM_File-5.12.3pm
- x ./opt/local/share/man/man3p/Memoize::SDBM_File-5.12.3pm
- x ./opt/local/share/man/man3p/Memoize::Storable-5.12.3pm
- x ./opt/local/share/man/man3p/MIME::Base64-5.12.3pm
- x ./opt/local/share/man/man3p/MIME::QuotedPrint-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::API-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Authoring-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Base-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Bundling-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Compat-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::ConfigData-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Cookbook-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::ModuleInfo-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Notes-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::aix-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::Amiga-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::cygwin-5.12.3pm

- x ./opt/local/share/man/man3p/Module::Build::Platform::darwin-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::Default-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::EBCDIC-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::MacOS-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::MPEiX-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::os2-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::RiscOS-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::Unix-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::VMS-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::VOS-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::Windows-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Build::PPMMaker-5.12.3pm
- x ./opt/local/share/man/man3p/Module::CoreList-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Load-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Load::Conditional-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Loaded-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Pluggable-5.12.3pm
- x ./opt/local/share/man/man3p/Module::Pluggable::Object-5.12.3pm
- x ./opt/local/share/man/man3p/mro-5.12.3pm
- x ./opt/local/share/man/man3p/NDBM_File-5.12.3pm
- x ./opt/local/share/man/man3p/Net::Cmd-5.12.3pm
- x ./opt/local/share/man/man3p/Net::Config-5.12.3pm
- x ./opt/local/share/man/man3p/Net::Domain-5.12.3pm
- x ./opt/local/share/man/man3p/Net::FTP-5.12.3pm

- x ./opt/local/share/man/man3p/Net::hostent-5.12.3pm
- x ./opt/local/share/man/man3p/Net::libnetFAQ-5.12.3pm
- x ./opt/local/share/man/man3p/Net::netent-5.12.3pm
- x ./opt/local/share/man/man3p/Net::Netrc-5.12.3pm
- x ./opt/local/share/man/man3p/Net::NNTP-5.12.3pm
- x ./opt/local/share/man/man3p/Net::Ping-5.12.3pm
- x ./opt/local/share/man/man3p/Net::POP3-5.12.3pm
- x ./opt/local/share/man/man3p/Net::protoent-5.12.3pm
- x ./opt/local/share/man/man3p/Net::servent-5.12.3pm
- x ./opt/local/share/man/man3p/Net::SMTP-5.12.3pm
- x ./opt/local/share/man/man3p/Net::Time-5.12.3pm
- x ./opt/local/share/man/man3p/NEXT-5.12.3pm
- x ./opt/local/share/man/man3p/0-5.12.3pm
- x ./opt/local/share/man/man3p/Object::Accessor-5.12.3pm
- x ./opt/local/share/man/man3p/Opcode-5.12.3pm
- x ./opt/local/share/man/man3p/open-5.12.3pm
- x ./opt/local/share/man/man3p/ops-5.12.3pm
- x ./opt/local/share/man/man3p/overload-5.12.3pm
- x ./opt/local/share/man/man3p/overloading-5.12.3pm
- x ./opt/local/share/man/man3p/Package::Constants-5.12.3pm
- x ./opt/local/share/man/man3p/Params::Check-5.12.3pm
- x ./opt/local/share/man/man3p/parent-5.12.3pm
- x ./opt/local/share/man/man3p/Parse::CPAN::Meta-5.12.3pm
- x ./opt/local/share/man/man3p/PerlIO-5.12.3pm

- x ./opt/local/share/man/man3p/PerlIO::encoding-5.12.3pm
- x ./opt/local/share/man/man3p/PerlIO::scalar-5.12.3pm
- x ./opt/local/share/man/man3p/PerlIO::via-5.12.3pm
- x ./opt/local/share/man/man3p/PerlIO::via::QuotedPrint-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Checker-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Escapes-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Find-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Html-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::InputObjects-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::LaTeX-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Man-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::ParseLink-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Parser-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::ParseUtils-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::BaseTo-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::GetOpts00-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToChecker-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToMan-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToNroff-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToPod-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToRtf-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToText-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToTk-5.12.3pm

- x ./opt/local/share/man/man3p/Pod::PerlDoc::ToXml-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Plainer-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::PlainText-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Select-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Checker-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Debug-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::DumpAsText-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::DumpAsXML-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::HTML-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::HTMLBatch-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::LinkSection-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Methody-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParser-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParserEndToken-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParserStartToken-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParserTextToken-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParserToken-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::RTF-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Search-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::SimpleTree-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Subclassing-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Text-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::TextContent-5.12.3pm

- x ./opt/local/share/man/man3p/Pod::Simple::XHTML-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::XMLOutputStream-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Text-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Text::Color-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Text::Overstrike-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Text::Termcap-5.12.3pm
- x ./opt/local/share/man/man3p/Pod::Usage-5.12.3pm
- x ./opt/local/share/man/man3p/POSIX-5.12.3pm
- x ./opt/local/share/man/man3p/re-5.12.3pm
- x ./opt/local/share/man/man3p/Safe-5.12.3pm
- x ./opt/local/share/man/man3p/Scalar::Util-5.12.3pm
- x ./opt/local/share/man/man3p/SDBM_File-5.12.3pm
- x ./opt/local/share/man/man3p/Search::Dict-5.12.3pm
- x ./opt/local/share/man/man3p/SelectSaver-5.12.3pm
- x ./opt/local/share/man/man3p/SelfLoader-5.12.3pm
- x ./opt/local/share/man/man3p/Shell-5.12.3pm
- x ./opt/local/share/man/man3p/sigtrap-5.12.3pm
- x ./opt/local/share/man/man3p/Socket-5.12.3pm
- x ./opt/local/share/man/man3p/sort-5.12.3pm
- x ./opt/local/share/man/man3p/Storable-5.12.3pm
- x ./opt/local/share/man/man3p/strict-5.12.3pm
- x ./opt/local/share/man/man3p/subs-5.12.3pm
- x ./opt/local/share/man/man3p/Switch-5.12.3pm
- x ./opt/local/share/man/man3p/Symbol-5.12.3pm

- x ./opt/local/share/man/man3p/Sys::Hostname-5.12.3pm
- x ./opt/local/share/man/man3p/Sys::Syslog-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Base-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Base-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Color-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Console-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Console::ParallelSession-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Console::Session-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::File-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::File::Session-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Session-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Harness-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Object-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Aggregator-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Grammar-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Iterator-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Iterator::Array-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Iterator::Process-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Iterator::Stream-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::IteratorFactory-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Multiplexer-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Bailout-5.12.3pm

- x ./opt/local/share/man/man3p/TAP::Parser::Result::Comment-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Plan-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Pragma-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Test-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Unknown-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Version-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::YAML-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::ResultFactory-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Scheduler-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Scheduler::Job-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Scheduler::Spinner-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Source-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Source::Perl-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Utils-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::YAMLish::Reader-5.12.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::YAMLish::Writer-5.12.3pm
- x ./opt/local/share/man/man3p/Term::ANSIColor-5.12.3pm
- x ./opt/local/share/man/man3p/Term::Cap-5.12.3pm
- x ./opt/local/share/man/man3p/Term::Complete-5.12.3pm
- x ./opt/local/share/man/man3p/Term::ReadLine-5.12.3pm
- x ./opt/local/share/man/man3p/Term::UI-5.12.3pm
- x ./opt/local/share/man/man3p/Term::UI::History-5.12.3pm
- x ./opt/local/share/man/man3p/Test-5.12.3pm
- x ./opt/local/share/man/man3p/Test::Builder-5.12.3pm

- x ./opt/local/share/man/man3p/Test::Builder::Module-5.12.3pm
- x ./opt/local/share/man/man3p/Test::Builder::Tester-5.12.3pm
- x ./opt/local/share/man/man3p/Test::Builder::Tester::Color-5.12.3pm
- x ./opt/local/share/man/man3p/Test::Harness-5.12.3pm
- x ./opt/local/share/man/man3p/Test::More-5.12.3pm
- x ./opt/local/share/man/man3p/Test::Simple-5.12.3pm
- x ./opt/local/share/man/man3p/Test::Tutorial-5.12.3pm
- x ./opt/local/share/man/man3p/Text::Abbrev-5.12.3pm
- x ./opt/local/share/man/man3p/Text::Balanced-5.12.3pm
- x ./opt/local/share/man/man3p/Text::ParseWords-5.12.3pm
- x ./opt/local/share/man/man3p/Text::Soundex-5.12.3pm
- x ./opt/local/share/man/man3p/Text::Tabs-5.12.3pm
- x ./opt/local/share/man/man3p/Text::Wrap-5.12.3pm
- x ./opt/local/share/man/man3p/Thread-5.12.3pm
- x ./opt/local/share/man/man3p/Thread::Queue-5.12.3pm
- x ./opt/local/share/man/man3p/Thread::Semaphore-5.12.3pm
- x ./opt/local/share/man/man3p/threads-5.12.3pm
- x ./opt/local/share/man/man3p/threads::shared-5.12.3pm
- x ./opt/local/share/man/man3p/Tie::Array-5.12.3pm
- x ./opt/local/share/man/man3p/Tie::File-5.12.3pm
- x ./opt/local/share/man/man3p/Tie::Handle-5.12.3pm
- x ./opt/local/share/man/man3p/Tie::Hash-5.12.3pm
- x ./opt/local/share/man/man3p/Tie::Hash::NamedCapture-5.12.3pm
- x ./opt/local/share/man/man3p/Tie::Memoize-5.12.3pm

x ./opt/local/share/man/man3p/Tie::RefHash-5.12.3pm
x ./opt/local/share/man/man3p/Tie::Scalar-5.12.3pm
x ./opt/local/share/man/man3p/Tie::StdHandle-5.12.3pm
x ./opt/local/share/man/man3p/Tie::SubstrHash-5.12.3pm
x ./opt/local/share/man/man3p/Time::gmtime-5.12.3pm
x ./opt/local/share/man/man3p/Time::HiRes-5.12.3pm
x ./opt/local/share/man/man3p/Time::Local-5.12.3pm
x ./opt/local/share/man/man3p/Time::localtime-5.12.3pm
x ./opt/local/share/man/man3p/Time::Piece-5.12.3pm
x ./opt/local/share/man/man3p/Time::Seconds-5.12.3pm
x ./opt/local/share/man/man3p/Time::tm-5.12.3pm
x ./opt/local/share/man/man3p/Unicode::Collate-5.12.3pm
x ./opt/local/share/man/man3p/Unicode::Normalize-5.12.3pm
x ./opt/local/share/man/man3p/Unicode::UCD-5.12.3pm
x ./opt/local/share/man/man3p/UNIVERSAL-5.12.3pm
x ./opt/local/share/man/man3p/User::grent-5.12.3pm
x ./opt/local/share/man/man3p/User::pwent-5.12.3pm
x ./opt/local/share/man/man3p/utf8-5.12.3pm
x ./opt/local/share/man/man3p/vars-5.12.3pm
x ./opt/local/share/man/man3p/version-5.12.3pm
x ./opt/local/share/man/man3p/version::Internals-5.12.3pm
x ./opt/local/share/man/man3p/vmsish-5.12.3pm
x ./opt/local/share/man/man3p/warnings-5.12.3pm
x ./opt/local/share/man/man3p/warnings::register-5.12.3pm

x ./opt/local/share/man/man3p/XS::APItest-5.12.3pm
x ./opt/local/share/man/man3p/XS::APItest::KeywordRPN-5.12.3pm
x ./opt/local/share/man/man3p/XS::Typemap-5.12.3pm
x ./opt/local/share/man/man3p/XSLoader-5.12.3pm
x ./opt/local/share/man/man1p/a2p-5.12.1pm
x ./opt/local/share/man/man1p/c2ph-5.12.1pm
x ./opt/local/share/man/man1p/config_data-5.12.1pm
x ./opt/local/share/man/man1p/corelist-5.12.1pm
x ./opt/local/share/man/man1p/cpan-5.12.1pm
x ./opt/local/share/man/man1p/cpan2dist-5.12.1pm
x ./opt/local/share/man/man1p/cpanp-5.12.1pm
x ./opt/local/share/man/man1p/dprofpp-5.12.1pm
x ./opt/local/share/man/man1p/enc2xs-5.12.1pm
x ./opt/local/share/man/man1p/find2perl-5.12.1pm
x ./opt/local/share/man/man1p/h2ph-5.12.1pm
x ./opt/local/share/man/man1p/h2xs-5.12.1pm
x ./opt/local/share/man/man1p/instmodsh-5.12.1pm
x ./opt/local/share/man/man1p/libnetcfg-5.12.1pm
x ./opt/local/share/man/man1p/perl-5.12.1pm
x ./opt/local/share/man/man1p/perl5004delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5005delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5100delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5101delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5110delta-5.12.1pm

x ./opt/local/share/man/man1p/perl5111delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5112delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5113delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5114delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5115delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5120delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5121delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5122delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5123delta-5.12.1pm
x ./opt/local/share/man/man1p/perl5124delta-5.12.1pm
x ./opt/local/share/man/man1p/perl561delta-5.12.1pm
x ./opt/local/share/man/man1p/perl56delta-5.12.1pm
x ./opt/local/share/man/man1p/perl570delta-5.12.1pm
x ./opt/local/share/man/man1p/perl571delta-5.12.1pm
x ./opt/local/share/man/man1p/perl572delta-5.12.1pm
x ./opt/local/share/man/man1p/perl573delta-5.12.1pm
x ./opt/local/share/man/man1p/perl581delta-5.12.1pm
x ./opt/local/share/man/man1p/perl582delta-5.12.1pm
x ./opt/local/share/man/man1p/perl583delta-5.12.1pm
x ./opt/local/share/man/man1p/perl584delta-5.12.1pm
x ./opt/local/share/man/man1p/perl585delta-5.12.1pm
x ./opt/local/share/man/man1p/perl586delta-5.12.1pm
x ./opt/local/share/man/man1p/perl587delta-5.12.1pm
x ./opt/local/share/man/man1p/perl588delta-5.12.1pm

x ./opt/local/share/man/man1p/perl589delta-5.12.1pm
x ./opt/local/share/man/man1p/perl58delta-5.12.1pm
x ./opt/local/share/man/man1p/perl590delta-5.12.1pm
x ./opt/local/share/man/man1p/perl591delta-5.12.1pm
x ./opt/local/share/man/man1p/perl592delta-5.12.1pm
x ./opt/local/share/man/man1p/perl593delta-5.12.1pm
x ./opt/local/share/man/man1p/perl594delta-5.12.1pm
x ./opt/local/share/man/man1p/perl595delta-5.12.1pm
x ./opt/local/share/man/man1p/perlaix-5.12.1pm
x ./opt/local/share/man/man1p/perlamiga-5.12.1pm
x ./opt/local/share/man/man1p/perlapi-5.12.1pm
x ./opt/local/share/man/man1p/perlapiro-5.12.1pm
x ./opt/local/share/man/man1p/perlapollo-5.12.1pm
x ./opt/local/share/man/man1p/perlartistic-5.12.1pm
x ./opt/local/share/man/man1p/perlbeos-5.12.1pm
x ./opt/local/share/man/man1p/perlbook-5.12.1pm
x ./opt/local/share/man/man1p/perlboot-5.12.1pm
x ./opt/local/share/man/man1p/perlbot-5.12.1pm
x ./opt/local/share/man/man1p/perlbs2000-5.12.1pm
x ./opt/local/share/man/man1p/perlbug-5.12.1pm
x ./opt/local/share/man/man1p/perlcall-5.12.1pm
x ./opt/local/share/man/man1p/perlce-5.12.1pm
x ./opt/local/share/man/man1p/perlcheat-5.12.1pm
x ./opt/local/share/man/man1p/perlclib-5.12.1pm

- x ./opt/local/share/man/man1p/perlcn-5.12.1pm
- x ./opt/local/share/man/man1p/perlcommunity-5.12.1pm
- x ./opt/local/share/man/man1p/perlcompile-5.12.1pm
- x ./opt/local/share/man/man1p/perlcygwin-5.12.1pm
- x ./opt/local/share/man/man1p/perldata-5.12.1pm
- x ./opt/local/share/man/man1p/perldbmfilter-5.12.1pm
- x ./opt/local/share/man/man1p/perldebbugs-5.12.1pm
- x ./opt/local/share/man/man1p/perldebtut-5.12.1pm
- x ./opt/local/share/man/man1p/perldebug-5.12.1pm
- x ./opt/local/share/man/man1p/perldelta-5.12.1pm
- x ./opt/local/share/man/man1p/perldgux-5.12.1pm
- x ./opt/local/share/man/man1p/perldiag-5.12.1pm
- x ./opt/local/share/man/man1p/perldoc-5.12.1pm
- x ./opt/local/share/man/man1p/perldos-5.12.1pm
- x ./opt/local/share/man/man1p/perldsc-5.12.1pm
- x ./opt/local/share/man/man1p/perlebcdic-5.12.1pm
- x ./opt/local/share/man/man1p/perlembed-5.12.1pm
- x ./opt/local/share/man/man1p/perlepoc-5.12.1pm
- x ./opt/local/share/man/man1p/perlfaq-5.12.1pm
- x ./opt/local/share/man/man1p/perlfaq1-5.12.1pm
- x ./opt/local/share/man/man1p/perlfaq2-5.12.1pm
- x ./opt/local/share/man/man1p/perlfaq3-5.12.1pm
- x ./opt/local/share/man/man1p/perlfaq4-5.12.1pm
- x ./opt/local/share/man/man1p/perlfaq5-5.12.1pm

x ./opt/local/share/man/man1p/perlfaq6-5.12.1pm
x ./opt/local/share/man/man1p/perlfaq7-5.12.1pm
x ./opt/local/share/man/man1p/perlfaq8-5.12.1pm
x ./opt/local/share/man/man1p/perlfaq9-5.12.1pm
x ./opt/local/share/man/man1p/perlfilter-5.12.1pm
x ./opt/local/share/man/man1p/perlfork-5.12.1pm
x ./opt/local/share/man/man1p/perlform-5.12.1pm
x ./opt/local/share/man/man1p/perlfreebsd-5.12.1pm
x ./opt/local/share/man/man1p/perlfunc-5.12.1pm
x ./opt/local/share/man/man1p/perlglossary-5.12.1pm
x ./opt/local/share/man/man1p/perlgpl-5.12.1pm
x ./opt/local/share/man/man1p/perlguts-5.12.1pm
x ./opt/local/share/man/man1p/perlhack-5.12.1pm
x ./opt/local/share/man/man1p/perlhaiku-5.12.1pm
x ./opt/local/share/man/man1p/perlhists-5.12.1pm
x ./opt/local/share/man/man1p/perlhpux-5.12.1pm
x ./opt/local/share/man/man1p/perlhurd-5.12.1pm
x ./opt/local/share/man/man1p/perlintern-5.12.1pm
x ./opt/local/share/man/man1p/perlintro-5.12.1pm
x ./opt/local/share/man/man1p/perliol-5.12.1pm
x ./opt/local/share/man/man1p/perlipc-5.12.1pm
x ./opt/local/share/man/man1p/perlirix-5.12.1pm
x ./opt/local/share/man/man1p/perlivp-5.12.1pm
x ./opt/local/share/man/man1p/perljp-5.12.1pm

x ./opt/local/share/man/man1p/perlko-5.12.1pm
x ./opt/local/share/man/man1p/perllexwarn-5.12.1pm
x ./opt/local/share/man/man1p/perllinux-5.12.1pm
x ./opt/local/share/man/man1p/perllocale-5.12.1pm
x ./opt/local/share/man/man1p/perllo1-5.12.1pm
x ./opt/local/share/man/man1p/perlmacos-5.12.1pm
x ./opt/local/share/man/man1p/perlmacosx-5.12.1pm
x ./opt/local/share/man/man1p/perlmod-5.12.1pm
x ./opt/local/share/man/man1p/perlmodinstall-5.12.1pm
x ./opt/local/share/man/man1p/perlmodlib-5.12.1pm
x ./opt/local/share/man/man1p/perlmodstyle-5.12.1pm
x ./opt/local/share/man/man1p/perlmpaix-5.12.1pm
x ./opt/local/share/man/man1p/perlmpioapi-5.12.1pm
x ./opt/local/share/man/man1p/perlnetware-5.12.1pm
x ./opt/local/share/man/man1p/perlnewmod-5.12.1pm
x ./opt/local/share/man/man1p/perlnumber-5.12.1pm
x ./opt/local/share/man/man1p/perlobj-5.12.1pm
x ./opt/local/share/man/man1p/perlomp-5.12.1pm
x ./opt/local/share/man/man1p/perlopenbsd-5.12.1pm
x ./opt/local/share/man/man1p/perlomentut-5.12.1pm
x ./opt/local/share/man/man1p/perlps2-5.12.1pm
x ./opt/local/share/man/man1p/perlps390-5.12.1pm
x ./opt/local/share/man/man1p/perlps400-5.12.1pm
x ./opt/local/share/man/man1p/perlpacktut-5.12.1pm

- x ./opt/local/share/man/man1p/perlperf-5.12.1pm
- x ./opt/local/share/man/man1p/perlplan9-5.12.1pm
- x ./opt/local/share/man/man1p/perlpod-5.12.1pm
- x ./opt/local/share/man/man1p/perlpodspec-5.12.1pm
- x ./opt/local/share/man/man1p/perlpolicy-5.12.1pm
- x ./opt/local/share/man/man1p/perlport-5.12.1pm
- x ./opt/local/share/man/man1p/perlpragma-5.12.1pm
- x ./opt/local/share/man/man1p/perlqnx-5.12.1pm
- x ./opt/local/share/man/man1p/perlre-5.12.1pm
- x ./opt/local/share/man/man1p/perlreapi-5.12.1pm
- x ./opt/local/share/man/man1p/perlrebackslash-5.12.1pm
- x ./opt/local/share/man/man1p/perlrecharclass-5.12.1pm
- x ./opt/local/share/man/man1p/perlref-5.12.1pm
- x ./opt/local/share/man/man1p/perlreftut-5.12.1pm
- x ./opt/local/share/man/man1p/perlreguts-5.12.1pm
- x ./opt/local/share/man/man1p/perlrepository-5.12.1pm
- x ./opt/local/share/man/man1p/perlrequick-5.12.1pm
- x ./opt/local/share/man/man1p/perlreref-5.12.1pm
- x ./opt/local/share/man/man1p/perlretut-5.12.1pm
- x ./opt/local/share/man/man1p/perlriscos-5.12.1pm
- x ./opt/local/share/man/man1p/perlrun-5.12.1pm
- x ./opt/local/share/man/man1p/perlsec-5.12.1pm
- x ./opt/local/share/man/man1p/perlsholaris-5.12.1pm
- x ./opt/local/share/man/man1p/perlstyle-5.12.1pm

x ./opt/local/share/man/man1p/perlsub-5.12.1pm
x ./opt/local/share/man/man1p/perl symbian-5.12.1pm
x ./opt/local/share/man/man1p/perl syn-5.12.1pm
x ./opt/local/share/man/man1p/perl thanks-5.12.1pm
x ./opt/local/share/man/man1p/perl thrtut-5.12.1pm
x ./opt/local/share/man/man1p/perl tie-5.12.1pm
x ./opt/local/share/man/man1p/perl toc-5.12.1pm
x ./opt/local/share/man/man1p/perl todo-5.12.1pm
x ./opt/local/share/man/man1p/perl tooc-5.12.1pm
x ./opt/local/share/man/man1p/perl toot-5.12.1pm
x ./opt/local/share/man/man1p/perl trap-5.12.1pm
x ./opt/local/share/man/man1p/perl tru64-5.12.1pm
x ./opt/local/share/man/man1p/perl tw-5.12.1pm
x ./opt/local/share/man/man1p/perl unicode-5.12.1pm
x ./opt/local/share/man/man1p/perl uni faq-5.12.1pm
x ./opt/local/share/man/man1p/perl uni intro-5.12.1pm
x ./opt/local/share/man/man1p/perl uni props-5.12.1pm
x ./opt/local/share/man/man1p/perl uni tut-5.12.1pm
x ./opt/local/share/man/man1p/perl util-5.12.1pm
x ./opt/local/share/man/man1p/perl uts-5.12.1pm
x ./opt/local/share/man/man1p/perl var-5.12.1pm
x ./opt/local/share/man/man1p/perl vmesa-5.12.1pm
x ./opt/local/share/man/man1p/perl vms-5.12.1pm
x ./opt/local/share/man/man1p/perl vos-5.12.1pm

- x ./opt/local/share/man/man1p/perlwin32-5.12.1pm
- x ./opt/local/share/man/man1p/perlxs-5.12.1pm
- x ./opt/local/share/man/man1p/perlxsstut-5.12.1pm
- x ./opt/local/share/man/man1p/piconv-5.12.1pm
- x ./opt/local/share/man/man1p/pl2pm-5.12.1pm
- x ./opt/local/share/man/man1p/pod2html-5.12.1pm
- x ./opt/local/share/man/man1p/pod2latex-5.12.1pm
- x ./opt/local/share/man/man1p/pod2man-5.12.1pm
- x ./opt/local/share/man/man1p/pod2text-5.12.1pm
- x ./opt/local/share/man/man1p/pod2usage-5.12.1pm
- x ./opt/local/share/man/man1p/podchecker-5.12.1pm
- x ./opt/local/share/man/man1p/podselect-5.12.1pm
- x ./opt/local/share/man/man1p/prove-5.12.1pm
- x ./opt/local/share/man/man1p/psed-5.12.1pm
- x ./opt/local/share/man/man1p/pstruct-5.12.1pm
- x ./opt/local/share/man/man1p/ptar-5.12.1pm
- x ./opt/local/share/man/man1p/ptardiff-5.12.1pm
- x ./opt/local/share/man/man1p/s2p-5.12.1pm
- x ./opt/local/share/man/man1p/shasum-5.12.1pm
- x ./opt/local/share/man/man1p/splain-5.12.1pm
- x ./opt/local/share/man/man1p/xsubpp-5.12.1pm
- x ./opt/local/lib/perl5/
- x ./opt/local/lib/perl5/5.12.4/
- x ./opt/local/lib/perl5/5.12.4/abbrev.pl

x ./opt/local/lib/perl5/5.12.4/AnyDBM_File.pm
x ./opt/local/lib/perl5/5.12.4/App/
x ./opt/local/lib/perl5/5.12.4/Archive/
x ./opt/local/lib/perl5/5.12.4/assert.pl
x ./opt/local/lib/perl5/5.12.4/Attribute/
x ./opt/local/lib/perl5/5.12.4/autodie/
x ./opt/local/lib/perl5/5.12.4/autodie.pm
x ./opt/local/lib/perl5/5.12.4/AutoLoader.pm
x ./opt/local/lib/perl5/5.12.4/AutoSplit.pm
x ./opt/local/lib/perl5/5.12.4/autouse.pm
x ./opt/local/lib/perl5/5.12.4/B/
x ./opt/local/lib/perl5/5.12.4/base.pm
x ./opt/local/lib/perl5/5.12.4/Benchmark.pm
x ./opt/local/lib/perl5/5.12.4/bigfloat.pl
x ./opt/local/lib/perl5/5.12.4/bigint.pl
x ./opt/local/lib/perl5/5.12.4/bigint.pm
x ./opt/local/lib/perl5/5.12.4/bignum.pm
x ./opt/local/lib/perl5/5.12.4/bigrat.pl
x ./opt/local/lib/perl5/5.12.4/bigrat.pm
x ./opt/local/lib/perl5/5.12.4/blib.pm
x ./opt/local/lib/perl5/5.12.4/bytes.pm
x ./opt/local/lib/perl5/5.12.4/bytes_heavy.pl
x ./opt/local/lib/perl5/5.12.4/cacheout.pl
x ./opt/local/lib/perl5/5.12.4/Carp/

- x ./opt/local/lib/perl5/5.12.4/Carp.pm
- x ./opt/local/lib/perl5/5.12.4/CGI/
- x ./opt/local/lib/perl5/5.12.4/CGI.pm
- x ./opt/local/lib/perl5/5.12.4/charnames.pm
- x ./opt/local/lib/perl5/5.12.4/Class/
- x ./opt/local/lib/perl5/5.12.4/complete.pl
- x ./opt/local/lib/perl5/5.12.4/Compress/
- x ./opt/local/lib/perl5/5.12.4/Config/
- x ./opt/local/lib/perl5/5.12.4/constant.pm
- x ./opt/local/lib/perl5/5.12.4/CORE.pod
- x ./opt/local/lib/perl5/5.12.4/CPAN/
- x ./opt/local/lib/perl5/5.12.4/CPAN.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS.pm
- x ./opt/local/lib/perl5/5.12.4/ctime.pl
- x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/
- x ./opt/local/lib/perl5/5.12.4/DB.pm
- x ./opt/local/lib/perl5/5.12.4/DBM_Filter/
- x ./opt/local/lib/perl5/5.12.4/DBM_Filter.pm
- x ./opt/local/lib/perl5/5.12.4/deprecate.pm
- x ./opt/local/lib/perl5/5.12.4/Devel/
- x ./opt/local/lib/perl5/5.12.4/diagnostics.pm
- x ./opt/local/lib/perl5/5.12.4/Digest/
- x ./opt/local/lib/perl5/5.12.4/Digest.pm

- x ./opt/local/lib/perl5/5.12.4/DirHandle.pm
- x ./opt/local/lib/perl5/5.12.4/dotsh.pl
- x ./opt/local/lib/perl5/5.12.4/Dumpvalue.pm
- x ./opt/local/lib/perl5/5.12.4/dumpvar.pl
- x ./opt/local/lib/perl5/5.12.4/Encode/
- x ./opt/local/lib/perl5/5.12.4/encoding/
- x ./opt/local/lib/perl5/5.12.4/English.pm
- x ./opt/local/lib/perl5/5.12.4/Env.pm
- x ./opt/local/lib/perl5/5.12.4/exceptions.pl
- x ./opt/local/lib/perl5/5.12.4/Exporter/
- x ./opt/local/lib/perl5/5.12.4/Exporter.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/
- x ./opt/local/lib/perl5/5.12.4/fastcwd.pl
- x ./opt/local/lib/perl5/5.12.4/Fatal.pm
- x ./opt/local/lib/perl5/5.12.4/feature.pm
- x ./opt/local/lib/perl5/5.12.4/fields.pm
- x ./opt/local/lib/perl5/5.12.4/File/
- x ./opt/local/lib/perl5/5.12.4/FileCache.pm
- x ./opt/local/lib/perl5/5.12.4/FileHandle.pm
- x ./opt/local/lib/perl5/5.12.4/filetest.pm
- x ./opt/local/lib/perl5/5.12.4/Filter/
- x ./opt/local/lib/perl5/5.12.4/find.pl
- x ./opt/local/lib/perl5/5.12.4/FindBin.pm
- x ./opt/local/lib/perl5/5.12.4/finddepth.pl

- x ./opt/local/lib/perl5/5.12.4/flush.pl
- x ./opt/local/lib/perl5/5.12.4/getcwd.pl
- x ./opt/local/lib/perl5/5.12.4/Getopt/
- x ./opt/local/lib/perl5/5.12.4/getopt.pl
- x ./opt/local/lib/perl5/5.12.4/getopts.pl
- x ./opt/local/lib/perl5/5.12.4/hostname.pl
- x ./opt/local/lib/perl5/5.12.4/I18N/
- x ./opt/local/lib/perl5/5.12.4/if.pm
- x ./opt/local/lib/perl5/5.12.4/importenv.pl
- x ./opt/local/lib/perl5/5.12.4/inc/
- x ./opt/local/lib/perl5/5.12.4/integer.pm
- x ./opt/local/lib/perl5/5.12.4/IO/
- x ./opt/local/lib/perl5/5.12.4/IPC/
- x ./opt/local/lib/perl5/5.12.4/less.pm
- x ./opt/local/lib/perl5/5.12.4/Locale/
- x ./opt/local/lib/perl5/5.12.4/locale.pm
- x ./opt/local/lib/perl5/5.12.4/Log/
- x ./opt/local/lib/perl5/5.12.4/look.pl
- x ./opt/local/lib/perl5/5.12.4/Math/
- x ./opt/local/lib/perl5/5.12.4/Memoize/
- x ./opt/local/lib/perl5/5.12.4/Memoize.pm
- x ./opt/local/lib/perl5/5.12.4/Module/
- x ./opt/local/lib/perl5/5.12.4/Net/
- x ./opt/local/lib/perl5/5.12.4/newgetopt.pl

- x ./opt/local/lib/perl5/5.12.4/NEXT.pm
- x ./opt/local/lib/perl5/5.12.4/Object/
- x ./opt/local/lib/perl5/5.12.4/open.pm
- x ./opt/local/lib/perl5/5.12.4/open2.pl
- x ./opt/local/lib/perl5/5.12.4/open3.pl
- x ./opt/local/lib/perl5/5.12.4/overload/
- x ./opt/local/lib/perl5/5.12.4/overload.pm
- x ./opt/local/lib/perl5/5.12.4/overloading.pm
- x ./opt/local/lib/perl5/5.12.4/Package/
- x ./opt/local/lib/perl5/5.12.4/Params/
- x ./opt/local/lib/perl5/5.12.4/parent.pm
- x ./opt/local/lib/perl5/5.12.4/Parse/
- x ./opt/local/lib/perl5/5.12.4/perl5db.pl
- x ./opt/local/lib/perl5/5.12.4/PerlIO/
- x ./opt/local/lib/perl5/5.12.4/PerlIO.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/
- x ./opt/local/lib/perl5/5.12.4/pods/
- x ./opt/local/lib/perl5/5.12.4/pwd.pl
- x ./opt/local/lib/perl5/5.12.4/Safe.pm
- x ./opt/local/lib/perl5/5.12.4/Search/
- x ./opt/local/lib/perl5/5.12.4/SelectSaver.pm
- x ./opt/local/lib/perl5/5.12.4/SelfLoader.pm
- x ./opt/local/lib/perl5/5.12.4/Shell.pm
- x ./opt/local/lib/perl5/5.12.4/shellwords.pl


```
x ./opt/local/lib/perl5/5.12.4/sigtrap.pm
x ./opt/local/lib/perl5/5.12.4/sort.pm
x ./opt/local/lib/perl5/5.12.4/stat.pl
x ./opt/local/lib/perl5/5.12.4/strict.pm
x ./opt/local/lib/perl5/5.12.4/subs.pm
x ./opt/local/lib/perl5/5.12.4/Switch.pm
x ./opt/local/lib/perl5/5.12.4/Symbol.pm
x ./opt/local/lib/perl5/5.12.4/syslog.pl
x ./opt/local/lib/perl5/5.12.4/tainted.pl
x ./opt/local/lib/perl5/5.12.4/TAP/
x ./opt/local/lib/perl5/5.12.4/Term/
x ./opt/local/lib/perl5/5.12.4/termcap.pl
x ./opt/local/lib/perl5/5.12.4/Test/
x ./opt/local/lib/perl5/5.12.4/Test.pm
x ./opt/local/lib/perl5/5.12.4/Text/
x ./opt/local/lib/perl5/5.12.4/Thread/
x ./opt/local/lib/perl5/5.12.4/Thread.pm
x ./opt/local/lib/perl5/5.12.4/Tie/
x ./opt/local/lib/perl5/5.12.4/Time/
x ./opt/local/lib/perl5/5.12.4/timelocal.pl
x ./opt/local/lib/perl5/5.12.4/Unicode/
x ./opt/local/lib/perl5/5.12.4/unicore/
x ./opt/local/lib/perl5/5.12.4/UNIVERSAL.pm
x ./opt/local/lib/perl5/5.12.4/User/
```

x ./opt/local/lib/perl5/5.12.4/utf8.pm
x ./opt/local/lib/perl5/5.12.4/utf8_heavy.pl
x ./opt/local/lib/perl5/5.12.4/validate.pl
x ./opt/local/lib/perl5/5.12.4/vars.pm
x ./opt/local/lib/perl5/5.12.4/version/
x ./opt/local/lib/perl5/5.12.4/version.pm
x ./opt/local/lib/perl5/5.12.4/version.pod
x ./opt/local/lib/perl5/5.12.4/vmsish.pm
x ./opt/local/lib/perl5/5.12.4/warnings/
x ./opt/local/lib/perl5/5.12.4/warnings.pm
x ./opt/local/lib/perl5/5.12.4/XSLoader.pm
x ./opt/local/lib/perl5/5.12.4/warnings/register.pm
x ./opt/local/lib/perl5/5.12.4/version/Internals.pod
x ./opt/local/lib/perl5/5.12.4/User/grent.pm
x ./opt/local/lib/perl5/5.12.4/User/pwent.pm
x ./opt/local/lib/perl5/5.12.4/unicore/ArabicShaping.txt
x ./opt/local/lib/perl5/5.12.4/unicore/auxiliary/
x ./opt/local/lib/perl5/5.12.4/unicore/BidiMirroring.txt
x ./opt/local/lib/perl5/5.12.4/unicore/Blocks.txt
x ./opt/local/lib/perl5/5.12.4/unicore/CaseFolding.txt
x ./opt/local/lib/perl5/5.12.4/unicore/CJKRadicals.txt
x ./opt/local/lib/perl5/5.12.4/unicore/CombiningClass.pl
x ./opt/local/lib/perl5/5.12.4/unicore/CompositionExclusions.txt
x ./opt/local/lib/perl5/5.12.4/unicore/DAge.txt

- x ./opt/local/lib/perl5/5.12.4/unicore/DCoreProperties.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/Decomposition.pl
- x ./opt/local/lib/perl5/5.12.4/unicore/DNormalizationProps.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/EastAsianWidth.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/
- x ./opt/local/lib/perl5/5.12.4/unicore/HangulSyllableType.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/Heavy.pl
- x ./opt/local/lib/perl5/5.12.4/unicore/Index.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/Jamo.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/lib/
- x ./opt/local/lib/perl5/5.12.4/unicore/LineBreak.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/mktables
- x ./opt/local/lib/perl5/5.12.4/unicore/mktables.lst
- x ./opt/local/lib/perl5/5.12.4/unicore/Name.pl
- x ./opt/local/lib/perl5/5.12.4/unicore/NameAliases.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/NamedSequences.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/NamedSqProv.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/NamesList.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/NormalizationCorrections.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/PropertyAliases.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/PropList.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/PropValueAliases.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/ReadMe.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/Scripts.txt

x ./opt/local/lib/perl5/5.12.4/unicore/SpecialCasing.txt
x ./opt/local/lib/perl5/5.12.4/unicore/StandardizedVariants.txt
x ./opt/local/lib/perl5/5.12.4/unicore/TestProp.pl
x ./opt/local/lib/perl5/5.12.4/unicore/To/
x ./opt/local/lib/perl5/5.12.4/unicore/UnicodeData.txt
x ./opt/local/lib/perl5/5.12.4/unicore/version
x ./opt/local/lib/perl5/5.12.4/unicore/To/Bmg.pl
x ./opt/local/lib/perl5/5.12.4/unicore/To/Digit.pl
x ./opt/local/lib/perl5/5.12.4/unicore/To/Fold.pl
x ./opt/local/lib/perl5/5.12.4/unicore/To/Lower.pl
x ./opt/local/lib/perl5/5.12.4/unicore/To/NFKCCF.pl
x ./opt/local/lib/perl5/5.12.4/unicore/To/Title.pl
x ./opt/local/lib/perl5/5.12.4/unicore/To/Upper.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/AHex/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Alpha/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/BidiC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/BidiM/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Cased/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CE/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CI/

x ./opt/local/lib/perl5/5.12.4/unicore/lib/CompEx/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWCF/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWCM/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWKCF/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWL/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWT/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWU/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dash/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dep/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/DI/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dia/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ea/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ext/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GrBase/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GrExt/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Hex/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Hst/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Hyphen/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ideo/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDS/

x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDSB/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDST/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/JoinC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jt/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/LOE/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lower/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Math/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NChar/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFCQC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFDQC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFKCQC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFKDQC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nt/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OAlpha/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/ODI/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OGrExt/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OIDC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OIDS/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OLower/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OMath/

x ./opt/local/lib/perl5/5.12.4/unicore/lib/0Upper/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/PatSyn/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/PatWS/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/QMark/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Radical/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SD/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Space/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/STerm/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Term/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/UIdeo/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Upper/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/VS/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/XIDC/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/XIDS/
x ./opt/local/lib/perl5/5.12.4/unicore/lib/XIDS/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/XIDS/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/XIDC/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/XIDC/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/EX.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/F0.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/KA.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/LE.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/MB.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/ML.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/MN.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/NL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/NU.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/WB/XX.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/VS/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/VS/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Upper/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Upper/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/UIdeo/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/UIdeo/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Term/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Term/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/STerm/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/STerm/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Space/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Space/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SD/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SD/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Arab.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Armi.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Armn.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Avst.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Bali.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Bamu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Beng.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Bopo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Bugi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Buhd.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Cans.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Cari.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Cham.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Cher.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Copt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Cprt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Cyrl.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Deva.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Egyp.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Ethi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Geor.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Glag.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Goth.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Grek.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Gujr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Guru.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Han.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Hang.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Hano.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Hebr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Hira.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Ital.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Java.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Kana.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Khar.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Khmr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Knda.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Kthi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Lana.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Lao.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Latn.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Lepc.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Limb.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Linb.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Lyci.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Lydi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Mlym.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Mong.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Mtei.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Mymr.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Nko.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Ogam.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Orkh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Orya.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Osma.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Phag.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Phli.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Phnx.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Prti.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Rjng.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Runr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Samr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Saur.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Sinh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Sund.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Sylo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Syrc.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Tagb.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Tale.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Talu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Taml.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Tavt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Telu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Tfng.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Tglg.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Thaa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Thai.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Tibt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Ugar.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Vai.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Xpeo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Xsux.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Yi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Zinh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Zyyy.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Sc/Zzzz.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/AT.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/CL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/EX.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/F0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/LE.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/L0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/SC.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/SE.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/Sp.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/ST.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/UP.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/SB/XX.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Radical/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Radical/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/QMark/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/QMark/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/_XBegin.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/_XExtend.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/_XLVLTV.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/Alnum.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/Any.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/Assigned.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/Blank.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/Graph.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PerlSpac.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PerlWord.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixAln.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixAlp.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixBla.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixCnt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixDig.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixGra.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixLow.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixPri.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixPun.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixSpa.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/PosixUpp.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/Print.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/SpacePer.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/VertSpac.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Perl/Word.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/PatWS/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/PatWS/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/PatSyn/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/PatSyn/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OUpper/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OUpper/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OMath/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OMath/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OLower/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OLower/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OIDS/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OIDS/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OIDC/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OIDC/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OGrExt/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OGrExt/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/ODI/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/ODI/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/OAlpha/N.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/0Alpha/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/10.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/100.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/10000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/100000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1000000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/10000002.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/11.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/11_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/12.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/13.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/13_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/14.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/15.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/15_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/16.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/17.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/17_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/18.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/19.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_10.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_16.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_5.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_6.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_7.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_8.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/1_9.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/20.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/200.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/2000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/20000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/21.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/22.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/23.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/24.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/25.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/26.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/27.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/28.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/29.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/2_3.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/2_5.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/30.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/300.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/3000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/30000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/31.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/32.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/33.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/34.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/35.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/36.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/37.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/38.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/39.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/3_16.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/3_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/3_4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/3_5.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/3_8.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/40.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/400.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/4000.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/40000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/41.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/42.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/43.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/44.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/45.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/46.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/47.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/48.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/49.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/4_5.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/5.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/50.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/500.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/5000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/50000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/5_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/5_6.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/5_8.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/6.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/60.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/600.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/6000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/60000.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/7.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/70.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/700.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/7000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/70000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/7_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/7_8.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/8.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/80.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/800.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/8000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/80000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/9.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/90.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/900.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/9000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/90000.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/9_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/_1_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nv/NaN.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nt/De.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nt/Di.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Nt/Nu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFKDQC/N.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFKCQC/M.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFKCQC/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFKCQC/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFDQC/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFDQC/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NFCQC/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NChar/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/NChar/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Math/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Math/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lower/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lower/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/LOE/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/AI.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/AL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/B2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/BA.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/BB.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/BK.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/CB.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/CL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/CM.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/CP.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/EX.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/GL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/HY.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/ID.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/IN.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/IS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/NL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/NS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/NU.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/OP.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/P0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/PR.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/QU.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/SA.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/SG.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/SP.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/SY.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/WJ.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/XX.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Lb/ZW.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jt/C.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jt/D.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jt/R.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jt/T.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jt/U.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/JoinC/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/JoinC/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Ain.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Alaph.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Alef.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Beh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Beth.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Burushas.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Dal.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/DalathRi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/E.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/FarsiYeh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Fe.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Feh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/FinalSem.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Gaf.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Gamal.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Hah.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/HamzaOnH.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/He.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Heh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/HehGoal.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Heth.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Kaf.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Kaph.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Khaph.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/KnottedH.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Lam.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Lamadh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Meem.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Mim.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/NoJoinin.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Noon.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Nun.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Nya.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Pe.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Qaf.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Qaph.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Reh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Reversed.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Sad.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Sadhe.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Seen.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Semkath.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Shin.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/SwashKaf.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/SyriacWa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Tah.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Taw.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/TehMarbu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Teth.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Waw.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Yeh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/YehBarre.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/YehWithT.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Yudh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/YudhHe.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Zain.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Jg/Zhain.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/2_0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/2_1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/3_0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/3_1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/3_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/4_0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/4_1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/5_0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/5_1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/In/5_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDST/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDST/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDSB/N.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDSB/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDS/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDS/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ideo/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ideo/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDC/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/IDC/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Hyphen/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Hyphen/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Hst/NA.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Hex/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Hex/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GrExt/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GrExt/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GrBase/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GrBase/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/CN.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/CR.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/EX.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/L.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/LF.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/LV.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/LVT.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/PP.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/SM.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/T.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/V.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/GCB/XX.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/C.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Cc.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Cf.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Cn.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Co.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Cs.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/L.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/LC.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Ll.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Lm.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Lo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Lt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Lu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/M.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Mc.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Me.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Mn.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Nl.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/No.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/P.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Pd.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Pe.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Pf.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Pi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Po.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Ps.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/S.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Sc.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Sk.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Sm.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/So.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Z.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Zl.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Zp.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Gc/Zs.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ext/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ext/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ea/A.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ea/F.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ea/H.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ea/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ea/Na.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ea/W.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Com.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Enc.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Fin.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Font.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Fra.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Init.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Iso.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Med.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Nar.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Nb.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/NonCanon.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/None.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Sml.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Sqr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Sub.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Sup.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dt/Vert.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dia/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dia/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/DI/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/DI/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dep/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dep/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dash/N.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Dash/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWU/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWU/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWT/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWT/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWL/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWL/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWKCF/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWKCF/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWCM/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWCM/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWCF/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CWCF/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CompEx/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CompEx/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CI/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CI/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CE/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/CE/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/10.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/103.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/107.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/11.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/118.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/12.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/122.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/129.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/13.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/130.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/132.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/14.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/15.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/16.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/17.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/18.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/19.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/20.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/21.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/22.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/23.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/24.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/25.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/26.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/27.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/28.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/29.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/30.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/31.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/32.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/33.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/34.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/35.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/36.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/84.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/91.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/A.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/AL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/AR.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/ATA.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/ATAR.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/ATB.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/ATBL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/B.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/BL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/BR.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/DA.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/DB.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/IS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/KV.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/L.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/NK.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/NR.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/OV.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/R.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Ccc/VR.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Cased/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Cased/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/AegeanNu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Alphabet.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Ancient2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/AncientG.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/AncientS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Arabic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/ArabicP2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/ArabicPr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/ArabicSu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Armenian.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Arrows.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/ASCII.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Avestan.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Balinese.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Bamum.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Bengali.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/BlockEle.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Bopomof2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Bopomofo.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/BoxDrawi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/BrailleP.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Buginese.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Buhid.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Byzantin.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Canadian.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Carian.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Cham.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Cherokee.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKComp2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKComp3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKComp4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKCompa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKRadic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKStrok.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKSymbo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKUnif2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKUnif3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKUnif4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CJKUnifi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Combini2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Combini3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Combini4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Combinin.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CommonIn.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/ControlP.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Coptic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Counting.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Cuneifo2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Cuneifor.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Currency.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/CypriotS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Cyrilli2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Cyrilli3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Cyrilli4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Cyrillic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Deseret.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Devanag2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Devanaga.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Dingbats.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/DominoTi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Egyptian.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Enclose2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Enclose3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Enclose4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Enclosed.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Ethiopi2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Ethiopi3.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Ethiopic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/GeneralP.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Geometri.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Georgia2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Georgian.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Glagolit.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Gothic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Greek.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/GreekExt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Gujarati.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Gurmukhi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Halfwidt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/HangulCo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/HangulJ2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/HangulJ3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/HangulJa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/HangulSy.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Hanunoo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Hebrew.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/HighPriv.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/HighSurr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Hiragana.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Ideograp.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Imperial.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Inscrip2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Inscript.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/IPAExten.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Javanese.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Kaithi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Kanbun.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/KangxiRa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Kannada.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Katakan2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Katakana.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/KayahLi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Kharosht.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Khmer.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/KhmerSym.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Lao.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Latin1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/LatinEx2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/LatinEx3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/LatinEx4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/LatinEx5.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/LatinExt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Lepcha.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Letterli.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Limbu.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/LinearBI.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/LinearBS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Lisu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/LowSurro.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Lycian.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Lyidian.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/MahjongT.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Malayala.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Mathema2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Mathemat.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/MeeteiMa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Miscell12.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Miscell13.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Miscell14.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Miscell15.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Miscella.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Modifier.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Mongolia.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/MusicalS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Myanmar.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/MyanmarE.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/NewTaiLu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/NKo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/NoBlock.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/NumberFo.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Ogham.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/OlChiki.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/OldItali.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/OldPersi.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/OldSouth.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/OldTurki.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/OpticalC.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Oriya.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Osmanya.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/PhagsPa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Phaistos.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Phoenici.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Phoneti2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Phonetic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/PrivateU.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Rejang.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/RumiNume.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Runic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Samarita.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Saurasht.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Shavian.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Sinhala.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/SmallFor.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/SpacingM.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Specials.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Sundanese.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Superscr.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Supplem2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Supplem3.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Supplem4.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Supplem5.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Supplem6.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Suppleme.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/SylotiNa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Syriac.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Tagalog.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Tagbanwa.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Tags.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/TaiLe.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/TaiTham.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/TaiViet.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/TaiXuanJ.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Tamil.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Telugu.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Thaana.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Thai.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Tibetan.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Tifinagh.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Ugaritic.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/UnifiedC.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Vai.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Variati2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Variatio.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/VedicExt.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/Vertical.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/YijingHe.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/YiRadica.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Blk/YiSyllab.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/BidiM/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/BidiM/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/BidiC/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/BidiC/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/AL.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/AN.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/B.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/BN.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/CS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/EN.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/ES.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/ET.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/L.pl

x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/LRE.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/LR0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/NSM.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/ON.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/PDF.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/R.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/RLE.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/RL0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/S.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Bc/WS.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Alpha/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Alpha/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/AHex/N.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/AHex/Y.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/1_1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/2_0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/2_1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/3_0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/3_1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/3_2.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/4_0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/4_1.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/5_0.pl
x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/5_1.pl

- x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/5_2.pl
- x ./opt/local/lib/perl5/5.12.4/unicore/lib/Age/Unassign.pl
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DBidiClass.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DBinaryProperties.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DCombiningClass.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DDecompositionType.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DEastAsianWidth.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DGeneralCategory.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DJoinGroup.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DJoinType.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DLineBreak.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DNumType.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/extracted/DNumValues.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/auxiliary/GCBTest.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/auxiliary/GraphemeBreakProperty.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/auxiliary/SentenceBreakProperty.txt
- x ./opt/local/lib/perl5/5.12.4/unicore/auxiliary/WordBreakProperty.txt
- x ./opt/local/lib/perl5/5.12.4/Unicode/Collate/
- x ./opt/local/lib/perl5/5.12.4/Unicode/Collate.pm
- x ./opt/local/lib/perl5/5.12.4/Unicode/UCD.pm
- x ./opt/local/lib/perl5/5.12.4/Unicode/Collate/allkeys.txt
- x ./opt/local/lib/perl5/5.12.4/Unicode/Collate/keys.txt
- x ./opt/local/lib/perl5/5.12.4/Time/gmtime.pm
- x ./opt/local/lib/perl5/5.12.4/Time/Local.pm

- x ./opt/local/lib/perl5/5.12.4/Time/localtime.pm
- x ./opt/local/lib/perl5/5.12.4/Time/tm.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/Array.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/File.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/Handle.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/Hash/
- x ./opt/local/lib/perl5/5.12.4/Tie/Hash.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/Memoize.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/RefHash.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/Scalar.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/StdHandle.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/SubstrHash.pm
- x ./opt/local/lib/perl5/5.12.4/Tie/Hash/NamedCapture.pm
- x ./opt/local/lib/perl5/5.12.4/Thread/Queue.pm
- x ./opt/local/lib/perl5/5.12.4/Thread/Semaphore.pm
- x ./opt/local/lib/perl5/5.12.4/Text/Abbrev.pm
- x ./opt/local/lib/perl5/5.12.4/Text/Balanced.pm
- x ./opt/local/lib/perl5/5.12.4/Text/ParseWords.pm
- x ./opt/local/lib/perl5/5.12.4/Text/Tabs.pm
- x ./opt/local/lib/perl5/5.12.4/Text/Wrap.pm
- x ./opt/local/lib/perl5/5.12.4/Test/Builder/
- x ./opt/local/lib/perl5/5.12.4/Test/Builder.pm
- x ./opt/local/lib/perl5/5.12.4/Test/Harness.pm
- x ./opt/local/lib/perl5/5.12.4/Test/More.pm

- x ./opt/local/lib/perl5/5.12.4/Test/Simple.pm
- x ./opt/local/lib/perl5/5.12.4/Test/Tutorial.pod
- x ./opt/local/lib/perl5/5.12.4/Test/Builder/Module.pm
- x ./opt/local/lib/perl5/5.12.4/Test/Builder/Tester/
- x ./opt/local/lib/perl5/5.12.4/Test/Builder/Tester.pm
- x ./opt/local/lib/perl5/5.12.4/Test/Builder/Tester/Color.pm
- x ./opt/local/lib/perl5/5.12.4/Term/ANSIColor.pm
- x ./opt/local/lib/perl5/5.12.4/Term/Cap.pm
- x ./opt/local/lib/perl5/5.12.4/Term/Complete.pm
- x ./opt/local/lib/perl5/5.12.4/Term/ReadLine.pm
- x ./opt/local/lib/perl5/5.12.4/Term/UI/
- x ./opt/local/lib/perl5/5.12.4/Term/UI.pm
- x ./opt/local/lib/perl5/5.12.4/Term/UI/History.pm
- x ./opt/local/lib/perl5/5.12.4/TAP/Base.pm
- x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/
- x ./opt/local/lib/perl5/5.12.4/TAP/Harness.pm
- x ./opt/local/lib/perl5/5.12.4/TAP/Object.pm
- x ./opt/local/lib/perl5/5.12.4/TAP/Parser/
- x ./opt/local/lib/perl5/5.12.4/TAP/Parser.pm
- x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Aggregator.pm
- x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Grammar.pm
- x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Iterator/
- x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Iterator.pm
- x ./opt/local/lib/perl5/5.12.4/TAP/Parser/IteratorFactory.pm

x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Multiplexer.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/ResultFactory.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Scheduler/
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Scheduler.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Source/
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Source.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Utils.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/YAMLish/
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/YAMLish/Reader.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/YAMLish/Writer.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Source/Perl.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Scheduler/Job.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Scheduler/Spinner.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/Bailout.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/Comment.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/Plan.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/Pragma.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/Test.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/Unknown.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/Version.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Result/YAML.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Iterator/Array.pm

x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Iterator/Process.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Parser/Iterator/Stream.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/Base.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/Color.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/Console/
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/Console.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/File/
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/File.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/Session.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/File/Session.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/Console/ParallelSession.pm
x ./opt/local/lib/perl5/5.12.4/TAP/Formatter/Console/Session.pm
x ./opt/local/lib/perl5/5.12.4/Search/Dict.pm
x ./opt/local/lib/perl5/5.12.4/pods/a2p.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5004delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5005delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5100delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5101delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5110delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5111delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5112delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5113delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5114delta.pod

x ./opt/local/lib/perl5/5.12.4/pods/perl5115delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5120delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5121delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5122delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5123delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5124delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl561delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl56delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl570delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl571delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl572delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl573delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl581delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl582delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl583delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl584delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl585delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl586delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl587delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl588delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl589delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl58delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl590delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl591delta.pod

x ./opt/local/lib/perl5/5.12.4/pods/perl592delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl593delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl594delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl595delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlaix.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlamiga.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlapip.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlapio.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlapollo.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlartistic.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlbeos.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlbook.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlboot.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlbot.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlbs2000.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlcall.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlce.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlcheat.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlclib.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlcn.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlcommunity.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlcompile.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlcygwin.pod
x ./opt/local/lib/perl5/5.12.4/pods/perldata.pod

x ./opt/local/lib/perl5/5.12.4/pods/perl5dbmfilter.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5debguts.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5debtut.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5debug.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5delta.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5dgux.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5diag.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5doc.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5dos.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5dsc.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5lebcdic.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5embed.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5epoc.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq1.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq2.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq3.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq4.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq5.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq6.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq7.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq8.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5faq9.pod
x ./opt/local/lib/perl5/5.12.4/pods/perl5filter.pod

x ./opt/local/lib/perl5/5.12.4/pods/perlfork.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlform.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlfreebsd.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlfunc.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlglossary.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlgpl.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlguits.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlhack.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlhaiku.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlhist.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlhpux.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlhurd.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlintern.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlintro.pod
x ./opt/local/lib/perl5/5.12.4/pods/perliol.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlipc.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlirix.pod
x ./opt/local/lib/perl5/5.12.4/pods/perljp.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlko.pod
x ./opt/local/lib/perl5/5.12.4/pods/perllexwarn.pod
x ./opt/local/lib/perl5/5.12.4/pods/perllinux.pod
x ./opt/local/lib/perl5/5.12.4/pods/perllocale.pod
x ./opt/local/lib/perl5/5.12.4/pods/perllo1.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlmacos.pod

x ./opt/local/lib/perl5/5.12.4/pods/perlmacosx.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlmod.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlmodinstall.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlmodlib.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlmodstyle.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlmpaix.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlmpioapi.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlntware.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlnewmod.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlnumber.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlobj.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlper.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperbsd.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperpentut.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperos2.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperos390.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperos400.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperpacktut.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperperf.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperplan9.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperpod.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperpodspec.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperpolicy.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlperport.pod

x ./opt/local/lib/perl5/5.12.4/pods/perlpragma.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlqnx.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlre.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlreapi.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlrebackslash.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlrecharclass.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlref.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlreftut.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlreguts.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlrepository.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlrequick.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlreref.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlretut.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlrisco.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlrun.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlsec.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlsholaris.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlstyle.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlsub.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlshymbian.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlshyn.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlthrtut.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlshye.pod
x ./opt/local/lib/perl5/5.12.4/pods/perlshye.pod

- x ./opt/local/lib/perl5/5.12.4/pods/perltodo.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perltooc.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perltoot.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perltrap.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perltru64.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perltw.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlunicode.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlunifaq.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perluniintro.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perluniprops.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlunitut.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlutil.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perluts.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlvar.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlvmesa.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlvms.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlvos.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlwin32.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlxs.pod
- x ./opt/local/lib/perl5/5.12.4/pods/perlxsstut.pod
- x ./opt/local/lib/perl5/5.12.4/Pod/Checker.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Escapes.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Find.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Functions.pm

x ./opt/local/lib/perl5/5.12.4/Pod/Html.pm
x ./opt/local/lib/perl5/5.12.4/Pod/InputObjects.pm
x ./opt/local/lib/perl5/5.12.4/Pod/LaTeX.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Man.pm
x ./opt/local/lib/perl5/5.12.4/Pod/ParseLink.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Parser.pm
x ./opt/local/lib/perl5/5.12.4/Pod/ParseUtils.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/
x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Plainer.pm
x ./opt/local/lib/perl5/5.12.4/Pod/PlainText.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Select.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Simple/
x ./opt/local/lib/perl5/5.12.4/Pod/Simple.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Simple.pod
x ./opt/local/lib/perl5/5.12.4/Pod/Text/
x ./opt/local/lib/perl5/5.12.4/Pod/Text.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Usage.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Text/Color.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Text/Overstrike.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Text/Termcap.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Simple/BlackBox.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Simple/Checker.pm
x ./opt/local/lib/perl5/5.12.4/Pod/Simple/Debug.pm

- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/DumpAsText.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/DumpAsXML.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/HTML.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/HTMLBatch.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/HTMLLegacy.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/LinkSection.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/Methody.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/Progress.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/PullParser.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/PullParserEndToken.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/PullParserStartToken.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/PullParserTextToken.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/PullParserToken.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/RTF.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/Search.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/SimpleTree.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/Subclassing.pod
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/Text.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/TextContent.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/TiedOutFH.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/Transcode.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/TranscodeDumb.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/TranscodeSmart.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/XHTML.pm

- x ./opt/local/lib/perl5/5.12.4/Pod/Simple/XMLOutputStream.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/BaseTo.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/GetOpts00.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/ToChecker.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/ToMan.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/ToNroff.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/ToPod.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/ToRtf.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/ToText.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/ToTk.pm
- x ./opt/local/lib/perl5/5.12.4/Pod/Perldoc/ToXml.pm
- x ./opt/local/lib/perl5/5.12.4/PerlIO/via/
- x ./opt/local/lib/perl5/5.12.4/PerlIO/via/QuotedPrint.pm
- x ./opt/local/lib/perl5/5.12.4/Parse/CPAN/
- x ./opt/local/lib/perl5/5.12.4/Parse/CPAN/Meta.pm
- x ./opt/local/lib/perl5/5.12.4/Params/Check.pm
- x ./opt/local/lib/perl5/5.12.4/Package/Constants.pm
- x ./opt/local/lib/perl5/5.12.4/overload/numbers.pm
- x ./opt/local/lib/perl5/5.12.4/Object/Accessor.pm
- x ./opt/local/lib/perl5/5.12.4/Net/Cmd.pm
- x ./opt/local/lib/perl5/5.12.4/Net/Config.pm
- x ./opt/local/lib/perl5/5.12.4/Net/Domain.pm
- x ./opt/local/lib/perl5/5.12.4/Net/FTP/
- x ./opt/local/lib/perl5/5.12.4/Net/FTP.pm

- x ./opt/local/lib/perl5/5.12.4/Net/hostent.pm
- x ./opt/local/lib/perl5/5.12.4/Net/libnetFAQ.pod
- x ./opt/local/lib/perl5/5.12.4/Net/netent.pm
- x ./opt/local/lib/perl5/5.12.4/Net/Netrc.pm
- x ./opt/local/lib/perl5/5.12.4/Net/NNTP.pm
- x ./opt/local/lib/perl5/5.12.4/Net/Ping.pm
- x ./opt/local/lib/perl5/5.12.4/Net/POP3.pm
- x ./opt/local/lib/perl5/5.12.4/Net/protoent.pm
- x ./opt/local/lib/perl5/5.12.4/Net/servent.pm
- x ./opt/local/lib/perl5/5.12.4/Net/SMTP.pm
- x ./opt/local/lib/perl5/5.12.4/Net/Time.pm
- x ./opt/local/lib/perl5/5.12.4/Net/FTP/A.pm
- x ./opt/local/lib/perl5/5.12.4/Net/FTP/dataconn.pm
- x ./opt/local/lib/perl5/5.12.4/Net/FTP/E.pm
- x ./opt/local/lib/perl5/5.12.4/Net/FTP/I.pm
- x ./opt/local/lib/perl5/5.12.4/Net/FTP/L.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/
- x ./opt/local/lib/perl5/5.12.4/Module/Build.pm
- x ./opt/local/lib/perl5/5.12.4/Module/CoreList.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Load/
- x ./opt/local/lib/perl5/5.12.4/Module/Load.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Loaded.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Pluggable/
- x ./opt/local/lib/perl5/5.12.4/Module/Pluggable.pm

- x ./opt/local/lib/perl5/5.12.4/Module/Pluggable/Object.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Load/Conditional.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/API.pod
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Authoring.pod
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Base.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Bundling.pod
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Compat.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Config.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/ConfigData.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Cookbook.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Dumper.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/ModuleInfo.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Notes.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/
- x ./opt/local/lib/perl5/5.12.4/Module/Build/PodParser.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/PPMaker.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Version.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/YAML.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/aix.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/Amiga.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/cygwin.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/darwin.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/Default.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/EBCDIC.pm

- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/MacOS.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/MPEiX.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/os2.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/RiscOS.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/Unix.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/VMS.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/VOS.pm
- x ./opt/local/lib/perl5/5.12.4/Module/Build/Platform/Windows.pm
- x ./opt/local/lib/perl5/5.12.4/Memoize/AnyDBM_File.pm
- x ./opt/local/lib/perl5/5.12.4/Memoize/Expire.pm
- x ./opt/local/lib/perl5/5.12.4/Memoize/ExpireFile.pm
- x ./opt/local/lib/perl5/5.12.4/Memoize/ExpireTest.pm
- x ./opt/local/lib/perl5/5.12.4/Memoize/NDBM_File.pm
- x ./opt/local/lib/perl5/5.12.4/Memoize/SDBM_File.pm
- x ./opt/local/lib/perl5/5.12.4/Memoize/Storable.pm
- x ./opt/local/lib/perl5/5.12.4/Math/BigFloat/
- x ./opt/local/lib/perl5/5.12.4/Math/BigFloat.pm
- x ./opt/local/lib/perl5/5.12.4/Math/BigInt/
- x ./opt/local/lib/perl5/5.12.4/Math/BigInt.pm
- x ./opt/local/lib/perl5/5.12.4/Math/BigRat.pm
- x ./opt/local/lib/perl5/5.12.4/Math/Complex.pm
- x ./opt/local/lib/perl5/5.12.4/Math/Trig.pm
- x ./opt/local/lib/perl5/5.12.4/Math/BigInt/Calc.pm
- x ./opt/local/lib/perl5/5.12.4/Math/BigInt/CalcEmu.pm

x ./opt/local/lib/perl5/5.12.4/Math/BigInt/Trace.pm
x ./opt/local/lib/perl5/5.12.4/Math/BigFloat/Trace.pm
x ./opt/local/lib/perl5/5.12.4/Log/Message/
x ./opt/local/lib/perl5/5.12.4/Log/Message.pm
x ./opt/local/lib/perl5/5.12.4/Log/Message/Config.pm
x ./opt/local/lib/perl5/5.12.4/Log/Message/Handlers.pm
x ./opt/local/lib/perl5/5.12.4/Log/Message/Item.pm
x ./opt/local/lib/perl5/5.12.4/Log/Message/Simple.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Constants.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Constants.pod
x ./opt/local/lib/perl5/5.12.4/Locale/Country.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Country.pod
x ./opt/local/lib/perl5/5.12.4/Locale/Currency.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Currency.pod
x ./opt/local/lib/perl5/5.12.4/Locale/Language.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Language.pod
x ./opt/local/lib/perl5/5.12.4/Locale/Maketext/
x ./opt/local/lib/perl5/5.12.4/Locale/Maketext.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Maketext.pod
x ./opt/local/lib/perl5/5.12.4/Locale/Script.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Script.pod
x ./opt/local/lib/perl5/5.12.4/Locale/Maketext/Guts.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Maketext/GutsLoader.pm
x ./opt/local/lib/perl5/5.12.4/Locale/Maketext/Simple.pm

- x ./opt/local/lib/perl5/5.12.4/Locale/Maketext/TPJ13.pod
- x ./opt/local/lib/perl5/5.12.4/IPC/Cmd.pm
- x ./opt/local/lib/perl5/5.12.4/IPC/Open2.pm
- x ./opt/local/lib/perl5/5.12.4/IPC/Open3.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Compress/
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/
- x ./opt/local/lib/perl5/5.12.4/IO/Zlib.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Adapter/
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/AnyInflate.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/AnyUncompress.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Base.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Bunzip2.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Gunzip.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Inflate.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/RawInflate.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Unzip.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Adapter/Bunzip2.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Adapter/Identity.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Uncompress/Adapter/Inflate.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Compress/Adapter/
- x ./opt/local/lib/perl5/5.12.4/IO/Compress/Base/
- x ./opt/local/lib/perl5/5.12.4/IO/Compress/Base.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Compress/Bzip2.pm
- x ./opt/local/lib/perl5/5.12.4/IO/Compress/Deflate.pm

x ./opt/local/lib/perl5/5.12.4/I0/Compress/Gzip/
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Gzip.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/RawDeflate.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Zip/
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Zip.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Zlib/
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Zlib/Constants.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Zlib/Extra.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Zip/Constants.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Gzip/Constants.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Base/Common.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Adapter/Bzip2.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Adapter/Deflate.pm
x ./opt/local/lib/perl5/5.12.4/I0/Compress/Adapter/Identity.pm
x ./opt/local/lib/perl5/5.12.4/inc/latest/
x ./opt/local/lib/perl5/5.12.4/inc/latest.pm
x ./opt/local/lib/perl5/5.12.4/inc/latest/private.pm
x ./opt/local/lib/perl5/5.12.4/I18N/Collate.pm
x ./opt/local/lib/perl5/5.12.4/I18N/LangTags/
x ./opt/local/lib/perl5/5.12.4/I18N/LangTags.pm
x ./opt/local/lib/perl5/5.12.4/I18N/LangTags/Detect.pm
x ./opt/local/lib/perl5/5.12.4/I18N/LangTags/List.pm
x ./opt/local/lib/perl5/5.12.4/Getopt/Long.pm
x ./opt/local/lib/perl5/5.12.4/Getopt/Std.pm

x ./opt/local/lib/perl5/5.12.4/Filter/Simple.pm
x ./opt/local/lib/perl5/5.12.4/File/Basename.pm
x ./opt/local/lib/perl5/5.12.4/File/CheckTree.pm
x ./opt/local/lib/perl5/5.12.4/File/Compare.pm
x ./opt/local/lib/perl5/5.12.4/File/Copy.pm
x ./opt/local/lib/perl5/5.12.4/File/DosGlob.pm
x ./opt/local/lib/perl5/5.12.4/File/Fetch.pm
x ./opt/local/lib/perl5/5.12.4/File/Find.pm
x ./opt/local/lib/perl5/5.12.4/File/GlobMapper.pm
x ./opt/local/lib/perl5/5.12.4/File/Path.pm
x ./opt/local/lib/perl5/5.12.4/File/stat.pm
x ./opt/local/lib/perl5/5.12.4/File/Temp.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/
x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Command/
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Command.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Constant/
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Constant.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Embed.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Install.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Installed.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Liblist/
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Liblist.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MakeMaker/

x ./opt/local/lib/perl5/5.12.4/ExtUtils/MakeMaker.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Manifest.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MANIFEST.SKIP
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Miniperl.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Mkbootstrap.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/Mksymlists.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_AIX.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_Any.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_BeOS.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_Cygwin.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_Darwin.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_DOS.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_MacOS.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_NW5.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_OS2.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_QNX.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_Unix.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_UWIN.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_VMS.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_VOS.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_Win32.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MM_Win95.pm
x ./opt/local/lib/perl5/5.12.4/ExtUtils/MY.pm

- x ./opt/local/lib/perl5/5.12.4/ExtUtils/Packlist.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/ParseXS.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/testlib.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/typemap
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/xsubpp
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/MakeMaker/Config.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/MakeMaker/FAQ.pod
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/MakeMaker/Tutorial.pod
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/Liblist/Kid.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/Constant/Base.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/Constant/ProxySubs.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/Constant/Utils.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/Constant/XS.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/Command/MM.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Base.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/aix.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/cygwin.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/darwin.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/dec_osf.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/os2.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/Unix.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/VMS.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/Windows/

- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/Windows.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/Windows/BCC.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/Windows/GCC.pm
- x ./opt/local/lib/perl5/5.12.4/ExtUtils/CBuilder/Platform/Windows/MSVC.pm
- x ./opt/local/lib/perl5/5.12.4/Exporter/Heavy.pm
- x ./opt/local/lib/perl5/5.12.4/encoding/warnings.pm
- x ./opt/local/lib/perl5/5.12.4/Encode/_PM.e2x
- x ./opt/local/lib/perl5/5.12.4/Encode/_T.e2x
- x ./opt/local/lib/perl5/5.12.4/Encode/Changes.e2x
- x ./opt/local/lib/perl5/5.12.4/Encode/ConfigLocal_PM.e2x
- x ./opt/local/lib/perl5/5.12.4/Encode/encode.h
- x ./opt/local/lib/perl5/5.12.4/Encode/Makefile_PL.e2x
- x ./opt/local/lib/perl5/5.12.4/Encode/PerlIO.pod
- x ./opt/local/lib/perl5/5.12.4/Encode/README.e2x
- x ./opt/local/lib/perl5/5.12.4/Encode/Supported.pod
- x ./opt/local/lib/perl5/5.12.4/Digest/base.pm
- x ./opt/local/lib/perl5/5.12.4/Digest/file.pm
- x ./opt/local/lib/perl5/5.12.4/Devel/DProf/
- x ./opt/local/lib/perl5/5.12.4/Devel/InnerPackage.pm
- x ./opt/local/lib/perl5/5.12.4/Devel/SelfStubber.pm
- x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test1_t
- x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test1_v
- x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test2_t
- x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test2_v

```
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test3_t
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test3_v
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test4_t
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test4_v
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test5_t
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test5_v
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test6_t
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test6_v
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test7_t
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test7_v
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test8_t
x ./opt/local/lib/perl5/5.12.4/Devel/DProf/test8_v
x ./opt/local/lib/perl5/5.12.4/DBM_Filter/compress.pm
x ./opt/local/lib/perl5/5.12.4/DBM_Filter/encode.pm
x ./opt/local/lib/perl5/5.12.4/DBM_Filter/int32.pm
x ./opt/local/lib/perl5/5.12.4/DBM_Filter/null.pm
x ./opt/local/lib/perl5/5.12.4/DBM_Filter/utf8.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/.packlist
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/attributes.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/B/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/B.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Compress/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Config.pm
```

```
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Config.pod
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Config_git.pl
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Config_heavy.pl
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Cwd.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Data/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/DB_File.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Devel/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Digest/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/DynaLoader.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/encoding.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Errno.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Fcntl.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Filter/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/GDBM_File.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Hash/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/I18N/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IPC/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/lib.pm
```

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/List/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Math/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/MIME/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/mro.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/NDBM_File.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/0.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Opcode.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/ops.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/PerlIO/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/POSIX.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/POSIX.pod
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/re.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Scalar/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/SDBM_File.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Socket.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Storable.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Sys/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Text/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/threads/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/threads.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Time/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Unicode/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Unicode/Normalize.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Time/HiRes.pm

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Time/Piece.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Time/Seconds.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/threads/shared.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Text/Soundex.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Sys/Hostname.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Sys/Syslog.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Scalar/Util/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Scalar/Util.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Scalar/Util/PP.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/PerlIO/encoding.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/PerlIO/scalar.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/PerlIO/via.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/MIME/Base64.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/MIME/QuotedPrint.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Math/BigInt/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Math/BigInt/FastCalc.p
m
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/List/Util/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/List/Util.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/List/Util/PP.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/List/Util/XS.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IPC/Msg.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IPC/Semaphore.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IPC/SharedMem.pm

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IPC/SysV.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Dir.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/File.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Handle.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Pipe.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Poll.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Seekable.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Select.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Socket/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Socket.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Socket/INET.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/IO/Socket/UNIX.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/I18N/Langinfo.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Hash/Util/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Hash/Util.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Hash/Util/FieldHash.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Filter/Util/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Filter/Util/Call.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Glob.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/Cygwin.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/Epoc.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/Functions.pm

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/Mac.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/OS2.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/Unix.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/VMS.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/File/Spec/Win32.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Alias.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Byte.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/CJKConstants.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/CN/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/CN.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Config.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/EBCDIC.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Encoder.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Encoding.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/GSM0338.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Guess.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/JP/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/JP.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/KR/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/KR.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/MIME/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Symbol.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/TW.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Unicode/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Unicode.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/Unicode/UTF7.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/MIME/Header/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/MIME/Header.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/MIME/Name.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/MIME/Header/ISO
_2022_JP.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/KR/2022_KR.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/JP/H2Z.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/JP/JIS7.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Encode/CN/HZ.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Digest/MD5.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Digest/SHA.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Devel/DProf/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Devel/DProf.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Devel/Peek.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Devel/PPPport.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Devel/DProf/V.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Data/Dumper.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/av.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/bitcount.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/cc_runtime.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/config.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/cop.h

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/cv.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/dosish.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/embed.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/embedvar.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/EXTERN.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/fakesdio.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/fakethr.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/form.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/git_version.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/gv.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/handy.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/hv.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/INTERN.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/intrpvar.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/iperlsys.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/keywords.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/libperl.dylib
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/malloc_ctl.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/mg.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/mydtrace.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/nostdio.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/op.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/opcode.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/opnames.h

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/overload.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/pad.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/parser.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/patchlevel.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/perl.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/perlapi.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/perlio.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/perliol.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/perlstdio.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/perlsvio.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/perlvars.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/perly.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/pp.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/pp_proto.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/proto.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/reentr.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/regcharclass.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/regcomp.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/regexp.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/regnodes.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/scope.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/sv.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/thread.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/time64.h

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/time64_config.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/uconfig.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/unixish.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/utf8.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/utfebcdic.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/util.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/uudmap.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/warnings.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/CORE/XSUB.h
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Compress/Raw/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Compress/Raw/Bzip2.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/Compress/Raw/Zlib.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/B/Concise.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/B/Showlex.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/B/Terse.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/B/Xref.pm
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/attributes/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/B/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Cwd/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Data/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/DB_File/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Devel/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Digest/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/DynaLoader/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Fcntl/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/File/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Filter/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/GDBM_File/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Hash/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/I18N/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/IO/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/IPC/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/List/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Math/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/MIME/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/mro/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/NDBM_File/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Opcodes/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/PerlIO/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/re/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/sdbm/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/SDBM_File/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Socket/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Sys/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Text/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/threads/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Time/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Unicode/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Unicode/Normalize
/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Unicode/Normalize
/Normalize.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Time/HiRes/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Time/Piece/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Time/Piece/Piece.
bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Time/HiRes/HiRes.
bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/threads/shared/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/threads/threads.b
undle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/threads/shared/sh
ared.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Text/Soundex/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Text/Soundex/Soun
dex.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Sys/Hostname/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Sys/Syslog/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Sys/Syslog/Syslog.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Sys/Hostname/auto/split.ix

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Sys/Hostname/Hostname.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/_freeze.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/_retrieve.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/_store.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/_store_fd.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/autosplit.ix

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/BIN_VERSION_NV.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/BIN_WRITE_VERSION_NV.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/CAN_FLOCK.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/fd_retrieve.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/file_magic.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/freeze.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/lock_nstore.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/lock_retrieve.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/lock_store.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/logcarp.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/logcroak.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/nfreeze.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/nstore.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/nstore_fd.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/read_magic.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/retrieve.al


```
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/show_file_magic.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/Storable.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/store.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/store_fd.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Storable/thaw.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Socket/Socket.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/SDBM_File/SDBM_File.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/sdbm/extralibs.ld
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/re/re.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/abs.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/alarm.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/assert.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/atan2.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/atexit.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/atoi.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/atol.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/autosplit.i
x
```

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/bsearch.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/calloc.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/chdir.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/chmod.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/chown.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/clearerr.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/closedir.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/cos.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/creat.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/div.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/errno.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/execl.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/execle.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/execlp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/execv.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/execve.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/execvp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/exit.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/exp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fabs.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fclose.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fcntl.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fdopen.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/feof.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/ferror.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fflush.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fgetc.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fgetpos.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fgets.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fileno.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fopen.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fork.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fprintf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fputc.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fputs.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fread.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/free.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/freopen.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fscanf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fseek.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fsetpos.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fstat.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fsync.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/ftell.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/fwrite.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getc.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getchar.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getegid.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getenv.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/geteuid.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getgid.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getgrgid.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getgrnam.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getgroups.a
l
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getlogin.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getpgrp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getpid.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getppid.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getpwnam.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getpwuid.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/gets.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/getuid.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/gmtime.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/isatty.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/kill.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/labs.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/ldiv.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/link.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/load_import
s.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/localtime.a

l

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/log.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/longjmp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/malloc.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/memchr.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/memcmp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/memcpy.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/memmove.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/memset.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/mkdir.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/offsetof.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/opendir.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/perror.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/POSIX.bundl
e
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/pow.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/printf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/putc.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/putchar.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/puts.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/qsort.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/raise.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/rand.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/readdir.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/realloc.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/redef.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/remove.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/rename.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/rewind.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/rewinddir.a
l
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/rmdir.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/scanf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/setbuf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/setjmp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/setvbuf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigAction/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/siglongjmp.
al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/sigsetjmp.a
l
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/sin.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/sleep.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/sprintf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/sqrt.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/srand.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/sscanf.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/stat.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strcat.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strchr.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strcmp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strcpy.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strcspn.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strerror.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strlen.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strncat.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strncmp.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strncpy.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strpbrk.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strrchr.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strspn.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strstr.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/strtok.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/system.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/time.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/tmpfile.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/tolower.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/toupper.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/umask.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/ungetc.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/unimpl.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/unlink.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/usage.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/utime.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/vfprintf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/vprintf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/vsprintf.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/wait.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/waitpid.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/_check.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/_croak.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/_exist.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/_getsig.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/_init.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/CLEAR.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/DELETE.al
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/EXIST.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/FETCH
.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/new.a
l

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/SCALA
R.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigRt/STORE
.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigAction/f
lags.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigAction/h
andler.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigAction/m
ask.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigAction/n
ew.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/POSIX/SigAction/s
afe.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/PerlIO/encoding/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/PerlIO/scalar/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/PerlIO/via/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/PerlIO/via/via.bu
ndle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/PerlIO/scalar/sca

lar.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/PerlIO/encoding/encoding.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Opcode/Opcode.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/NDBM_File/NDBM_File.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/mro/mro.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/MIME/Base64/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/MIME/Base64/Base64.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Math/BigInt/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Math/BigInt/FastCalc/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Math/BigInt/FastCalc/FastCalc.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/List/Util/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/List/Util/Util.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/IPC/SysV/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/IPC/SysV/SysV.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/IO/IO.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/I18N/Langinfo/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/I18N/Langinfo/autosplit.ix

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/I18N/Langinfo/Langinfo.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Hash/Util/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Hash/Util/FieldHash/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Hash/Util/Util.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Hash/Util/FieldHash/FieldHash.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/GDBM_File/GDBM_File.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Filter/Util/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Filter/Util/Call/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Filter/Util/Call/Call.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/File/Glob/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/File/Glob/Glob.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Fcntl/Fcntl.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/Byte/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/CN/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/EBCDIC/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/Encode.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/JP/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/KR/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/Symbol/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/TW/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/Unicode/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/Unicode/Unicode.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/TW/TW.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/Symbol/Symbol.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/KR/KR.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/JP/JP.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/EBCDIC/EBCDIC.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/CN/CN.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Encode/Byte/Byte.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/DynaLoader/autosplit.ix

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/DynaLoader/dl_expandspec.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/DynaLoader/dl_find_symbol_anywhere.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/DynaLoader/dl_findfile.al

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Digest/MD5/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Digest/SHA/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Digest/SHA/SHA.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Digest/MD5/MD5.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Devel/DProf/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Devel/Peek/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Devel/PPPport/

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Devel/PPPport/PPPport.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Devel/Peek/Peek.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Devel/DProf/DProf.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/DB_File/autosplit

.ix
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/DB_File/DB_File.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Data/Dumper/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Data/Dumper/Dumper.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Cwd/Cwd.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Raw/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Zlib/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Zlib/autosplit.ix
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Raw/Bzip2/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Raw/Zlib/
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Raw/Zlib/autosplit.ix
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Raw/Zlib/Zlib.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Raw/Bzip2/autosplit.ix
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/Compress/Raw/Bzip2/Bzip2.bundle
x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/B/B.bundle

x ./opt/local/lib/perl5/5.12.4/darwin-thread-multi-2level/auto/attributes/attributes.bundle
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Backend/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Backend.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Config.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Configure/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Configure.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Error.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/FAQ.pod
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Hacking.pod
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Module/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Module.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Selfupdate.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/Classic.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/Default/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/Default.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/Default/Plugins/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/Default/Plugins/CustomSource.pm

```
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/Default/Plugins/HOWTO.pod
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/Default/Plugins/Remote.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Shell/Default/Plugins/Source.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Module/Author/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Module/Author.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Module/Checksums.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Module/Fake.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Module/Signature.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Module/Author/Fake.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Constants/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Constants.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Extract.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Fetch.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Report.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Search.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Source/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Source.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Utils/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Utils.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Utils/Autoflush.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Source/Memory.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Source/SQLite/
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Source/SQLite.pm
x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Source/SQLite/Tie.pm
```


- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Internals/Constants/Report.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist/Autobundle.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist/Base.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist/Build/
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist/Build.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist/MM.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist/Sample.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Dist/Build/Constants.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Configure/Setup.pm
- x ./opt/local/lib/perl5/5.12.4/CPANPLUS/Backend/RV.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/API/
- x ./opt/local/lib/perl5/5.12.4/CPAN/Author.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/Bundle.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/CacheMgr.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/Complete.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/Debug.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/DeferredCode.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/Distribution.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/Distroprefs.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/Distrostatus.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/Exception/
- x ./opt/local/lib/perl5/5.12.4/CPAN/FirstTime.pm
- x ./opt/local/lib/perl5/5.12.4/CPAN/FTP/
- x ./opt/local/lib/perl5/5.12.4/CPAN/FTP.pm

```
x ./opt/local/lib/perl5/5.12.4/CPAN/HandleConfig.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Index.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/InfoObj.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Kwalify/
x ./opt/local/lib/perl5/5.12.4/CPAN/Kwalify.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/LWP/
x ./opt/local/lib/perl5/5.12.4/CPAN/Mirrors.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Module.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Nox.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Prompt.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Queue.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Shell.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Tarzip.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/URL.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Version.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/LWP/UserAgent.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Kwalify/distroprefs.dd
x ./opt/local/lib/perl5/5.12.4/CPAN/Kwalify/distroprefs.yml
x ./opt/local/lib/perl5/5.12.4/CPAN/FTP/netrc.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Exception/blocked_urllist.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Exception/RecursiveDependency.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/Exception/yaml_not_installed.pm
x ./opt/local/lib/perl5/5.12.4/CPAN/API/HOWTO.pod
x ./opt/local/lib/perl5/5.12.4/Config/Extensions.pm
```

x ./opt/local/lib/perl5/5.12.4/Compress/Zlib.pm
x ./opt/local/lib/perl5/5.12.4/Class/ISA.pm
x ./opt/local/lib/perl5/5.12.4/Class/Struct.pm
x ./opt/local/lib/perl5/5.12.4/CGI/Apache.pm
x ./opt/local/lib/perl5/5.12.4/CGI/Carp.pm
x ./opt/local/lib/perl5/5.12.4/CGI/Cookie.pm
x ./opt/local/lib/perl5/5.12.4/CGI/Fast.pm
x ./opt/local/lib/perl5/5.12.4/CGI/Pretty.pm
x ./opt/local/lib/perl5/5.12.4/CGI/Push.pm
x ./opt/local/lib/perl5/5.12.4/CGI/Switch.pm
x ./opt/local/lib/perl5/5.12.4/CGI/Util.pm
x ./opt/local/lib/perl5/5.12.4/Carp/Heavy.pm
x ./opt/local/lib/perl5/5.12.4/B/Debug.pm
x ./opt/local/lib/perl5/5.12.4/B/Deparse.pm
x ./opt/local/lib/perl5/5.12.4/B/Lint/
x ./opt/local/lib/perl5/5.12.4/B/Lint.pm
x ./opt/local/lib/perl5/5.12.4/B/Lint/Debug.pm
x ./opt/local/lib/perl5/5.12.4/autodie/exception/
x ./opt/local/lib/perl5/5.12.4/autodie/exception.pm
x ./opt/local/lib/perl5/5.12.4/autodie/hints.pm
x ./opt/local/lib/perl5/5.12.4/autodie/exception/system.pm
x ./opt/local/lib/perl5/5.12.4/Attribute/Handlers.pm
x ./opt/local/lib/perl5/5.12.4/Archive/Extract.pm
x ./opt/local/lib/perl5/5.12.4/Archive/Tar/

- x ./opt/local/lib/perl5/5.12.4/Archive/Tar.pm
- x ./opt/local/lib/perl5/5.12.4/Archive/Tar/Constant.pm
- x ./opt/local/lib/perl5/5.12.4/Archive/Tar/File.pm
- x ./opt/local/lib/perl5/5.12.4/App/Cpan.pm
- x ./opt/local/lib/perl5/5.12.4/App/Prove/
- x ./opt/local/lib/perl5/5.12.4/App/Prove.pm
- x ./opt/local/lib/perl5/5.12.4/App/Prove/State/
- x ./opt/local/lib/perl5/5.12.4/App/Prove/State.pm
- x ./opt/local/lib/perl5/5.12.4/App/Prove/State/Result/
- x ./opt/local/lib/perl5/5.12.4/App/Prove/State/Result.pm
- x ./opt/local/lib/perl5/5.12.4/App/Prove/State/Result/Test.pm
- x ./opt/local/bin/a2p-5.12
- x ./opt/local/bin/c2ph-5.12
- x ./opt/local/bin/config_data-5.12
- x ./opt/local/bin/corelist-5.12
- x ./opt/local/bin/cpan-5.12
- x ./opt/local/bin/cpan2dist-5.12
- x ./opt/local/bin/cpanp-5.12
- x ./opt/local/bin/cpanp-run-perl-5.12
- x ./opt/local/bin/dprofpp-5.12
- x ./opt/local/bin/enc2xs-5.12
- x ./opt/local/bin/find2perl-5.12
- x ./opt/local/bin/h2ph-5.12
- x ./opt/local/bin/h2xs-5.12

- x ./opt/local/bin/instmodsh-5.12
- x ./opt/local/bin/libnetcfg-5.12
- x ./opt/local/bin/perl5.12
- x ./opt/local/bin/perl5.12.4
- x ./opt/local/bin/perlbug-5.12
- x ./opt/local/bin/perldoc-5.12
- x ./opt/local/bin/perlvp-5.12
- x ./opt/local/bin/perlthanks-5.12
- x ./opt/local/bin/piconv-5.12
- x ./opt/local/bin/pl2pm-5.12
- x ./opt/local/bin/pod2html-5.12
- x ./opt/local/bin/pod2latex-5.12
- x ./opt/local/bin/pod2man-5.12
- x ./opt/local/bin/pod2text-5.12
- x ./opt/local/bin/pod2usage-5.12
- x ./opt/local/bin/podchecker-5.12
- x ./opt/local/bin/podselect-5.12
- x ./opt/local/bin/prove-5.12
- x ./opt/local/bin/psed-5.12
- x ./opt/local/bin/pstruct-5.12
- x ./opt/local/bin/ptar-5.12
- x ./opt/local/bin/ptardiff-5.12
- x ./opt/local/bin/s2p-5.12
- x ./opt/local/bin/shasum-5.12

```

x ./opt/local/bin/splain-5.12
x ./opt/local/bin/xsubpp-5.12
---> Cleaning perl5.12
---> Removing work directory for perl5.12
---> Fetching archive for p5.12-locale-gettext
---> p5.12-locale-gettext-1.50.0_7.darwin_10.x86_64.tbz2 doesn't seem to exist
in /opt/local/var/macports/incoming/verified
---> Attempting to fetch p5.12-locale-gettext-1.50.0_7.darwin_10.x86_64.tbz2 fr
om http://packages.macports.org/p5.12-locale-gettext
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload  Total      Spent    Left     Speed
100 14289  100 14289    0     0 19461      0 --:--:-- --:--:-- --:--:-- 25839
---> Attempting to fetch p5.12-locale-gettext-1.50.0_7.darwin_10.x86_64.tbz2.rm
d160 from http://packages.macports.org/p5.12-locale-gettext
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload  Total      Spent    Left     Speed
102   512  102   512    0     0  1387      0 --:--:-- --:--:-- --:--:--  2752
---> Installing p5.12-locale-gettext @1.50.0_7
---> Activating p5.12-locale-gettext @1.50.0_7
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE

```

```
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/perl5.12/
x ./opt/local/share/perl5.12/man/
x ./opt/local/share/perl5.12/man/man3/
x ./opt/local/share/perl5.12/man/man3/Locale::gettext.3pm
x ./opt/local/lib/perl5/
x ./opt/local/lib/perl5/vendor_perl/
x ./opt/local/lib/perl5/vendor_perl/5.12.4/
x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/
x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/Locale/
x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/auto/
x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/auto/Locale/
x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/auto/Locale/gettext/
x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/auto/Locale/gettext/.packlist
x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/auto/Locale/gettext/gettext.bs
x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/auto/Locale
```

e/gettext/gettext.bundle

x ./opt/local/lib/perl5/vendor_perl/5.12.4/darwin-thread-multi-2level/Locale/gettext.pm

---> Cleaning p5.12-locale-gettext

---> Removing work directory for p5.12-locale-gettext

---> Fetching archive for help2man

---> help2man-1.43.3_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified

---> Attempting to fetch help2man-1.43.3_0.darwin_10.x86_64.tbz2 from <http://packages.macports.org/help2man>

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
100	80626	100	80626	0	0	43265	0	0:00:01	0:00:01	--:--:--	48864

---> Attempting to fetch help2man-1.43.3_0.darwin_10.x86_64.tbz2.rmd160 from <http://packages.macports.org/help2man>

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
102	512	102	512	0	0	1371	0	--:--:--	--:--:--	--:--:--	2723

---> Installing help2man @1.43.3_0

---> Activating help2man @1.43.3_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC


```
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/info/
x ./opt/local/share/locale/
x ./opt/local/share/man/
x ./opt/local/share/man/de/
x ./opt/local/share/man/el/
x ./opt/local/share/man/eo/
x ./opt/local/share/man/fi/
x ./opt/local/share/man/fr/
x ./opt/local/share/man/hr/
x ./opt/local/share/man/it/
x ./opt/local/share/man/ja/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/pl/
x ./opt/local/share/man/pt_BR/
x ./opt/local/share/man/ru/
x ./opt/local/share/man/sr/
```

- x ./opt/local/share/man/sv/
- x ./opt/local/share/man/uk/
- x ./opt/local/share/man/vi/
- x ./opt/local/share/man/vi/man1/
- x ./opt/local/share/man/vi/man1/help2man.1
- x ./opt/local/share/man/uk/man1/
- x ./opt/local/share/man/uk/man1/help2man.1
- x ./opt/local/share/man/sv/man1/
- x ./opt/local/share/man/sv/man1/help2man.1
- x ./opt/local/share/man/sr/man1/
- x ./opt/local/share/man/sr/man1/help2man.1
- x ./opt/local/share/man/ru/man1/
- x ./opt/local/share/man/ru/man1/help2man.1
- x ./opt/local/share/man/pt_BR/man1/
- x ./opt/local/share/man/pt_BR/man1/help2man.1
- x ./opt/local/share/man/pl/man1/
- x ./opt/local/share/man/pl/man1/help2man.1
- x ./opt/local/share/man/man1/help2man.1.gz
- x ./opt/local/share/man/ja/man1/
- x ./opt/local/share/man/ja/man1/help2man.1
- x ./opt/local/share/man/it/man1/
- x ./opt/local/share/man/it/man1/help2man.1
- x ./opt/local/share/man/hr/man1/
- x ./opt/local/share/man/hr/man1/help2man.1

- x ./opt/local/share/man/fr/man1/
- x ./opt/local/share/man/fr/man1/help2man.1
- x ./opt/local/share/man/fi/man1/
- x ./opt/local/share/man/fi/man1/help2man.1
- x ./opt/local/share/man/eo/man1/
- x ./opt/local/share/man/eo/man1/help2man.1
- x ./opt/local/share/man/el/man1/
- x ./opt/local/share/man/el/man1/help2man.1
- x ./opt/local/share/man/de/man1/
- x ./opt/local/share/man/de/man1/help2man.1
- x ./opt/local/share/locale/de/
- x ./opt/local/share/locale/el/
- x ./opt/local/share/locale/eo/
- x ./opt/local/share/locale/fi/
- x ./opt/local/share/locale/fr/
- x ./opt/local/share/locale/hr/
- x ./opt/local/share/locale/it/
- x ./opt/local/share/locale/ja/
- x ./opt/local/share/locale/pl/
- x ./opt/local/share/locale/pt_BR/
- x ./opt/local/share/locale/ru/
- x ./opt/local/share/locale/sr/
- x ./opt/local/share/locale/sv/
- x ./opt/local/share/locale/uk/

x ./opt/local/share/locale/vi/
x ./opt/local/share/locale/vi/LC_MESSAGES/
x ./opt/local/share/locale/vi/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/uk/LC_MESSAGES/
x ./opt/local/share/locale/uk/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/sv/LC_MESSAGES/
x ./opt/local/share/locale/sv/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/sr/LC_MESSAGES/
x ./opt/local/share/locale/sr/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/ru/LC_MESSAGES/
x ./opt/local/share/locale/ru/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/pl/LC_MESSAGES/
x ./opt/local/share/locale/pl/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/ja/LC_MESSAGES/
x ./opt/local/share/locale/ja/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/it/LC_MESSAGES/
x ./opt/local/share/locale/it/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/hr/LC_MESSAGES/
x ./opt/local/share/locale/hr/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/fr/LC_MESSAGES/
x ./opt/local/share/locale/fr/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/fi/LC_MESSAGES/

```
x ./opt/local/share/locale/fi/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/eo/LC_MESSAGES/
x ./opt/local/share/locale/eo/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/el/LC_MESSAGES/
x ./opt/local/share/locale/el/LC_MESSAGES/help2man.mo
x ./opt/local/share/locale/de/LC_MESSAGES/
x ./opt/local/share/locale/de/LC_MESSAGES/help2man.mo
x ./opt/local/share/info/help2man.info
x ./opt/local/share/doc/help2man/
x ./opt/local/share/doc/help2man/changelog
x ./opt/local/share/doc/help2man/COPYING
x ./opt/local/share/doc/help2man/NEWS
x ./opt/local/share/doc/help2man/README
x ./opt/local/share/doc/help2man/THANKS
x ./opt/local/lib/help2man/
x ./opt/local/lib/help2man/bindtextdomain.so
x ./opt/local/bin/help2man
---> Cleaning help2man
---> Removing work directory for help2man
---> Fetching archive for m4
---> m4-1.4.16_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/
macports/incoming/verified
---> Attempting to fetch m4-1.4.16_0.darwin_10.x86_64.tbz2 from http://packages
.macports.org/m4
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	255k	100	255k	0	0	115k	0	0:00:02	0:00:02	--:--:--	127k

---> Attempting to fetch m4-1.4.16_0.darwin_10.x86_64.tbz2.rmd160 from <http://packages.macports.org/m4>

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1364	0	--:--:--	--:--:--	--:--:--	2723

---> Installing m4 @1.4.16_0
 ---> Activating m4 @1.4.16_0

- x ./
- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/libexec/
- x ./opt/local/share/
- x ./opt/local/share/doc/
- x ./opt/local/share/info/
- x ./opt/local/share/man/

```
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man1/gm4.1.gz
x ./opt/local/share/info/gm4.info
x ./opt/local/share/info/m4.info-1
x ./opt/local/share/info/m4.info-2
x ./opt/local/share/doc/m4-1.4.16/
x ./opt/local/share/doc/m4-1.4.16/AUTHORS
x ./opt/local/share/doc/m4-1.4.16/COPYING
x ./opt/local/share/doc/m4-1.4.16/ChangeLog
x ./opt/local/share/doc/m4-1.4.16/NEWS
x ./opt/local/share/doc/m4-1.4.16/README
x ./opt/local/share/doc/m4-1.4.16/THANKS
x ./opt/local/share/doc/m4-1.4.16/TODO
x ./opt/local/libexec/gnubin/
x ./opt/local/libexec/gnubin/m4
x ./opt/local/libexec/gnubin/man/
x ./opt/local/libexec/gnubin/man/man1/
x ./opt/local/libexec/gnubin/man/man1/m4.1.gz
x ./opt/local/bin/gm4
---> Cleaning m4
---> Removing work directory for m4
---> Fetching archive for perl5
---> perl5-5.12.4_0+perl5_12.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
```

---> Attempting to fetch perl5-5.12.4_0+perl5_12.darwin_10.noarch.tbz2 from http://packages.macports.org/perl5

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	12854	100	12854	0	0	16892	0	--:--:--	--:--:--	--:--:--	22315

---> Attempting to fetch perl5-5.12.4_0+perl5_12.darwin_10.noarch.tbz2.rmd160 from http://packages.macports.org/perl5

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1321	0	--:--:--	--:--:--	--:--:--	2639

---> Installing perl5 @5.12.4_0+perl5_12

---> Activating perl5 @5.12.4_0+perl5_12

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/share/

x ./opt/local/share/man/

x ./opt/local/share/man/man1p/

- x ./opt/local/share/man/man3p/
- x ./opt/local/share/man/man3p/AnyDBM_File.3pm
- x ./opt/local/share/man/man3p/App::Cpan.3pm
- x ./opt/local/share/man/man3p/App::Prove.3pm
- x ./opt/local/share/man/man3p/App::Prove::State.3pm
- x ./opt/local/share/man/man3p/App::Prove::State::Result.3pm
- x ./opt/local/share/man/man3p/App::Prove::State::Result::Test.3pm
- x ./opt/local/share/man/man3p/Archive::Extract.3pm
- x ./opt/local/share/man/man3p/Archive::Tar.3pm
- x ./opt/local/share/man/man3p/Archive::Tar::File.3pm
- x ./opt/local/share/man/man3p/Attribute::Handlers.3pm
- x ./opt/local/share/man/man3p/AutoLoader.3pm
- x ./opt/local/share/man/man3p/AutoSplit.3pm
- x ./opt/local/share/man/man3p/B.3pm
- x ./opt/local/share/man/man3p/B::Concise.3pm
- x ./opt/local/share/man/man3p/B::Debug.3pm
- x ./opt/local/share/man/man3p/B::Deparse.3pm
- x ./opt/local/share/man/man3p/B::Lint.3pm
- x ./opt/local/share/man/man3p/B::Lint::Debug.3pm
- x ./opt/local/share/man/man3p/B::Showlex.3pm
- x ./opt/local/share/man/man3p/B::Terse.3pm
- x ./opt/local/share/man/man3p/B::Xref.3pm
- x ./opt/local/share/man/man3p/Benchmark.3pm
- x ./opt/local/share/man/man3p/CGI.3pm

- x ./opt/local/share/man/man3p/CGI::Apache.3pm
- x ./opt/local/share/man/man3p/CGI::Carp.3pm
- x ./opt/local/share/man/man3p/CGI::Cookie.3pm
- x ./opt/local/share/man/man3p/CGI::Fast.3pm
- x ./opt/local/share/man/man3p/CGI::Pretty.3pm
- x ./opt/local/share/man/man3p/CGI::Push.3pm
- x ./opt/local/share/man/man3p/CGI::Switch.3pm
- x ./opt/local/share/man/man3p/CGI::Util.3pm
- x ./opt/local/share/man/man3p/CORE.3pm
- x ./opt/local/share/man/man3p/CPAN.3pm
- x ./opt/local/share/man/man3p/CPAN::API::HOWTO.3pm
- x ./opt/local/share/man/man3p/CPAN::Debug.3pm
- x ./opt/local/share/man/man3p/CPAN::Distroprefs.3pm
- x ./opt/local/share/man/man3p/CPAN::FirstTime.3pm
- x ./opt/local/share/man/man3p/CPAN::HandleConfig.3pm
- x ./opt/local/share/man/man3p/CPAN::Kwalify.3pm
- x ./opt/local/share/man/man3p/CPAN::Nox.3pm
- x ./opt/local/share/man/man3p/CPAN::Queue.3pm
- x ./opt/local/share/man/man3p/CPAN::Tarzip.3pm
- x ./opt/local/share/man/man3p/CPAN::Version.3pm
- x ./opt/local/share/man/man3p/CPANPLUS.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Backend.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Backend::RV.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Config.3pm

- x ./opt/local/share/man/man3p/CPANPLUS::Configure.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Autobundle.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Base.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Build.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Build::Constants.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::MM.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Dist::Sample.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Error.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::FAQ.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Hacking.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Extract.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Fetch.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Report.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Search.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Source.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Source::Memory.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Source::SQLite.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Internals::Utils.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module::Author.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module::Author::Fake.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Module::Checksums.3pm

- x ./opt/local/share/man/man3p/CPANPLUS::Module::Fake.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Selfupdate.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Classic.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default::Plugins::CustomSource.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default::Plugins::HOWTO.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default::Plugins::Remote.3pm
- x ./opt/local/share/man/man3p/CPANPLUS::Shell::Default::Plugins::Source.3pm
- x ./opt/local/share/man/man3p/Carp.3pm
- x ./opt/local/share/man/man3p/Class::ISA.3pm
- x ./opt/local/share/man/man3p/Class::Struct.3pm
- x ./opt/local/share/man/man3p/Compress::Raw::Bzip2.3pm
- x ./opt/local/share/man/man3p/Compress::Raw::Zlib.3pm
- x ./opt/local/share/man/man3p/Compress::Zlib.3pm
- x ./opt/local/share/man/man3p/Config.3pm
- x ./opt/local/share/man/man3p/Config::Extensions.3pm
- x ./opt/local/share/man/man3p/Cwd.3pm
- x ./opt/local/share/man/man3p/DB.3pm
- x ./opt/local/share/man/man3p/DBM_Filter.3pm
- x ./opt/local/share/man/man3p/DBM_Filter::compress.3pm
- x ./opt/local/share/man/man3p/DBM_Filter::encode.3pm
- x ./opt/local/share/man/man3p/DBM_Filter::int32.3pm

- x ./opt/local/share/man/man3p/DBM_Filter::null.3pm
- x ./opt/local/share/man/man3p/DBM_Filter::utf8.3pm
- x ./opt/local/share/man/man3p/DB_File.3pm
- x ./opt/local/share/man/man3p/Data::Dumper.3pm
- x ./opt/local/share/man/man3p/Devel::DProf.3pm
- x ./opt/local/share/man/man3p/Devel::InnerPackage.3pm
- x ./opt/local/share/man/man3p/Devel::PPPport.3pm
- x ./opt/local/share/man/man3p/Devel::Peek.3pm
- x ./opt/local/share/man/man3p/Devel::SelfStubber.3pm
- x ./opt/local/share/man/man3p/Digest.3pm
- x ./opt/local/share/man/man3p/Digest::MD5.3pm
- x ./opt/local/share/man/man3p/Digest::SHA.3pm
- x ./opt/local/share/man/man3p/Digest::base.3pm
- x ./opt/local/share/man/man3p/Digest::file.3pm
- x ./opt/local/share/man/man3p/DirHandle.3pm
- x ./opt/local/share/man/man3p/Dumpvalue.3pm
- x ./opt/local/share/man/man3p/DynaLoader.3pm
- x ./opt/local/share/man/man3p/Encode.3pm
- x ./opt/local/share/man/man3p/Encode::Alias.3pm
- x ./opt/local/share/man/man3p/Encode::Byte.3pm
- x ./opt/local/share/man/man3p/Encode::CJKConstants.3pm
- x ./opt/local/share/man/man3p/Encode::CN.3pm
- x ./opt/local/share/man/man3p/Encode::CN::HZ.3pm
- x ./opt/local/share/man/man3p/Encode::Config.3pm

- x ./opt/local/share/man/man3p/Encode::EBCDIC.3pm
- x ./opt/local/share/man/man3p/Encode::Encoder.3pm
- x ./opt/local/share/man/man3p/Encode::Encoding.3pm
- x ./opt/local/share/man/man3p/Encode::GSM0338.3pm
- x ./opt/local/share/man/man3p/Encode::Guess.3pm
- x ./opt/local/share/man/man3p/Encode::JP.3pm
- x ./opt/local/share/man/man3p/Encode::JP::H2Z.3pm
- x ./opt/local/share/man/man3p/Encode::JP::JIS7.3pm
- x ./opt/local/share/man/man3p/Encode::KR.3pm
- x ./opt/local/share/man/man3p/Encode::KR::2022_KR.3pm
- x ./opt/local/share/man/man3p/Encode::MIME::Header.3pm
- x ./opt/local/share/man/man3p/Encode::MIME::Name.3pm
- x ./opt/local/share/man/man3p/Encode::PerlIO.3pm
- x ./opt/local/share/man/man3p/Encode::Supported.3pm
- x ./opt/local/share/man/man3p/Encode::Symbol.3pm
- x ./opt/local/share/man/man3p/Encode::TW.3pm
- x ./opt/local/share/man/man3p/Encode::Unicode.3pm
- x ./opt/local/share/man/man3p/Encode::Unicode::UTF7.3pm
- x ./opt/local/share/man/man3p/English.3pm
- x ./opt/local/share/man/man3p/Env.3pm
- x ./opt/local/share/man/man3p/Errno.3pm
- x ./opt/local/share/man/man3p/Exporter.3pm
- x ./opt/local/share/man/man3p/Exporter::Heavy.3pm
- x ./opt/local/share/man/man3p/ExtUtils::CBuilder.3pm

- x ./opt/local/share/man/man3p/ExtUtils::CBuilder::Platform::Windows.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Command.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Command::MM.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Constant.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Constant::Base.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Constant::Utils.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Constant::XS.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Embed.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Install.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Installed.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Liblist.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_AIX.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Any.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_BeOS.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Cygwin.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_DOS.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Darwin.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_MacOS.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_NW5.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_OS2.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_QNX.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_UWIN.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Unix.3pm

- x ./opt/local/share/man/man3p/ExtUtils::MM_VMS.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_VOS.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Win32.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MM_Win95.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MY.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MakeMaker.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MakeMaker::Config.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MakeMaker::FAQ.3pm
- x ./opt/local/share/man/man3p/ExtUtils::MakeMaker::Tutorial.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Manifest.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Miniperl.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Mkbootstrap.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Mksymlists.3pm
- x ./opt/local/share/man/man3p/ExtUtils::Packlist.3pm
- x ./opt/local/share/man/man3p/ExtUtils::ParseXS.3pm
- x ./opt/local/share/man/man3p/ExtUtils::XSymSet.3pm
- x ./opt/local/share/man/man3p/ExtUtils::testlib.3pm
- x ./opt/local/share/man/man3p/Fatal.3pm
- x ./opt/local/share/man/man3p/Fcntl.3pm
- x ./opt/local/share/man/man3p/File::Basename.3pm
- x ./opt/local/share/man/man3p/File::CheckTree.3pm
- x ./opt/local/share/man/man3p/File::Compare.3pm
- x ./opt/local/share/man/man3p/File::Copy.3pm
- x ./opt/local/share/man/man3p/File::DosGlob.3pm

- x ./opt/local/share/man/man3p/File::Fetch.3pm
- x ./opt/local/share/man/man3p/File::Find.3pm
- x ./opt/local/share/man/man3p/File::Glob.3pm
- x ./opt/local/share/man/man3p/File::GlobMapper.3pm
- x ./opt/local/share/man/man3p/File::Path.3pm
- x ./opt/local/share/man/man3p/File::Spec.3pm
- x ./opt/local/share/man/man3p/File::Spec::Cygwin.3pm
- x ./opt/local/share/man/man3p/File::Spec::Epoc.3pm
- x ./opt/local/share/man/man3p/File::Spec::Functions.3pm
- x ./opt/local/share/man/man3p/File::Spec::Mac.3pm
- x ./opt/local/share/man/man3p/File::Spec::OS2.3pm
- x ./opt/local/share/man/man3p/File::Spec::Unix.3pm
- x ./opt/local/share/man/man3p/File::Spec::VMS.3pm
- x ./opt/local/share/man/man3p/File::Spec::Win32.3pm
- x ./opt/local/share/man/man3p/File::Temp.3pm
- x ./opt/local/share/man/man3p/File::stat.3pm
- x ./opt/local/share/man/man3p/FileCache.3pm
- x ./opt/local/share/man/man3p/FileHandle.3pm
- x ./opt/local/share/man/man3p/Filter::Simple.3pm
- x ./opt/local/share/man/man3p/Filter::Util::Call.3pm
- x ./opt/local/share/man/man3p/FindBin.3pm
- x ./opt/local/share/man/man3p/GDBM_File.3pm
- x ./opt/local/share/man/man3p/Getopt::Long.3pm
- x ./opt/local/share/man/man3p/Getopt::Std.3pm

- x ./opt/local/share/man/man3p/Hash::Util.3pm
- x ./opt/local/share/man/man3p/Hash::Util::FieldHash.3pm
- x ./opt/local/share/man/man3p/I18N::Collate.3pm
- x ./opt/local/share/man/man3p/I18N::LangTags.3pm
- x ./opt/local/share/man/man3p/I18N::LangTags::Detect.3pm
- x ./opt/local/share/man/man3p/I18N::LangTags::List.3pm
- x ./opt/local/share/man/man3p/I18N::Langinfo.3pm
- x ./opt/local/share/man/man3p/IO.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Base.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Bzip2.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Deflate.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Gzip.3pm
- x ./opt/local/share/man/man3p/IO::Compress::RawDeflate.3pm
- x ./opt/local/share/man/man3p/IO::Compress::Zip.3pm
- x ./opt/local/share/man/man3p/IO::Dir.3pm
- x ./opt/local/share/man/man3p/IO::File.3pm
- x ./opt/local/share/man/man3p/IO::Handle.3pm
- x ./opt/local/share/man/man3p/IO::Pipe.3pm
- x ./opt/local/share/man/man3p/IO::Poll.3pm
- x ./opt/local/share/man/man3p/IO::Seekable.3pm
- x ./opt/local/share/man/man3p/IO::Select.3pm
- x ./opt/local/share/man/man3p/IO::Socket.3pm
- x ./opt/local/share/man/man3p/IO::Socket::INET.3pm
- x ./opt/local/share/man/man3p/IO::Socket::UNIX.3pm

- x ./opt/local/share/man/man3p/IO::Uncompress::AnyInflate.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::AnyUncompress.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Base.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Bunzip2.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Gunzip.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Inflate.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::RawInflate.3pm
- x ./opt/local/share/man/man3p/IO::Uncompress::Unzip.3pm
- x ./opt/local/share/man/man3p/IO::Zlib.3pm
- x ./opt/local/share/man/man3p/IPC::Cmd.3pm
- x ./opt/local/share/man/man3p/IPC::Msg.3pm
- x ./opt/local/share/man/man3p/IPC::Open2.3pm
- x ./opt/local/share/man/man3p/IPC::Open3.3pm
- x ./opt/local/share/man/man3p/IPC::Semaphore.3pm
- x ./opt/local/share/man/man3p/IPC::SharedMem.3pm
- x ./opt/local/share/man/man3p/IPC::SysV.3pm
- x ./opt/local/share/man/man3p/List::Util.3pm
- x ./opt/local/share/man/man3p/List::Util::XS.3pm
- x ./opt/local/share/man/man3p/Locale::Constants.3pm
- x ./opt/local/share/man/man3p/Locale::Country.3pm
- x ./opt/local/share/man/man3p/Locale::Currency.3pm
- x ./opt/local/share/man/man3p/Locale::Language.3pm
- x ./opt/local/share/man/man3p/Locale::Maketext.3pm
- x ./opt/local/share/man/man3p/Locale::Maketext::Simple.3pm

- x ./opt/local/share/man/man3p/Locale::Maketext::TPJ13.3pm
- x ./opt/local/share/man/man3p/Locale::Script.3pm
- x ./opt/local/share/man/man3p/Log::Message.3pm
- x ./opt/local/share/man/man3p/Log::Message::Config.3pm
- x ./opt/local/share/man/man3p/Log::Message::Handlers.3pm
- x ./opt/local/share/man/man3p/Log::Message::Item.3pm
- x ./opt/local/share/man/man3p/Log::Message::Simple.3pm
- x ./opt/local/share/man/man3p/MIME::Base64.3pm
- x ./opt/local/share/man/man3p/MIME::QuotedPrint.3pm
- x ./opt/local/share/man/man3p/Math::BigFloat.3pm
- x ./opt/local/share/man/man3p/Math::BigInt.3pm
- x ./opt/local/share/man/man3p/Math::BigInt::Calc.3pm
- x ./opt/local/share/man/man3p/Math::BigInt::CalcEmu.3pm
- x ./opt/local/share/man/man3p/Math::BigInt::FastCalc.3pm
- x ./opt/local/share/man/man3p/Math::BigRat.3pm
- x ./opt/local/share/man/man3p/Math::Complex.3pm
- x ./opt/local/share/man/man3p/Math::Trig.3pm
- x ./opt/local/share/man/man3p/Memoize.3pm
- x ./opt/local/share/man/man3p/Memoize::AnyDBM_File.3pm
- x ./opt/local/share/man/man3p/Memoize::Expire.3pm
- x ./opt/local/share/man/man3p/Memoize::ExpireFile.3pm
- x ./opt/local/share/man/man3p/Memoize::ExpireTest.3pm
- x ./opt/local/share/man/man3p/Memoize::NDBM_File.3pm
- x ./opt/local/share/man/man3p/Memoize::SDBM_File.3pm

- x ./opt/local/share/man/man3p/Memoize::Storable.3pm
- x ./opt/local/share/man/man3p/Module::Build.3pm
- x ./opt/local/share/man/man3p/Module::Build::API.3pm
- x ./opt/local/share/man/man3p/Module::Build::Authoring.3pm
- x ./opt/local/share/man/man3p/Module::Build::Base.3pm
- x ./opt/local/share/man/man3p/Module::Build::Bundling.3pm
- x ./opt/local/share/man/man3p/Module::Build::Compat.3pm
- x ./opt/local/share/man/man3p/Module::Build::ConfigData.3pm
- x ./opt/local/share/man/man3p/Module::Build::Cookbook.3pm
- x ./opt/local/share/man/man3p/Module::Build::ModuleInfo.3pm
- x ./opt/local/share/man/man3p/Module::Build::Notes.3pm
- x ./opt/local/share/man/man3p/Module::Build::PPMMaker.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::Amiga.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::Default.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::EBCDIC.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::MPEiX.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::MacOS.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::RiscOS.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::Unix.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::VMS.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::VOS.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::Windows.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::aix.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::cygwin.3pm

- x ./opt/local/share/man/man3p/Module::Build::Platform::darwin.3pm
- x ./opt/local/share/man/man3p/Module::Build::Platform::os2.3pm
- x ./opt/local/share/man/man3p/Module::CoreList.3pm
- x ./opt/local/share/man/man3p/Module::Load.3pm
- x ./opt/local/share/man/man3p/Module::Load::Conditional.3pm
- x ./opt/local/share/man/man3p/Module::Loaded.3pm
- x ./opt/local/share/man/man3p/Module::Pluggable.3pm
- x ./opt/local/share/man/man3p/Module::Pluggable::Object.3pm
- x ./opt/local/share/man/man3p/NDBM_File.3pm
- x ./opt/local/share/man/man3p/NEXT.3pm
- x ./opt/local/share/man/man3p/Net::Cmd.3pm
- x ./opt/local/share/man/man3p/Net::Config.3pm
- x ./opt/local/share/man/man3p/Net::Domain.3pm
- x ./opt/local/share/man/man3p/Net::FTP.3pm
- x ./opt/local/share/man/man3p/Net::NNTP.3pm
- x ./opt/local/share/man/man3p/Net::Netrc.3pm
- x ./opt/local/share/man/man3p/Net::POP3.3pm
- x ./opt/local/share/man/man3p/Net::Ping.3pm
- x ./opt/local/share/man/man3p/Net::SMTP.3pm
- x ./opt/local/share/man/man3p/Net::Time.3pm
- x ./opt/local/share/man/man3p/Net::hostent.3pm
- x ./opt/local/share/man/man3p/Net::libnetFAQ.3pm
- x ./opt/local/share/man/man3p/Net::netent.3pm
- x ./opt/local/share/man/man3p/Net::protoent.3pm

- x ./opt/local/share/man/man3p/Net::servent.3pm
- x ./opt/local/share/man/man3p/0.3pm
- x ./opt/local/share/man/man3p/Object::Accessor.3pm
- x ./opt/local/share/man/man3p/Opcode.3pm
- x ./opt/local/share/man/man3p/POSIX.3pm
- x ./opt/local/share/man/man3p/Package::Constants.3pm
- x ./opt/local/share/man/man3p/Params::Check.3pm
- x ./opt/local/share/man/man3p/Parse::CPAN::Meta.3pm
- x ./opt/local/share/man/man3p/PerlIO.3pm
- x ./opt/local/share/man/man3p/PerlIO::encoding.3pm
- x ./opt/local/share/man/man3p/PerlIO::scalar.3pm
- x ./opt/local/share/man/man3p/PerlIO::via.3pm
- x ./opt/local/share/man/man3p/PerlIO::via::QuotedPrint.3pm
- x ./opt/local/share/man/man3p/Pod::Checker.3pm
- x ./opt/local/share/man/man3p/Pod::Escapes.3pm
- x ./opt/local/share/man/man3p/Pod::Find.3pm
- x ./opt/local/share/man/man3p/Pod::Html.3pm
- x ./opt/local/share/man/man3p/Pod::InputObjects.3pm
- x ./opt/local/share/man/man3p/Pod::LaTeX.3pm
- x ./opt/local/share/man/man3p/Pod::Man.3pm
- x ./opt/local/share/man/man3p/Pod::ParseLink.3pm
- x ./opt/local/share/man/man3p/Pod::ParseUtils.3pm
- x ./opt/local/share/man/man3p/Pod::Parser.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc.3pm

- x ./opt/local/share/man/man3p/Pod::Perldoc::BaseTo.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::GetOpts00.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToChecker.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToMan.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToNroff.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToPod.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToRtf.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToText.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToTk.3pm
- x ./opt/local/share/man/man3p/Pod::Perldoc::ToXml.3pm
- x ./opt/local/share/man/man3p/Pod::PlainText.3pm
- x ./opt/local/share/man/man3p/Pod::Plainer.3pm
- x ./opt/local/share/man/man3p/Pod::Select.3pm
- x ./opt/local/share/man/man3p/Pod::Simple.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Checker.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Debug.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::DumpAsText.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::DumpAsXML.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::HTML.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::HTMLBatch.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::LinkSection.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Methody.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParser.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParserEndToken.3pm

- x ./opt/local/share/man/man3p/Pod::Simple::PullParserStartToken.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParserTextToken.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::PullParserToken.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::RTF.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Search.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::SimpleTree.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Subclassing.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::Text.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::TextContent.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::XHTML.3pm
- x ./opt/local/share/man/man3p/Pod::Simple::XMLOutputStream.3pm
- x ./opt/local/share/man/man3p/Pod::Text.3pm
- x ./opt/local/share/man/man3p/Pod::Text::Color.3pm
- x ./opt/local/share/man/man3p/Pod::Text::Overstrike.3pm
- x ./opt/local/share/man/man3p/Pod::Text::Termcap.3pm
- x ./opt/local/share/man/man3p/Pod::Usage.3pm
- x ./opt/local/share/man/man3p/SDBM_File.3pm
- x ./opt/local/share/man/man3p/Safe.3pm
- x ./opt/local/share/man/man3p/Scalar::Util.3pm
- x ./opt/local/share/man/man3p/Search::Dict.3pm
- x ./opt/local/share/man/man3p/SelectSaver.3pm
- x ./opt/local/share/man/man3p/SelfLoader.3pm
- x ./opt/local/share/man/man3p/Shell.3pm
- x ./opt/local/share/man/man3p/Socket.3pm

- x ./opt/local/share/man/man3p/Storable.3pm
- x ./opt/local/share/man/man3p/Switch.3pm
- x ./opt/local/share/man/man3p/Symbol.3pm
- x ./opt/local/share/man/man3p/Sys::Hostname.3pm
- x ./opt/local/share/man/man3p/Sys::Syslog.3pm
- x ./opt/local/share/man/man3p/TAP::Base.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Base.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Color.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Console.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Console::ParallelSession.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Console::Session.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::File.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::File::Session.3pm
- x ./opt/local/share/man/man3p/TAP::Formatter::Session.3pm
- x ./opt/local/share/man/man3p/TAP::Harness.3pm
- x ./opt/local/share/man/man3p/TAP::Object.3pm
- x ./opt/local/share/man/man3p/TAP::Parser.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Aggregator.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Grammar.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Iterator.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Iterator::Array.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Iterator::Process.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Iterator::Stream.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::IteratorFactory.3pm

- x ./opt/local/share/man/man3p/TAP::Parser::Multiplexer.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Bailout.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Comment.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Plan.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Pragma.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Test.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Unknown.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::Version.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Result::YAML.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::ResultFactory.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Scheduler.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Scheduler::Job.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Scheduler::Spinner.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Source.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Source::Perl.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::Utils.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::YAMLish::Reader.3pm
- x ./opt/local/share/man/man3p/TAP::Parser::YAMLish::Writer.3pm
- x ./opt/local/share/man/man3p/Term::ANSIColor.3pm
- x ./opt/local/share/man/man3p/Term::Cap.3pm
- x ./opt/local/share/man/man3p/Term::Complete.3pm
- x ./opt/local/share/man/man3p/Term::ReadLine.3pm
- x ./opt/local/share/man/man3p/Term::UI.3pm

- x ./opt/local/share/man/man3p/Term::UI::History.3pm
- x ./opt/local/share/man/man3p/Test.3pm
- x ./opt/local/share/man/man3p/Test::Builder.3pm
- x ./opt/local/share/man/man3p/Test::Builder::Module.3pm
- x ./opt/local/share/man/man3p/Test::Builder::Tester.3pm
- x ./opt/local/share/man/man3p/Test::Builder::Tester::Color.3pm
- x ./opt/local/share/man/man3p/Test::Harness.3pm
- x ./opt/local/share/man/man3p/Test::More.3pm
- x ./opt/local/share/man/man3p/Test::Simple.3pm
- x ./opt/local/share/man/man3p/Test::Tutorial.3pm
- x ./opt/local/share/man/man3p/Text::Abbrev.3pm
- x ./opt/local/share/man/man3p/Text::Balanced.3pm
- x ./opt/local/share/man/man3p/Text::ParseWords.3pm
- x ./opt/local/share/man/man3p/Text::Soundex.3pm
- x ./opt/local/share/man/man3p/Text::Tabs.3pm
- x ./opt/local/share/man/man3p/Text::Wrap.3pm
- x ./opt/local/share/man/man3p/Thread.3pm
- x ./opt/local/share/man/man3p/Thread::Queue.3pm
- x ./opt/local/share/man/man3p/Thread::Semaphore.3pm
- x ./opt/local/share/man/man3p/Tie::Array.3pm
- x ./opt/local/share/man/man3p/Tie::File.3pm
- x ./opt/local/share/man/man3p/Tie::Handle.3pm
- x ./opt/local/share/man/man3p/Tie::Hash.3pm
- x ./opt/local/share/man/man3p/Tie::Hash::NamedCapture.3pm

- x ./opt/local/share/man/man3p/Tie::Memoize.3pm
- x ./opt/local/share/man/man3p/Tie::RefHash.3pm
- x ./opt/local/share/man/man3p/Tie::Scalar.3pm
- x ./opt/local/share/man/man3p/Tie::StdHandle.3pm
- x ./opt/local/share/man/man3p/Tie::SubstrHash.3pm
- x ./opt/local/share/man/man3p/Time::HiRes.3pm
- x ./opt/local/share/man/man3p/Time::Local.3pm
- x ./opt/local/share/man/man3p/Time::Piece.3pm
- x ./opt/local/share/man/man3p/Time::Seconds.3pm
- x ./opt/local/share/man/man3p/Time::gmtime.3pm
- x ./opt/local/share/man/man3p/Time::localtime.3pm
- x ./opt/local/share/man/man3p/Time::tm.3pm
- x ./opt/local/share/man/man3p/UNIVERSAL.3pm
- x ./opt/local/share/man/man3p/Unicode::Collate.3pm
- x ./opt/local/share/man/man3p/Unicode::Normalize.3pm
- x ./opt/local/share/man/man3p/Unicode::UCD.3pm
- x ./opt/local/share/man/man3p/User::grent.3pm
- x ./opt/local/share/man/man3p/User::pwent.3pm
- x ./opt/local/share/man/man3p/XS::APItest.3pm
- x ./opt/local/share/man/man3p/XS::APItest::KeywordRPN.3pm
- x ./opt/local/share/man/man3p/XS::Typemap.3pm
- x ./opt/local/share/man/man3p/XSLoader.3pm
- x ./opt/local/share/man/man3p/attributes.3pm
- x ./opt/local/share/man/man3p/autodie.3pm

- x ./opt/local/share/man/man3p/locale.3pm
- x ./opt/local/share/man/man3p/mro.3pm
- x ./opt/local/share/man/man3p/open.3pm
- x ./opt/local/share/man/man3p/ops.3pm
- x ./opt/local/share/man/man3p/overload.3pm
- x ./opt/local/share/man/man3p/overloading.3pm
- x ./opt/local/share/man/man3p/parent.3pm
- x ./opt/local/share/man/man3p/re.3pm
- x ./opt/local/share/man/man3p/sigtrap.3pm
- x ./opt/local/share/man/man3p/sort.3pm
- x ./opt/local/share/man/man3p/strict.3pm
- x ./opt/local/share/man/man3p/subs.3pm
- x ./opt/local/share/man/man3p/threads.3pm
- x ./opt/local/share/man/man3p/threads::shared.3pm
- x ./opt/local/share/man/man3p/utf8.3pm
- x ./opt/local/share/man/man3p/vars.3pm
- x ./opt/local/share/man/man3p/version.3pm
- x ./opt/local/share/man/man3p/version::Internals.3pm
- x ./opt/local/share/man/man3p/vmsish.3pm
- x ./opt/local/share/man/man3p/warnings.3pm
- x ./opt/local/share/man/man3p/warnings::register.3pm
- x ./opt/local/share/man/man1p/a2p.1pm
- x ./opt/local/share/man/man1p/c2ph.1pm
- x ./opt/local/share/man/man1p/corelist.1pm

x ./opt/local/share/man/man1p/cpan.1pm
x ./opt/local/share/man/man1p/cpan2dist.1pm
x ./opt/local/share/man/man1p/cpanp.1pm
x ./opt/local/share/man/man1p/dprofpp.1pm
x ./opt/local/share/man/man1p/enc2xs.1pm
x ./opt/local/share/man/man1p/find2perl.1pm
x ./opt/local/share/man/man1p/h2ph.1pm
x ./opt/local/share/man/man1p/h2xs.1pm
x ./opt/local/share/man/man1p/instmodsh.1pm
x ./opt/local/share/man/man1p/libnetcfg.1pm
x ./opt/local/share/man/man1p/perl.1pm
x ./opt/local/share/man/man1p/perl5004delta.1pm
x ./opt/local/share/man/man1p/perl5005delta.1pm
x ./opt/local/share/man/man1p/perl5100delta.1pm
x ./opt/local/share/man/man1p/perl5101delta.1pm
x ./opt/local/share/man/man1p/perl5110delta.1pm
x ./opt/local/share/man/man1p/perl5111delta.1pm
x ./opt/local/share/man/man1p/perl5112delta.1pm
x ./opt/local/share/man/man1p/perl5113delta.1pm
x ./opt/local/share/man/man1p/perl5114delta.1pm
x ./opt/local/share/man/man1p/perl5115delta.1pm
x ./opt/local/share/man/man1p/perl5120delta.1pm
x ./opt/local/share/man/man1p/perl5121delta.1pm
x ./opt/local/share/man/man1p/perl5122delta.1pm

x ./opt/local/share/man/man1p/perl561delta.1pm
x ./opt/local/share/man/man1p/perl56delta.1pm
x ./opt/local/share/man/man1p/perl570delta.1pm
x ./opt/local/share/man/man1p/perl571delta.1pm
x ./opt/local/share/man/man1p/perl572delta.1pm
x ./opt/local/share/man/man1p/perl573delta.1pm
x ./opt/local/share/man/man1p/perl581delta.1pm
x ./opt/local/share/man/man1p/perl582delta.1pm
x ./opt/local/share/man/man1p/perl583delta.1pm
x ./opt/local/share/man/man1p/perl584delta.1pm
x ./opt/local/share/man/man1p/perl585delta.1pm
x ./opt/local/share/man/man1p/perl586delta.1pm
x ./opt/local/share/man/man1p/perl587delta.1pm
x ./opt/local/share/man/man1p/perl588delta.1pm
x ./opt/local/share/man/man1p/perl589delta.1pm
x ./opt/local/share/man/man1p/perl58delta.1pm
x ./opt/local/share/man/man1p/perl590delta.1pm
x ./opt/local/share/man/man1p/perl591delta.1pm
x ./opt/local/share/man/man1p/perl592delta.1pm
x ./opt/local/share/man/man1p/perl593delta.1pm
x ./opt/local/share/man/man1p/perl594delta.1pm
x ./opt/local/share/man/man1p/perl595delta.1pm
x ./opt/local/share/man/man1p/perlaix.1pm
x ./opt/local/share/man/man1p/perlamiga.1pm

- x ./opt/local/share/man/man1p/perlapi.1pm
- x ./opt/local/share/man/man1p/perlapiio.1pm
- x ./opt/local/share/man/man1p/perlapollo.1pm
- x ./opt/local/share/man/man1p/perlartistic.1pm
- x ./opt/local/share/man/man1p/perlbeos.1pm
- x ./opt/local/share/man/man1p/perlbook.1pm
- x ./opt/local/share/man/man1p/perlboot.1pm
- x ./opt/local/share/man/man1p/perlbot.1pm
- x ./opt/local/share/man/man1p/perlbs2000.1pm
- x ./opt/local/share/man/man1p/perlbug.1pm
- x ./opt/local/share/man/man1p/perlcall.1pm
- x ./opt/local/share/man/man1p/perlce.1pm
- x ./opt/local/share/man/man1p/perlcheat.1pm
- x ./opt/local/share/man/man1p/perlclib.1pm
- x ./opt/local/share/man/man1p/perlcn.1pm
- x ./opt/local/share/man/man1p/perlcommunity.1pm
- x ./opt/local/share/man/man1p/perlcompile.1pm
- x ./opt/local/share/man/man1p/perlcygwin.1pm
- x ./opt/local/share/man/man1p/perldata.1pm
- x ./opt/local/share/man/man1p/perldbmfilter.1pm
- x ./opt/local/share/man/man1p/perldebuguts.1pm
- x ./opt/local/share/man/man1p/perldebtut.1pm
- x ./opt/local/share/man/man1p/perldebug.1pm
- x ./opt/local/share/man/man1p/perldelta.1pm

- x ./opt/local/share/man/man1p/perlbgux.1pm
- x ./opt/local/share/man/man1p/perldiag.1pm
- x ./opt/local/share/man/man1p/perldoc.1pm
- x ./opt/local/share/man/man1p/perldos.1pm
- x ./opt/local/share/man/man1p/perldsc.1pm
- x ./opt/local/share/man/man1p/perlebcdic.1pm
- x ./opt/local/share/man/man1p/perlembded.1pm
- x ./opt/local/share/man/man1p/perlepoc.1pm
- x ./opt/local/share/man/man1p/perlfaq.1pm
- x ./opt/local/share/man/man1p/perlfaq1.1pm
- x ./opt/local/share/man/man1p/perlfaq2.1pm
- x ./opt/local/share/man/man1p/perlfaq3.1pm
- x ./opt/local/share/man/man1p/perlfaq4.1pm
- x ./opt/local/share/man/man1p/perlfaq5.1pm
- x ./opt/local/share/man/man1p/perlfaq6.1pm
- x ./opt/local/share/man/man1p/perlfaq7.1pm
- x ./opt/local/share/man/man1p/perlfaq8.1pm
- x ./opt/local/share/man/man1p/perlfaq9.1pm
- x ./opt/local/share/man/man1p/perlfilter.1pm
- x ./opt/local/share/man/man1p/perlfork.1pm
- x ./opt/local/share/man/man1p/perlform.1pm
- x ./opt/local/share/man/man1p/perlfreebsd.1pm
- x ./opt/local/share/man/man1p/perlfunc.1pm
- x ./opt/local/share/man/man1p/perlglossary.1pm

x ./opt/local/share/man/man1p/perl/gpl.1pm
x ./opt/local/share/man/man1p/perl/guts.1pm
x ./opt/local/share/man/man1p/perl/hack.1pm
x ./opt/local/share/man/man1p/perl/haiku.1pm
x ./opt/local/share/man/man1p/perl/hist.1pm
x ./opt/local/share/man/man1p/perl/hpux.1pm
x ./opt/local/share/man/man1p/perl/hurd.1pm
x ./opt/local/share/man/man1p/perl/intern.1pm
x ./opt/local/share/man/man1p/perl/intro.1pm
x ./opt/local/share/man/man1p/perl/iol.1pm
x ./opt/local/share/man/man1p/perl/ipc.1pm
x ./opt/local/share/man/man1p/perl/irix.1pm
x ./opt/local/share/man/man1p/perl/ivp.1pm
x ./opt/local/share/man/man1p/perl/jp.1pm
x ./opt/local/share/man/man1p/perl/ko.1pm
x ./opt/local/share/man/man1p/perl/lexwarn.1pm
x ./opt/local/share/man/man1p/perl/linux.1pm
x ./opt/local/share/man/man1p/perl/locale.1pm
x ./opt/local/share/man/man1p/perl/lol.1pm
x ./opt/local/share/man/man1p/perl/macos.1pm
x ./opt/local/share/man/man1p/perl/macosx.1pm
x ./opt/local/share/man/man1p/perl/mod.1pm
x ./opt/local/share/man/man1p/perl/modinstall.1pm
x ./opt/local/share/man/man1p/perl/modlib.1pm

- x ./opt/local/share/man/man1p/perlmodstyle.1pm
- x ./opt/local/share/man/man1p/perlmpaix.1pm
- x ./opt/local/share/man/man1p/perlmpioapi.1pm
- x ./opt/local/share/man/man1p/perlmpnetware.1pm
- x ./opt/local/share/man/man1p/perlmpnewmod.1pm
- x ./opt/local/share/man/man1p/perlmpnumber.1pm
- x ./opt/local/share/man/man1p/perlmpobj.1pm
- x ./opt/local/share/man/man1p/perlmpop.1pm
- x ./opt/local/share/man/man1p/perlmpopenbsd.1pm
- x ./opt/local/share/man/man1p/perlmpopentut.1pm
- x ./opt/local/share/man/man1p/perlmplos2.1pm
- x ./opt/local/share/man/man1p/perlmplos390.1pm
- x ./opt/local/share/man/man1p/perlmplos400.1pm
- x ./opt/local/share/man/man1p/perlmppacktut.1pm
- x ./opt/local/share/man/man1p/perlmpperf.1pm
- x ./opt/local/share/man/man1p/perlmpplan9.1pm
- x ./opt/local/share/man/man1p/perlmppod.1pm
- x ./opt/local/share/man/man1p/perlmppodspect.1pm
- x ./opt/local/share/man/man1p/perlmppolicy.1pm
- x ./opt/local/share/man/man1p/perlmpport.1pm
- x ./opt/local/share/man/man1p/perlmppragma.1pm
- x ./opt/local/share/man/man1p/perlmpqnx.1pm
- x ./opt/local/share/man/man1p/perlmpre.1pm
- x ./opt/local/share/man/man1p/perlmpreapi.1pm

- x ./opt/local/share/man/man1p/perlrebackslash.1pm
- x ./opt/local/share/man/man1p/perlrecharclass.1pm
- x ./opt/local/share/man/man1p/perlref.1pm
- x ./opt/local/share/man/man1p/perlreftut.1pm
- x ./opt/local/share/man/man1p/perlreguts.1pm
- x ./opt/local/share/man/man1p/perlrepository.1pm
- x ./opt/local/share/man/man1p/perlrequick.1pm
- x ./opt/local/share/man/man1p/perlreref.1pm
- x ./opt/local/share/man/man1p/perlretut.1pm
- x ./opt/local/share/man/man1p/perlriscos.1pm
- x ./opt/local/share/man/man1p/perlrun.1pm
- x ./opt/local/share/man/man1p/perlsec.1pm
- x ./opt/local/share/man/man1p/perlslolaris.1pm
- x ./opt/local/share/man/man1p/perlstyle.1pm
- x ./opt/local/share/man/man1p/perlsub.1pm
- x ./opt/local/share/man/man1p/perlsubyan.1pm
- x ./opt/local/share/man/man1p/perlsubsyn.1pm
- x ./opt/local/share/man/man1p/perlthanks.1pm
- x ./opt/local/share/man/man1p/perlthrtut.1pm
- x ./opt/local/share/man/man1p/perlthrtie.1pm
- x ./opt/local/share/man/man1p/perlthrtoc.1pm
- x ./opt/local/share/man/man1p/perlthrtodo.1pm
- x ./opt/local/share/man/man1p/perlthrtoc.1pm
- x ./opt/local/share/man/man1p/perlthrtoot.1pm

- x ./opt/local/share/man/man1p/podchecker.1pm
- x ./opt/local/share/man/man1p/podselect.1pm
- x ./opt/local/share/man/man1p/prove.1pm
- x ./opt/local/share/man/man1p/psed.1pm
- x ./opt/local/share/man/man1p/pstruct.1pm
- x ./opt/local/share/man/man1p/ptar.1pm
- x ./opt/local/share/man/man1p/ptardiff.1pm
- x ./opt/local/share/man/man1p/s2p.1pm
- x ./opt/local/share/man/man1p/shasum.1pm
- x ./opt/local/share/man/man1p/splain.1pm
- x ./opt/local/share/man/man1p/xsubpp.1pm
- x ./opt/local/bin/a2p
- x ./opt/local/bin/c2ph
- x ./opt/local/bin/cpan
- x ./opt/local/bin/cpan2dist
- x ./opt/local/bin/cpanp
- x ./opt/local/bin/cpanp-run-perl
- x ./opt/local/bin/dprofpp
- x ./opt/local/bin/enc2xs
- x ./opt/local/bin/find2perl
- x ./opt/local/bin/h2ph
- x ./opt/local/bin/h2xs
- x ./opt/local/bin/libnetcfg
- x ./opt/local/bin/perl


```
x ./opt/local/bin/perl5
x ./opt/local/bin/perlbug
x ./opt/local/bin/perldoc
x ./opt/local/bin/perlvp
x ./opt/local/bin/perlthanks
x ./opt/local/bin/piconv
x ./opt/local/bin/pl2pm
x ./opt/local/bin/pod2html
x ./opt/local/bin/pod2latex
x ./opt/local/bin/pod2man
x ./opt/local/bin/pod2text
x ./opt/local/bin/pod2usage
x ./opt/local/bin/podchecker
x ./opt/local/bin/podselect
x ./opt/local/bin/prove
x ./opt/local/bin/psed
x ./opt/local/bin/pstruct
x ./opt/local/bin/s2p
x ./opt/local/bin/splain
x ./opt/local/bin/xsubpp
---> Cleaning perl5
---> Removing work directory for perl5
---> Fetching archive for autoconf263
---> autoconf263-2.63_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/loc
```

al/var/macports/incoming/verified

---> Attempting to fetch autoconf263-2.63_0.darwin_10.noarch.tbz2 from http://packages.macports.org/autoconf263

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0

---> Attempting to fetch autoconf263-2.63_0.darwin_10.noarch.tbz2 from http://mse.uk.packages.macports.org/sites/packages.macports.org/autoconf263

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0

---> Attempting to fetch autoconf263-2.63_0.darwin_10.noarch.tbz2 from http://il.fr.packages.macports.org/autoconf263

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	0:00:01	0

---> Fetching distfiles for autoconf263

---> autoconf-2.63.tar.bz2 doesn't seem to exist in /opt/local/var/macports/distfiles/autoconf

---> Attempting to fetch autoconf-2.63.tar.bz2 from http://mirrors.ibiblio.org/gnu/ftp/gnu/autoconf

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	1167k	100	1167k	0	0	60587	0	0:00:19	0:00:19	--:--:--	68722

```
---> Verifying checksums for autoconf263
---> Checksumming autoconf-2.63.tar.bz2
---> Extracting autoconf263
---> Extracting autoconf-2.63.tar.bz2
---> Configuring autoconf263
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... build-aux/install-sh -c -d
checking for gawk... no
checking for mawk... no
checking for nawk... no
checking for awk... awk
checking whether make sets $(MAKE)... yes
checking whether /bin/sh -n is known to work... yes
checking for expr... /bin/expr
checking for GNU M4 that supports accurate traces... /opt/local/bin/gm4
checking how m4 supports trace files... --debugfile
checking for perl... /opt/local/bin/perl
checking for emacs... emacs
checking whether emacs is sufficiently recent... yes
checking for emacs... emacs
checking where .elc files should go... ${datarootdir}/emacs/site-lisp
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
```

```
checking for a sed that does not truncate output... /usr/bin/sed
checking whether make is case sensitive... yes
configure: creating ./config.status
config.status: creating tests/Makefile
config.status: creating tests/atlocal
config.status: creating man/Makefile
config.status: creating lib/emacs/Makefile
config.status: creating Makefile
config.status: creating doc/Makefile
config.status: creating lib/Makefile
config.status: creating lib/Autom4te/Makefile
config.status: creating lib/autoscan/Makefile
config.status: creating lib/m4sugar/Makefile
config.status: creating lib/autoconf/Makefile
config.status: creating lib/autotest/Makefile
config.status: creating bin/Makefile
config.status: executing tests/atconfig commands
---> Building autoconf263
make: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_
sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/
work/autoconf-2.63'
/usr/bin/make all-recursive
make[1]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
```

63/work/autoconf-2.63'

Making all in bin

```
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/work/autoconf-2.63/bin'
```

```
rm -f autom4te autom4te.tmp
```

```
cd ../lib && /usr/bin/make autom4te.cfg
```

```
srcdir=''; \
```

```
test -f ./autom4te.in || srcdir=./; \
```

```
sed -e 's|@SHELL[@]|/bin/sh|g' -e 's|@PERL[@]|/opt/local/bin/perl|g' -e 's|@bindir[@]|/opt/local/bin|g' -e 's|@datadir[@]|/opt/local/share/autoconf263/autoconflg' -e 's|@prefix[@]|/opt/local|g' -e 's|@autoconf-name[@]|`echo autoconf | sed 's&$&263&`'|g' -e 's|@autoheader-name[@]|`echo autoheader | sed 's&$&263&`'|g' -e 's|@autom4te-name[@]|`echo autom4te | sed 's&$&263&`'|g' -e 's|@M4[@]|/opt/local/bin/gm4|g' -e 's|@M4_DEBUGFILE[@]|--debugfile|g' -e 's|@AWK[@]|awk|g' -e 's|@RELEASE_YEAR[@]|`sed 's/^\([0-9][0-9][0-9][0-9]\).*$/\1/;q' ../ChangeLog`'|g' -e 's|@VERSION[@]|2.63|g' -e 's|@PACKAGE_NAME[@]|GNU Autoconflg' -e 's|@configure_input[@]|Generated from autom4te.in; do not edit by hand.|g' ${srcdir}autom4te.in >autom4te.tmp
```

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/work/autoconf-2.63/lib'
```

```
rm -f autom4te.cfg autom4te.tmp
```

```
sed -e 's|@SHELL[@]|/bin/sh|g' -e 's|@PERL[@]|/opt/local/bin/perl|g' -e 's|@bind
```

```
ir[@]|/opt/local/bin|g' -e 's|@datadir[@]|/opt/local/share/autoconf263/autoconf|
g' -e 's|@prefix[@]|/opt/local|g' -e 's|@autoconf-name[@]|'`echo autoconf | sed
's&$$&263&'`'|g' -e 's|@autoheader-name[@]|'`echo autoheader | sed 's&$$&263&'`'|g
' -e 's|@autom4te-name[@]|'`echo autom4te | sed 's&$$&263&'`'|g' -e 's|@M4[@]|/op
t/local/bin/gm4|g' -e 's|@AWK[@]|awk|g' -e 's|@VERSION[@]|2.63|g' -e 's|@PACKAGE
_NAME[@]|GNU Autoconf|g' ./autom4te.in >autom4te.tmp
chmod a-w autom4te.tmp
mv autom4te.tmp autom4te.cfg
chmod +x autom4te.tmp
chmod a-w autom4te.tmp
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/lib'
cd ../lib/m4sugar && /usr/bin/make version.m4
mv autom4te.tmp autom4te
rm -f autoheader autoheader.tmp
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63/lib/m4sugar'
;;{ \
    echo '# This file is part of -*- Autoconf -*-.' && \
    echo '# Version of Autoconf.' && \
    echo '# Copyright (C) 1999, 2000, 2001, 2002, 2006, 2007' && \
    echo '# Free Software Foundation, Inc.' && \
```

```

    echo &&\
    echo 'm4_define([m4_PACKAGE_NAME],      [GNU Autoconf])' && \
    echo 'm4_define([m4_PACKAGE_TARNAME],   [autoconf])' && \
    echo 'm4_define([m4_PACKAGE_VERSION],   [2.63])' && \
    echo 'm4_define([m4_PACKAGE_STRING],    [GNU Autoconf 2.63])' && \
    echo 'm4_define([m4_PACKAGE_BUGREPORT], [bug-autoconf@gnu.org])'; \
} > version.m4-t
srcdir=''; \
    test -f ./autoheader.in || srcdir=./; \
    sed -e 's|@SHELL[@]|/bin/sh|g' -e 's|@PERL[@]|/opt/local/bin/perl|g' -
e 's|@bindir[@]|/opt/local/bin|g' -e 's|@datadir[@]|/opt/local/share/autoconf263
/autoconfg' -e 's|@prefix[@]|/opt/local|g' -e 's|@autoconf-name[@]|`echo autoc
onf | sed 's&$$&263&`'|g' -e 's|@autoheader-name[@]|`echo autoheader | sed 's&
&263&`'|g' -e 's|@autom4te-name[@]|`echo autom4te | sed 's&$$&263&`'|g' -e 's|
|M4[@]|/opt/local/bin/gm4|g' -e 's|@M4_DEBUGFILE[@]|--debugfile|g' -e 's|@AWK[@]
|awk|g' -e 's|@RELEASE_YEAR[@]|`sed 's/^\[0-9\][0-9\][0-9\][0-9\]\).*$/1/;q' ../Ch
angeLog`'|g' -e 's|@VERSION[@]|2.63|g' -e 's|@PACKAGE_NAME[@]|GNU Autoconfg' -e
's|@configure_input[@]|Generated from autoheader.in; do not edit by hand.|g' ${
srcdir}autoheader.in >autoheader.tmp
mv version.m4-t version.m4
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/lib/m4sugar'
rm -f autoreconf autoreconf.tmp

```

```
srcdir=''; \  
    test -f ./autoreconf.in || srcdir=./; \  
    sed -e 's|@SHELL[@]|/bin/sh|g' -e 's|@PERL[@]|/opt/local/bin/perl|g' -  
e 's|@bindir[@]|/opt/local/bin|g' -e 's|@datadir[@]|/opt/local/share/autoconf263  
/autoconfg' -e 's|@prefix[@]|/opt/local|g' -e 's|@autoconf-name[@]|`echo autoc  
onf | sed 's&$$&263&`'|g' -e 's|@autoheader-name[@]|`echo autoheader | sed 's&$$  
&263&`'|g' -e 's|@autom4te-name[@]|`echo autom4te | sed 's&$$&263&`'|g' -e 's|  
@M4[@]|/opt/local/bin/gm4|g' -e 's|@M4_DEBUGFILE[@]|--debugfile|g' -e 's|@AWK[@]  
|awk|g' -e 's|@RELEASE_YEAR[@]|`sed 's/^\([0-9][0-9][0-9][0-9]\).*$/1/;q' ../Ch  
angeLog`'|g' -e 's|@VERSION[@]|2.63|g' -e 's|@PACKAGE_NAME[@]|GNU Autoconfg' -e  
 's|@configure_input[@]|Generated from autoreconf.in; do not edit by hand.|g' ${  
srcdir}autoreconf.in >autoreconf.tmp  
chmod +x autoheader.tmp  
chmod a-w autoheader.tmp  
mv autoheader.tmp autoheader  
rm -f ifnames ifnames.tmp  
srcdir=''; \  
    test -f ./ifnames.in || srcdir=./; \  
    sed -e 's|@SHELL[@]|/bin/sh|g' -e 's|@PERL[@]|/opt/local/bin/perl|g' -  
e 's|@bindir[@]|/opt/local/bin|g' -e 's|@datadir[@]|/opt/local/share/autoconf263  
/autoconfg' -e 's|@prefix[@]|/opt/local|g' -e 's|@autoconf-name[@]|`echo autoc  
onf | sed 's&$$&263&`'|g' -e 's|@autoheader-name[@]|`echo autoheader | sed 's&$$  
&263&`'|g' -e 's|@autom4te-name[@]|`echo autom4te | sed 's&$$&263&`'|g' -e 's|  
@M4[@]|/opt/local/bin/gm4|g' -e 's|@M4_DEBUGFILE[@]|--debugfile|g' -e 's|@AWK[@]
```



```
lawk|g' -e 's|@RELEASE_YEAR[@]|'`sed 's/^\([0-9][0-9][0-9][0-9]\).*\/\1/;q' ../ChangeLog`'|g' -e 's|@VERSION[@]|2.63|g' -e 's|@PACKAGE_NAME[@]|GNU Autoconf|g' -e 's|@configure_input[@]|Generated from ifnames.in; do not edit by hand.|g' ${srcdir}ifnames.in >ifnames.tmp
chmod +x autoreconf.tmp
chmod a-w autoreconf.tmp
mv autoreconf.tmp autoreconf
rm -f autoscan autoscan.tmp
chmod +x ifnames.tmp
srcdir=''; \
    test -f ./autoscan.in || srcdir=./; \
    sed -e 's|@SHELL[@]|/bin/sh|g' -e 's|@PERL[@]|/opt/local/bin/perl|g' -e 's|@bindir[@]|/opt/local/bin|g' -e 's|@datadir[@]|/opt/local/share/autoconf263/autoconf|g' -e 's|@prefix[@]|/opt/local|g' -e 's|@autoconf-name[@]|'`echo autoconf | sed 's&$$&263&`'|g' -e 's|@autoheader-name[@]|'`echo autoheader | sed 's&$$&263&`'|g' -e 's|@autom4te-name[@]|'`echo autom4te | sed 's&$$&263&`'|g' -e 's|@M4[@]|/opt/local/bin/gm4|g' -e 's|@M4_DEBUGFILE[@]|--debugfile|g' -e 's|@AWK[@]|lawk|g' -e 's|@RELEASE_YEAR[@]|'`sed 's/^\([0-9][0-9][0-9][0-9]\).*\/\1/;q' ../ChangeLog`'|g' -e 's|@VERSION[@]|2.63|g' -e 's|@PACKAGE_NAME[@]|GNU Autoconf|g' -e 's|@configure_input[@]|Generated from autoscan.in; do not edit by hand.|g' ${srcdir}autoscan.in >autoscan.tmp
chmod a-w ifnames.tmp
mv ifnames.tmp ifnames
rm -f autoupdate autoupdate.tmp
```

```
srcdir=''; \  
    test -f ./autoupdate.in || srcdir=./; \  
    sed -e 's|@SHELL[@]|/bin/sh|g' -e 's|@PERL[@]|/opt/local/bin/perl|g' -  
e 's|@bindir[@]|/opt/local/bin|g' -e 's|@datadir[@]|/opt/local/share/autoconf263  
/autoconfg' -e 's|@prefix[@]|/opt/local|g' -e 's|@autoconf-name[@]|`echo autoc  
onf | sed 's&$$&263&`'|g' -e 's|@autoheader-name[@]|`echo autoheader | sed 's&$$  
&263&`'|g' -e 's|@autom4te-name[@]|`echo autom4te | sed 's&$$&263&`'|g' -e 's|  
@M4[@]|/opt/local/bin/gm4|g' -e 's|@M4_DEBUGFILE[@]|--debugfile|g' -e 's|@AWK[@]  
|awk|g' -e 's|@RELEASE_YEAR[@]|`sed 's/^\([0-9][0-9][0-9][0-9]\).*/\1/;q' ../Ch  
angeLog`'|g' -e 's|@VERSION[@]|2.63|g' -e 's|@PACKAGE_NAME[@]|GNU Autoconfg' -e  
 's|@configure_input[@]|Generated from autoupdate.in; do not edit by hand.|g' ${  
srcdir}autoupdate.in >autoupdate.tmp  
chmod +x autoscan.tmp  
chmod a-w autoscan.tmp  
mv autoscan.tmp autoscan  
autom4te_perllibdir='../lib AUTOM4TE_CFG='../lib/autom4te.cfg' ../bin/a  
utom4te -B '../lib' -B '../lib' --language M4sh --cache '' --melt ./auto  
conf.as -o autoconf.in  
chmod +x autoupdate.tmp  
chmod a-w autoupdate.tmp  
mv autoupdate.tmp autoupdate  
rm -f autoconf autoconf.tmp  
srcdir=''; \  
    test -f ./autoconf.in || srcdir=./; \  

```

```
sed -e 's|@SHELL[@]|/bin/sh|g' -e 's|@PERL[@]|/opt/local/bin/perl|g' -
e 's|@bindir[@]|/opt/local/bin|g' -e 's|@datadir[@]|/opt/local/share/autoconf263
/autoconfg' -e 's|@prefix[@]|/opt/local|g' -e 's|@autoconf-name[@]|'`echo autoc
onf | sed 's&$$&263&'`'|g' -e 's|@autoheader-name[@]|'`echo autoheader | sed 's&$$
&263&'`'|g' -e 's|@autom4te-name[@]|'`echo autom4te | sed 's&$$&263&'`'|g' -e 's|
@M4[@]|/opt/local/bin/gm4|g' -e 's|@M4_DEBUGFILE[@]|--debugfile|g' -e 's|@AWK[@]
|awk|g' -e 's|@RELEASE_YEAR[@]|'`sed 's/^\([0-9][0-9][0-9][0-9]\).*$/1/;q' ../Ch
angeLog`'|g' -e 's|@VERSION[@]|2.63|g' -e 's|@PACKAGE_NAME[@]|GNU Autoconfg' -e
's|@configure_input[@]|Generated from autoconf.in; do not edit by hand.|g' ${sr
cdir}autoconf.in >autoconf.tmp
chmod +x autoconf.tmp
chmod a-w autoconf.tmp
mv autoconf.tmp autoconf
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/bin'
Making all in .
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63'
make[2]: Nothing to be done for `all-am'.
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63'
```

Making all in lib

```
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'
```

Making all in Autom4te

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/Autom4te'
```

```
make[3]: Nothing to be done for `all'.
```

```
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/Autom4te'
```

Making all in m4sugar

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/m4sugar'
```

```
autom4te_perllibdir='../..'/lib AUTOM4TE_CFG='../..'/lib/autom4te.cfg' ..  
/..'/bin/autom4te -B '..'/lib -B '..'/lib \
```

```
    --language=m4sugar \
```

```
    --freeze \
```

```
    --output=m4sugar.m4f
```

```
autom4te_perllibdir='../..'/lib AUTOM4TE_CFG='../..'/lib/autom4te.cfg' ..  
/..'/bin/autom4te -B '..'/lib -B '..'/lib \
```

```
    --language=m4sh \
```

```
--freeze \
--output=m4sh.m4f
```

```
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/lib/m4sugar'
```

```
Making all in autoconf
```

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63/lib/autoconf'
```

```
autom4te_perllibdir='../..'/lib AUTOM4TE_CFG='../..'/lib/autom4te.cfg' ..
../bin/autom4te -B '../..'/lib -B '../..'/lib \
```

```
--language=autoconf \
--freeze \
--output=autoconf.m4f
```

```
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/lib/autoconf'
```

```
Making all in autotest
```

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63/lib/autotest'
```

```
autom4te_perllibdir='../..'/lib AUTOM4TE_CFG='../..'/lib/autom4te.cfg' ..
../bin/autom4te -B '../..'/lib -B '../..'/lib \
```

```
--language=autotest \
```

```

--freeze \
--output=autotest.m4f
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/lib/autotest'
Making all in autoscan
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63/lib/autoscan'
echo '# Automatically Generated: do not edit this file' >autoscan.list
sed '/^[#]/!q' ./autoscan.pre >>autoscan.list
( \
    sed -n '/^[^#]/p' ./autoscan.pre; \
    autom4te_perllibdir='../..'/lib AUTOM4TE_CFG='../..'/lib/autom4te.cfg'
    ../..'/bin/autom4te -B '../..'/lib -B '../..'/lib --cache '' -M -
l autoconf -t'AN_OUTPUT:$1: $2 $3' \
) | LC_ALL=C sort >>autoscan.list
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/lib/autoscan'
Making all in emacs
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63/lib/emacs'

```

WARNING: Warnings can be ignored. :-)

```
if test "emacs" != no; then \  
    set x; \  
    list='autoconf-mode.el autotest-mode.el'; for p in $list; do \  
        if test -f "$p"; then d=""; else d="./"; fi; \  
        set x "$@" "$d$p"; shift; \  
    done; \  
    shift; \  
    EMACS="emacs" /bin/sh ../../build-aux/elisp-comp "$@" || exit 1; \  
else : ; fi
```

Wrote /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/emacs/elc.3563/autoconf-mode.elc

Wrote /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/emacs/elc.3563/autotest-mode.elc

make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/emacs'

make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'

make[3]: Nothing to be done for `all-am'.

make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport

```
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'
Making all in doc
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/doc'
make[2]: Nothing to be done for `all'.
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/doc'
Making all in tests
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/tests'
autom4te_perllibdir='../lib AUTOM4TE_CFG='../lib/autom4te.cfg' ../bin/autom4te -B '../lib' -B '../lib' --language=M4sh ./wrapper.as -o wrapper.in
rm -f autoconf autoconf.tmp
rm -f autoheader autoheader.tmp
input=wrapper.in; \
    sed -e 's|@wrap_program[@]|autoheader|g' -e 's|@abs_top_srcdir[@]|/opt/l
```



```
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e 'sl@abs
_top_builddir[@]|/opt/local/var/macports/build/_opt_local_var_macports_sources_r
sync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/auto
conf-2.63lg' -e "sl@configure_input[@]|Generated from $input.lg" wrapper.in >aut
oheader.tmp
input=wrapper.in; \
    sed -e 'sl@wrap_program[@]|autoconflg' -e 'sl@abs_top_srcdir[@]|/opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e 'sl@abs_t
op_builddir[@]|/opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoco
nf-2.63lg' -e "sl@configure_input[@]|Generated from $input.lg" wrapper.in >autoc
onf.tmp
chmod +x autoheader.tmp
chmod a-w autoheader.tmp
chmod +x autoconf.tmp
mv -f autoheader.tmp autoheader
chmod a-w autoconf.tmp
rm -f autom4te autom4te.tmp
mv -f autoconf.tmp autoconf
input=wrapper.in; \
    sed -e 'sl@wrap_program[@]|autom4telg' -e 'sl@abs_top_srcdir[@]|/opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
```

```
_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e 'sl@abs_top_builddir[@]|/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e "sl@configure_input[@]|Generated from $input.lg" wrapper.in >autom4te.tmp
rm -f autoreconf autoreconf.tmp
input=wrapper.in; \
    sed -e 'sl@wrap_program[@]|autoreconflg' -e 'sl@abs_top_srcdir[@]|/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e 'sl@abs_top_builddir[@]|/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e "sl@configure_input[@]|Generated from $input.lg" wrapper.in >autoreconf.tmp
chmod +x autom4te.tmp
chmod +x autoreconf.tmp
chmod a-w autom4te.tmp
chmod a-w autoreconf.tmp
mv -f autom4te.tmp autom4te
mv -f autoreconf.tmp autoreconf
rm -f autoscan autoscan.tmp
rm -f autoupdate autoupdate.tmp
input=wrapper.in; \
    sed -e 'sl@wrap_program[@]|autoscanlg' -e 'sl@abs_top_srcdir[@]|/opt/loc
```

```
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e 'sl@abs_t
op_builddir[@]|/opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoco
nf-2.63lg' -e "sl@configure_input[@]|Generated from $input.lg" wrapper.in >autos
can.tmp
input=wrapper.in; \
    sed -e 'sl@wrap_program[@]|autoupdate.lg' -e 'sl@abs_top_srcdir[@]|/opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e 'sl@abs
_top_builddir[@]|/opt/local/var/macports/build/_opt_local_var_macports_sources_r
sync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/auto
conf-2.63lg' -e "sl@configure_input[@]|Generated from $input.lg" wrapper.in >aut
ouupdate.tmp
chmod +x autoscan.tmp
chmod +x autoupdate.tmp
chmod a-w autoscan.tmp
chmod a-w autoupdate.tmp
mv -f autoscan.tmp autoscan
mv -f autoupdate.tmp autoupdate
rm -f ifnames ifnames.tmp
input=wrapper.in; \
    sed -e 'sl@wrap_program[@]|ifnames.lg' -e 'sl@abs_top_srcdir[@]|/opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
```

```
tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63lg' -e 'sl@abs_to
p_builddir[@]l/opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autocon
f-2.63lg' -e "sl@configure_input[@]lGenerated from $input.lg" wrapper.in >ifname
s.tmp
chmod +x ifnames.tmp
chmod a-w ifnames.tmp
mv -f ifnames.tmp ifnames
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/tests'
Making all in man
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63/man'
Updating man page autoreconf.1
PATH=" ../tests: ../build-aux:$PATH"; \
    export PATH; \
    /bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rs
ync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoc
onf-2.63/build-aux/missing --run help2man \
    --include=autoreconf.x \
    --include=./common.x \
    --source='GNU Autoconf 2.63' \
```

```
        --output=autoreconf.1.t `echo 'autoreconf' | sed 's,./,,'`
if sed 's/^\(\\.TH[^\"]*" [^\"]*" [^\"]*\\) "[^\"]*" /1/' autoreconf.1 >autoreconf.1a.t 2
>/dev/null && \
    sed 's/^\(\\.TH[^\"]*" [^\"]*" [^\"]*\\) "[^\"]*" /1/' autoreconf.1.t | cmp au
toreconf.1a.t - >/dev/null 2>&1; then \
    touch autoreconf.1; \
else \
    mv autoreconf.1.t autoreconf.1; \
fi
rm -f autoreconf.1*.t
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/man'
make[1]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63'
make: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/w
ork/autoconf-2.63'
---> Staging autoconf263 into destroot
. changed
    gid expected 0 found 80 modified
./usr missing (created)
. missing (directory not created: File exists)
```

```
./Applications missing (created)
./Developer missing (created)
./Library missing (created)
. changed
    gid expected 80 found 0 modified
./bin missing (created)
./etc missing (created)
./include missing (created)
./lib missing (created)
./lib/pkgconfig missing (created)
./libexec missing (created)
./sbin missing (created)
./share missing (created)
./share/info missing (created)
./share/man missing (created)
./share/man/cat1 missing (created)
./share/man/cat2 missing (created)
./share/man/cat3 missing (created)
./share/man/cat4 missing (created)
./share/man/cat5 missing (created)
./share/man/cat6 missing (created)
./share/man/cat7 missing (created)
./share/man/cat8 missing (created)
./share/man/cat9 missing (created)
```

./share/man/cat1 missing (created)
./share/man/catn missing (created)
./share/man/man1 missing (created)
./share/man/man2 missing (created)
./share/man/man3 missing (created)
./share/man/man4 missing (created)
./share/man/man5 missing (created)
./share/man/man6 missing (created)
./share/man/man7 missing (created)
./share/man/man8 missing (created)
./share/man/man9 missing (created)
./share/man/manl missing (created)
./share/man/mann missing (created)
./share/nls missing (created)
./share/nls/C missing (created)
./share/nls/af_ZA.ISO8859-1 missing (created)
./share/nls/af_ZA.ISO8859-15 missing (created)
./share/nls/bg_BG.CP1251 missing (created)
./share/nls/cs_CZ.ISO8859-2 missing (created)
./share/nls/da_DK.ISO8859-1 missing (created)
./share/nls/da_DK.ISO8859-15 missing (created)
./share/nls/de_AT.ISO8859-1 missing (created)
./share/nls/de_AT.ISO8859-15 missing (created)
./share/nls/de_CH.ISO8859-1 missing (created)

./share/nls/de_CH.ISO8859-15 missing (created)
./share/nls/de_DE.ISO8859-1 missing (created)
./share/nls/de_DE.ISO8859-15 missing (created)
./share/nls/el_GR.ISO8859-7 missing (created)
./share/nls/en_AU.ISO8859-1 missing (created)
./share/nls/en_AU.ISO8859-15 missing (created)
./share/nls/en_AU.US-ASCII missing (created)
./share/nls/en_CA.ISO8859-1 missing (created)
./share/nls/en_CA.ISO8859-15 missing (created)
./share/nls/en_CA.US-ASCII missing (created)
./share/nls/en_GB.ISO8859-1 missing (created)
./share/nls/en_GB.ISO8859-15 missing (created)
./share/nls/en_GB.US-ASCII missing (created)
./share/nls/en_NZ.ISO8859-1 missing (created)
./share/nls/en_NZ.ISO8859-15 missing (created)
./share/nls/en_NZ.US-ASCII missing (created)
./share/nls/en_US.ISO8859-1 missing (created)
./share/nls/en_US.ISO8859-15 missing (created)
./share/nls/es_ES.ISO8859-1 missing (created)
./share/nls/es_ES.ISO8859-15 missing (created)
./share/nls/et_EE.ISO8859-15 missing (created)
./share/nls/fi_FI.ISO8859-1 missing (created)
./share/nls/fi_FI.ISO8859-15 missing (created)
./share/nls/fr_BE.ISO8859-1 missing (created)

./share/nls/fr_BE.ISO8859-15 missing (created)
./share/nls/fr_CA.ISO8859-1 missing (created)
./share/nls/fr_CA.ISO8859-15 missing (created)
./share/nls/fr_CH.ISO8859-1 missing (created)
./share/nls/fr_CH.ISO8859-15 missing (created)
./share/nls/fr_FR.ISO8859-1 missing (created)
./share/nls/fr_FR.ISO8859-15 missing (created)
./share/nls/hi_IN.ISCII-DEV missing (created)
./share/nls/hr_HR.ISO8859-2 missing (created)
./share/nls/hu_HU.ISO8859-2 missing (created)
./share/nls/is_IS.ISO8859-1 missing (created)
./share/nls/is_IS.ISO8859-15 missing (created)
./share/nls/it_CH.ISO8859-1 missing (created)
./share/nls/it_CH.ISO8859-15 missing (created)
./share/nls/it_IT.ISO8859-1 missing (created)
./share/nls/it_IT.ISO8859-15 missing (created)
./share/nls/ja_JP.SJIS missing (created)
./share/nls/ja_JP.eucJP missing (created)
./share/nls/ko_KR.eucKR missing (created)
./share/nls/la_LN.ISO8859-1 missing (created)
./share/nls/la_LN.ISO8859-15 missing (created)
./share/nls/la_LN.ISO8859-2 missing (created)
./share/nls/la_LN.ISO8859-4 missing (created)
./share/nls/la_LN.US-ASCII missing (created)

./share/nls/lt_LT.IS08859-4 missing (created)
./share/nls/nl_BE.IS08859-1 missing (created)
./share/nls/nl_BE.IS08859-15 missing (created)
./share/nls/nl_NL.IS08859-1 missing (created)
./share/nls/nl_NL.IS08859-15 missing (created)
./share/nls/no_NO.IS08859-1 missing (created)
./share/nls/no_NO.IS08859-15 missing (created)
./share/nls/pl_PL.IS08859-2 missing (created)
./share/nls/pt_BR.IS08859-1 missing (created)
./share/nls/pt_PT.IS08859-1 missing (created)
./share/nls/pt_PT.IS08859-15 missing (created)
./share/nls/ro_RO.IS08859-2 missing (created)
./share/nls/ru_RU.CP866 missing (created)
./share/nls/ru_RU.IS08859-5 missing (created)
./share/nls/ru_RU.KOI8-R missing (created)
./share/nls/sk_SK.IS08859-2 missing (created)
./share/nls/sl_SI.IS08859-2 missing (created)
./share/nls/sv_SE.IS08859-1 missing (created)
./share/nls/sv_SE.IS08859-15 missing (created)
./share/nls/tr_TR.IS08859-9 missing (created)
./share/nls/uk_UA.IS08859-5 missing (created)
./share/nls/uk_UA.KOI8-U missing (created)
./share/nls/zh_CN.eucCN missing (created)
./share/nls/zh_TW.Big5 missing (created)

```
./share/skel missing (created)
./src missing (created)
./var missing (created)
./www missing (created)
make: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_
sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/
work/autoconf-2.63'
/usr/bin/make install-recursive
make[1]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63'
Making install in bin
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63/bin'
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2
63/work/autoconf-2.63/bin'
test -z "/opt/local/bin" || ../build-aux/install-sh -c -d "/opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_devel_autoconf263/autoconf263/work/destroot/opt/local/bin"
  /usr/bin/install -c 'autom4te' '/opt/local/var/macports/build/_opt_local_var_ma
cports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoc
onf263/work/destroot/opt/local/bin/autom4te263'
```

```
/usr/bin/install -c 'autoconf' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autocofn263/work/destroot/opt/local/bin/autoconf263'
```

```
/usr/bin/install -c 'autoheader' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autocofn263/work/destroot/opt/local/bin/autoheader263'
```

```
/usr/bin/install -c 'autoreconf' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autocofn263/work/destroot/opt/local/bin/autoreconf263'
```

```
/usr/bin/install -c 'ifnames' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autocofn263/work/destroot/opt/local/bin/ifnames263'
```

```
/usr/bin/install -c 'autoscan' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autocofn263/work/destroot/opt/local/bin/autoscan263'
```

```
/usr/bin/install -c 'autoupdate' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autocofn263/work/destroot/opt/local/bin/autoupdate263'
```

```
make[3]: Nothing to be done for `install-data-am'.
```

```
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autocofn263/work/autocofn-2.63/bin'
```

```
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autocofn263'
```

3/work/autoconf-2.63/bin'

Making install in .

make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63'

make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63'

make[3]: Nothing to be done for `install-exec-am'.

test -z "/opt/local/share/autoconf263/autoconf" || build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf"

/usr/bin/install -c -m 644 './INSTALL' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/INSTALL'

make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63'

make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63'

Making install in lib

make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor

```
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'
```

```
Making install in Autom4te
```

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/Autom4te'
```

```
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/Autom4te'
```

```
make[4]: Nothing to be done for `install-exec-am'.
```

```
test -z "/opt/local/share/autoconf263/autoconf/Autom4te" || ../../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te"
```

```
  /usr/bin/install -c -m 644 'C4che.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/C4che.pm'
```

```
  /usr/bin/install -c -m 644 'ChannelDefs.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/ChannelDefs.pm'
```

```
  /usr/bin/install -c -m 644 'Channels.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autocon
```

```
f263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/Channels.pm'
```

```
/usr/bin/install -c -m 644 'Configure_ac.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/Configure_ac.pm'
```

```
/usr/bin/install -c -m 644 'FileUtils.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/FileUtils.pm'
```

```
/usr/bin/install -c -m 644 'General.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/General.pm'
```

```
/usr/bin/install -c -m 644 'Request.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/Request.pm'
```

```
/usr/bin/install -c -m 644 'Struct.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/Struct.pm'
```

```
/usr/bin/install -c -m 644 'XFile.pm' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf26
```

```
3/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/Autom4te/XFile.  
pm'  
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26  
3/work/autoconf-2.63/lib/Autom4te'  
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26  
3/work/autoconf-2.63/lib/Autom4te'  
Making install in m4sugar  
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor  
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2  
63/work/autoconf-2.63/lib/m4sugar'  
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor  
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf2  
63/work/autoconf-2.63/lib/m4sugar'  
make[4]: Nothing to be done for `install-exec-am'.  
test -z "/opt/local/share/autoconf263/autoconf/m4sugar" || .././build-aux/insta  
ll-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync  
.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot  
/opt/local/share/autoconf263/autoconf/m4sugar"  
  /usr/bin/install -c -m 644 'm4sugar.m4' '/opt/local/var/macports/build/_opt_loc  
al_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf  
263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/m4sugar/m4sug  
ar.m4'
```



```
/usr/bin/install -c -m 644 'foreach.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/m4sugar/foreach.m4'
```

```
/usr/bin/install -c -m 644 'm4sh.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/m4sugar/m4sh.m4'  
test -z "/opt/local/share/autoconf263/autoconf/m4sugar" || ../../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/m4sugar"
```

```
/usr/bin/install -c -m 644 'version.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/m4sugar/version.m4'
```

```
/usr/bin/install -c -m 644 'm4sugar.m4f' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/m4sugar/m4sugar.m4f'
```

```
/usr/bin/install -c -m 644 'm4sh.m4f' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/m4sugar/m4sh.m4f'
```

```
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
```

```
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/m4sugar'
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/m4sugar'
Making install in autoconf
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autoconf'
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autoconf'
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/local/share/autoconf263/autoconf/autoconf" || ../../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf"
  /usr/bin/install -c -m 644 'autoconf.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/autoconf.m4'
  /usr/bin/install -c -m 644 'general.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/gene
```

ral.m4'

```
/usr/bin/install -c -m 644 'status.m4' '/opt/local/var/macports/build/_opt_loca  
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf2  
63/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/statu  
s.m4'
```

```
/usr/bin/install -c -m 644 'oldnames.m4' '/opt/local/var/macports/build/_opt_lo  
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autocon  
f263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/old  
names.m4'
```

```
/usr/bin/install -c -m 644 'specific.m4' '/opt/local/var/macports/build/_opt_lo  
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autocon  
f263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/spe  
cific.m4'
```

```
/usr/bin/install -c -m 644 'autoheader.m4' '/opt/local/var/macports/build/_opt_  
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoc  
onf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/a  
utoheader.m4'
```

```
/usr/bin/install -c -m 644 'autoupdate.m4' '/opt/local/var/macports/build/_opt_  
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoc  
onf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/a  
utoupdate.m4'
```

```
/usr/bin/install -c -m 644 'autotest.m4' '/opt/local/var/macports/build/_opt_lo  
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autocon  
f263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/aut
```

otest.m4'

```
/usr/bin/install -c -m 644 'autoscan.m4' '/opt/local/var/macports/build/_opt_lo  
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autocon  
f263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/aut  
oscan.m4'
```

```
/usr/bin/install -c -m 644 'lang.m4' '/opt/local/var/macports/build/_opt_local_  
var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263  
/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/lang.m4  
,
```

```
/usr/bin/install -c -m 644 'c.m4' '/opt/local/var/macports/build/_opt_local_var_  
_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/au  
toconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/c.m4'
```

```
/usr/bin/install -c -m 644 'erlang.m4' '/opt/local/var/macports/build/_opt_loca  
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf2  
63/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/erlan  
g.m4'
```

```
/usr/bin/install -c -m 644 'fortran.m4' '/opt/local/var/macports/build/_opt_loc  
al_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf  
263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/fort  
ran.m4'
```

```
/usr/bin/install -c -m 644 'functions.m4' '/opt/local/var/macports/build/_opt_l  
ocal_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoco  
nf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/fu  
nctions.m4'
```

```
/usr/bin/install -c -m 644 'headers.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/headers.m4'
```

```
/usr/bin/install -c -m 644 'types.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/types.m4'
```

```
/usr/bin/install -c -m 644 'libs.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/libs.m4'
```

```
/usr/bin/install -c -m 644 'programs.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/programs.m4'
```

```
test -z "/opt/local/share/autoconf263/autoconf/autoconf" || ../../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf"
```

```
/usr/bin/install -c -m 644 'autoconf.m4f' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoconf/autoconf.m4f'
```

```
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autoconf'
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autoconf'
Making install in autotest
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autotest'
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autotest'
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/local/share/autoconf263/autoconf/autotest" || ../../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autotest"
  /usr/bin/install -c -m 644 'autotest.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autotest/autotest.m4'
  /usr/bin/install -c -m 644 'general.m4' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf
```

```
263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autotest/general.m4'
```

```
test -z "/opt/local/share/autoconf263/autoconf/autotest" || ../../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autotest"
```

```
  /usr/bin/install -c -m 644 'autotest.m4f' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autotest/autotest.m4f'
```

```
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autotest'
```

```
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autotest'
```

Making install in autoscan

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autoscan'
```

```
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autoscan'
```

```
make[4]: Nothing to be done for `install-exec-am'.
```

```
test -z "/opt/local/share/autoconf263/autoconf/autoscan" || ../../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoscan"
  /usr/bin/install -c -m 644 'autoscan.list' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autoscan/autoscan.list'
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autoscan'
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/autoscan'
Making install in emacs
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/emacs'
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib/emacs'
make[4]: Nothing to be done for `install-exec-am'.
  /usr/bin/install -c -m 644 'autoconf-mode.el' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_au
```



```
toconf263/autoconf263/work/destroot/opt/local/share/emacs/site-lisp/autoconf-mode.el'
```

```
/usr/bin/install -c -m 644 'autoconf-mode.elc' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_utoconf263/autoconf263/work/destroot/opt/local/share/emacs/site-lisp/autoconf-mode.elc'
```

```
/usr/bin/install -c -m 644 'autotest-mode.el' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_utoconf263/autoconf263/work/destroot/opt/local/share/emacs/site-lisp/autotest-mode.el'
```

```
/usr/bin/install -c -m 644 'autotest-mode.elc' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_utoconf263/autoconf263/work/destroot/opt/local/share/emacs/site-lisp/autotest-mode.elc'
```

```
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_utoconf263/autoconf263/work/autoconf-2.63/lib/emacs'
```

```
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_utoconf263/autoconf263/work/autoconf-2.63/lib/emacs'
```

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_utoconf263/autoconf263/work/autoconf-2.63/lib'
```

```
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
```

```
ts_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/local/share/autoconf263/autoconf" || ../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf"
  /usr/bin/install -c -m 644 'autom4te.cfg' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/autoconf263/autoconf/autom4te.cfg'
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/lib'
Making install in doc
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/doc'
```

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/doc'
make[3]: Nothing to be done for `install-exec-am'.
test -z "/opt/local/share/info" || ../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/info"
  /usr/bin/install -c -m 644 './autoconf.info' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/info/autoconf.info'
  /usr/bin/install -c -m 644 './standards.info' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/info/standards.info'
  install-info --info-dir='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/info' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/info/autoconf.info'
  install-info --info-dir='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/info' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/info/standards.info'
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
```

```
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/doc'  
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/doc'  
Making install in tests  
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/tests'  
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/tests'  
make[3]: Nothing to be done for `install-exec-am'.  
make[3]: Nothing to be done for `install-data-am'.  
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/tests'  
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/tests'  
Making install in man  
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/man'
```

```
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/autoconf-2.63/man'
```

```
make[3]: Nothing to be done for `install-exec-am'.
```

```
test -z "/opt/local/share/man/man1" || ../build-aux/install-sh -c -d "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/man/man1"
```

```
/usr/bin/install -c -m 644 '././autoconf.1' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/man/man1/autoconf263.1'
```

```
/usr/bin/install -c -m 644 '././autoheader.1' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/man/man1/autoheader263.1'
```

```
/usr/bin/install -c -m 644 '././autom4te.1' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/man/man1/autom4te263.1'
```

```
/usr/bin/install -c -m 644 '././autoreconf.1' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/man/man1/autoreconf263.1'
```

```
/usr/bin/install -c -m 644 '././autoscan.1' '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/work/destroot/opt/local/share/man/man1/autoscan263.1'
```

```
/usr/bin/install -c -m 644 '././autoupdate.1' '/opt/local/var/macports/build/_o
```

```
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_au
toconf263/autoconf263/work/destroot/opt/local/share/man/man1/autoupdate263.1'
 /usr/bin/install -c -m 644 '././ifnames.1' '/opt/local/var/macports/build/_opt_
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_autoc
onf263/autoconf263/work/destroot/opt/local/share/man/man1/ifnames263.1'
 /usr/bin/install -c -m 644 '././config.guess.1' '/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_
autoconf263/autoconf263/work/destroot/opt/local/share/man/man1/config.guess263.1
'
 /usr/bin/install -c -m 644 '././config.sub.1' '/opt/local/var/macports/build/_o
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_devel_au
toconf263/autoconf263/work/destroot/opt/local/share/man/man1/config.sub263.1'
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/man'
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63/man'
make[1]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf26
3/work/autoconf-2.63'
make: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_devel_autoconf263/autoconf263/w
ork/autoconf-2.63'
```

```
---> Compressing man pages for autoconf263
man1/autoconf263.1:      51.4% -- replaced with man1/autoconf263.1.gz
man1/autoconf263.1.gz:  changing permissions from 00644 to 00444
man1/autoheader263.1:   51.1% -- replaced with man1/autoheader263.1.gz
man1/autoheader263.1.gz: changing permissions from 00644 to 00444
man1/autom4te263.1:     54.7% -- replaced with man1/autom4te263.1.gz
man1/autom4te263.1.gz:  changing permissions from 00644 to 00444
man1/autoreconf263.1:  51.8% -- replaced with man1/autoreconf263.1.gz
man1/autoreconf263.1.gz: changing permissions from 00644 to 00444
man1/autoscan263.1:    47.6% -- replaced with man1/autoscan263.1.gz
man1/autoscan263.1.gz:  changing permissions from 00644 to 00444
man1/autoupdate263.1:  48.0% -- replaced with man1/autoupdate263.1.gz
man1/autoupdate263.1.gz: changing permissions from 00644 to 00444
man1/config.guess263.1: 49.8% -- replaced with man1/config.guess263.1.gz
man1/config.guess263.1.gz: changing permissions from 00644 to 00444
man1/config.sub263.1:   44.6% -- replaced with man1/config.sub263.1.gz
man1/config.sub263.1.gz: changing permissions from 00644 to 00444
man1/ifnames263.1:     43.9% -- replaced with man1/ifnames263.1.gz
man1/ifnames263.1.gz:  changing permissions from 00644 to 00444
```

```
---> Installing autoconf263 @2.63_0
```

```
a .
a ./+COMMENT
a ./+CONTENTS
a ./+DESC
```

```
a ./+PORTFILE
a ./+STATE
a ./opt
a ./opt/local
a ./opt/local/bin
a ./opt/local/share
a ./opt/local/share/autoconf263
a ./opt/local/share/man
a ./opt/local/share/man/man1
a ./opt/local/share/man/man1/autoconf263.1.gz
a ./opt/local/share/man/man1/autoheader263.1.gz
a ./opt/local/share/man/man1/autom4te263.1.gz
a ./opt/local/share/man/man1/autoreconf263.1.gz
a ./opt/local/share/man/man1/autoscan263.1.gz
a ./opt/local/share/man/man1/autoupdate263.1.gz
a ./opt/local/share/man/man1/config.guess263.1.gz
a ./opt/local/share/man/man1/config.sub263.1.gz
a ./opt/local/share/man/man1/ifnames263.1.gz
a ./opt/local/share/autoconf263/autoconf
a ./opt/local/share/autoconf263/autoconf/autoconf
a ./opt/local/share/autoconf263/autoconf/Autom4te
a ./opt/local/share/autoconf263/autoconf/autom4te.cfg
a ./opt/local/share/autoconf263/autoconf/autoscan
a ./opt/local/share/autoconf263/autoconf/autotest
```


a ./opt/local/share/autoconf263/autoconf/INSTALL
a ./opt/local/share/autoconf263/autoconf/m4sugar
a ./opt/local/share/autoconf263/autoconf/m4sugar/foreach.m4
a ./opt/local/share/autoconf263/autoconf/m4sugar/m4sh.m4
a ./opt/local/share/autoconf263/autoconf/m4sugar/m4sh.m4f
a ./opt/local/share/autoconf263/autoconf/m4sugar/m4sugar.m4
a ./opt/local/share/autoconf263/autoconf/m4sugar/m4sugar.m4f
a ./opt/local/share/autoconf263/autoconf/m4sugar/version.m4
a ./opt/local/share/autoconf263/autoconf/autotest/autotest.m4
a ./opt/local/share/autoconf263/autoconf/autotest/autotest.m4f
a ./opt/local/share/autoconf263/autoconf/autotest/general.m4
a ./opt/local/share/autoconf263/autoconf/autoscan/autoscan.list
a ./opt/local/share/autoconf263/autoconf/Autom4te/C4che.pm
a ./opt/local/share/autoconf263/autoconf/Autom4te/ChannelDefs.pm
a ./opt/local/share/autoconf263/autoconf/Autom4te/Channels.pm
a ./opt/local/share/autoconf263/autoconf/Autom4te/Configure_ac.pm
a ./opt/local/share/autoconf263/autoconf/Autom4te/FileUtils.pm
a ./opt/local/share/autoconf263/autoconf/Autom4te/General.pm
a ./opt/local/share/autoconf263/autoconf/Autom4te/Request.pm
a ./opt/local/share/autoconf263/autoconf/Autom4te/Struct.pm
a ./opt/local/share/autoconf263/autoconf/Autom4te/XFile.pm
a ./opt/local/share/autoconf263/autoconf/autoconf/autoconf.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/autoconf.m4f
a ./opt/local/share/autoconf263/autoconf/autoconf/autoheader.m4

```
a ./opt/local/share/autoconf263/autoconf/autoconf/autoscan.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/autotest.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/autoupdate.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/c.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/erlang.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/fortran.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/functions.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/general.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/headers.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/lang.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/libs.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/oldnames.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/programs.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/specific.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/status.m4
a ./opt/local/share/autoconf263/autoconf/autoconf/types.m4
a ./opt/local/bin/autoconf263
a ./opt/local/bin/autoheader263
a ./opt/local/bin/autom4te263
a ./opt/local/bin/autoreconf263
a ./opt/local/bin/autoscan263
a ./opt/local/bin/autoupdate263
a ./opt/local/bin/ifnames263
---> Activating autoconf263 @2.63_0
```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/share/
x ./opt/local/share/autoconf263/
x ./opt/local/share/man/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man1/autoconf263.1.gz
x ./opt/local/share/man/man1/autoheader263.1.gz
x ./opt/local/share/man/man1/autom4te263.1.gz
x ./opt/local/share/man/man1/autoreconf263.1.gz
x ./opt/local/share/man/man1/autoscan263.1.gz
x ./opt/local/share/man/man1/autoupdate263.1.gz
x ./opt/local/share/man/man1/config.guess263.1.gz
x ./opt/local/share/man/man1/config.sub263.1.gz
x ./opt/local/share/man/man1/ifnames263.1.gz
x ./opt/local/share/autoconf263/autoconf/
x ./opt/local/share/autoconf263/autoconf/autoconf/
```

- x ./opt/local/share/autoconf263/autoconf/Autom4te/
- x ./opt/local/share/autoconf263/autoconf/autom4te.cfg
- x ./opt/local/share/autoconf263/autoconf/autoscan/
- x ./opt/local/share/autoconf263/autoconf/autotest/
- x ./opt/local/share/autoconf263/autoconf/INSTALL
- x ./opt/local/share/autoconf263/autoconf/m4sugar/
- x ./opt/local/share/autoconf263/autoconf/m4sugar/foreach.m4
- x ./opt/local/share/autoconf263/autoconf/m4sugar/m4sh.m4
- x ./opt/local/share/autoconf263/autoconf/m4sugar/m4sh.m4f
- x ./opt/local/share/autoconf263/autoconf/m4sugar/m4sugar.m4
- x ./opt/local/share/autoconf263/autoconf/m4sugar/m4sugar.m4f
- x ./opt/local/share/autoconf263/autoconf/m4sugar/version.m4
- x ./opt/local/share/autoconf263/autoconf/autotest/autotest.m4
- x ./opt/local/share/autoconf263/autoconf/autotest/autotest.m4f
- x ./opt/local/share/autoconf263/autoconf/autotest/general.m4
- x ./opt/local/share/autoconf263/autoconf/autoscan/autoscan.list
- x ./opt/local/share/autoconf263/autoconf/Autom4te/C4che.pm
- x ./opt/local/share/autoconf263/autoconf/Autom4te/ChannelDefs.pm
- x ./opt/local/share/autoconf263/autoconf/Autom4te/Channels.pm
- x ./opt/local/share/autoconf263/autoconf/Autom4te/Configure_ac.pm
- x ./opt/local/share/autoconf263/autoconf/Autom4te/FileUtils.pm
- x ./opt/local/share/autoconf263/autoconf/Autom4te/General.pm
- x ./opt/local/share/autoconf263/autoconf/Autom4te/Request.pm
- x ./opt/local/share/autoconf263/autoconf/Autom4te/Struct.pm

- x ./opt/local/share/autoconf263/autoconf/Autom4te/XFile.pm
- x ./opt/local/share/autoconf263/autoconf/autoconf/autoconf.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/autoconf.m4f
- x ./opt/local/share/autoconf263/autoconf/autoconf/autoheader.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/autoscan.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/autotest.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/autoupdate.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/c.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/erlang.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/fortran.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/functions.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/general.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/headers.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/lang.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/libs.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/oldnames.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/programs.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/specific.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/status.m4
- x ./opt/local/share/autoconf263/autoconf/autoconf/types.m4
- x ./opt/local/bin/autoconf263
- x ./opt/local/bin/autoheader263
- x ./opt/local/bin/autom4te263
- x ./opt/local/bin/autoreconf263

```

x ./opt/local/bin/autoscan263
x ./opt/local/bin/autoupdate263
x ./opt/local/bin/ifnames263
---> Cleaning autoconf263
---> Removing work directory for autoconf263
---> Fetching archive for automake17
---> automake17-1.7.9_2.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch automake17-1.7.9_2.darwin_10.noarch.tbz2 from http://packages.macports.org/automake17
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
100  402k  100  402k    0      0   152k      0  0:00:02  0:00:02 --:--:--  163k
---> Attempting to fetch automake17-1.7.9_2.darwin_10.noarch.tbz2.rmd160 from http://packages.macports.org/automake17
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
102   512  102   512    0      0   1402      0  --:--:--  --:--:--  --:--:--  2797
---> Installing automake17 @1.7.9_2
---> Activating automake17 @1.7.9_2
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC

```

```
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/share/
x ./opt/local/share/aclocal-1.7/
x ./opt/local/share/automake-1.7/
x ./opt/local/share/doc/
x ./opt/local/share/info/
x ./opt/local/share/info/automake-1.7.info
x ./opt/local/share/doc/automake17/
x ./opt/local/share/doc/automake17/AUTHORS
x ./opt/local/share/doc/automake17/ChangeLog
x ./opt/local/share/doc/automake17/ChangeLog.00
x ./opt/local/share/doc/automake17/ChangeLog.01
x ./opt/local/share/doc/automake17/ChangeLog.96
x ./opt/local/share/doc/automake17/ChangeLog.98
x ./opt/local/share/doc/automake17/COPYING
x ./opt/local/share/doc/automake17/INSTALL
x ./opt/local/share/doc/automake17/NEWS
x ./opt/local/share/doc/automake17/README
x ./opt/local/share/doc/automake17/THANKS
x ./opt/local/share/doc/automake17/TODO
```

- x ./opt/local/share/automake-1.7/acinstall
- x ./opt/local/share/automake-1.7/am/
- x ./opt/local/share/automake-1.7/ansi2knr.1
- x ./opt/local/share/automake-1.7/ansi2knr.c
- x ./opt/local/share/automake-1.7/Automake/
- x ./opt/local/share/automake-1.7/compile
- x ./opt/local/share/automake-1.7/config-ml.in
- x ./opt/local/share/automake-1.7/config.guess
- x ./opt/local/share/automake-1.7/config.sub
- x ./opt/local/share/automake-1.7/COPYING
- x ./opt/local/share/automake-1.7/depcomp
- x ./opt/local/share/automake-1.7/elisp-comp
- x ./opt/local/share/automake-1.7/INSTALL
- x ./opt/local/share/automake-1.7/install-sh
- x ./opt/local/share/automake-1.7/mdate-sh
- x ./opt/local/share/automake-1.7/missing
- x ./opt/local/share/automake-1.7/mkinstalldirs
- x ./opt/local/share/automake-1.7/py-compile
- x ./opt/local/share/automake-1.7/symlink-tree
- x ./opt/local/share/automake-1.7/texinfo.tex
- x ./opt/local/share/automake-1.7/ylwrap
- x ./opt/local/share/automake-1.7/Automake/Channels.pm
- x ./opt/local/share/automake-1.7/Automake/General.pm
- x ./opt/local/share/automake-1.7/Automake/Struct.pm

- x ./opt/local/share/automake-1.7/Automake/XFile.pm
- x ./opt/local/share/automake-1.7/am/ansi2knr.am
- x ./opt/local/share/automake-1.7/am/check.am
- x ./opt/local/share/automake-1.7/am/clean-hdr.am
- x ./opt/local/share/automake-1.7/am/clean.am
- x ./opt/local/share/automake-1.7/am/compile.am
- x ./opt/local/share/automake-1.7/am/configure.am
- x ./opt/local/share/automake-1.7/am/data.am
- x ./opt/local/share/automake-1.7/am/dejagnu.am
- x ./opt/local/share/automake-1.7/am/depend.am
- x ./opt/local/share/automake-1.7/am/depend2.am
- x ./opt/local/share/automake-1.7/am/distdir.am
- x ./opt/local/share/automake-1.7/am/footer.am
- x ./opt/local/share/automake-1.7/am/header-vars.am
- x ./opt/local/share/automake-1.7/am/header.am
- x ./opt/local/share/automake-1.7/am/install.am
- x ./opt/local/share/automake-1.7/am/java.am
- x ./opt/local/share/automake-1.7/am/lang-compile.am
- x ./opt/local/share/automake-1.7/am/lex.am
- x ./opt/local/share/automake-1.7/am/library.am
- x ./opt/local/share/automake-1.7/am/libs.am
- x ./opt/local/share/automake-1.7/am/libtool.am
- x ./opt/local/share/automake-1.7/am/lisp.am
- x ./opt/local/share/automake-1.7/am/ltlib.am

- x ./opt/local/share/automake-1.7/am/ltlibrary.am
- x ./opt/local/share/automake-1.7/am/mans-vars.am
- x ./opt/local/share/automake-1.7/am/mans.am
- x ./opt/local/share/automake-1.7/am/multilib.am
- x ./opt/local/share/automake-1.7/am/program.am
- x ./opt/local/share/automake-1.7/am/progs.am
- x ./opt/local/share/automake-1.7/am/python.am
- x ./opt/local/share/automake-1.7/am/remake-hdr.am
- x ./opt/local/share/automake-1.7/am/scripts.am
- x ./opt/local/share/automake-1.7/am/subdirs.am
- x ./opt/local/share/automake-1.7/am/tags.am
- x ./opt/local/share/automake-1.7/am/texi-vers.am
- x ./opt/local/share/automake-1.7/am/texibuild.am
- x ./opt/local/share/automake-1.7/am/texinfos.am
- x ./opt/local/share/automake-1.7/am/yacc.am
- x ./opt/local/share/aclocal-1.7/amversion.m4
- x ./opt/local/share/aclocal-1.7/as.m4
- x ./opt/local/share/aclocal-1.7/auxdir.m4
- x ./opt/local/share/aclocal-1.7/ccstdc.m4
- x ./opt/local/share/aclocal-1.7/cond.m4
- x ./opt/local/share/aclocal-1.7/depend.m4
- x ./opt/local/share/aclocal-1.7/depout.m4
- x ./opt/local/share/aclocal-1.7/dmalloc.m4
- x ./opt/local/share/aclocal-1.7/gcj.m4

```
x ./opt/local/share/aclocal-1.7/header.m4
x ./opt/local/share/aclocal-1.7/init.m4
x ./opt/local/share/aclocal-1.7/install-sh.m4
x ./opt/local/share/aclocal-1.7/lead-dot.m4
x ./opt/local/share/aclocal-1.7/lex.m4
x ./opt/local/share/aclocal-1.7/lispdir.m4
x ./opt/local/share/aclocal-1.7/maintainer.m4
x ./opt/local/share/aclocal-1.7/make.m4
x ./opt/local/share/aclocal-1.7/minuso.m4
x ./opt/local/share/aclocal-1.7/missing.m4
x ./opt/local/share/aclocal-1.7/multi.m4
x ./opt/local/share/aclocal-1.7/obsol-gt.m4
x ./opt/local/share/aclocal-1.7/obsol-lt.m4
x ./opt/local/share/aclocal-1.7/obsolete.m4
x ./opt/local/share/aclocal-1.7/options.m4
x ./opt/local/share/aclocal-1.7/protos.m4
x ./opt/local/share/aclocal-1.7/python.m4
x ./opt/local/share/aclocal-1.7/regex.m4
x ./opt/local/share/aclocal-1.7/runlog.m4
x ./opt/local/share/aclocal-1.7/sanity.m4
x ./opt/local/share/aclocal-1.7/strip.m4
x ./opt/local/bin/aclocal-17
x ./opt/local/bin/automake-17
---> Cleaning automake17
```

```
---> Removing work directory for automake17
---> Fetching archive for bzip2
---> bzip2-1.0.6_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch bzip2-1.0.6_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/bzip2
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	122k	100	122k	0	0	76450	0	0:00:01	0:00:01	--:--:--	87122

```
---> Attempting to fetch bzip2-1.0.6_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/bzip2
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1315	0	--:--:--	--:--:--	--:--:--	2639

```
---> Installing bzip2 @1.0.6_0
---> Activating bzip2 @1.0.6_0
```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
```

```
x ./opt/local/bin/  
x ./opt/local/include/  
x ./opt/local/lib/  
x ./opt/local/share/  
x ./opt/local/share/man/  
x ./opt/local/share/man/man1/  
x ./opt/local/share/man/man1/bzcmp.1.gz  
x ./opt/local/share/man/man1/bzdiff.1.gz  
x ./opt/local/share/man/man1/bzegrep.1.gz  
x ./opt/local/share/man/man1/bzfgrep.1.gz  
x ./opt/local/share/man/man1/bzgrep.1.gz  
x ./opt/local/share/man/man1/bzip2.1.gz  
x ./opt/local/share/man/man1/bzless.1.gz  
x ./opt/local/share/man/man1/bzmore.1.gz  
x ./opt/local/lib/libbz2.1.0.6.dylib  
x ./opt/local/lib/libbz2.1.0.dylib  
x ./opt/local/lib/libbz2.1.dylib  
x ./opt/local/lib/libbz2.a  
x ./opt/local/lib/libbz2.dylib  
x ./opt/local/include/bzlib.h  
x ./opt/local/bin/bunzip2  
x ./opt/local/bin/bzcat  
x ./opt/local/bin/bzcmp  
x ./opt/local/bin/bzdiff
```

```

x ./opt/local/bin/bzegrep
x ./opt/local/bin/bzfgrep
x ./opt/local/bin/bzgrep
x ./opt/local/bin/bzip2
x ./opt/local/bin/bzip2recover
x ./opt/local/bin/bzless
x ./opt/local/bin/bzmore
---> Cleaning bzip2
---> Removing work directory for bzip2
---> Fetching archive for zlib
---> zlib-1.2.8_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var
/macports/incoming/verified
---> Attempting to fetch zlib-1.2.8_0.darwin_10.x86_64.tbz2 from http://package
s.macports.org/zlib
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left     Speed
100 166k 100 166k    0      0  91342      0  0:00:01  0:00:01  --:--:--   99k
---> Attempting to fetch zlib-1.2.8_0.darwin_10.x86_64.tbz2.rmd160 from http://
packages.macports.org/zlib
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left     Speed
102  512 102  512    0      0   1359      0  --:--:--  --:--:--  --:--:--   2694
---> Installing zlib @1.2.8_0
---> Activating zlib @1.2.8_0

```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/examples/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/zlib.3.gz
x ./opt/local/share/examples/zlib/
x ./opt/local/share/examples/zlib/enough.c
x ./opt/local/share/examples/zlib/fitblk.c
x ./opt/local/share/examples/zlib/gun.c
x ./opt/local/share/examples/zlib/gzappend.c
x ./opt/local/share/examples/zlib/gzjoin.c
x ./opt/local/share/examples/zlib/gzlog.c
x ./opt/local/share/examples/zlib/gzlog.h
```

```
x ./opt/local/share/examples/zlib/README.examples
x ./opt/local/share/examples/zlib/zlib_how.html
x ./opt/local/share/examples/zlib/zpipe.c
x ./opt/local/share/examples/zlib/zran.c
x ./opt/local/share/doc/zlib/
x ./opt/local/share/doc/zlib/ChangeLog
x ./opt/local/share/doc/zlib/FAQ
x ./opt/local/share/doc/zlib/README
x ./opt/local/share/doc/zlib/zlib.3.pdf
x ./opt/local/lib/libz.1.2.8.dylib
x ./opt/local/lib/libz.1.dylib
x ./opt/local/lib/libz.a
x ./opt/local/lib/libz.dylib
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/zlib.pc
x ./opt/local/include/zconf.h
x ./opt/local/include/zlib.h
---> Cleaning zlib
---> Removing work directory for zlib
---> Fetching archive for libpng
---> libpng-1.5.17_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified
---> Attempting to fetch libpng-1.5.17_0.darwin_10.x86_64.tbz2 from http://pack
ages.macports.org/libpng
```


% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	300k	100	300k	0	0	121k	0	0:00:02	0:00:02	--:--:--	131k

---> Attempting to fetch libpng-1.5.17_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/libpng

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1346	0	--:--:--	--:--:--	--:--:--	2666

---> Installing libpng @1.5.17_0
---> Activating libpng @1.5.17_0

x ./

- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/doc/
- x ./opt/local/share/man/

- x ./opt/local/share/man/man3/
- x ./opt/local/share/man/man5/
- x ./opt/local/share/man/man5/png.5.gz
- x ./opt/local/share/man/man3/libpng.3.gz
- x ./opt/local/share/man/man3/libpngpf.3.gz
- x ./opt/local/share/doc/libpng/
- x ./opt/local/share/doc/libpng/ANNOUNCE
- x ./opt/local/share/doc/libpng/CHANGES
- x ./opt/local/share/doc/libpng/examples/
- x ./opt/local/share/doc/libpng/LICENSE
- x ./opt/local/share/doc/libpng/README
- x ./opt/local/share/doc/libpng/TODO
- x ./opt/local/share/doc/libpng/examples/example.c
- x ./opt/local/lib/libpng.a
- x ./opt/local/lib/libpng.dylib
- x ./opt/local/lib/libpng.la
- x ./opt/local/lib/libpng15.15.dylib
- x ./opt/local/lib/libpng15.a
- x ./opt/local/lib/libpng15.dylib
- x ./opt/local/lib/libpng15.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/libpng.pc
- x ./opt/local/lib/pkgconfig/libpng15.pc
- x ./opt/local/include/libpng15/

```

x ./opt/local/include/png.h
x ./opt/local/include/pngconf.h
x ./opt/local/include/pnglibconf.h
x ./opt/local/include/libpng15/png.h
x ./opt/local/include/libpng15/pngconf.h
x ./opt/local/include/libpng15/pnglibconf.h
x ./opt/local/bin/libpng-config
x ./opt/local/bin/libpng15-config
---> Cleaning libpng
---> Removing work directory for libpng
---> Fetching archive for freetype
---> freetype-2.5.0_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local
/var/macports/incoming/verified
---> Attempting to fetch freetype-2.5.0_1.darwin_10.x86_64.tbz2 from http://pac
kages.macports.org/freetype
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
100 1014k  100 1014k    0     0   195k      0  0:00:05  0:00:05 --:--:--  219k
---> Attempting to fetch freetype-2.5.0_1.darwin_10.x86_64.tbz2.rmd160 from htt
p://packages.macports.org/freetype
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
102   512   102   512    0     0   1384      0  --:--:--  --:--:--  --:--:--  2723
---> Installing freetype @2.5.0_1

```

---> Activating freetype @2.5.0_1

- x ./
- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/aclocal/
- x ./opt/local/share/doc/
- x ./opt/local/share/doc/freetype/
- x ./opt/local/share/doc/freetype/ChangeLog
- x ./opt/local/share/doc/freetype/CHANGES
- x ./opt/local/share/doc/freetype/formats.txt
- x ./opt/local/share/doc/freetype/FTL.TXT
- x ./opt/local/share/doc/freetype/GPLv2.TXT
- x ./opt/local/share/doc/freetype/html/
- x ./opt/local/share/doc/freetype/LICENSE.TXT
- x ./opt/local/share/doc/freetype/PROBLEMS

- x [./opt/local/share/doc/freetype/raster.txt](#)
- x [./opt/local/share/doc/freetype/README](#)
- x [./opt/local/share/doc/freetype/TODO](#)
- x [./opt/local/share/doc/freetype/html/design/](#)
- x [./opt/local/share/doc/freetype/html/ft2faq.html](#)
- x [./opt/local/share/doc/freetype/html/glyphs/](#)
- x [./opt/local/share/doc/freetype/html/reference/](#)
- x [./opt/local/share/doc/freetype/html/tutorial/](#)
- x [./opt/local/share/doc/freetype/html/tutorial/example1.c](#)
- x [./opt/local/share/doc/freetype/html/tutorial/example2.cpp](#)
- x [./opt/local/share/doc/freetype/html/tutorial/example3.cpp](#)
- x [./opt/local/share/doc/freetype/html/tutorial/example4.cpp](#)
- x [./opt/local/share/doc/freetype/html/tutorial/example4.pro](#)
- x [./opt/local/share/doc/freetype/html/tutorial/metrics.png](#)
- x [./opt/local/share/doc/freetype/html/tutorial/metrics2.png](#)
- x [./opt/local/share/doc/freetype/html/tutorial/step1.html](#)
- x [./opt/local/share/doc/freetype/html/tutorial/step2.html](#)
- x [./opt/local/share/doc/freetype/html/tutorial/step3.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-auto_hinter.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-base_interface.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-basic_types.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-bdf_fonts.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-bitmap_handling.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-bzip2.html](#)

- x [./opt/local/share/doc/freetype/html/reference/ft2-cache_subsystem.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-cff_driver.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-cid_fonts.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-computations.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-font_formats.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-gasp_table.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-glyph_management.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-glyph_stroker.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-glyph_variants.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-gx_validation.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-gzip.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-header_file_macros.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-incremental.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-index.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-lcd_filtering.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-list_processing.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-lzw.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-mac_specific.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-module_management.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-multiple_masters.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-ot_validation.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-outline_processing.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-pfr_fonts.html](#)
- x [./opt/local/share/doc/freetype/html/reference/ft2-quick_advance.html](#)

- x ./opt/local/share/doc/freetype/html/reference/ft2-raster.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-sfnt_names.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-sizes_management.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-system_interface.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-toc.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-truetype_engine.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-truetype_tables.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-tt_driver.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-type1_tables.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-user_allocation.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-version.html
- x ./opt/local/share/doc/freetype/html/reference/ft2-winfnt_fonts.html
- x ./opt/local/share/doc/freetype/html/reference/README
- x ./opt/local/share/doc/freetype/html/glyphs/bbox1.png
- x ./opt/local/share/doc/freetype/html/glyphs/bbox2.png
- x ./opt/local/share/doc/freetype/html/glyphs/body_comparison.png
- x ./opt/local/share/doc/freetype/html/glyphs/bravo_kerned.png
- x ./opt/local/share/doc/freetype/html/glyphs/bravo_unkerned.png
- x ./opt/local/share/doc/freetype/html/glyphs/clipping.png
- x ./opt/local/share/doc/freetype/html/glyphs/down_flow.png
- x ./opt/local/share/doc/freetype/html/glyphs/glyphs-1.html
- x ./opt/local/share/doc/freetype/html/glyphs/glyphs-2.html
- x ./opt/local/share/doc/freetype/html/glyphs/glyphs-3.html
- x ./opt/local/share/doc/freetype/html/glyphs/glyphs-4.html

x ./opt/local/share/doc/freetype/html/glyphs/glyphs-5.html
x ./opt/local/share/doc/freetype/html/glyphs/glyphs-6.html
x ./opt/local/share/doc/freetype/html/glyphs/glyphs-7.html
x ./opt/local/share/doc/freetype/html/glyphs/grid_1.png
x ./opt/local/share/doc/freetype/html/glyphs/Image1.png
x ./opt/local/share/doc/freetype/html/glyphs/Image2.png
x ./opt/local/share/doc/freetype/html/glyphs/Image3.png
x ./opt/local/share/doc/freetype/html/glyphs/Image4.png
x ./opt/local/share/doc/freetype/html/glyphs/index.html
x ./opt/local/share/doc/freetype/html/glyphs/points_conic.png
x ./opt/local/share/doc/freetype/html/glyphs/points_conic2.png
x ./opt/local/share/doc/freetype/html/glyphs/points_cubic.png
x ./opt/local/share/doc/freetype/html/glyphs/points_segment.png
x ./opt/local/share/doc/freetype/html/glyphs/twlewis1.png
x ./opt/local/share/doc/freetype/html/glyphs/twlewis2.png
x ./opt/local/share/doc/freetype/html/glyphs/up_flow.png
x ./opt/local/share/doc/freetype/html/design/basic-design.png
x ./opt/local/share/doc/freetype/html/design/design-1.html
x ./opt/local/share/doc/freetype/html/design/design-2.html
x ./opt/local/share/doc/freetype/html/design/design-3.html
x ./opt/local/share/doc/freetype/html/design/design-4.html
x ./opt/local/share/doc/freetype/html/design/design-5.html
x ./opt/local/share/doc/freetype/html/design/design-6.html
x ./opt/local/share/doc/freetype/html/design/detailed-design.png

- x ./opt/local/share/doc/freetype/html/design/index.html
- x ./opt/local/share/doc/freetype/html/design/library-model.png
- x ./opt/local/share/doc/freetype/html/design/simple-model.png
- x ./opt/local/share/aclocal/freetype2.m4
- x ./opt/local/lib/libfreetype.6.dylib
- x ./opt/local/lib/libfreetype.a
- x ./opt/local/lib/libfreetype.dylib
- x ./opt/local/lib/libfreetype.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/freetype2.pc
- x ./opt/local/include/freetype2/
- x ./opt/local/include/ft2build.h
- x ./opt/local/include/freetype2/freetype/
- x ./opt/local/include/freetype2/freetype/config/
- x ./opt/local/include/freetype2/freetype/freetype.h
- x ./opt/local/include/freetype2/freetype/ftadvanc.h
- x ./opt/local/include/freetype2/freetype/ftautoh.h
- x ./opt/local/include/freetype2/freetype/ftbbox.h
- x ./opt/local/include/freetype2/freetype/ftbdf.h
- x ./opt/local/include/freetype2/freetype/ftbitmap.h
- x ./opt/local/include/freetype2/freetype/ftbzip2.h
- x ./opt/local/include/freetype2/freetype/ftcache.h
- x ./opt/local/include/freetype2/freetype/ftcffdrv.h
- x ./opt/local/include/freetype2/freetype/ftchapters.h

x ./opt/local/include/freetype2/freetype/ftcid.h
x ./opt/local/include/freetype2/freetype/fterrdef.h
x ./opt/local/include/freetype2/freetype/fterrors.h
x ./opt/local/include/freetype2/freetype/ftgasp.h
x ./opt/local/include/freetype2/freetype/ftglyph.h
x ./opt/local/include/freetype2/freetype/ftgxval.h
x ./opt/local/include/freetype2/freetype/ftgzip.h
x ./opt/local/include/freetype2/freetype/ftimage.h
x ./opt/local/include/freetype2/freetype/ftincrem.h
x ./opt/local/include/freetype2/freetype/ftlcdfil.h
x ./opt/local/include/freetype2/freetype/ftlist.h
x ./opt/local/include/freetype2/freetype/ftlzw.h
x ./opt/local/include/freetype2/freetype/ftmac.h
x ./opt/local/include/freetype2/freetype/ftmm.h
x ./opt/local/include/freetype2/freetype/ftmodapi.h
x ./opt/local/include/freetype2/freetype/ftmoderr.h
x ./opt/local/include/freetype2/freetype/ftotval.h
x ./opt/local/include/freetype2/freetype/ftoutln.h
x ./opt/local/include/freetype2/freetype/ftpfr.h
x ./opt/local/include/freetype2/freetype/ftrender.h
x ./opt/local/include/freetype2/freetype/ftsizes.h
x ./opt/local/include/freetype2/freetype/ftsnames.h
x ./opt/local/include/freetype2/freetype/ftstroke.h
x ./opt/local/include/freetype2/freetype/ftsynth.h

```
x ./opt/local/include/freetype2/freetype/ftsystem.h
x ./opt/local/include/freetype2/freetype/ftttrigon.h
x ./opt/local/include/freetype2/freetype/ftttdrv.h
x ./opt/local/include/freetype2/freetype/fttypes.h
x ./opt/local/include/freetype2/freetype/ftwinfnt.h
x ./opt/local/include/freetype2/freetype/ftxf86.h
x ./opt/local/include/freetype2/freetype/t1tables.h
x ./opt/local/include/freetype2/freetype/ttnameid.h
x ./opt/local/include/freetype2/freetype/tttables.h
x ./opt/local/include/freetype2/freetype/tttags.h
x ./opt/local/include/freetype2/freetype/ttunpat.h
x ./opt/local/include/freetype2/freetype/config/ftconfig.h
x ./opt/local/include/freetype2/freetype/config/fthead.h
x ./opt/local/include/freetype2/freetype/config/ftmodule.h
x ./opt/local/include/freetype2/freetype/config/ftoption.h
x ./opt/local/include/freetype2/freetype/config/ftstdlib.h
x ./opt/local/bin/freetype-config
---> Cleaning freetype
---> Removing work directory for freetype
---> Fetching archive for fontconfig
---> fontconfig-2.11.0_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch fontconfig-2.11.0_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/fontconfig
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	1108k	100	1108k	0	0	198k	0	0:00:05	0:00:05	--:--:--	225k

---> Attempting to fetch fontconfig-2.11.0_0.darwin_10.x86_64.tbz2.rmd160 from <http://packages.macports.org/fontconfig>

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1352	0	--:--:--	--:--:--	--:--:--	2680

---> Installing fontconfig @2.11.0_0

---> Activating fontconfig @2.11.0_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/etc/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/share/

x ./opt/local/share/doc/

- x ./opt/local/share/fontconfig/
- x ./opt/local/share/man/
- x ./opt/local/share/xml/
- x ./opt/local/share/xml/fontconfig/
- x ./opt/local/share/xml/fontconfig/fonts.dtd
- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man3/
- x ./opt/local/share/man/man5/
- x ./opt/local/share/man/man5/fonts-conf.5.gz
- x ./opt/local/share/man/man3/FcAtomicCreate.3.gz
- x ./opt/local/share/man/man3/FcAtomicDeleteNew.3.gz
- x ./opt/local/share/man/man3/FcAtomicDestroy.3.gz
- x ./opt/local/share/man/man3/FcAtomicLock.3.gz
- x ./opt/local/share/man/man3/FcAtomicNewFile.3.gz
- x ./opt/local/share/man/man3/FcAtomicOrigFile.3.gz
- x ./opt/local/share/man/man3/FcAtomicReplaceOrig.3.gz
- x ./opt/local/share/man/man3/FcAtomicUnlock.3.gz
- x ./opt/local/share/man/man3/FcBlanksAdd.3.gz
- x ./opt/local/share/man/man3/FcBlanksCreate.3.gz
- x ./opt/local/share/man/man3/FcBlanksDestroy.3.gz
- x ./opt/local/share/man/man3/FcBlanksIsMember.3.gz
- x ./opt/local/share/man/man3/FcCacheCopySet.3.gz
- x ./opt/local/share/man/man3/FcCacheCreateTagFile.3.gz
- x ./opt/local/share/man/man3/FcCacheDir.3.gz

- x ./opt/local/share/man/man3/FcCacheNumFont.3.gz
- x ./opt/local/share/man/man3/FcCacheNumSubdir.3.gz
- x ./opt/local/share/man/man3/FcCacheSubdir.3.gz
- x ./opt/local/share/man/man3/FcCharSetAddChar.3.gz
- x ./opt/local/share/man/man3/FcCharSetCopy.3.gz
- x ./opt/local/share/man/man3/FcCharSetCount.3.gz
- x ./opt/local/share/man/man3/FcCharSetCoverage.3.gz
- x ./opt/local/share/man/man3/FcCharSetCreate.3.gz
- x ./opt/local/share/man/man3/FcCharSetDelChar.3.gz
- x ./opt/local/share/man/man3/FcCharSetDestroy.3.gz
- x ./opt/local/share/man/man3/FcCharSetEqual.3.gz
- x ./opt/local/share/man/man3/FcCharSetFirstPage.3.gz
- x ./opt/local/share/man/man3/FcCharSetHasChar.3.gz
- x ./opt/local/share/man/man3/FcCharSetIntersect.3.gz
- x ./opt/local/share/man/man3/FcCharSetIntersectCount.3.gz
- x ./opt/local/share/man/man3/FcCharSetIsSubset.3.gz
- x ./opt/local/share/man/man3/FcCharSetMerge.3.gz
- x ./opt/local/share/man/man3/FcCharSetNew.3.gz
- x ./opt/local/share/man/man3/FcCharSetNextPage.3.gz
- x ./opt/local/share/man/man3/FcCharSetSubtract.3.gz
- x ./opt/local/share/man/man3/FcCharSetSubtractCount.3.gz
- x ./opt/local/share/man/man3/FcCharSetUnion.3.gz
- x ./opt/local/share/man/man3/FcConfigAppFontAddDir.3.gz
- x ./opt/local/share/man/man3/FcConfigAppFontAddFile.3.gz

x ./opt/local/share/man/man3/FcConfigAppFontClear.3.gz
x ./opt/local/share/man/man3/FcConfigBuildFonts.3.gz
x ./opt/local/share/man/man3/FcConfigCreate.3.gz
x ./opt/local/share/man/man3/FcConfigDestroy.3.gz
x ./opt/local/share/man/man3/FcConfigEnableHome.3.gz
x ./opt/local/share/man/man3/FcConfigFilename.3.gz
x ./opt/local/share/man/man3/FcConfigGetBlanks.3.gz
x ./opt/local/share/man/man3/FcConfigGetCache.3.gz
x ./opt/local/share/man/man3/FcConfigGetCacheDirs.3.gz
x ./opt/local/share/man/man3/FcConfigGetConfigDirs.3.gz
x ./opt/local/share/man/man3/FcConfigGetConfigFiles.3.gz
x ./opt/local/share/man/man3/FcConfigGetCurrent.3.gz
x ./opt/local/share/man/man3/FcConfigGetFontDirs.3.gz
x ./opt/local/share/man/man3/FcConfigGetFonts.3.gz
x ./opt/local/share/man/man3/FcConfigGetRescanInterval.3.gz
x ./opt/local/share/man/man3/FcConfigGetSysRoot.3.gz
x ./opt/local/share/man/man3/FcConfigHome.3.gz
x ./opt/local/share/man/man3/FcConfigParseAndLoad.3.gz
x ./opt/local/share/man/man3/FcConfigReference.3.gz
x ./opt/local/share/man/man3/FcConfigSetCurrent.3.gz
x ./opt/local/share/man/man3/FcConfigSetRescanInterval.3.gz
x ./opt/local/share/man/man3/FcConfigSetSysRoot.3.gz
x ./opt/local/share/man/man3/FcConfigSubstitute.3.gz
x ./opt/local/share/man/man3/FcConfigSubstituteWithPat.3.gz

- x ./opt/local/share/man/man3/FcConfigUptoDate.3.gz
- x ./opt/local/share/man/man3/FcDefaultSubstitute.3.gz
- x ./opt/local/share/man/man3/FcDirCacheClean.3.gz
- x ./opt/local/share/man/man3/FcDirCacheLoad.3.gz
- x ./opt/local/share/man/man3/FcDirCacheLoadFile.3.gz
- x ./opt/local/share/man/man3/FcDirCacheRead.3.gz
- x ./opt/local/share/man/man3/FcDirCacheUnlink.3.gz
- x ./opt/local/share/man/man3/FcDirCacheUnload.3.gz
- x ./opt/local/share/man/man3/FcDirCacheValid.3.gz
- x ./opt/local/share/man/man3/FcDirSave.3.gz
- x ./opt/local/share/man/man3/FcDirScan.3.gz
- x ./opt/local/share/man/man3/FcFileIsDir.3.gz
- x ./opt/local/share/man/man3/FcFileScan.3.gz
- x ./opt/local/share/man/man3/FcFini.3.gz
- x ./opt/local/share/man/man3/FcFontList.3.gz
- x ./opt/local/share/man/man3/FcFontMatch.3.gz
- x ./opt/local/share/man/man3/FcFontRenderPrepare.3.gz
- x ./opt/local/share/man/man3/FcFontSetAdd.3.gz
- x ./opt/local/share/man/man3/FcFontSetCreate.3.gz
- x ./opt/local/share/man/man3/FcFontSetDestroy.3.gz
- x ./opt/local/share/man/man3/FcFontSetList.3.gz
- x ./opt/local/share/man/man3/FcFontSetMatch.3.gz
- x ./opt/local/share/man/man3/FcFontSetPrint.3.gz
- x ./opt/local/share/man/man3/FcFontSetSort.3.gz

- x ./opt/local/share/man/man3/FcFontSetSortDestroy.3.gz
- x ./opt/local/share/man/man3/FcFontSort.3.gz
- x ./opt/local/share/man/man3/FcFreeTypeCharIndex.3.gz
- x ./opt/local/share/man/man3/FcFreeTypeCharSet.3.gz
- x ./opt/local/share/man/man3/FcFreeTypeCharSetAndSpacing.3.gz
- x ./opt/local/share/man/man3/FcFreeTypeQuery.3.gz
- x ./opt/local/share/man/man3/FcFreeTypeQueryFace.3.gz
- x ./opt/local/share/man/man3/FcGetDefaultLangs.3.gz
- x ./opt/local/share/man/man3/FcGetLangs.3.gz
- x ./opt/local/share/man/man3/FcGetVersion.3.gz
- x ./opt/local/share/man/man3/FcInit.3.gz
- x ./opt/local/share/man/man3/FcInitBringUpToDate.3.gz
- x ./opt/local/share/man/man3/FcInitLoadConfig.3.gz
- x ./opt/local/share/man/man3/FcInitLoadConfigAndFonts.3.gz
- x ./opt/local/share/man/man3/FcInitReinitialize.3.gz
- x ./opt/local/share/man/man3/FcIsLower.3.gz
- x ./opt/local/share/man/man3/FcIsUpper.3.gz
- x ./opt/local/share/man/man3/FcLangGetCharSet.3.gz
- x ./opt/local/share/man/man3/FcLangNormalize.3.gz
- x ./opt/local/share/man/man3/FcLangSetAdd.3.gz
- x ./opt/local/share/man/man3/FcLangSetCompare.3.gz
- x ./opt/local/share/man/man3/FcLangSetContains.3.gz
- x ./opt/local/share/man/man3/FcLangSetCopy.3.gz
- x ./opt/local/share/man/man3/FcLangSetCreate.3.gz

- x ./opt/local/share/man/man3/FcLangSetDel.3.gz
- x ./opt/local/share/man/man3/FcLangSetDestroy.3.gz
- x ./opt/local/share/man/man3/FcLangSetEqual.3.gz
- x ./opt/local/share/man/man3/FcLangSetHash.3.gz
- x ./opt/local/share/man/man3/FcLangSetHasLang.3.gz
- x ./opt/local/share/man/man3/FcLangSetSubtract.3.gz
- x ./opt/local/share/man/man3/FcLangSetUnion.3.gz
- x ./opt/local/share/man/man3/FcMatrixCopy.3.gz
- x ./opt/local/share/man/man3/FcMatrixEqual.3.gz
- x ./opt/local/share/man/man3/FcMatrixInit.3.gz
- x ./opt/local/share/man/man3/FcMatrixMultiply.3.gz
- x ./opt/local/share/man/man3/FcMatrixRotate.3.gz
- x ./opt/local/share/man/man3/FcMatrixScale.3.gz
- x ./opt/local/share/man/man3/FcMatrixShear.3.gz
- x ./opt/local/share/man/man3/FcNameConstant.3.gz
- x ./opt/local/share/man/man3/FcNameGetConstant.3.gz
- x ./opt/local/share/man/man3/FcNameGetObjectType.3.gz
- x ./opt/local/share/man/man3/FcNameParse.3.gz
- x ./opt/local/share/man/man3/FcNameRegisterConstants.3.gz
- x ./opt/local/share/man/man3/FcNameRegisterObjectTypes.3.gz
- x ./opt/local/share/man/man3/FcNameUnparse.3.gz
- x ./opt/local/share/man/man3/FcNameUnregisterConstants.3.gz
- x ./opt/local/share/man/man3/FcNameUnregisterObjectTypes.3.gz
- x ./opt/local/share/man/man3/FcObjectSetAdd.3.gz

- x ./opt/local/share/man/man3/FcObjectSetBuild.3.gz
- x ./opt/local/share/man/man3/FcObjectSetCreate.3.gz
- x ./opt/local/share/man/man3/FcObjectSetDestroy.3.gz
- x ./opt/local/share/man/man3/FcPatternAdd-Type.3.gz
- x ./opt/local/share/man/man3/FcPatternAdd.3.gz
- x ./opt/local/share/man/man3/FcPatternAddWeak.3.gz
- x ./opt/local/share/man/man3/FcPatternBuild.3.gz
- x ./opt/local/share/man/man3/FcPatternCreate.3.gz
- x ./opt/local/share/man/man3/FcPatternDel.3.gz
- x ./opt/local/share/man/man3/FcPatternDestroy.3.gz
- x ./opt/local/share/man/man3/FcPatternDuplicate.3.gz
- x ./opt/local/share/man/man3/FcPatternEqual.3.gz
- x ./opt/local/share/man/man3/FcPatternEqualSubset.3.gz
- x ./opt/local/share/man/man3/FcPatternFilter.3.gz
- x ./opt/local/share/man/man3/FcPatternFormat.3.gz
- x ./opt/local/share/man/man3/FcPatternGet-Type.3.gz
- x ./opt/local/share/man/man3/FcPatternGet.3.gz
- x ./opt/local/share/man/man3/FcPatternHash.3.gz
- x ./opt/local/share/man/man3/FcPatternPrint.3.gz
- x ./opt/local/share/man/man3/FcPatternReference.3.gz
- x ./opt/local/share/man/man3/FcPatternRemove.3.gz
- x ./opt/local/share/man/man3/FcStrBasename.3.gz
- x ./opt/local/share/man/man3/FcStrCmp.3.gz
- x ./opt/local/share/man/man3/FcStrCmpIgnoreCase.3.gz

- x ./opt/local/share/man/man3/FcStrCopy.3.gz
- x ./opt/local/share/man/man3/FcStrCopyFilename.3.gz
- x ./opt/local/share/man/man3/FcStrDirname.3.gz
- x ./opt/local/share/man/man3/FcStrDnwcasc.3.gz
- x ./opt/local/share/man/man3/FcStrFree.3.gz
- x ./opt/local/share/man/man3/FcStrListCreate.3.gz
- x ./opt/local/share/man/man3/FcStrListDone.3.gz
- x ./opt/local/share/man/man3/FcStrListFirst.3.gz
- x ./opt/local/share/man/man3/FcStrListNext.3.gz
- x ./opt/local/share/man/man3/FcStrPlus.3.gz
- x ./opt/local/share/man/man3/FcStrSetAdd.3.gz
- x ./opt/local/share/man/man3/FcStrSetAddFilename.3.gz
- x ./opt/local/share/man/man3/FcStrSetCreate.3.gz
- x ./opt/local/share/man/man3/FcStrSetDel.3.gz
- x ./opt/local/share/man/man3/FcStrSetDestroy.3.gz
- x ./opt/local/share/man/man3/FcStrSetEqual.3.gz
- x ./opt/local/share/man/man3/FcStrSetMember.3.gz
- x ./opt/local/share/man/man3/FcStrStr.3.gz
- x ./opt/local/share/man/man3/FcStrStrIgnoreCase.3.gz
- x ./opt/local/share/man/man3/FcToLower.3.gz
- x ./opt/local/share/man/man3/FcUcs4ToUtf8.3.gz
- x ./opt/local/share/man/man3/FcUtf16Len.3.gz
- x ./opt/local/share/man/man3/FcUtf16ToUcs4.3.gz
- x ./opt/local/share/man/man3/FcUtf8Len.3.gz

- x ./opt/local/share/man/man3/FcUtf8ToUcs4.3.gz
- x ./opt/local/share/man/man3/FcValueDestroy.3.gz
- x ./opt/local/share/man/man3/FcValueEqual.3.gz
- x ./opt/local/share/man/man3/FcValuePrint.3.gz
- x ./opt/local/share/man/man3/FcValueSave.3.gz
- x ./opt/local/share/man/man1/fc-cache.1.gz
- x ./opt/local/share/man/man1/fc-cat.1.gz
- x ./opt/local/share/man/man1/fc-list.1.gz
- x ./opt/local/share/man/man1/fc-match.1.gz
- x ./opt/local/share/man/man1/fc-pattern.1.gz
- x ./opt/local/share/man/man1/fc-query.1.gz
- x ./opt/local/share/man/man1/fc-scan.1.gz
- x ./opt/local/share/man/man1/fc-validate.1.gz
- x ./opt/local/share/fontconfig/conf.avail/
- x ./opt/local/share/fontconfig/conf.avail/10-autohint.conf
- x ./opt/local/share/fontconfig/conf.avail/10-no-sub-pixel.conf
- x ./opt/local/share/fontconfig/conf.avail/10-scale-bitmap-fonts.conf
- x ./opt/local/share/fontconfig/conf.avail/10-sub-pixel-bgr.conf
- x ./opt/local/share/fontconfig/conf.avail/10-sub-pixel-rgb.conf
- x ./opt/local/share/fontconfig/conf.avail/10-sub-pixel-vbgr.conf
- x ./opt/local/share/fontconfig/conf.avail/10-sub-pixel-vrgb.conf
- x ./opt/local/share/fontconfig/conf.avail/10-unhinted.conf
- x ./opt/local/share/fontconfig/conf.avail/11-lcdfilter-default.conf
- x ./opt/local/share/fontconfig/conf.avail/11-lcdfilter-legacy.conf

- x ./opt/local/share/fontconfig/conf.avail/11-lcdfilter-light.conf
- x ./opt/local/share/fontconfig/conf.avail/20-unhint-small-vera.conf
- x ./opt/local/share/fontconfig/conf.avail/25-unhint-nonlatin.conf
- x ./opt/local/share/fontconfig/conf.avail/30-metric-aliases.conf
- x ./opt/local/share/fontconfig/conf.avail/30-urw-aliases.conf
- x ./opt/local/share/fontconfig/conf.avail/40-nonlatin.conf
- x ./opt/local/share/fontconfig/conf.avail/45-latin.conf
- x ./opt/local/share/fontconfig/conf.avail/49-sansserif.conf
- x ./opt/local/share/fontconfig/conf.avail/50-user.conf
- x ./opt/local/share/fontconfig/conf.avail/51-local.conf
- x ./opt/local/share/fontconfig/conf.avail/60-latin.conf
- x ./opt/local/share/fontconfig/conf.avail/65-fonts-persian.conf
- x ./opt/local/share/fontconfig/conf.avail/65-khmer.conf
- x ./opt/local/share/fontconfig/conf.avail/65-nonlatin.conf
- x ./opt/local/share/fontconfig/conf.avail/69-unifont.conf
- x ./opt/local/share/fontconfig/conf.avail/70-no-bitmaps.conf
- x ./opt/local/share/fontconfig/conf.avail/70-yes-bitmaps.conf
- x ./opt/local/share/fontconfig/conf.avail/80-delicious.conf
- x ./opt/local/share/fontconfig/conf.avail/90-synthetic.conf
- x ./opt/local/share/doc/fontconfig/
- x ./opt/local/share/doc/fontconfig/AUTHORS
- x ./opt/local/share/doc/fontconfig/ChangeLog
- x ./opt/local/share/doc/fontconfig/COPYING
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/

- x ./opt/local/share/doc/fontconfig/fontconfig-devel.pdf
- x ./opt/local/share/doc/fontconfig/fontconfig-devel.txt
- x ./opt/local/share/doc/fontconfig/fontconfig-user.html
- x ./opt/local/share/doc/fontconfig/fontconfig-user.pdf
- x ./opt/local/share/doc/fontconfig/fontconfig-user.txt
- x ./opt/local/share/doc/fontconfig/NEWS
- x ./opt/local/share/doc/fontconfig/README
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcatomiccreate.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcatomicdeletenew.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcatomicdestroy.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcatomiclock.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcatomicnewfile.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcatomicorigfile.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcatomicreplaceorig.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcatomicunlock.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcblanksadd.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcblankscreate.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcblanksdestroy.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcblanksismember.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccachecopysset.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccachecreatetagfile.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccachedir.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccachenumfont.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccachenumsubdir.html

x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccachesubdir.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetaddchar.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetcopy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetcount.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetcoverage.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetcreate.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetdelchar.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetdestroy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetequal.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetfirstpage.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsethaschar.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetintersect.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetintersectcount.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetissubset.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetmerge.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetnew.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetnextpage.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetsubtract.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetsubtractcount.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fccharsetunion.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigappfontadddir.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigappfontaddfile.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigappfontclear.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigbuildfonts.html

x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigcreate.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigdestroy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigenablehome.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigfilename.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetblanks.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetcache.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetcachedirs.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetconfigdirs.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetconfigfiles.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetcurrent.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetfontdirs.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetfonts.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetrescaninterval.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiggetsysroot.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfighome.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigparseandload.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigreference.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigsetcurrent.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigsetrescaninterval.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigsetsysroot.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigsubstitute.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfigsubstitutewithpat.html

mL

- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcconfiguptodate.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdefaultsubstitute.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdircacheclean.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdircacheload.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdircacheloadfile.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdircacheread.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdircacheunlink.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdircacheunload.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdircachevalid.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdirsave.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcdirscan.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfileisdir.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfilesan.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfini.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontlist.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontmatch.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontrenderprepare.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsetadd.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsetcreate.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsetdestroy.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsetlist.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsetmatch.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsetprint.html

x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsetsort.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsetsortdestroy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfontsort.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfreetypecharindex.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfreetypecharset.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfreetypecharsetandspacing.
html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfreetypequery.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcfreetypequeryface.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcgetdefaultlangs.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcgetlangs.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcgetversion.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcinit.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcinitbringuptodate.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcinitloadconfig.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcinitloadconfigandfonts.htm
l
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcinitreinitialize.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcislower.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcisupper.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclanggetcharset.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangnormalize.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetadd.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetcompare.html

x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetcontains.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetcopy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetcreate.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetdel.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetdestroy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetequal.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsethash.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsethaslang.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetsubtract.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fclangsetunion.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcmatrixcopy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcmatrixequal.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcmatrixinit.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcmatrixmultiply.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcmatrixrotate.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcmatrixscale.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcmatrixshear.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnameconstant.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnamegetconstant.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnamegetobjecttype.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnameparse.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnameregisterconstants.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnameregisterobjecttypes.ht
ml

x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnameunparse.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnameunregisterconstants.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcnameunregisterobjecttypes.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcobjectsetadd.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcobjectsetbuild.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcobjectsetcreate.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcobjectsetdestroy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternadd-type.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternadd.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternaddweak.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternbuild.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatterncreate.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatterndel.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatterndestroy.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternduplicate.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternequal.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternequalsubset.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternfilter.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternformat.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternget-type.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternget.html
x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternhash.html

- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternprint.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternreference.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcpatternremove.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrbasename.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrcmp.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrcmpignorecase.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrcopy.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrcopyfilename.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrdirname.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrdowncase.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrfree.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrlistcreate.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrlistdone.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrlistfirst.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrlistnext.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrplus.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrsetadd.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrsetaddfilename.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrsetcreate.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrsetdel.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrsetdestroy.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrsetequal.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrsetmember.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrstr.html

- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcstrstrignorecase.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fctolower.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcucs4toutf8.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcutf16len.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcutf16toucs4.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcutf8len.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcutf8toucs4.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcvaluedestroy.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcvalueequal.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcvalueprint.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/fcvaluesave.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/ln12.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/t1.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/x102.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/x19.html
- x ./opt/local/share/doc/fontconfig/fontconfig-devel/x31.html
- x ./opt/local/lib/libfontconfig.1.dylib
- x ./opt/local/lib/libfontconfig.a
- x ./opt/local/lib/libfontconfig.dylib
- x ./opt/local/lib/libfontconfig.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/fontconfig.pc
- x ./opt/local/include/fontconfig/
- x ./opt/local/include/fontconfig/fcfreetype.h

- x ./opt/local/include/fontconfig/fcprivate.h
- x ./opt/local/include/fontconfig/fontconfig.h
- x ./opt/local/etc/fonts/
- x ./opt/local/etc/fonts/conf.d/
- x ./opt/local/etc/fonts/fonts.conf
- x ./opt/local/etc/fonts/conf.d/10-scale-bitmap-fonts.conf
- x ./opt/local/etc/fonts/conf.d/20-unhint-small-vera.conf
- x ./opt/local/etc/fonts/conf.d/30-metric-aliases.conf
- x ./opt/local/etc/fonts/conf.d/30-urw-aliases.conf
- x ./opt/local/etc/fonts/conf.d/40-nonlatin.conf
- x ./opt/local/etc/fonts/conf.d/45-latin.conf
- x ./opt/local/etc/fonts/conf.d/49-sansserif.conf
- x ./opt/local/etc/fonts/conf.d/50-user.conf
- x ./opt/local/etc/fonts/conf.d/51-local.conf
- x ./opt/local/etc/fonts/conf.d/60-latin.conf
- x ./opt/local/etc/fonts/conf.d/65-fonts-persian.conf
- x ./opt/local/etc/fonts/conf.d/65-nonlatin.conf
- x ./opt/local/etc/fonts/conf.d/69-unifont.conf
- x ./opt/local/etc/fonts/conf.d/80-delicious.conf
- x ./opt/local/etc/fonts/conf.d/90-synthetic.conf
- x ./opt/local/etc/fonts/conf.d/README
- x ./opt/local/bin/fc-cache
- x ./opt/local/bin/fc-cat
- x ./opt/local/bin/fc-list


```
x ./opt/local/bin/fc-match
x ./opt/local/bin/fc-pattern
x ./opt/local/bin/fc-query
x ./opt/local/bin/fc-scan
x ./opt/local/bin/fc-validate
/usr/share/fonts: skipping, no such directory
/usr/X11/lib/X11/fonts: caching, new cache contents: 0 fonts, 10 dirs
/usr/X11/lib/X11/fonts/100dpi: caching, new cache contents: 398 fonts, 0 dirs
/usr/X11/lib/X11/fonts/75dpi: caching, new cache contents: 398 fonts, 0 dirs
/usr/X11/lib/X11/fonts/OTF: caching, new cache contents: 23 fonts, 0 dirs
/usr/X11/lib/X11/fonts/Speedo: caching, new cache contents: 0 fonts, 0 dirs
/usr/X11/lib/X11/fonts/TTF: caching, new cache contents: 23 fonts, 0 dirs
/usr/X11/lib/X11/fonts/Type1: caching, new cache contents: 29 fonts, 0 dirs
/usr/X11/lib/X11/fonts/cyrillic: caching, new cache contents: 0 fonts, 0 dirs
/usr/X11/lib/X11/fonts/encodings: caching, new cache contents: 0 fonts, 1 dirs
/usr/X11/lib/X11/fonts/encodings/large: caching, new cache contents: 0 fonts, 0
dirs
/usr/X11/lib/X11/fonts/misc: caching, new cache contents: 59 fonts, 0 dirs
/usr/X11/lib/X11/fonts/util: caching, new cache contents: 0 fonts, 0 dirs
/opt/local/share/fonts: skipping, no such directory
/Library/Fonts: caching, new cache contents: 215 fonts, 1 dirs
/Library/Fonts/Microsoft: caching, new cache contents: 206 fonts, 0 dirs
/Network/Library/Fonts: skipping, no such directory
/System/Library/Fonts: caching, new cache contents: 61 fonts, 0 dirs
```

/.local/share/fonts: skipping, no such directory
/usr/share/fonts: skipping, no such directory
/usr/X11/lib/X11/fonts: caching, new cache contents: 0 fonts, 10 dirs
/opt/local/share/fonts: skipping, no such directory
/Library/Fonts: caching, new cache contents: 215 fonts, 1 dirs
/Network/Library/Fonts: skipping, no such directory
/System/Library/Fonts: caching, new cache contents: 61 fonts, 0 dirs
/.local/share/fonts: skipping, no such directory
/opt/local/var/cache/fontconfig: cleaning cache directory
/.cache/fontconfig: not cleaning non-existent cache directory
/opt/local/bin/fc-cache: succeeded
/usr/share/fonts: skipping, no such directory
/usr/X11/lib/X11/fonts: caching, new cache contents: 0 fonts, 10 dirs
/usr/X11/lib/X11/fonts/100dpi: caching, new cache contents: 398 fonts, 0 dirs
/usr/X11/lib/X11/fonts/75dpi: caching, new cache contents: 398 fonts, 0 dirs
/usr/X11/lib/X11/fonts/OTF: caching, new cache contents: 23 fonts, 0 dirs
/usr/X11/lib/X11/fonts/Speedo: caching, new cache contents: 0 fonts, 0 dirs
/usr/X11/lib/X11/fonts/TTF: caching, new cache contents: 23 fonts, 0 dirs
/usr/X11/lib/X11/fonts/Type1: caching, new cache contents: 29 fonts, 0 dirs
/usr/X11/lib/X11/fonts/cyrillic: caching, new cache contents: 0 fonts, 0 dirs
/usr/X11/lib/X11/fonts/encodings: caching, new cache contents: 0 fonts, 1 dirs
/usr/X11/lib/X11/fonts/encodings/large: caching, new cache contents: 0 fonts, 0
dirs
/usr/X11/lib/X11/fonts/misc: caching, new cache contents: 59 fonts, 0 dirs

/usr/X11/lib/X11/fonts/util: caching, new cache contents: 0 fonts, 0 dirs
/opt/local/share/fonts: skipping, no such directory
/Library/Fonts: caching, new cache contents: 215 fonts, 1 dirs
/Library/Fonts/Microsoft: caching, new cache contents: 206 fonts, 0 dirs
/Network/Library/Fonts: skipping, no such directory
/System/Library/Fonts: caching, new cache contents: 61 fonts, 0 dirs
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_graphics_fontconfig/fontconfig/work/.home/.local/share/f
onts: skipping, no such directory
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_graphics_fontconfig/fontconfig/work/.home/.fonts: skippi
ng, no such directory
/usr/share/fonts: skipping, no such directory
/usr/X11/lib/X11/fonts: caching, new cache contents: 0 fonts, 10 dirs
/opt/local/share/fonts: skipping, no such directory
/Library/Fonts: caching, new cache contents: 215 fonts, 1 dirs
/Network/Library/Fonts: skipping, no such directory
/System/Library/Fonts: caching, new cache contents: 61 fonts, 0 dirs
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_graphics_fontconfig/fontconfig/work/.home/.local/share/f
onts: skipping, no such directory
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_graphics_fontconfig/fontconfig/work/.home/.fonts: skippi
ng, no such directory

```

/opt/local/var/cache/fontconfig: cleaning cache directory
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_graphics_fontconfig/fontconfig/work/.home/.cache/fontcon
fig: not cleaning non-existent cache directory
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_graphics_fontconfig/fontconfig/work/.home/.fontconfig: n
ot cleaning non-existent cache directory
/opt/local/bin/fc-cache: succeeded
---> Cleaning fontconfig
---> Removing work directory for fontconfig
---> Fetching archive for dejavu-fonts
---> dejavu-fonts-2.34_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/lo
cal/var/macports/incoming/verified
---> Attempting to fetch dejavu-fonts-2.34_0.darwin_10.noarch.tbz2 from http://
packages.macports.org/dejavu-fonts
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                             Dload  Upload  Total  Spent    Left  Speed
100 4671k  100 4671k    0     0   351k      0  0:00:13  0:00:13 --:--:--  459k
---> Attempting to fetch dejavu-fonts-2.34_0.darwin_10.noarch.tbz2.rmd160 from
http://packages.macports.org/dejavu-fonts
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                             Dload  Upload  Total  Spent    Left  Speed
102   512  102   512    0     0   1378      0  --:--:--  --:--:--  --:--:--  2666
---> Installing dejavu-fonts @2.34_0

```

---> Activating dejavu-fonts @2.34_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/etc/

x ./opt/local/share/

x ./opt/local/share/doc/

x ./opt/local/share/fonts/

x ./opt/local/share/fonts/dejavu-fonts/

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSans-Bold.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSans-BoldOblique.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSans-ExtraLight.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSans-Oblique.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSans.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSansCondensed-Bold.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSansCondensed-BoldOblique.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSansCondensed-Oblique.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSansCondensed.ttf

x ./opt/local/share/fonts/dejavu-fonts/DejaVuSansMono-Bold.ttf

- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSansMono-BoldOblique.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSansMono-Oblique.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSansMono.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSerif-Bold.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSerif-BoldItalic.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSerif-Italic.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSerif.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSerifCondensed-Bold.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSerifCondensed-BoldItalic.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSerifCondensed-Italic.ttf
- x ./opt/local/share/fonts/dejavu-fonts/DejaVuSerifCondensed.ttf
- x ./opt/local/share/doc/dejavu-fonts/
- x ./opt/local/share/doc/dejavu-fonts/AUTHORS
- x ./opt/local/share/doc/dejavu-fonts/BUGS
- x ./opt/local/share/doc/dejavu-fonts/langcover.txt
- x ./opt/local/share/doc/dejavu-fonts/LICENSE
- x ./opt/local/share/doc/dejavu-fonts/NEWS
- x ./opt/local/share/doc/dejavu-fonts/README
- x ./opt/local/share/doc/dejavu-fonts/status.txt
- x ./opt/local/share/doc/dejavu-fonts/unicover.txt
- x ./opt/local/etc/fonts/
- x ./opt/local/etc/fonts/conf.avail/
- x ./opt/local/etc/fonts/conf.d/
- x ./opt/local/etc/fonts/conf.d/20-unhint-small-dejavu-sans-mono.conf

```
x ./opt/local/etc/fonts/conf.d/20-unhint-small-dejavu-sans.conf
x ./opt/local/etc/fonts/conf.d/20-unhint-small-dejavu-serif.conf
x ./opt/local/etc/fonts/conf.d/57-dejavu-sans-mono.conf
x ./opt/local/etc/fonts/conf.d/57-dejavu-sans.conf
x ./opt/local/etc/fonts/conf.d/57-dejavu-serif.conf
x ./opt/local/etc/fonts/conf.avail/20-unhint-small-dejavu-sans-mono.conf
x ./opt/local/etc/fonts/conf.avail/20-unhint-small-dejavu-sans.conf
x ./opt/local/etc/fonts/conf.avail/20-unhint-small-dejavu-serif.conf
x ./opt/local/etc/fonts/conf.avail/57-dejavu-sans-mono.conf
x ./opt/local/etc/fonts/conf.avail/57-dejavu-sans.conf
x ./opt/local/etc/fonts/conf.avail/57-dejavu-serif.conf
/opt/local/share/fonts: caching, new cache contents: 0 fonts, 1 dirs
/opt/local/share/fonts/dejavu-fonts: caching, new cache contents: 21 fonts, 0 di
rs
/opt/local/share/fonts: caching, new cache contents: 0 fonts, 1 dirs
/opt/local/var/cache/fontconfig: cleaning cache directory
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_x11_dejavu-fonts/dejavu-fonts/work/.home/.cache/fontconf
ig: not cleaning non-existent cache directory
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_x11_dejavu-fonts/dejavu-fonts/work/.home/.fontconfig: no
t cleaning non-existent cache directory
/opt/local/bin/fc-cache: succeeded
---> Cleaning dejavu-fonts
```

```
---> Removing work directory for dejavu-fonts
---> Fetching archive for flex
---> flex-2.5.37_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch flex-2.5.37_1.darwin_10.x86_64.tbz2 from http://packages.macports.org/flex
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current		
			Dload Upload	Total	Spent	Left	Speed		
100	848k	100 848k	0 0	225k	0	0:00:03	0:00:03	--:--:--	237k

```
---> Attempting to fetch flex-2.5.37_1.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/flex
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current		
			Dload Upload	Total	Spent	Left	Speed		
102	512	102 512	0 0	1346	0	--:--:--	--:--:--	--:--:--	2666

```
---> Installing flex @2.5.37_1
---> Activating flex @2.5.37_1
```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
```



```
x ./opt/local/bin/  
x ./opt/local/include/  
x ./opt/local/lib/  
x ./opt/local/share/  
x ./opt/local/share/doc/  
x ./opt/local/share/info/  
x ./opt/local/share/locale/  
x ./opt/local/share/man/  
x ./opt/local/share/man/man1/  
x ./opt/local/share/man/man1/flex.1.gz  
x ./opt/local/share/locale/ca/  
x ./opt/local/share/locale/da/  
x ./opt/local/share/locale/de/  
x ./opt/local/share/locale/es/  
x ./opt/local/share/locale/fi/  
x ./opt/local/share/locale/fr/  
x ./opt/local/share/locale/ga/  
x ./opt/local/share/locale/ko/  
x ./opt/local/share/locale/nl/  
x ./opt/local/share/locale/pl/  
x ./opt/local/share/locale/pt_BR/  
x ./opt/local/share/locale/ro/  
x ./opt/local/share/locale/ru/  
x ./opt/local/share/locale/sv/
```

x ./opt/local/share/locale/tr/
x ./opt/local/share/locale/vi/
x ./opt/local/share/locale/zh_CN/
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/vi/LC_MESSAGES/
x ./opt/local/share/locale/vi/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/tr/LC_MESSAGES/
x ./opt/local/share/locale/tr/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/sv/LC_MESSAGES/
x ./opt/local/share/locale/sv/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/ru/LC_MESSAGES/
x ./opt/local/share/locale/ru/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/ro/LC_MESSAGES/
x ./opt/local/share/locale/ro/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/pl/LC_MESSAGES/
x ./opt/local/share/locale/pl/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/nl/LC_MESSAGES/
x ./opt/local/share/locale/nl/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/ko/LC_MESSAGES/
x ./opt/local/share/locale/ko/LC_MESSAGES/flex.mo
x ./opt/local/share/locale/ga/LC_MESSAGES/

- x ./opt/local/share/locale/ga/LC_MESSAGES/flex.mo
- x ./opt/local/share/locale/fr/LC_MESSAGES/
- x ./opt/local/share/locale/fr/LC_MESSAGES/flex.mo
- x ./opt/local/share/locale/fi/LC_MESSAGES/
- x ./opt/local/share/locale/fi/LC_MESSAGES/flex.mo
- x ./opt/local/share/locale/es/LC_MESSAGES/
- x ./opt/local/share/locale/es/LC_MESSAGES/flex.mo
- x ./opt/local/share/locale/de/LC_MESSAGES/
- x ./opt/local/share/locale/de/LC_MESSAGES/flex.mo
- x ./opt/local/share/locale/da/LC_MESSAGES/
- x ./opt/local/share/locale/da/LC_MESSAGES/flex.mo
- x ./opt/local/share/locale/ca/LC_MESSAGES/
- x ./opt/local/share/locale/ca/LC_MESSAGES/flex.mo
- x ./opt/local/share/info/flex.info
- x ./opt/local/share/info/flex.info-1
- x ./opt/local/share/info/flex.info-2
- x ./opt/local/share/doc/flex/
- x ./opt/local/share/doc/flex/AUTHORS
- x ./opt/local/share/doc/flex/COPYING
- x ./opt/local/share/doc/flex/NEWS
- x ./opt/local/share/doc/flex/ONEWS
- x ./opt/local/share/doc/flex/README
- x ./opt/local/share/doc/flex/README.cvs
- x ./opt/local/share/doc/flex/TODO

```

x ./opt/local/share/doc/flex/flex.pdf
x ./opt/local/lib/libfl.a
x ./opt/local/lib/libfl_pic.a
x ./opt/local/include/FlexLexer.h
x ./opt/local/bin/flex
x ./opt/local/bin/flex++
---> Cleaning flex
---> Removing work directory for flex
---> Fetching archive for libffi
---> libffi-3.0.13_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified
---> Attempting to fetch libffi-3.0.13_0.darwin_10.x86_64.tbz2 from http://pack
ages.macports.org/libffi
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
100 37328  100 37328    0     0  32781      0  0:00:01  0:00:01 --:--:-- 39210
---> Attempting to fetch libffi-3.0.13_0.darwin_10.x86_64.tbz2.rmd160 from http
://packages.macports.org/libffi
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
102  512  102  512    0     0   1370      0  --:--:--  --:--:--  --:--:--  2694
---> Installing libffi @3.0.13_0
---> Activating libffi @3.0.13_0
x ./

```

- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/info/
- x ./opt/local/share/man/
- x ./opt/local/share/man/man3/
- x ./opt/local/share/man/man3/ffi.3.gz
- x ./opt/local/share/man/man3/ffi_call.3.gz
- x ./opt/local/share/man/man3/ffi_prep_cif.3.gz
- x ./opt/local/share/man/man3/ffi_prep_cif_var.3.gz
- x ./opt/local/share/info/libffi.info
- x ./opt/local/lib/libffi-3.0.13/
- x ./opt/local/lib/libffi.6.dylib
- x ./opt/local/lib/libffi.a
- x ./opt/local/lib/libffi.dylib
- x ./opt/local/lib/libffi.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/libffi.pc

```

x ./opt/local/lib/libffi-3.0.13/include/
x ./opt/local/lib/libffi-3.0.13/include/ffi.h
x ./opt/local/lib/libffi-3.0.13/include/ffitarget.h
---> Cleaning libffi
---> Removing work directory for libffi
---> Fetching archive for glib2
---> glib2-2.38.1_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/v
ar/macports/incoming/verified
---> Attempting to fetch glib2-2.38.1_0.darwin_10.x86_64.tbz2 from http://packa
ges.macports.org/glib2
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
100 5958k  100 5958k    0     0   356k      0  0:00:16  0:00:16 --:--:--  525k
---> Attempting to fetch glib2-2.38.1_0.darwin_10.x86_64.tbz2.rmd160 from http:
//packages.macports.org/glib2
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
102  512  102  512    0     0   1387      0  --:--:--  --:--:--  --:--:--  2767
---> Installing glib2 @2.38.1_0
---> Activating glib2 @2.38.1_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC

```

- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/aclocal/
- x ./opt/local/share/bash-completion/
- x ./opt/local/share/doc/
- x ./opt/local/share/gdb/
- x ./opt/local/share/glib-2.0/
- x ./opt/local/share/gtk-doc/
- x ./opt/local/share/locale/
- x ./opt/local/share/locale/af/
- x ./opt/local/share/locale/am/
- x ./opt/local/share/locale/an/
- x ./opt/local/share/locale/ar/
- x ./opt/local/share/locale/as/
- x ./opt/local/share/locale/ast/
- x ./opt/local/share/locale/az/
- x ./opt/local/share/locale/be/
- x ./opt/local/share/locale/be@latin/

- x ./opt/local/share/locale/bg/
- x ./opt/local/share/locale/bn/
- x ./opt/local/share/locale/bn_IN/
- x ./opt/local/share/locale/bs/
- x ./opt/local/share/locale/ca/
- x ./opt/local/share/locale/ca@valencia/
- x ./opt/local/share/locale/cs/
- x ./opt/local/share/locale/cy/
- x ./opt/local/share/locale/da/
- x ./opt/local/share/locale/de/
- x ./opt/local/share/locale/dz/
- x ./opt/local/share/locale/el/
- x ./opt/local/share/locale/en@shaw/
- x ./opt/local/share/locale/en_CA/
- x ./opt/local/share/locale/en_GB/
- x ./opt/local/share/locale/eo/
- x ./opt/local/share/locale/es/
- x ./opt/local/share/locale/et/
- x ./opt/local/share/locale/eu/
- x ./opt/local/share/locale/fa/
- x ./opt/local/share/locale/fi/
- x ./opt/local/share/locale/fr/
- x ./opt/local/share/locale/ga/
- x ./opt/local/share/locale/gl/

x ./opt/local/share/locale/gu/
x ./opt/local/share/locale/he/
x ./opt/local/share/locale/hi/
x ./opt/local/share/locale/hr/
x ./opt/local/share/locale/hu/
x ./opt/local/share/locale/hy/
x ./opt/local/share/locale/id/
x ./opt/local/share/locale/is/
x ./opt/local/share/locale/it/
x ./opt/local/share/locale/ja/
x ./opt/local/share/locale/ka/
x ./opt/local/share/locale/kk/
x ./opt/local/share/locale/kn/
x ./opt/local/share/locale/ko/
x ./opt/local/share/locale/ku/
x ./opt/local/share/locale/lt/
x ./opt/local/share/locale/lv/
x ./opt/local/share/locale/mai/
x ./opt/local/share/locale/mg/
x ./opt/local/share/locale/mk/
x ./opt/local/share/locale/ml/
x ./opt/local/share/locale/mn/
x ./opt/local/share/locale/mr/
x ./opt/local/share/locale/ms/

x ./opt/local/share/locale/nb/
x ./opt/local/share/locale/nds/
x ./opt/local/share/locale/ne/
x ./opt/local/share/locale/nl/
x ./opt/local/share/locale/nn/
x ./opt/local/share/locale/oc/
x ./opt/local/share/locale/or/
x ./opt/local/share/locale/pa/
x ./opt/local/share/locale/pl/
x ./opt/local/share/locale/ps/
x ./opt/local/share/locale/pt/
x ./opt/local/share/locale/pt_BR/
x ./opt/local/share/locale/ro/
x ./opt/local/share/locale/ru/
x ./opt/local/share/locale/rw/
x ./opt/local/share/locale/si/
x ./opt/local/share/locale/sk/
x ./opt/local/share/locale/sl/
x ./opt/local/share/locale/sq/
x ./opt/local/share/locale/sr/
x ./opt/local/share/locale/sr@ije/
x ./opt/local/share/locale/sr@latin/
x ./opt/local/share/locale/sv/
x ./opt/local/share/locale/ta/

x ./opt/local/share/locale/te/
x ./opt/local/share/locale/tg/
x ./opt/local/share/locale/th/
x ./opt/local/share/locale/tl/
x ./opt/local/share/locale/tr/
x ./opt/local/share/locale/tt/
x ./opt/local/share/locale/ug/
x ./opt/local/share/locale/uk/
x ./opt/local/share/locale/vi/
x ./opt/local/share/locale/wa/
x ./opt/local/share/locale/xh/
x ./opt/local/share/locale/yi/
x ./opt/local/share/locale/zh_CN/
x ./opt/local/share/locale/zh_HK/
x ./opt/local/share/locale/zh_TW/
x ./opt/local/share/locale/zh_TW/LC_MESSAGES/
x ./opt/local/share/locale/zh_TW/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/zh_HK/LC_MESSAGES/
x ./opt/local/share/locale/zh_HK/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/
x ./opt/local/share/locale/zh_CN/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/yi/LC_MESSAGES/
x ./opt/local/share/locale/yi/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/xh/LC_MESSAGES/

x ./opt/local/share/locale/xh/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/wa/LC_MESSAGES/
x ./opt/local/share/locale/wa/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/vi/LC_MESSAGES/
x ./opt/local/share/locale/vi/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/uk/LC_MESSAGES/
x ./opt/local/share/locale/uk/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ug/LC_MESSAGES/
x ./opt/local/share/locale/ug/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/tt/LC_MESSAGES/
x ./opt/local/share/locale/tt/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/tr/LC_MESSAGES/
x ./opt/local/share/locale/tr/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/tl/LC_MESSAGES/
x ./opt/local/share/locale/tl/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/th/LC_MESSAGES/
x ./opt/local/share/locale/th/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/tg/LC_MESSAGES/
x ./opt/local/share/locale/tg/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/te/LC_MESSAGES/
x ./opt/local/share/locale/te/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ta/LC_MESSAGES/
x ./opt/local/share/locale/ta/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/sv/LC_MESSAGES/

x ./opt/local/share/locale/sv/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/sr@latin/LC_MESSAGES/
x ./opt/local/share/locale/sr@latin/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/sr@ije/LC_MESSAGES/
x ./opt/local/share/locale/sr@ije/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/sr/LC_MESSAGES/
x ./opt/local/share/locale/sr/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/sq/LC_MESSAGES/
x ./opt/local/share/locale/sq/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/sl/LC_MESSAGES/
x ./opt/local/share/locale/sl/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/sk/LC_MESSAGES/
x ./opt/local/share/locale/sk/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/si/LC_MESSAGES/
x ./opt/local/share/locale/si/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/rw/LC_MESSAGES/
x ./opt/local/share/locale/rw/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ru/LC_MESSAGES/
x ./opt/local/share/locale/ru/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ro/LC_MESSAGES/
x ./opt/local/share/locale/ro/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/
x ./opt/local/share/locale/pt_BR/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/pt/LC_MESSAGES/

x ./opt/local/share/locale/pt/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ps/LC_MESSAGES/
x ./opt/local/share/locale/ps/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/pl/LC_MESSAGES/
x ./opt/local/share/locale/pl/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/pa/LC_MESSAGES/
x ./opt/local/share/locale/pa/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/or/LC_MESSAGES/
x ./opt/local/share/locale/or/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/oc/LC_MESSAGES/
x ./opt/local/share/locale/oc/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/nn/LC_MESSAGES/
x ./opt/local/share/locale/nn/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/nl/LC_MESSAGES/
x ./opt/local/share/locale/nl/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ne/LC_MESSAGES/
x ./opt/local/share/locale/ne/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/nds/LC_MESSAGES/
x ./opt/local/share/locale/nds/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/nb/LC_MESSAGES/
x ./opt/local/share/locale/nb/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ms/LC_MESSAGES/
x ./opt/local/share/locale/ms/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/mr/LC_MESSAGES/

x ./opt/local/share/locale/mr/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/mn/LC_MESSAGES/
x ./opt/local/share/locale/mn/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ml/LC_MESSAGES/
x ./opt/local/share/locale/ml/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/mk/LC_MESSAGES/
x ./opt/local/share/locale/mk/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/mg/LC_MESSAGES/
x ./opt/local/share/locale/mg/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/mai/LC_MESSAGES/
x ./opt/local/share/locale/mai/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/lv/LC_MESSAGES/
x ./opt/local/share/locale/lv/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/lt/LC_MESSAGES/
x ./opt/local/share/locale/lt/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ku/LC_MESSAGES/
x ./opt/local/share/locale/ku/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ko/LC_MESSAGES/
x ./opt/local/share/locale/ko/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/kn/LC_MESSAGES/
x ./opt/local/share/locale/kn/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/kk/LC_MESSAGES/
x ./opt/local/share/locale/kk/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ka/LC_MESSAGES/

x ./opt/local/share/locale/ka/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ja/LC_MESSAGES/
x ./opt/local/share/locale/ja/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/it/LC_MESSAGES/
x ./opt/local/share/locale/it/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/is/LC_MESSAGES/
x ./opt/local/share/locale/is/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/id/LC_MESSAGES/
x ./opt/local/share/locale/id/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/hy/LC_MESSAGES/
x ./opt/local/share/locale/hy/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/hu/LC_MESSAGES/
x ./opt/local/share/locale/hu/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/hr/LC_MESSAGES/
x ./opt/local/share/locale/hr/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/hi/LC_MESSAGES/
x ./opt/local/share/locale/hi/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/he/LC_MESSAGES/
x ./opt/local/share/locale/he/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/gu/LC_MESSAGES/
x ./opt/local/share/locale/gu/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/gl/LC_MESSAGES/
x ./opt/local/share/locale/gl/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ga/LC_MESSAGES/

x ./opt/local/share/locale/ga/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/fr/LC_MESSAGES/
x ./opt/local/share/locale/fr/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/fi/LC_MESSAGES/
x ./opt/local/share/locale/fi/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/fa/LC_MESSAGES/
x ./opt/local/share/locale/fa/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/eu/LC_MESSAGES/
x ./opt/local/share/locale/eu/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/et/LC_MESSAGES/
x ./opt/local/share/locale/et/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/es/LC_MESSAGES/
x ./opt/local/share/locale/es/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/eo/LC_MESSAGES/
x ./opt/local/share/locale/eo/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/en_GB/LC_MESSAGES/
x ./opt/local/share/locale/en_GB/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/en_CA/LC_MESSAGES/
x ./opt/local/share/locale/en_CA/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/en@shaw/LC_MESSAGES/
x ./opt/local/share/locale/en@shaw/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/el/LC_MESSAGES/
x ./opt/local/share/locale/el/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/dz/LC_MESSAGES/

x ./opt/local/share/locale/dz/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/de/LC_MESSAGES/
x ./opt/local/share/locale/de/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/da/LC_MESSAGES/
x ./opt/local/share/locale/da/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/cy/LC_MESSAGES/
x ./opt/local/share/locale/cy/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/cs/LC_MESSAGES/
x ./opt/local/share/locale/cs/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ca@valencia/LC_MESSAGES/
x ./opt/local/share/locale/ca@valencia/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ca/LC_MESSAGES/
x ./opt/local/share/locale/ca/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/bs/LC_MESSAGES/
x ./opt/local/share/locale/bs/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/bn_IN/LC_MESSAGES/
x ./opt/local/share/locale/bn_IN/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/bn/LC_MESSAGES/
x ./opt/local/share/locale/bn/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/bg/LC_MESSAGES/
x ./opt/local/share/locale/bg/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/be@latin/LC_MESSAGES/
x ./opt/local/share/locale/be@latin/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/be/LC_MESSAGES/

x ./opt/local/share/locale/be/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/az/LC_MESSAGES/
x ./opt/local/share/locale/az/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ast/LC_MESSAGES/
x ./opt/local/share/locale/ast/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/as/LC_MESSAGES/
x ./opt/local/share/locale/as/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/ar/LC_MESSAGES/
x ./opt/local/share/locale/ar/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/an/LC_MESSAGES/
x ./opt/local/share/locale/an/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/am/LC_MESSAGES/
x ./opt/local/share/locale/am/LC_MESSAGES/glib20.mo
x ./opt/local/share/locale/af/LC_MESSAGES/
x ./opt/local/share/locale/af/LC_MESSAGES/glib20.mo
x ./opt/local/share/gtk-doc/html/
x ./opt/local/share/gtk-doc/html/gio/
x ./opt/local/share/gtk-doc/html/glib/
x ./opt/local/share/gtk-doc/html/gobject/
x ./opt/local/share/gtk-doc/html/gobject/annotation-glossary.html
x ./opt/local/share/gtk-doc/html/gobject/api-index-2-10.html
x ./opt/local/share/gtk-doc/html/gobject/api-index-2-12.html
x ./opt/local/share/gtk-doc/html/gobject/api-index-2-14.html
x ./opt/local/share/gtk-doc/html/gobject/api-index-2-18.html

- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-2.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-22.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-24.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-26.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-28.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-30.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-32.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-34.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-36.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-38.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-4.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-6.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-2-8.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-deprecated.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/api-index-full.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/ch01s02.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/chapter-gobject.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/chapter-gtype.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/chapter-intro.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/chapter-signal.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/GBinding.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/glib-genmarshal.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/glib-mkenums.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/glue.png](#)

- x [./opt/local/share/gtk-doc/html/gobject/gobject-Boxed-Types.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-Closures.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-Enumeration-and-Flag-Types.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-Generic-values.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-GParamSpec.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-memory.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-properties.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-query.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-Signals.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-Standard-Parameter-and-Value-Types.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-The-Base-Object-Type.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-Type-Information.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-Value-arrays.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject-Varargs-Value-Collection.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gobject.devhelp2](#)
- x [./opt/local/share/gtk-doc/html/gobject/gtype-conventions.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gtype-instantiable-classed.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gtype-non-instantiable-classed.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/gtype-non-instantiable.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/GTypeModule.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/GTypePlugin.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/home.png](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-gobject-chainup.html](#)

- x [./opt/local/share/gtk-doc/html/gobject/howto-gobject-code.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-gobject-construction.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-gobject-destruction.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-gobject-methods.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-gobject.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-interface-implement.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-interface-override.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-interface-prerequisite.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-interface-properties.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-interface.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/howto-signals.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/index.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/index.sgm1](#)
- x [./opt/local/share/gtk-doc/html/gobject/left.png](#)
- x [./opt/local/share/gtk-doc/html/gobject/pr01.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/pt01.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/pt02.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/pt03.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/right.png](#)
- x [./opt/local/share/gtk-doc/html/gobject/rn01.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/rn02.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/signal.html](#)
- x [./opt/local/share/gtk-doc/html/gobject/style.css](#)
- x [./opt/local/share/gtk-doc/html/gobject/tools-ginspector.html](#)

x ./opt/local/share/gtk-doc/html/gobject/tools-gob.html
x ./opt/local/share/gtk-doc/html/gobject/tools-gtkdoc.html
x ./opt/local/share/gtk-doc/html/gobject/tools-refdb.html
x ./opt/local/share/gtk-doc/html/gobject/tools-vala.html
x ./opt/local/share/gtk-doc/html/gobject/up.png
x ./opt/local/share/gtk-doc/html/glib/annotation-glossary.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-10.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-12.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-14.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-16.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-18.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-2.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-20.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-22.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-24.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-26.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-28.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-30.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-32.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-34.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-36.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-38.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-4.html
x ./opt/local/share/gtk-doc/html/glib/api-index-2-6.html

- x [./opt/local/share/gtk-doc/html/glib/api-index-2-8.html](#)
- x [./opt/local/share/gtk-doc/html/glib/api-index-deprecated.html](#)
- x [./opt/local/share/gtk-doc/html/glib/api-index-full.html](#)
- x [./opt/local/share/gtk-doc/html/glib/deprecated.html](#)
- x [./opt/local/share/gtk-doc/html/glib/file-name-encodings.png](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Arrays.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Asynchronous-Queues.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Atomic-Operations.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Automatic-String-Completion.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Balanced-Binary-Trees.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Base64-Encoding.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Basic-Types.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Bookmark-file-parser.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-building.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Byte-Arrays.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Byte-Order-Macros.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Caches.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-changes.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Character-Set-Conversion.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Commandline-option-parser.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-compiling.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-core.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-cross-compiling.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Data-Checksums.html](#)

- x [./opt/local/share/gtk-doc/html/glib/glib-Data-HMACs.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-data-types.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Datasets.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Date-and-Time-Functions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Deprecated-Thread-APIs.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Double-ended-Queues.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Doubly-Linked-Lists.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Dynamic-Loading-of-Modules.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Error-Reporting.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-File-Utilities.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-fundamentals.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-GDateTime.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-gettextize.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Glob-style-pattern-matching.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-GTimeZone.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-GVariant.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-GVariantType.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Hash-Tables.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Hook-Functions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Hostname-Utilities.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-I18N.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-IO-Channels.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Key-value-file-parser.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Keyed-Data-Lists.html](#)

- x [./opt/local/share/gtk-doc/html/glib/glib-Lexical-Scanner.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Memory-Allocation.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Memory-Slices.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Message-Logging.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Miscellaneous-Macros.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Miscellaneous-Utility-Functions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-N-ary-Trees.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Numerical-Definitions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Perl-compatible-regular-expressions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Pointer-Arrays.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-programming.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Quarks.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Random-Numbers.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-regex-syntax.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Relations-and-Tuples.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-resources.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-running.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Sequences.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Shell-related-Utilities.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Simple-XML-Subset-Parser.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Singly-Linked-Lists.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Spawning-Processes.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Standard-Macros.html](#)

- x [./opt/local/share/gtk-doc/html/glib/glib-String-Chunks.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-String-Utility-Functions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Strings.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Testing.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-The-Main-Event-Loop.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Thread-Pools.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Threads.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Timers.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Trash-Stacks.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Type-Conversion-Macros.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Unicode-Manipulation.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-UNIX-specific-utilities-and-integration.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-URI-Functions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-utilities.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Version-Information.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Warnings-and-Assertions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib-Windows-Compatibility-Functions.html](#)
- x [./opt/local/share/gtk-doc/html/glib/glib.devhelp2](#)
- x [./opt/local/share/gtk-doc/html/glib/glib.html](#)
- x [./opt/local/share/gtk-doc/html/glib/gtester-report.html](#)
- x [./opt/local/share/gtk-doc/html/glib/gtester.html](#)
- x [./opt/local/share/gtk-doc/html/glib/gvariant-format-strings.html](#)
- x [./opt/local/share/gtk-doc/html/glib/gvariant-text.html](#)

- x ./opt/local/share/gtk-doc/html/glib/home.png
- x ./opt/local/share/gtk-doc/html/glib/index.html
- x ./opt/local/share/gtk-doc/html/glib/index.sgml
- x ./opt/local/share/gtk-doc/html/glib/left.png
- x ./opt/local/share/gtk-doc/html/glib/mainloop-states.gif
- x ./opt/local/share/gtk-doc/html/glib/right.png
- x ./opt/local/share/gtk-doc/html/glib/style.css
- x ./opt/local/share/gtk-doc/html/glib/tools.html
- x ./opt/local/share/gtk-doc/html/glib/up.png
- x ./opt/local/share/gtk-doc/html/gio/annotation-glossary.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-18.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-20.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-22.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-24.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-26.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-28.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-30.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-32.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-34.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-36.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-2-38.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-deprecated.html
- x ./opt/local/share/gtk-doc/html/gio/api-index-full.html
- x ./opt/local/share/gtk-doc/html/gio/application.html

x ./opt/local/share/gtk-doc/html/gio/async.html
x ./opt/local/share/gtk-doc/html/gio/ch01.html
x ./opt/local/share/gtk-doc/html/gio/ch02.html
x ./opt/local/share/gtk-doc/html/gio/ch03.html
x ./opt/local/share/gtk-doc/html/gio/ch29.html
x ./opt/local/share/gtk-doc/html/gio/ch30.html
x ./opt/local/share/gtk-doc/html/gio/ch30s02.html
x ./opt/local/share/gtk-doc/html/gio/ch30s03.html
x ./opt/local/share/gtk-doc/html/gio/ch31.html
x ./opt/local/share/gtk-doc/html/gio/ch31s02.html
x ./opt/local/share/gtk-doc/html/gio/ch31s03.html
x ./opt/local/share/gtk-doc/html/gio/ch31s04.html
x ./opt/local/share/gtk-doc/html/gio/ch31s05.html
x ./opt/local/share/gtk-doc/html/gio/ch31s06.html
x ./opt/local/share/gtk-doc/html/gio/ch31s07.html
x ./opt/local/share/gtk-doc/html/gio/ch32.html
x ./opt/local/share/gtk-doc/html/gio/ch32s02.html
x ./opt/local/share/gtk-doc/html/gio/ch32s03.html
x ./opt/local/share/gtk-doc/html/gio/ch32s04.html
x ./opt/local/share/gtk-doc/html/gio/ch32s05.html
x ./opt/local/share/gtk-doc/html/gio/conversion.html
x ./opt/local/share/gtk-doc/html/gio/ExampleAnimal.html
x ./opt/local/share/gtk-doc/html/gio/ExampleCat.html
x ./opt/local/share/gtk-doc/html/gio/ExampleObject.html

- x [./opt/local/share/gtk-doc/html/gio/ExampleObjectManagerClient.html](#)
- x [./opt/local/share/gtk-doc/html/gio/extending-gio.html](#)
- x [./opt/local/share/gtk-doc/html/gio/extending.html](#)
- x [./opt/local/share/gtk-doc/html/gio/failable_initialization.html](#)
- x [./opt/local/share/gtk-doc/html/gio/file_mon.html](#)
- x [./opt/local/share/gtk-doc/html/gio/file_ops.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GAction.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GActionGroup.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GActionMap.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GAppInfo.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GApplication.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GApplicationCommandLine.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GAsyncInitable.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GAsyncResult.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GBufferedInputStream.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GBufferedOutputStream.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GCancellable.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GCharsetConverter.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GConverter.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GCredentials.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDataInputStream.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDataOutputStream.html](#)
- x [./opt/local/share/gtk-doc/html/gio/gdbus-codegen.html](#)
- x [./opt/local/share/gtk-doc/html/gio/gdbus-convenience.html](#)

- x [./opt/local/share/gtk-doc/html/gio/gdbus-lowlevel.html](#)
- x [./opt/local/share/gtk-doc/html/gio/gdbus-org.gtk.GDBus.Example.ObjectManager.Animal.html](#)
- x [./opt/local/share/gtk-doc/html/gio/gdbus-org.gtk.GDBus.Example.ObjectManager.Cat.html](#)
- x [./opt/local/share/gtk-doc/html/gio/gdbus.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusActionGroup.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusAuthObserver.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusConnection.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusInterface.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusInterfaceSkeleton.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusMenuModel.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusMessage.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusMethodInvocation.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusObject.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusObjectManager.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusObjectManagerClient.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusObjectManagerServer.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusObjectProxy.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusObjectSkeleton.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusProxy.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDBusServer.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GDrive.html](#)
- x [./opt/local/share/gtk-doc/html/gio/GEmblem.html](#)

- x ./opt/local/share/gtk-doc/html/gio/GEmblemedIcon.html
- x ./opt/local/share/gtk-doc/html/gio/GFile.html
- x ./opt/local/share/gtk-doc/html/gio/GFileDescriptorBased.html
- x ./opt/local/share/gtk-doc/html/gio/GFileEnumerator.html
- x ./opt/local/share/gtk-doc/html/gio/GFileIcon.html
- x ./opt/local/share/gtk-doc/html/gio/GFileInfo.html
- x ./opt/local/share/gtk-doc/html/gio/GFileInputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GFileIOStream.html
- x ./opt/local/share/gtk-doc/html/gio/GFileMonitor.html
- x ./opt/local/share/gtk-doc/html/gio/GFilenameCompleter.html
- x ./opt/local/share/gtk-doc/html/gio/GFileOutputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GFilterInputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GFilterOutputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GIcon.html
- x ./opt/local/share/gtk-doc/html/gio/GInetAddress.html
- x ./opt/local/share/gtk-doc/html/gio/GInetSocketAddress.html
- x ./opt/local/share/gtk-doc/html/gio/GInitable.html
- x ./opt/local/share/gtk-doc/html/gio/GInputStream.html
- x ./opt/local/share/gtk-doc/html/gio/gio-D-Bus-Addresses.html
- x ./opt/local/share/gtk-doc/html/gio/gio-D-Bus-Introspection-Data.html
- x ./opt/local/share/gtk-doc/html/gio/gio-D-Bus-Utilities.html
- x ./opt/local/share/gtk-doc/html/gio/gio-Desktop-file-based-GAppInfo.html
- x ./opt/local/share/gtk-doc/html/gio/gio-Extension-Points.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GActionGroup-exporter.html

- x ./opt/local/share/gtk-doc/html/gio/gio-GBytesIcon.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GContentType.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GConverterInputStream.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GConverterOutputStream.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GDBusError.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GFileAttribute.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GInetAddressMask.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GIOError.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GIOScheduler.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GMenuModel-exporter.html
- x ./opt/local/share/gtk-doc/html/gio/gio-gnetworking.h.html
- x ./opt/local/share/gtk-doc/html/gio/gio-gpollableutils.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GPropertyAction.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GResource.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GSettingsSchema-GSettingsSchemaSource.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GWin32InputStream.html
- x ./opt/local/share/gtk-doc/html/gio/gio-GWin32OutputStream.html
- x ./opt/local/share/gtk-doc/html/gio/gio-hierarchy.html
- x ./opt/local/share/gtk-doc/html/gio/gio-Owning-Bus-Names.html
- x ./opt/local/share/gtk-doc/html/gio/gio-querymodules.html
- x ./opt/local/share/gtk-doc/html/gio/gio-TLS-Overview.html
- x ./opt/local/share/gtk-doc/html/gio/gio-Unix-Mounts.html
- x ./opt/local/share/gtk-doc/html/gio/gio-Watching-Bus-Names.html

- x ./opt/local/share/gtk-doc/html/gio/gio.devhelp2
- x ./opt/local/share/gtk-doc/html/gio/GIOModule.html
- x ./opt/local/share/gtk-doc/html/gio/GIOStream.html
- x ./opt/local/share/gtk-doc/html/gio/glib-compile-resources.html
- x ./opt/local/share/gtk-doc/html/gio/glib-compile-schemas.html
- x ./opt/local/share/gtk-doc/html/gio/GLoadableIcon.html
- x ./opt/local/share/gtk-doc/html/gio/GMemoryInputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GMemoryOutputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GMenu.html
- x ./opt/local/share/gtk-doc/html/gio/GMenuModel.html
- x ./opt/local/share/gtk-doc/html/gio/GMount.html
- x ./opt/local/share/gtk-doc/html/gio/GMountOperation.html
- x ./opt/local/share/gtk-doc/html/gio/GNetworkAddress.html
- x ./opt/local/share/gtk-doc/html/gio/GNetworkMonitor.html
- x ./opt/local/share/gtk-doc/html/gio/GNetworkService.html
- x ./opt/local/share/gtk-doc/html/gio/GOutputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GPermission.html
- x ./opt/local/share/gtk-doc/html/gio/GPollableInputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GPollableOutputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GProxy.html
- x ./opt/local/share/gtk-doc/html/gio/GProxyAddress.html
- x ./opt/local/share/gtk-doc/html/gio/GProxyResolver.html
- x ./opt/local/share/gtk-doc/html/gio/GRemoteActionGroup.html
- x ./opt/local/share/gtk-doc/html/gio/GResolver.html

- x ./opt/local/share/gtk-doc/html/gio/gresource-tool.html
- x ./opt/local/share/gtk-doc/html/gio/GSeekable.html
- x ./opt/local/share/gtk-doc/html/gio/gsettings-tool.html
- x ./opt/local/share/gtk-doc/html/gio/GSettings.html
- x ./opt/local/share/gtk-doc/html/gio/GSettingsBackend.html
- x ./opt/local/share/gtk-doc/html/gio/GSimpleAction.html
- x ./opt/local/share/gtk-doc/html/gio/GSimpleActionGroup.html
- x ./opt/local/share/gtk-doc/html/gio/GSimpleAsyncResult.html
- x ./opt/local/share/gtk-doc/html/gio/GSimplePermission.html
- x ./opt/local/share/gtk-doc/html/gio/GSimpleProxyResolver.html
- x ./opt/local/share/gtk-doc/html/gio/GSocket.html
- x ./opt/local/share/gtk-doc/html/gio/GSocketAddress.html
- x ./opt/local/share/gtk-doc/html/gio/GSocketClient.html
- x ./opt/local/share/gtk-doc/html/gio/GSocketConnectable.html
- x ./opt/local/share/gtk-doc/html/gio/GSocketConnection.html
- x ./opt/local/share/gtk-doc/html/gio/GSocketControlMessage.html
- x ./opt/local/share/gtk-doc/html/gio/GSocketListener.html
- x ./opt/local/share/gtk-doc/html/gio/GSocketService.html
- x ./opt/local/share/gtk-doc/html/gio/GSrvTarget.html
- x ./opt/local/share/gtk-doc/html/gio/GTask.html
- x ./opt/local/share/gtk-doc/html/gio/GTcpConnection.html
- x ./opt/local/share/gtk-doc/html/gio/GTcpWrapperConnection.html
- x ./opt/local/share/gtk-doc/html/gio/GTestDBus.html
- x ./opt/local/share/gtk-doc/html/gio/GThemedIcon.html

- x ./opt/local/share/gtk-doc/html/gio/GThreadedSocketService.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsBackend.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsCertificate.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsClientConnection.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsConnection.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsDatabase.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsFileDatabase.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsInteraction.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsPassword.html
- x ./opt/local/share/gtk-doc/html/gio/GTlsServerConnection.html
- x ./opt/local/share/gtk-doc/html/gio/GUnixConnection.html
- x ./opt/local/share/gtk-doc/html/gio/GUnixCredentialsMessage.html
- x ./opt/local/share/gtk-doc/html/gio/GUnixFDList.html
- x ./opt/local/share/gtk-doc/html/gio/GUnixFDMessage.html
- x ./opt/local/share/gtk-doc/html/gio/GUnixInputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GUnixOutputStream.html
- x ./opt/local/share/gtk-doc/html/gio/GUnixSocketAddress.html
- x ./opt/local/share/gtk-doc/html/gio/gvfs-overview.png
- x ./opt/local/share/gtk-doc/html/gio/GVfs.html
- x ./opt/local/share/gtk-doc/html/gio/GVolume.html
- x ./opt/local/share/gtk-doc/html/gio/GVolumeMonitor.html
- x ./opt/local/share/gtk-doc/html/gio/GZlibCompressor.html
- x ./opt/local/share/gtk-doc/html/gio/GZlibDecompressor.html
- x ./opt/local/share/gtk-doc/html/gio/highlevel-socket.html

- x ./opt/local/share/gtk-doc/html/gio/home.png
- x ./opt/local/share/gtk-doc/html/gio/icons.html
- x ./opt/local/share/gtk-doc/html/gio/index.html
- x ./opt/local/share/gtk-doc/html/gio/index.sgml
- x ./opt/local/share/gtk-doc/html/gio/left.png
- x ./opt/local/share/gtk-doc/html/gio/menu-example.png
- x ./opt/local/share/gtk-doc/html/gio/menu-model.png
- x ./opt/local/share/gtk-doc/html/gio/migrating.html
- x ./opt/local/share/gtk-doc/html/gio/networking.html
- x ./opt/local/share/gtk-doc/html/gio/permissions.html
- x ./opt/local/share/gtk-doc/html/gio/pt01.html
- x ./opt/local/share/gtk-doc/html/gio/pt02.html
- x ./opt/local/share/gtk-doc/html/gio/resolver.html
- x ./opt/local/share/gtk-doc/html/gio/resources.html
- x ./opt/local/share/gtk-doc/html/gio/right.png
- x ./opt/local/share/gtk-doc/html/gio/running-gio-apps.html
- x ./opt/local/share/gtk-doc/html/gio/settings.html
- x ./opt/local/share/gtk-doc/html/gio/streaming.html
- x ./opt/local/share/gtk-doc/html/gio/style.css
- x ./opt/local/share/gtk-doc/html/gio/testing.html
- x ./opt/local/share/gtk-doc/html/gio/tls.html
- x ./opt/local/share/gtk-doc/html/gio/tools.html
- x ./opt/local/share/gtk-doc/html/gio/types.html
- x ./opt/local/share/gtk-doc/html/gio/up.png

- x ./opt/local/share/gtk-doc/html/gio/utils.html
- x ./opt/local/share/gtk-doc/html/gio/volume_mon.html
- x ./opt/local/share/glib-2.0/codegen/
- x ./opt/local/share/glib-2.0/gdb/
- x ./opt/local/share/glib-2.0/gettext/
- x ./opt/local/share/glib-2.0/schemas/
- x ./opt/local/share/glib-2.0/schemas/gschema.dtd
- x ./opt/local/share/glib-2.0/gettext/po/
- x ./opt/local/share/glib-2.0/gettext/po/Makefile.in.in
- x ./opt/local/share/glib-2.0/gdb/glib.py
- x ./opt/local/share/glib-2.0/gdb/gobject.py
- x ./opt/local/share/glib-2.0/codegen/__init__.py
- x ./opt/local/share/glib-2.0/codegen/__init__.pyc
- x ./opt/local/share/glib-2.0/codegen/__init__.pyo
- x ./opt/local/share/glib-2.0/codegen/codegen.py
- x ./opt/local/share/glib-2.0/codegen/codegen.pyc
- x ./opt/local/share/glib-2.0/codegen/codegen.pyo
- x ./opt/local/share/glib-2.0/codegen/codegen_docbook.py
- x ./opt/local/share/glib-2.0/codegen/codegen_docbook.pyc
- x ./opt/local/share/glib-2.0/codegen/codegen_docbook.pyo
- x ./opt/local/share/glib-2.0/codegen/codegen_main.py
- x ./opt/local/share/glib-2.0/codegen/codegen_main.pyc
- x ./opt/local/share/glib-2.0/codegen/codegen_main.pyo
- x ./opt/local/share/glib-2.0/codegen/config.py

- x ./opt/local/share/glib-2.0/codegen/config.pyc
- x ./opt/local/share/glib-2.0/codegen/config.pyo
- x ./opt/local/share/glib-2.0/codegen/dbustypes.py
- x ./opt/local/share/glib-2.0/codegen/dbustypes.pyc
- x ./opt/local/share/glib-2.0/codegen/dbustypes.pyo
- x ./opt/local/share/glib-2.0/codegen/parser.py
- x ./opt/local/share/glib-2.0/codegen/parser.pyc
- x ./opt/local/share/glib-2.0/codegen/parser.pyo
- x ./opt/local/share/glib-2.0/codegen/utils.py
- x ./opt/local/share/glib-2.0/codegen/utils.pyc
- x ./opt/local/share/glib-2.0/codegen/utils.pyo
- x ./opt/local/share/gdb/auto-load/
- x ./opt/local/share/gdb/auto-load/libglib-2.0.so.0.3800.1-gdb.py
- x ./opt/local/share/gdb/auto-load/libgobject-2.0.so.0.3800.1-gdb.py
- x ./opt/local/share/doc/glib2/
- x ./opt/local/share/doc/glib2/AUTHORS
- x ./opt/local/share/doc/glib2/ChangeLog
- x ./opt/local/share/doc/glib2/COPYING
- x ./opt/local/share/doc/glib2/HACKING
- x ./opt/local/share/doc/glib2/NEWS
- x ./opt/local/share/doc/glib2/README
- x ./opt/local/share/bash-completion/completions/
- x ./opt/local/share/bash-completion/completions/gdbus
- x ./opt/local/share/bash-completion/completions/gresource

- x ./opt/local/share/bash-completion/completions/gsettings
- x ./opt/local/share/aclocal/glib-2.0.m4
- x ./opt/local/share/aclocal/glib-gettext.m4
- x ./opt/local/share/aclocal/gsettings.m4
- x ./opt/local/lib/glib-2.0/
- x ./opt/local/lib/libgio-2.0.0.dylib
- x ./opt/local/lib/libgio-2.0.a
- x ./opt/local/lib/libgio-2.0.dylib
- x ./opt/local/lib/libgio-2.0.la
- x ./opt/local/lib/libglib-2.0.0.dylib
- x ./opt/local/lib/libglib-2.0.a
- x ./opt/local/lib/libglib-2.0.dylib
- x ./opt/local/lib/libglib-2.0.la
- x ./opt/local/lib/libgmodule-2.0.0.dylib
- x ./opt/local/lib/libgmodule-2.0.a
- x ./opt/local/lib/libgmodule-2.0.dylib
- x ./opt/local/lib/libgmodule-2.0.la
- x ./opt/local/lib/libgobject-2.0.0.dylib
- x ./opt/local/lib/libgobject-2.0.a
- x ./opt/local/lib/libgobject-2.0.dylib
- x ./opt/local/lib/libgobject-2.0.la
- x ./opt/local/lib/libgthread-2.0.0.dylib
- x ./opt/local/lib/libgthread-2.0.a
- x ./opt/local/lib/libgthread-2.0.dylib

- x ./opt/local/lib/libgthread-2.0.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/gio-2.0.pc
- x ./opt/local/lib/pkgconfig/gio-unix-2.0.pc
- x ./opt/local/lib/pkgconfig/glib-2.0.pc
- x ./opt/local/lib/pkgconfig/gmodule-2.0.pc
- x ./opt/local/lib/pkgconfig/gmodule-export-2.0.pc
- x ./opt/local/lib/pkgconfig/gmodule-no-export-2.0.pc
- x ./opt/local/lib/pkgconfig/gobject-2.0.pc
- x ./opt/local/lib/pkgconfig/gthread-2.0.pc
- x ./opt/local/lib/glib-2.0/include/
- x ./opt/local/lib/glib-2.0/include/glibconfig.h
- x ./opt/local/include/gio-unix-2.0/
- x ./opt/local/include/glib-2.0/
- x ./opt/local/include/glib-2.0/gio/
- x ./opt/local/include/glib-2.0/glib/
- x ./opt/local/include/glib-2.0/glib-object.h
- x ./opt/local/include/glib-2.0/glib-unix.h
- x ./opt/local/include/glib-2.0/glib.h
- x ./opt/local/include/glib-2.0/gmodule.h
- x ./opt/local/include/glib-2.0/gobject/
- x ./opt/local/include/glib-2.0/gobject/gbinding.h
- x ./opt/local/include/glib-2.0/gobject/gboxed.h
- x ./opt/local/include/glib-2.0/gobject/gclosure.h

x ./opt/local/include/glib-2.0/gobject/genums.h
x ./opt/local/include/glib-2.0/gobject/glib-types.h
x ./opt/local/include/glib-2.0/gobject/gmarshal.h
x ./opt/local/include/glib-2.0/gobject/gobject.h
x ./opt/local/include/glib-2.0/gobject/gobjectnotifyqueue.c
x ./opt/local/include/glib-2.0/gobject/gparam.h
x ./opt/local/include/glib-2.0/gobject/gparamspecs.h
x ./opt/local/include/glib-2.0/gobject/gsignal.h
x ./opt/local/include/glib-2.0/gobject/gsourceclosure.h
x ./opt/local/include/glib-2.0/gobject/gtype.h
x ./opt/local/include/glib-2.0/gobject/gtypemodule.h
x ./opt/local/include/glib-2.0/gobject/gtypeplugin.h
x ./opt/local/include/glib-2.0/gobject/gvalue.h
x ./opt/local/include/glib-2.0/gobject/gvaluearray.h
x ./opt/local/include/glib-2.0/gobject/gvaluecollector.h
x ./opt/local/include/glib-2.0/gobject/gvaluetypes.h
x ./opt/local/include/glib-2.0/glib/deprecated/
x ./opt/local/include/glib-2.0/glib/galloca.h
x ./opt/local/include/glib-2.0/glib/garray.h
x ./opt/local/include/glib-2.0/glib/gasyncqueue.h
x ./opt/local/include/glib-2.0/glib/gatomic.h
x ./opt/local/include/glib-2.0/glib/gbacktrace.h
x ./opt/local/include/glib-2.0/glib/gbase64.h
x ./opt/local/include/glib-2.0/glib/gbitlock.h

x ./opt/local/include/glib-2.0/glib/gbookmarkfile.h
x ./opt/local/include/glib-2.0/glib/gbytes.h
x ./opt/local/include/glib-2.0/glib/gcharset.h
x ./opt/local/include/glib-2.0/glib/gchecksum.h
x ./opt/local/include/glib-2.0/glib/gconvert.h
x ./opt/local/include/glib-2.0/glib/gdataset.h
x ./opt/local/include/glib-2.0/glib/gdate.h
x ./opt/local/include/glib-2.0/glib/gdatettime.h
x ./opt/local/include/glib-2.0/glib/gdir.h
x ./opt/local/include/glib-2.0/glib/genviron.h
x ./opt/local/include/glib-2.0/glib/gerror.h
x ./opt/local/include/glib-2.0/glib/gfileutils.h
x ./opt/local/include/glib-2.0/glib/ggettext.h
x ./opt/local/include/glib-2.0/glib/ghash.h
x ./opt/local/include/glib-2.0/glib/ghmac.h
x ./opt/local/include/glib-2.0/glib/ghook.h
x ./opt/local/include/glib-2.0/glib/ghostutils.h
x ./opt/local/include/glib-2.0/glib/gi18n-lib.h
x ./opt/local/include/glib-2.0/glib/gi18n.h
x ./opt/local/include/glib-2.0/glib/giochannel.h
x ./opt/local/include/glib-2.0/glib/gkeyfile.h
x ./opt/local/include/glib-2.0/glib/glist.h
x ./opt/local/include/glib-2.0/glib/gmacros.h
x ./opt/local/include/glib-2.0/glib/gmain.h

```
x ./opt/local/include/glib-2.0/glib/gmappedfile.h
x ./opt/local/include/glib-2.0/glib/gmarkup.h
x ./opt/local/include/glib-2.0/glib/gmem.h
x ./opt/local/include/glib-2.0/glib/gmessages.h
x ./opt/local/include/glib-2.0/glib/gnode.h
x ./opt/local/include/glib-2.0/glib/goption.h
x ./opt/local/include/glib-2.0/glib/gpattern.h
x ./opt/local/include/glib-2.0/glib/gpoll.h
x ./opt/local/include/glib-2.0/glib/gprimes.h
x ./opt/local/include/glib-2.0/glib/gprintf.h
x ./opt/local/include/glib-2.0/glib/gqsort.h
x ./opt/local/include/glib-2.0/glib/gquark.h
x ./opt/local/include/glib-2.0/glib/gqueue.h
x ./opt/local/include/glib-2.0/glib/grand.h
x ./opt/local/include/glib-2.0/glib/gregex.h
x ./opt/local/include/glib-2.0/glib/gscanner.h
x ./opt/local/include/glib-2.0/glib/gsequence.h
x ./opt/local/include/glib-2.0/glib/gshell.h
x ./opt/local/include/glib-2.0/glib/gslice.h
x ./opt/local/include/glib-2.0/glib/gslist.h
x ./opt/local/include/glib-2.0/glib/gspawn.h
x ./opt/local/include/glib-2.0/glib/gstdio.h
x ./opt/local/include/glib-2.0/glib/gstrfuncs.h
x ./opt/local/include/glib-2.0/glib/gstring.h
```

x ./opt/local/include/glib-2.0/glib/gstringchunk.h
x ./opt/local/include/glib-2.0/glib/gtestutils.h
x ./opt/local/include/glib-2.0/glib/gthread.h
x ./opt/local/include/glib-2.0/glib/gthreadpool.h
x ./opt/local/include/glib-2.0/glib/gtimer.h
x ./opt/local/include/glib-2.0/glib/gtimezone.h
x ./opt/local/include/glib-2.0/glib/gtrashstack.h
x ./opt/local/include/glib-2.0/glib/gtree.h
x ./opt/local/include/glib-2.0/glib/gtypes.h
x ./opt/local/include/glib-2.0/glib/gunicode.h
x ./opt/local/include/glib-2.0/glib/gurifuncs.h
x ./opt/local/include/glib-2.0/glib/gutils.h
x ./opt/local/include/glib-2.0/glib/gvariant.h
x ./opt/local/include/glib-2.0/glib/gvarianttype.h
x ./opt/local/include/glib-2.0/glib/gversion.h
x ./opt/local/include/glib-2.0/glib/gversionmacros.h
x ./opt/local/include/glib-2.0/glib/gwin32.h
x ./opt/local/include/glib-2.0/glib/deprecated/gallocator.h
x ./opt/local/include/glib-2.0/glib/deprecated/gcache.h
x ./opt/local/include/glib-2.0/glib/deprecated/gcompletion.h
x ./opt/local/include/glib-2.0/glib/deprecated/gmain.h
x ./opt/local/include/glib-2.0/glib/deprecated/grel.h
x ./opt/local/include/glib-2.0/glib/deprecated/gthread.h
x ./opt/local/include/glib-2.0/gio/gaction.h

x ./opt/local/include/glib-2.0/gio/gactiongroup.h
x ./opt/local/include/glib-2.0/gio/gactiongroupexporter.h
x ./opt/local/include/glib-2.0/gio/gactionmap.h
x ./opt/local/include/glib-2.0/gio/gappinfo.h
x ./opt/local/include/glib-2.0/gio/gapplication.h
x ./opt/local/include/glib-2.0/gio/gapplicationcommandline.h
x ./opt/local/include/glib-2.0/gio/gasyncinitable.h
x ./opt/local/include/glib-2.0/gio/gasyncresult.h
x ./opt/local/include/glib-2.0/gio/gbufferedinputstream.h
x ./opt/local/include/glib-2.0/gio/gbufferedoutputstream.h
x ./opt/local/include/glib-2.0/gio/gbytesicon.h
x ./opt/local/include/glib-2.0/gio/gcancellable.h
x ./opt/local/include/glib-2.0/gio/gcharsetconverter.h
x ./opt/local/include/glib-2.0/gio/gcontenttype.h
x ./opt/local/include/glib-2.0/gio/gconverter.h
x ./opt/local/include/glib-2.0/gio/gconverterinputstream.h
x ./opt/local/include/glib-2.0/gio/gconverteroutputstream.h
x ./opt/local/include/glib-2.0/gio/gcredentials.h
x ./opt/local/include/glib-2.0/gio/gdatainputstream.h
x ./opt/local/include/glib-2.0/gio/gdataoutputstream.h
x ./opt/local/include/glib-2.0/gio/gdbusactiongroup.h
x ./opt/local/include/glib-2.0/gio/gdbusaddress.h
x ./opt/local/include/glib-2.0/gio/gdbusauthobserver.h
x ./opt/local/include/glib-2.0/gio/gdbusconnection.h

x ./opt/local/include/glib-2.0/gio/gdbuserror.h
x ./opt/local/include/glib-2.0/gio/gdbusinterface.h
x ./opt/local/include/glib-2.0/gio/gdbusinterfaceskeleton.h
x ./opt/local/include/glib-2.0/gio/gdbusintrospection.h
x ./opt/local/include/glib-2.0/gio/gdbusmenu.h
x ./opt/local/include/glib-2.0/gio/gdbusmessage.h
x ./opt/local/include/glib-2.0/gio/gdbusmethodinvocation.h
x ./opt/local/include/glib-2.0/gio/gdbusnameowning.h
x ./opt/local/include/glib-2.0/gio/gdbusnamewatching.h
x ./opt/local/include/glib-2.0/gio/gdbusobject.h
x ./opt/local/include/glib-2.0/gio/gdbusobjectmanager.h
x ./opt/local/include/glib-2.0/gio/gdbusobjectmanagerclient.h
x ./opt/local/include/glib-2.0/gio/gdbusobjectmanagerserver.h
x ./opt/local/include/glib-2.0/gio/gdbusobjectproxy.h
x ./opt/local/include/glib-2.0/gio/gdbusobjectskeleton.h
x ./opt/local/include/glib-2.0/gio/gdbusproxy.h
x ./opt/local/include/glib-2.0/gio/gdbusserver.h
x ./opt/local/include/glib-2.0/gio/gdbusutils.h
x ./opt/local/include/glib-2.0/gio/gdrive.h
x ./opt/local/include/glib-2.0/gio/gemblem.h
x ./opt/local/include/glib-2.0/gio/gemblemicon.h
x ./opt/local/include/glib-2.0/gio/gfile.h
x ./opt/local/include/glib-2.0/gio/gfileattribute.h
x ./opt/local/include/glib-2.0/gio/gfileenumerator.h

x ./opt/local/include/glib-2.0/gio/gfileicon.h
x ./opt/local/include/glib-2.0/gio/gfileinfo.h
x ./opt/local/include/glib-2.0/gio/gfileinputstream.h
x ./opt/local/include/glib-2.0/gio/gfileiostream.h
x ./opt/local/include/glib-2.0/gio/gfilemonitor.h
x ./opt/local/include/glib-2.0/gio/gfilenamecompleter.h
x ./opt/local/include/glib-2.0/gio/gfileoutputstream.h
x ./opt/local/include/glib-2.0/gio/gfilterinputstream.h
x ./opt/local/include/glib-2.0/gio/gfilteroutputstream.h
x ./opt/local/include/glib-2.0/gio/gicon.h
x ./opt/local/include/glib-2.0/gio/ginetaddress.h
x ./opt/local/include/glib-2.0/gio/ginetaddressmask.h
x ./opt/local/include/glib-2.0/gio/ginetsocketaddress.h
x ./opt/local/include/glib-2.0/gio/ginitable.h
x ./opt/local/include/glib-2.0/gio/ginputstream.h
x ./opt/local/include/glib-2.0/gio/gio.h
x ./opt/local/include/glib-2.0/gio/gioenums.h
x ./opt/local/include/glib-2.0/gio/gioenumtypes.h
x ./opt/local/include/glib-2.0/gio/gioerror.h
x ./opt/local/include/glib-2.0/gio/giomodule.h
x ./opt/local/include/glib-2.0/gio/gioscheduler.h
x ./opt/local/include/glib-2.0/gio/giostream.h
x ./opt/local/include/glib-2.0/gio/giotypes.h
x ./opt/local/include/glib-2.0/gio/gloadableicon.h

x ./opt/local/include/glib-2.0/gio/gmemoryinputstream.h
x ./opt/local/include/glib-2.0/gio/gmemoryoutputstream.h
x ./opt/local/include/glib-2.0/gio/gmenu.h
x ./opt/local/include/glib-2.0/gio/gmenuexporter.h
x ./opt/local/include/glib-2.0/gio/gmenumodel.h
x ./opt/local/include/glib-2.0/gio/gmount.h
x ./opt/local/include/glib-2.0/gio/gmountoperation.h
x ./opt/local/include/glib-2.0/gio/gnativevolumemonitor.h
x ./opt/local/include/glib-2.0/gio/gnetworkaddress.h
x ./opt/local/include/glib-2.0/gio/gnetworking.h
x ./opt/local/include/glib-2.0/gio/gnetworkmonitor.h
x ./opt/local/include/glib-2.0/gio/gnetworkservice.h
x ./opt/local/include/glib-2.0/gio/goutputstream.h
x ./opt/local/include/glib-2.0/gio/gpermission.h
x ./opt/local/include/glib-2.0/gio/gpollableinputstream.h
x ./opt/local/include/glib-2.0/gio/gpollableoutputstream.h
x ./opt/local/include/glib-2.0/gio/gpollableutils.h
x ./opt/local/include/glib-2.0/gio/gpropertyaction.h
x ./opt/local/include/glib-2.0/gio/gproxy.h
x ./opt/local/include/glib-2.0/gio/gproxyaddress.h
x ./opt/local/include/glib-2.0/gio/gproxyaddressenumerator.h
x ./opt/local/include/glib-2.0/gio/gproxyresolver.h
x ./opt/local/include/glib-2.0/gio/gremoteactiongroup.h
x ./opt/local/include/glib-2.0/gio/gresolver.h

- x ./opt/local/include/glib-2.0/gio/gresource.h
- x ./opt/local/include/glib-2.0/gio/gseekable.h
- x ./opt/local/include/glib-2.0/gio/gsettings.h
- x ./opt/local/include/glib-2.0/gio/gsettingsbackend.h
- x ./opt/local/include/glib-2.0/gio/gsettingschema.h
- x ./opt/local/include/glib-2.0/gio/gsimpleaction.h
- x ./opt/local/include/glib-2.0/gio/gsimpleactiongroup.h
- x ./opt/local/include/glib-2.0/gio/gsimpleasyncreult.h
- x ./opt/local/include/glib-2.0/gio/gsimplepermission.h
- x ./opt/local/include/glib-2.0/gio/gsimpleproxyresolver.h
- x ./opt/local/include/glib-2.0/gio/gsocket.h
- x ./opt/local/include/glib-2.0/gio/gsocketaddress.h
- x ./opt/local/include/glib-2.0/gio/gsocketaddressenumerator.h
- x ./opt/local/include/glib-2.0/gio/gsocketclient.h
- x ./opt/local/include/glib-2.0/gio/gsocketconnectable.h
- x ./opt/local/include/glib-2.0/gio/gsocketconnection.h
- x ./opt/local/include/glib-2.0/gio/gsocketcontrolmessage.h
- x ./opt/local/include/glib-2.0/gio/gsocketlistener.h
- x ./opt/local/include/glib-2.0/gio/gsocketservice.h
- x ./opt/local/include/glib-2.0/gio/gsrvtarget.h
- x ./opt/local/include/glib-2.0/gio/gtask.h
- x ./opt/local/include/glib-2.0/gio/gtcpconnection.h
- x ./opt/local/include/glib-2.0/gio/gtcpwrapperconnection.h
- x ./opt/local/include/glib-2.0/gio/gtestdbus.h

x ./opt/local/include/glib-2.0/gio/gthemedicon.h
x ./opt/local/include/glib-2.0/gio/gthreadedsocketservice.h
x ./opt/local/include/glib-2.0/gio/gtlsbackend.h
x ./opt/local/include/glib-2.0/gio/gtlscertificate.h
x ./opt/local/include/glib-2.0/gio/gtlsclientconnection.h
x ./opt/local/include/glib-2.0/gio/gtlsconnection.h
x ./opt/local/include/glib-2.0/gio/gtlsdatabase.h
x ./opt/local/include/glib-2.0/gio/gtlsfiledatabase.h
x ./opt/local/include/glib-2.0/gio/gtlsinteraction.h
x ./opt/local/include/glib-2.0/gio/gtlspassword.h
x ./opt/local/include/glib-2.0/gio/gtlsserverconnection.h
x ./opt/local/include/glib-2.0/gio/gvfs.h
x ./opt/local/include/glib-2.0/gio/gvolume.h
x ./opt/local/include/glib-2.0/gio/gvolumemonitor.h
x ./opt/local/include/glib-2.0/gio/gzlibcompressor.h
x ./opt/local/include/glib-2.0/gio/gzlibdecompressor.h
x ./opt/local/include/gio-unix-2.0/gio/
x ./opt/local/include/gio-unix-2.0/gio/gdesktopappinfo.h
x ./opt/local/include/gio-unix-2.0/gio/gfiledescriptorbased.h
x ./opt/local/include/gio-unix-2.0/gio/gunixconnection.h
x ./opt/local/include/gio-unix-2.0/gio/gunixcredentialsmessage.h
x ./opt/local/include/gio-unix-2.0/gio/gunixfdlist.h
x ./opt/local/include/gio-unix-2.0/gio/gunixfdmessage.h
x ./opt/local/include/gio-unix-2.0/gio/gunixinputstream.h

```
x ./opt/local/include/gio-unix-2.0/gio/gunixmounts.h
x ./opt/local/include/gio-unix-2.0/gio/gunixoutputstream.h
x ./opt/local/include/gio-unix-2.0/gio/gunixsocketaddress.h
x ./opt/local/bin/gdbus
x ./opt/local/bin/gdbus-codegen
x ./opt/local/bin/gio-querymodules
x ./opt/local/bin/glib-compile-resources
x ./opt/local/bin/glib-compile-schemas
x ./opt/local/bin/glib-genmarshal
x ./opt/local/bin/glib-gettextize
x ./opt/local/bin/glib-mkenums
x ./opt/local/bin/gobject-query
x ./opt/local/bin/gresource
x ./opt/local/bin/gsettings
x ./opt/local/bin/gtester
x ./opt/local/bin/gtester-report
---> Cleaning glib2
---> Removing work directory for glib2
---> Fetching archive for hicolor-icon-theme
---> hicolor-icon-theme-0.12_0.darwin_10.noarch.tbz2 doesn't seem to exist in /
opt/local/var/macports/incoming/verified
---> Attempting to fetch hicolor-icon-theme-0.12_0.darwin_10.noarch.tbz2 from h
ttp://packages.macports.org/hicolor-icon-theme
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
```

```

          Dload Upload Total Spent Left Speed
102 3271 102 3271 0 0 9395 0 --:--:-- --:--:-- --:--:-- 18376
---> Attempting to fetch hicolor-icon-theme-0.12_0.darwin_10.noarch.tbz2.rmd160
      from http://packages.macports.org/hicolor-icon-theme
      % Total % Received % Xferd Average Speed Time Time Time Current
          Dload Upload Total Spent Left Speed
102 512 102 512 0 0 1473 0 --:--:-- --:--:-- --:--:-- 2925
---> Installing hicolor-icon-theme @0.12_0
---> Activating hicolor-icon-theme @0.12_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/share/
x ./opt/local/share/icons/
x ./opt/local/share/icons/hicolor/
x ./opt/local/share/icons/hicolor/index.theme
---> Cleaning hicolor-icon-theme
---> Removing work directory for hicolor-icon-theme
---> Fetching archive for jpeg

```

---> jpeg-9_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified

---> Attempting to fetch jpeg-9_1.darwin_10.x86_64.tbz2 from <http://packages.macports.org/jpeg>

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	293k	100	293k	0	0	139k	0	0:00:02	0:00:02	--:--:--	152k

---> Attempting to fetch jpeg-9_1.darwin_10.x86_64.tbz2.rmd160 from <http://packages.macports.org/jpeg>

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1420	0	--:--:--	--:--:--	--:--:--	2782

---> Installing jpeg @9_1

---> Activating jpeg @9_1

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/include/

- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/doc/
- x ./opt/local/share/man/
- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man1/cjpeg.1.gz
- x ./opt/local/share/man/man1/djpeg.1.gz
- x ./opt/local/share/man/man1/jpegtran.1.gz
- x ./opt/local/share/man/man1/rdjpgcom.1.gz
- x ./opt/local/share/man/man1/wrjpgcom.1.gz
- x ./opt/local/share/doc/jpeg/
- x ./opt/local/share/doc/jpeg/change.log
- x ./opt/local/share/doc/jpeg/libjpeg.txt
- x ./opt/local/share/doc/jpeg/README
- x ./opt/local/share/doc/jpeg/structure.txt
- x ./opt/local/share/doc/jpeg/usage.txt
- x ./opt/local/share/doc/jpeg/wizard.txt
- x ./opt/local/lib/libjpeg.9.dylib
- x ./opt/local/lib/libjpeg.a
- x ./opt/local/lib/libjpeg.dylib
- x ./opt/local/lib/libjpeg.la
- x ./opt/local/include/jconfig.h
- x ./opt/local/include/jerror.h
- x ./opt/local/include/jmorecfg.h

```

x ./opt/local/include/jpeglib.h
x ./opt/local/bin/cjpeg
x ./opt/local/bin/djpeg
x ./opt/local/bin/jpegtran
x ./opt/local/bin/rdjpgcom
x ./opt/local/bin/wrjpgcom
---> Cleaning jpeg
---> Removing work directory for jpeg
---> Fetching archive for jasper
---> jasper-1.900.1_10.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch jasper-1.900.1_10.darwin_10.x86_64.tbz2 from http://packages.macports.org/jasper
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload  Total      Spent    Left     Speed
100  678k  100  678k    0      0   232k      0  0:00:02  0:00:02 --:--:--  247k
---> Attempting to fetch jasper-1.900.1_10.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/jasper
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload  Total      Spent    Left     Speed
102   512  102   512    0      0   1391      0  --:--:--  --:--:--  --:--:--  2752
---> Installing jasper @1.900.1_10
---> Activating jasper @1.900.1_10
x ./

```


- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/doc/
- x ./opt/local/share/man/
- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man1/._imgcmp.1.gz
- x ./opt/local/share/man/man1/imgcmp.1.gz
- x ./opt/local/share/man/man1/._imginfo.1.gz
- x ./opt/local/share/man/man1/imginfo.1.gz
- x ./opt/local/share/man/man1/._jasper.1.gz
- x ./opt/local/share/man/man1/jasper.1.gz
- x ./opt/local/share/man/man1/._jiv.1.gz
- x ./opt/local/share/man/man1/jiv.1.gz
- x ./opt/local/share/doc/jasper/
- x ./opt/local/share/doc/jasper/._jasper.pdf

- x ./opt/local/share/doc/jasper/jasper.pdf
- x ./opt/local/share/doc/jasper/._jpeg2000.pdf
- x ./opt/local/share/doc/jasper/jpeg2000.pdf
- x ./opt/local/share/doc/jasper/._README
- x ./opt/local/share/doc/jasper/README
- x ./opt/local/lib/libjasper.1.0.0.dylib
- x ./opt/local/lib/libjasper.1.dylib
- x ./opt/local/lib/libjasper.a
- x ./opt/local/lib/libjasper.dylib
- x ./opt/local/lib/libjasper.la
- x ./opt/local/include/jasper/
- x ./opt/local/include/jasper/._jas_cm.h
- x ./opt/local/include/jasper/jas_cm.h
- x ./opt/local/include/jasper/jas_config.h
- x ./opt/local/include/jasper/._jas_config2.h
- x ./opt/local/include/jasper/jas_config2.h
- x ./opt/local/include/jasper/._jas_debug.h
- x ./opt/local/include/jasper/jas_debug.h
- x ./opt/local/include/jasper/._jas_fix.h
- x ./opt/local/include/jasper/jas_fix.h
- x ./opt/local/include/jasper/._jas_getopt.h
- x ./opt/local/include/jasper/jas_getopt.h
- x ./opt/local/include/jasper/._jas_icc.h
- x ./opt/local/include/jasper/jas_icc.h

x ./opt/local/include/jasper/._jas_image.h
x ./opt/local/include/jasper/jas_image.h
x ./opt/local/include/jasper/._jas_init.h
x ./opt/local/include/jasper/jas_init.h
x ./opt/local/include/jasper/._jas_malloc.h
x ./opt/local/include/jasper/jas_malloc.h
x ./opt/local/include/jasper/._jas_math.h
x ./opt/local/include/jasper/jas_math.h
x ./opt/local/include/jasper/._jas_seq.h
x ./opt/local/include/jasper/jas_seq.h
x ./opt/local/include/jasper/._jas_stream.h
x ./opt/local/include/jasper/jas_stream.h
x ./opt/local/include/jasper/._jas_string.h
x ./opt/local/include/jasper/jas_string.h
x ./opt/local/include/jasper/._jas_tmr.h
x ./opt/local/include/jasper/jas_tmr.h
x ./opt/local/include/jasper/._jas_tvp.h
x ./opt/local/include/jasper/jas_tvp.h
x ./opt/local/include/jasper/._jas_types.h
x ./opt/local/include/jasper/jas_types.h
x ./opt/local/include/jasper/._jas_version.h
x ./opt/local/include/jasper/jas_version.h
x ./opt/local/include/jasper/._jasper.h
x ./opt/local/include/jasper/jasper.h

```

x ./opt/local/bin/imgcmp
x ./opt/local/bin/imaginfo
x ./opt/local/bin/jasper
x ./opt/local/bin/tmrdemo
---> Cleaning jasper
---> Removing work directory for jasper
---> Fetching archive for libart_lgpl
---> libart_lgpl-2.3.21_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch libart_lgpl-2.3.21_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/libart_lgpl
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
100 81343  100 81343    0     0  60756      0  0:00:01  0:00:01 --:--:-- 70062
---> Attempting to fetch libart_lgpl-2.3.21_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/libart_lgpl
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
102  512  102  512    0     0   1385      0  --:--:--  --:--:--  --:--:--  2598
---> Installing libart_lgpl @2.3.21_0
---> Activating libart_lgpl @2.3.21_0
x ./
x ./+COMMENT
x ./+CONTENTS

```

```
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/lib/libart_lgpl_2.2.dylib
x ./opt/local/lib/libart_lgpl_2.a
x ./opt/local/lib/libart_lgpl_2.dylib
x ./opt/local/lib/libart_lgpl_2.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/libart-2.0.pc
x ./opt/local/include/libart-2.0/
x ./opt/local/include/libart-2.0/libart_lgpl/
x ./opt/local/include/libart-2.0/libart_lgpl/art_affine.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_alphagamma.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_bpath.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_config.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_filterlevel.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_gray_svp.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_misc.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_pathcode.h
```

x ./opt/local/include/libart-2.0/libart_lgpl/art_pixbuf.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_point.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rect.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rect_svp.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rect_uta.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_render.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_render_gradient.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_render_mask.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_render_svp.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rgb.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rgb_a_affine.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rgb_affine.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rgb_bitmap_affine.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rgb_pixbuf_affine.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rgb_rgba_affine.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rgb_svp.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_rgba.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_svp.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_svp_intersect.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_svp_ops.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_svp_point.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_svp_render_aa.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_svp_vpath.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_svp_vpath_stroke.h

```

x ./opt/local/include/libart-2.0/libart_lgpl/art_svp_wind.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_uta.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_uta_ops.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_uta_rect.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_uta_svp.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_uta_vpath.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_vpath.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_vpath_bpath.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_vpath_dash.h
x ./opt/local/include/libart-2.0/libart_lgpl/art_vpath_svp.h
x ./opt/local/include/libart-2.0/libart_lgpl/libart-features.h
x ./opt/local/include/libart-2.0/libart_lgpl/libart.h
x ./opt/local/bin/libart2-config
---> Cleaning libart_lgpl
---> Removing work directory for libart_lgpl
---> Fetching archive for libidn
---> libidn-1.26_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch libidn-1.26_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/libidn
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total   Spent    Left     Speed
100 256k 100 256k    0      0  138k      0  0:00:01  0:00:01 --:--:-- 153k
---> Attempting to fetch libidn-1.26_0.darwin_10.x86_64.tbz2.rmd160 from http://

```

/packages.macports.org/libidn

% Total	% Received	% Xferd	Average Dload	Speed Upload	Time Total	Time Spent	Time Left	Current Speed			
102	512	102	512	0	0	1485	0	--:--:--	--:--:--	--:--:--	2959

---> Installing libidn @1.26_0

---> Activating libidn @1.26_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/share/

x ./opt/local/share/emacs/

x ./opt/local/share/info/

x ./opt/local/share/locale/

x ./opt/local/share/man/

x ./opt/local/share/man/man1/

x ./opt/local/share/man/man3/

x ./opt/local/share/man/man3/idn_free.3.gz
x ./opt/local/share/man/man3/idna_strerror.3.gz
x ./opt/local/share/man/man3/idna_to_ascii_4i.3.gz
x ./opt/local/share/man/man3/idna_to_ascii_4z.3.gz
x ./opt/local/share/man/man3/idna_to_ascii_8z.3.gz
x ./opt/local/share/man/man3/idna_to_ascii_lz.3.gz
x ./opt/local/share/man/man3/idna_to_unicode_44i.3.gz
x ./opt/local/share/man/man3/idna_to_unicode_4z4z.3.gz
x ./opt/local/share/man/man3/idna_to_unicode_8z4z.3.gz
x ./opt/local/share/man/man3/idna_to_unicode_8z8z.3.gz
x ./opt/local/share/man/man3/idna_to_unicode_8zlz.3.gz
x ./opt/local/share/man/man3/idna_to_unicode_lzlz.3.gz
x ./opt/local/share/man/man3/pr29_4.3.gz
x ./opt/local/share/man/man3/pr29_4z.3.gz
x ./opt/local/share/man/man3/pr29_8z.3.gz
x ./opt/local/share/man/man3/pr29_strerror.3.gz
x ./opt/local/share/man/man3/punycode_decode.3.gz
x ./opt/local/share/man/man3/punycode_encode.3.gz
x ./opt/local/share/man/man3/punycode_strerror.3.gz
x ./opt/local/share/man/man3/stringprep.3.gz
x ./opt/local/share/man/man3/stringprep_4i.3.gz
x ./opt/local/share/man/man3/stringprep_4zi.3.gz
x ./opt/local/share/man/man3/stringprep_check_version.3.gz
x ./opt/local/share/man/man3/stringprep_convert.3.gz

x ./opt/local/share/man/man3/stringprep_locale_charset.3.gz
x ./opt/local/share/man/man3/stringprep_locale_to_utf8.3.gz
x ./opt/local/share/man/man3/stringprep_profile.3.gz
x ./opt/local/share/man/man3/stringprep_strerror.3.gz
x ./opt/local/share/man/man3/stringprep_ucs4_nfkc_normalize.3.gz
x ./opt/local/share/man/man3/stringprep_ucs4_to_utf8.3.gz
x ./opt/local/share/man/man3/stringprep_unichar_to_utf8.3.gz
x ./opt/local/share/man/man3/stringprep_utf8_nfkc_normalize.3.gz
x ./opt/local/share/man/man3/stringprep_utf8_to_locale.3.gz
x ./opt/local/share/man/man3/stringprep_utf8_to_ucs4.3.gz
x ./opt/local/share/man/man3/stringprep_utf8_to_unichar.3.gz
x ./opt/local/share/man/man3/tld_check_4.3.gz
x ./opt/local/share/man/man3/tld_check_4t.3.gz
x ./opt/local/share/man/man3/tld_check_4tz.3.gz
x ./opt/local/share/man/man3/tld_check_4z.3.gz
x ./opt/local/share/man/man3/tld_check_8z.3.gz
x ./opt/local/share/man/man3/tld_check_lz.3.gz
x ./opt/local/share/man/man3/tld_default_table.3.gz
x ./opt/local/share/man/man3/tld_get_4.3.gz
x ./opt/local/share/man/man3/tld_get_4z.3.gz
x ./opt/local/share/man/man3/tld_get_table.3.gz
x ./opt/local/share/man/man3/tld_get_z.3.gz
x ./opt/local/share/man/man3/tld_strerror.3.gz
x ./opt/local/share/man/man1/idn.1.gz

- x ./opt/local/share/locale/cs/
- x ./opt/local/share/locale/da/
- x ./opt/local/share/locale/de/
- x ./opt/local/share/locale/en@boldquot/
- x ./opt/local/share/locale/en@quot/
- x ./opt/local/share/locale/eo/
- x ./opt/local/share/locale/fi/
- x ./opt/local/share/locale/fr/
- x ./opt/local/share/locale/hr/
- x ./opt/local/share/locale/id/
- x ./opt/local/share/locale/it/
- x ./opt/local/share/locale/ja/
- x ./opt/local/share/locale/nl/
- x ./opt/local/share/locale/pl/
- x ./opt/local/share/locale/ro/
- x ./opt/local/share/locale/sr/
- x ./opt/local/share/locale/uk/
- x ./opt/local/share/locale/vi/
- x ./opt/local/share/locale/zh_CN/
- x ./opt/local/share/locale/zh_CN/LC_MESSAGES/
- x ./opt/local/share/locale/zh_CN/LC_MESSAGES/libidn.mo
- x ./opt/local/share/locale/vi/LC_MESSAGES/
- x ./opt/local/share/locale/vi/LC_MESSAGES/libidn.mo
- x ./opt/local/share/locale/uk/LC_MESSAGES/

x ./opt/local/share/locale/uk/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/sr/LC_MESSAGES/
x ./opt/local/share/locale/sr/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/ro/LC_MESSAGES/
x ./opt/local/share/locale/ro/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/pl/LC_MESSAGES/
x ./opt/local/share/locale/pl/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/nl/LC_MESSAGES/
x ./opt/local/share/locale/nl/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/ja/LC_MESSAGES/
x ./opt/local/share/locale/ja/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/it/LC_MESSAGES/
x ./opt/local/share/locale/it/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/id/LC_MESSAGES/
x ./opt/local/share/locale/id/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/hr/LC_MESSAGES/
x ./opt/local/share/locale/hr/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/fr/LC_MESSAGES/
x ./opt/local/share/locale/fr/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/fi/LC_MESSAGES/
x ./opt/local/share/locale/fi/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/eo/LC_MESSAGES/
x ./opt/local/share/locale/eo/LC_MESSAGES/libidn.mo
x ./opt/local/share/locale/en@quot/LC_MESSAGES/

- x ./opt/local/share/locale/en@quot/LC_MESSAGES/libidn.mo
- x ./opt/local/share/locale/en@boldquot/LC_MESSAGES/
- x ./opt/local/share/locale/en@boldquot/LC_MESSAGES/libidn.mo
- x ./opt/local/share/locale/de/LC_MESSAGES/
- x ./opt/local/share/locale/de/LC_MESSAGES/libidn.mo
- x ./opt/local/share/locale/da/LC_MESSAGES/
- x ./opt/local/share/locale/da/LC_MESSAGES/libidn.mo
- x ./opt/local/share/locale/cs/LC_MESSAGES/
- x ./opt/local/share/locale/cs/LC_MESSAGES/libidn.mo
- x ./opt/local/share/info/libidn-components.png
- x ./opt/local/share/info/libidn.info
- x ./opt/local/share/emacs/site-lisp/
- x ./opt/local/share/emacs/site-lisp/idna.el
- x ./opt/local/share/emacs/site-lisp/punycode.el
- x ./opt/local/lib/libidn.11.dylib
- x ./opt/local/lib/libidn.a
- x ./opt/local/lib/libidn.dylib
- x ./opt/local/lib/libidn.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/libidn.pc
- x ./opt/local/include/idn-free.h
- x ./opt/local/include/idn-int.h
- x ./opt/local/include/idna.h
- x ./opt/local/include/pr29.h

```

x ./opt/local/include/punycode.h
x ./opt/local/include/stringprep.h
x ./opt/local/include/tld.h
x ./opt/local/bin/idn
---> Cleaning libidn
---> Removing work directory for libidn
---> Fetching archive for xz
---> xz-5.0.5_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/m
acports/incoming/verified
---> Attempting to fetch xz-5.0.5_0.darwin_10.x86_64.tbz2 from http://packages.
macports.org/xz
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
100 257k 100 257k    0      0  132k      0  0:00:01  0:00:01 --:--:-- 145k
---> Attempting to fetch xz-5.0.5_0.darwin_10.x86_64.tbz2.rmd160 from http://pa
ckages.macports.org/xz
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
102  512 102  512    0      0  1487      0  --:--:--  --:--:--  --:--:-- 2994
---> Installing xz @5.0.5_0
---> Activating xz @5.0.5_0
x ./
x ./+COMMENT
x ./+CONTENTS

```

```
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/locale/
x ./opt/local/share/man/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man1/lzcat.1.gz
x ./opt/local/share/man/man1/lzcmp.1.gz
x ./opt/local/share/man/man1/lzdiff.1.gz
x ./opt/local/share/man/man1/lzegrep.1.gz
x ./opt/local/share/man/man1/lzfgrep.1.gz
x ./opt/local/share/man/man1/lzgrep.1.gz
x ./opt/local/share/man/man1/lzless.1.gz
x ./opt/local/share/man/man1/lzma.1.gz
x ./opt/local/share/man/man1/lzmadec.1.gz
x ./opt/local/share/man/man1/lzmainfo.1.gz
x ./opt/local/share/man/man1/lzmore.1.gz
```

x ./opt/local/share/man/man1/unlzma.1.gz
x ./opt/local/share/man/man1/unxz.1.gz
x ./opt/local/share/man/man1/xz.1.gz
x ./opt/local/share/man/man1/xzcat.1.gz
x ./opt/local/share/man/man1/xzcmp.1.gz
x ./opt/local/share/man/man1/xzdec.1.gz
x ./opt/local/share/man/man1/xzdiff.1.gz
x ./opt/local/share/man/man1/xzegrep.1.gz
x ./opt/local/share/man/man1/xzfgrep.1.gz
x ./opt/local/share/man/man1/xzgrep.1.gz
x ./opt/local/share/man/man1/xzless.1.gz
x ./opt/local/share/man/man1/xzmore.1.gz
x ./opt/local/share/locale/cs/
x ./opt/local/share/locale/de/
x ./opt/local/share/locale/fr/
x ./opt/local/share/locale/it/
x ./opt/local/share/locale/pl/
x ./opt/local/share/locale/pl/LC_MESSAGES/
x ./opt/local/share/locale/pl/LC_MESSAGES/xz.mo
x ./opt/local/share/locale/it/LC_MESSAGES/
x ./opt/local/share/locale/it/LC_MESSAGES/xz.mo
x ./opt/local/share/locale/fr/LC_MESSAGES/
x ./opt/local/share/locale/fr/LC_MESSAGES/xz.mo
x ./opt/local/share/locale/de/LC_MESSAGES/

- x ./opt/local/share/locale/de/LC_MESSAGES/xz.mo
- x ./opt/local/share/locale/cs/LC_MESSAGES/
- x ./opt/local/share/locale/cs/LC_MESSAGES/xz.mo
- x ./opt/local/share/doc/xz/
- x ./opt/local/share/doc/xz/AUTHORS
- x ./opt/local/share/doc/xz/COPYING
- x ./opt/local/share/doc/xz/COPYING.GPLv2
- x ./opt/local/share/doc/xz/examples/
- x ./opt/local/share/doc/xz/examples_old/
- x ./opt/local/share/doc/xz/faq.txt
- x ./opt/local/share/doc/xz/history.txt
- x ./opt/local/share/doc/xz/lzma-file-format.txt
- x ./opt/local/share/doc/xz/NEWS
- x ./opt/local/share/doc/xz/README
- x ./opt/local/share/doc/xz/THANKS
- x ./opt/local/share/doc/xz/TODO
- x ./opt/local/share/doc/xz/xz-file-format.txt
- x ./opt/local/share/doc/xz/examples_old/xz_pipe_comp.c
- x ./opt/local/share/doc/xz/examples_old/xz_pipe_decomp.c
- x ./opt/local/share/doc/xz/examples/00_README.txt
- x ./opt/local/share/doc/xz/examples/01_compress_easy.c
- x ./opt/local/share/doc/xz/examples/02_decompress.c
- x ./opt/local/share/doc/xz/examples/03_compress_custom.c
- x ./opt/local/share/doc/xz/examples/Makefile

- x ./opt/local/lib/liblzma.5.dylib
- x ./opt/local/lib/liblzma.a
- x ./opt/local/lib/liblzma.dylib
- x ./opt/local/lib/liblzma.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/liblzma.pc
- x ./opt/local/include/lzma/
- x ./opt/local/include/lzma.h
- x ./opt/local/include/lzma/base.h
- x ./opt/local/include/lzma/bcj.h
- x ./opt/local/include/lzma/block.h
- x ./opt/local/include/lzma/check.h
- x ./opt/local/include/lzma/container.h
- x ./opt/local/include/lzma/delta.h
- x ./opt/local/include/lzma/filter.h
- x ./opt/local/include/lzma/hardware.h
- x ./opt/local/include/lzma/index.h
- x ./opt/local/include/lzma/index_hash.h
- x ./opt/local/include/lzma/lzma.h
- x ./opt/local/include/lzma/stream_flags.h
- x ./opt/local/include/lzma/version.h
- x ./opt/local/include/lzma/vli.h
- x ./opt/local/bin/lzcat
- x ./opt/local/bin/lzcmp

```
x ./opt/local/bin/lzdiff
x ./opt/local/bin/lzegrep
x ./opt/local/bin/lzfgrep
x ./opt/local/bin/lzgrep
x ./opt/local/bin/lzless
x ./opt/local/bin/lzma
x ./opt/local/bin/lzmadec
x ./opt/local/bin/lzmainfo
x ./opt/local/bin/lzmore
x ./opt/local/bin/unlzma
x ./opt/local/bin/unxz
x ./opt/local/bin/xz
x ./opt/local/bin/xzcat
x ./opt/local/bin/xzcmp
x ./opt/local/bin/xzdec
x ./opt/local/bin/xzdiff
x ./opt/local/bin/xzegrep
x ./opt/local/bin/xzfgrep
x ./opt/local/bin/xzgrep
x ./opt/local/bin/xzless
x ./opt/local/bin/xzmore
---> Cleaning xz
---> Removing work directory for xz
---> Fetching archive for libxml2
```

---> libxml2-2.9.1_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified

---> Attempting to fetch libxml2-2.9.1_0.darwin_10.x86_64.tbz2 from http://pack
ages.macports.org/libxml2

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
100	1882k	100 1882k	0 0	338k	0	0:00:05	0:00:05 --:--:-- 383k

---> Attempting to fetch libxml2-2.9.1_0.darwin_10.x86_64.tbz2.rmd160 from http
://packages.macports.org/libxml2

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
102	512	102 512	0 0	1546	0	--:--:-- --:--:-- --:--:-- 3084	

---> Installing libxml2 @2.9.1_0

---> Activating libxml2 @2.9.1_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/etc/

- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/aclocal/
- x ./opt/local/share/doc/
- x ./opt/local/share/gtk-doc/
- x ./opt/local/share/man/
- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man3/
- x ./opt/local/share/man/man3/libxml.3.gz
- x ./opt/local/share/man/man1/xml2-config.1.gz
- x ./opt/local/share/man/man1/xmlcatalog.1.gz
- x ./opt/local/share/man/man1/xmllint.1.gz
- x ./opt/local/share/gtk-doc/html/
- x ./opt/local/share/gtk-doc/html/libxml2/
- x ./opt/local/share/gtk-doc/html/libxml2/general.html
- x ./opt/local/share/gtk-doc/html/libxml2/home.png
- x ./opt/local/share/gtk-doc/html/libxml2/index.html
- x ./opt/local/share/gtk-doc/html/libxml2/left.png
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-c14n.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-catalog.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-chvalid.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-debugXML.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-dict.html

- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-DOCBparser.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-encoding.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-entities.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-globals.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-hash.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-HTMLparser.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-HTMLtree.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-list.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-nanoftp.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-nanohttp.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-parser.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-parserInternals.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-pattern.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-relaxng.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-SAX.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-SAX2.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-schemasInternals.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-schematron.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-threads.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-tree.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-uri.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-valid.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xinclude.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xlink.html

- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlautomata.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlerror.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlexports.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlIO.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlmemory.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlmodule.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlreader.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlregexp.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlsave.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlschemas.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlschematypes.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlstring.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlunicode.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlversion.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xmlwriter.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xpath.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xpathInternals.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2-xpointer.html
- x ./opt/local/share/gtk-doc/html/libxml2/libxml2.devhelp
- x ./opt/local/share/gtk-doc/html/libxml2/right.png
- x ./opt/local/share/gtk-doc/html/libxml2/style.css
- x ./opt/local/share/gtk-doc/html/libxml2/up.png
- x ./opt/local/share/doc/libxml2-2.9.1/
- x ./opt/local/share/doc/libxml2-2.9.1/Copyright

- x ./opt/local/share/doc/libxml2-2.9.1/examples/
- x ./opt/local/share/doc/libxml2-2.9.1/html/
- x ./opt/local/share/doc/libxml2-2.9.1/html/DOM.gif
- x ./opt/local/share/doc/libxml2-2.9.1/html/encoding.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/examples.xml
- x ./opt/local/share/doc/libxml2-2.9.1/html/examples.xsl
- x ./opt/local/share/doc/libxml2-2.9.1/html/FAQ.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/
- x ./opt/local/share/doc/libxml2-2.9.1/html/index.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/io1.c
- x ./opt/local/share/doc/libxml2-2.9.1/html/io1.res
- x ./opt/local/share/doc/libxml2-2.9.1/html/io2.c
- x ./opt/local/share/doc/libxml2-2.9.1/html/io2.res
- x ./opt/local/share/doc/libxml2-2.9.1/html/libxml.gif
- x ./opt/local/share/doc/libxml2-2.9.1/html/Libxml2-Logo-180x168.gif
- x ./opt/local/share/doc/libxml2-2.9.1/html/Libxml2-Logo-90x34.gif
- x ./opt/local/share/doc/libxml2-2.9.1/html/parse1.c
- x ./opt/local/share/doc/libxml2-2.9.1/html/parse2.c
- x ./opt/local/share/doc/libxml2-2.9.1/html/parse3.c
- x ./opt/local/share/doc/libxml2-2.9.1/html/parse4.c
- x ./opt/local/share/doc/libxml2-2.9.1/html/reader1.c
- x ./opt/local/share/doc/libxml2-2.9.1/html/reader1.res
- x ./opt/local/share/doc/libxml2-2.9.1/html/reader2.c
- x ./opt/local/share/doc/libxml2-2.9.1/html/reader3.c

x ./opt/local/share/doc/libxml2-2.9.1/html/reader3.res
x ./opt/local/share/doc/libxml2-2.9.1/html/reader4.c
x ./opt/local/share/doc/libxml2-2.9.1/html/reader4.res
x ./opt/local/share/doc/libxml2-2.9.1/html/redhat.gif
x ./opt/local/share/doc/libxml2-2.9.1/html/smallfootonly.gif
x ./opt/local/share/doc/libxml2-2.9.1/html/structure.gif
x ./opt/local/share/doc/libxml2-2.9.1/html/test1.xml
x ./opt/local/share/doc/libxml2-2.9.1/html/test2.xml
x ./opt/local/share/doc/libxml2-2.9.1/html/test3.xml
x ./opt/local/share/doc/libxml2-2.9.1/html/testWriter.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tree1.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tree1.res
x ./opt/local/share/doc/libxml2-2.9.1/html/tree2.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tree2.res
x ./opt/local/share/doc/libxml2-2.9.1/html/tst.xml
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/
x ./opt/local/share/doc/libxml2-2.9.1/html/w3c.png
x ./opt/local/share/doc/libxml2-2.9.1/html/writer.xml
x ./opt/local/share/doc/libxml2-2.9.1/html/xml.html
x ./opt/local/share/doc/libxml2-2.9.1/html/xpath1.c
x ./opt/local/share/doc/libxml2-2.9.1/html/xpath1.res
x ./opt/local/share/doc/libxml2-2.9.1/html/xpath2.c
x ./opt/local/share/doc/libxml2-2.9.1/html/xpath2.res
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/apa.html

x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/apb.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/apc.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/apd.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ape.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/apf.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/apg.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/aph.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/api.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ar01s02.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ar01s03.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ar01s04.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ar01s05.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ar01s06.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ar01s07.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ar01s08.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ar01s09.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/includeaddattribute.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/includeaddkeyword.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/includeconvert.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/includegetattribute.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/includekeyword.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/includexpath.c
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/index.html

x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/ix01.html
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/xmltutorial.pdf
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/blank.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/caution.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/draft.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/home.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/important.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/next.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/note.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/prev.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/tip.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/toc-blank.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/toc-minus.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/toc-plus.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/up.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/warning.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/1.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/10.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/2.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/3.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/4.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/5.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/6.png

x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/7.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/8.png
x ./opt/local/share/doc/libxml2-2.9.1/html/tutorial/images/callouts/9.png
x ./opt/local/share/doc/libxml2-2.9.1/html/html/book1.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/home.png
x ./opt/local/share/doc/libxml2-2.9.1/html/html/index.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/left.png
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-c14n.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-catalog.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-chvalid.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-debugXML.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-dict.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-DOCBparser.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-encoding.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-entities.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-globals.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-hash.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-HTMLparser.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-HTMLtree.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-lib.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-list.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-nanoftp.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-nanohttp.html
x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-parser.html

- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-parserInternals.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-pattern.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-relaxng.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-SAX.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-SAX2.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-schemasInternals.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-schematron.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-threads.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-tree.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-uri.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-valid.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xinclude.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xlink.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlautomata.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlerror.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlexports.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlIO.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlmemory.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlmodule.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlreader.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlregexp.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlsave.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlschemas.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlschematypes.html

- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlstring.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlunicode.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlversion.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xmlwriter.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xpath.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xpathInternals.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xpointer.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/libxml-xzlib.html
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/right.png
- x ./opt/local/share/doc/libxml2-2.9.1/html/html/up.png
- x ./opt/local/share/doc/libxml2-2.9.1/examples/testHTML.c
- x ./opt/local/share/doc/libxml2-2.9.1/examples/testSAX.c
- x ./opt/local/share/doc/libxml2-2.9.1/examples/testXPath.c
- x ./opt/local/share/doc/libxml2-2.9.1/examples/xmllint.c
- x ./opt/local/share/aclocal/libxml.m4
- x ./opt/local/lib/libxml2.2.dylib
- x ./opt/local/lib/libxml2.a
- x ./opt/local/lib/libxml2.dylib
- x ./opt/local/lib/libxml2.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/xml2Conf.sh
- x ./opt/local/lib/pkgconfig/libxml-2.0.pc
- x ./opt/local/include/libxml2/
- x ./opt/local/include/libxml2/libxml/

- x ./opt/local/include/libxml2/libxml/c14n.h
- x ./opt/local/include/libxml2/libxml/catalog.h
- x ./opt/local/include/libxml2/libxml/chvalid.h
- x ./opt/local/include/libxml2/libxml/debugXML.h
- x ./opt/local/include/libxml2/libxml/dict.h
- x ./opt/local/include/libxml2/libxml/DOCBparser.h
- x ./opt/local/include/libxml2/libxml/encoding.h
- x ./opt/local/include/libxml2/libxml/entities.h
- x ./opt/local/include/libxml2/libxml/globals.h
- x ./opt/local/include/libxml2/libxml/hash.h
- x ./opt/local/include/libxml2/libxml/HTMLparser.h
- x ./opt/local/include/libxml2/libxml/HTMLtree.h
- x ./opt/local/include/libxml2/libxml/list.h
- x ./opt/local/include/libxml2/libxml/nanoftp.h
- x ./opt/local/include/libxml2/libxml/nanohttp.h
- x ./opt/local/include/libxml2/libxml/parser.h
- x ./opt/local/include/libxml2/libxml/parserInternals.h
- x ./opt/local/include/libxml2/libxml/pattern.h
- x ./opt/local/include/libxml2/libxml/relaxng.h
- x ./opt/local/include/libxml2/libxml/SAX.h
- x ./opt/local/include/libxml2/libxml/SAX2.h
- x ./opt/local/include/libxml2/libxml/schemasInternals.h
- x ./opt/local/include/libxml2/libxml/schematron.h
- x ./opt/local/include/libxml2/libxml/threads.h

x ./opt/local/include/libxml2/libxml/tree.h
x ./opt/local/include/libxml2/libxml/uri.h
x ./opt/local/include/libxml2/libxml/valid.h
x ./opt/local/include/libxml2/libxml/xinclude.h
x ./opt/local/include/libxml2/libxml/xlink.h
x ./opt/local/include/libxml2/libxml/xmlautomata.h
x ./opt/local/include/libxml2/libxml/xmlerror.h
x ./opt/local/include/libxml2/libxml/xmlexports.h
x ./opt/local/include/libxml2/libxml/xmlIO.h
x ./opt/local/include/libxml2/libxml/xmlmemory.h
x ./opt/local/include/libxml2/libxml/xmlmodule.h
x ./opt/local/include/libxml2/libxml/xmlreader.h
x ./opt/local/include/libxml2/libxml/xmlregexp.h
x ./opt/local/include/libxml2/libxml/xmlsave.h
x ./opt/local/include/libxml2/libxml/xmlschemas.h
x ./opt/local/include/libxml2/libxml/xmlschemasypes.h
x ./opt/local/include/libxml2/libxml/xmlstring.h
x ./opt/local/include/libxml2/libxml/xmlunicode.h
x ./opt/local/include/libxml2/libxml/xmlversion.h
x ./opt/local/include/libxml2/libxml/xmlwriter.h
x ./opt/local/include/libxml2/libxml/xpath.h
x ./opt/local/include/libxml2/libxml/xpathInternals.h
x ./opt/local/include/libxml2/libxml/xpointer.h
x ./opt/local/etc/xml/


```

x ./opt/local/etc/xml/.turd_libxml2
x ./opt/local/bin/xml2-config
x ./opt/local/bin/xmlcatalog
x ./opt/local/bin/xmllint
---> Cleaning libxml2
---> Removing work directory for libxml2
---> Fetching archive for libxslt
---> libxslt-1.1.28_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local
/var/macports/incoming/verified
---> Attempting to fetch libxslt-1.1.28_0.darwin_10.x86_64.tbz2 from http://pac
kages.macports.org/libxslt
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
100  347k  100  347k    0      0   175k      0  0:00:01  0:00:01 --:--:--  191k
---> Attempting to fetch libxslt-1.1.28_0.darwin_10.x86_64.tbz2.rmd160 from htt
p://packages.macports.org/libxslt
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
102   512  102   512    0      0   1626      0  --:--:--  --:--:--  --:--:--  3200
---> Installing libxslt @1.1.28_0
---> Activating libxslt @1.1.28_0
x ./
x ./+COMMENT
x ./+CONTENTS

```

```
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/aclocal/
x ./opt/local/share/doc/
x ./opt/local/share/man/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/libxslt.3.gz
x ./opt/local/share/man/man3/libxslt.3.gz
x ./opt/local/share/man/man1/xsltproc.1.gz
x ./opt/local/share/doc/libxslt-1.1.28/
x ./opt/local/share/doc/libxslt-1.1.28/AUTHORS
x ./opt/local/share/doc/libxslt-1.1.28/ChangeLog
x ./opt/local/share/doc/libxslt-1.1.28/COPYING
x ./opt/local/share/doc/libxslt-1.1.28/Copyright
x ./opt/local/share/doc/libxslt-1.1.28/FEATURES
x ./opt/local/share/doc/libxslt-1.1.28/NEWS
```

- x ./opt/local/share/doc/libxslt-1.1.28/README
- x ./opt/local/share/doc/libxslt-1.1.28/TODO
- x ./opt/local/share/aclocal/libxslt.m4
- x ./opt/local/lib/libexslt.0.dylib
- x ./opt/local/lib/libexslt.a
- x ./opt/local/lib/libexslt.dylib
- x ./opt/local/lib/libexslt.la
- x ./opt/local/lib/libxslt.1.dylib
- x ./opt/local/lib/libxslt.a
- x ./opt/local/lib/libxslt.dylib
- x ./opt/local/lib/libxslt.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/xsltConf.sh
- x ./opt/local/lib/pkgconfig/libexslt.pc
- x ./opt/local/lib/pkgconfig/libxslt.pc
- x ./opt/local/include/libexslt/
- x ./opt/local/include/libxslt/
- x ./opt/local/include/libxslt/attributes.h
- x ./opt/local/include/libxslt/documents.h
- x ./opt/local/include/libxslt/extensions.h
- x ./opt/local/include/libxslt/extra.h
- x ./opt/local/include/libxslt/functions.h
- x ./opt/local/include/libxslt/imports.h
- x ./opt/local/include/libxslt/keys.h

```
x ./opt/local/include/libxslt/namespace.h
x ./opt/local/include/libxslt/numbersInternals.h
x ./opt/local/include/libxslt/pattern.h
x ./opt/local/include/libxslt/preproc.h
x ./opt/local/include/libxslt/security.h
x ./opt/local/include/libxslt/templates.h
x ./opt/local/include/libxslt/transform.h
x ./opt/local/include/libxslt/variables.h
x ./opt/local/include/libxslt/xslt.h
x ./opt/local/include/libxslt/xsltconfig.h
x ./opt/local/include/libxslt/xsltexports.h
x ./opt/local/include/libxslt/xsltInternals.h
x ./opt/local/include/libxslt/xsltlocale.h
x ./opt/local/include/libxslt/xsltutils.h
x ./opt/local/include/libexslt/exslt.h
x ./opt/local/include/libexslt/exsltconfig.h
x ./opt/local/include/libexslt/exsltexports.h
x ./opt/local/bin/xslt-config
x ./opt/local/bin/xsltproc
---> Cleaning libxslt
---> Removing work directory for libxslt
---> Fetching archive for xorg-dri2proto
---> xorg-dri2proto-2.8_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
```

---> Attempting to fetch xorg-dri2proto-2.8_0.darwin_10.noarch.tbz2 from http://
/packages.macports.org/xorg-dri2proto

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	10039	100	10039	0	0	19599	0	--:--:--	--:--:--	--:--:--	29701

---> Attempting to fetch xorg-dri2proto-2.8_0.darwin_10.noarch.tbz2.rmd160 from
http://packages.macports.org/xorg-dri2proto

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1630	0	--:--:--	--:--:--	--:--:--	3240

---> Installing xorg-dri2proto @2.8_0

---> Activating xorg-dri2proto @2.8_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/share/

x ./opt/local/share/doc/

```

x ./opt/local/share/doc/dri2proto/
x ./opt/local/share/doc/dri2proto/dri2proto.txt
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/dri2proto.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/extensions/
x ./opt/local/include/X11/extensions/dri2proto.h
x ./opt/local/include/X11/extensions/dri2tokens.h
---> Cleaning xorg-dri2proto
---> Removing work directory for xorg-dri2proto
---> Fetching archive for xorg-glproto
---> xorg-glproto-1.4.16_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/
local/var/macports/incoming/verified
---> Attempting to fetch xorg-glproto-1.4.16_0.darwin_10.noarch.tbz2 from http:
//packages.macports.org/xorg-glproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
100 17282  100 17282    0     0  18233      0  --:--:--  --:--:--  --:--:--  21848
---> Attempting to fetch xorg-glproto-1.4.16_0.darwin_10.noarch.tbz2.rmd160 fro
m http://packages.macports.org/xorg-glproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0     0   1672      0  --:--:--  --:--:--  --:--:--   3303
---> Installing xorg-glproto @1.4.16_0

```

---> Activating xorg-glxproto @1.4.16_0

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/glxproto.pc
x ./opt/local/include/GL/
x ./opt/local/include/GL/glxint.h
x ./opt/local/include/GL/glxmd.h
x ./opt/local/include/GL/glxproto.h
x ./opt/local/include/GL/glxtokens.h
x ./opt/local/include/GL/internal/
x ./opt/local/include/GL/internal/glxcore.h
---> Cleaning xorg-glxproto
---> Removing work directory for xorg-glxproto
---> Fetching archive for xorg-xextproto
---> xorg-xextproto-7.2.1_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt
```

/local/var/macports/incoming/verified

---> Attempting to fetch xorg-xextproto-7.2.1_0.darwin_10.noarch.tbz2 from http://packages.macports.org/xorg-xextproto

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	22822	100	22822	0	0	28594	0	--:--:--	--:--:--	--:--:--	35328

---> Attempting to fetch xorg-xextproto-7.2.1_0.darwin_10.noarch.tbz2.rmd160 from http://packages.macports.org/xorg-xextproto

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1581	0	--:--:--	--:--:--	--:--:--	3141

---> Installing xorg-xextproto @7.2.1_0

---> Activating xorg-xextproto @7.2.1_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/lib/pkgconfig/


```
x ./opt/local/lib/pkgconfig/xextproto.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/extensions/
x ./opt/local/include/X11/extensions/EVI.h
x ./opt/local/include/X11/extensions/EVIproto.h
x ./opt/local/include/X11/extensions/ag.h
x ./opt/local/include/X11/extensions/agproto.h
x ./opt/local/include/X11/extensions/cup.h
x ./opt/local/include/X11/extensions/cupproto.h
x ./opt/local/include/X11/extensions/dbe.h
x ./opt/local/include/X11/extensions/dbeproto.h
x ./opt/local/include/X11/extensions/dpmsconst.h
x ./opt/local/include/X11/extensions/dpmsproto.h
x ./opt/local/include/X11/extensions/ge.h
x ./opt/local/include/X11/extensions/geproto.h
x ./opt/local/include/X11/extensions/lbx.h
x ./opt/local/include/X11/extensions/lbxproto.h
x ./opt/local/include/X11/extensions/mitmiscconst.h
x ./opt/local/include/X11/extensions/mitmiscproto.h
x ./opt/local/include/X11/extensions/multibufconst.h
x ./opt/local/include/X11/extensions/multibufproto.h
x ./opt/local/include/X11/extensions/secur.h
x ./opt/local/include/X11/extensions/securproto.h
x ./opt/local/include/X11/extensions/shapeconst.h
```

```

x ./opt/local/include/X11/extensions/shapeproto.h
x ./opt/local/include/X11/extensions/shapestr.h
x ./opt/local/include/X11/extensions/shm.h
x ./opt/local/include/X11/extensions/shmproto.h
x ./opt/local/include/X11/extensions/shmstr.h
x ./opt/local/include/X11/extensions/syncconst.h
x ./opt/local/include/X11/extensions/syncproto.h
x ./opt/local/include/X11/extensions/syncstr.h
x ./opt/local/include/X11/extensions/xtestconst.h
x ./opt/local/include/X11/extensions/xtesttext1const.h
x ./opt/local/include/X11/extensions/xtesttext1proto.h
x ./opt/local/include/X11/extensions/xtestproto.h
---> Cleaning xorg-xextproto
---> Removing work directory for xorg-xextproto
---> Fetching archive for xorg-fixesproto
---> xorg-fixesproto-5.0_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/
local/var/macports/incoming/verified
---> Attempting to fetch xorg-fixesproto-5.0_0.darwin_10.noarch.tbz2 from http:
//packages.macports.org/xorg-fixesproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
             %          %         Dload  Upload   Total   Spent    Left   Speed
100 11050  100 11050    0     0  17531     0  --:--:--  --:--:--  --:--:--  23411
---> Attempting to fetch xorg-fixesproto-5.0_0.darwin_10.noarch.tbz2.rmd160 fro
m http://packages.macports.org/xorg-fixesproto

```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1676	0	--:--:--	--:--:--	--:--:--	3324
---> Installing xorg-fixesproto @5.0_0											
---> Activating xorg-fixesproto @5.0_0											
x ./											
x ./+COMMENT											
x ./+CONTENTS											
x ./+DESC											
x ./+PORTFILE											
x ./+STATE											
x ./opt/											
x ./opt/local/											
x ./opt/local/include/											
x ./opt/local/lib/											
x ./opt/local/share/											
x ./opt/local/share/doc/											
x ./opt/local/share/doc/fixesproto/											
x ./opt/local/share/doc/fixesproto/fixesproto.txt											
x ./opt/local/lib/pkgconfig/											
x ./opt/local/lib/pkgconfig/fixesproto.pc											
x ./opt/local/include/X11/											
x ./opt/local/include/X11/extensions/											
x ./opt/local/include/X11/extensions/xfixesproto.h											

```

x ./opt/local/include/X11/extensions/xfixeswire.h
---> Cleaning xorg-fixesproto
---> Removing work directory for xorg-fixesproto
---> Fetching archive for xorg-kbproto
---> xorg-kbproto-1.0.6_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-kbproto-1.0.6_0.darwin_10.noarch.tbz2 from http://packages.macports.org/xorg-kbproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total     Spent    Left     Speed
100  121k  100  121k    0      0  97833      0  0:00:01  0:00:01 --:--:--  108k
---> Attempting to fetch xorg-kbproto-1.0.6_0.darwin_10.noarch.tbz2.rmd160 from
http://packages.macports.org/xorg-kbproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0      0   1689      0  --:--:--  --:--:--  --:--:--  3346
---> Installing xorg-kbproto @1.0.6_0
---> Activating xorg-kbproto @1.0.6_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE

```

```
x ./opt/  
x ./opt/local/  
x ./opt/local/include/  
x ./opt/local/lib/  
x ./opt/local/share/  
x ./opt/local/share/doc/  
x ./opt/local/share/doc/kbproto/  
x ./opt/local/share/doc/kbproto/XKBproto-1.svg  
x ./opt/local/share/doc/kbproto/XKBproto-10.svg  
x ./opt/local/share/doc/kbproto/XKBproto-11.svg  
x ./opt/local/share/doc/kbproto/XKBproto-2.svg  
x ./opt/local/share/doc/kbproto/XKBproto-3.svg  
x ./opt/local/share/doc/kbproto/XKBproto-4.svg  
x ./opt/local/share/doc/kbproto/XKBproto-5.svg  
x ./opt/local/share/doc/kbproto/XKBproto-6.svg  
x ./opt/local/share/doc/kbproto/XKBproto-7.svg  
x ./opt/local/share/doc/kbproto/XKBproto-8.svg  
x ./opt/local/share/doc/kbproto/XKBproto-9.svg  
x ./opt/local/share/doc/kbproto/acknowledgements.xml  
x ./opt/local/share/doc/kbproto/appA.xml  
x ./opt/local/share/doc/kbproto/appB.xml  
x ./opt/local/share/doc/kbproto/appC.xml  
x ./opt/local/share/doc/kbproto/appD.xml  
x ./opt/local/share/doc/kbproto/ch01.xml
```

- x ./opt/local/share/doc/kbproto/ch02.xml
- x ./opt/local/share/doc/kbproto/ch03.xml
- x ./opt/local/share/doc/kbproto/ch04.xml
- x ./opt/local/share/doc/kbproto/ch05.xml
- x ./opt/local/share/doc/kbproto/ch06.xml
- x ./opt/local/share/doc/kbproto/ch07.xml
- x ./opt/local/share/doc/kbproto/ch08.xml
- x ./opt/local/share/doc/kbproto/ch09.xml
- x ./opt/local/share/doc/kbproto/ch10.xml
- x ./opt/local/share/doc/kbproto/ch11.xml
- x ./opt/local/share/doc/kbproto/ch12.xml
- x ./opt/local/share/doc/kbproto/ch13.xml
- x ./opt/local/share/doc/kbproto/ch14.xml
- x ./opt/local/share/doc/kbproto/ch15.xml
- x ./opt/local/share/doc/kbproto/ch16.xml
- x ./opt/local/share/doc/kbproto/xkbproto.xml
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/kbproto.pc
- x ./opt/local/include/X11/
- x ./opt/local/include/X11/extensions/
- x ./opt/local/include/X11/extensions/XKB.h
- x ./opt/local/include/X11/extensions/XKBgeom.h
- x ./opt/local/include/X11/extensions/XKBproto.h
- x ./opt/local/include/X11/extensions/XKBSrv.h

```

x ./opt/local/include/X11/extensions/XKBstr.h
---> Cleaning xorg-kbproto
---> Removing work directory for xorg-kbproto
---> Fetching archive for xorg-xproto
---> xorg-xproto-7.0.24_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-xproto-7.0.24_0.darwin_10.noarch.tbz2 from http://packages.macports.org/xorg-xproto
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
100 92503  100 92503    0     0  82036      0  0:00:01  0:00:01 --:--:-- 94487
---> Attempting to fetch xorg-xproto-7.0.24_0.darwin_10.noarch.tbz2.rmd160 from http://packages.macports.org/xorg-xproto
  % Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
102  512  102  512    0     0   1704      0  --:--:--  --:--:--  --:--:--  3390
---> Installing xorg-xproto @7.0.24_0
---> Activating xorg-xproto @7.0.24_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE

```

```
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/doc/xorg-xproto-7.0.24/
x ./opt/local/share/doc/xorg-xproto-7.0.24/AUTHORS
x ./opt/local/share/doc/xorg-xproto-7.0.24/ChangeLog
x ./opt/local/share/doc/xorg-xproto-7.0.24/COPYING
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xproto.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/ap_keysym.h
x ./opt/local/include/X11/DECkeysym.h
x ./opt/local/include/X11/HPkeysym.h
x ./opt/local/include/X11/keysym.h
x ./opt/local/include/X11/keysymdef.h
x ./opt/local/include/X11/Sunkeysym.h
x ./opt/local/include/X11/X.h
x ./opt/local/include/X11/Xalloca.h
x ./opt/local/include/X11/Xarch.h
x ./opt/local/include/X11/Xatom.h
x ./opt/local/include/X11/Xdefs.h
```



```
x ./opt/local/include/X11/XF86keysym.h
x ./opt/local/include/X11/Xfuncproto.h
x ./opt/local/include/X11/Xfuncs.h
x ./opt/local/include/X11/Xmd.h
x ./opt/local/include/X11/Xos.h
x ./opt/local/include/X11/Xos_r.h
x ./opt/local/include/X11/Xosdefs.h
x ./opt/local/include/X11/Xpoll.h
x ./opt/local/include/X11/Xproto.h
x ./opt/local/include/X11/Xprotostr.h
x ./opt/local/include/X11/Xthreads.h
x ./opt/local/include/X11/Xw32defs.h
x ./opt/local/include/X11/XWDFile.h
x ./opt/local/include/X11/Xwindows.h
x ./opt/local/include/X11/Xwinsock.h
---> Cleaning xorg-xproto
---> Removing work directory for xorg-xproto
---> Fetching archive for xorg-libXau
---> xorg-libXau-1.0.8_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXau-1.0.8_0.darwin_10.x86_64.tbz2 from http://
packages.macports.org/xorg-libXau
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current	
			Dload	Upload	Total	Spent	Left	Speed

```

100 13694 100 13694 0 0 22622 0 --:--:-- --:--:-- --:--:-- 30096
---> Attempting to fetch xorg-libXau-1.0.8_0.darwin_10.x86_64.tbz2.rmd160 from
http://packages.macports.org/xorg-libXau
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total   Spent    Left     Speed
102   512  102   512    0     0   1668     0 --:--:-- --:--:-- --:--:--  3346
---> Installing xorg-libXau @1.0.8_0
---> Activating xorg-libXau @1.0.8_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/Xau.3.gz
x ./opt/local/share/man/man3/XauDisposeAuth.3.gz
x ./opt/local/share/man/man3/XauFileName.3.gz

```

```

x ./opt/local/share/man/man3/XauGetAuthByAddr.3.gz
x ./opt/local/share/man/man3/XauGetBestAuthByAddr.3.gz
x ./opt/local/share/man/man3/XauLockAuth.3.gz
x ./opt/local/share/man/man3/XauReadAuth.3.gz
x ./opt/local/share/man/man3/XauUnlockAuth.3.gz
x ./opt/local/share/man/man3/XauWriteAuth.3.gz
x ./opt/local/lib/libXau.6.dylib
x ./opt/local/lib/libXau.a
x ./opt/local/lib/libXau.dylib
x ./opt/local/lib/libXau.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xau.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/Xauth.h
---> Cleaning xorg-libXau
---> Removing work directory for xorg-libXau
---> Fetching archive for xorg-libXdmpc
---> xorg-libXdmpc-1.1.1_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/
local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXdmpc-1.1.1_0.darwin_10.x86_64.tbz2 from http:
//packages.macports.org/xorg-libXdmpc
  % Total      % Received % Xferd   Average Speed   Time    Time       Time  Current
             %                   %         Dload  Upload   Total   Spent    Left   Speed
100 17069   100 17069    0      0  22909      0  --:--:--  --:--:--  --:--:--  28735

```

---> Attempting to fetch xorg-libXdmcp-1.1.1_0.darwin_10.x86_64.tbz2.rmd160 from
m <http://packages.macports.org/xorg-libXdmcp>

% Total	% Received	% Xferd	Average	Speed	Time	Time	Time	Current
			Dload	Upload	Total	Spent	Left	Speed
102	512	102	512	0	0	1673	0	--:--:-- --:--:-- --:--:-- 3303

---> Installing xorg-libXdmcp @1.1.1_0

---> Activating xorg-libXdmcp @1.1.1_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/lib/libXdmcp.6.dylib

x ./opt/local/lib/libXdmcp.a

x ./opt/local/lib/libXdmcp.dylib

x ./opt/local/lib/libXdmcp.la

x ./opt/local/lib/pkgconfig/

x ./opt/local/lib/pkgconfig/xdmcp.pc

x ./opt/local/include/X11/

```

x ./opt/local/include/X11/Xdmcp.h
---> Cleaning xorg-libXdmcp
---> Removing work directory for xorg-libXdmcp
---> Fetching archive for db_select
---> db_select-0.1_2.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified
---> Attempting to fetch db_select-0.1_2.darwin_10.noarch.tbz2 from http://pack
ages.macports.org/db_select
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total     Spent    Left     Speed
106  1283  106  1283    0      0   4096      0  --:--:--  --:--:--  --:--:--   8018
---> Attempting to fetch db_select-0.1_2.darwin_10.noarch.tbz2.rmd160 from http
://packages.macports.org/db_select
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0      0   1652      0  --:--:--  --:--:--  --:--:--   3261
---> Installing db_select @0.1_2
---> Activating db_select @0.1_2
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE

```

```

x ./opt/
x ./opt/local/
x ./opt/local/etc/
x ./opt/local/etc/select/
x ./opt/local/etc/select/db/
x ./opt/local/etc/select/db/base
x ./opt/local/etc/select/db/none
---> Cleaning db_select
---> Removing work directory for db_select
---> Fetching archive for db46
---> db46-4.6.21_8.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch db46-4.6.21_8.darwin_10.x86_64.tbz2 from http://packages.macports.org/db46
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total     Spent    Left     Speed
100 8192k  100 8192k    0      0  483k      0  0:00:16  0:00:16 --:--:--  594k
---> Attempting to fetch db46-4.6.21_8.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/db46
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total     Spent    Left     Speed
102  512  102  512    0      0  1655      0  --:--:--  --:--:--  --:--:--  3160
---> Installing db46 @4.6.21_8
---> Activating db46 @4.6.21_8

```

- x ./
- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/etc/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/doc/
- x ./opt/local/share/doc/db46/
- x ./opt/local/share/doc/db46/api_c/
- x ./opt/local/share/doc/db46/api_cxx/
- x ./opt/local/share/doc/db46/api_tcl/
- x ./opt/local/share/doc/db46/articles/
- x ./opt/local/share/doc/db46/collections/
- x ./opt/local/share/doc/db46/gsg/
- x ./opt/local/share/doc/db46/gsg_db_rep/
- x ./opt/local/share/doc/db46/gsg_txn/
- x ./opt/local/share/doc/db46/images/

- x [./opt/local/share/doc/db46/index.html](#)
- x [./opt/local/share/doc/db46/license/](#)
- x [./opt/local/share/doc/db46/ref/](#)
- x [./opt/local/share/doc/db46/utility/](#)
- x [./opt/local/share/doc/db46/utility/berkeley_db_svc.html](#)
- x [./opt/local/share/doc/db46/utility/db_archive.html](#)
- x [./opt/local/share/doc/db46/utility/db_checkpoint.html](#)
- x [./opt/local/share/doc/db46/utility/db_codegen.html](#)
- x [./opt/local/share/doc/db46/utility/db_deadlock.html](#)
- x [./opt/local/share/doc/db46/utility/db_dump.html](#)
- x [./opt/local/share/doc/db46/utility/db_hotbackup.html](#)
- x [./opt/local/share/doc/db46/utility/db_load.html](#)
- x [./opt/local/share/doc/db46/utility/db_printlog.html](#)
- x [./opt/local/share/doc/db46/utility/db_recover.html](#)
- x [./opt/local/share/doc/db46/utility/db_stat.html](#)
- x [./opt/local/share/doc/db46/utility/db_upgrade.html](#)
- x [./opt/local/share/doc/db46/utility/db_verify.html](#)
- x [./opt/local/share/doc/db46/utility/index.html](#)
- x [./opt/local/share/doc/db46/ref/am/](#)
- x [./opt/local/share/doc/db46/ref/am_conf/](#)
- x [./opt/local/share/doc/db46/ref/am_misc/](#)
- x [./opt/local/share/doc/db46/ref/apprec/](#)
- x [./opt/local/share/doc/db46/ref/arch/](#)
- x [./opt/local/share/doc/db46/ref/build_brew/](#)

- x ./opt/local/share/doc/db46/ref/build_s60/
- x ./opt/local/share/doc/db46/ref/build_unix/
- x ./opt/local/share/doc/db46/ref/build_vxworks/
- x ./opt/local/share/doc/db46/ref/build_win/
- x ./opt/local/share/doc/db46/ref/build_wince/
- x ./opt/local/share/doc/db46/ref/cam/
- x ./opt/local/share/doc/db46/ref/changelog/
- x ./opt/local/share/doc/db46/ref/debug/
- x ./opt/local/share/doc/db46/ref/distrib/
- x ./opt/local/share/doc/db46/ref/dumpload/
- x ./opt/local/share/doc/db46/ref/env/
- x ./opt/local/share/doc/db46/ref/ext/
- x ./opt/local/share/doc/db46/ref/install/
- x ./opt/local/share/doc/db46/ref/intro/
- x ./opt/local/share/doc/db46/ref/java/
- x ./opt/local/share/doc/db46/ref/lock/
- x ./opt/local/share/doc/db46/ref/log/
- x ./opt/local/share/doc/db46/ref/mp/
- x ./opt/local/share/doc/db46/ref/pindex.src
- x ./opt/local/share/doc/db46/ref/program/
- x ./opt/local/share/doc/db46/ref/refs/
- x ./opt/local/share/doc/db46/ref/rep/
- x ./opt/local/share/doc/db46/ref/rpc/
- x ./opt/local/share/doc/db46/ref/sequence/

- x [./opt/local/share/doc/db46/ref/tcl/](#)
- x [./opt/local/share/doc/db46/ref/test/](#)
- x [./opt/local/share/doc/db46/ref/toc.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/](#)
- x [./opt/local/share/doc/db46/ref/txn/](#)
- x [./opt/local/share/doc/db46/ref/upgrade/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.2.0/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/](#)
- x [./opt/local/share/doc/db46/ref/xa/](#)
- x [./opt/local/share/doc/db46/ref/xa/build.html](#)
- x [./opt/local/share/doc/db46/ref/xa/faq.html](#)
- x [./opt/local/share/doc/db46/ref/xa/intro.html](#)
- x [./opt/local/share/doc/db46/ref/xa/xa_config.html](#)
- x [./opt/local/share/doc/db46/ref/xa/xa_intro.html](#)

- x [./opt/local/share/doc/db46/ref/upgrade.4.6/cursor.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/event.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/full_election.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/memp_fput.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/memp_fset.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/verb.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/verbose.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.6/win.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/alive.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/applog.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/collect.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/config.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/deprecate.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/elect.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/memp.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/pagesize.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/paniccall.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/rep_event.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/rep_set.html](#)

- x [./opt/local/share/doc/db46/ref/upgrade.4.5/source.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.5/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/autocommit.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/clear.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/isolation.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/joinenv.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/lockstat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/mutex.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.4/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/cput.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/enomem.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/err.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/fileopen.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/java.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/log.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/repl.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/rtc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/stat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.3/verb.html](#)

- x [./opt/local/share/doc/db46/ref/upgrade.4.2/cksum.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/client.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/del.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/java.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/lockng.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/nosync.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/priority.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/queue.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/repinit.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/tcl.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.2/verify.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/app_dispatch.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/checkpoint.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/cxx.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/excl.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/fop.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/hash_nelem.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/incomplete.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/java.html](#)

- x [./opt/local/share/doc/db46/ref/upgrade.4.1/log_register.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/log_stat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/memp_sync.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.1/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/asr.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/cxx.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/deadlock.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/env.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/java.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/lock.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/lock_id_free.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/log.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/mp.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/rpc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/set_lk_max.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.4.0/txn.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/alloc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/bigfile.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/conflict.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/getswap.html](#)

- x [./opt/local/share/doc/db46/ref/upgrade.3.3/gettype.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/memp_fget.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/rpc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/shared.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.3/txn_prepare.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/callback.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/db_dump.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/handle.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/incomplete.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/mutexlock.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/notfound.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/renumber.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/set_flags.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.2/tx_recover.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/btstat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/config.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/dup.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/env.html](#)

- x [./opt/local/share/doc/db46/ref/upgrade.3.1/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/log_register.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/logalloc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/memp_register.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/put.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/set_feedback.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/set_paniccall.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/set_tx_recover.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/systemem.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/tcl.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/tmp.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.1/txn_check.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/close.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/cxx.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/db.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/db_cxx.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/dbenv.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/dbenv_cxx.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/dbinfo.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/eaccess.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/eagain.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/envopen.html](#)

- x [./opt/local/share/doc/db46/ref/upgrade.3.0/func.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/intro.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/java.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/join.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/jump_set.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/lock_detect.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/lock_notheld.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/lock_put.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/lock_stat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/log_register.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/log_stat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/memp_stat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/open.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/rmw.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/stat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/txn_begin.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/txn_commit.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/txn_stat.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/value_set.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.3.0/xa.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.2.0/convert.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.2.0/disk.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.2.0/intro.html](#)

- x [./opt/local/share/doc/db46/ref/upgrade.2.0/system.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade.2.0/toc.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade/process.html](#)
- x [./opt/local/share/doc/db46/ref/upgrade/version.html](#)
- x [./opt/local/share/doc/db46/ref/txn/config.html](#)
- x [./opt/local/share/doc/db46/ref/txn/intro.html](#)
- x [./opt/local/share/doc/db46/ref/txn/limits.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/admin.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/app.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/archival.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/atomicity.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/checkpoint.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/cursor.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/data_open.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/deadlock.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/env_open.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/fail.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/faq.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/filesys.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/hotfail.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/inc.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/intro.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/logfile.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/nested.html](#)

- x [./opt/local/share/doc/db46/ref/transapp/put.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/read.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/reclimit.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/recovery.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/term.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/throughput.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/transapp.cs](#)
- x [./opt/local/share/doc/db46/ref/transapp/tune.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/why.html](#)
- x [./opt/local/share/doc/db46/ref/transapp/writetest.cs](#)
- x [./opt/local/share/doc/db46/ref/test/faq.html](#)
- x [./opt/local/share/doc/db46/ref/test/run.html](#)
- x [./opt/local/share/doc/db46/ref/tcl/error.html](#)
- x [./opt/local/share/doc/db46/ref/tcl/faq.html](#)
- x [./opt/local/share/doc/db46/ref/tcl/intro.html](#)
- x [./opt/local/share/doc/db46/ref/tcl/program.html](#)
- x [./opt/local/share/doc/db46/ref/tcl/using.html](#)
- x [./opt/local/share/doc/db46/ref/sequence/intro.html](#)
- x [./opt/local/share/doc/db46/ref/rpc/client.html](#)
- x [./opt/local/share/doc/db46/ref/rpc/faq.html](#)
- x [./opt/local/share/doc/db46/ref/rpc/intro.html](#)
- x [./opt/local/share/doc/db46/ref/rpc/server.html](#)
- x [./opt/local/share/doc/db46/ref/rep/app.html](#)
- x [./opt/local/share/doc/db46/ref/rep/base_meth.html](#)

- x [./opt/local/share/doc/db46/ref/rep/bulk.html](#)
- x [./opt/local/share/doc/db46/ref/rep/comm.html](#)
- x [./opt/local/share/doc/db46/ref/rep/elect.html](#)
- x [./opt/local/share/doc/db46/ref/rep/ex.html](#)
- x [./opt/local/share/doc/db46/ref/rep/ex_comm.html](#)
- x [./opt/local/share/doc/db46/ref/rep/ex_rq.html](#)
- x [./opt/local/share/doc/db46/ref/rep/faq.html](#)
- x [./opt/local/share/doc/db46/ref/rep/id.html](#)
- x [./opt/local/share/doc/db46/ref/rep/init.html](#)
- x [./opt/local/share/doc/db46/ref/rep/intro.html](#)
- x [./opt/local/share/doc/db46/ref/rep/mastersync.html](#)
- x [./opt/local/share/doc/db46/ref/rep/mgr_meth.html](#)
- x [./opt/local/share/doc/db46/ref/rep/newsite.html](#)
- x [./opt/local/share/doc/db46/ref/rep/partition.html](#)
- x [./opt/local/share/doc/db46/ref/rep/pri.html](#)
- x [./opt/local/share/doc/db46/ref/rep/trans.html](#)
- x [./opt/local/share/doc/db46/ref/refs/bdb_unix.ps](#)
- x [./opt/local/share/doc/db46/ref/refs/embedded.html](#)
- x [./opt/local/share/doc/db46/ref/refs/hash_unix.ps](#)
- x [./opt/local/share/doc/db46/ref/refs/libtp_unix.ps](#)
- x [./opt/local/share/doc/db46/ref/refs/refs.html](#)
- x [./opt/local/share/doc/db46/ref/refs/witold.html](#)
- x [./opt/local/share/doc/db46/ref/program/appsignals.html](#)
- x [./opt/local/share/doc/db46/ref/program/cache.html](#)

- x [./opt/local/share/doc/db46/ref/program/compatible.html](#)
- x [./opt/local/share/doc/db46/ref/program/copy.html](#)
- x [./opt/local/share/doc/db46/ref/program/environ.html](#)
- x [./opt/local/share/doc/db46/ref/program/errorret.html](#)
- x [./opt/local/share/doc/db46/ref/program/faq.html](#)
- x [./opt/local/share/doc/db46/ref/program/mt.html](#)
- x [./opt/local/share/doc/db46/ref/program/namespace.html](#)
- x [./opt/local/share/doc/db46/ref/program/ram.html](#)
- x [./opt/local/share/doc/db46/ref/program/runtime.html](#)
- x [./opt/local/share/doc/db46/ref/program/scope.html](#)
- x [./opt/local/share/doc/db46/ref/program/solaris.txt](#)
- x [./opt/local/share/doc/db46/ref/mp/config.html](#)
- x [./opt/local/share/doc/db46/ref/mp/intro.html](#)
- x [./opt/local/share/doc/db46/ref/log/config.html](#)
- x [./opt/local/share/doc/db46/ref/log/intro.html](#)
- x [./opt/local/share/doc/db46/ref/log/limits.html](#)
- x [./opt/local/share/doc/db46/ref/lock/am_conv.html](#)
- x [./opt/local/share/doc/db46/ref/lock/cam_conv.html](#)
- x [./opt/local/share/doc/db46/ref/lock/config.html](#)
- x [./opt/local/share/doc/db46/ref/lock/dead.html](#)
- x [./opt/local/share/doc/db46/ref/lock/deaddbg.html](#)
- x [./opt/local/share/doc/db46/ref/lock/intro.html](#)
- x [./opt/local/share/doc/db46/ref/lock/max.html](#)
- x [./opt/local/share/doc/db46/ref/lock/nondb.html](#)

- x [./opt/local/share/doc/db46/ref/lock/notxn.html](#)
- x [./opt/local/share/doc/db46/ref/lock/page.html](#)
- x [./opt/local/share/doc/db46/ref/lock/stdmode.html](#)
- x [./opt/local/share/doc/db46/ref/lock/timeout.html](#)
- x [./opt/local/share/doc/db46/ref/lock/twopl.html](#)
- x [./opt/local/share/doc/db46/ref/java/compat.html](#)
- x [./opt/local/share/doc/db46/ref/java/conf.html](#)
- x [./opt/local/share/doc/db46/ref/java/faq.html](#)
- x [./opt/local/share/doc/db46/ref/java/program.html](#)
- x [./opt/local/share/doc/db46/ref/intro/data.html](#)
- x [./opt/local/share/doc/db46/ref/intro/dbis.html](#)
- x [./opt/local/share/doc/db46/ref/intro/dbisnot.html](#)
- x [./opt/local/share/doc/db46/ref/intro/distrib.html](#)
- x [./opt/local/share/doc/db46/ref/intro/need.html](#)
- x [./opt/local/share/doc/db46/ref/intro/products.html](#)
- x [./opt/local/share/doc/db46/ref/intro/terrain.html](#)
- x [./opt/local/share/doc/db46/ref/intro/what.html](#)
- x [./opt/local/share/doc/db46/ref/intro/where.html](#)
- x [./opt/local/share/doc/db46/ref/install/file.html](#)
- x [./opt/local/share/doc/db46/ref/install/magic.s5.be.txt](#)
- x [./opt/local/share/doc/db46/ref/install/magic.s5.le.txt](#)
- x [./opt/local/share/doc/db46/ref/install/magic.txt](#)
- x [./opt/local/share/doc/db46/ref/install/multiple.html](#)
- x [./opt/local/share/doc/db46/ref/ext/mod.html](#)

- x [./opt/local/share/doc/db46/ref/ext/perl.html](#)
- x [./opt/local/share/doc/db46/ref/ext/php.html](#)
- x [./opt/local/share/doc/db46/ref/env/create.html](#)
- x [./opt/local/share/doc/db46/ref/env/db_config.html](#)
- x [./opt/local/share/doc/db46/ref/env/encrypt.html](#)
- x [./opt/local/share/doc/db46/ref/env/error.html](#)
- x [./opt/local/share/doc/db46/ref/env/faq.html](#)
- x [./opt/local/share/doc/db46/ref/env/intro.html](#)
- x [./opt/local/share/doc/db46/ref/env/naming.html](#)
- x [./opt/local/share/doc/db46/ref/env/open.html](#)
- x [./opt/local/share/doc/db46/ref/env/region.html](#)
- x [./opt/local/share/doc/db46/ref/env/remote.html](#)
- x [./opt/local/share/doc/db46/ref/env/security.html](#)
- x [./opt/local/share/doc/db46/ref/dumpload/format.html](#)
- x [./opt/local/share/doc/db46/ref/dumpload/text.html](#)
- x [./opt/local/share/doc/db46/ref/dumpload/utility.html](#)
- x [./opt/local/share/doc/db46/ref/distrib/layout.html](#)
- x [./opt/local/share/doc/db46/ref/distrib/port.html](#)
- x [./opt/local/share/doc/db46/ref/debug/compile.html](#)
- x [./opt/local/share/doc/db46/ref/debug/intro.html](#)
- x [./opt/local/share/doc/db46/ref/debug/printlog.html](#)
- x [./opt/local/share/doc/db46/ref/debug/runtime.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/2.1.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/2.2.html](#)

x ./opt/local/share/doc/db46/ref/changelog/2.3.10.html
x ./opt/local/share/doc/db46/ref/changelog/2.3.11.html
x ./opt/local/share/doc/db46/ref/changelog/2.3.12.html
x ./opt/local/share/doc/db46/ref/changelog/2.3.14.html
x ./opt/local/share/doc/db46/ref/changelog/2.3.16.html
x ./opt/local/share/doc/db46/ref/changelog/2.3.5.html
x ./opt/local/share/doc/db46/ref/changelog/2.3.html
x ./opt/local/share/doc/db46/ref/changelog/2.4.10.html
x ./opt/local/share/doc/db46/ref/changelog/2.4.14.html
x ./opt/local/share/doc/db46/ref/changelog/2.5.9.html
x ./opt/local/share/doc/db46/ref/changelog/2.6.4.html
x ./opt/local/share/doc/db46/ref/changelog/2.6.5.html
x ./opt/local/share/doc/db46/ref/changelog/2.6.6.html
x ./opt/local/share/doc/db46/ref/changelog/2.6.7.html
x ./opt/local/share/doc/db46/ref/changelog/2.7.1.html
x ./opt/local/share/doc/db46/ref/changelog/2.7.3.html
x ./opt/local/share/doc/db46/ref/changelog/2.7.4.html
x ./opt/local/share/doc/db46/ref/changelog/2.7.5.html
x ./opt/local/share/doc/db46/ref/changelog/2.7.7.html
x ./opt/local/share/doc/db46/ref/changelog/3.0.55.html
x ./opt/local/share/doc/db46/ref/changelog/3.1.14.html
x ./opt/local/share/doc/db46/ref/changelog/3.1.17.html
x ./opt/local/share/doc/db46/ref/changelog/3.2.9.html
x ./opt/local/share/doc/db46/ref/changelog/3.3.11.html

- x [./opt/local/share/doc/db46/ref/changelog/4.0.14.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/4.1.24.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/4.1.25.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/4.2.52.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/4.3.29.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/4.4.16.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/4.4.20.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/4.5.20.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/4.6.html](#)
- x [./opt/local/share/doc/db46/ref/changelog/toc.html](#)
- x [./opt/local/share/doc/db46/ref/cam/app.html](#)
- x [./opt/local/share/doc/db46/ref/cam/fail.html](#)
- x [./opt/local/share/doc/db46/ref/cam/intro.html](#)
- x [./opt/local/share/doc/db46/ref/build_wince/faq.html](#)
- x [./opt/local/share/doc/db46/ref/build_wince/intro.html](#)
- x [./opt/local/share/doc/db46/ref/build_wince/notes.html](#)
- x [./opt/local/share/doc/db46/ref/build_win/faq.html](#)
- x [./opt/local/share/doc/db46/ref/build_win/intro.html](#)
- x [./opt/local/share/doc/db46/ref/build_win/notes.html](#)
- x [./opt/local/share/doc/db46/ref/build_win/small.html](#)
- x [./opt/local/share/doc/db46/ref/build_win/test.html](#)
- x [./opt/local/share/doc/db46/ref/build_vxworks/faq.html](#)
- x [./opt/local/share/doc/db46/ref/build_vxworks/intro.html](#)
- x [./opt/local/share/doc/db46/ref/build_vxworks/introae.html](#)

- x [./opt/local/share/doc/db46/ref/build_vxworks/notes.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/aix.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/conf.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/flags.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/freebsd.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/hpux.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/install.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/intro.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/irix.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/linux.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/macosx.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/notes.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/osf1.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/qnx.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/sco.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/shlib.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/small.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/solaris.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/sunos.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/test.html](#)
- x [./opt/local/share/doc/db46/ref/build_unix/ultrix.html](#)
- x [./opt/local/share/doc/db46/ref/build_s60/intro.html](#)
- x [./opt/local/share/doc/db46/ref/build_brew/intro.html](#)
- x [./opt/local/share/doc/db46/ref/arch/apis.html](#)

- x [./opt/local/share/doc/db46/ref/arch/bigpic.gif](#)
- x [./opt/local/share/doc/db46/ref/arch/bigpic.html](#)
- x [./opt/local/share/doc/db46/ref/arch/progmodel.html](#)
- x [./opt/local/share/doc/db46/ref/arch/script.html](#)
- x [./opt/local/share/doc/db46/ref/arch/smallpic.gif](#)
- x [./opt/local/share/doc/db46/ref/arch/utilities.html](#)
- x [./opt/local/share/doc/db46/ref/apprec/auto.html](#)
- x [./opt/local/share/doc/db46/ref/apprec/config.html](#)
- x [./opt/local/share/doc/db46/ref/apprec/def.html](#)
- x [./opt/local/share/doc/db46/ref/apprec/intro.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/align.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/dbsizes.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/diskspace.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/error.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/faq.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/get_bulk.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/partial.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/perm.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/stability.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/struct.html](#)
- x [./opt/local/share/doc/db46/ref/am_misc/tune.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/bt_compare.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/bt_minkey.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/bt_prefix.html](#)

- x [./opt/local/share/doc/db46/ref/am_conf/bt_recnum.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/byteorder.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/cachesize.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/dup.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/extentsize.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/h_ffactor.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/h_hash.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/h_nelem.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/intro.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/logrec.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/malloc.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/pagesize.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/re_source.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/recno.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/renumber.html](#)
- x [./opt/local/share/doc/db46/ref/am_conf/select.html](#)
- x [./opt/local/share/doc/db46/ref/am/close.html](#)
- x [./opt/local/share/doc/db46/ref/am/count.html](#)
- x [./opt/local/share/doc/db46/ref/am/curclose.html](#)
- x [./opt/local/share/doc/db46/ref/am/curdel.html](#)
- x [./opt/local/share/doc/db46/ref/am/curdup.html](#)
- x [./opt/local/share/doc/db46/ref/am/curget.html](#)
- x [./opt/local/share/doc/db46/ref/am/curput.html](#)
- x [./opt/local/share/doc/db46/ref/am/cursor.html](#)

- x ./opt/local/share/doc/db46/ref/am/delete.html
- x ./opt/local/share/doc/db46/ref/am/get.html
- x ./opt/local/share/doc/db46/ref/am/join.html
- x ./opt/local/share/doc/db46/ref/am/open.html
- x ./opt/local/share/doc/db46/ref/am/opensub.html
- x ./opt/local/share/doc/db46/ref/am/ops.html
- x ./opt/local/share/doc/db46/ref/am/put.html
- x ./opt/local/share/doc/db46/ref/am/second.html
- x ./opt/local/share/doc/db46/ref/am/second.javas
- x ./opt/local/share/doc/db46/ref/am/stat.html
- x ./opt/local/share/doc/db46/ref/am/sync.html
- x ./opt/local/share/doc/db46/ref/am/truncate.html
- x ./opt/local/share/doc/db46/ref/am/upgrade.html
- x ./opt/local/share/doc/db46/ref/am/verify.html
- x ./opt/local/share/doc/db46/license/license_db.html
- x ./opt/local/share/doc/db46/images/api.gif
- x ./opt/local/share/doc/db46/images/next.gif
- x ./opt/local/share/doc/db46/images/prev.gif
- x ./opt/local/share/doc/db46/images/ps.gif
- x ./opt/local/share/doc/db46/images/ref.gif
- x ./opt/local/share/doc/db46/gsg_txn/C/
- x ./opt/local/share/doc/db46/gsg_txn/CXX/
- x ./opt/local/share/doc/db46/gsg_txn/JAVA/
- x ./opt/local/share/doc/db46/gsg_txn/JAVA/abortresults.html

- x [./opt/local/share/doc/db46/gsg_txn/JAVA/architectrecovery.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/autocommit.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/backuprestore.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/BerkeleyDB-Core-JAVA-Txn.pdf](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/blocking_deadlocks.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/deadlock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/enabletxn.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/envopen.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/filemanagement.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/hotfailover.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/index.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/inmem_txnexample_java.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/isolation.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/lockingsubsystem.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/logconfig.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/logfileremoval.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/maxtxns.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/nestedtxn.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/perftune-intro.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/preface.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/readblock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/readmodifywrite.html](#)

- x [./opt/local/share/doc/db46/gsg_txn/JAVA/recovery-intro.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/recovery.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/reversesplit.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/rwlocks1.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/simplelock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/txn_ccursor.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/txnconcurrency.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/txncursor.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/txnexample_java.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/txnindices.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/txnowait.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/usingtxns.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/wrapup.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/JAVA/writeblock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/abortresults.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/architectrecovery.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/autocommit.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/backuprestore.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/BerkeleyDB-Core-Cxx-Txn.pdf](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/blocking_deadlocks.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/deadlock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/enabltxn.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/envopen.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/filemanagement.html](#)

- x [./opt/local/share/doc/db46/gsg_txn/CXX/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/hotfailover.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/index.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/inmem_txnexample_c.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/isolation.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/lockingsubsystem.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/logconfig.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/logfileremoval.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/maxtxns.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/nestedtxn.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/perftune-intro.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/preface.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/readblock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/readmodifywrite.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/recovery-intro.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/recovery.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/reversesplit.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/rwlocks1.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/simplelock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/txn_ccursor.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/txnconcurrency.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/txncursor.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/txnexample_c.html](#)

- x [./opt/local/share/doc/db46/gsg_txn/CXX/txnindices.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/txnowait.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/usingtxns.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/wrapup.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/CXX/writeblock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/abortresults.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/architectrecovery.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/autocommit.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/backuprestore.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/BerkeleyDB-Core-C-Txn.pdf](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/blocking_deadlocks.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/deadlock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/enabletxn.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/envopen.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/filemanagement.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/hotfailover.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/index.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/inmem_txnexample_c.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/isolation.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/lockingsubsystem.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/logconfig.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/logfileremoval.html](#)

- x [./opt/local/share/doc/db46/gsg_txn/C/maxtxns.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/nestedtxn.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/perftune-intro.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/preface.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/readblock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/readmodifywrite.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/recovery-intro.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/recovery.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/reversesplit.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/rwlocks1.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/simplelock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/txn_ccursor.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/txnconcurrency.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/txncursor.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/txnexample_c.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/txnindices.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/txnowait.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/usingtxns.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/wrapup.html](#)
- x [./opt/local/share/doc/db46/gsg_txn/C/writeblock.jpg](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/addfeatures.html](#)

- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/apioverview.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/bulk.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/c2ctransfer.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/elections.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/electiontimes.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/exampledoLoop.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/fmwrkconnectretry.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/fwrkmasterreplica.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/fwrkpermmmessage.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/index.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/manageblock.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/noautoinit.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/permmessages.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/preface.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/processingloop.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/repadvantage.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/repapp.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/Replication-JAVA-GSG.pdf](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/repmgr_init_example_c.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/simpleprogramlisting.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/JAVA/txnapp.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/addfeatures.html](#)

- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/apioverview.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/bulk.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/c2ctransfer.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/elections.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/electiontimes.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/exampledoloop.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/fmwrkconnectretry.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/fwrkmasterreplica.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/fwrkpermmmessage.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/index.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/manageblock.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/noautoinit.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/permmessages.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/preface.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/processingloop.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/repadvantage.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/repapp.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/Replication-CXX-GSG.pdf](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/repmgr_init_example_c.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/simpleprogramlisting.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/CXX/txnapp.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/addfeatures.html](#)

- x [./opt/local/share/doc/db46/gsg_db_rep/C/apioverview.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/bulk.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/c2ctransfer.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/elections.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/electiontimes.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/exampledoloop.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/fmwrkconnectretry.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/fwrkmasterreplica.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/fwrkpermmmessage.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/index.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/manageblock.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/noautoinit.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/permmessages.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/preface.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/processingloop.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/repadvantage.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/repapp.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/Replication-C-GSG.pdf](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/repmgr_init_example_c.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/simpleprogramlisting.html](#)
- x [./opt/local/share/doc/db46/gsg_db_rep/C/txnapp.html](#)
- x [./opt/local/share/doc/db46/gsg/C/](#)

- x [./opt/local/share/doc/db46/gsg/CXX/](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/accessmethods.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/BerkeleyDB-Core-JAVA-GSG.pdf](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/bindAPI.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/btree.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/cachesize.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/concepts.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/coredbclose.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/CoreEnvUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/coreExceptions.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/CoreJavaUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/cursorJavaUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/Cursors.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/databaseLimits.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/DB.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/db_config.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/DBAdmin.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/dbconfig.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/DBEntry.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/dbErrorReporting.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/dbtJavaUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/DeleteEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/environments.html](#)

- x [./opt/local/share/doc/db46/gsg/JAVA/gettingit.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/index.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/indexes.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/javaindexusage.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/joins.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/keyCreator.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/Positioning.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/preface.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/PutEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/readSecondary.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/ReplacingEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/returns.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/secondaryCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/secondaryDelete.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/secondaryProps.html](#)
- x [./opt/local/share/doc/db46/gsg/JAVA/usingDbt.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/accessmethods.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/BerkeleyDB-Core-Cxx-GSG.pdf](#)
- x [./opt/local/share/doc/db46/gsg/CXX/btree.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/cachesize.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/concepts.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/CoreCursorUsage.html](#)

- x [./opt/local/share/doc/db46/gsg/CXX/CoreDBAdmin.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/coredbclose.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/CoreDbCXXUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/CoreEnvUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/coreExceptions.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/coreindexusage.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/Cursors.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/databaseLimits.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/DB.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/dbconfig.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/DbCXXUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/DBEntry.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/dbErrorReporting.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/DBOpenFlags.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/DeleteEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/environments.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/gettingit.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg/CXX/index.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/indexes.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/joins.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/keyCreator.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/Positioning.html](#)

- x [./opt/local/share/doc/db46/gsg/CXX/preface.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/PutEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/readSecondary.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/ReplacingEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/returns.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/secondaryCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/secondaryDelete.html](#)
- x [./opt/local/share/doc/db46/gsg/CXX/usingDbt.html](#)
- x [./opt/local/share/doc/db46/gsg/C/accessmethods.html](#)
- x [./opt/local/share/doc/db46/gsg/C/BerkeleyDB-Core-C-GSG.pdf](#)
- x [./opt/local/share/doc/db46/gsg/C/btree.html](#)
- x [./opt/local/share/doc/db46/gsg/C/cachesize.html](#)
- x [./opt/local/share/doc/db46/gsg/C/concepts.html](#)
- x [./opt/local/share/doc/db46/gsg/C/CoreCursorUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/C/CoreDBAdmin.html](#)
- x [./opt/local/share/doc/db46/gsg/C/coredbclose.html](#)
- x [./opt/local/share/doc/db46/gsg/C/CoreDbUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/C/CoreEnvUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/C/coreindexusage.html](#)
- x [./opt/local/share/doc/db46/gsg/C/cstructs.html](#)
- x [./opt/local/share/doc/db46/gsg/C/Cursors.html](#)
- x [./opt/local/share/doc/db46/gsg/C/databaseLimits.html](#)
- x [./opt/local/share/doc/db46/gsg/C/DB.html](#)
- x [./opt/local/share/doc/db46/gsg/C/dbconfig.html](#)

- x [./opt/local/share/doc/db46/gsg/C/DBEntry.html](#)
- x [./opt/local/share/doc/db46/gsg/C/dbErrorReporting.html](#)
- x [./opt/local/share/doc/db46/gsg/C/DBOpenFlags.html](#)
- x [./opt/local/share/doc/db46/gsg/C/DbUsage.html](#)
- x [./opt/local/share/doc/db46/gsg/C/DeleteEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/C/environments.html](#)
- x [./opt/local/share/doc/db46/gsg/C/gettingit.html](#)
- x [./opt/local/share/doc/db46/gsg/C/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/gsg/C/index.html](#)
- x [./opt/local/share/doc/db46/gsg/C/indexes.html](#)
- x [./opt/local/share/doc/db46/gsg/C/introduction.html](#)
- x [./opt/local/share/doc/db46/gsg/C/joins.html](#)
- x [./opt/local/share/doc/db46/gsg/C/keyCreator.html](#)
- x [./opt/local/share/doc/db46/gsg/C/Positioning.html](#)
- x [./opt/local/share/doc/db46/gsg/C/preface.html](#)
- x [./opt/local/share/doc/db46/gsg/C/PutEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/C/readSecondary.html](#)
- x [./opt/local/share/doc/db46/gsg/C/ReplacingEntryWCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/C/returns.html](#)
- x [./opt/local/share/doc/db46/gsg/C/secondaryCursor.html](#)
- x [./opt/local/share/doc/db46/gsg/C/secondaryDelete.html](#)
- x [./opt/local/share/doc/db46/gsg/C/usingDbt.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/](#)
- x [./opt/local/share/doc/db46/collections/tutorial/addingdatabaseitems.html](#)

x ./opt/local/share/doc/db46/collections/tutorial/BasicProgram.html
x ./opt/local/share/doc/db46/collections/tutorial/BerkeleyDB-Java-Collections.pdf
x ./opt/local/share/doc/db46/collections/tutorial/collectionOverview.html
x ./opt/local/share/doc/db46/collections/tutorial/collectionswithentities.html
x ./opt/local/share/doc/db46/collections/tutorial/createbindingscollections.html
x ./opt/local/share/doc/db46/collections/tutorial/creatingentitybindings.html
x ./opt/local/share/doc/db46/collections/tutorial/developing.html
x ./opt/local/share/doc/db46/collections/tutorial/entitieswithcollections.html
x ./opt/local/share/doc/db46/collections/tutorial/Entity.html
x ./opt/local/share/doc/db46/collections/tutorial/gettingStarted.css
x ./opt/local/share/doc/db46/collections/tutorial/handlingexceptions.html
x ./opt/local/share/doc/db46/collections/tutorial/implementingmain.html
x ./opt/local/share/doc/db46/collections/tutorial/index.html
x ./opt/local/share/doc/db46/collections/tutorial/indexedcollections.html
x ./opt/local/share/doc/db46/collections/tutorial/intro.html
x ./opt/local/share/doc/db46/collections/tutorial/moreinfo.html
x ./opt/local/share/doc/db46/collections/tutorial/openclasscatalog.html
x ./opt/local/share/doc/db46/collections/tutorial/opendatabases.html
x ./opt/local/share/doc/db46/collections/tutorial/opendbenvironment.html
x ./opt/local/share/doc/db46/collections/tutorial/openingforeignkeys.html
x ./opt/local/share/doc/db46/collections/tutorial/preface.html
x ./opt/local/share/doc/db46/collections/tutorial/removingredundantvalueclasses.html

- x [./opt/local/share/doc/db46/collections/tutorial/retrievingbyindexkey.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/retrievingdatabaseitems.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/SerializableEntity.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/SerializedObjectStorage.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/sortedcollections.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/Summary.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/transientfieldsinbinding.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/tuple-serialentitybindings.html](#)
- l
- x [./opt/local/share/doc/db46/collections/tutorial/Tuple.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/tuplekeybindings.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/tupleswithkeycreators.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/tutorialintroduction.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/UsingCollectionsAPI.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/UsingSecondaries.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/UsingStoredCollections.html](#)
- x [./opt/local/share/doc/db46/collections/tutorial/usingtransactions.html](#)
- x [./opt/local/share/doc/db46/articles/inmemory/](#)
- x [./opt/local/share/doc/db46/articles/inmemory/C/](#)
- x [./opt/local/share/doc/db46/articles/inmemory/C/gettingStarted.css](#)
- x [./opt/local/share/doc/db46/articles/inmemory/C/index.html](#)
- x [./opt/local/share/doc/db46/articles/inmemory/C/InMemoryDBApplication.pdf](#)
- x [./opt/local/share/doc/db46/api_tcl/api_tcl.html](#)
- x [./opt/local/share/doc/db46/api_tcl/db_close.html](#)

- x ./opt/local/share/doc/db46/api_tcl/db_count.html
- x ./opt/local/share/doc/db46/api_tcl/db_cursor.html
- x ./opt/local/share/doc/db46/api_tcl/db_del.html
- x ./opt/local/share/doc/db46/api_tcl/db_get.html
- x ./opt/local/share/doc/db46/api_tcl/db_get_join.html
- x ./opt/local/share/doc/db46/api_tcl/db_get_type.html
- x ./opt/local/share/doc/db46/api_tcl/db_is_byteswapped.html
- x ./opt/local/share/doc/db46/api_tcl/db_join.html
- x ./opt/local/share/doc/db46/api_tcl/db_open.html
- x ./opt/local/share/doc/db46/api_tcl/db_put.html
- x ./opt/local/share/doc/db46/api_tcl/db_remove.html
- x ./opt/local/share/doc/db46/api_tcl/db_rename.html
- x ./opt/local/share/doc/db46/api_tcl/db_stat.html
- x ./opt/local/share/doc/db46/api_tcl/db_sync.html
- x ./opt/local/share/doc/db46/api_tcl/db_truncate.html
- x ./opt/local/share/doc/db46/api_tcl/dbc_close.html
- x ./opt/local/share/doc/db46/api_tcl/dbc_del.html
- x ./opt/local/share/doc/db46/api_tcl/dbc_dup.html
- x ./opt/local/share/doc/db46/api_tcl/dbc_get.html
- x ./opt/local/share/doc/db46/api_tcl/dbc_put.html
- x ./opt/local/share/doc/db46/api_tcl/env_close.html
- x ./opt/local/share/doc/db46/api_tcl/env_dbremove.html
- x ./opt/local/share/doc/db46/api_tcl/env_dbrename.html
- x ./opt/local/share/doc/db46/api_tcl/env_open.html

- x [./opt/local/share/doc/db46/api_tcl/env_remove.html](#)
- x [./opt/local/share/doc/db46/api_tcl/txn.html](#)
- x [./opt/local/share/doc/db46/api_tcl/txn_abort.html](#)
- x [./opt/local/share/doc/db46/api_tcl/txn_checkpoint.html](#)
- x [./opt/local/share/doc/db46/api_tcl/txn_commit.html](#)
- x [./opt/local/share/doc/db46/api_tcl/version.html](#)
- x [./opt/local/share/doc/db46/api_cxx/api_core.html](#)
- x [./opt/local/share/doc/db46/api_cxx/cxx_pindex.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_associate.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_class.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_close.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_compact.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_cursor.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_del.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_err.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_exists.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_fd.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_get.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_get_byteswapped.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_get_mpf.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_get_type.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_getenv.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_join.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_key_range.html](#)

- x [./opt/local/share/doc/db46/api_cxx/db_list.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_open.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_put.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_remove.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_rename.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_alloc.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_append_recno.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_bt_compare.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_bt_minkey.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_bt_prefix.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_cachesize.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_dup_compare.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_encrypt.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_errcall.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_errfile.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_error_stream.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_errpfx.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_feedback.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_flags.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_h_compare.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_h_ffactor.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_h_hash.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_h_nelem.html](#)
- x [./opt/local/share/doc/db46/api_cxx/db_set_lorder.html](#)

- x ./opt/local/share/doc/db46/api_cxx/db_set_msg_stream.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_msgcall.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_msgfile.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_pagesize.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_priority.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_q_extentsize.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_re_delim.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_re_len.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_re_pad.html
- x ./opt/local/share/doc/db46/api_cxx/db_set_re_source.html
- x ./opt/local/share/doc/db46/api_cxx/db_stat.html
- x ./opt/local/share/doc/db46/api_cxx/db_sync.html
- x ./opt/local/share/doc/db46/api_cxx/db_truncate.html
- x ./opt/local/share/doc/db46/api_cxx/db_upgrade.html
- x ./opt/local/share/doc/db46/api_cxx/db_verify.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_class.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_close.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_count.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_del.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_dup.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_get.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_list.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_put.html
- x ./opt/local/share/doc/db46/api_cxx/dbc_set_priority.html

- x ./opt/local/share/doc/db46/api_cxx/dbt_bulk_class.html
- x ./opt/local/share/doc/db46/api_cxx/dbt_class.html
- x ./opt/local/share/doc/db46/api_cxx/dbt_package.html
- x ./opt/local/share/doc/db46/api_cxx/deadlock_class.html
- x ./opt/local/share/doc/db46/api_cxx/env_cdsgroup_begin.html
- x ./opt/local/share/doc/db46/api_cxx/env_class.html
- x ./opt/local/share/doc/db46/api_cxx/env_close.html
- x ./opt/local/share/doc/db46/api_cxx/env_dbremove.html
- x ./opt/local/share/doc/db46/api_cxx/env_dbrename.html
- x ./opt/local/share/doc/db46/api_cxx/env_err.html
- x ./opt/local/share/doc/db46/api_cxx/env_event_notify.html
- x ./opt/local/share/doc/db46/api_cxx/env_failchk.html
- x ./opt/local/share/doc/db46/api_cxx/env_fileid_reset.html
- x ./opt/local/share/doc/db46/api_cxx/env_list.html
- x ./opt/local/share/doc/db46/api_cxx/env_lsn_reset.html
- x ./opt/local/share/doc/db46/api_cxx/env_open.html
- x ./opt/local/share/doc/db46/api_cxx/env_remove.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_alloc.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_app_dispatch.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_cache_max.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_cachesize.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_data_dir.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_encrypt.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_errcall.html

- x ./opt/local/share/doc/db46/api_cxx/env_set_errfile.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_error_stream.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_errpfx.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_feedback.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_flags.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_isalive.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lg_bsize.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lg_dir.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lg_max.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lg_mode.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lg_regionmax.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lk_conflicts.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lk_detect.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lk_max_lockers.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lk_max_locks.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_lk_max_objects.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_mp_mmapsize.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_msg_stream.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_msgcall.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_msgfile.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_rpc_server.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_shm_key.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_thread_count.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_thread_id.html

- x ./opt/local/share/doc/db46/api_cxx/env_set_thread_id_string.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_timeout.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_tmp_dir.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_tx_max.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_tx_timestamp.html
- x ./opt/local/share/doc/db46/api_cxx/env_set_verbose.html
- x ./opt/local/share/doc/db46/api_cxx/env_stat.html
- x ./opt/local/share/doc/db46/api_cxx/env_strerror.html
- x ./opt/local/share/doc/db46/api_cxx/env_version.html
- x ./opt/local/share/doc/db46/api_cxx/exc_package.html
- x ./opt/local/share/doc/db46/api_cxx/except_class.html
- x ./opt/local/share/doc/db46/api_cxx/frame.html
- x ./opt/local/share/doc/db46/api_cxx/lock_class.html
- x ./opt/local/share/doc/db46/api_cxx/lock_detect.html
- x ./opt/local/share/doc/db46/api_cxx/lock_get.html
- x ./opt/local/share/doc/db46/api_cxx/lock_id.html
- x ./opt/local/share/doc/db46/api_cxx/lock_id_free.html
- x ./opt/local/share/doc/db46/api_cxx/lock_list.html
- x ./opt/local/share/doc/db46/api_cxx/lock_put.html
- x ./opt/local/share/doc/db46/api_cxx/lock_stat.html
- x ./opt/local/share/doc/db46/api_cxx/lock_vec.html
- x ./opt/local/share/doc/db46/api_cxx/lockng_class.html
- x ./opt/local/share/doc/db46/api_cxx/log_archive.html
- x ./opt/local/share/doc/db46/api_cxx/log_compare.html

x ./opt/local/share/doc/db46/api_cxx/log_cursor.html
x ./opt/local/share/doc/db46/api_cxx/log_file.html
x ./opt/local/share/doc/db46/api_cxx/log_flush.html
x ./opt/local/share/doc/db46/api_cxx/log_list.html
x ./opt/local/share/doc/db46/api_cxx/log_printf.html
x ./opt/local/share/doc/db46/api_cxx/log_put.html
x ./opt/local/share/doc/db46/api_cxx/log_stat.html
x ./opt/local/share/doc/db46/api_cxx/logc_class.html
x ./opt/local/share/doc/db46/api_cxx/logc_close.html
x ./opt/local/share/doc/db46/api_cxx/logc_get.html
x ./opt/local/share/doc/db46/api_cxx/lsn_class.html
x ./opt/local/share/doc/db46/api_cxx/memp_class.html
x ./opt/local/share/doc/db46/api_cxx/memp_fclose.html
x ./opt/local/share/doc/db46/api_cxx/memp_fcreate.html
x ./opt/local/share/doc/db46/api_cxx/memp_fget.html
x ./opt/local/share/doc/db46/api_cxx/memp_fopen.html
x ./opt/local/share/doc/db46/api_cxx/memp_fput.html
x ./opt/local/share/doc/db46/api_cxx/memp_fsync.html
x ./opt/local/share/doc/db46/api_cxx/memp_list.html
x ./opt/local/share/doc/db46/api_cxx/memp_maxwrite.html
x ./opt/local/share/doc/db46/api_cxx/memp_openfd.html
x ./opt/local/share/doc/db46/api_cxx/memp_register.html
x ./opt/local/share/doc/db46/api_cxx/memp_set_clear_len.html
x ./opt/local/share/doc/db46/api_cxx/memp_set_fileid.html

- x [./opt/local/share/doc/db46/api_cxx/memp_set_flags.html](#)
- x [./opt/local/share/doc/db46/api_cxx/memp_set_ftype.html](#)
- x [./opt/local/share/doc/db46/api_cxx/memp_set_lsn_offset.html](#)
- x [./opt/local/share/doc/db46/api_cxx/memp_set_maxsize.html](#)
- x [./opt/local/share/doc/db46/api_cxx/memp_set_pgcookie.html](#)
- x [./opt/local/share/doc/db46/api_cxx/memp_set_priority.html](#)
- x [./opt/local/share/doc/db46/api_cxx/memp_stat.html](#)
- x [./opt/local/share/doc/db46/api_cxx/memp_sync.html](#)
- x [./opt/local/share/doc/db46/api_cxx/memp_trickle.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mempfile_class.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_alloc.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_free.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_list.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_lock.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_set_align.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_set_max.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_set_tas_spins.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_stat.html](#)
- x [./opt/local/share/doc/db46/api_cxx/mutex_unlock.html](#)
- x [./opt/local/share/doc/db46/api_cxx/object.html](#)
- x [./opt/local/share/doc/db46/api_cxx/pindex.src](#)
- x [./opt/local/share/doc/db46/api_cxx/rep_config.html](#)
- x [./opt/local/share/doc/db46/api_cxx/rep_elect.html](#)
- x [./opt/local/share/doc/db46/api_cxx/rep_limit.html](#)

- x ./opt/local/share/doc/db46/api_cxx/rep_list.html
- x ./opt/local/share/doc/db46/api_cxx/rep_message.html
- x ./opt/local/share/doc/db46/api_cxx/rep_nsites.html
- x ./opt/local/share/doc/db46/api_cxx/rep_priority.html
- x ./opt/local/share/doc/db46/api_cxx/rep_request.html
- x ./opt/local/share/doc/db46/api_cxx/rep_start.html
- x ./opt/local/share/doc/db46/api_cxx/rep_stat.html
- x ./opt/local/share/doc/db46/api_cxx/rep_sync.html
- x ./opt/local/share/doc/db46/api_cxx/rep_timeout.html
- x ./opt/local/share/doc/db46/api_cxx/rep_transport.html
- x ./opt/local/share/doc/db46/api_cxx/repmgr_ack_policy.html
- x ./opt/local/share/doc/db46/api_cxx/repmgr_local_site.html
- x ./opt/local/share/doc/db46/api_cxx/repmgr_remote_site.html
- x ./opt/local/share/doc/db46/api_cxx/repmgr_site_list.html
- x ./opt/local/share/doc/db46/api_cxx/repmgr_start.html
- x ./opt/local/share/doc/db46/api_cxx/repmgr_stat.html
- x ./opt/local/share/doc/db46/api_cxx/runrec_class.html
- x ./opt/local/share/doc/db46/api_cxx/seq_class.html
- x ./opt/local/share/doc/db46/api_cxx/seq_close.html
- x ./opt/local/share/doc/db46/api_cxx/seq_get.html
- x ./opt/local/share/doc/db46/api_cxx/seq_initial_value.html
- x ./opt/local/share/doc/db46/api_cxx/seq_list.html
- x ./opt/local/share/doc/db46/api_cxx/seq_open.html
- x ./opt/local/share/doc/db46/api_cxx/seq_remove.html

- x [./opt/local/share/doc/db46/api_cxx/seq_set_cachesize.html](#)
- x [./opt/local/share/doc/db46/api_cxx/seq_set_flags.html](#)
- x [./opt/local/share/doc/db46/api_cxx/seq_set_range.html](#)
- x [./opt/local/share/doc/db46/api_cxx/seq_stat.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_abort.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_begin.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_checkpoint.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_class.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_commit.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_discard.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_id.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_list.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_prepare.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_recover.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_set_name.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_set_timeout.html](#)
- x [./opt/local/share/doc/db46/api_cxx/txn_stat.html](#)
- x [./opt/local/share/doc/db46/api_c/api_core.html](#)
- x [./opt/local/share/doc/db46/api_c/c_pindex.html](#)
- x [./opt/local/share/doc/db46/api_c/db_associate.html](#)
- x [./opt/local/share/doc/db46/api_c/db_class.html](#)
- x [./opt/local/share/doc/db46/api_c/db_close.html](#)
- x [./opt/local/share/doc/db46/api_c/db_compact.html](#)
- x [./opt/local/share/doc/db46/api_c/db_cursor.html](#)

- x ./opt/local/share/doc/db46/api_c/db_del.html
- x ./opt/local/share/doc/db46/api_c/db_err.html
- x ./opt/local/share/doc/db46/api_c/db_exists.html
- x ./opt/local/share/doc/db46/api_c/db_fd.html
- x ./opt/local/share/doc/db46/api_c/db_get.html
- x ./opt/local/share/doc/db46/api_c/db_get_byteswapped.html
- x ./opt/local/share/doc/db46/api_c/db_get_mpf.html
- x ./opt/local/share/doc/db46/api_c/db_get_type.html
- x ./opt/local/share/doc/db46/api_c/db_getenv.html
- x ./opt/local/share/doc/db46/api_c/db_join.html
- x ./opt/local/share/doc/db46/api_c/db_key_range.html
- x ./opt/local/share/doc/db46/api_c/db_list.html
- x ./opt/local/share/doc/db46/api_c/db_open.html
- x ./opt/local/share/doc/db46/api_c/db_put.html
- x ./opt/local/share/doc/db46/api_c/db_remove.html
- x ./opt/local/share/doc/db46/api_c/db_rename.html
- x ./opt/local/share/doc/db46/api_c/db_set_alloc.html
- x ./opt/local/share/doc/db46/api_c/db_set_append_recno.html
- x ./opt/local/share/doc/db46/api_c/db_set_bt_compare.html
- x ./opt/local/share/doc/db46/api_c/db_set_bt_minkey.html
- x ./opt/local/share/doc/db46/api_c/db_set_bt_prefix.html
- x ./opt/local/share/doc/db46/api_c/db_set_cachesize.html
- x ./opt/local/share/doc/db46/api_c/db_set_dup_compare.html
- x ./opt/local/share/doc/db46/api_c/db_set_encrypt.html

- x ./opt/local/share/doc/db46/api_c/db_set_errcall.html
- x ./opt/local/share/doc/db46/api_c/db_set_errfile.html
- x ./opt/local/share/doc/db46/api_c/db_set_errpfx.html
- x ./opt/local/share/doc/db46/api_c/db_set_feedback.html
- x ./opt/local/share/doc/db46/api_c/db_set_flags.html
- x ./opt/local/share/doc/db46/api_c/db_set_h_compare.html
- x ./opt/local/share/doc/db46/api_c/db_set_h_ffactor.html
- x ./opt/local/share/doc/db46/api_c/db_set_h_hash.html
- x ./opt/local/share/doc/db46/api_c/db_set_h_nelem.html
- x ./opt/local/share/doc/db46/api_c/db_set_lorder.html
- x ./opt/local/share/doc/db46/api_c/db_set_msgcall.html
- x ./opt/local/share/doc/db46/api_c/db_set_msgfile.html
- x ./opt/local/share/doc/db46/api_c/db_set_pagesize.html
- x ./opt/local/share/doc/db46/api_c/db_set_priority.html
- x ./opt/local/share/doc/db46/api_c/db_set_q_extentsize.html
- x ./opt/local/share/doc/db46/api_c/db_set_re_delim.html
- x ./opt/local/share/doc/db46/api_c/db_set_re_len.html
- x ./opt/local/share/doc/db46/api_c/db_set_re_pad.html
- x ./opt/local/share/doc/db46/api_c/db_set_re_source.html
- x ./opt/local/share/doc/db46/api_c/db_stat.html
- x ./opt/local/share/doc/db46/api_c/db_sync.html
- x ./opt/local/share/doc/db46/api_c/db_truncate.html
- x ./opt/local/share/doc/db46/api_c/db_upgrade.html
- x ./opt/local/share/doc/db46/api_c/db_verify.html

- x ./opt/local/share/doc/db46/api_c/dbc_class.html
- x ./opt/local/share/doc/db46/api_c/dbc_close.html
- x ./opt/local/share/doc/db46/api_c/dbc_count.html
- x ./opt/local/share/doc/db46/api_c/dbc_del.html
- x ./opt/local/share/doc/db46/api_c/dbc_dup.html
- x ./opt/local/share/doc/db46/api_c/dbc_get.html
- x ./opt/local/share/doc/db46/api_c/dbc_list.html
- x ./opt/local/share/doc/db46/api_c/dbc_put.html
- x ./opt/local/share/doc/db46/api_c/dbc_set_priority.html
- x ./opt/local/share/doc/db46/api_c/dbm.html
- x ./opt/local/share/doc/db46/api_c/dbt_bulk.html
- x ./opt/local/share/doc/db46/api_c/dbt_class.html
- x ./opt/local/share/doc/db46/api_c/dbt_package.html
- x ./opt/local/share/doc/db46/api_c/env_cdsgroup_begin.html
- x ./opt/local/share/doc/db46/api_c/env_class.html
- x ./opt/local/share/doc/db46/api_c/env_close.html
- x ./opt/local/share/doc/db46/api_c/env_dbremove.html
- x ./opt/local/share/doc/db46/api_c/env_dbrename.html
- x ./opt/local/share/doc/db46/api_c/env_err.html
- x ./opt/local/share/doc/db46/api_c/env_event_notify.html
- x ./opt/local/share/doc/db46/api_c/env_failchk.html
- x ./opt/local/share/doc/db46/api_c/env_fileid_reset.html
- x ./opt/local/share/doc/db46/api_c/env_list.html
- x ./opt/local/share/doc/db46/api_c/env_lsn_reset.html

- x ./opt/local/share/doc/db46/api_c/env_open.html
- x ./opt/local/share/doc/db46/api_c/env_remove.html
- x ./opt/local/share/doc/db46/api_c/env_set_alloc.html
- x ./opt/local/share/doc/db46/api_c/env_set_app_dispatch.html
- x ./opt/local/share/doc/db46/api_c/env_set_cache_max.html
- x ./opt/local/share/doc/db46/api_c/env_set_cachesize.html
- x ./opt/local/share/doc/db46/api_c/env_set_data_dir.html
- x ./opt/local/share/doc/db46/api_c/env_set_encrypt.html
- x ./opt/local/share/doc/db46/api_c/env_set_errcall.html
- x ./opt/local/share/doc/db46/api_c/env_set_errfile.html
- x ./opt/local/share/doc/db46/api_c/env_set_errpfx.html
- x ./opt/local/share/doc/db46/api_c/env_set_feedback.html
- x ./opt/local/share/doc/db46/api_c/env_set_flags.html
- x ./opt/local/share/doc/db46/api_c/env_set_isalive.html
- x ./opt/local/share/doc/db46/api_c/env_set_lg_bsize.html
- x ./opt/local/share/doc/db46/api_c/env_set_lg_dir.html
- x ./opt/local/share/doc/db46/api_c/env_set_lg_max.html
- x ./opt/local/share/doc/db46/api_c/env_set_lg_mode.html
- x ./opt/local/share/doc/db46/api_c/env_set_lg_regionmax.html
- x ./opt/local/share/doc/db46/api_c/env_set_lk_conflicts.html
- x ./opt/local/share/doc/db46/api_c/env_set_lk_detect.html
- x ./opt/local/share/doc/db46/api_c/env_set_lk_max_lockers.html
- x ./opt/local/share/doc/db46/api_c/env_set_lk_max_locks.html
- x ./opt/local/share/doc/db46/api_c/env_set_lk_max_objects.html

- x ./opt/local/share/doc/db46/api_c/env_set_mp_mmapsize.html
- x ./opt/local/share/doc/db46/api_c/env_set_msgcall.html
- x ./opt/local/share/doc/db46/api_c/env_set_msgfile.html
- x ./opt/local/share/doc/db46/api_c/env_set_rpc_server.html
- x ./opt/local/share/doc/db46/api_c/env_set_shm_key.html
- x ./opt/local/share/doc/db46/api_c/env_set_thread_count.html
- x ./opt/local/share/doc/db46/api_c/env_set_thread_id.html
- x ./opt/local/share/doc/db46/api_c/env_set_thread_id_string.html
- x ./opt/local/share/doc/db46/api_c/env_set_timeout.html
- x ./opt/local/share/doc/db46/api_c/env_set_tmp_dir.html
- x ./opt/local/share/doc/db46/api_c/env_set_tx_max.html
- x ./opt/local/share/doc/db46/api_c/env_set_tx_timestamp.html
- x ./opt/local/share/doc/db46/api_c/env_set_verbose.html
- x ./opt/local/share/doc/db46/api_c/env_stat.html
- x ./opt/local/share/doc/db46/api_c/env_strerror.html
- x ./opt/local/share/doc/db46/api_c/env_version.html
- x ./opt/local/share/doc/db46/api_c/frame.html
- x ./opt/local/share/doc/db46/api_c/hsearch.html
- x ./opt/local/share/doc/db46/api_c/lock_class.html
- x ./opt/local/share/doc/db46/api_c/lock_detect.html
- x ./opt/local/share/doc/db46/api_c/lock_get.html
- x ./opt/local/share/doc/db46/api_c/lock_id.html
- x ./opt/local/share/doc/db46/api_c/lock_id_free.html
- x ./opt/local/share/doc/db46/api_c/lock_list.html

- x ./opt/local/share/doc/db46/api_c/lock_put.html
- x ./opt/local/share/doc/db46/api_c/lock_stat.html
- x ./opt/local/share/doc/db46/api_c/lock_vec.html
- x ./opt/local/share/doc/db46/api_c/log_archive.html
- x ./opt/local/share/doc/db46/api_c/log_compare.html
- x ./opt/local/share/doc/db46/api_c/log_cursor.html
- x ./opt/local/share/doc/db46/api_c/log_file.html
- x ./opt/local/share/doc/db46/api_c/log_flush.html
- x ./opt/local/share/doc/db46/api_c/log_list.html
- x ./opt/local/share/doc/db46/api_c/log_printf.html
- x ./opt/local/share/doc/db46/api_c/log_put.html
- x ./opt/local/share/doc/db46/api_c/log_stat.html
- x ./opt/local/share/doc/db46/api_c/logc_class.html
- x ./opt/local/share/doc/db46/api_c/logc_close.html
- x ./opt/local/share/doc/db46/api_c/logc_get.html
- x ./opt/local/share/doc/db46/api_c/lsn_class.html
- x ./opt/local/share/doc/db46/api_c/memp_fclose.html
- x ./opt/local/share/doc/db46/api_c/memp_fcreate.html
- x ./opt/local/share/doc/db46/api_c/memp_fget.html
- x ./opt/local/share/doc/db46/api_c/memp_fopen.html
- x ./opt/local/share/doc/db46/api_c/memp_fput.html
- x ./opt/local/share/doc/db46/api_c/memp_fsync.html
- x ./opt/local/share/doc/db46/api_c/memp_list.html
- x ./opt/local/share/doc/db46/api_c/memp_maxwrite.html

- x [./opt/local/share/doc/db46/api_c/memp_openfd.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_register.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_set_clear_len.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_set_fileid.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_set_flags.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_set_ftype.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_set_lsn_offset.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_set_maxsize.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_set_pgcookie.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_set_priority.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_stat.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_sync.html](#)
- x [./opt/local/share/doc/db46/api_c/memp_trickle.html](#)
- x [./opt/local/share/doc/db46/api_c/mempfile_class.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_alloc.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_free.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_list.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_lock.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_set_align.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_set_max.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_set_tas_spins.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_stat.html](#)
- x [./opt/local/share/doc/db46/api_c/mutex_unlock.html](#)
- x [./opt/local/share/doc/db46/api_c/object.html](#)

- x ./opt/local/share/doc/db46/api_c/pindex.src
- x ./opt/local/share/doc/db46/api_c/rep_config.html
- x ./opt/local/share/doc/db46/api_c/rep_elect.html
- x ./opt/local/share/doc/db46/api_c/rep_limit.html
- x ./opt/local/share/doc/db46/api_c/rep_list.html
- x ./opt/local/share/doc/db46/api_c/rep_message.html
- x ./opt/local/share/doc/db46/api_c/rep_nsites.html
- x ./opt/local/share/doc/db46/api_c/rep_priority.html
- x ./opt/local/share/doc/db46/api_c/rep_request.html
- x ./opt/local/share/doc/db46/api_c/rep_start.html
- x ./opt/local/share/doc/db46/api_c/rep_stat.html
- x ./opt/local/share/doc/db46/api_c/rep_sync.html
- x ./opt/local/share/doc/db46/api_c/rep_timeout.html
- x ./opt/local/share/doc/db46/api_c/rep_transport.html
- x ./opt/local/share/doc/db46/api_c/repmgr_ack_policy.html
- x ./opt/local/share/doc/db46/api_c/repmgr_local_site.html
- x ./opt/local/share/doc/db46/api_c/repmgr_remote_site.html
- x ./opt/local/share/doc/db46/api_c/repmgr_site_list.html
- x ./opt/local/share/doc/db46/api_c/repmgr_start.html
- x ./opt/local/share/doc/db46/api_c/repmgr_stat.html
- x ./opt/local/share/doc/db46/api_c/seq_class.html
- x ./opt/local/share/doc/db46/api_c/seq_close.html
- x ./opt/local/share/doc/db46/api_c/seq_get.html
- x ./opt/local/share/doc/db46/api_c/seq_initial_value.html

- x ./opt/local/share/doc/db46/api_c/seq_list.html
- x ./opt/local/share/doc/db46/api_c/seq_open.html
- x ./opt/local/share/doc/db46/api_c/seq_remove.html
- x ./opt/local/share/doc/db46/api_c/seq_set_cachesize.html
- x ./opt/local/share/doc/db46/api_c/seq_set_flags.html
- x ./opt/local/share/doc/db46/api_c/seq_set_range.html
- x ./opt/local/share/doc/db46/api_c/seq_stat.html
- x ./opt/local/share/doc/db46/api_c/set_func_close.html
- x ./opt/local/share/doc/db46/api_c/set_func_dirfree.html
- x ./opt/local/share/doc/db46/api_c/set_func_dirlist.html
- x ./opt/local/share/doc/db46/api_c/set_func_exists.html
- x ./opt/local/share/doc/db46/api_c/set_func_free.html
- x ./opt/local/share/doc/db46/api_c/set_func_fsync.html
- x ./opt/local/share/doc/db46/api_c/set_func_ftruncate.html
- x ./opt/local/share/doc/db46/api_c/set_func_ioinfo.html
- x ./opt/local/share/doc/db46/api_c/set_func_malloc.html
- x ./opt/local/share/doc/db46/api_c/set_func_map.html
- x ./opt/local/share/doc/db46/api_c/set_func_open.html
- x ./opt/local/share/doc/db46/api_c/set_func_pread.html
- x ./opt/local/share/doc/db46/api_c/set_func_pwrite.html
- x ./opt/local/share/doc/db46/api_c/set_func_read.html
- x ./opt/local/share/doc/db46/api_c/set_func_realloc.html
- x ./opt/local/share/doc/db46/api_c/set_func_rename.html
- x ./opt/local/share/doc/db46/api_c/set_func_seek.html

- x ./opt/local/share/doc/db46/api_c/set_func_sleep.html
- x ./opt/local/share/doc/db46/api_c/set_func_unlink.html
- x ./opt/local/share/doc/db46/api_c/set_func_unmap.html
- x ./opt/local/share/doc/db46/api_c/set_func_write.html
- x ./opt/local/share/doc/db46/api_c/set_func_yield.html
- x ./opt/local/share/doc/db46/api_c/txn_abort.html
- x ./opt/local/share/doc/db46/api_c/txn_begin.html
- x ./opt/local/share/doc/db46/api_c/txn_checkpoint.html
- x ./opt/local/share/doc/db46/api_c/txn_class.html
- x ./opt/local/share/doc/db46/api_c/txn_commit.html
- x ./opt/local/share/doc/db46/api_c/txn_discard.html
- x ./opt/local/share/doc/db46/api_c/txn_id.html
- x ./opt/local/share/doc/db46/api_c/txn_list.html
- x ./opt/local/share/doc/db46/api_c/txn_prepare.html
- x ./opt/local/share/doc/db46/api_c/txn_recover.html
- x ./opt/local/share/doc/db46/api_c/txn_set_name.html
- x ./opt/local/share/doc/db46/api_c/txn_set_timeout.html
- x ./opt/local/share/doc/db46/api_c/txn_stat.html
- x ./opt/local/lib/db46/
- x ./opt/local/lib/db46/libdb-4.6.a
- x ./opt/local/lib/db46/libdb-4.6.dylib
- x ./opt/local/lib/db46/libdb-4.6.la
- x ./opt/local/lib/db46/libdb-4.dylib
- x ./opt/local/lib/db46/libdb.a

- x ./opt/local/lib/db46/libdb.dylib
- x ./opt/local/lib/db46/libdb_cxx-4.6.a
- x ./opt/local/lib/db46/libdb_cxx-4.6.dylib
- x ./opt/local/lib/db46/libdb_cxx-4.6.la
- x ./opt/local/lib/db46/libdb_cxx-4.dylib
- x ./opt/local/lib/db46/libdb_cxx.a
- x ./opt/local/lib/db46/libdb_cxx.dylib
- x ./opt/local/include/db46/
- x ./opt/local/include/db46/db.h
- x ./opt/local/include/db46/db_cxx.h
- x ./opt/local/etc/select/
- x ./opt/local/etc/select/db/
- x ./opt/local/etc/select/db/db46
- x ./opt/local/bin/db46_archive
- x ./opt/local/bin/db46_checkpoint
- x ./opt/local/bin/db46_codegen
- x ./opt/local/bin/db46_deadlock
- x ./opt/local/bin/db46_dump
- x ./opt/local/bin/db46_dump185
- x ./opt/local/bin/db46_hotbackup
- x ./opt/local/bin/db46_load
- x ./opt/local/bin/db46_printlog
- x ./opt/local/bin/db46_recover
- x ./opt/local/bin/db46_stat

```

x ./opt/local/bin/db46_upgrade
x ./opt/local/bin/db46_verify
---> Cleaning db46
---> Removing work directory for db46
---> Fetching archive for libedit
---> libedit-20121213-3.0_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt
/local/var/macports/incoming/verified
---> Attempting to fetch libedit-20121213-3.0_0.darwin_10.x86_64.tbz2 from http
://packages.macports.org/libedit
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload  Total      Spent    Left     Speed
100  152k  100  152k    0      0  109k      0  0:00:01  0:00:01  --:--:--  122k
---> Attempting to fetch libedit-20121213-3.0_0.darwin_10.x86_64.tbz2.rmd160 fr
om http://packages.macports.org/libedit
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload  Total      Spent    Left     Speed
102   512  102   512    0      0   1623      0  --:--:--  --:--:--  --:--:--  3261
---> Installing libedit @20121213-3.0_0
---> Activating libedit @20121213-3.0_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE

```

```
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man5/
x ./opt/local/share/man/man5/editrc.5.gz
x ./opt/local/share/man/man3/editline.3.gz
x ./opt/local/share/man/man3/el_deletestr.3.gz
x ./opt/local/share/man/man3/el_end.3.gz
x ./opt/local/share/man/man3/el_get.3.gz
x ./opt/local/share/man/man3/el_getc.3.gz
x ./opt/local/share/man/man3/el_gets.3.gz
x ./opt/local/share/man/man3/el_history.3.gz
x ./opt/local/share/man/man3/el_history_end.3.gz
x ./opt/local/share/man/man3/el_history_init.3.gz
x ./opt/local/share/man/man3/el_init.3.gz
x ./opt/local/share/man/man3/el_insertstr.3.gz
x ./opt/local/share/man/man3/el_line.3.gz
x ./opt/local/share/man/man3/el_parse.3.gz
x ./opt/local/share/man/man3/el_push.3.gz
```

```
x ./opt/local/share/man/man3/el_reset.3.gz
x ./opt/local/share/man/man3/el_resize.3.gz
x ./opt/local/share/man/man3/el_set.3.gz
x ./opt/local/share/man/man3/el_source.3.gz
x ./opt/local/share/man/man3/el_tok_end.3.gz
x ./opt/local/share/man/man3/el_tok_init.3.gz
x ./opt/local/share/man/man3/el_tok_line.3.gz
x ./opt/local/share/man/man3/el_tok_reset.3.gz
x ./opt/local/share/man/man3/el_tok_str.3.gz
x ./opt/local/lib/libedit.0.dylib
x ./opt/local/lib/libedit.a
x ./opt/local/lib/libedit.dylib
x ./opt/local/lib/libedit.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/libedit.pc
x ./opt/local/include/editline/
x ./opt/local/include/histedit.h
x ./opt/local/include/editline/readline.h
---> Cleaning libedit
---> Removing work directory for libedit
---> Fetching archive for openssl
---> openssl-1.0.1e_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local
/var/macports/incoming/verified
---> Attempting to fetch openssl-1.0.1e_1.darwin_10.x86_64.tbz2 from http://pac
```

kages.macports.org/openssl

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
100	3436k	100	3436k	0	0	474k	0	0:00:07	0:00:07	--:--:--	582k

---> Attempting to fetch openssl-1.0.1e_1.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/openssl

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
102	512	102	512	0	0	1555	0	--:--:--	--:--:--	--:--:--	3084

---> Installing openssl @1.0.1e_1
---> Activating openssl @1.0.1e_1

x ./

- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/etc/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/

- x ./opt/local/share/man/
- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man3/
- x ./opt/local/share/man/man5/
- x ./opt/local/share/man/man7/
- x ./opt/local/share/man/man7/des_modes.7ssl.gz
- x ./opt/local/share/man/man5/config.5ssl.gz
- x ./opt/local/share/man/man5/x509v3_config.5ssl.gz
- x ./opt/local/share/man/man3/ASN1_generate_nconf.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_generate_v3.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_OBJECT_free.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_OBJECT_new.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_cmp.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_data.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_dup.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_free.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_length.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_length_set.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_new.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_print_ex.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_print_ex_fp.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_set.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_type.3ssl.gz
- x ./opt/local/share/man/man3/ASN1_STRING_type_new.3ssl.gz

- x ./opt/local/share/man/man3/BF_cbc_encrypt.3ssl.gz
- x ./opt/local/share/man/man3/BF_cfb64_encrypt.3ssl.gz
- x ./opt/local/share/man/man3/BF_decrypt.3ssl.gz
- x ./opt/local/share/man/man3/BF_ecb_encrypt.3ssl.gz
- x ./opt/local/share/man/man3/BF_encrypt.3ssl.gz
- x ./opt/local/share/man/man3/BF_ofb64_encrypt.3ssl.gz
- x ./opt/local/share/man/man3/BF_options.3ssl.gz
- x ./opt/local/share/man/man3/BF_set_key.3ssl.gz
- x ./opt/local/share/man/man3/bio.3ssl.gz
- x ./opt/local/share/man/man3/BIO_append_filename.3ssl.gz
- x ./opt/local/share/man/man3/BIO_callback_ctrl.3ssl.gz
- x ./opt/local/share/man/man3/BIO_ctrl.3ssl.gz
- x ./opt/local/share/man/man3/BIO_ctrl_get_read_request.3ssl.gz
- x ./opt/local/share/man/man3/BIO_ctrl_get_write_guarantee.3ssl.gz
- x ./opt/local/share/man/man3/BIO_ctrl_pending.3ssl.gz
- x ./opt/local/share/man/man3/BIO_ctrl_reset_read_request.3ssl.gz
- x ./opt/local/share/man/man3/BIO_ctrl_wpending.3ssl.gz
- x ./opt/local/share/man/man3/BIO_debug_callback.3ssl.gz
- x ./opt/local/share/man/man3/BIO_destroy_bio_pair.3ssl.gz
- x ./opt/local/share/man/man3/BIO_do_accept.3ssl.gz
- x ./opt/local/share/man/man3/BIO_do_connect.3ssl.gz
- x ./opt/local/share/man/man3/BIO_eof.3ssl.gz
- x ./opt/local/share/man/man3/BIO_f_base64.3ssl.gz
- x ./opt/local/share/man/man3/BIO_f_buffer.3ssl.gz

x ./opt/local/share/man/man3/BIO_f_cipher.3ssl.gz
x ./opt/local/share/man/man3/BIO_f_md.3ssl.gz
x ./opt/local/share/man/man3/BIO_f_null.3ssl.gz
x ./opt/local/share/man/man3/BIO_f_ssl.3ssl.gz
x ./opt/local/share/man/man3/BIO_find_type.3ssl.gz
x ./opt/local/share/man/man3/BIO_flush.3ssl.gz
x ./opt/local/share/man/man3/BIO_free.3ssl.gz
x ./opt/local/share/man/man3/BIO_free_all.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_accept_port.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_bind_mode.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_callback.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_callback_arg.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_cipher_ctx.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_cipher_status.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_close.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_conn_hostname.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_conn_int_port.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_conn_ip.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_conn_port.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_fd.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_fp.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_info_callback.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_md.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_md_ctx.3ssl.gz

x ./opt/local/share/man/man3/BIO_get_mem_data.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_mem_ptr.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_num_renegotiates.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_read_request.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_retry_BIO.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_retry_reason.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_ssl.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_write_buf_size.3ssl.gz
x ./opt/local/share/man/man3/BIO_get_write_guarantee.3ssl.gz
x ./opt/local/share/man/man3/BIO_gets.3ssl.gz
x ./opt/local/share/man/man3/BIO_int_ctrl.3ssl.gz
x ./opt/local/share/man/man3/BIO_make_bio_pair.3ssl.gz
x ./opt/local/share/man/man3/BIO_new.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_bio_pair.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_buffer_ssl_connect.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_CMS.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_fd.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_file.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_fp.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_mem_buf.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_socket.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_ssl.3ssl.gz
x ./opt/local/share/man/man3/BIO_new_ssl_connect.3ssl.gz
x ./opt/local/share/man/man3/BIO_next.3ssl.gz

x ./opt/local/share/man/man3/BIO_pending.3ssl.gz
x ./opt/local/share/man/man3/BIO_pop.3ssl.gz
x ./opt/local/share/man/man3/BIO_ptr_ctrl.3ssl.gz
x ./opt/local/share/man/man3/BIO_push.3ssl.gz
x ./opt/local/share/man/man3/BIO_puts.3ssl.gz
x ./opt/local/share/man/man3/BIO_read.3ssl.gz
x ./opt/local/share/man/man3/BIO_read_filename.3ssl.gz
x ./opt/local/share/man/man3/BIO_reset.3ssl.gz
x ./opt/local/share/man/man3/BIO_retry_type.3ssl.gz
x ./opt/local/share/man/man3/BIO_rw_filename.3ssl.gz
x ./opt/local/share/man/man3/BIO_s_accept.3ssl.gz
x ./opt/local/share/man/man3/BIO_s_bio.3ssl.gz
x ./opt/local/share/man/man3/BIO_s_connect.3ssl.gz
x ./opt/local/share/man/man3/BIO_s_fd.3ssl.gz
x ./opt/local/share/man/man3/BIO_s_file.3ssl.gz
x ./opt/local/share/man/man3/BIO_s_mem.3ssl.gz
x ./opt/local/share/man/man3/BIO_s_null.3ssl.gz
x ./opt/local/share/man/man3/BIO_s_socket.3ssl.gz
x ./opt/local/share/man/man3/BIO_seek.3ssl.gz
x ./opt/local/share/man/man3/BIO_set.3ssl.gz
x ./opt/local/share/man/man3/BIO_set_accept_bios.3ssl.gz
x ./opt/local/share/man/man3/BIO_set_accept_port.3ssl.gz
x ./opt/local/share/man/man3/BIO_set_bind_mode.3ssl.gz
x ./opt/local/share/man/man3/BIO_set_callback.3ssl.gz

- x ./opt/local/share/man/man3/BIO_set_callback_arg.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_cipher.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_close.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_conn_hostname.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_conn_int_port.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_conn_ip.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_conn_port.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_fd.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_fp.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_info_callback.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_md.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_mem_buf.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_mem_eof_return.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_nbio.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_nbio_accept.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_ssl.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_ssl_mode.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_ssl_renegotiate_bytes.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_ssl_renegotiate_timeout.3ssl.gz
- x ./opt/local/share/man/man3/BIO_set_write_buf_size.3ssl.gz
- x ./opt/local/share/man/man3/BIO_should_io_special.3ssl.gz
- x ./opt/local/share/man/man3/BIO_should_read.3ssl.gz
- x ./opt/local/share/man/man3/BIO_should_retry.3ssl.gz
- x ./opt/local/share/man/man3/BIO_should_write.3ssl.gz

x ./opt/local/share/man/man3/BIO_shutdown_wr.3ssl.gz
x ./opt/local/share/man/man3/BIO_ssl_copy_session_id.3ssl.gz
x ./opt/local/share/man/man3/BIO_ssl_shutdown.3ssl.gz
x ./opt/local/share/man/man3/BIO_tell.3ssl.gz
x ./opt/local/share/man/man3/BIO_vfree.3ssl.gz
x ./opt/local/share/man/man3/BIO_wpending.3ssl.gz
x ./opt/local/share/man/man3/BIO_write.3ssl.gz
x ./opt/local/share/man/man3/BIO_write_filename.3ssl.gz
x ./opt/local/share/man/man3/blowfish.3ssl.gz
x ./opt/local/share/man/man3/bn.3ssl.gz
x ./opt/local/share/man/man3/BN_add.3ssl.gz
x ./opt/local/share/man/man3/BN_add_word.3ssl.gz
x ./opt/local/share/man/man3/bn_add_words.3ssl.gz
x ./opt/local/share/man/man3/BN_bin2bn.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_convert.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_convert_ex.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_create_param.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_free.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_get_flags.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_get_thread_id.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_invert.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_invert_ex.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_new.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_set_flags.3ssl.gz

x ./opt/local/share/man/man3/BN_BLINDING_set_thread_id.3ssl.gz
x ./opt/local/share/man/man3/BN_BLINDING_update.3ssl.gz
x ./opt/local/share/man/man3/BN_bn2bin.3ssl.gz
x ./opt/local/share/man/man3/BN_bn2dec.3ssl.gz
x ./opt/local/share/man/man3/BN_bn2hex.3ssl.gz
x ./opt/local/share/man/man3/BN_bn2mpi.3ssl.gz
x ./opt/local/share/man/man3/bn_check_top.3ssl.gz
x ./opt/local/share/man/man3/BN_clear.3ssl.gz
x ./opt/local/share/man/man3/BN_clear_bit.3ssl.gz
x ./opt/local/share/man/man3/BN_clear_free.3ssl.gz
x ./opt/local/share/man/man3/BN_cmp.3ssl.gz
x ./opt/local/share/man/man3/bn_cmp_words.3ssl.gz
x ./opt/local/share/man/man3/BN_copy.3ssl.gz
x ./opt/local/share/man/man3/BN_CTX_end.3ssl.gz
x ./opt/local/share/man/man3/BN_CTX_free.3ssl.gz
x ./opt/local/share/man/man3/BN_CTX_get.3ssl.gz
x ./opt/local/share/man/man3/BN_CTX_init.3ssl.gz
x ./opt/local/share/man/man3/BN_CTX_new.3ssl.gz
x ./opt/local/share/man/man3/BN_CTX_start.3ssl.gz
x ./opt/local/share/man/man3/BN_dec2bn.3ssl.gz
x ./opt/local/share/man/man3/BN_div.3ssl.gz
x ./opt/local/share/man/man3/BN_div_recip.3ssl.gz
x ./opt/local/share/man/man3/BN_div_word.3ssl.gz
x ./opt/local/share/man/man3/bn_div_words.3ssl.gz

x ./opt/local/share/man/man3/bn_dump.3ssl.gz
x ./opt/local/share/man/man3/BN_dup.3ssl.gz
x ./opt/local/share/man/man3/BN_exp.3ssl.gz
x ./opt/local/share/man/man3/bn_expand.3ssl.gz
x ./opt/local/share/man/man3/bn_expand2.3ssl.gz
x ./opt/local/share/man/man3/bn_fix_top.3ssl.gz
x ./opt/local/share/man/man3/BN_free.3ssl.gz
x ./opt/local/share/man/man3/BN_from_montgomery.3ssl.gz
x ./opt/local/share/man/man3/BN_gcd.3ssl.gz
x ./opt/local/share/man/man3/BN_generate_prime.3ssl.gz
x ./opt/local/share/man/man3/BN_get_word.3ssl.gz
x ./opt/local/share/man/man3/BN_hex2bn.3ssl.gz
x ./opt/local/share/man/man3/BN_init.3ssl.gz
x ./opt/local/share/man/man3/bn_internal.3ssl.gz
x ./opt/local/share/man/man3/BN_is_bit_set.3ssl.gz
x ./opt/local/share/man/man3/BN_is_odd.3ssl.gz
x ./opt/local/share/man/man3/BN_is_one.3ssl.gz
x ./opt/local/share/man/man3/BN_is_prime.3ssl.gz
x ./opt/local/share/man/man3/BN_is_prime_fasttest.3ssl.gz
x ./opt/local/share/man/man3/BN_is_word.3ssl.gz
x ./opt/local/share/man/man3/BN_is_zero.3ssl.gz
x ./opt/local/share/man/man3/BN_lshift.3ssl.gz
x ./opt/local/share/man/man3/BN_lshift1.3ssl.gz
x ./opt/local/share/man/man3/BN_mask_bits.3ssl.gz

x ./opt/local/share/man/man3/BN_mod.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_add.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_exp.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_inverse.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_mul.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_mul_montgomery.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_mul_reciprocal.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_sqr.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_sub.3ssl.gz
x ./opt/local/share/man/man3/BN_mod_word.3ssl.gz
x ./opt/local/share/man/man3/BN_MONT_CTX_copy.3ssl.gz
x ./opt/local/share/man/man3/BN_MONT_CTX_free.3ssl.gz
x ./opt/local/share/man/man3/BN_MONT_CTX_init.3ssl.gz
x ./opt/local/share/man/man3/BN_MONT_CTX_new.3ssl.gz
x ./opt/local/share/man/man3/BN_MONT_CTX_set.3ssl.gz
x ./opt/local/share/man/man3/BN_mpi2bn.3ssl.gz
x ./opt/local/share/man/man3/BN_mul.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_add_words.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_comba4.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_comba8.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_high.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_low_normal.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_low_recursive.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_normal.3ssl.gz

x ./opt/local/share/man/man3/bn_mul_recursive.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_recursive.3ssl.gz
x ./opt/local/share/man/man3/BN_mul_word.3ssl.gz
x ./opt/local/share/man/man3/bn_mul_words.3ssl.gz
x ./opt/local/share/man/man3/BN_new.3ssl.gz
x ./opt/local/share/man/man3/BN_nnmod.3ssl.gz
x ./opt/local/share/man/man3/BN_num_bits.3ssl.gz
x ./opt/local/share/man/man3/BN_num_bits_word.3ssl.gz
x ./opt/local/share/man/man3/BN_num_bytes.3ssl.gz
x ./opt/local/share/man/man3/BN_one.3ssl.gz
x ./opt/local/share/man/man3/BN_print.3ssl.gz
x ./opt/local/share/man/man3/BN_print_fp.3ssl.gz
x ./opt/local/share/man/man3/BN_pseudo_rand.3ssl.gz
x ./opt/local/share/man/man3/BN_rand.3ssl.gz
x ./opt/local/share/man/man3/BN_RECP_CTX_free.3ssl.gz
x ./opt/local/share/man/man3/BN_RECP_CTX_init.3ssl.gz
x ./opt/local/share/man/man3/BN_RECP_CTX_new.3ssl.gz
x ./opt/local/share/man/man3/BN_RECP_CTX_set.3ssl.gz
x ./opt/local/share/man/man3/BN_rshift.3ssl.gz
x ./opt/local/share/man/man3/BN_rshift1.3ssl.gz
x ./opt/local/share/man/man3/BN_set_bit.3ssl.gz
x ./opt/local/share/man/man3/bn_set_high.3ssl.gz
x ./opt/local/share/man/man3/bn_set_low.3ssl.gz
x ./opt/local/share/man/man3/bn_set_max.3ssl.gz

x ./opt/local/share/man/man3/BN_set_word.3ssl.gz
x ./opt/local/share/man/man3/BN_sqr.3ssl.gz
x ./opt/local/share/man/man3/bn_sqr_comba4.3ssl.gz
x ./opt/local/share/man/man3/bn_sqr_comba8.3ssl.gz
x ./opt/local/share/man/man3/bn_sqr_normal.3ssl.gz
x ./opt/local/share/man/man3/bn_sqr_recursive.3ssl.gz
x ./opt/local/share/man/man3/bn_sqr_words.3ssl.gz
x ./opt/local/share/man/man3/BN_sub.3ssl.gz
x ./opt/local/share/man/man3/BN_sub_word.3ssl.gz
x ./opt/local/share/man/man3/bn_sub_words.3ssl.gz
x ./opt/local/share/man/man3/BN_swap.3ssl.gz
x ./opt/local/share/man/man3/BN_to_montgomery.3ssl.gz
x ./opt/local/share/man/man3/BN_ucmp.3ssl.gz
x ./opt/local/share/man/man3/BN_value_one.3ssl.gz
x ./opt/local/share/man/man3/bn_wexpand.3ssl.gz
x ./opt/local/share/man/man3/BN_zero.3ssl.gz
x ./opt/local/share/man/man3/BUF_MEM_free.3ssl.gz
x ./opt/local/share/man/man3/BUF_MEM_grow.3ssl.gz
x ./opt/local/share/man/man3/BUF_MEM_new.3ssl.gz
x ./opt/local/share/man/man3/BUF_strdup.3ssl.gz
x ./opt/local/share/man/man3/buffer.3ssl.gz
x ./opt/local/share/man/man3/CMS_add0_cert.3ssl.gz
x ./opt/local/share/man/man3/CMS_add0_crl.3ssl.gz
x ./opt/local/share/man/man3/CMS_add0_recipient_key.3ssl.gz

x ./opt/local/share/man/man3/CMS_add1_cert.3ssl.gz
x ./opt/local/share/man/man3/CMS_add1_ReceiptRequest.3ssl.gz
x ./opt/local/share/man/man3/CMS_add1_recipient_cert.3ssl.gz
x ./opt/local/share/man/man3/CMS_compress.3ssl.gz
x ./opt/local/share/man/man3/CMS_decrypt.3ssl.gz
x ./opt/local/share/man/man3/CMS_encrypt.3ssl.gz
x ./opt/local/share/man/man3/CMS_final.3ssl.gz
x ./opt/local/share/man/man3/CMS_get0_eContentType.3ssl.gz
x ./opt/local/share/man/man3/CMS_get0_RecipientInfos.3ssl.gz
x ./opt/local/share/man/man3/CMS_get0_SignerInfos.3ssl.gz
x ./opt/local/share/man/man3/CMS_get0_type.3ssl.gz
x ./opt/local/share/man/man3/CMS_get1_certs.3ssl.gz
x ./opt/local/share/man/man3/CMS_get1_crls.3ssl.gz
x ./opt/local/share/man/man3/CMS_get1_ReceiptRequest.3ssl.gz
x ./opt/local/share/man/man3/CMS_ReceiptRequest_create0.3ssl.gz
x ./opt/local/share/man/man3/CMS_ReceiptRequest_get0_values.3ssl.gz
x ./opt/local/share/man/man3/CMS_RecipientInfo_decrypt.3ssl.gz
x ./opt/local/share/man/man3/CMS_RecipientInfo_kekri_get0_id.3ssl.gz
x ./opt/local/share/man/man3/CMS_RecipientInfo_kekri_id_cmp.3ssl.gz
x ./opt/local/share/man/man3/CMS_RecipientInfo_ktri_cert_cmp.3ssl.gz
x ./opt/local/share/man/man3/CMS_RecipientInfo_ktri_get0_signer_id.3ssl.gz
x ./opt/local/share/man/man3/CMS_RecipientInfo_set0_key.3ssl.gz
x ./opt/local/share/man/man3/CMS_RecipientInfo_set0_pkey.3ssl.gz
x ./opt/local/share/man/man3/CMS_RecipientInfo_type.3ssl.gz

x ./opt/local/share/man/man3/CMS_set1_eContentType.3ssl.gz
x ./opt/local/share/man/man3/CMS_set1_signer_certs.3ssl.gz
x ./opt/local/share/man/man3/CMS_sign.3ssl.gz
x ./opt/local/share/man/man3/CMS_sign_add1_signer.3ssl.gz
x ./opt/local/share/man/man3/CMS_sign_receipt.3ssl.gz
x ./opt/local/share/man/man3/CMS_SignerInfo_cert_cmp.3ssl.gz
x ./opt/local/share/man/man3/CMS_SignerInfo_get0_signer_id.3ssl.gz
x ./opt/local/share/man/man3/CMS_SignerInfo_sign.3ssl.gz
x ./opt/local/share/man/man3/CMS_uncompress.3ssl.gz
x ./opt/local/share/man/man3/CMS_verify.3ssl.gz
x ./opt/local/share/man/man3/CMS_verify_receipt.3ssl.gz
x ./opt/local/share/man/man3/CONF_modules_finish.3ssl.gz
x ./opt/local/share/man/man3/CONF_modules_free.3ssl.gz
x ./opt/local/share/man/man3/CONF_modules_load.3ssl.gz
x ./opt/local/share/man/man3/CONF_modules_load_file.3ssl.gz
x ./opt/local/share/man/man3/CONF_modules_unload.3ssl.gz
x ./opt/local/share/man/man3/crypto.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_destroy_dynlockid.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_get_ex_data.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_get_new_dynlockid.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_lock.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_num_locks.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_set_dynlock_create_callback.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_set_dynlock_destroy_callback.3ssl.gz

x ./opt/local/share/man/man3/CRYPTO_set_dynlock_lock_callback.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_set_ex_data.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_set_locking_callback.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_THREADID_cmp.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_THREADID_cpy.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_THREADID_current.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_THREADID_get_callback.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_THREADID_hash.3ssl.gz
x ./opt/local/share/man/man3/CRYPTO_THREADID_set_callback.3ssl.gz
x ./opt/local/share/man/man3/d2i_509_CRL_fp.3ssl.gz
x ./opt/local/share/man/man3/d2i_ASN1_OBJECT.3ssl.gz
x ./opt/local/share/man/man3/d2i_DHparams.3ssl.gz
x ./opt/local/share/man/man3/d2i_DSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/d2i_DSA_SIG.3ssl.gz
x ./opt/local/share/man/man3/d2i_DSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/d2i_DSAPublicKey.3ssl.gz
x ./opt/local/share/man/man3/d2i_Netscape_RSA.3ssl.gz
x ./opt/local/share/man/man3/d2i_PKCS8PrivateKey.3ssl.gz
x ./opt/local/share/man/man3/d2i_PKCS8PrivateKey_bio.3ssl.gz
x ./opt/local/share/man/man3/d2i_PKCS8PrivateKey_fp.3ssl.gz
x ./opt/local/share/man/man3/d2i_RSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/d2i_RSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/d2i_RSAPublicKey.3ssl.gz
x ./opt/local/share/man/man3/d2i_SSL_SESSION.3ssl.gz

x ./opt/local/share/man/man3/d2i_X509.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_ALGOR.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_bio.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_CRL.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_CRL_bio.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_fp.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_NAME.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_REQ.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_REQ_bio.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_REQ_fp.3ssl.gz
x ./opt/local/share/man/man3/d2i_X509_SIG.3ssl.gz
x ./opt/local/share/man/man3/des.3ssl.gz
x ./opt/local/share/man/man3/DES_cbc_cksum.3ssl.gz
x ./opt/local/share/man/man3/DES_cfb64_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_cfb_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_crypt.3ssl.gz
x ./opt/local/share/man/man3/DES_ecb2_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_ecb3_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_ecb_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_edec2_cbc_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_edec2_cfb64_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_edec2_ofb64_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_edec3_cbc_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_edec3_cbc_m_encrypt.3ssl.gz

x ./opt/local/share/man/man3/DES_ede3_cfb64_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_ede3_ofb64_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_enc_read.3ssl.gz
x ./opt/local/share/man/man3/DES_enc_write.3ssl.gz
x ./opt/local/share/man/man3/DES_fcrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_is_weak_key.3ssl.gz
x ./opt/local/share/man/man3/DES_key_sched.3ssl.gz
x ./opt/local/share/man/man3/DES_ncbc_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_ofb64_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_ofb_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_pcbc_encrypt.3ssl.gz
x ./opt/local/share/man/man3/DES_quad_cksum.3ssl.gz
x ./opt/local/share/man/man3/DES_random_key.3ssl.gz
x ./opt/local/share/man/man3/des_read_2passwords.3ssl.gz
x ./opt/local/share/man/man3/des_read_password.3ssl.gz
x ./opt/local/share/man/man3/des_read_pw.3ssl.gz
x ./opt/local/share/man/man3/des_read_pw_string.3ssl.gz
x ./opt/local/share/man/man3/DES_set_key.3ssl.gz
x ./opt/local/share/man/man3/DES_set_key_checked.3ssl.gz
x ./opt/local/share/man/man3/DES_set_key_unchecked.3ssl.gz
x ./opt/local/share/man/man3/DES_set_odd_parity.3ssl.gz
x ./opt/local/share/man/man3/DES_string_to_2keys.3ssl.gz
x ./opt/local/share/man/man3/DES_string_to_key.3ssl.gz
x ./opt/local/share/man/man3/DES_xcbc_encrypt.3ssl.gz

- x ./opt/local/share/man/man3/dh.3ssl.gz
- x ./opt/local/share/man/man3/DH_check.3ssl.gz
- x ./opt/local/share/man/man3/DH_compute_key.3ssl.gz
- x ./opt/local/share/man/man3/DH_free.3ssl.gz
- x ./opt/local/share/man/man3/DH_generate_key.3ssl.gz
- x ./opt/local/share/man/man3/DH_generate_parameters.3ssl.gz
- x ./opt/local/share/man/man3/DH_get_default_method.3ssl.gz
- x ./opt/local/share/man/man3/DH_get_ex_data.3ssl.gz
- x ./opt/local/share/man/man3/DH_get_ex_new_index.3ssl.gz
- x ./opt/local/share/man/man3/DH_new.3ssl.gz
- x ./opt/local/share/man/man3/DH_new_method.3ssl.gz
- x ./opt/local/share/man/man3/DH_OpenSSL.3ssl.gz
- x ./opt/local/share/man/man3/DH_set_default_method.3ssl.gz
- x ./opt/local/share/man/man3/DH_set_ex_data.3ssl.gz
- x ./opt/local/share/man/man3/DH_set_method.3ssl.gz
- x ./opt/local/share/man/man3/DH_size.3ssl.gz
- x ./opt/local/share/man/man3/DHparams_print.3ssl.gz
- x ./opt/local/share/man/man3/DHparams_print_fp.3ssl.gz
- x ./opt/local/share/man/man3/dsa.3ssl.gz
- x ./opt/local/share/man/man3/DSA_do_sign.3ssl.gz
- x ./opt/local/share/man/man3/DSA_do_verify.3ssl.gz
- x ./opt/local/share/man/man3/DSA_dup_DH.3ssl.gz
- x ./opt/local/share/man/man3/DSA_free.3ssl.gz
- x ./opt/local/share/man/man3/DSA_generate_key.3ssl.gz

x ./opt/local/share/man/man3/DSA_generate_parameters.3ssl.gz
x ./opt/local/share/man/man3/DSA_get_default_method.3ssl.gz
x ./opt/local/share/man/man3/DSA_get_ex_data.3ssl.gz
x ./opt/local/share/man/man3/DSA_get_ex_new_index.3ssl.gz
x ./opt/local/share/man/man3/DSA_new.3ssl.gz
x ./opt/local/share/man/man3/DSA_new_method.3ssl.gz
x ./opt/local/share/man/man3/DSA_OpenSSL.3ssl.gz
x ./opt/local/share/man/man3/DSA_print.3ssl.gz
x ./opt/local/share/man/man3/DSA_print_fp.3ssl.gz
x ./opt/local/share/man/man3/DSA_set_default_method.3ssl.gz
x ./opt/local/share/man/man3/DSA_set_ex_data.3ssl.gz
x ./opt/local/share/man/man3/DSA_set_method.3ssl.gz
x ./opt/local/share/man/man3/DSA_SIG_free.3ssl.gz
x ./opt/local/share/man/man3/DSA_SIG_new.3ssl.gz
x ./opt/local/share/man/man3/DSA_sign.3ssl.gz
x ./opt/local/share/man/man3/DSA_sign_setup.3ssl.gz
x ./opt/local/share/man/man3/DSA_size.3ssl.gz
x ./opt/local/share/man/man3/DSA_verify.3ssl.gz
x ./opt/local/share/man/man3/DSAparams_print.3ssl.gz
x ./opt/local/share/man/man3/DSAparams_print_fp.3ssl.gz
x ./opt/local/share/man/man3/ecdsa.3ssl.gz
x ./opt/local/share/man/man3/engine.3ssl.gz
x ./opt/local/share/man/man3/err.3ssl.gz
x ./opt/local/share/man/man3/ERR_add_error_data.3ssl.gz

x ./opt/local/share/man/man3/ERR_clear_error.3ssl.gz
x ./opt/local/share/man/man3/ERR_error_string.3ssl.gz
x ./opt/local/share/man/man3/ERR_error_string_n.3ssl.gz
x ./opt/local/share/man/man3/ERR_free_strings.3ssl.gz
x ./opt/local/share/man/man3/ERR_func_error_string.3ssl.gz
x ./opt/local/share/man/man3/ERR_get_error.3ssl.gz
x ./opt/local/share/man/man3/ERR_get_error_line.3ssl.gz
x ./opt/local/share/man/man3/ERR_get_error_line_data.3ssl.gz
x ./opt/local/share/man/man3/ERR_GET_FUNC.3ssl.gz
x ./opt/local/share/man/man3/ERR_GET_LIB.3ssl.gz
x ./opt/local/share/man/man3/ERR_get_next_error_library.3ssl.gz
x ./opt/local/share/man/man3/ERR_GET_REASON.3ssl.gz
x ./opt/local/share/man/man3/ERR_lib_error_string.3ssl.gz
x ./opt/local/share/man/man3/ERR_load_crypto_strings.3ssl.gz
x ./opt/local/share/man/man3/ERR_load_strings.3ssl.gz
x ./opt/local/share/man/man3/ERR_load_UI_strings.3ssl.gz
x ./opt/local/share/man/man3/ERR_PACK.3ssl.gz
x ./opt/local/share/man/man3/ERR_peek_error.3ssl.gz
x ./opt/local/share/man/man3/ERR_peek_error_line.3ssl.gz
x ./opt/local/share/man/man3/ERR_peek_error_line_data.3ssl.gz
x ./opt/local/share/man/man3/ERR_peek_last_error.3ssl.gz
x ./opt/local/share/man/man3/ERR_peek_last_error_line.3ssl.gz
x ./opt/local/share/man/man3/ERR_peek_last_error_line_data.3ssl.gz
x ./opt/local/share/man/man3/ERR_pop_to_mark.3ssl.gz

x ./opt/local/share/man/man3/ERR_print_errors.3ssl.gz
x ./opt/local/share/man/man3/ERR_print_errors_fp.3ssl.gz
x ./opt/local/share/man/man3/ERR_put_error.3ssl.gz
x ./opt/local/share/man/man3/ERR_reason_error_string.3ssl.gz
x ./opt/local/share/man/man3/ERR_remove_state.3ssl.gz
x ./opt/local/share/man/man3/ERR_set_mark.3ssl.gz
x ./opt/local/share/man/man3/evp.3ssl.gz
x ./opt/local/share/man/man3/EVP_BytesToKey.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_asn1_to_param.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_block_size.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_block_size.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_cipher.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_cleanup.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_ctrl.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_flags.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_get_app_data.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_iv_length.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_key_length.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_mode.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_nid.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_set_app_data.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_set_key_length.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_CTX_set_padding.3ssl.gz

x ./opt/local/share/man/man3/EVP_CIPHER_CTX_type.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_flags.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_iv_length.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_key_length.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_mode.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_nid.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_param_to_asn1.3ssl.gz
x ./opt/local/share/man/man3/EVP_CIPHER_type.3ssl.gz
x ./opt/local/share/man/man3/EVP_CipherFinal.3ssl.gz
x ./opt/local/share/man/man3/EVP_CipherFinal_ex.3ssl.gz
x ./opt/local/share/man/man3/EVP_CipherInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_CipherInit_ex.3ssl.gz
x ./opt/local/share/man/man3/EVP_CipherUpdate.3ssl.gz
x ./opt/local/share/man/man3/EVP_DecryptFinal.3ssl.gz
x ./opt/local/share/man/man3/EVP_DecryptFinal_ex.3ssl.gz
x ./opt/local/share/man/man3/EVP_DecryptInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_DecryptInit_ex.3ssl.gz
x ./opt/local/share/man/man3/EVP_DecryptUpdate.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestFinal_ex.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestInit_ex.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestSignFinal.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestSignInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestSignUpdate.3ssl.gz

x ./opt/local/share/man/man3/EVP_DigestUpdate.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestVerifyFinal.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestVerifyInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_DigestVerifyUpdate.3ssl.gz
x ./opt/local/share/man/man3/EVP_dss.3ssl.gz
x ./opt/local/share/man/man3/EVP_dss1.3ssl.gz
x ./opt/local/share/man/man3/EVP_EncryptFinal.3ssl.gz
x ./opt/local/share/man/man3/EVP_EncryptFinal_ex.3ssl.gz
x ./opt/local/share/man/man3/EVP_EncryptInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_EncryptInit_ex.3ssl.gz
x ./opt/local/share/man/man3/EVP_EncryptUpdate.3ssl.gz
x ./opt/local/share/man/man3/EVP_get_cipherbyname.3ssl.gz
x ./opt/local/share/man/man3/EVP_get_cipherbynid.3ssl.gz
x ./opt/local/share/man/man3/EVP_get_cipherbyobj.3ssl.gz
x ./opt/local/share/man/man3/EVP_get_digestbyname.3ssl.gz
x ./opt/local/share/man/man3/EVP_get_digestbynid.3ssl.gz
x ./opt/local/share/man/man3/EVP_get_digestbyobj.3ssl.gz
x ./opt/local/share/man/man3/EVP_MAX_MD_SIZE.3ssl.gz
x ./opt/local/share/man/man3/EVP_md2.3ssl.gz
x ./opt/local/share/man/man3/EVP_md5.3ssl.gz
x ./opt/local/share/man/man3/EVP_MD_block_size.3ssl.gz
x ./opt/local/share/man/man3/EVP_MD_CTX_block_size.3ssl.gz
x ./opt/local/share/man/man3/EVP_MD_CTX_cleanup.3ssl.gz
x ./opt/local/share/man/man3/EVP_MD_CTX_copy.3ssl.gz

- x ./opt/local/share/man/man3/EVP_MD_CTX_copy_ex.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_CTX_create.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_CTX_destroy.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_CTX_init.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_CTX_md.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_CTX_size.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_CTX_type.3ssl.gz
- x ./opt/local/share/man/man3/EVP_md_null.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_pkey_type.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_size.3ssl.gz
- x ./opt/local/share/man/man3/EVP_MD_type.3ssl.gz
- x ./opt/local/share/man/man3/EVP_mdc2.3ssl.gz
- x ./opt/local/share/man/man3/EVP_OpenFinal.3ssl.gz
- x ./opt/local/share/man/man3/EVP_OpenInit.3ssl.gz
- x ./opt/local/share/man/man3/EVP_OpenUpdate.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_PKEY_CTX_set_app_data.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_assign_DH.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_assign_DSA.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_assign_EC_KEY.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_assign_RSA.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_cmp.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_cmp_parameters.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_copy_parameters.3ssl.gz
- x ./opt/local/share/man/man3/EVP_PKEY_ctrl.3ssl.gz

x ./opt/local/share/man/man3/EVP_PKEY_ctrl_str.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_ctrl.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_dup.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_free.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_get_app_data.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_get_cb.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_get_keygen_info.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_new.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_new_id.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_CTX_set_cb.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_decrypt.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_decrypt_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_derive.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_derive_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_derive_set_peer.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_encrypt.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_encrypt_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_free.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_get1_DH.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_get1_DSA.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_get1_EC_KEY.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_get1_RSA.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_get_default_digest.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_get_default_digest_nid.3ssl.gz

x ./opt/local/share/man/man3/EVP_PKEY_keygen.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_keygen_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_missing_parameters.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_new.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_paramgen.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_paramgen_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_print_params.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_print_private.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_print_public.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_set1_DH.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_set1_DSA.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_set1_EC_KEY.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_set1_RSA.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_sign.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_sign_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_type.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_verify.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_verify_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_verify_recover.3ssl.gz
x ./opt/local/share/man/man3/EVP_PKEY_verify_recover_init.3ssl.gz
x ./opt/local/share/man/man3/EVP_ripemd160.3ssl.gz
x ./opt/local/share/man/man3/EVP_SealFinal.3ssl.gz
x ./opt/local/share/man/man3/EVP_SealInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_SealUpdate.3ssl.gz

x ./opt/local/share/man/man3/EVP_sha.3ssl.gz
x ./opt/local/share/man/man3/EVP_sha1.3ssl.gz
x ./opt/local/share/man/man3/EVP_sha224.3ssl.gz
x ./opt/local/share/man/man3/EVP_sha256.3ssl.gz
x ./opt/local/share/man/man3/EVP_sha384.3ssl.gz
x ./opt/local/share/man/man3/EVP_sha512.3ssl.gz
x ./opt/local/share/man/man3/EVP_SignFinal.3ssl.gz
x ./opt/local/share/man/man3/EVP_SignInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_SignUpdate.3ssl.gz
x ./opt/local/share/man/man3/EVP_VerifyFinal.3ssl.gz
x ./opt/local/share/man/man3/EVP_VerifyInit.3ssl.gz
x ./opt/local/share/man/man3/EVP_VerifyUpdate.3ssl.gz
x ./opt/local/share/man/man3/hmac.3ssl.gz
x ./opt/local/share/man/man3/HMAC_cleanup.3ssl.gz
x ./opt/local/share/man/man3/HMAC_Final.3ssl.gz
x ./opt/local/share/man/man3/HMAC_Init.3ssl.gz
x ./opt/local/share/man/man3/HMAC_Update.3ssl.gz
x ./opt/local/share/man/man3/i2d_ASN1_OBJECT.3ssl.gz
x ./opt/local/share/man/man3/i2d_CMS_bio_stream.3ssl.gz
x ./opt/local/share/man/man3/i2d_DHparams.3ssl.gz
x ./opt/local/share/man/man3/i2d_DSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/i2d_DSA_SIG.3ssl.gz
x ./opt/local/share/man/man3/i2d_DSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/i2d_DSAPublicKey.3ssl.gz

x ./opt/local/share/man/man3/i2d_Netscape_RSA.3ssl.gz
x ./opt/local/share/man/man3/i2d_PKCS7_bio_stream.3ssl.gz
x ./opt/local/share/man/man3/i2d_PKCS8PrivateKey_bio.3ssl.gz
x ./opt/local/share/man/man3/i2d_PKCS8PrivateKey_fp.3ssl.gz
x ./opt/local/share/man/man3/i2d_PKCS8PrivateKey_nid_bio.3ssl.gz
x ./opt/local/share/man/man3/i2d_PKCS8PrivateKey_nid_fp.3ssl.gz
x ./opt/local/share/man/man3/i2d_RSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/i2d_RSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/i2d_RSAPublicKey.3ssl.gz
x ./opt/local/share/man/man3/i2d_SSL_SESSION.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_ALGOR.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_bio.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_CRL.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_CRL_bio.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_CRL_fp.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_fp.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_NAME.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_REQ.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_REQ_bio.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_REQ_fp.3ssl.gz
x ./opt/local/share/man/man3/i2d_X509_SIG.3ssl.gz
x ./opt/local/share/man/man3/lh_delete.3ssl.gz
x ./opt/local/share/man/man3/lh_doall.3ssl.gz

x ./opt/local/share/man/man3/lh_doall_arg.3ssl.gz
x ./opt/local/share/man/man3/lh_error.3ssl.gz
x ./opt/local/share/man/man3/lh_free.3ssl.gz
x ./opt/local/share/man/man3/lh_insert.3ssl.gz
x ./opt/local/share/man/man3/lh_new.3ssl.gz
x ./opt/local/share/man/man3/lh_node_stats.3ssl.gz
x ./opt/local/share/man/man3/lh_node_stats_bio.3ssl.gz
x ./opt/local/share/man/man3/lh_node_usage_stats.3ssl.gz
x ./opt/local/share/man/man3/lh_node_usage_stats_bio.3ssl.gz
x ./opt/local/share/man/man3/lh_retrieve.3ssl.gz
x ./opt/local/share/man/man3/lh_stats.3ssl.gz
x ./opt/local/share/man/man3/lh_stats_bio.3ssl.gz
x ./opt/local/share/man/man3/lhash.3ssl.gz
x ./opt/local/share/man/man3/MD2.3ssl.gz
x ./opt/local/share/man/man3/MD2_Final.3ssl.gz
x ./opt/local/share/man/man3/MD2_Init.3ssl.gz
x ./opt/local/share/man/man3/MD2_Update.3ssl.gz
x ./opt/local/share/man/man3/MD4.3ssl.gz
x ./opt/local/share/man/man3/MD4_Final.3ssl.gz
x ./opt/local/share/man/man3/MD4_Init.3ssl.gz
x ./opt/local/share/man/man3/MD4_Update.3ssl.gz
x ./opt/local/share/man/man3/md5.3ssl.gz
x ./opt/local/share/man/man3/MD5_Final.3ssl.gz
x ./opt/local/share/man/man3/MD5_Init.3ssl.gz

x ./opt/local/share/man/man3/MD5_Update.3ssl.gz
x ./opt/local/share/man/man3/mdc2.3ssl.gz
x ./opt/local/share/man/man3/MDC2_Final.3ssl.gz
x ./opt/local/share/man/man3/MDC2_Init.3ssl.gz
x ./opt/local/share/man/man3/MDC2_Update.3ssl.gz
x ./opt/local/share/man/man3/OBJ_cleanup.3ssl.gz
x ./opt/local/share/man/man3/OBJ_cmp.3ssl.gz
x ./opt/local/share/man/man3/OBJ_create.3ssl.gz
x ./opt/local/share/man/man3/OBJ_dup.3ssl.gz
x ./opt/local/share/man/man3/OBJ_ln2nid.3ssl.gz
x ./opt/local/share/man/man3/OBJ_nid2ln.3ssl.gz
x ./opt/local/share/man/man3/OBJ_nid2obj.3ssl.gz
x ./opt/local/share/man/man3/OBJ_nid2sn.3ssl.gz
x ./opt/local/share/man/man3/OBJ_obj2nid.3ssl.gz
x ./opt/local/share/man/man3/OBJ_obj2txt.3ssl.gz
x ./opt/local/share/man/man3/OBJ_sn2nid.3ssl.gz
x ./opt/local/share/man/man3/OBJ_txt2nid.3ssl.gz
x ./opt/local/share/man/man3/OBJ_txt2obj.3ssl.gz
x ./opt/local/share/man/man3/OpenSSL_add_all_algorithms.3ssl.gz
x ./opt/local/share/man/man3/OpenSSL_add_all_ciphers.3ssl.gz
x ./opt/local/share/man/man3/OpenSSL_add_all_digests.3ssl.gz
x ./opt/local/share/man/man3/OpenSSL_add_ssl_algorithms.3ssl.gz
x ./opt/local/share/man/man3/OPENSSL_Applink.3ssl.gz
x ./opt/local/share/man/man3/OPENSSL_config.3ssl.gz

x ./opt/local/share/man/man3/OPENSSL_ia32cap.3ssl.gz
x ./opt/local/share/man/man3/OPENSSL_load_builtin_modules.3ssl.gz
x ./opt/local/share/man/man3/OPENSSL_no_config.3ssl.gz
x ./opt/local/share/man/man3/OPENSSL_VERSION_NUMBER.3ssl.gz
x ./opt/local/share/man/man3/pem.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_DHparams.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_DSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_DSAParams.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_DSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_NETSCAPE_CERT_SEQUENCE.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_PKCS7.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_PrivateKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_RSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_RSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_RSAPublicKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_X509.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_X509_AUX.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_X509_CRL.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_bio_X509_REQ.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_DHparams.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_DSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_DSAParams.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_DSAPrivateKey.3ssl.gz

x ./opt/local/share/man/man3/PEM_read_NETSCAPE_CERT_SEQUENCE.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_PKCS7.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_PrivateKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_RSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_RSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_RSAPublicKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_X509.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_X509_AUX.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_X509_CRL.3ssl.gz
x ./opt/local/share/man/man3/PEM_read_X509_REQ.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_CMS_stream.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_DHparams.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_DSA_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_DSAParams.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_DSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_NETSCAPE_CERT_SEQUENCE.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_PKCS7.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_PKCS7_stream.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_PKCS8PrivateKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_PKCS8PrivateKey_nid.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_PrivateKey.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_PUBKEY.3ssl.gz
x ./opt/local/share/man/man3/PEM_write_bio_RSA_PUBKEY.3ssl.gz

x ./opt/local/share/man/man3/PEM_write_X509_REQ_NEW.3ssl.gz
x ./opt/local/share/man/man3/PKCS12_create.3ssl.gz
x ./opt/local/share/man/man3/PKCS12_parse.3ssl.gz
x ./opt/local/share/man/man3/PKCS7_decrypt.3ssl.gz
x ./opt/local/share/man/man3/PKCS7_encrypt.3ssl.gz
x ./opt/local/share/man/man3/PKCS7_sign.3ssl.gz
x ./opt/local/share/man/man3/PKCS7_sign_add_signer.3ssl.gz
x ./opt/local/share/man/man3/PKCS7_verify.3ssl.gz
x ./opt/local/share/man/man3/rand.3ssl.gz
x ./opt/local/share/man/man3/RAND_add.3ssl.gz
x ./opt/local/share/man/man3/RAND_bytes.3ssl.gz
x ./opt/local/share/man/man3/RAND_cleanup.3ssl.gz
x ./opt/local/share/man/man3/RAND_egd.3ssl.gz
x ./opt/local/share/man/man3/RAND_event.3ssl.gz
x ./opt/local/share/man/man3/RAND_file_name.3ssl.gz
x ./opt/local/share/man/man3/RAND_get_rand_method.3ssl.gz
x ./opt/local/share/man/man3/RAND_load_file.3ssl.gz
x ./opt/local/share/man/man3/RAND_pseudo_bytes.3ssl.gz
x ./opt/local/share/man/man3/RAND_screen.3ssl.gz
x ./opt/local/share/man/man3/RAND_seed.3ssl.gz
x ./opt/local/share/man/man3/RAND_set_rand_method.3ssl.gz
x ./opt/local/share/man/man3/RAND_SSLeay.3ssl.gz
x ./opt/local/share/man/man3/RAND_status.3ssl.gz
x ./opt/local/share/man/man3/RAND_write_file.3ssl.gz

- x ./opt/local/share/man/man3/rc4.3ssl.gz
- x ./opt/local/share/man/man3/RC4_set_key.3ssl.gz
- x ./opt/local/share/man/man3/ripemd.3ssl.gz
- x ./opt/local/share/man/man3/RIPEMD160.3ssl.gz
- x ./opt/local/share/man/man3/RIPEMD160_Final.3ssl.gz
- x ./opt/local/share/man/man3/RIPEMD160_Init.3ssl.gz
- x ./opt/local/share/man/man3/RIPEMD160_Update.3ssl.gz
- x ./opt/local/share/man/man3/rsa.3ssl.gz
- x ./opt/local/share/man/man3/RSA_blinding_off.3ssl.gz
- x ./opt/local/share/man/man3/RSA_blinding_on.3ssl.gz
- x ./opt/local/share/man/man3/RSA_check_key.3ssl.gz
- x ./opt/local/share/man/man3/RSA_flags.3ssl.gz
- x ./opt/local/share/man/man3/RSA_free.3ssl.gz
- x ./opt/local/share/man/man3/RSA_generate_key.3ssl.gz
- x ./opt/local/share/man/man3/RSA_get_default_method.3ssl.gz
- x ./opt/local/share/man/man3/RSA_get_ex_data.3ssl.gz
- x ./opt/local/share/man/man3/RSA_get_ex_new_index.3ssl.gz
- x ./opt/local/share/man/man3/RSA_get_method.3ssl.gz
- x ./opt/local/share/man/man3/RSA_new.3ssl.gz
- x ./opt/local/share/man/man3/RSA_new_method.3ssl.gz
- x ./opt/local/share/man/man3/RSA_null_method.3ssl.gz
- x ./opt/local/share/man/man3/RSA_padding_add_none.3ssl.gz
- x ./opt/local/share/man/man3/RSA_padding_add_PKCS1_OAEP.3ssl.gz
- x ./opt/local/share/man/man3/RSA_padding_add_PKCS1_type_1.3ssl.gz

x ./opt/local/share/man/man3/RSA_padding_add_PKCS1_type_2.3ssl.gz
x ./opt/local/share/man/man3/RSA_padding_add_SSLv23.3ssl.gz
x ./opt/local/share/man/man3/RSA_padding_check_none.3ssl.gz
x ./opt/local/share/man/man3/RSA_padding_check_PKCS1_OAEP.3ssl.gz
x ./opt/local/share/man/man3/RSA_padding_check_PKCS1_type_1.3ssl.gz
x ./opt/local/share/man/man3/RSA_padding_check_PKCS1_type_2.3ssl.gz
x ./opt/local/share/man/man3/RSA_padding_check_SSLv23.3ssl.gz
x ./opt/local/share/man/man3/RSA_PKCS1_SSLeay.3ssl.gz
x ./opt/local/share/man/man3/RSA_print.3ssl.gz
x ./opt/local/share/man/man3/RSA_print_fp.3ssl.gz
x ./opt/local/share/man/man3/RSA_private_decrypt.3ssl.gz
x ./opt/local/share/man/man3/RSA_private_encrypt.3ssl.gz
x ./opt/local/share/man/man3/RSA_public_decrypt.3ssl.gz
x ./opt/local/share/man/man3/RSA_public_encrypt.3ssl.gz
x ./opt/local/share/man/man3/RSA_set_default_method.3ssl.gz
x ./opt/local/share/man/man3/RSA_set_ex_data.3ssl.gz
x ./opt/local/share/man/man3/RSA_set_method.3ssl.gz
x ./opt/local/share/man/man3/RSA_sign.3ssl.gz
x ./opt/local/share/man/man3/RSA_sign_ASN1_OCTET_STRING.3ssl.gz
x ./opt/local/share/man/man3/RSA_size.3ssl.gz
x ./opt/local/share/man/man3/RSA_verify.3ssl.gz
x ./opt/local/share/man/man3/RSA_verify_ASN1_OCTET_STRING.3ssl.gz
x ./opt/local/share/man/man3/sha.3ssl.gz
x ./opt/local/share/man/man3/SHA1.3ssl.gz

- x ./opt/local/share/man/man3/SHA1_Final.3ssl.gz
- x ./opt/local/share/man/man3/SHA1_Init.3ssl.gz
- x ./opt/local/share/man/man3/SHA1_Update.3ssl.gz
- x ./opt/local/share/man/man3/SMIME_read_CMS.3ssl.gz
- x ./opt/local/share/man/man3/SMIME_read_PKCS7.3ssl.gz
- x ./opt/local/share/man/man3/SMIME_write_CMS.3ssl.gz
- x ./opt/local/share/man/man3/SMIME_write_PKCS7.3ssl.gz
- x ./opt/local/share/man/man3/ssl.3ssl.gz
- x ./opt/local/share/man/man3/SSL_accept.3ssl.gz
- x ./opt/local/share/man/man3/SSL_add_client_CA.3ssl.gz
- x ./opt/local/share/man/man3/SSL_add_session.3ssl.gz
- x ./opt/local/share/man/man3/SSL_alert_desc_string.3ssl.gz
- x ./opt/local/share/man/man3/SSL_alert_desc_string_long.3ssl.gz
- x ./opt/local/share/man/man3/SSL_alert_type_string.3ssl.gz
- x ./opt/local/share/man/man3/SSL_alert_type_string_long.3ssl.gz
- x ./opt/local/share/man/man3/SSL_callback_ctrl.3ssl.gz
- x ./opt/local/share/man/man3/SSL_check_private_key.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CIPHER_description.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CIPHER_get_bits.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CIPHER_get_name.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CIPHER_get_version.3ssl.gz
- x ./opt/local/share/man/man3/SSL_clear.3ssl.gz
- x ./opt/local/share/man/man3/SSL_clear_options.3ssl.gz
- x ./opt/local/share/man/man3/SSL_COMP_add_compression_method.3ssl.gz

x ./opt/local/share/man/man3/SSL_connect.3ssl.gz
x ./opt/local/share/man/man3/SSL_ctrl.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_add_client_CA.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_add_extra_chain_cert.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_add_session.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_callback_ctrl.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_check_private_key.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_clear_options.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_ctrl.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_flush_sessions.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_free.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_cert_store.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_client_CA_list.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_client_cert_cb.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_ex_data.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_ex_new_index.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_info_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_max_cert_list.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_mode.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_options.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_quiet_shutdown.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_session_cache_mode.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_timeout.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_verify_callback.3ssl.gz

x ./opt/local/share/man/man3/SSL_CTX_get_verify_depth.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_get_verify_mode.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_load_verify_locations.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_need_tmp_rsa.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_new.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_remove_session.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_accept.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_accept_good.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_accept_renegotiate.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_cache_full.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_cb_hits.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_connect.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_connect_good.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_connect_renegotiate.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_get_cache_size.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_get_get_cb.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_get_new_cb.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_get_remove_cb.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_hits.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_misses.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_number.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_set_cache_size.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_set_get_cb.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_sess_set_new_cb.3ssl.gz

- x ./opt/local/share/man/man3/SSL_CTX_sess_set_remove_cb.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_sess_timeouts.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_sessions.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_cert_store.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_cert_verify_callback.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_cipher_list.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_client_CA_list.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_client_cert_cb.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_default_passwd_cb.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_default_passwd_cb_userdata.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_ex_data.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_generate_session_id.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_info_callback.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_max_cert_list.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_mode.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_msg_callback.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_msg_callback_arg.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_options.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_psk_client_callback.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_psk_server_callback.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_quiet_shutdown.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_session_cache_mode.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_session_id_context.3ssl.gz
- x ./opt/local/share/man/man3/SSL_CTX_set_ssl_version.3ssl.gz

x ./opt/local/share/man/man3/SSL_CTX_set_timeout.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_set_tmp_dh.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_set_tmp_dh_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_set_tmp_rsa.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_set_tmp_rsa_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_set_verify.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_set_verify_depth.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_certificate.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_certificate_ASN1.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_certificate_chain_file.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_certificate_file.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_PrivateKey.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_PrivateKey_ASN1.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_PrivateKey_file.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_psk_identity_hint.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_RSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_RSAPrivateKey_ASN1.3ssl.gz
x ./opt/local/share/man/man3/SSL_CTX_use_RSAPrivateKey_file.3ssl.gz
x ./opt/local/share/man/man3/SSL_do_handshake.3ssl.gz
x ./opt/local/share/man/man3/SSL_flush_sessions.3ssl.gz
x ./opt/local/share/man/man3/SSL_free.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_accept_state.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_cipher.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_cipher_bits.3ssl.gz

x ./opt/local/share/man/man3/SSL_get_cipher_list.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_cipher_name.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_cipher_version.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_ciphers.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_client_CA_list.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_current_cipher.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_default_timeout.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_error.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_ex_data.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_ex_data_X509_STORE_CTX_idx.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_ex_new_index.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_fd.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_info_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_max_cert_list.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_mode.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_msg_callback_arg.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_options.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_peer_cert_chain.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_peer_certificate.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_psk_identity.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_psk_identity_hint.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_quiet_shutdown.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_rbio.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_secure_renegotiation_support.3ssl.gz

x ./opt/local/share/man/man3/SSL_get_session.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_shutdown.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_SSL_CTX.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_ssl_method.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_verify_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_verify_depth.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_verify_mode.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_verify_result.3ssl.gz
x ./opt/local/share/man/man3/SSL_get_version.3ssl.gz
x ./opt/local/share/man/man3/SSL_has_matching_session_id.3ssl.gz
x ./opt/local/share/man/man3/SSL_library_init.3ssl.gz
x ./opt/local/share/man/man3/SSL_load_client_CA_file.3ssl.gz
x ./opt/local/share/man/man3/SSL_load_error_strings.3ssl.gz
x ./opt/local/share/man/man3/SSL_need_tmp_rsa.3ssl.gz
x ./opt/local/share/man/man3/SSL_new.3ssl.gz
x ./opt/local/share/man/man3/SSL_pending.3ssl.gz
x ./opt/local/share/man/man3/SSL_read.3ssl.gz
x ./opt/local/share/man/man3/SSL_remove_session.3ssl.gz
x ./opt/local/share/man/man3/SSL_rstate_string.3ssl.gz
x ./opt/local/share/man/man3/SSL_rstate_string_long.3ssl.gz
x ./opt/local/share/man/man3/SSL_SESSION_free.3ssl.gz
x ./opt/local/share/man/man3/SSL_SESSION_get_ex_data.3ssl.gz
x ./opt/local/share/man/man3/SSL_SESSION_get_ex_new_index.3ssl.gz
x ./opt/local/share/man/man3/SSL_SESSION_get_time.3ssl.gz

x ./opt/local/share/man/man3/SSL_SESSION_get_timeout.3ssl.gz
x ./opt/local/share/man/man3/SSL_session_reused.3ssl.gz
x ./opt/local/share/man/man3/SSL_SESSION_set_ex_data.3ssl.gz
x ./opt/local/share/man/man3/SSL_SESSION_set_time.3ssl.gz
x ./opt/local/share/man/man3/SSL_SESSION_set_timeout.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_bio.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_cipher_list.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_client_CA_list.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_connect_state.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_ex_data.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_fd.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_generate_session_id.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_info_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_max_cert_list.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_mode.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_msg_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_options.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_psk_client_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_psk_server_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_quiet_shutdown.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_session.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_session_id_context.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_shutdown.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_ssl_method.3ssl.gz

x ./opt/local/share/man/man3/SSL_set_tmp_dh.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_tmp_dh_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_tmp_rsa.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_tmp_rsa_callback.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_verify.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_verify_depth.3ssl.gz
x ./opt/local/share/man/man3/SSL_set_verify_result.3ssl.gz
x ./opt/local/share/man/man3/SSL_shutdown.3ssl.gz
x ./opt/local/share/man/man3/SSL_state_string.3ssl.gz
x ./opt/local/share/man/man3/SSL_state_string_long.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_certificate.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_certificate_ASN1.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_certificate_file.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_PrivateKey.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_PrivateKey_ASN1.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_PrivateKey_file.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_psk_identity_hint.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_RSAPrivateKey.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_RSAPrivateKey_ASN1.3ssl.gz
x ./opt/local/share/man/man3/SSL_use_RSAPrivateKey_file.3ssl.gz
x ./opt/local/share/man/man3/SSL_want.3ssl.gz
x ./opt/local/share/man/man3/SSL_want_nothing.3ssl.gz
x ./opt/local/share/man/man3/SSL_want_read.3ssl.gz
x ./opt/local/share/man/man3/SSL_want_write.3ssl.gz

x ./opt/local/share/man/man3/SSL_want_x509_lookup.3ssl.gz
x ./opt/local/share/man/man3/SSL_write.3ssl.gz
x ./opt/local/share/man/man3/SSLey.3ssl.gz
x ./opt/local/share/man/man3/SSLey_add_ssl_algorithms.3ssl.gz
x ./opt/local/share/man/man3/SSLey_version.3ssl.gz
x ./opt/local/share/man/man3/threads.3ssl.gz
x ./opt/local/share/man/man3/ui.3ssl.gz
x ./opt/local/share/man/man3/UI_add_error_string.3ssl.gz
x ./opt/local/share/man/man3/UI_add_info_string.3ssl.gz
x ./opt/local/share/man/man3/UI_add_input_boolean.3ssl.gz
x ./opt/local/share/man/man3/UI_add_input_string.3ssl.gz
x ./opt/local/share/man/man3/UI_add_user_data.3ssl.gz
x ./opt/local/share/man/man3/UI_add_verify_string.3ssl.gz
x ./opt/local/share/man/man3/ui_compat.3ssl.gz
x ./opt/local/share/man/man3/UI_construct_prompt.3ssl.gz
x ./opt/local/share/man/man3/UI_ctrl.3ssl.gz
x ./opt/local/share/man/man3/UI_dup_error_string.3ssl.gz
x ./opt/local/share/man/man3/UI_dup_info_string.3ssl.gz
x ./opt/local/share/man/man3/UI_dup_input_boolean.3ssl.gz
x ./opt/local/share/man/man3/UI_dup_input_string.3ssl.gz
x ./opt/local/share/man/man3/UI_dup_verify_string.3ssl.gz
x ./opt/local/share/man/man3/UI_free.3ssl.gz
x ./opt/local/share/man/man3/UI_get0_result.3ssl.gz
x ./opt/local/share/man/man3/UI_get0_user_data.3ssl.gz

x ./opt/local/share/man/man3/UI_get_default_method.3ssl.gz
x ./opt/local/share/man/man3/UI_get_method.3ssl.gz
x ./opt/local/share/man/man3/UI_new.3ssl.gz
x ./opt/local/share/man/man3/UI_new_method.3ssl.gz
x ./opt/local/share/man/man3/UI_OpenSSL.3ssl.gz
x ./opt/local/share/man/man3/UI_process.3ssl.gz
x ./opt/local/share/man/man3/UI_set_default_method.3ssl.gz
x ./opt/local/share/man/man3/UI_set_method.3ssl.gz
x ./opt/local/share/man/man3/x509.3ssl.gz
x ./opt/local/share/man/man3/X509_free.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_add_entry.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_add_entry_by_NID.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_add_entry_by_OBJ.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_add_entry_by_txt.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_delete_entry.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_entry_count.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_ENTRY_create_by_NID.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_ENTRY_create_by_OBJ.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_ENTRY_create_by_txt.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_ENTRY_get_data.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_ENTRY_get_object.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_ENTRY_set_data.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_ENTRY_set_object.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_get_entry.3ssl.gz

x ./opt/local/share/man/man3/X509_NAME_get_index_by_NID.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_get_index_by_OBJ.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_get_text_by_NID.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_get_text_by_OBJ.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_online.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_print.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_print_ex.3ssl.gz
x ./opt/local/share/man/man3/X509_NAME_print_ex_fp.3ssl.gz
x ./opt/local/share/man/man3/X509_new.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_cleanup.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_free.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_get0_param.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_get1_chain.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_get_current_cert.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_get_error.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_get_error_depth.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_get_ex_data.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_get_ex_new_index.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_init.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_new.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_set0_crls.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_set0_param.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_set_cert.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_set_chain.3ssl.gz

x ./opt/local/share/man/man3/X509_STORE_CTX_set_default.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_set_error.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_set_ex_data.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_set_verify_cb.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_CTX_trusted_stack.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_set_verify_cb.3ssl.gz
x ./opt/local/share/man/man3/X509_STORE_set_verify_cb_func.3ssl.gz
x ./opt/local/share/man/man3/X509_verify_cert.3ssl.gz
x ./opt/local/share/man/man3/X509_verify_cert_error_string.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_add0_policy.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_clear_flags.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_get_depth.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_get_flags.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_set1_policies.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_set_depth.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_set_flags.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_set_purpose.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_set_time.3ssl.gz
x ./opt/local/share/man/man3/X509_VERIFY_PARAM_set_trust.3ssl.gz
x ./opt/local/share/man/man1/asn1parse.1ssl.gz
x ./opt/local/share/man/man1/ca.1ssl.gz
x ./opt/local/share/man/man1/CA.pl.1ssl.gz
x ./opt/local/share/man/man1/ciphers.1ssl.gz
x ./opt/local/share/man/man1/cms.1ssl.gz

x ./opt/local/share/man/man1/crl.1ssl.gz
x ./opt/local/share/man/man1/crl2pkcs7.1ssl.gz
x ./opt/local/share/man/man1/dgst.1ssl.gz
x ./opt/local/share/man/man1/dhparam.1ssl.gz
x ./opt/local/share/man/man1/dsa.1ssl.gz
x ./opt/local/share/man/man1/dsaparam.1ssl.gz
x ./opt/local/share/man/man1/ec.1ssl.gz
x ./opt/local/share/man/man1/ecparam.1ssl.gz
x ./opt/local/share/man/man1/enc.1ssl.gz
x ./opt/local/share/man/man1/errstr.1ssl.gz
x ./opt/local/share/man/man1/gendsa.1ssl.gz
x ./opt/local/share/man/man1/genpkey.1ssl.gz
x ./opt/local/share/man/man1/genrsa.1ssl.gz
x ./opt/local/share/man/man1/md2.1ssl.gz
x ./opt/local/share/man/man1/md4.1ssl.gz
x ./opt/local/share/man/man1/md5.1ssl.gz
x ./opt/local/share/man/man1/mdc2.1ssl.gz
x ./opt/local/share/man/man1/nseq.1ssl.gz
x ./opt/local/share/man/man1/ocsp.1ssl.gz
x ./opt/local/share/man/man1/openssl.1ssl.gz
x ./opt/local/share/man/man1/passwd.1ssl.gz
x ./opt/local/share/man/man1/pkcs12.1ssl.gz
x ./opt/local/share/man/man1/pkcs7.1ssl.gz
x ./opt/local/share/man/man1/pkcs8.1ssl.gz

x ./opt/local/share/man/man1/pkey.1ssl.gz
x ./opt/local/share/man/man1/pkeyparam.1ssl.gz
x ./opt/local/share/man/man1/pkeyutl.1ssl.gz
x ./opt/local/share/man/man1/rand.1ssl.gz
x ./opt/local/share/man/man1/req.1ssl.gz
x ./opt/local/share/man/man1/ripemd160.1ssl.gz
x ./opt/local/share/man/man1/rsa.1ssl.gz
x ./opt/local/share/man/man1/rsautl.1ssl.gz
x ./opt/local/share/man/man1/s_client.1ssl.gz
x ./opt/local/share/man/man1/s_server.1ssl.gz
x ./opt/local/share/man/man1/s_time.1ssl.gz
x ./opt/local/share/man/man1/sess_id.1ssl.gz
x ./opt/local/share/man/man1/sha.1ssl.gz
x ./opt/local/share/man/man1/sha1.1ssl.gz
x ./opt/local/share/man/man1/smime.1ssl.gz
x ./opt/local/share/man/man1/speed.1ssl.gz
x ./opt/local/share/man/man1/spkac.1ssl.gz
x ./opt/local/share/man/man1/ts.1ssl.gz
x ./opt/local/share/man/man1/tsget.1ssl.gz
x ./opt/local/share/man/man1/verify.1ssl.gz
x ./opt/local/share/man/man1/version.1ssl.gz
x ./opt/local/share/man/man1/x509.1ssl.gz
x ./opt/local/lib/engines/
x ./opt/local/lib/libcrypto.1.0.0.dylib

- x ./opt/local/lib/libcrypto.a
- x ./opt/local/lib/libcrypto.dylib
- x ./opt/local/lib/libssl.1.0.0.dylib
- x ./opt/local/lib/libssl.a
- x ./opt/local/lib/libssl.dylib
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/libcrypto.pc
- x ./opt/local/lib/pkgconfig/libssl.pc
- x ./opt/local/lib/pkgconfig/openssl.pc
- x ./opt/local/lib/engines/lib4758cca.dylib
- x ./opt/local/lib/engines/libaep.dylib
- x ./opt/local/lib/engines/libatalla.dylib
- x ./opt/local/lib/engines/libcapi.dylib
- x ./opt/local/lib/engines/libchil.dylib
- x ./opt/local/lib/engines/libcswift.dylib
- x ./opt/local/lib/engines/libgmp.dylib
- x ./opt/local/lib/engines/libgost.dylib
- x ./opt/local/lib/engines/libnuron.dylib
- x ./opt/local/lib/engines/libpadlock.dylib
- x ./opt/local/lib/engines/libsureware.dylib
- x ./opt/local/lib/engines/libubsec.dylib
- x ./opt/local/include/openssl/
- x ./opt/local/include/openssl/aes.h
- x ./opt/local/include/openssl/asn1.h

x ./opt/local/include/openssl/asn1_mac.h
x ./opt/local/include/openssl/asn1t.h
x ./opt/local/include/openssl/bio.h
x ./opt/local/include/openssl/blowfish.h
x ./opt/local/include/openssl/bn.h
x ./opt/local/include/openssl/buffer.h
x ./opt/local/include/openssl/camellia.h
x ./opt/local/include/openssl/cast.h
x ./opt/local/include/openssl/cmac.h
x ./opt/local/include/openssl/cms.h
x ./opt/local/include/openssl/comp.h
x ./opt/local/include/openssl/conf.h
x ./opt/local/include/openssl/conf_api.h
x ./opt/local/include/openssl/crypto.h
x ./opt/local/include/openssl/des.h
x ./opt/local/include/openssl/des_old.h
x ./opt/local/include/openssl/dh.h
x ./opt/local/include/openssl/dsa.h
x ./opt/local/include/openssl/dso.h
x ./opt/local/include/openssl/dtls1.h
x ./opt/local/include/openssl/e_os2.h
x ./opt/local/include/openssl/ebcdic.h
x ./opt/local/include/openssl/ec.h
x ./opt/local/include/openssl/ecdh.h

- x ./opt/local/include/openssl/ecdsa.h
- x ./opt/local/include/openssl/engine.h
- x ./opt/local/include/openssl/err.h
- x ./opt/local/include/openssl/evp.h
- x ./opt/local/include/openssl/hmac.h
- x ./opt/local/include/openssl/idea.h
- x ./opt/local/include/openssl/krb5_asn.h
- x ./opt/local/include/openssl/kssl.h
- x ./opt/local/include/openssl/lhash.h
- x ./opt/local/include/openssl/md4.h
- x ./opt/local/include/openssl/md5.h
- x ./opt/local/include/openssl/mdc2.h
- x ./opt/local/include/openssl/modes.h
- x ./opt/local/include/openssl/obj_mac.h
- x ./opt/local/include/openssl/objects.h
- x ./opt/local/include/openssl/ocsp.h
- x ./opt/local/include/openssl/opensslconf.h
- x ./opt/local/include/openssl/opensslv.h
- x ./opt/local/include/openssl/ossl_typ.h
- x ./opt/local/include/openssl/pem.h
- x ./opt/local/include/openssl/pem2.h
- x ./opt/local/include/openssl/pkcs12.h
- x ./opt/local/include/openssl/pkcs7.h
- x ./opt/local/include/openssl/pqueue.h

- x ./opt/local/include/openssl/rand.h
- x ./opt/local/include/openssl/rc2.h
- x ./opt/local/include/openssl/rc4.h
- x ./opt/local/include/openssl/ripemd.h
- x ./opt/local/include/openssl/rsa.h
- x ./opt/local/include/openssl/safestack.h
- x ./opt/local/include/openssl/seed.h
- x ./opt/local/include/openssl/sha.h
- x ./opt/local/include/openssl/srp.h
- x ./opt/local/include/openssl/srtp.h
- x ./opt/local/include/openssl/ssl.h
- x ./opt/local/include/openssl/ssl2.h
- x ./opt/local/include/openssl/ssl23.h
- x ./opt/local/include/openssl/ssl3.h
- x ./opt/local/include/openssl/stack.h
- x ./opt/local/include/openssl/symhacks.h
- x ./opt/local/include/openssl/tls1.h
- x ./opt/local/include/openssl/ts.h
- x ./opt/local/include/openssl/txt_db.h
- x ./opt/local/include/openssl/ui.h
- x ./opt/local/include/openssl/ui_compat.h
- x ./opt/local/include/openssl/whrlpool.h
- x ./opt/local/include/openssl/x509.h
- x ./opt/local/include/openssl/x509_vfy.h

```

x ./opt/local/include/openssl/x509v3.h
x ./opt/local/etc/openssl/
x ./opt/local/etc/openssl/misc/
x ./opt/local/etc/openssl/openssl.cnf
x ./opt/local/etc/openssl/misc/c_hash
x ./opt/local/etc/openssl/misc/c_info
x ./opt/local/etc/openssl/misc/c_issuer
x ./opt/local/etc/openssl/misc/c_name
x ./opt/local/etc/openssl/misc/CA.pl
x ./opt/local/etc/openssl/misc/CA.sh
x ./opt/local/etc/openssl/misc/tsget
x ./opt/local/bin/c_rehash
x ./opt/local/bin/openssl
---> Cleaning openssl
---> Removing work directory for openssl
---> Fetching archive for python_select
---> python_select-0.3_2.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch python_select-0.3_2.darwin_10.noarch.tbz2 from http://packages.macports.org/python_select
  % Total      % Received % Xferd   Average Speed   Time    Time       Time  Current
                        Dload  Upload    Total     Spent    Left     Speed
103 1654  103 1654    0      0  4832      0  --:--:--  --:--:--  --:--:--  9560
---> Attempting to fetch python_select-0.3_2.darwin_10.noarch.tbz2.rmd160 from

```

http://packages.macports.org/python_select

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload	Upload	Total	Spent	Left	Speed			
102	512	102	512	0	0	1489	0	--:--:--	--:--:--	--:--:--	2942

---> Installing python_select @0.3_2

---> Activating python_select @0.3_2

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/etc/

x ./opt/local/etc/select/

x ./opt/local/etc/select/python/

x ./opt/local/etc/select/python/base

x ./opt/local/etc/select/python/none

x ./opt/local/etc/select/python/python25-apple

x ./opt/local/etc/select/python/python26-apple

---> Cleaning python_select

---> Removing work directory for python_select

---> Fetching archive for sqlite3

---> sqlite3-3.8.0.2_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified

---> Attempting to fetch sqlite3-3.8.0.2_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/sqlite3

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	753k	100	753k	0	0	282k	0	0:00:02	0:00:02	--:--:--	301k

---> Attempting to fetch sqlite3-3.8.0.2_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/sqlite3

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1525	0	--:--:--	--:--:--	--:--:--	2925

---> Installing sqlite3 @3.8.0.2_0

---> Activating sqlite3 @3.8.0.2_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/include/


```

x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man1/sqlite3.1.gz
x ./opt/local/lib/libsqlite3.0.dylib
x ./opt/local/lib/libsqlite3.a
x ./opt/local/lib/libsqlite3.dylib
x ./opt/local/lib/libsqlite3.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/sqlite3.pc
x ./opt/local/include/sqlite3.h
x ./opt/local/include/sqlite3ext.h
x ./opt/local/bin/sqlite3
---> Cleaning sqlite3
---> Removing work directory for sqlite3
---> Fetching archive for python27
---> python27-2.7.5_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local
/var/macports/incoming/verified
---> Attempting to fetch python27-2.7.5_1.darwin_10.x86_64.tbz2 from http://pac
kages.macports.org/python27
  % Total    % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload    Total   Spent    Left   Speed
100 11.5M  100 11.5M    0     0   505k      0  0:00:23  0:00:23 --:--:--  452k

```

---> Attempting to fetch python27-2.7.5_1.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/python27

% Total	% Received	% Xferd	Average Dload	Average Upload	Speed	Time Total	Time Spent	Time Left	Current Speed
102	512	102	512	0	0	1611	0	--:--:--	3180

---> Installing python27 @2.7.5_1

---> Activating python27 @2.7.5_1

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./Applications/

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/etc/

x ./opt/local/lib/

x ./opt/local/Library/

x ./opt/local/share/

x ./opt/local/share/man/

x ./opt/local/share/man/man1/

x ./opt/local/share/man/man1/python2.7.1

```
x ./opt/local/Library/Frameworks/  
x ./opt/local/Library/Frameworks/Python.framework/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Headers  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Python  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/share/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/share/man/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/share/man/man1/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/share/man/man1/py  
thon.1  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/share/man/man1/py  
thon2.1  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/share/man/man1/py  
thon2.7.1  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Info.pl  
ist  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.  
app/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.
```

```
app/Contents/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.  
app/Contents/Info.plist  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.  
app/Contents/MacOS/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.  
app/Contents/PkgInfo  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.  
app/Contents/Resources/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.  
app/Contents/Resources/PythonApplet.icns  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.  
app/Contents/Resources/PythonInterpreter.icns  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/Resources/Python.  
app/Contents/MacOS/Python  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/libpython2.7.  
dylib  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/pkgconfig/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/__f  
uture__.py  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/__f  
uture__.pyc  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/__f
```

uture__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/__p
hello__.foo.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/__p
hello__.foo.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/__p
hello__.foo.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_ab
coll.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_ab
coll.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_ab
coll.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_LW
PCookieJar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_LW
PCookieJar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_LW
PCookieJar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_Mo
zillaCookieJar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_Mo
zillaCookieJar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_Mo

zillaCookieJar.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_osx_support.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_osx_support.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_osx_support.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_pyio.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_pyio.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_pyio.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_strptime.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_strptime.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_strptime.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_sysconfigdata.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_sysconfigdata.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_sys

sconfigdata.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_th
reading_local.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_th
reading_local.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_th
reading_local.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_we
akrefset.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_we
akrefset.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/_we
akrefset.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/abc
.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/abc
.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/abc
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/aif
c.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/aif
c.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/aif

c.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/antigravity.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/antigravity.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/antigravity.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/anydbm.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/anydbm.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/anydbm.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/argparse.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/argparse.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/argparse.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ast.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ast.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ast

.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncchat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncchat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncchat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncncore.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncncore.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncncore.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncxit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncxit.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/asyncxit.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/audiodev.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/audiodev.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/audiodev.pyo

iodev.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bas
e64.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bas
e64.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bas
e64.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Bas
eHTTPServer.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Bas
eHTTPServer.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Bas
eHTTPServer.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Bas
tion.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Bas
tion.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Bas
tion.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bdb
.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bdb
.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bdb

.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bin
hex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bin
hex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bin
hex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bis
ect.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bis
ect.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bis
ect.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cal
endar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cal
endar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cal
endar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cgi
.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cgi

.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cgi
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/CGI
HTTPServer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/CGI
HTTPServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/CGI
HTTPServer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cgi
tb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cgi
tb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cgi
tb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/chu
nk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/chu
nk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/chu
nk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cmd
.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cmd

.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cmd
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
e.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
e.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
e.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
ecs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
ecs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
ecs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
eop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
eop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cod
eop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/col
lections.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/col

lections.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/col
lections.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/col
orsys.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/col
orsys.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/col
orsys.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
mands.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
mands.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
mands.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
pileall.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
pileall.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
pileall.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/con

```
fig/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Con
figParser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Con
figParser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Con
figParser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/con
textlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/con
textlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/con
textlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Coo
kie.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Coo
kie.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Coo
kie.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/coo
kielib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/coo
kielib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/coo
```

kielib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/copy.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/copy.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/copy.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/copy_reg.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/copy_reg.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/copy_reg.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cProfile.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cProfile.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cProfile.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/csv.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/csv.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/csv

.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dbhash.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dbhash.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dbhash.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/decimal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/decimal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/decimal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/difflib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/difflib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/difflib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dir

cache.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dir

cache.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dir

cache.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/doc

test.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/doc

test.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/doc

test.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Doc

XMLRPCServer.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Doc

XMLRPCServer.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Doc

XMLRPCServer.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
bdbm.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
bdbm.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
bdbm.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
my_thread.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
my_thread.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
my_thread.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
my_threading.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
my_threading.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dum
my_threading.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc
odings/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fil

ecmp.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fil

ecmp.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fil

ecmp.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fil

einput.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fil

einput.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fil

einput.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fnm

atch.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fnm

atch.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fnm

atch.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/for

matter.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/for

matter.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/for

matter.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fpf

ormat.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fpf

ormat.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fpf

ormat.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fra

ctions.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fra

ctions.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fra

ctions.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ftp

lib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ftp

lib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ftp

lib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fun

ctools.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fun

ctools.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/fun

ctools.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/gen

ericpath.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/gen
ericpath.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/gen
ericpath.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
opt.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
opt.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
opt.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
pass.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
pass.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
pass.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
text.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
text.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/get
text.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/glo

b.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/glob.py
b.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/glob.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/gzip.py
p.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/gzip.pyo
p.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/gzip.pyo
p.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hashlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hashlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hashlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/heapq.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/heapq.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/heapq.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hmac

```
c.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hmac.pyc
c.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hmac.pyo
./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hotshot/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/htmlentitydefs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/htmlentitydefs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/htmlentitydefs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/htmllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/htmllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/htmllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/HTMLParser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/HTMLParser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/HTML
```


LParser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/http
plib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/http
plib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/http
plib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ihooks.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ihooks.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ihooks.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/imaplib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/imaplib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/imaplib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/img
hdr.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/img

hdr.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/img

hdr.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/importlib/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/importlib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/importlib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/importlib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/inspect.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/inspect.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/inspect.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/io.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/io.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/io.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso

n/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/key
word.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/key
word.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/key
word.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/LIC
ENSE.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lin
ecache.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lin
ecache.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lin
ecache.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/loc
ale.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/loc

ale.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/loc

ale.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/log
ging/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mac
path.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mac
path.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mac
path.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mac
url2path.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mac
url2path.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mac
url2path.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mai
lbox.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mai
lbox.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mai
lbox.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mai

```
lcap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mai
lcap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mai
lcap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mar
kupbase.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mar
kupbase.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mar
kupbase.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/md5
.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/md5
.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/md5
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mhl
ib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mhl
ib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mhl
ib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim
```

etools.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim

etools.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim

etools.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim

etypes.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim

etypes.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim

etypes.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Mim

eWriter.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Mim

eWriter.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Mim

eWriter.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim

ify.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim

ify.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mim

ify.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mod

ulefinder.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/modulefinder.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/modulefinder.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multifile.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multifile.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multifile.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multiprocessing/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mutex.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mutex.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mutex.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/netrc.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/netrc.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/net

```
rc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/new
.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/new
.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/new
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/nnt
plib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/nnt
plib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/nnt
plib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ntp
ath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ntp
ath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ntp
ath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ntu
r12path.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ntu
r12path.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ntu
```


rl2path.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/numbers.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/numbers.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/numbers.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/opcode.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/opcode.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/opcode.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/optparse.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/optparse.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/optparse.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/os.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/os.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/os.

pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/os2
emxpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/os2
emxpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/os2
emxpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pdb
.doc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pdb
.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pdb
.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pdb
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pic
kle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pic
kle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pic
kle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pic
kletools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pic

kletools.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pic

kletools.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pip
es.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pip
es.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pip
es.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pkg
util.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pkg
util.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pkg
util.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-darwin/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
tform.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
tform.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

tform.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plistlib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plistlib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/plistlib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/popen2.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/popen2.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/popen2.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/poplib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/poplib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/poplib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/posixfile.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/posixfile.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pos

ixfile.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pos

ixpath.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pos

ixpath.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pos

ixpath.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ppr

int.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ppr

int.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ppr

int.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pro

file.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pro

file.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pro

file.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pst

ats.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pst

ats.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pst

ats.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pty.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pty.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pty.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/py_compile.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/py_compile.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/py_compile.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyc_lbr.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyc_lbr.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyc_lbr.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pydoc.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pydoc.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pydoc.pyo

oc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyd
oc_data/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Que
ue.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Que
ue.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Que
ue.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/quo
pri.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/quo
pri.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/quo
pri.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ran
dom.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ran
dom.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ran
dom.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/re.
py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/re.

pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/re.
pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rep
r.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rep
r.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rep
r.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rex
ec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rex
ec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rex
ec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rfc
822.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rfc
822.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rfc
822.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rlc
ompleter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rlc

ompleter.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rlc

ompleter.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rob

otparser.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rob

otparser.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/rob

otparser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/run

py.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/run

py.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/run

py.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sch

ed.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sch

ed.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sch

ed.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/set

s.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/set

```
s.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/set
s.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sgm
llib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sgm
llib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sgm
llib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sha
.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sha
.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sha
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/she
lve.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/she
lve.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/she
lve.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/shl
ex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/shl
```

```
ex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/shl
ex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/shu
til.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/shu
til.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/shu
til.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Sim
pleHTTPServer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Sim
pleHTTPServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Sim
pleHTTPServer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Sim
pleXMLRPCServer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Sim
pleXMLRPCServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Sim
pleXMLRPCServer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sit
e-packages/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sit
```

e.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/site.pyc
e.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/site.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/smt
pd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/smt
pd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/smt
pd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/smt
plib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/smt
plib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/smt
plib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/snd
hdr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/snd
hdr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/snd
hdr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/soc

ket.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/socket.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/socket.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/SocketServer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/SocketServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/SocketServer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/site3/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre_compile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre_compile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre

_compile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre_constants.py
_constants.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre_constants.pyc
_constants.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre_constants.pyo
_constants.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre_parse.py
_parse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre_parse.pyc
_parse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sre_parse.pyo
_parse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ssl.py
_py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ssl.pyc
_pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ssl.pyo
_pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/stat.py
_t.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/stat.pyc
_t.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/stat

t.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/statvfs.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/statvfs.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/statvfs.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/string.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/string.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/string.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/StringIO.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/StringIO.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/StringIO.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/stringold.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/stringold.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/string

ingold.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/stringprep.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/stringprep.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/stringprep.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/struct.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/struct.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/struct.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/subprocess.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/subprocess.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/subprocess.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sunau.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sunau.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sun

au.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sun
audio.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sun
audio.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sun
audio.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sym
bol.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sym
bol.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sym
bol.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sym
table.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sym
table.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sym
table.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sys
config.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sys
config.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sys

config.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tabnanny.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tabnanny.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tabnanny.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tarfile.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tarfile.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tarfile.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/telnetlib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/telnetlib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/telnetlib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/temppfile.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/temppfile.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tem

pfile.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/textrwrap.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/textrwrap.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/textrwrap.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/this.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/this.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/this.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/threading.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/threading.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/threading.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/timeit.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/time

eit.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tim

eit.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/toa

iff.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/toa

iff.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/toa

iff.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tok

en.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tok

en.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tok

en.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tok

enize.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tok

enize.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tok

enize.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tra

ce.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tra

ce.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/trace.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/traceback.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/traceback.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/traceback.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tty.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tty.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tty.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url

```
lib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url
lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url
lib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url
lib2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url
lib2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url
lib2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url
parse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url
parse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/url
parse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/use
r.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/use
r.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/use
r.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use
```

rDict.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use

rDict.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use

rDict.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use

rList.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use

rList.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use

rList.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use

rString.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use

rString.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/Use

rString.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ui.

py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ui.

pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ui.

pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ui

d.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ui
d.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ui
d.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/war
nings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/war
nings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/war
nings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wav
e.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wav
e.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wav
e.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wea
kref.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wea
kref.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wea
kref.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/web

browser.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/web

browser.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/web

browser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/whi

chdb.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/whi

chdb.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/whi

chdb.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg

iref/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg

iref.egg-info

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xdr

lib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xdr

lib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xdr

lib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml

/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml

```
lib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
lib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
rpclib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
rpclib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
rpclib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/zip
file.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/zip
file.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/zip
file.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
```

```
/dom/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/etree/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/parsers/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/__init__.py  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/__init__.pyc  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/__init__.pyo  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/_exceptions.py  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/_exceptions.pyc  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/_exceptions.pyo  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/expatreader.py  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml  
/sax/expatreader.pyc  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
```

```
/sax/expatreader.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/handler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/handler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/handler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/saxutils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/saxutils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/saxutils.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/xmlreader.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/xmlreader.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/sax/xmlreader.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/parsers/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/parsers/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
```

```
/parsers/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/parsers/expat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/parsers/expat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/parsers/expat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/cElementTree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/cElementTree.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/cElementTree.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/ElementInclude.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/ElementInclude.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
```

```
/etree/ElementInclude.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/ElementPath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/ElementPath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/ElementPath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/ElementTree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/ElementTree.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/etree/ElementTree.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/domreg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/domreg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
```

/dom/domreg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/expatbuilder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/expatbuilder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/expatbuilder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/minicompat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/minicompat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/minicompat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/minidom.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/minidom.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/minidom.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/NodeFilter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/NodeFilter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml

/dom/NodeFilter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/pulldom.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/pulldom.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/pulldom.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/xmlbuilder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/xmlbuilder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/xml
/dom/xmlbuilder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/handlers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/handlers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg

iref/handlers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/headers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/headers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/headers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/simple_server.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/simple_server.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/simple_server.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/validate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg
iref/validate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/wsg

iref/validate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/__main__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/__main__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/__main__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/case.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/case.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/case.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/loader.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/loader.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unit

ttest/loader.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/main.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/main.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/main.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/result.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/result.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/result.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/runner.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/runner.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/runner.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/signals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/signals.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni

ttest/signals.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/suite.py
ttest/suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/suite.pyc
ttest/suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/suite.pyo
ttest/suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/test/
ttest/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/util.py
ttest/util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/util.pyc
ttest/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/util.pyo
ttest/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/test/__init__.py
ttest/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/test/__init__.pyc
ttest/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/test/__init__.pyo
ttest/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/test/dummy.py
ttest/test/dummy.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unit

ttest/test/dummy.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/dummy.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_assertions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_assertions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_assertions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_break.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_break.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_break.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_case.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni

ttest/test/test_case.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_case.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_discovery.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_discovery.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_discovery.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_functiontestcase.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_functiontestcase.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_functiontestcase.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_loader.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_loader.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_loader.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_program.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni

```
ttest/test/test_program.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_program.pyo
ttest/test/test_result.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_result.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_result.pyo
ttest/test/test_runner.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_runner.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_runner.pyo
ttest/test/test_setups.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_setups.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
ttest/test/test_setups.pyo
ttest/test/test_skipping.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/uni
```

ttest/test/test_skipping.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/test/test_skipping.pyo
ttest/test/test_skipping.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/test/test_suite.py
ttest/test/test_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/test/test_suite.pyo
ttest/test/test_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/185test.db
t/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/__init__.pyc
t/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/audiotest.au
t/autotest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/autotest.pyc
t/autotest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/unittest/autotest.pyc

t/autotest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/bad_coding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/bad_coding2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badcert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badkey.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badsyntax_future3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badsyntax_future4.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badsyntax_future5.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badsyntax_future6.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badsyntax_future7.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badsyntax_future8.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/badsyntax_future9.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/badsyntax_nocaret.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/buffer_tests.py
t/buffer_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/buffer_tests.pyc
t/buffer_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/buffer_tests.pyo
t/buffer_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cfgparser.1
t/cfgparser.1
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/check_soundcard.vbs
t/check_soundcard.vbs
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/
t/cjkencodings/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cmath_testcases.txt
t/cmath_testcases.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/curses_tests.py
t/curses_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/curses_tests.pyc
t/curses_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/curses_tests.pyo
t/curses_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/data/
t/data/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/decimaltestdata/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/doctest_aliases.py
t/doctest_aliases.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/doctest_aliases.pyc
t/doctest_aliases.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/doctest_aliases.pyo
t/doctest_aliases.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/double_const.py
t/double_const.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/double_const.pyc
t/double_const.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/double_const.pyo
t/double_const.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/empty.vbs
t/empty.vbs
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/exception_hierarchy.txt
t/exception_hierarchy.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/floating_points.txt
t/floating_points.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/fork_wait.py
t/fork_wait.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/fork_wait.pyc
t/fork_wait.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/fork_wait.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/formatfloat_testcases.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/gdb_sample.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/gdb_sample.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/gdb_sample.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/greyrgb.uue
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/https_svn_python_org_root.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/ieee754.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/infinite_reload.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/infinite_reload.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/infinite_reload.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/inspect_fodder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/inspect_fodder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/inspect_fodder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/inspect_fodder2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/inspect_fodder2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/inspect_fodder2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/keycert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/list_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/list_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/list_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/lock_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/lock_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/lock_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/mapping_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/mapping_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/mapping_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/math_testcases.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/mp_fork_bomb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/mp_fork_bomb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/mp_fork_bomb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/nokia.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/nullcert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/outstanding_bugs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/outstanding_bugs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/outstanding_bugs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

```
t/pickletester.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pickletester.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pickletester.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/profilee.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/profilee.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/profilee.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pyclbr_input.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pyclbr_input.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pyclbr_input.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pydoc_mod.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pydoc_mod.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pydoc_mod.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

```
t/pydocfodder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pydocfodder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pydocfodder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pystone.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pystone.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/pystone.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/randv2_32.pck
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/randv2_64.pck
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/randv3.pck
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/re_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/re_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/re_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```



```
t/regptest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/regptest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/regptest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/reimport.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/reimport.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/reimport.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/reperf.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/reperf.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/reperf.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/sample_doctest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/sample_doctest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/sample_doctest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

```
t/sample_doctest_no_docstrings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/sample_doctest_no_docstrings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/sample_doctest_no_docstrings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/sample_doctest_no_doctests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/sample_doctest_no_doctests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/sample_doctest_no_doctests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/script_helper.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/script_helper.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/script_helper.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/seq_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/seq_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/seq_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/sgml_input.html
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/sha256.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/Sine-1000Hz-300ms.aif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/sortperf.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/sortperf.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/sortperf.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/string_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/string_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/string_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/subprocessdata/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/symlink_support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/symlink_support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/symlink_support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test___all__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test___all__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test___all__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test___future__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test___future__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test___future__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test__locale.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test__locale.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test__locale.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test__osx_support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test__osx_support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/test__osx_support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_abc.py
t/test_abc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_abc.pyc
t/test_abc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_abc.pyo
t/test_abc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_abstract_numbers.py
t/test_abstract_numbers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_abstract_numbers.pyc
t/test_abstract_numbers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_abstract_numbers.pyo
t/test_abstract_numbers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_aepack.py
t/test_aepack.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_aepack.pyc
t/test_aepack.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_aepack.pyo
t/test_aepack.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_aifc.py
t/test_aifc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_aifc.pyc
t/test_aifc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_aifc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_al.py
t/test_al.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_al.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_al.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_anydbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_anydbm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_anydbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_applesingle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_applesingle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_applesingle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_argparse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_argparse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_argparse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_array.py
t/test_array.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_array.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_array.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ascii_formatd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ascii_formatd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ascii_formatd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ast.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ast.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ast.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_asynchat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_asynchat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_augassign.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_base64.py
t/test_base64.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_base64.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_base64.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bastion.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bastion.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bastion.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bigaddrspace.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bigaddrspace.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bigaddrspace.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bigmem.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bigmem.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_bigmem.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binascii.py
t/test_binascii.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binascii.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binascii.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binhex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binhex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binhex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_binop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bisect.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bisect.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_bisect.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bool.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bool.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bool.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bsddb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bsddb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bsddb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bsddb185.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bsddb185.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bsddb185.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bsddb3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_bsddb3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/test_bsddb3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_buffer.py
t/test_buffer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_buffer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_buffer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bufio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bufio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bufio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_builtin.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_builtin.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_builtin.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bytes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bytes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_bytes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bz2.py
t/test_bz2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bz2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_bz2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_calendar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_calendar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_calendar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_call.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_call.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_call.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_capi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_capi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_capi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cd.py
t/test_cd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cfgparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cfgparser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cfgparser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test CGI.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test CGI.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test CGI.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_charmapcodec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_charmapcodec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_charmapcodec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cl.py
t/test_cl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_class.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_class.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_class.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_cmd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmd_line.py
t/test_cmd_line.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmd_line.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmd_line.pyo
t/test_cmd_line.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmd_line_script.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmd_line_script.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cmd_line_script.pyo
t/test_cmd_line_script.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_code.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_code.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_code.pyo
t/test_code.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecallbacks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecallbacks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_codeccallbacks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_cn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_cn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_cn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_hk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_hk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_hk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_iso2022.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_iso2022.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_iso2022.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_jp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_codecencodings_jp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/test_codecencodings_jp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecencodings_jp.py
t/test_codecencodings_kr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecencodings_kr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecencodings_kr.pyo
t/test_codecencodings_kr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecencodings_kr.pyo
t/test_codecencodings_tw.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecencodings_tw.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecencodings_tw.pyo
t/test_codecencodings_tw.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_cn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_cn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_cn.pyo
t/test_codecmaps_cn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_hk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_hk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_codecmaps_hk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_jp.py
t/test_codecmaps_jp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_jp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_jp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_kr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_kr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_kr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_tw.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_tw.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecmaps_tw.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codecs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_codecs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codeop.py
t/test_codeop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_codeop.pyo
t/test_coding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_coding.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_coding.pyo
t/test_coercion.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_coercion.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_coercion.pyo
t/test_collections.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_collections.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_collections.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_colors.py
t/test_colors.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_colors.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_colors.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_commands.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_commands.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_commands.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compare.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compare.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compare.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_compile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compileall.py
t/test_compileall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compileall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compileall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_compiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_complex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_complex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_complex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_complex_args.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_complex_args.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_complex_args.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_contains.py
t/test_contains.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_contains.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_contains.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_contextlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_contextlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_contextlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cookie.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cookie.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cookie.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cookieslib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cookieslib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_cookielib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_copy.py
t/test_copy.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_copy.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_copy.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_copy_reg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_copy_reg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_copy_reg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cpickle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cpickle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cpickle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cprofile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_cprofile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_cprofile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_crypt.py
t/test_crypt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_crypt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_crypt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_csv.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_csv.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_csv.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ctypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ctypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ctypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_curses.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_curses.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_curses.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_datetime.py
t/test_datetime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_datetime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_datetime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dbm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_decimal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_decimal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_decimal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_decorators.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_decorators.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_decorators.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_defaultdict.py
t/test_defaultdict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_defaultdict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_defaultdict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_deque.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_deque.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_deque.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_descr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_descr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_descr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_descrtut.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_descrtut.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_descrtut.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dict.py
t/test_dict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dict.pyc
t/test_dict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dict.pyo
t/test_dict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dictcomps.py
t/test_dictcomps.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dictcomps.pyc
t/test_dictcomps.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dictcomps.pyo
t/test_dictcomps.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dictviews.py
t/test_dictviews.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dictviews.pyc
t/test_dictviews.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dictviews.pyo
t/test_dictviews.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_difflib.py
t/test_difflib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_difflib.pyc
t/test_difflib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_diffplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_diffplib_expect.html
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dircache.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dircache.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dircache.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dis.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dis.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dis.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_distutils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_distutils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_distutils.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_dl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dl.pyo
t/test_dl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest.py
t/test_doctest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest.pyc
t/test_doctest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest.pyo
t/test_doctest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest.txt
t/test_doctest.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest2.py
t/test_doctest2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest2.pyc
t/test_doctest2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest2.pyo
t/test_doctest2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest2.txt
t/test_doctest2.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest3.txt
t/test_doctest3.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_doctest4.txt
t/test_doctest4.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_docxmlrpc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_docxmlrpc.pyc
t/test_docxmlrpc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_docxmlrpc.pyo
t/test_dumbdbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dumbdbm.pyc
t/test_dumbdbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dumbdbm.pyo
t/test_dummy_thread.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dummy_thread.pyc
t/test_dummy_thread.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dummy_threading.py
t/test_dummy_threading.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_dummy_threading.pyo
t/test_dummy_threading.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_email.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_email.pyc
t/test_email.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_email.pyo
t/test_email.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_email_codecs.py
t/test_email_codecs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_email_codecs.pyc
t/test_email_codecs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_email_codecs.pyo
t/test_email_codecs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_email_renamed.py
t/test_email_renamed.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_email_renamed.pyc
t/test_email_renamed.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_email_renamed.pyo
t/test_email_renamed.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_enumerate.py
t/test_enumerate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_enumerate.pyc
t/test_enumerate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_enumerate.pyo
t/test_enumerate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test


```
t/test_eof.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_eof.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_eof.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_epoll.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_epoll.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_epoll.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_errno.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_errno.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_errno.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_exception_variations.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_exception_variations.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_exception_variations.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_exceptions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_exceptions.pyc
t/test_exceptions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_extcall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_extcall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_extcall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fcntl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fcntl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fcntl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_file.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_file.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_file.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_file2k.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_file2k.pyc
t/test_file2k.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_file_eintr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_file_eintr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_file_eintr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_filecmp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_filecmp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_filecmp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fileinput.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fileinput.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fileinput.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_fileio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fileio.pyc
t/test_fileio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_float.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_float.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_float.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fnmatch.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fnmatch.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fnmatch.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fork1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fork1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fork1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_format.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_format.pyc
t/test_format.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_format.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fpformat.py
t/test_fpformat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fpformat.pyc
t/test_fpformat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fpformat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fractions.py
t/test_fractions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fractions.pyc
t/test_fractions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_fractions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_frozen.py
t/test_frozen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_frozen.pyc
t/test_frozen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_frozen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_ftplib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ftplib.pyc
t/test_ftplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_funcattrs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_funcattrs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_funcattrs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_functools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_functools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_functools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_future1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future1.pyc
t/test_future1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future2.py
t/test_future2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future2.pyc
t/test_future2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future3.py
t/test_future3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future3.pyc
t/test_future3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future4.py
t/test_future4.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future4.pyc
t/test_future4.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_future4.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_future5.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_future5.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_future5.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_future_builtins.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_future_builtins.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_future_builtins.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gdb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gdb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gdb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```



```
t/test_gdbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gdbm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gdbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_generators.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_generators.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_generators.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_genericpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_genericpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_genericpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_genexps.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_genexps.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_genexps.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_getargs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_getargs.pyc
t/test_getargs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_getargs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_getargs2.py
t/test_getargs2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_getargs2.pyc
t/test_getargs2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_getargs2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_getopt.py
t/test_getopt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_getopt.pyc
t/test_getopt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_getopt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_gettext.py
t/test_gettext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_gettext.pyc
t/test_gettext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_gettext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_gl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_glob.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_glob.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_glob.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_global.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_global.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_global.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_grammar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_grammar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_grammar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_grp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_grp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_grp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gzip.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gzip.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_gzip.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_hash.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_hash.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_hash.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_hashlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_hashlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_hashlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/test_heapq.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_heapq.pyc
t/test_heapq.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_heapq.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_hmac.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_hmac.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_hmac.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_hotshot.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_hotshot.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_hotshot.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_htmllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_htmllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_htmllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_htmlparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_htmlparser.pyc
t/test_htmlparser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_htmlparser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_httplib.py
t/test_httplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_httplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_httplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_httpservers.py
t/test_httpservers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_httpservers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_httpservers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imageop.py
t/test_imageop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imageop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imageop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_imaplib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imaplib.pyc
t/test_imaplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imaplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imgfile.py
t/test_imgfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imgfile.pyc
t/test_imgfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imgfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imp.py
t/test_imp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imp.pyc
t/test_imp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_imp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_import.py
t/test_import.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_import.pyc
t/test_import.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_import.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_importhooks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_importhooks.pyc
t/test_importhooks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_importhooks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_importlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_importlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_importlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_index.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_index.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_index.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_inspect.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_inspect.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_inspect.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test


```
t/test_int.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_int.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_int.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_int_literal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_int_literal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_int_literal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_io.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_io.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_io.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ioctl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ioctl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ioctl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_isinstance.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_isinstance.pyc
t/test_isinstance.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_iter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_iter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_iter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_iterlen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_iterlen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_iterlen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_itertools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_itertools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_itertools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_json.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_json.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_json.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_kqueue.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_kqueue.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_kqueue.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_largefile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_largefile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_largefile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_lib2to3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_lib2to3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_lib2to3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_linecache.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_linecache.pyc
t/test_linecache.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_linecache.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_linuxaudiodev.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_linuxaudiodev.pyc
t/test_linuxaudiodev.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_linuxaudiodev.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_list.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_list.pyc
t/test_list.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_list.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_locale.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_locale.pyc
t/test_locale.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_locale.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_logging.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_logging.pyc
t/test_logging.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_logging.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_long.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_long.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_long.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_long_future.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_long_future.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_long_future.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_longexp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_longexp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_longexp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_macos.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_macos.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_macos.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_macostools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_macostools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_macostools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_macpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_macpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_macpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mailbox.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mailbox.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mailbox.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_marshall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_marshall.pyc
t/test_marshall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_marshall.pyo
t/test_marshall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_math.py
t/test_math.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_math.pyc
t/test_math.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_math.pyo
t/test_math.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_md5.py
t/test_md5.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_md5.pyc
t/test_md5.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_md5.pyo
t/test_md5.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_memoryio.py
t/test_memoryio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_memoryio.pyc
t/test_memoryio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_memoryio.pyo
t/test_memoryio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_memoryview.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_memoryview.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_memoryview.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mhlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mhlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mhlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mimertools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mimertools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mimertools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mimetypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mimetypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mimetypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```


t/test_MimeWriter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_MimeWriter.pyc
t/test_MimeWriter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_minidom.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_minidom.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_minidom.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_mmap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_mmap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_mmap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_module.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_module.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_module.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_modulefinder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_modulefinder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_modulefinder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_msilib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_msilib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_msilib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multibytecodec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multibytecodec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multibytecodec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multibytecodec_support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multibytecodec_support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multibytecodec_support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

```
t/test_multifile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multifile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multifile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multiprocessing.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multiprocessing.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_multiprocessing.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mutants.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mutants.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mutants.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mutex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mutex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_mutex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

```
t/test_netrc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_netrc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_netrc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_new.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_new.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_new.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_nis.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_nis.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_nis.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_normalization.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_normalization.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_normalization.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_ntpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ntpath.pyc
t/test_ntpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_old_mailbox.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_old_mailbox.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_old_mailbox.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_opcodes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_opcodes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_opcodes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_openpty.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_openpty.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_openpty.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_operator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_operator.pyc
t/test_operator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_operator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_optparse.py
t/test_optparse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_optparse.pyc
t/test_optparse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_optparse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_os.py
t/test_os.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_os.pyc
t/test_os.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_os.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ossaudiodev.py
t/test_ossaudiodev.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ossaudiodev.pyc
t/test_ossaudiodev.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ossaudiodev.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_parser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_parser.pyc
t/test_parser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pdb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pdb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pdb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_peepholer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_peepholer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_peepholer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep247.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep247.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep247.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_pep263.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep263.pyc
t/test_pep263.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep263.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep277.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep277.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep277.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep292.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep292.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep292.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep352.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep352.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pep352.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_pickle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pickle.pyc
t/test_pickle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pickletools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pickletools.pyc
t/test_pickletools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pipes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pipes.pyc
t/test_pipes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pkg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pkg.pyc
t/test_pkg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_pkgimport.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pkgimport.pyc
t/test_pkgimport.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pkgimport.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pkgutil.py
t/test_pkgutil.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pkgutil.pyc
t/test_pkgutil.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pkgutil.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_platform.py
t/test_platform.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_platform.pyc
t/test_platform.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_platform.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_plistlib.py
t/test_plistlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_plistlib.pyc
t/test_plistlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_plistlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_poll.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_poll.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_poll.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_popen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_popen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_popen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_popen2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_popen2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_popen2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_poplib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_poplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_poplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_posix.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_posix.pyc
t/test_posix.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_posix.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_posixpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_posixpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_posixpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pprint.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pprint.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pprint.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_print.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_print.pyc
t/test_print.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_print.pyo
t/test_print.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_profile.py
t/test_profile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_profile.pyc
t/test_profile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_profile.pyo
t/test_profile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_property.py
t/test_property.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_property.pyc
t/test_property.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_property.pyo
t/test_property.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pstats.py
t/test_pstats.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pstats.pyc
t/test_pstats.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_pstats.pyo
t/test_pstats.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_pty.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pty.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pty.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pwd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pwd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pwd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_py3kwarn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_py3kwarn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_py3kwarn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_py_compile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_py_compile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_py_compile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

```
t/test_pyclbr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pyclbr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pyclbr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pydoc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pydoc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pydoc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pyexpat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pyexpat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_pyexpat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_queue.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_queue.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_queue.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_quopri.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_quopri.pyc
t/test_quopri.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_random.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_random.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_random.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_re.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_re.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_re.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_readline.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_readline.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_readline.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test


```
t/test_repr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_repr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_repr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_resource.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_resource.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_resource.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_rfc822.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_rfc822.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_rfc822.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_richcmp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_richcmp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_richcmp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_rlcompleter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_rlcompleter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_rlcompleter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_robotparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_robotparser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_robotparser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_runpy.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_runpy.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_runpy.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_sax.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_sax.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_sax.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/test_scope.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_scope.pyc
t/test_scope.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_scope.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_scriptpackages.py
t/test_scriptpackages.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_scriptpackages.pyc
t/test_scriptpackages.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_scriptpackages.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_select.py
t/test_select.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_select.pyc
t/test_select.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_select.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_set.py
t/test_set.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_set.pyc
t/test_set.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_set.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_setcomps.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_setcomps.pyc
t/test_setcomps.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sets.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sets.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sets.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sgmlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sgmlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sgmlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sha.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sha.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sha.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_shelve.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_shelve.pyc
t/test_shelve.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_shlex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_shlex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_shlex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_shutil.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_shutil.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_shutil.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_signal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_signal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_signal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_SimpleHTTPServer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_SimpleHTTPServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_SimpleHTTPServer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_site.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_site.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_site.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_slice.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_slice.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_slice.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_smplib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_smplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_smplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_smtpnet.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_smtpnet.pyc
t/test_smtpnet.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_socket.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_socket.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_socket.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_socketserver.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_socketserver.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_socketserver.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_softspace.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_softspace.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_softspace.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_sort.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_sort.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_sort.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_sqlite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_sqlite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_sqlite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ssl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ssl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ssl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_startfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_startfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_startfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```



```
t/test_str.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_str.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_str.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strftime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strftime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strftime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_string.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_string.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_string.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_StringIO.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_StringIO.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_StringIO.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

```
t/test_stringprep.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_stringprep.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_stringprep.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strptime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strptime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strptime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strtod.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strtod.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_strtod.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_struct.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_struct.pyc
t/test_struct.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_struct.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_structmembers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_structmembers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_structmembers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_structseq.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_structseq.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_structseq.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_subprocess.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_subprocess.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_subprocess.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_sunaudiodev.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sunaudiodev.pyc
t/test_sunaudiodev.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sunaudiodev.pyo
t/test_sundry.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sundry.pyc
t/test_sundry.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sundry.pyo
t/test_support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_support.pyc
t/test_support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_support.pyo
t/test_symtable.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_symtable.pyc
t/test_symtable.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_symtable.pyo

t/test_syntax.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_syntax.pyc
t/test_syntax.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys_setprofile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys_setprofile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys_setprofile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys_settrace.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys_settrace.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sys_settrace.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_sysconfig.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_sysconfig.pyc
t/test_sysconfig.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tarfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tarfile.pyc
t/test_tarfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tcl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tcl.pyc
t/test_tcl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_telnetlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_telnetlib.pyc
t/test_telnetlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_tempfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tempfile.pyc
t/test_tempfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tempfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_textwrap.py
t/test_textwrap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_textwrap.pyc
t/test_textwrap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_textwrap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_thread.py
t/test_thread.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_thread.pyc
t/test_thread.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_thread.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threaded_import.py
t/test_threaded_import.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threaded_import.pyc
t/test_threaded_import.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threaded_import.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_threadedtempfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threadedtempfile.pyc
t/test_threadedtempfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threadedtempfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threading.py
t/test_threading.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threading.pyc
t/test_threading.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threading.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threading_local.py
t/test_threading_local.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threading_local.pyc
t/test_threading_local.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threading_local.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threadsignals.py
t/test_threadsignals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threadsignals.pyc
t/test_threadsignals.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_threadsignals.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_time.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_time.pyc
t/test_time.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_time.pyo
t/test_time.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_timeout.py
t/test_timeout.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_timeout.pyc
t/test_timeout.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_timeout.pyo
t/test_timeout.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tokenize.py
t/test_tokenize.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tokenize.pyc
t/test_tokenize.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tokenize.pyo
t/test_tokenize.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_tokenize.pyo
t/test_tokenize.pyo

```
t/test_tools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_tools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_tools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_trace.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_trace.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_trace.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_traceback.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_traceback.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_traceback.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_transformer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_transformer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_transformer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

```
t/test_ttk_guionly.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ttk_guionly.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ttk_guionly.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ttk_textonly.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ttk_textonly.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_ttk_textonly.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_tuple.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_tuple.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_tuple.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_typechecks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_typechecks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_typechecks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_types.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_types.pyc
t/test_types.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_types.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ucn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ucn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_ucn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unary.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unary.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unary.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_undocumented_details.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_undocumented_details.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_undocumented_details.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_unicode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unicode.pyc
t/test_unicode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unicode_file.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unicode_file.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unicode_file.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unicodedata.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unicodedata.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unicodedata.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unittest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unittest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unittest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_univnewlines.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_univnewlines.pyc
t/test_univnewlines.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_univnewlines.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_univnewlines2k.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_univnewlines2k.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_univnewlines2k.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unpack.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unpack.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_unpack.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_urllib2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib2.pyc
t/test_urllib2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib2.pyo
t/test_urllib2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib2_localnet.py
t/test_urllib2_localnet.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib2_localnet.pyc
t/test_urllib2_localnet.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib2_localnet.pyo
t/test_urllib2_localnet.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib2net.py
t/test_urllib2net.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib2net.pyc
t/test_urllib2net.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllib2net.pyo
t/test_urllib2net.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllibnet.py
t/test_urllibnet.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllibnet.pyc
t/test_urllibnet.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urllibnet.pyo
t/test_urllibnet.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_urlparse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urlparse.pyc
t/test_urlparse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_urlparse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userdict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userdict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userdict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userlist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userlist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userlist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userstring.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userstring.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_userstring.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test


```
t/test_uu.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_uu.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_uu.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_uuid.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_uuid.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_uuid.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wait3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wait3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wait3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wait4.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wait4.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wait4.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/test_warnings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_warnings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_warnings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wave.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wave.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_wave.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_weakref.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_weakref.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_weakref.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_weakset.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_weakset.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_weakset.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/test_whichdb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_whichdb.pyc
t/test_whichdb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_whichdb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_winreg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_winreg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_winreg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_winsound.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_winsound.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_winsound.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_with.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_with.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_with.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_wsgioref.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_wsgioref.pyc
t/test_wsgioref.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xdrlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xdrlib.pyc
t/test_xdrlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xml_etree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xml_etree.pyc
t/test_xml_etree.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xml_etree_c.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xml_etree_c.pyc
t/test_xml_etree_c.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_xmllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xmllib.pyc
t/test_xmllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xmlrpc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xmlrpc.pyc
t/test_xmlrpc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xpickle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xpickle.pyc
t/test_xpickle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xrange.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_xrange.pyc
t/test_xrange.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/test_zipfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipfile.pyc
t/test_zipfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipfile.pyo
t/test_zipfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipfile64.pyc
t/test_zipfile64.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipfile64.pyo
t/test_zipfile64.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipimport.py
t/test_zipimport.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipimport.pyc
t/test_zipimport.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipimport.pyo
t/test_zipimport.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipimport_support.py
t/test_zipimport_support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipimport_support.pyc
t/test_zipimport_support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/test_zipimport_support.pyo
t/test_zipimport_support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

```
t/test_zlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_zlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/test_zlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testcodec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testcodec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testcodec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testimg.uue
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testimgr.uue
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/testrgb.uue
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
```

t/testtar.tar
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tf_inherit_check.py
t/tf_inherit_check.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tf_inherit_check.pyc
t/tf_inherit_check.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tf_inherit_check.pyo
t/tf_inherit_check.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/threaded_import_hangers.py
t/threaded_import_hangers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/threaded_import_hangers.pyc
t/threaded_import_hangers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/threaded_import_hangers.pyo
t/threaded_import_hangers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/time_hashlib.py
t/time_hashlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/time_hashlib.pyc
t/time_hashlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/time_hashlib.pyo
t/time_hashlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tokenize_tests.txt
t/tokenize_tests.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tracedmodules/
t/tracedmodules/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/warning_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/warning_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/warning_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/win_console_handler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/win_console_handler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/win_console_handler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/wrongcert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/xmltestdata/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/xmltests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/xmltests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/xmltests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/zipdir.zip
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/xmltestdata/simple-ns.xml
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/xmltestdata/simple.xml
t/xmltestdata/simple.xml
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/xmltestdata/test.xml
t/xmltestdata/test.xml
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/xmltestdata/test.xml.out
t/xmltestdata/test.xml.out
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tracedmodules/__init__.py
t/tracedmodules/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tracedmodules/__init__.pyc
t/tracedmodules/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tracedmodules/__init__.pyo
t/tracedmodules/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tracedmodules/testmod.py
t/tracedmodules/testmod.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tracedmodules/testmod.pyc
t/tracedmodules/testmod.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/tracedmodules/testmod.pyo
t/tracedmodules/testmod.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/subprocessdata/sigchild_ignore.py
t/subprocessdata/sigchild_ignore.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/subprocessdata/sigchild_ignore.pyc
t/subprocessdata/sigchild_ignore.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/subprocessdata/sigchild_ignore.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/abs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/add.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/and.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/base.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/clamp.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/class.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/compare.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/comparetotal.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/comparetotmag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/copy.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/decimaltestdata/copyabs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/decimaltestdata/copynegate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/copysign.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddAbs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddAdd.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddAnd.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddBase.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddCanonical.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddClass.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddCompare.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddCompareSig.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddCompareTotal.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddCompareTotalMag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/ddCopy.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddCopyAbs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddCopyNegate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddCopySign.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddDivide.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddDivideInt.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddEncode.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddFMA.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddInvert.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddLogB.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddMax.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddMaxMag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/ddMin.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddMinMag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddMinus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddMultiply.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddNextMinus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddNextPlus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddNextToward.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddOr.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddPlus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddQuantize.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddReduce.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddRemainder.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/ddRemainderNear.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddRotate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddSameQuantum.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddScaleB.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddShift.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddSubtract.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddToIntegral.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ddXor.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/decDouble.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/decQuad.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/decSingle.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/divide.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/divideint.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqAbs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqAdd.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqAnd.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqBase.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqCanonical.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqClass.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqCompare.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqCompareSig.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqCompareTotal.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqCompareTotalMag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqCopy.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/dqCopyAbs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqCopyNegate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqCopySign.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqDivide.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqDivideInt.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqEncode.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqFMA.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqInvert.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqLogB.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqMax.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqMaxMag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqMin.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/dqMinMag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqMinus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqMultiply.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqNextMinus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqNextPlus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqNextToward.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqOr.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqPlus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqQuantize.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqReduce.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqRemainder.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqRemainderNear.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/dqRotate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqSameQuantum.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqScaleB.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqShift.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqSubtract.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqToIntegral.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dqXor.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dsBase.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/dsEncode.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/exp.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/extra.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/fma.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/inexact.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/invert.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/ln.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/log10.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/logb.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/max.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/maxmag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/min.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/minmag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/minus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/multiply.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/nextminus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/nextplus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/nexttoward.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/or.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/plus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/power.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/powersqrt.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/quantize.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/randomBound32.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/randoms.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/reduce.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/remainder.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/remainderNear.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/decimaltestdata/rescale.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/rotate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/rounding.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/samequantum.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/scaleb.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/shift.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/squareroot.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/subtract.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/testall.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/tointegral.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/tointegralx.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/decimaltestdata/xor.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/data/README

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/big5-utf8.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/big5.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/big5hkscs-utf8.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/big5hkscs.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/cp949-utf8.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/cp949.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/euc_jisx0213-utf8.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/euc_jisx0213.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/euc_jp-utf8.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/euc_jp.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/euc_kr-utf8.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test

t/cjkencodings/euc_kr.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/gb18030-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/gb18030.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/gb2312-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/gb2312.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/gbk-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/gbk.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/hz-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/hz.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/iso2022_jp-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/iso2022_jp.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes
t/cjkencodings/iso2022_kr-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/tes

t/cjkencodings/iso2022_kr.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/johab-utf8.txt
t/cjkencodings/johab-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/johab.txt
t/cjkencodings/johab.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/shift_jis-utf8.txt
t/cjkencodings/shift_jis-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/shift_jis.txt
t/cjkencodings/shift_jis.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/shift_jisx0213-utf8.txt
t/cjkencodings/shift_jisx0213-utf8.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/test/cjkencodings/shift_jisx0213.txt
t/cjkencodings/shift_jisx0213.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/__init__.py
t/sqlite3/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/__init__.pyc
t/sqlite3/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/__init__.pyo
t/sqlite3/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/dbapi2.py
t/sqlite3/dbapi2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/dbapi2.pyc
t/sqlite3/dbapi2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql

ite3/dbapi2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/dump.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/dump.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/dump.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/dbapi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/dbapi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/dbapi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/dump.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql

ite3/test/dump.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/dump.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/factory.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/factory.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/factory.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/hooks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/hooks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/hooks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/py25tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/py25tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/py25tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql
ite3/test/regression.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sql

ite3/test/regression.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/test/regression.pyo
ite3/test/regression.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/test/transactions.py
ite3/test/transactions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/test/transactions.pyc
ite3/test/transactions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/test/types.py
ite3/test/types.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/test/types.pyo
ite3/test/types.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/test/userfunctions.py
ite3/test/userfunctions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/sqlite3/test/userfunctions.pyo
ite3/test/userfunctions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/site-packages/README
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyd

oc_data/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyd
oc_data/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyd
oc_data/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyd
oc_data/topics.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyd
oc_data/topics.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pyd
oc_data/topics.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/aepack.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/aepack.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/aepack.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/aetools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/aetools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/aetools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

```
t-mac/aetypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/aetypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/aetypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/applesingle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/applesingle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/applesingle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/appletrawmain.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/appletrawmain.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/appletrawmain.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/appletrunner.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/appletrunner.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/appletrunner.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
```

t-mac/argvemulator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/argvemulator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/argvemulator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Audio_mac.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Audio_mac.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Audio_mac.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/bgenlocations.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/bgenlocations.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/bgenlocations.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/buildtools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/buildtools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/buildtools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/bundlebuilder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/bundlebuilder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/bundlebuilder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/cfmfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/cfmfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/cfmfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/dialogs.rsrc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/dialogs.rsrc.df.rsrc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/EasyDialogs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/EasyDialogs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/EasyDialogs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/errors.rsrc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/errors.rsrc.df.rsrc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/findertools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/findertools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/findertools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/FrameWork.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/FrameWork.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/FrameWork.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/gensuitemodule.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/gensuitemodule.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/gensuitemodule.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/ic.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

```
t-mac/ic.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/ic.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/icopen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/icopen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/icopen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/macerrors.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/macerrors.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/macerrors.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/macostools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/macostools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/macostools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
```

t-mac/macresource.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/macresource.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/macresource.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/MiniAEFrame.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/MiniAEFrame.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/MiniAEFrame.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/pimp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/pimp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/pimp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/PixMapWrapper.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/PixMapWrapper.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/PixMapWrapper.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/terminalcommand.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/terminalcommand.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/terminalcommand.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/videoreader.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/videoreader.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/videoreader.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/_builtinSuites/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/SystemEvents/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/Terminal_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/Terminal_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/Terminal_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/Text_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/Terminal/Text_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Terminal/Text_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Disk_Folder_File_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Disk_Folder_File_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Disk_Folder_File_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Folder_Actions_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Folder_Actions_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Folder_Actions_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Hidden_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/SystemEvents/Hidden_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Hidden_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Login_Items_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Login_Items_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Login_Items_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Power_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Power_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Power_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Processes_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Processes_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Processes_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/SystemEvents/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/System_Events_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/System_Events_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/System_Events_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Text_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Text_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/SystemEvents/Text_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/AppleScript_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/StdSuites/AppleScript_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/AppleScript_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Macintosh_Connectivity_Clas.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Macintosh_Connectivity_Clas.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Macintosh_Connectivity_Clas.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suppleme.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suppleme.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suppleme.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Required_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/StdSuites/Required_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Required_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Table_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Table_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Table_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Text_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Text_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Text_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Type_Names_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/StdSuites/Type_Names_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/StdSuites/Type_Names_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Mozilla_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Mozilla_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Mozilla_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/PowerPlant.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/PowerPlant.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/PowerPlant.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Required_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/Netscape/Required_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Required_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Standard_URL_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Standard_URL_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Standard_URL_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Text.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Text.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/Text.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/WorldWideWeb_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/Netscape/WorldWideWeb_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Netscape/WorldWideWeb_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Containers_and_folders.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Containers_and_folders.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Containers_and_folders.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Enumerations.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Enumerations.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Enumerations.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Files.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/Finder/Files.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Files.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Finder_Basics.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Finder_Basics.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Finder_Basics.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Finder_items.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Finder_items.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Finder_items.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Legacy_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Legacy_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Legacy_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/Finder/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Type_Definitions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Type_Definitions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Type_Definitions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Window_classes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Window_classes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Finder/Window_classes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Microsoft_Internet_Explorer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/Explorer/Microsoft_Internet_Explorer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Microsoft_Internet_Explorer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Netscape_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Netscape_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Netscape_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Required_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Required_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Required_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/URL_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/Explorer/URL_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/URL_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Web_Browser_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Web_Browser_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/Explorer/Web_Browser_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/CodeWarrior_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/CodeWarrior_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/CodeWarrior_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/Metrowerks_Shell_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/CodeWarrior/Metrowerks_Shell_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/Metrowerks_Shell_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/Required.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/Required.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/Required.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/CodeWarrior/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/_builtinSuites/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/_builtinSuites/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/_builtinSuites/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/_builtinSuites/builtin_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/lib-scriptpackages/_builtinSuites/builtin_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/lib-scriptpackages/_builtinSuites/builtin_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AE.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AE.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AE.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AH.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AH.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AH.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Alias.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Alias.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Alias.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Aliases.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Aliases.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Aliases.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/App.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/App.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/App.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Appearance.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Appearance.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Appearance.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AppleEvents.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/AppleEvents.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AppleEvents.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AppleHelp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AppleHelp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/AppleHelp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CarbonEvents.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CarbonEvents.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CarbonEvents.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CarbonEvt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CarbonEvt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CarbonEvt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CF.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/CF.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CF.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CG.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CG.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CG.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Cm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Cm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Cm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Components.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Components.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Components.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/ControlAccessor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/ControlAccessor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/ControlAccessor.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Controls.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Controls.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Controls.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CoreFoundation.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CoreFoundation.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CoreFoundation.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CoreGraphics.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CoreGraphics.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/CoreGraphics.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Ctl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Ctl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Ctl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Dialogs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Dialogs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Dialogs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Dlg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Dlg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Dlg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Drag.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Drag.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Drag.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Dragconst.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Dragconst.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Dragconst.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Events.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Events.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Events.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Evt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Evt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Evt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/File.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/File.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/File.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Files.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Files.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Files.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Fm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Fm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Fm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Folder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Folder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Folder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Folders.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Folders.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Folders.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Fonts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Fonts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Fonts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Help.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Help.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Help.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/IBCarbon.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/IBCarbon.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/IBCarbon.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/IBCarbonRuntime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/IBCarbonRuntime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/IBCarbonRuntime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Icon.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Icon.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Icon.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Icons.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Icons.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Icons.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Launch.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Launch.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Launch.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/LaunchServices.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/LaunchServices.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/LaunchServices.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/List.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/List.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/List.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Lists.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Lists.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Lists.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/MacHelp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/MacHelp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/MacHelp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/MacTextEditor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/MacTextEditor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/MacTextEditor.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/MediaDescr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/MediaDescr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/MediaDescr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Menu.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Menu.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Menu.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Menus.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Menus.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Menus.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Mlte.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Mlte.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Mlte.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/OSA.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/OSA.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/OSA.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/OSAconst.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/OSAconst.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/OSAconst.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qdoffs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qdoffs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qdoffs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/QD0ffscreen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/QDOffscreen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/QDOffscreen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Qt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/QuickDraw.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/QuickDraw.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/QuickDraw.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/QuickTime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/QuickTime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/QuickTime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Res.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Res.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Res.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Resources.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Resources.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Resources.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Scrap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Scrap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Scrap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Snd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Snd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Snd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Sndihooks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Sndihooks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Sndihooks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Sound.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Sound.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Sound.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/TE.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/TE.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/TE.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/TextEdit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/TextEdit.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/TextEdit.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Win.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla

t-mac/Carbon/Win.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Win.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Windows.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Windows.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-mac/Carbon/Windows.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-darwin/IN.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-darwin/IN.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-darwin/IN.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/pla
t-darwin/regen
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mul
tiprocessing/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mul
tiprocessing/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mul
tiprocessing/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/mul

tiprocessing/connection.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/connection.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/connection.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/dummy/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/forking.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/forking.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/forking.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/heap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/heap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/heap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/managers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-
tiprocessing/managers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi-

tiprocessing/managers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/pool.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/pool.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/pool.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/process.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/process.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/process.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/queues.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/queues.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/queues.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/reduction.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/reduction.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi

tiprocessing/reduction.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/sharedctypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/sharedctypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/sharedctypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/synchronize.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/synchronize.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/synchronize.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/dummy/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi
tiprocessing/dummy/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multi

tiprocessing/dummy/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multiprocessing/dummy/connection.py
tiprocessing/dummy/connection.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multiprocessing/dummy/connection.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/multiprocessing/dummy/connection.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/logging/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/logging/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/logging/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/logging/config.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/logging/config.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/logging/config.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/logging/handlers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/logging/handlers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/log

ging/handlers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/__main__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/__main__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/__main__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/btm_matcher.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/btm_matcher.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/btm_matcher.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/btm_utils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/btm_utils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/btm_utils.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixer_base.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixer_base.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixer_base.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixer_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixer_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixer_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/Grammar.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/Grammar2.7.5.final.0.pickle
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/main.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/main.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/main.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/patcomp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/patcomp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/patcomp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/PatternGrammar.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/PatternGrammar2.7.5.final.0.pickle
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pygram.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pygram.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pygram.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pytree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pytree.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/pytree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/refactor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/refactor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/refactor.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/pytree_idempotency.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/pytree_idempotency.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/pytree_idempotency.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/tests/support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_all_fixers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_all_fixers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_all_fixers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_fixers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_fixers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_fixers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_main.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_main.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_main.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/tests/test_parser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_parser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_parser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_pytree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_pytree.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_pytree.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_refactor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_refactor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_refactor.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/test_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/tests/data/bom.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/crlf.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/different_encoding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/infinite_recursion.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/py2_test_grammar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/py3_test_grammar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/README
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/bad_order.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/myfixes/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/no_fixer_cls.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/parrot_example.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/tests/data/fixers/myfixes/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/myfixes/fix_explicit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/myfixes/fix_first.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/myfixes/fix_last.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/myfixes/fix_parrot.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/tests/data/fixers/myfixes/fix_preorder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/conv.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/conv.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/conv.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/pgen2/driver.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/driver.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/driver.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/grammar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/grammar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/grammar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/literals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/literals.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/literals.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/parse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/parse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/parse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/pgen2/pgen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/pgen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/pgen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/token.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/token.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/token.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/tokenize.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/tokenize.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/pgen2/tokenize.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_apply.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_apply.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_apply.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_basestring.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_basestring.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_basestring.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_buffer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_buffer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_buffer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_callable.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_callable.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_callable.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_dict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_dict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_dict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_except.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_except.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_except.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_exec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_exec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_exec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_execfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_execfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_execfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_exitfunc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_exitfunc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_exitfunc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_filter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_filter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_filter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_funcattrs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_funcattrs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_funcattrs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_future.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_future.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_future.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_getcwd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_getcwd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_getcwd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_has_key.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_has_key.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_has_key.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_idioms.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_idioms.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_idioms.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_import.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_import.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_import.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_imports.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_imports.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_imports.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_imports2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_imports2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_imports2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_input.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_input.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_input.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_intern.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_intern.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_intern.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

```
2to3/fixes/fix_isinstance.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_isinstance.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_isinstance.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_itertools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_itertools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_itertools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_itertools_imports.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_itertools_imports.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_itertools_imports.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_long.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_long.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_long.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

```
2to3/fixes/fix_map.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_map.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_map.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_metaclass.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_metaclass.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_metaclass.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_methodattrs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_methodattrs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_methodattrs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_ne.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_ne.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_ne.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```



```
2to3/fixes/fix_next.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_next.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_next.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_nonzero.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_nonzero.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_nonzero.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_numliterals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_numliterals.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_numliterals.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_operator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_operator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_operator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

2to3/fixes/fix_paren.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_paren.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_paren.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_print.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_print.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_print.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_raise.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_raise.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_raise.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_raw_input.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_raw_input.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_raw_input.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_reduce.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_reduce.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_reduce.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_renames.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_renames.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_renames.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_repr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_repr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_repr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_set_literal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_set_literal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_set_literal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_standarderror.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_standarderror.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_standarderror.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_sys_exc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_sys_exc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_sys_exc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_throw.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_throw.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_throw.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_tuple_params.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_tuple_params.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_tuple_params.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_types.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_types.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_types.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_unicode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_unicode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_urllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_urllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_urllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_ws_comma.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_ws_comma.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_ws_comma.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

2to3/fixes/fix_xrange.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_xrange.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_xrange.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_xreadlines.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_xreadlines.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_xreadlines.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_zip.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_zip.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
2to3/fixes/fix_zip.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Canvas.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Canvas.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Canvas.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

```
-tk/Dialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Dialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Dialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/FileDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/FileDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/FileDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/FixTk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/FixTk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/FixTk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/ScrolledText.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/ScrolledText.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/ScrolledText.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

```
-tk/SimpleDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/SimpleDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/SimpleDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tix.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tix.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tix.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkColorChooser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkColorChooser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkColorChooser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkCommonDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkCommonDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```


-tk/tkCommonDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkconstants.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkconstants.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkconstants.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkdnd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkdnd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkdnd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkFileDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkFileDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkFileDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkFont.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkFont.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

```
-tk/tkFont.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkinter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkinter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/Tkinter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkMessageBox.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkMessageBox.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkMessageBox.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkSimpleDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkSimpleDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/tkSimpleDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/ttk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/ttk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

```
-tk/ttk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/turtle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/turtle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/turtle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/README
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/runtktests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/runtktests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/runtktests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

```
-tk/test/test_ttk/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_extensions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_extensions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_extensions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_functions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_functions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_functions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_style.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_style.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

```
-tk/test/test_ttk/test_style.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_widgets.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_widgets.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_ttk/test_widgets.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/test_loadtk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/test_loadtk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/test_loadtk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/test_text.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-tk/test/test_tkinter/test_text.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

```
-tk/test/test_tkinter/test_text.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_AE.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_AH.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_App.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_bisect.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_bsddb.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_CarbonEvt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_CF.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_CG.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Cm.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_codecs_cn.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_codecs_hk.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

```
-dynload/_codecs_iso2022.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_codecs_jp.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_codecs_kr.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_codecs_tw.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_collections.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_csv.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_CtI.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_ctypes.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_ctypes_test.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_curses.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_curses_panel.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Dlg.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

-dynload/_Drag.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_elementtree.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Evt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_File.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Fm.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Folder.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_functools.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_hashlib.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_heapq.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Help.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_hotshot.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_IBCcarbon.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

-dynload/_Icn.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_io.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_json.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Launch.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_List.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_locale.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_lsprof.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Menu.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Mlte.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_multibytecodec.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_multiprocessing.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_OSA.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

-dynload/_Qd.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Qdoffs.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Qt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_random.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Res.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_scproxy.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Scrap.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Snd.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_socket.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_sqlite3.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_ssl.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_struct.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

-dynload/_TE.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_testcapi.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/_Win.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/array.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/audioop.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/autoGIL.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/binascii.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/bz2.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/cmath.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/ColorPicker.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/cPickle.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/crypt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

```
-dynload/cStringIO.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/datetime.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/dbm.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/fcntl.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/future_builtins.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/gestalt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/grp.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/icglue.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/itertools.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/MacOS.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/math.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/mmap.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
```

-dynload/Nav.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/nis.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/operator.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/OSATerminology.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/parser.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/pyexpat.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/Python-2.7.5-py2.7.egg-info
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/readline.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/resource.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/select.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/strop.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/syslog.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib

```
-dynload/termios.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/time.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/unicodedata.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/lib
-dynload/zlib.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/decoder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/decoder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/decoder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/encoder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/encoder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
```

n/encoder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/scanner.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/scanner.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/scanner.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tool.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tool.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tool.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_check_circular.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso

n/tests/test_check_circular.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_check_circular.pyo
n/tests/test_check_circular.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_decode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_decode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_decode.pyo
n/tests/test_decode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_default.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_default.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_default.pyo
n/tests/test_default.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_dump.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_dump.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_dump.pyo
n/tests/test_dump.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_encode_basestring_ascii.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso

n/tests/test_encode_basestring_ascii.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_encode_basestring_ascii.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_fail.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_fail.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_fail.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_float.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_float.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_float.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_indent.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_indent.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_indent.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_pass1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso

n/tests/test_pass1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_pass1.pyo
n/tests/test_pass1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_pass2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_pass2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_pass2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_pass3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_pass3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_pass3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_recursion.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_recursion.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_recursion.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_scanstring.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso

n/tests/test_scanstring.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_scanstring.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_separators.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_separators.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_separators.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_speedups.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_speedups.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_speedups.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_tool.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_tool.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_tool.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso
n/tests/test_unicode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/jso

n/tests/test_unicode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/json/tests/test_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/importlib/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/importlib/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/importlib/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/aboutDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/aboutDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/aboutDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/AutoComplete.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib

elib/AutoComplete.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/AutoComplete.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/AutoCompleteWindow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/AutoCompleteWindow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/AutoCompleteWindow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/AutoExpand.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/AutoExpand.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/AutoExpand.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Bindings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Bindings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Bindings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CallTips.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/CallTips.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CallTips.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CallTipWindow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CallTipWindow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CallTipWindow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ChangeLog
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ClassBrowser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ClassBrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ClassBrowser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CodeContext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CodeContext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CodeContext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/ColorDelegator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ColorDelegator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ColorDelegator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/config-extensions.def
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/config-highlight.def
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/config-keys.def
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/config-main.def
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configHandler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configHandler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/configHandler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configHelpSourceEdit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configHelpSourceEdit.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configHelpSourceEdit.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configSectionNameDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configSectionNameDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/configSectionNameDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/CREDITS.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Debugger.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Debugger.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Debugger.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Delegator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/Delegator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Delegator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/dynOptionMenuWidget.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/dynOptionMenuWidget.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/dynOptionMenuWidget.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/EditorWindow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/EditorWindow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/EditorWindow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/extend.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/FileList.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/FileList.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/FileList.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/FormatParagraph.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/FormatParagraph.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/FormatParagraph.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/GrepDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/GrepDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/GrepDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/help.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/HISTORY.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/HyperParser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/HyperParser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/HyperParser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Icons/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/idle.bat
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/idle.py
elib/idle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/idle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/idle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/idle.pyw
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/IdleHistory.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/IdleHistory.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/IdleHistory.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/idlelexer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/idlelexer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/idlelexer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/IOBinding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idlelib/IOBinding.pyc

elib/IOBinding.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/IOBinding.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/keybindingDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/keybindingDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/keybindingDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/macosxSupport.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/macosxSupport.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/macosxSupport.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/MultiCall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/MultiCall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/MultiCall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/MultiStatusBar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/MultiStatusBar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/MultiStatusBar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/NEWS.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ObjectBrowser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ObjectBrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ObjectBrowser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/OutputWindow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/OutputWindow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/OutputWindow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ParenMatch.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ParenMatch.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ParenMatch.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/PathBrowser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/PathBrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/PathBrowser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Percolator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Percolator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Percolator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/PyParse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/PyParse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/PyParse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/PyShell.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/PyShell.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/PyShell.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/README.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RemoteDebugger.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RemoteDebugger.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RemoteDebugger.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RemoteObjectBrowser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RemoteObjectBrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RemoteObjectBrowser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ReplaceDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ReplaceDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ReplaceDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/rpc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/rpc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/rpc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RstripExtension.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RstripExtension.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/RstripExtension.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/run.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/run.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/run.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ScriptBinding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ScriptBinding.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ScriptBinding.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ScrolledList.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ScrolledList.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/ScrolledList.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchDialogBase.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchDialogBase.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchDialogBase.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchEngine.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchEngine.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/SearchEngine.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/StackViewer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/StackViewer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

```
elib/StackViewer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/tabbedpages.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/tabbedpages.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/tabbedpages.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/testcode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/testcode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/testcode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/textView.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/textView.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/textView.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/TODO.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ToolTip.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
```

elib/ToolTip.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ToolTip.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/TreeWidget.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/TreeWidget.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/TreeWidget.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/UndoDelegator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/UndoDelegator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/UndoDelegator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/WidgetRedirector.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/WidgetRedirector.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/WidgetRedirector.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/WindowList.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl

elib/WindowList.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/WindowList.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ZoomHeight.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ZoomHeight.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/ZoomHeight.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Icons/folder.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Icons/idle.icns
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Icons/minusnode.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Icons/openfolder.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Icons/plusnode.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Icons/python.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/idl
elib/Icons/tk.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot

shot/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/log.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/log.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/log.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/stats.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/stats.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/stats.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/stones.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/stones.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/hot
shot/stones.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/__init__.pyc
odings/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/aliases.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/aliases.pyc
odings/aliases.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/ascii.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/ascii.pyc
odings/ascii.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/base64_codec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/base64_codec.pyc
odings/base64_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/big5.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/big5.pyc
odings/big5.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/big5.pyo
odings/big5.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/big5hkscs.py
odings/big5hkscs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/big5hkscs.pyc
odings/big5hkscs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/bz2_codec.py
odings/bz2_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/bz2_codec.pyc
odings/bz2_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/bz2_codec.pyo
odings/bz2_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/charmap.py
odings/charmap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/charmap.pyc
odings/charmap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/charmap.pyo
odings/charmap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/cp037.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp037.pyc
odings/cp037.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1006.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1006.pyc
odings/cp1006.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1026.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1026.pyc
odings/cp1026.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1140.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1140.pyc
odings/cp1140.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/cp1250.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1250.pyc
odings/cp1250.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1251.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1251.pyc
odings/cp1251.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1252.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1252.pyc
odings/cp1252.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1253.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1253.pyc
odings/cp1253.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/cp1254.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1254.pyc
odings/cp1254.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1255.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1255.pyc
odings/cp1255.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1256.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1256.pyc
odings/cp1256.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1257.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1257.pyc
odings/cp1257.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/cp1258.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp1258.pyc
odings/cp1258.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp424.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp424.pyc
odings/cp424.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp437.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp437.pyc
odings/cp437.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp500.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp500.pyc
odings/cp500.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/cp720.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp720.pyc
odings/cp720.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp737.py
odings/cp737.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp737.pyo
odings/cp775.py
odings/cp775.pyc
odings/cp775.pyo
odings/cp850.py
odings/cp850.pyc
odings/cp850.pyo

odings/cp852.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp852.pyc
odings/cp852.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp855.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp855.pyc
odings/cp855.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp856.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp856.pyc
odings/cp856.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp857.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp857.pyc
odings/cp857.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/cp858.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp858.pyc
odings/cp858.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp860.py
odings/cp860.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp860.pyo
odings/cp861.py
odings/cp861.pyc
odings/cp861.pyo
odings/cp862.py
odings/cp862.pyc
odings/cp862.pyo

odings/cp863.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp863.pyc
odings/cp863.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp864.py
odings/cp864.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp864.pyo
odings/cp865.py
odings/cp865.pyc
odings/cp865.pyo
odings/cp866.py
odings/cp866.pyc
odings/cp866.pyo

odings/cp869.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp869.pyc
odings/cp869.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp874.py
odings/cp874.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp874.pyo
odings/cp875.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp875.pyc
odings/cp875.pyo
odings/cp932.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp932.pyc
odings/cp932.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/cp949.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp949.pyc
odings/cp949.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp950.py
odings/cp950.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/cp950.pyo
odings/euc_jis_2004.py
odings/euc_jis_2004.pyc
odings/euc_jis_2004.pyo
odings/euc_jisx0213.py
odings/euc_jisx0213.pyc
odings/euc_jisx0213.pyo
odings/euc_jisx0213.pyo

odings/euc_jp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/euc_jp.pyc
odings/euc_jp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/euc_kr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/euc_kr.pyc
odings/euc_kr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/gb18030.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/gb18030.pyc
odings/gb18030.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/gb2312.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/gb2312.pyc
odings/gb2312.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/gbk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/gbk.pyc
odings/gbk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/gbk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hex_codec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hex_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hex_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hp_roman8.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hp_roman8.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hp_roman8.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hz.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hz.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/hz.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/idna.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/idna.pyc
odings/idna.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp.py
odings/iso2022_jp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp.pyo
odings/iso2022_jp_1.py
odings/iso2022_jp_1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp_1.pyo
odings/iso2022_jp_2.py
odings/iso2022_jp_2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp_2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/iso2022_jp_2004.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp_2004.pyc
odings/iso2022_jp_2004.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp_3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp_3.pyc
odings/iso2022_jp_3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp_ext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_jp_ext.pyc
odings/iso2022_jp_ext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_kr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso2022_kr.pyc
odings/iso2022_kr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/iso8859_1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_1.pyc
odings/iso8859_1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_10.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_10.pyc
odings/iso8859_10.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_10.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_11.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_11.pyc
odings/iso8859_11.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_11.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_13.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_13.pyc
odings/iso8859_13.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/iso8859_14.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_14.pyc
odings/iso8859_14.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_15.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_15.pyc
odings/iso8859_15.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_16.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_16.pyc
odings/iso8859_16.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_2.pyc
odings/iso8859_2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/iso8859_3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_4.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_4.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_4.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_5.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_5.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_5.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_6.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_6.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_6.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/iso8859_7.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_7.pyc
odings/iso8859_7.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_8.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_8.pyc
odings/iso8859_8.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_9.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/iso8859_9.pyc
odings/iso8859_9.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/johab.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/johab.pyc
odings/johab.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/koi8_r.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/koi8_r.pyc
odings/koi8_r.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/koi8_u.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/koi8_u.pyc
odings/koi8_u.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/latin_1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/latin_1.pyc
odings/latin_1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_arabic.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_arabic.pyc
odings/mac_arabic.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/mac_centeuro.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_centeuro.pyc
odings/mac_centeuro.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_croatian.py
odings/mac_croatian.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_croatian.pyo
odings/mac_cyrillic.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_cyrillic.pyc
odings/mac_cyrillic.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_farsi.py
odings/mac_farsi.pyc
odings/mac_farsi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/mac_greek.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_greek.pyc
odings/mac_greek.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_iceland.py
odings/mac_iceland.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_iceland.pyo
odings/mac_latin2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_latin2.pyc
odings/mac_latin2.pyo
odings/mac_roman.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_roman.pyc
odings/mac_roman.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/mac_romanian.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_romanian.pyc
odings/mac_romanian.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_romanian.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_turkish.py
odings/mac_turkish.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mac_turkish.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mbcs.py
odings/mbcs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/mbcs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/palmos.py
odings/palmos.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/palmos.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/ptcp154.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/ptcp154.pyc
odings/ptcp154.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/punycode.py
odings/punycode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/punycode.pyo
odings/punycode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/quopri_codec.py
odings/quopri_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/quopri_codec.pyo
odings/quopri_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/raw_unicode_escape.py
odings/raw_unicode_escape.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/raw_unicode_escape.pyo
odings/raw_unicode_escape.pyc

odings/rot_13.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/rot_13.pyc
odings/rot_13.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/rot_13.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jis.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jis.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jis.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jis_2004.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jis_2004.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jis_2004.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jisx0213.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jisx0213.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/shift_jisx0213.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/string_escape.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/string_escape.pyc
odings/string_escape.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/tis_620.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/tis_620.pyc
odings/tis_620.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/undefined.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/undefined.pyc
odings/undefined.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/unicode_escape.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/unicode_escape.pyc
odings/unicode_escape.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/unicode_internal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/unicode_internal.pyc
odings/unicode_internal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/unicode_internal.pyo
odings/utf_16.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_16.pyc
odings/utf_16.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_16.pyo
odings/utf_16_be.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_16_be.pyc
odings/utf_16_be.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_16_be.pyo
odings/utf_16_le.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_16_le.pyc
odings/utf_16_le.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_16_le.pyo
odings/utf_16_le.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/utf_32.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_32.pyc
odings/utf_32.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_32_be.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_32_be.pyc
odings/utf_32_be.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_32_le.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_32_le.pyc
odings/utf_32_le.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_7.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_7.pyc
odings/utf_7.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/enc

odings/utf_8.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_8.pyc
odings/utf_8.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_8.pyo
odings/utf_8.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_8_sig.py
odings/utf_8_sig.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/utf_8_sig.pyc
odings/utf_8_sig.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/uu_codec.py
odings/uu_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/uu_codec.pyc
odings/uu_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/uu_codec.pyo
odings/uu_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/zlib_codec.py
odings/zlib_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/zlib_codec.pyc
odings/zlib_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/encodings/zlib_codec.pyo
odings/zlib_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

il/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/_parseaddr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/_parseaddr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/_parseaddr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/base64mime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/base64mime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/base64mime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/charset.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/charset.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/charset.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

```
il/encoders.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/encoders.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/encoders.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/errors.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/errors.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/errors.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/feedparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/feedparser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/feedparser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/generator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/generator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/generator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
```

il/header.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/header.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/header.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/iterators.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/iterators.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/iterators.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/message.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/message.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/message.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/parser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/parser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

il/parser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/quoprimime.py
il/quoprimime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/quoprimime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/quoprimime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/utils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/utils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/utils.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/email/test/data/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

```
il/test/test_email.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_codecs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_codecs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_codecs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_codecs_renamed.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_codecs_renamed.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_codecs_renamed.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_renamed.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_renamed.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_renamed.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
```


il/test/test_email_torture.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_torture.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/test_email_torture.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/audiotest.au
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_01.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_02.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_03.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_04.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_05.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_06.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_07.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_08.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

il/test/data/msg_09.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_10.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_11.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_12.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_12a.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_13.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_14.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_15.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_16.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_17.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_18.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_19.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

il/test/data/msg_20.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_21.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_22.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_23.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_24.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_25.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_26.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_27.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_28.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_29.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_30.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_31.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

il/test/data/msg_32.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_33.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_34.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_35.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_36.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_37.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_38.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_39.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_40.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_41.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_42.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_43.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

il/test/data/msg_44.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_45.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/msg_46.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/test/data/PyBanner048.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/application.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/application.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/application.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/audio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/audio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

il/mime/audio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/base.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/base.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/base.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/image.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/image.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/image.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/message.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/message.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/message.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/multipart.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/multipart.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema

il/mime/multipart.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/nonmultipart.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/nonmultipart.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/nonmultipart.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/text.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/text.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ema
il/mime/text.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/archive_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/archive_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

```
tutils/archive_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/bcppcompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/bcppcompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/bcppcompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/ccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/ccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/ccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/cmd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/cmd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/cmd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/config.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```


tutils/config.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/config.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/core.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/core.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/core.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/cygwinccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/cygwinccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/cygwinccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/debug.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/debug.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/debug.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/dep_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/dep_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/dep_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/dir_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/dir_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/dir_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/dist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/dist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/dist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/emxccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/emxccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/emxccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/errors.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/errors.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/errors.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/extension.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/extension.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/extension.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/fancy_getopt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/fancy_getopt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/fancy_getopt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/file_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/file_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/file_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/filelist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

```
tutils/filelist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/filelist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/log.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/log.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/log.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/msvc9compiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/msvc9compiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/msvc9compiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/msvccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/msvccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/msvccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/README
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

```
tutils/spawn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/spawn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/spawn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/sysconfig.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/sysconfig.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/sysconfig.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/text_file.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/text_file.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/text_file.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/unixccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/unixccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

tutils/unixccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/version.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/version.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/version.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/versionpredicate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/versionpredicate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/versionpredicate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/tests/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/Setup.sample
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/setuptools_build_ext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/setuptools_build_ext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/setuptools_build_ext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/setuptools_extension.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/setuptools_extension.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/setuptools_extension.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_archive_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

```
tutils/tests/test_archive_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_archive_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_dumb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_dumb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_dumb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_msi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_msi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_msi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_rpm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```


tutils/tests/test_bdist_rpm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_rpm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_wininst.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_wininst.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_bdist_wininst.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_clib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_clib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_clib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_ext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/tests/test_build_ext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_ext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_py.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_py.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_py.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_scripts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_scripts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_build_scripts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_ccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_ccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_ccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_check.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/tests/test_check.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_check.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_clean.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_clean.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_clean.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_cmd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_cmd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_cmd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_config.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_config.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_config.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_config_cmd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

```
tutils/tests/test_config_cmd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_config_cmd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_core.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_core.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_core.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_dep_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_dep_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_dep_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_dir_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_dir_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_dir_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_dist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

```
tutils/tests/test_dist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_dist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_file_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_file_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_file_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_filelist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_filelist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_filelist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_data.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

tutils/tests/test_install_data.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_data.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_headers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_headers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_headers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_lib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_lib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_scripts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_scripts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_install_scripts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_msvc9compiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/tests/test_msvc9compiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_msvc9compiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_register.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_register.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_register.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_sdist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_sdist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_sdist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_spawn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_spawn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_spawn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_sysconfig.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/tests/test_sysconfig.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_sysconfig.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_text_file.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_text_file.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_text_file.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_unixccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_unixccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_unixccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_upload.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_upload.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_upload.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

tutils/tests/test_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_version.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_version.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_version.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_versionpredicate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_versionpredicate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/test_versionpredicate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/tests/xxmodule.c
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis

```
tutils/command/bdist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_dumb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_dumb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_dumb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_msi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_msi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_msi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_rpm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_rpm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_rpm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

```
tutils/command/bdist_wininst.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_wininst.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/bdist_wininst.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_clib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_clib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_clib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_ext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_ext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_ext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

```
tutils/command/build_py.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_py.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_py.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_scripts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_scripts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/build_scripts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/check.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/check.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/check.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/clean.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/clean.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/clean.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

```
tutils/command/command_template
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/config.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/config.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/config.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_data.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_data.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_data.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_egg_info.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_egg_info.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

```
tutils/command/install_egg_info.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_headers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_headers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_headers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_lib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_lib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_scripts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_scripts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/install_scripts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/register.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/register.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
```

```
tutils/command/register.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/sdist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/sdist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/sdist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/upload.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/upload.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/upload.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/wininst-6.0.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/wininst-7.1.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/wininst-8.0.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/wininst-9.0-amd64.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/dis
tutils/command/wininst-9.0.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cur
```

```
ses/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/__init__.pyc
ses/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/ascii.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/ascii.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/ascii.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/has_key.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/has_key.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/has_key.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/panel.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/panel.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/panel.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/panel.pyo
```


ses/textpad.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/textpad.pyc
ses/textpad.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/textpad.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/wrapper.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/wrapper.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/curses/wrapper.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types/_endian.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types/_endian.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/types/_endian.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/cty

```
pes/macholib/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/
pes/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/util.py
pes/util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/util.pyc
pes/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/util.pyo
pes/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/wintypes.py
pes/wintypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/wintypes.pyc
pes/wintypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/wintypes.pyo
pes/wintypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/__init__.py
pes/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/__init__.pyc
pes/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/__init__.pyo
pes/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/runtests.py
pes/test/runtests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes
```

pes/test/runtests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/runtests.pyc
pes/test/runtests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_anon.py
pes/test/test_anon.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_anon.pyo
pes/test/test_anon.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_array_in_pointer.py
pes/test/test_array_in_pointer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_array_in_pointer.pyo
pes/test/test_array_in_pointer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_arrays.py
pes/test/test_arrays.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_arrays.pyo
pes/test/test_arrays.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_as_parameter.py
pes/test/test_as_parameter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_as_parameter.pyo
pes/test/test_as_parameter.pyc

pes/test/test_as_parameter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_as_parameter.pyo
pes/test/test_as_parameter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_bitfields.py
pes/test/test_bitfields.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_bitfields.pyo
pes/test/test_bitfields.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_buffers.py
pes/test/test_buffers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_buffers.pyo
pes/test/test_buffers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_byteswap.py
pes/test/test_byteswap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_byteswap.pyo
pes/test/test_byteswap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_callbacks.py
pes/test/test_callbacks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_callbacks.pyo
pes/test/test_callbacks.pyc

pes/test/test_callbacks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_callbacks.pyo
pes/test/test_callbacks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_cast.py
pes/test/test_cast.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_cast.pyo
pes/test/test_cast.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_cfuncs.py
pes/test/test_cfuncs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_cfuncs.pyo
pes/test/test_cfuncs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_checkretval.py
pes/test/test_checkretval.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_checkretval.pyo
pes/test/test_checkretval.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_delattr.py
pes/test/test_delattr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_delattr.pyo

pes/test/test_deattr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_deattr.pyo
pes/test/test_errcheck.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_errcheck.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_errcheck.pyo
pes/test/test_errno.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_errno.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_errno.pyo
pes/test/test_find.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_find.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_find.pyo
pes/test/test_frombuffer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_frombuffer.pyc

pes/test/test_frombuffer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_frombuffer.pyo
pes/test/test_frombuffer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_funcptr.pyc
pes/test/test_funcptr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_funcptr.pyo
pes/test/test_funcptr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_funcptr.pyo
pes/test/test_functions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_functions.pyc
pes/test/test_functions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_functions.pyo
pes/test/test_incomplete.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_incomplete.pyc
pes/test/test_incomplete.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_incomplete.pyo
pes/test/test_init.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_init.pyc

pes/test/test_init.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_init.pyc
pes/test/test_integers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_integers.pyc
pes/test/test_integers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_integers.py
pes/test/test_internals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_internals.pyc
pes/test/test_internals.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_internals.py
pes/test/test_keeprefs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_keeprefs.pyc
pes/test/test_keeprefs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_keeprefs.py
pes/test/test_libc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_libc.pyc

pes/test/test_libc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_libc.pyc
pes/test/test_loading.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_loading.pyc
pes/test/test_loading.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_macholib.py
pes/test/test_macholib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_macholib.pyc
pes/test/test_memfunctions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_memfunctions.pyc
pes/test/test_memfunctions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_numbers.py
pes/test/test_numbers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes

pes/test/test_numbers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_numbers.pyo
pes/test/test_numbers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_objects.py
pes/test/test_objects.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_objects.pyo
pes/test/test_objects.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_parameters.py
pes/test/test_parameters.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_parameters.pyo
pes/test/test_parameters.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_pep3118.py
pes/test/test_pep3118.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_pep3118.pyo
pes/test/test_pep3118.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_pickling.py
pes/test/test_pickling.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_pickling.pyo

pes/test/test_pickling.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_pickling.pyo
pes/test/test_pointers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_pointers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_pointers.pyo
pes/test/test_prototypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_prototypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_prototypes.pyo
pes/test/test_python_api.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_python_api.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_python_api.pyo
pes/test/test_random_things.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes

pes/test/test_random_things.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_random_things.pyc
pes/test/test_random_things.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_refcounts.pyc
pes/test/test_refcounts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_refcounts.pyc
pes/test/test_refcounts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_repr.pyc
pes/test/test_repr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_repr.pyc
pes/test/test_repr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_returnfuncptrs.pyc
pes/test/test_returnfuncptrs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_returnfuncptrs.pyc
pes/test/test_returnfuncptrs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_simplesubclasses.pyc
pes/test/test_simplesubclasses.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes

pes/test/test_simplesubclasses.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_simplesubclasses.pyc
pes/test/test_simplesubclasses.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_sizes.pyc
pes/test/test_sizes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_sizes.pyc
pes/test/test_sizes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_slicing.pyc
pes/test/test_slicing.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_slicing.pyc
pes/test/test_slicing.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_stringptr.pyc
pes/test/test_stringptr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_stringptr.pyc
pes/test/test_stringptr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_strings.pyc
pes/test/test_strings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes

pes/test/test_strings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_strings.pyo
pes/test/test_strings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_struct_fields.py
pes/test/test_struct_fields.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_struct_fields.pyo
pes/test/test_struct_fields.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_structures.py
pes/test/test_structures.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_structures.pyo
pes/test/test_structures.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_unaligned_structures.py
pes/test/test_unaligned_structures.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_unaligned_structures.pyo
pes/test/test_unaligned_structures.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_unicode.py
pes/test/test_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes

pes/test/test_unicode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_unicode.pyo
pes/test/test_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_values.py
pes/test/test_values.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_values.pyo
pes/test/test_values.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_varsize_struct.py
pes/test/test_varsize_struct.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_varsize_struct.pyo
pes/test/test_varsize_struct.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_win32.py
pes/test/test_win32.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_win32.pyo
pes/test/test_win32.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_wintypes.py
pes/test/test_wintypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_wintypes.pyo
pes/test/test_wintypes.pyo

pes/test/test_wintypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/test/test_wintypes.pyo
pes/macholib/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/dyld.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/dyld.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/dyld.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/dylib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/dylib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/dylib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/fetch_macholib
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes


```
pes/macholib/fetch_macholib.bat
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/framework.py
pes/macholib/framework.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/framework.pyo
pes/macholib/framework.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/ctypes/macholib/README.ctypes
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/config/config.c
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/config/config.c.in
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/config/install-sh
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/config/libpython2.7.a
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/config/libpython2.7.dylib
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/config/Makefile
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/config/makesetup
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/con
```

fig/python.o
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/con
fig/Setup
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/con
fig/Setup.config
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/con
fig/Setup.local
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/ast.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/ast.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/ast.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/consts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/consts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com

piler/consts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/future.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/future.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/future.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/misc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/misc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/misc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/pyassem.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/pyassem.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/pyassem.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/pycodegen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/pycodegen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com

piler/pycodegen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/symbols.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/symbols.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/symbols.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/syntax.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/syntax.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/syntax.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/transformer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/transformer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/transformer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/visitor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com
piler/visitor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/com

piler/visitor.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/__init__.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/__init__.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/__init__.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/db.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/db.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/db.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/dbobj.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/dbobj.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/dbobj.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/dbrecio.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb/dbrecio.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsddb

db/dbrecio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbshelve.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbshelve.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbshelve.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbtables.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbtables.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbtables.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbutils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbutils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/dbutils.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd

db/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_all.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_all.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_all.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_associate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_associate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_associate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_basics.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_basics.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_basics.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_compare.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd

db/test/test_compare.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_compare.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_compat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_compat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_compat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_cursor_pget_bug.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_cursor_pget_bug.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_cursor_pget_bug.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_db.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_db.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_db.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbenv.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd

db/test/test_dbenv.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbenv.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbobj.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbobj.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbobj.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbshelve.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbshelve.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbshelve.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbtables.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbtables.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_dbtables.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_distributed_transactions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd

db/test/test_distributed_transactions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_distributed_transactions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_early_close.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_early_close.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_early_close.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_fileid.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_fileid.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_fileid.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_get_none.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_get_none.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_get_none.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_join.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd

db/test/test_join.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_join.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_lock.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_lock.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_lock.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_misc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_misc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_misc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_pickle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_pickle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_pickle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_queue.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd

db/test/test_queue.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_queue.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_recno.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_recno.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_recno.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_replication.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_replication.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_replication.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_sequence.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_sequence.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_sequence.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_thread.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd

db/test/test_thread.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/python2.7/bsd
db/test/test_thread.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/pkgconfig/pyt
hon-2.7.pc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/pkgconfig/pyt
hon.pc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/lib/pkgconfig/pyt
hon2.pc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/abstract.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/asdl.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/ast.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/bitset.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/boolobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/bufferobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/bytearrayobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/bytes_methods.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/bytesobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/cellobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/ceval.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/classobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/cobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/code.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/codecs.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/compile.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/complexobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/cStringIO.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/datetime.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/descrobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/dictobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/dtoa.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/enumobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/errcode.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/eval.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/fileobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/floatobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/frameobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/funcobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/genobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/graminit.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/grammar.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/import.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/intobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/intrcheck.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/iterobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/listobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/longintrepr.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/longobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/marshal.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/memoryobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/metagrammar.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/methodobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/modsupport.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/moduleobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/node.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/object.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/objimpl.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/opcode.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/osdefs.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/parsetok.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/patchlevel.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/pgen.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7/pgenheaders.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/py_curses.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pyarena.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pycapsule.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pyconfig.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pyctype.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pydebug.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pyerrors.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pyexpat.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pyfpe.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pygetopt.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pymacconfig.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pymactoolbox.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/pymath.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pymem.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pyport.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pystate.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pystrcmp.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pystrtod.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/Python-ast.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/Python.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pythonrun.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/pythread.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/rangeobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/setobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/sliceobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/stringobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/structmember.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/structseq.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/symtable.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/sysmodule.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/timefuncs.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/token.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/traceback.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/tupleobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/ucnhash.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7
/unicodeobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/warnings.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/include/python2.7

/weakrefobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/2to3

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/2to3-2

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/2to3-2.7

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/idle

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/idle2

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/idle2.7

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/pydoc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/pydoc2

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/pydoc2.7

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/python

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/python-config

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/python2

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/python2-confi

g

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/python2.7

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/python2.7-con

fig

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/pythonw

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/pythonw2

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/pythonw2.7

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/smtpd.py

- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/smtpd2.7.py
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.7/bin/smtpd2.py
- x ./opt/local/lib/libpython2.7.dylib
- x ./opt/local/etc/select/
- x ./opt/local/etc/select/python/
- x ./opt/local/etc/select/python/python27
- x ./opt/local/bin/2to3-2.7
- x ./opt/local/bin/idle2.7
- x ./opt/local/bin/pydoc2.7
- x ./opt/local/bin/python2.7
- x ./opt/local/bin/python2.7-config
- x ./opt/local/bin/pythonw2.7
- x ./opt/local/bin/smtpd2.7.py
- x ./Applications/MacPorts/
- x ./Applications/MacPorts/Python 2.7/
- x ./Applications/MacPorts/Python 2.7/Build Applet.app/
- x ./Applications/MacPorts/Python 2.7/IDLE.app/
- x ./Applications/MacPorts/Python 2.7/Python Launcher.app/
- x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/
- x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Info.plist
- x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/MacOS/
- x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/PkgInfo
- x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/
- x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/Engl

```
ish.lproj/  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/factorySettings.plist  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/PythonCompiled.icns  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/PythonLauncher.icns  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/PythonSource.icns  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/English.lproj/Credits.rtf  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/English.lproj/MainMenu.nib/  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/English.lproj/MyDocument.nib/  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/English.lproj/PreferenceWindow.nib/  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/English.lproj/PreferenceWindow.nib/classes.nib  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/English.lproj/PreferenceWindow.nib/info.nib  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/English.lproj/PreferenceWindow.nib/objects.nib  
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/Engl
```

```
ish.lproj/MyDocument.nib/classes.nib
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/Engl
ish.lproj/MyDocument.nib/info.nib
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/Engl
ish.lproj/MyDocument.nib/objects.nib
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/Engl
ish.lproj/MainMenu.nib/classes.nib
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/Engl
ish.lproj/MainMenu.nib/info.nib
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/Resources/Engl
ish.lproj/MainMenu.nib/objects.nib
x ./Applications/MacPorts/Python 2.7/Python Launcher.app/Contents/MacOS/Python L
auncher
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/Info.plist
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/MacOS/
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/PkgInfo
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/Resources/
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/Resources/IDLE.icns
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/Resources/idlemain.py
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/Resources/PythonCompiled.
icns
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/Resources/PythonSource.ic
ns
```



```
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/MacOS/IDLE
x ./Applications/MacPorts/Python 2.7/IDLE.app/Contents/MacOS/Python
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/Info.plist
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/MacOS/
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/PkgInfo
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/Resources/
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/Resources/__argve
mulator_BuildApplet.py
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/Resources/BuildAp
plet.icns
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/Resources/BuildAp
plet.py
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/Resources/BuildAp
plet.rsrc
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/MacOS/Build Apple
t
x ./Applications/MacPorts/Python 2.7/Build Applet.app/Contents/MacOS/Python
```

To make python 2.7 the default (i.e. the version you get when you run 'python'), please run:

```
sudo port select --set python python27
```

```

---> Cleaning python27
---> Removing work directory for python27
---> Fetching archive for xorg-libpthread-stubs
---> xorg-libpthread-stubs-0.3_0.darwin_10.noarch.tbz2 doesn't seem to exist in
/opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libpthread-stubs-0.3_0.darwin_10.noarch.tbz2 from
http://packages.macports.org/xorg-libpthread-stubs
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
107  1292  107  1292    0     0   3748      0  --:--:--  --:--:--  --:--:--   6835
---> Attempting to fetch xorg-libpthread-stubs-0.3_0.darwin_10.noarch.tbz2.rmd1
60 from http://packages.macports.org/xorg-libpthread-stubs
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
102   512  102   512    0     0   1679      0  --:--:--  --:--:--  --:--:--   3346
---> Installing xorg-libpthread-stubs @0.3_0
---> Activating xorg-libpthread-stubs @0.3_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/

```

```

x ./opt/local/
x ./opt/local/lib/
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/pthread-stubs.pc
---> Cleaning xorg-libpthread-stubs
---> Removing work directory for xorg-libpthread-stubs
---> Fetching archive for xorg-xcb-proto
---> xorg-xcb-proto-1.8_0+python27.darwin_10.noarch.tbz2 doesn't seem to exist
in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-xcb-proto-1.8_0+python27.darwin_10.noarch.tbz2 fr
om http://packages.macports.org/xorg-xcb-proto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
100 79595  100 79595    0     0  64674      0  0:00:01  0:00:01 --:--:-- 73973
---> Attempting to fetch xorg-xcb-proto-1.8_0+python27.darwin_10.noarch.tbz2.rm
d160 from http://packages.macports.org/xorg-xcb-proto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
102  512  102  512    0     0   1721      0  --:--:--  --:--:--  --:--:--  3390
---> Installing xorg-xcb-proto @1.8_0+python27
---> Activating xorg-xcb-proto @1.8_0+python27
x ./
x ./+COMMENT
x ./+CONTENTS

```

```
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/xc/
x ./opt/local/share/xc/bigreq.xml
x ./opt/local/share/xc/composite.xml
x ./opt/local/share/xc/damage.xml
x ./opt/local/share/xc/dpms.xml
x ./opt/local/share/xc/dri2.xml
x ./opt/local/share/xc/ge.xml
x ./opt/local/share/xc/glx.xml
x ./opt/local/share/xc/andr.xml
x ./opt/local/share/xc/record.xml
x ./opt/local/share/xc/render.xml
x ./opt/local/share/xc/res.xml
x ./opt/local/share/xc/screensaver.xml
x ./opt/local/share/xc/shape.xml
x ./opt/local/share/xc/shm.xml
x ./opt/local/share/xc/sync.xml
x ./opt/local/share/xc/xc_misc.xml
```

```
x ./opt/local/share/xcB/xcB.xsd
x ./opt/local/share/xcB/xevie.xml
x ./opt/local/share/xcB/xf86dri.xml
x ./opt/local/share/xcB/xf86vidmode.xml
x ./opt/local/share/xcB/xfixes.xml
x ./opt/local/share/xcB/xinerama.xml
x ./opt/local/share/xcB/xinput.xml
x ./opt/local/share/xcB/xkb.xml
x ./opt/local/share/xcB/xprint.xml
x ./opt/local/share/xcB/xproto.xml
x ./opt/local/share/xcB/xselinux.xml
x ./opt/local/share/xcB/xtest.xml
x ./opt/local/share/xcB/xv.xml
x ./opt/local/share/xcB/xvmc.xml
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/python2.7/
x ./opt/local/lib/python2.7/site-packages/
x ./opt/local/lib/python2.7/site-packages/xcBgen/
x ./opt/local/lib/python2.7/site-packages/xcBgen/__init__.py
x ./opt/local/lib/python2.7/site-packages/xcBgen/__init__.pyc
x ./opt/local/lib/python2.7/site-packages/xcBgen/__init__.pyo
x ./opt/local/lib/python2.7/site-packages/xcBgen/error.py
x ./opt/local/lib/python2.7/site-packages/xcBgen/error.pyc
x ./opt/local/lib/python2.7/site-packages/xcBgen/error.pyo
```

```

x ./opt/local/lib/python2.7/site-packages/xcbggen/expr.py
x ./opt/local/lib/python2.7/site-packages/xcbggen/expr.pyc
x ./opt/local/lib/python2.7/site-packages/xcbggen/expr.pyo
x ./opt/local/lib/python2.7/site-packages/xcbggen/matcher.py
x ./opt/local/lib/python2.7/site-packages/xcbggen/matcher.pyc
x ./opt/local/lib/python2.7/site-packages/xcbggen/matcher.pyo
x ./opt/local/lib/python2.7/site-packages/xcbggen/state.py
x ./opt/local/lib/python2.7/site-packages/xcbggen/state.pyc
x ./opt/local/lib/python2.7/site-packages/xcbggen/state.pyo
x ./opt/local/lib/python2.7/site-packages/xcbggen/xtypes.py
x ./opt/local/lib/python2.7/site-packages/xcbggen/xtypes.pyc
x ./opt/local/lib/python2.7/site-packages/xcbggen/xtypes.pyo
x ./opt/local/lib/pkgconfig/xcb-proto.pc
---> Cleaning xorg-xcb-proto
---> Removing work directory for xorg-xcb-proto
---> Fetching archive for xorg-libxcb
---> xorg-libxcb-1.9.1_0+python27.darwin_10.x86_64.tbz2 doesn't seem to exist i
n /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libxcb-1.9.1_0+python27.darwin_10.x86_64.tbz2 fro
m http://packages.macports.org/xorg-libxcb
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
100  948k  100  948k    0     0   238k      0  0:00:03  0:00:03  --:--:--  247k
---> Attempting to fetch xorg-libxcb-1.9.1_0+python27.darwin_10.x86_64.tbz2.rmd

```

160 from <http://packages.macports.org/xorg-libxcb>

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1614	0	--:--:--	--:--:--	--:--:--	3200

---> Installing xorg-libxcb @1.9.1_0+python27

---> Activating xorg-libxcb @1.9.1_0+python27

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/share/

x ./opt/local/share/doc/

x ./opt/local/share/man/

x ./opt/local/share/man/man3/

x ./opt/local/share/man/man3/xcb-examples.3.gz

x ./opt/local/share/man/man3/xcb-requests.3.gz

x ./opt/local/share/man/man3/xcb_alloc_color.3.gz

x ./opt/local/share/man/man3/xcb_alloc_color_cells.3.gz

x ./opt/local/share/man/man3/xcb_alloc_color_cells_masks.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_cells_masks_end.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_cells_masks_length.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_cells_pixels.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_cells_pixels_end.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_cells_pixels_length.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_cells_reply.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_cells_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_planes.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_planes_pixels.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_planes_pixels_end.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_planes_pixels_length.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_planes_reply.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_planes_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_reply.3.gz
x ./opt/local/share/man/man3/xcb_alloc_color_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_alloc_named_color.3.gz
x ./opt/local/share/man/man3/xcb_alloc_named_color_reply.3.gz
x ./opt/local/share/man/man3/xcb_alloc_named_color_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_allow_events.3.gz
x ./opt/local/share/man/man3/xcb_allow_events_checked.3.gz
x ./opt/local/share/man/man3/xcb_bell.3.gz
x ./opt/local/share/man/man3/xcb_bell_checked.3.gz
x ./opt/local/share/man/man3/xcb_big_requests_enable.3.gz

- x ./opt/local/share/man/man3/xcb_big_requests_enable_reply.3.gz
- x ./opt/local/share/man/man3/xcb_big_requests_enable_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_button_press_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_button_release_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_change_active_pointer_grab.3.gz
- x ./opt/local/share/man/man3/xcb_change_active_pointer_grab_checked.3.gz
- x ./opt/local/share/man/man3/xcb_change_gc.3.gz
- x ./opt/local/share/man/man3/xcb_change_gc_checked.3.gz
- x ./opt/local/share/man/man3/xcb_change_hosts.3.gz
- x ./opt/local/share/man/man3/xcb_change_hosts_checked.3.gz
- x ./opt/local/share/man/man3/xcb_change_keyboard_control.3.gz
- x ./opt/local/share/man/man3/xcb_change_keyboard_control_checked.3.gz
- x ./opt/local/share/man/man3/xcb_change_keyboard_mapping.3.gz
- x ./opt/local/share/man/man3/xcb_change_keyboard_mapping_checked.3.gz
- x ./opt/local/share/man/man3/xcb_change_pointer_control.3.gz
- x ./opt/local/share/man/man3/xcb_change_pointer_control_checked.3.gz
- x ./opt/local/share/man/man3/xcb_change_property.3.gz
- x ./opt/local/share/man/man3/xcb_change_property_checked.3.gz
- x ./opt/local/share/man/man3/xcb_change_save_set.3.gz
- x ./opt/local/share/man/man3/xcb_change_save_set_checked.3.gz
- x ./opt/local/share/man/man3/xcb_change_window_attributes.3.gz
- x ./opt/local/share/man/man3/xcb_change_window_attributes_checked.3.gz
- x ./opt/local/share/man/man3/xcb_circulate_notify_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_circulate_request_event_t.3.gz

x ./opt/local/share/man/man3/xcb_circulate_window.3.gz
x ./opt/local/share/man/man3/xcb_circulate_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_clear_area.3.gz
x ./opt/local/share/man/man3/xcb_clear_area_checked.3.gz
x ./opt/local/share/man/man3/xcb_client_message_event_t.3.gz
x ./opt/local/share/man/man3/xcb_close_font.3.gz
x ./opt/local/share/man/man3/xcb_close_font_checked.3.gz
x ./opt/local/share/man/man3/xcb_colormap_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_composite_create_region_from_border_clip.3.gz
x ./opt/local/share/man/man3/xcb_composite_create_region_from_border_clip_checked.3.gz
x ./opt/local/share/man/man3/xcb_composite_get_overlay_window.3.gz
x ./opt/local/share/man/man3/xcb_composite_get_overlay_window_reply.3.gz
x ./opt/local/share/man/man3/xcb_composite_get_overlay_window_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_composite_name_window_pixmap.3.gz
x ./opt/local/share/man/man3/xcb_composite_name_window_pixmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_composite_query_version.3.gz
x ./opt/local/share/man/man3/xcb_composite_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_composite_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_composite_redirect_subwindows.3.gz
x ./opt/local/share/man/man3/xcb_composite_redirect_subwindows_checked.3.gz
x ./opt/local/share/man/man3/xcb_composite_redirect_window.3.gz
x ./opt/local/share/man/man3/xcb_composite_redirect_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_composite_release_overlay_window.3.gz

x ./opt/local/share/man/man3/xcb_composite_release_overlay_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_composite_unredirect_subwindows.3.gz
x ./opt/local/share/man/man3/xcb_composite_unredirect_subwindows_checked.3.gz
x ./opt/local/share/man/man3/xcb_composite_unredirect_window.3.gz
x ./opt/local/share/man/man3/xcb_composite_unredirect_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_configure_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_configure_request_event_t.3.gz
x ./opt/local/share/man/man3/xcb_configure_window.3.gz
x ./opt/local/share/man/man3/xcb_configure_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_convert_selection.3.gz
x ./opt/local/share/man/man3/xcb_convert_selection_checked.3.gz
x ./opt/local/share/man/man3/xcb_copy_area.3.gz
x ./opt/local/share/man/man3/xcb_copy_area_checked.3.gz
x ./opt/local/share/man/man3/xcb_copy_colormap_and_free.3.gz
x ./opt/local/share/man/man3/xcb_copy_colormap_and_free_checked.3.gz
x ./opt/local/share/man/man3/xcb_copy_gc.3.gz
x ./opt/local/share/man/man3/xcb_copy_gc_checked.3.gz
x ./opt/local/share/man/man3/xcb_copy_plane.3.gz
x ./opt/local/share/man/man3/xcb_copy_plane_checked.3.gz
x ./opt/local/share/man/man3/xcb_create_colormap.3.gz
x ./opt/local/share/man/man3/xcb_create_colormap_checked.3.gz
x ./opt/local/share/man/man3/xcb_create_cursor.3.gz
x ./opt/local/share/man/man3/xcb_create_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_create_gc.3.gz

x ./opt/local/share/man/man3/xcb_create_gc_checked.3.gz
x ./opt/local/share/man/man3/xcb_create_glyph_cursor.3.gz
x ./opt/local/share/man/man3/xcb_create_glyph_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_create_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_create_pixmap.3.gz
x ./opt/local/share/man/man3/xcb_create_pixmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_create_window.3.gz
x ./opt/local/share/man/man3/xcb_create_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_damage_add.3.gz
x ./opt/local/share/man/man3/xcb_damage_add_checked.3.gz
x ./opt/local/share/man/man3/xcb_damage_create.3.gz
x ./opt/local/share/man/man3/xcb_damage_create_checked.3.gz
x ./opt/local/share/man/man3/xcb_damage_destroy.3.gz
x ./opt/local/share/man/man3/xcb_damage_destroy_checked.3.gz
x ./opt/local/share/man/man3/xcb_damage_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_damage_query_version.3.gz
x ./opt/local/share/man/man3/xcb_damage_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_damage_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_damage_subtract.3.gz
x ./opt/local/share/man/man3/xcb_damage_subtract_checked.3.gz
x ./opt/local/share/man/man3/xcb_delete_property.3.gz
x ./opt/local/share/man/man3/xcb_delete_property_checked.3.gz
x ./opt/local/share/man/man3/xcb_destroy_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_destroy_subwindows.3.gz

x ./opt/local/share/man/man3/xcb_destroy_subwindows_checked.3.gz
x ./opt/local/share/man/man3/xcb_destroy_window.3.gz
x ./opt/local/share/man/man3/xcb_destroy_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_dpms_capable.3.gz
x ./opt/local/share/man/man3/xcb_dpms_capable_reply.3.gz
x ./opt/local/share/man/man3/xcb_dpms_capable_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dpms_disable.3.gz
x ./opt/local/share/man/man3/xcb_dpms_disable_checked.3.gz
x ./opt/local/share/man/man3/xcb_dpms_enable.3.gz
x ./opt/local/share/man/man3/xcb_dpms_enable_checked.3.gz
x ./opt/local/share/man/man3/xcb_dpms_force_level.3.gz
x ./opt/local/share/man/man3/xcb_dpms_force_level_checked.3.gz
x ./opt/local/share/man/man3/xcb_dpms_get_timeouts.3.gz
x ./opt/local/share/man/man3/xcb_dpms_get_timeouts_reply.3.gz
x ./opt/local/share/man/man3/xcb_dpms_get_timeouts_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dpms_get_version.3.gz
x ./opt/local/share/man/man3/xcb_dpms_get_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_dpms_get_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dpms_info.3.gz
x ./opt/local/share/man/man3/xcb_dpms_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_dpms_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dpms_set_timeouts.3.gz
x ./opt/local/share/man/man3/xcb_dpms_set_timeouts_checked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_authenticate.3.gz

x ./opt/local/share/man/man3/xcb_dri2_authenticate_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_authenticate_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_buffer_swap_complete_event_t.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_alignment_pad.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_alignment_pad_end.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_alignment_pad_length.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_device_name.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_device_name_end.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_device_name_length.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_driver_name.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_driver_name_end.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_driver_name_length.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_connect_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_copy_region.3.gz
x ./opt/local/share/man/man3/xcb_dri2_copy_region_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_copy_region_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_create_drawable.3.gz
x ./opt/local/share/man/man3/xcb_dri2_create_drawable_checked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_destroy_drawable.3.gz
x ./opt/local/share/man/man3/xcb_dri2_destroy_drawable_checked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_buffers.3.gz

x ./opt/local/share/man/man3/xcb_dri2_get_buffers_buffers_iterator.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_buffers_length.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_with_format.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_with_format_buffers.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_with_format_buffers_iterator.3
.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_with_format_buffers_length.3.g
z
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_with_format_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_buffers_with_format_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_msc.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_msc_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_msc_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_param.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_param_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_get_param_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_invalidate_buffers_event_t.3.gz
x ./opt/local/share/man/man3/xcb_dri2_query_version.3.gz
x ./opt/local/share/man/man3/xcb_dri2_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_swap_buffers.3.gz
x ./opt/local/share/man/man3/xcb_dri2_swap_buffers_reply.3.gz

x ./opt/local/share/man/man3/xcb_dri2_swap_buffers_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_swap_interval.3.gz
x ./opt/local/share/man/man3/xcb_dri2_swap_interval_checked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_wait_msc.3.gz
x ./opt/local/share/man/man3/xcb_dri2_wait_msc_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_wait_msc_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_dri2_wait_sbc.3.gz
x ./opt/local/share/man/man3/xcb_dri2_wait_sbc_reply.3.gz
x ./opt/local/share/man/man3/xcb_dri2_wait_sbc_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_enter_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_expose_event_t.3.gz
x ./opt/local/share/man/man3/xcb_fill_poly.3.gz
x ./opt/local/share/man/man3/xcb_fill_poly_checked.3.gz
x ./opt/local/share/man/man3/xcb_focus_in_event_t.3.gz
x ./opt/local/share/man/man3/xcb_focus_out_event_t.3.gz
x ./opt/local/share/man/man3/xcb_force_screen_saver.3.gz
x ./opt/local/share/man/man3/xcb_force_screen_saver_checked.3.gz
x ./opt/local/share/man/man3/xcb_free_colormap.3.gz
x ./opt/local/share/man/man3/xcb_free_colormap_checked.3.gz
x ./opt/local/share/man/man3/xcb_free_colors.3.gz
x ./opt/local/share/man/man3/xcb_free_colors_checked.3.gz
x ./opt/local/share/man/man3/xcb_free_cursor.3.gz
x ./opt/local/share/man/man3/xcb_free_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_free_gc.3.gz

x ./opt/local/share/man/man3/xcb_free_gc_checked.3.gz
x ./opt/local/share/man/man3/xcb_free_pixmap.3.gz
x ./opt/local/share/man/man3/xcb_free_pixmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_get_atom_name.3.gz
x ./opt/local/share/man/man3/xcb_get_atom_name_name.3.gz
x ./opt/local/share/man/man3/xcb_get_atom_name_name_end.3.gz
x ./opt/local/share/man/man3/xcb_get_atom_name_name_length.3.gz
x ./opt/local/share/man/man3/xcb_get_atom_name_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_atom_name_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_font_path.3.gz
x ./opt/local/share/man/man3/xcb_get_font_path_path_iterator.3.gz
x ./opt/local/share/man/man3/xcb_get_font_path_path_length.3.gz
x ./opt/local/share/man/man3/xcb_get_font_path_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_font_path_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_geometry.3.gz
x ./opt/local/share/man/man3/xcb_get_geometry_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_geometry_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_image.3.gz
x ./opt/local/share/man/man3/xcb_get_image_data.3.gz
x ./opt/local/share/man/man3/xcb_get_image_data_end.3.gz
x ./opt/local/share/man/man3/xcb_get_image_data_length.3.gz
x ./opt/local/share/man/man3/xcb_get_image_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_image_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_input_focus.3.gz

x ./opt/local/share/man/man3/xcb_get_input_focus_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_input_focus_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_control.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_control_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_control_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_mapping.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_mapping_keysyms.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_mapping_keysyms_end.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_mapping_keysyms_length.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_mapping_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_keyboard_mapping_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_modifier_mapping.3.gz
x ./opt/local/share/man/man3/xcb_get_modifier_mapping_keycodes.3.gz
x ./opt/local/share/man/man3/xcb_get_modifier_mapping_keycodes_end.3.gz
x ./opt/local/share/man/man3/xcb_get_modifier_mapping_keycodes_length.3.gz
x ./opt/local/share/man/man3/xcb_get_modifier_mapping_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_modifier_mapping_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_motion_events.3.gz
x ./opt/local/share/man/man3/xcb_get_motion_events_events.3.gz
x ./opt/local/share/man/man3/xcb_get_motion_events_events_iterator.3.gz
x ./opt/local/share/man/man3/xcb_get_motion_events_events_length.3.gz
x ./opt/local/share/man/man3/xcb_get_motion_events_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_motion_events_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_pointer_control.3.gz

x ./opt/local/share/man/man3/xcb_get_pointer_control_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_pointer_control_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_pointer_mapping.3.gz
x ./opt/local/share/man/man3/xcb_get_pointer_mapping_map.3.gz
x ./opt/local/share/man/man3/xcb_get_pointer_mapping_map_end.3.gz
x ./opt/local/share/man/man3/xcb_get_pointer_mapping_map_length.3.gz
x ./opt/local/share/man/man3/xcb_get_pointer_mapping_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_pointer_mapping_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_property.3.gz
x ./opt/local/share/man/man3/xcb_get_property_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_property_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_property_value.3.gz
x ./opt/local/share/man/man3/xcb_get_property_value_end.3.gz
x ./opt/local/share/man/man3/xcb_get_property_value_length.3.gz
x ./opt/local/share/man/man3/xcb_get_screen_saver.3.gz
x ./opt/local/share/man/man3/xcb_get_screen_saver_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_screen_saver_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_selection_owner.3.gz
x ./opt/local/share/man/man3/xcb_get_selection_owner_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_selection_owner_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_get_window_attributes.3.gz
x ./opt/local/share/man/man3/xcb_get_window_attributes_reply.3.gz
x ./opt/local/share/man/man3/xcb_get_window_attributes_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_are_textures_resident.3.gz

x ./opt/local/share/man/man3/xcb_glx_are_textures_resident_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_are_textures_resident_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_are_textures_resident_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_are_textures_resident_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_are_textures_resident_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_change_drawable_attributes.3.gz
x ./opt/local/share/man/man3/xcb_glx_change_drawable_attributes_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_client_info.3.gz
x ./opt/local/share/man/man3/xcb_glx_client_info_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_copy_context.3.gz
x ./opt/local/share/man/man3/xcb_glx_copy_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_context.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_context_attribs_arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_context_attribs_arb_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_glx_pixmap.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_glx_pixmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_new_context.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_new_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_pbuffer.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_pbuffer_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_pixmap.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_pixmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_create_window.3.gz

x ./opt/local/share/man/man3/xcb_glx_create_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_delete_lists.3.gz
x ./opt/local/share/man/man3/xcb_glx_delete_lists_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_delete_queries_arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_delete_queries_arb_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_delete_textures.3.gz
x ./opt/local/share/man/man3/xcb_glx_delete_textures_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_delete_window.3.gz
x ./opt/local/share/man/man3/xcb_glx_delete_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_destroy_context.3.gz
x ./opt/local/share/man/man3/xcb_glx_destroy_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_destroy_glx_pixmap.3.gz
x ./opt/local/share/man/man3/xcb_glx_destroy_glx_pixmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_destroy_pbuffer.3.gz
x ./opt/local/share/man/man3/xcb_glx_destroy_pbuffer_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_destroy_pixmap.3.gz
x ./opt/local/share/man/man3/xcb_glx_destroy_pixmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_end_list.3.gz
x ./opt/local/share/man/man3/xcb_glx_end_list_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_feedback_buffer.3.gz
x ./opt/local/share/man/man3/xcb_glx_feedback_buffer_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_finish.3.gz
x ./opt/local/share/man/man3/xcb_glx_finish_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_finish_unchecked.3.gz

x ./opt/local/share/man/man3/xc_b_glx_flush.3.gz
x ./opt/local/share/man/man3/xc_b_glx_flush_checked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_lists.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_lists_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_lists_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_queries_arb.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_queries_arb_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_queries_arb_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_queries_arb_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_queries_arb_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_queries_arb_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_textures.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_textures_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_textures_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_textures_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_textures_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_gen_textures_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_booleanv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_booleanv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_booleanv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_booleanv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_booleanv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_booleanv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_clip_plane.3.gz

x ./opt/local/share/man/man3/xc_b_glx_get_clip_plane_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_clip_plane_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_clip_plane_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_clip_plane_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_clip_plane_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameterfv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameterfv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameterfv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameterfv_data_length.3.g
z
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameterfv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameterfv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameteriv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameteriv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameteriv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameteriv_data_length.3.g
z
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameteriv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_parameteriv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_color_table_reply.3.gz

x ./opt/local/share/man/man3/xcb_glx_get_color_table_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_compressed_tex_image_arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_compressed_tex_image_arb_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_compressed_tex_image_arb_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_compressed_tex_image_arb_data_length.3.
gz
x ./opt/local/share/man/man3/xcb_glx_get_compressed_tex_image_arb_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_compressed_tex_image_arb_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_filter.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_filter_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_filter_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_filter_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_filter_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_filter_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameterfv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameterfv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameterfv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameterfv_data_length.3.g
z
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameterfv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameterfv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameteriv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameteriv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameteriv_data_end.3.gz

x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameteriv_data_length.3.g
z
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameteriv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_convolution_parameteriv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_doublev.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_doublev_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_doublev_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_doublev_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_doublev_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_doublev_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_drawable_attributes.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_drawable_attributes_attribs.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_drawable_attributes_attribs_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_drawable_attributes_attribs_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_drawable_attributes_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_drawable_attributes_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_error.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_error_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_error_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_fb_configs.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_fb_configs_property_list.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_fb_configs_property_list_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_fb_configs_property_list_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_fb_configs_reply.3.gz

x ./opt/local/share/man/man3/xcb_glx_get_fb_configs_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_floatv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_floatv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_floatv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_floatv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_floatv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_floatv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameterfv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameterfv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameterfv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameterfv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameterfv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameterfv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameteriv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameteriv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameteriv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameteriv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameteriv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_parameteriv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_histogram_reply.3.gz

x ./opt/local/share/man/man3/xcb_glx_get_histogram_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_integerv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_integerv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_integerv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_integerv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_integerv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_integerv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightfv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightfv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightfv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightfv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightfv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightfv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightiv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightiv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightiv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightiv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightiv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_lightiv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_mapdv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_mapdv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_mapdv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_mapdv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_mapdv_reply.3.gz

x ./opt/local/share/man/man3/xc_b_glx_get_mapdv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapfv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapfv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapfv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapfv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapfv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapfv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapiv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapiv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapiv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapiv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapiv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_mapiv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialfv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialfv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialfv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialfv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialfv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialfv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialiv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialiv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialiv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialiv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_materialiv_reply.3.gz

x ./opt/local/share/man/man3/xc_b_glx_get_materialiv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameterfv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameterfv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameterfv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameterfv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameterfv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameterfv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameteriv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameteriv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameteriv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameteriv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameteriv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_parameteriv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_minmax_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_pixel_mapfv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_pixel_mapfv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_pixel_mapfv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_pixel_mapfv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_pixel_mapfv_reply.3.gz

x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapfv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapuiv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapuiv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapuiv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapuiv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapuiv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapuiv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapusv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapusv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapusv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapusv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapusv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_pixel_mapusv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_polygon_stipple.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_polygon_stipple_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_polygon_stipple_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_polygon_stipple_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_polygon_stipple_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_polygon_stipple_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectiv_arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectiv_arb_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectiv_arb_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectiv_arb_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectiv_arb_reply.3.gz

x ./opt/local/share/man/man3/xcb_glx_get_query_objectiv_arb_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectuiv_arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectuiv_arb_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectuiv_arb_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectuiv_arb_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectuiv_arb_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_query_objectuiv_arb_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_queryiv_arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_queryiv_arb_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_queryiv_arb_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_queryiv_arb_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_queryiv_arb_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_queryiv_arb_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_separable_filter.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_separable_filter_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_separable_filter_rows_and_cols.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_separable_filter_rows_and_cols_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_separable_filter_rows_and_cols_length.3
.gz
x ./opt/local/share/man/man3/xcb_glx_get_separable_filter_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_string.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_string_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_string_string.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_string_string_end.3.gz

x ./opt/local/share/man/man3/xc_b_glx_get_string_string_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_string_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_envfv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_envfv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_envfv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_envfv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_envfv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_envfv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_enviv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_enviv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_enviv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_enviv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_enviv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_enviv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_gendv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_gendv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_gendv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_gendv_data_length.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_gendv_reply.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_gendv_unchecked.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_genfv.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_genfv_data.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_genfv_data_end.3.gz
x ./opt/local/share/man/man3/xc_b_glx_get_tex_genfv_data_length.3.gz

x ./opt/local/share/man/man3/xcb_glx_get_tex_genfv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_genfv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_geniv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_geniv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_geniv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_geniv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_geniv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_geniv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_image.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_image_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_image_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_image_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_image_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_image_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameterfv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameterfv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameterfv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameterfv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameterfv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameterfv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameteriv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameteriv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameteriv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameteriv_data_length.3.gz

x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameteriv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_level_parameteriv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameterfv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameterfv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameterfv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameterfv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameterfv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameterfv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameteriv.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameteriv_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameteriv_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameteriv_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameteriv_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_tex_parameteriv_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_visual_configs.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_visual_configs_property_list.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_visual_configs_property_list_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_visual_configs_property_list_length.3.g
z
x ./opt/local/share/man/man3/xcb_glx_get_visual_configs_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_get_visual_configs_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_direct.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_direct_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_direct_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_glx_is_list.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_list_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_list_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_query_arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_query_arb_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_query_arb_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_texture.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_texture_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_is_texture_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_make_context_current.3.gz
x ./opt/local/share/man/man3/xcb_glx_make_context_current_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_make_context_current_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_make_current.3.gz
x ./opt/local/share/man/man3/xcb_glx_make_current_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_make_current_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_new_list.3.gz
x ./opt/local/share/man/man3/xcb_glx_new_list_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_pbuffer_clobber_event_t.3.gz
x ./opt/local/share/man/man3/xcb_glx_pixel_storef.3.gz
x ./opt/local/share/man/man3/xcb_glx_pixel_storef_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_pixel_storei.3.gz
x ./opt/local/share/man/man3/xcb_glx_pixel_storei_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_context.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_context_attribs.3.gz

x ./opt/local/share/man/man3/xcb_glx_query_context_attribs_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_context_attribs_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_extensions_string.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_extensions_string_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_extensions_string_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_server_string.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_server_string_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_server_string_string.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_server_string_string_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_server_string_string_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_server_string_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_version.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_read_pixels.3.gz
x ./opt/local/share/man/man3/xcb_glx_read_pixels_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_read_pixels_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_read_pixels_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_read_pixels_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_read_pixels_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_render.3.gz
x ./opt/local/share/man/man3/xcb_glx_render_checked.3.gz

x ./opt/local/share/man/man3/xcb_glx_render_large.3.gz
x ./opt/local/share/man/man3/xcb_glx_render_large_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_render_mode.3.gz
x ./opt/local/share/man/man3/xcb_glx_render_mode_data.3.gz
x ./opt/local/share/man/man3/xcb_glx_render_mode_data_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_render_mode_data_length.3.gz
x ./opt/local/share/man/man3/xcb_glx_render_mode_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_render_mode_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_glx_select_buffer.3.gz
x ./opt/local/share/man/man3/xcb_glx_select_buffer_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_set_client_info_2arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_set_client_info_2arb_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_set_client_info_arb.3.gz
x ./opt/local/share/man/man3/xcb_glx_set_client_info_arb_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_swap_buffers.3.gz
x ./opt/local/share/man/man3/xcb_glx_swap_buffers_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_use_x_font.3.gz
x ./opt/local/share/man/man3/xcb_glx_use_x_font_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_vendor_private.3.gz
x ./opt/local/share/man/man3/xcb_glx_vendor_private_checked.3.gz
x ./opt/local/share/man/man3/xcb_glx_vendor_private_with_reply.3.gz
x ./opt/local/share/man/man3/xcb_glx_vendor_private_with_reply_data_2.3.gz
x ./opt/local/share/man/man3/xcb_glx_vendor_private_with_reply_data_2_end.3.gz
x ./opt/local/share/man/man3/xcb_glx_vendor_private_with_reply_data_2_length.3.g

z

- x ./opt/local/share/man/man3/xcb_glx_vendor_private_with_reply_reply.3.gz
- x ./opt/local/share/man/man3/xcb_glx_vendor_private_with_reply_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_glx_wait_gl.3.gz
- x ./opt/local/share/man/man3/xcb_glx_wait_gl_checked.3.gz
- x ./opt/local/share/man/man3/xcb_glx_wait_x.3.gz
- x ./opt/local/share/man/man3/xcb_glx_wait_x_checked.3.gz
- x ./opt/local/share/man/man3/xcb_grab_button.3.gz
- x ./opt/local/share/man/man3/xcb_grab_button_checked.3.gz
- x ./opt/local/share/man/man3/xcb_grab_key.3.gz
- x ./opt/local/share/man/man3/xcb_grab_key_checked.3.gz
- x ./opt/local/share/man/man3/xcb_grab_keyboard.3.gz
- x ./opt/local/share/man/man3/xcb_grab_keyboard_reply.3.gz
- x ./opt/local/share/man/man3/xcb_grab_keyboard_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_grab_pointer.3.gz
- x ./opt/local/share/man/man3/xcb_grab_pointer_reply.3.gz
- x ./opt/local/share/man/man3/xcb_grab_pointer_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_grab_server.3.gz
- x ./opt/local/share/man/man3/xcb_grab_server_checked.3.gz
- x ./opt/local/share/man/man3/xcb_graphics_exposure_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_gravity_notify_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_image_text_16.3.gz
- x ./opt/local/share/man/man3/xcb_image_text_16_checked.3.gz
- x ./opt/local/share/man/man3/xcb_image_text_8.3.gz

x ./opt/local/share/man/man3/xcb_image_text_8_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_allow_device_events.3.gz
x ./opt/local/share/man/man3/xcb_input_allow_device_events_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_change_device_dont_propagate_list.3.gz
x ./opt/local/share/man/man3/xcb_input_change_device_dont_propagate_list_checked
.3.gz
x ./opt/local/share/man/man3/xcb_input_change_device_key_mapping.3.gz
x ./opt/local/share/man/man3/xcb_input_change_device_key_mapping_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_change_device_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_change_keyboard_device.3.gz
x ./opt/local/share/man/man3/xcb_input_change_keyboard_device_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_change_keyboard_device_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_change_pointer_device.3.gz
x ./opt/local/share/man/man3/xcb_input_change_pointer_device_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_change_pointer_device_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_close_device.3.gz
x ./opt/local/share/man/man3/xcb_input_close_device_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_device_bell.3.gz
x ./opt/local/share/man/man3/xcb_input_device_bell_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_device_button_press_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_button_release_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_button_state_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_key_press_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_key_release_event_t.3.gz

x ./opt/local/share/man/man3/xcb_input_device_key_state_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_mapping_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_motion_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_presence_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_state_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_device_valuator_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_focus_in_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_focus_out_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_button_mapping.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_button_mapping_map.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_button_mapping_map_end.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_button_mapping_map_length.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_button_mapping_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_button_mapping_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_control.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_control_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_control_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_dont_propagate_list.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_dont_propagate_list_classes.3.
gz
x ./opt/local/share/man/man3/xcb_input_get_device_dont_propagate_list_classes_en
d.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_dont_propagate_list_classes_le
ngth.3.gz

x ./opt/local/share/man/man3/xcb_input_get_device_dont_propagate_list_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_dont_propagate_list_unchecked.
3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_focus.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_focus_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_focus_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_key_mapping.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_key_mapping_keysyms.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_key_mapping_keysyms_end.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_key_mapping_keysyms_length.3.g
z
x ./opt/local/share/man/man3/xcb_input_get_device_key_mapping_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_key_mapping_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_modifier_mapping.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_modifier_mapping_keymaps.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_modifier_mapping_keymaps_end.3
.gz
x ./opt/local/share/man/man3/xcb_input_get_device_modifier_mapping_keymaps_lengt
h.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_modifier_mapping_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_modifier_mapping_unchecked.3.g
z
x ./opt/local/share/man/man3/xcb_input_get_device_motion_events.3.gz
x ./opt/local/share/man/man3/xcb_input_get_device_motion_events_reply.3.gz

x ./opt/local/share/man/man3/xcb_input_get_device_motion_events_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_get_extension_version.3.gz
x ./opt/local/share/man/man3/xcb_input_get_extension_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_extension_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_get_feedback_control.3.gz
x ./opt/local/share/man/man3/xcb_input_get_feedback_control_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_feedback_control_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events_all_classes
.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events_all_classes
_end.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events_all_classes
_length.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events_this_class
s.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events_this_class
s_end.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events_this_class
s_length.3.gz
x ./opt/local/share/man/man3/xcb_input_get_selected_extension_events_unchecked.3
.gz
x ./opt/local/share/man/man3/xcb_input_grab_device.3.gz

x ./opt/local/share/man/man3/xcb_input_grab_device_button.3.gz
x ./opt/local/share/man/man3/xcb_input_grab_device_button_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_grab_device_key.3.gz
x ./opt/local/share/man/man3/xcb_input_grab_device_key_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_grab_device_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_grab_device_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_list_input_devices.3.gz
x ./opt/local/share/man/man3/xcb_input_list_input_devices_devices.3.gz
x ./opt/local/share/man/man3/xcb_input_list_input_devices_devices_iterator.3.gz
x ./opt/local/share/man/man3/xcb_input_list_input_devices_devices_length.3.gz
x ./opt/local/share/man/man3/xcb_input_list_input_devices_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_list_input_devices_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_open_device.3.gz
x ./opt/local/share/man/man3/xcb_input_open_device_class_info.3.gz
x ./opt/local/share/man/man3/xcb_input_open_device_class_info_iterator.3.gz
x ./opt/local/share/man/man3/xcb_input_open_device_class_info_length.3.gz
x ./opt/local/share/man/man3/xcb_input_open_device_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_open_device_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_proximity_in_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_proximity_out_event_t.3.gz
x ./opt/local/share/man/man3/xcb_input_query_device_state.3.gz
x ./opt/local/share/man/man3/xcb_input_query_device_state_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_query_device_state_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_select_extension_event.3.gz

x ./opt/local/share/man/man3/xcb_input_select_extension_event_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_send_extension_event.3.gz
x ./opt/local/share/man/man3/xcb_input_send_extension_event_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_button_mapping.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_button_mapping_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_button_mapping_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_focus.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_focus_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_mode.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_mode_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_mode_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_modifier_mapping.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_modifier_mapping_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_modifier_mapping_unchecked.3.g
z
x ./opt/local/share/man/man3/xcb_input_set_device_valuators.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_valuators_reply.3.gz
x ./opt/local/share/man/man3/xcb_input_set_device_valuators_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_input_ungrab_device.3.gz
x ./opt/local/share/man/man3/xcb_input_ungrab_device_button.3.gz
x ./opt/local/share/man/man3/xcb_input_ungrab_device_button_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_ungrab_device_checked.3.gz
x ./opt/local/share/man/man3/xcb_input_ungrab_device_key.3.gz
x ./opt/local/share/man/man3/xcb_input_ungrab_device_key_checked.3.gz

x ./opt/local/share/man/man3/xcb_install_colormap.3.gz
x ./opt/local/share/man/man3/xcb_install_colormap_checked.3.gz
x ./opt/local/share/man/man3/xcb_intern_atom.3.gz
x ./opt/local/share/man/man3/xcb_intern_atom_reply.3.gz
x ./opt/local/share/man/man3/xcb_intern_atom_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_key_press_event_t.3.gz
x ./opt/local/share/man/man3/xcb_key_release_event_t.3.gz
x ./opt/local/share/man/man3/xcb_keymap_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_kill_client.3.gz
x ./opt/local/share/man/man3/xcb_kill_client_checked.3.gz
x ./opt/local/share/man/man3/xcb_leave_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_list_extensions.3.gz
x ./opt/local/share/man/man3/xcb_list_extensions_names_iterator.3.gz
x ./opt/local/share/man/man3/xcb_list_extensions_names_length.3.gz
x ./opt/local/share/man/man3/xcb_list_extensions_reply.3.gz
x ./opt/local/share/man/man3/xcb_list_extensions_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_names_iterator.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_names_length.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_reply.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_with_info.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_with_info_name.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_with_info_name_end.3.gz

x ./opt/local/share/man/man3/xcb_list_fonts_with_info_name_length.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_with_info_properties.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_with_info_properties_iterator.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_with_info_properties_length.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_with_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_list_fonts_with_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_list_hosts.3.gz
x ./opt/local/share/man/man3/xcb_list_hosts_hosts_iterator.3.gz
x ./opt/local/share/man/man3/xcb_list_hosts_hosts_length.3.gz
x ./opt/local/share/man/man3/xcb_list_hosts_reply.3.gz
x ./opt/local/share/man/man3/xcb_list_hosts_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_list_installed_colormaps.3.gz
x ./opt/local/share/man/man3/xcb_list_installed_colormaps_cmaps.3.gz
x ./opt/local/share/man/man3/xcb_list_installed_colormaps_cmaps_end.3.gz
x ./opt/local/share/man/man3/xcb_list_installed_colormaps_cmaps_length.3.gz
x ./opt/local/share/man/man3/xcb_list_installed_colormaps_reply.3.gz
x ./opt/local/share/man/man3/xcb_list_installed_colormaps_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_list_properties.3.gz
x ./opt/local/share/man/man3/xcb_list_properties_atoms.3.gz
x ./opt/local/share/man/man3/xcb_list_properties_atoms_end.3.gz
x ./opt/local/share/man/man3/xcb_list_properties_atoms_length.3.gz
x ./opt/local/share/man/man3/xcb_list_properties_reply.3.gz
x ./opt/local/share/man/man3/xcb_list_properties_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_lookup_color.3.gz

x ./opt/local/share/man/man3/xcb_lookup_color_reply.3.gz
x ./opt/local/share/man/man3/xcb_lookup_color_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_map_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_map_request_event_t.3.gz
x ./opt/local/share/man/man3/xcb_map_subwindows.3.gz
x ./opt/local/share/man/man3/xcb_map_subwindows_checked.3.gz
x ./opt/local/share/man/man3/xcb_map_window.3.gz
x ./opt/local/share/man/man3/xcb_map_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_mapping_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_motion_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_no_exposure_event_t.3.gz
x ./opt/local/share/man/man3/xcb_no_operation.3.gz
x ./opt/local/share/man/man3/xcb_no_operation_checked.3.gz
x ./opt/local/share/man/man3/xcb_open_font.3.gz
x ./opt/local/share/man/man3/xcb_open_font_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_arc.3.gz
x ./opt/local/share/man/man3/xcb_poly_arc_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_fill_arc.3.gz
x ./opt/local/share/man/man3/xcb_poly_fill_arc_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_fill_rectangle.3.gz
x ./opt/local/share/man/man3/xcb_poly_fill_rectangle_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_line.3.gz
x ./opt/local/share/man/man3/xcb_poly_line_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_point.3.gz

x ./opt/local/share/man/man3/xcb_poly_point_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_rectangle.3.gz
x ./opt/local/share/man/man3/xcb_poly_rectangle_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_segment.3.gz
x ./opt/local/share/man/man3/xcb_poly_segment_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_text_16.3.gz
x ./opt/local/share/man/man3/xcb_poly_text_16_checked.3.gz
x ./opt/local/share/man/man3/xcb_poly_text_8.3.gz
x ./opt/local/share/man/man3/xcb_poly_text_8_checked.3.gz
x ./opt/local/share/man/man3/xcb_property_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_put_image.3.gz
x ./opt/local/share/man/man3/xcb_put_image_checked.3.gz
x ./opt/local/share/man/man3/xcb_query_best_size.3.gz
x ./opt/local/share/man/man3/xcb_query_best_size_reply.3.gz
x ./opt/local/share/man/man3/xcb_query_best_size_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_query_colors.3.gz
x ./opt/local/share/man/man3/xcb_query_colors_colors.3.gz
x ./opt/local/share/man/man3/xcb_query_colors_colors_iterator.3.gz
x ./opt/local/share/man/man3/xcb_query_colors_colors_length.3.gz
x ./opt/local/share/man/man3/xcb_query_colors_reply.3.gz
x ./opt/local/share/man/man3/xcb_query_colors_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_query_extension.3.gz
x ./opt/local/share/man/man3/xcb_query_extension_reply.3.gz
x ./opt/local/share/man/man3/xcb_query_extension_unchecked.3.gz

x ./opt/local/share/man/man3 xcb_query_font.3.gz
x ./opt/local/share/man/man3 xcb_query_font_char_infos.3.gz
x ./opt/local/share/man/man3 xcb_query_font_char_infos_iterator.3.gz
x ./opt/local/share/man/man3 xcb_query_font_char_infos_length.3.gz
x ./opt/local/share/man/man3 xcb_query_font_properties.3.gz
x ./opt/local/share/man/man3 xcb_query_font_properties_iterator.3.gz
x ./opt/local/share/man/man3 xcb_query_font_properties_length.3.gz
x ./opt/local/share/man/man3 xcb_query_font_reply.3.gz
x ./opt/local/share/man/man3 xcb_query_font_unchecked.3.gz
x ./opt/local/share/man/man3 xcb_query_keymap.3.gz
x ./opt/local/share/man/man3 xcb_query_keymap_reply.3.gz
x ./opt/local/share/man/man3 xcb_query_keymap_unchecked.3.gz
x ./opt/local/share/man/man3 xcb_query_pointer.3.gz
x ./opt/local/share/man/man3 xcb_query_pointer_reply.3.gz
x ./opt/local/share/man/man3 xcb_query_pointer_unchecked.3.gz
x ./opt/local/share/man/man3 xcb_query_text_extents.3.gz
x ./opt/local/share/man/man3 xcb_query_text_extents_reply.3.gz
x ./opt/local/share/man/man3 xcb_query_text_extents_unchecked.3.gz
x ./opt/local/share/man/man3 xcb_query_tree.3.gz
x ./opt/local/share/man/man3 xcb_query_tree_children.3.gz
x ./opt/local/share/man/man3 xcb_query_tree_children_end.3.gz
x ./opt/local/share/man/man3 xcb_query_tree_children_length.3.gz
x ./opt/local/share/man/man3 xcb_query_tree_reply.3.gz
x ./opt/local/share/man/man3 xcb_query_tree_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_randr_add_output_mode.3.gz
x ./opt/local/share/man/man3/xcb_randr_add_output_mode_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_change_output_property.3.gz
x ./opt/local/share/man/man3/xcb_randr_change_output_property_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_configure_output_property.3.gz
x ./opt/local/share/man/man3/xcb_randr_configure_output_property_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_create_mode.3.gz
x ./opt/local/share/man/man3/xcb_randr_create_mode_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_create_mode_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_delete_output_mode.3.gz
x ./opt/local/share/man/man3/xcb_randr_delete_output_mode_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_delete_output_property.3.gz
x ./opt/local/share/man/man3/xcb_randr_delete_output_property_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_destroy_mode.3.gz
x ./opt/local/share/man/man3/xcb_randr_destroy_mode_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_blue.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_blue_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_blue_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_green.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_green_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_green_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_red.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_red_end.3.gz

x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_red_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_size.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_size_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_size_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_gamma_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info_outputs.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info_outputs_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info_outputs_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info_possible.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info_possible_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info_possible_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_transform.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_transform_current_filter_name.3.
gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_transform_current_filter_name_en
d.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_transform_current_filter_name_le
ngth.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_transform_current_params.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_crtc_transform_current_params_end.3.g

z
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_current_params_length.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_pending_filter_name.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_pending_filter_name_end.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_pending_filter_name_length.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_pending_params.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_pending_params_end.3.g
z
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_pending_params_length.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_reply.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_crtc_transform_unchecked.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_output_info.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_output_info_clones.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_output_info_clones_end.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_output_info_clones_length.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_output_info_crtcs.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_output_info_crtcs_end.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_output_info_crtcs_length.3.gz
x ./opt/local/share/man/man3/xcbrandr_get_output_info_modes.3.gz

x ./opt/local/share/man/man3/xcb_randr_get_output_info_modes_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_info_modes_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_info_name.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_info_name_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_info_name_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_primary.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_primary_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_primary_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_property.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_property_data.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_property_data_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_property_data_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_property_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_output_property_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_panning.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_panning_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_panning_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_info.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_info_rates_iterator.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_info_rates_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_info_sizes.3.gz

x ./opt/local/share/man/man3/xcb_randr_get_screen_info_sizes_iterator.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_info_sizes_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_crtcs.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_crtcs_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_crtcs_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_crtcs.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_crtcs_end.3.
gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_crtcs_length
.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_modes.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_modes_iterat
or.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_modes_length
.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_names.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_names_end.3.
gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_names_length
.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_outputs.3.gz

x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_outputs_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_outputs_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_current_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_modes.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_modes_iterator.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_modes_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_names.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_names_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_names_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_outputs.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_outputs_end.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_outputs_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_resources_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_size_range.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_size_range_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_get_screen_size_range_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_list_output_properties.3.gz
x ./opt/local/share/man/man3/xcb_randr_list_output_properties_atoms.3.gz
x ./opt/local/share/man/man3/xcb_randr_list_output_properties_atoms_end.3.gz

x ./opt/local/share/man/man3/xcb_randr_list_output_properties_atoms_length.3.gz
x ./opt/local/share/man/man3/xcb_randr_list_output_properties_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_list_output_properties_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_randr_query_output_property.3.gz
x ./opt/local/share/man/man3/xcb_randr_query_output_property_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_query_output_property_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_query_output_property_valid_values.3.gz
x ./opt/local/share/man/man3/xcb_randr_query_output_property_valid_values_end.3.
gz
x ./opt/local/share/man/man3/xcb_randr_query_output_property_valid_values_length
.3.gz
x ./opt/local/share/man/man3/xcb_randr_query_version.3.gz
x ./opt/local/share/man/man3/xcb_randr_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_screen_change_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_randr_select_input.3.gz
x ./opt/local/share/man/man3/xcb_randr_select_input_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_crtc_config.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_crtc_config_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_crtc_config_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_crtc_gamma.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_crtc_gamma_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_crtc_transform.3.gz

x ./opt/local/share/man/man3/xcb_randr_set_crtc_transform_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_output_primary.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_output_primary_checked.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_panning.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_panning_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_panning_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_screen_config.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_screen_config_reply.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_screen_config_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_screen_size.3.gz
x ./opt/local/share/man/man3/xcb_randr_set_screen_size_checked.3.gz
x ./opt/local/share/man/man3/xcb_recolor_cursor.3.gz
x ./opt/local/share/man/man3/xcb_recolor_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_record_create_context.3.gz
x ./opt/local/share/man/man3/xcb_record_create_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_record_disable_context.3.gz
x ./opt/local/share/man/man3/xcb_record_disable_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_record_enable_context.3.gz
x ./opt/local/share/man/man3/xcb_record_enable_context_data.3.gz
x ./opt/local/share/man/man3/xcb_record_enable_context_data_end.3.gz
x ./opt/local/share/man/man3/xcb_record_enable_context_data_length.3.gz
x ./opt/local/share/man/man3/xcb_record_enable_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_record_enable_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_record_free_context.3.gz

- x ./opt/local/share/man/man3/xcb_record_free_context_checked.3.gz
- x ./opt/local/share/man/man3/xcb_record_get_context.3.gz
- x ./opt/local/share/man/man3/xcb_record_get_context_intercepted_clients_iterator.3.gz
- x ./opt/local/share/man/man3/xcb_record_get_context_intercepted_clients_length.3.gz
- x ./opt/local/share/man/man3/xcb_record_get_context_reply.3.gz
- x ./opt/local/share/man/man3/xcb_record_get_context_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_record_query_version.3.gz
- x ./opt/local/share/man/man3/xcb_record_query_version_reply.3.gz
- x ./opt/local/share/man/man3/xcb_record_query_version_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_record_register_clients.3.gz
- x ./opt/local/share/man/man3/xcb_record_register_clients_checked.3.gz
- x ./opt/local/share/man/man3/xcb_record_unregister_clients.3.gz
- x ./opt/local/share/man/man3/xcb_record_unregister_clients_checked.3.gz
- x ./opt/local/share/man/man3/xcb_render_add_glyphs.3.gz
- x ./opt/local/share/man/man3/xcb_render_add_glyphs_checked.3.gz
- x ./opt/local/share/man/man3/xcb_render_add_traps.3.gz
- x ./opt/local/share/man/man3/xcb_render_add_traps_checked.3.gz
- x ./opt/local/share/man/man3/xcb_render_change_picture.3.gz
- x ./opt/local/share/man/man3/xcb_render_change_picture_checked.3.gz
- x ./opt/local/share/man/man3/xcb_render_composite.3.gz
- x ./opt/local/share/man/man3/xcb_render_composite_checked.3.gz
- x ./opt/local/share/man/man3/xcb_render_composite_glyphs_16.3.gz

x ./opt/local/share/man/man3/xcb_render_composite_glyphs_16_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_composite_glyphs_32.3.gz
x ./opt/local/share/man/man3/xcb_render_composite_glyphs_32_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_composite_glyphs_8.3.gz
x ./opt/local/share/man/man3/xcb_render_composite_glyphs_8_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_create_anim_cursor.3.gz
x ./opt/local/share/man/man3/xcb_render_create_anim_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_create_conical_gradient.3.gz
x ./opt/local/share/man/man3/xcb_render_create_conical_gradient_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_create_cursor.3.gz
x ./opt/local/share/man/man3/xcb_render_create_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_create_glyph_set.3.gz
x ./opt/local/share/man/man3/xcb_render_create_glyph_set_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_create_linear_gradient.3.gz
x ./opt/local/share/man/man3/xcb_render_create_linear_gradient_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_create_picture.3.gz
x ./opt/local/share/man/man3/xcb_render_create_picture_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_create_radial_gradient.3.gz
x ./opt/local/share/man/man3/xcb_render_create_radial_gradient_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_create_solid_fill.3.gz
x ./opt/local/share/man/man3/xcb_render_create_solid_fill_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_fill_rectangles.3.gz
x ./opt/local/share/man/man3/xcb_render_fill_rectangles_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_free_glyph_set.3.gz

x ./opt/local/share/man/man3/xcb_render_free_glyph_set_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_free_glyphs.3.gz
x ./opt/local/share/man/man3/xcb_render_free_glyphs_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_free_picture.3.gz
x ./opt/local/share/man/man3/xcb_render_free_picture_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_query_filters.3.gz
x ./opt/local/share/man/man3/xcb_render_query_filters_aliases.3.gz
x ./opt/local/share/man/man3/xcb_render_query_filters_aliases_end.3.gz
x ./opt/local/share/man/man3/xcb_render_query_filters_aliases_length.3.gz
x ./opt/local/share/man/man3/xcb_render_query_filters_filters_iterator.3.gz
x ./opt/local/share/man/man3/xcb_render_query_filters_filters_length.3.gz
x ./opt/local/share/man/man3/xcb_render_query_filters_reply.3.gz
x ./opt/local/share/man/man3/xcb_render_query_filters_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_formats.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_formats_iterator.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_formats_length.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_reply.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_screens_iterator.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_screens_length.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_subpixels.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_subpixels_end.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_subpixels_length.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_formats_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_render_query_pict_index_values.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_index_values_reply.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_index_values_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_index_values_values.3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_index_values_values_iterator.
3.gz
x ./opt/local/share/man/man3/xcb_render_query_pict_index_values_values_length.3.
gz
x ./opt/local/share/man/man3/xcb_render_query_version.3.gz
x ./opt/local/share/man/man3/xcb_render_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_render_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_render_reference_glyph_set.3.gz
x ./opt/local/share/man/man3/xcb_render_reference_glyph_set_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_set_picture_clip_rectangles.3.gz
x ./opt/local/share/man/man3/xcb_render_set_picture_clip_rectangles_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_set_picture_filter.3.gz
x ./opt/local/share/man/man3/xcb_render_set_picture_filter_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_set_picture_transform.3.gz
x ./opt/local/share/man/man3/xcb_render_set_picture_transform_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_trapezoids.3.gz
x ./opt/local/share/man/man3/xcb_render_trapezoids_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_tri_fan.3.gz
x ./opt/local/share/man/man3/xcb_render_tri_fan_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_tri_strip.3.gz

x ./opt/local/share/man/man3/xcb_render_tri_strip_checked.3.gz
x ./opt/local/share/man/man3/xcb_render_triangles.3.gz
x ./opt/local/share/man/man3/xcb_render_triangles_checked.3.gz
x ./opt/local/share/man/man3/xcb_reparent_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_reparent_window.3.gz
x ./opt/local/share/man/man3/xcb_reparent_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_pixmap_bytes.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_pixmap_bytes_reply.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_pixmap_bytes_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_resources.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_resources_reply.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_resources_types.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_resources_types_iterator.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_resources_types_length.3.gz
x ./opt/local/share/man/man3/xcb_res_query_client_resources_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_res_query_clients.3.gz
x ./opt/local/share/man/man3/xcb_res_query_clients_clients.3.gz
x ./opt/local/share/man/man3/xcb_res_query_clients_clients_iterator.3.gz
x ./opt/local/share/man/man3/xcb_res_query_clients_clients_length.3.gz
x ./opt/local/share/man/man3/xcb_res_query_clients_reply.3.gz
x ./opt/local/share/man/man3/xcb_res_query_clients_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_res_query_version.3.gz
x ./opt/local/share/man/man3/xcb_res_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_res_query_version_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_resize_request_event_t.3.gz
x ./opt/local/share/man/man3/xcb_rotate_properties.3.gz
x ./opt/local/share/man/man3/xcb_rotate_properties_checked.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_query_info.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_query_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_query_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_query_version.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_select_input.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_select_input_checked.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_set_attributes.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_set_attributes_checked.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_suspend.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_suspend_checked.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_unset_attributes.3.gz
x ./opt/local/share/man/man3/xcb_screensaver_unset_attributes_checked.3.gz
x ./opt/local/share/man/man3/xcb_selection_clear_event_t.3.gz
x ./opt/local/share/man/man3/xcb_selection_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_selection_request_event_t.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_client_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_client_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_client_context_context_end.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_client_context_context_length.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_client_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_client_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_context_context_end.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_context_context_length.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_create_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_create_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_create_context_context_end.
.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_create_context_context_lengt
h.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_create_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_device_create_context_unchecked.3.g
z
x ./opt/local/share/man/man3/xcb_selinux_get_property_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_context_context_end.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_context_context_length.3.g
z
x ./opt/local/share/man/man3/xcb_selinux_get_property_context_reply.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_property_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_create_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_create_context_context.3.g
z
x ./opt/local/share/man/man3/xcb_selinux_get_property_create_context_context_end
.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_create_context_context_len
gth.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_create_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_create_context_unchecked.3
.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_data_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_data_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_data_context_context_end.3
.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_data_context_context_lengt
h.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_data_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_data_context_unchecked.3.g
z
x ./opt/local/share/man/man3/xcb_selinux_get_property_use_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_use_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_property_use_context_context_end.3.
gz

x ./opt/local/share/man/man3/xcb_selinux_get_property_use_context_context_length.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_property_use_context_reply.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_property_use_context_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_context.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_context_context.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_context_context_end.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_context_context_length.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_context_reply.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_context_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_create_context.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_create_context_context.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_create_context_context_end.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_create_context_context_length.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_create_context_reply.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_create_context_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_data_context.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_data_context_context.3.gz

x ./opt/local/share/man/man3/xcb_selinux_get_selection_data_context_context_end.

3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_data_context_context_length.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_data_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_data_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_use_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_use_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_use_context_context_end.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_use_context_context_length.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_use_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_selection_use_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_context_context_end.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_context_context_length.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_create_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_create_context_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_create_context_context_end.3

.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_create_context_context_length.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_create_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_get_window_create_context_unchecked.3.gz
Z
x ./opt/local/share/man/man3/xcb_selinux_list_properties.3.gz
x ./opt/local/share/man/man3/xcb_selinux_list_properties_properties_iterator.3.gz
Z
x ./opt/local/share/man/man3/xcb_selinux_list_properties_properties_length.3.gz
x ./opt/local/share/man/man3/xcb_selinux_list_properties_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_list_properties_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_list_selections.3.gz
x ./opt/local/share/man/man3/xcb_selinux_list_selections_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_list_selections_selections_iterator.3.gz
Z
x ./opt/local/share/man/man3/xcb_selinux_list_selections_selections_length.3.gz
x ./opt/local/share/man/man3/xcb_selinux_list_selections_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_query_version.3.gz
x ./opt/local/share/man/man3/xcb_selinux_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_selinux_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_device_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_device_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_device_create_context.3.gz

x ./opt/local/share/man/man3/xcb_selinux_set_device_create_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_property_create_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_property_create_context_checked.3.g
z
x ./opt/local/share/man/man3/xcb_selinux_set_property_use_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_property_use_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_selection_create_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_selection_create_context_checked.3.
gz
x ./opt/local/share/man/man3/xcb_selinux_set_selection_use_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_selection_use_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_window_create_context.3.gz
x ./opt/local/share/man/man3/xcb_selinux_set_window_create_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_send_event.3.gz
x ./opt/local/share/man/man3/xcb_send_event_checked.3.gz
x ./opt/local/share/man/man3/xcb_set_access_control.3.gz
x ./opt/local/share/man/man3/xcb_set_access_control_checked.3.gz
x ./opt/local/share/man/man3/xcb_set_clip_rectangles.3.gz
x ./opt/local/share/man/man3/xcb_set_clip_rectangles_checked.3.gz
x ./opt/local/share/man/man3/xcb_set_close_down_mode.3.gz
x ./opt/local/share/man/man3/xcb_set_close_down_mode_checked.3.gz
x ./opt/local/share/man/man3/xcb_set_dashes.3.gz
x ./opt/local/share/man/man3/xcb_set_dashes_checked.3.gz
x ./opt/local/share/man/man3/xcb_set_font_path.3.gz

- x ./opt/local/share/man/man3/xcb_set_font_path_checked.3.gz
- x ./opt/local/share/man/man3/xcb_set_input_focus.3.gz
- x ./opt/local/share/man/man3/xcb_set_input_focus_checked.3.gz
- x ./opt/local/share/man/man3/xcb_set_modifier_mapping.3.gz
- x ./opt/local/share/man/man3/xcb_set_modifier_mapping_reply.3.gz
- x ./opt/local/share/man/man3/xcb_set_modifier_mapping_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_set_pointer_mapping.3.gz
- x ./opt/local/share/man/man3/xcb_set_pointer_mapping_reply.3.gz
- x ./opt/local/share/man/man3/xcb_set_pointer_mapping_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_set_screen_saver.3.gz
- x ./opt/local/share/man/man3/xcb_set_screen_saver_checked.3.gz
- x ./opt/local/share/man/man3/xcb_set_selection_owner.3.gz
- x ./opt/local/share/man/man3/xcb_set_selection_owner_checked.3.gz
- x ./opt/local/share/man/man3/xcb_shape_combine.3.gz
- x ./opt/local/share/man/man3/xcb_shape_combine_checked.3.gz
- x ./opt/local/share/man/man3/xcb_shape_get_rectangles.3.gz
- x ./opt/local/share/man/man3/xcb_shape_get_rectangles_rectangles.3.gz
- x ./opt/local/share/man/man3/xcb_shape_get_rectangles_rectangles_iterator.3.gz
- x ./opt/local/share/man/man3/xcb_shape_get_rectangles_rectangles_length.3.gz
- x ./opt/local/share/man/man3/xcb_shape_get_rectangles_reply.3.gz
- x ./opt/local/share/man/man3/xcb_shape_get_rectangles_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_shape_input_selected.3.gz
- x ./opt/local/share/man/man3/xcb_shape_input_selected_reply.3.gz
- x ./opt/local/share/man/man3/xcb_shape_input_selected_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_shape_mask.3.gz
x ./opt/local/share/man/man3/xcb_shape_mask_checked.3.gz
x ./opt/local/share/man/man3/xcb_shape_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_shape_offset.3.gz
x ./opt/local/share/man/man3/xcb_shape_offset_checked.3.gz
x ./opt/local/share/man/man3/xcb_shape_query_extents.3.gz
x ./opt/local/share/man/man3/xcb_shape_query_extents_reply.3.gz
x ./opt/local/share/man/man3/xcb_shape_query_extents_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_shape_query_version.3.gz
x ./opt/local/share/man/man3/xcb_shape_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_shape_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_shape_rectangles.3.gz
x ./opt/local/share/man/man3/xcb_shape_rectangles_checked.3.gz
x ./opt/local/share/man/man3/xcb_shape_select_input.3.gz
x ./opt/local/share/man/man3/xcb_shape_select_input_checked.3.gz
x ./opt/local/share/man/man3/xcb_shm_attach.3.gz
x ./opt/local/share/man/man3/xcb_shm_attach_checked.3.gz
x ./opt/local/share/man/man3/xcb_shm_completion_event_t.3.gz
x ./opt/local/share/man/man3/xcb_shm_create_pixmap.3.gz
x ./opt/local/share/man/man3/xcb_shm_create_pixmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_shm_detach.3.gz
x ./opt/local/share/man/man3/xcb_shm_detach_checked.3.gz
x ./opt/local/share/man/man3/xcb_shm_get_image.3.gz
x ./opt/local/share/man/man3/xcb_shm_get_image_reply.3.gz

- x ./opt/local/share/man/man3/xcb_shm_get_image_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_shm_put_image.3.gz
- x ./opt/local/share/man/man3/xcb_shm_put_image_checked.3.gz
- x ./opt/local/share/man/man3/xcb_shm_query_version.3.gz
- x ./opt/local/share/man/man3/xcb_shm_query_version_reply.3.gz
- x ./opt/local/share/man/man3/xcb_shm_query_version_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_store_colors.3.gz
- x ./opt/local/share/man/man3/xcb_store_colors_checked.3.gz
- x ./opt/local/share/man/man3/xcb_store_named_color.3.gz
- x ./opt/local/share/man/man3/xcb_store_named_color_checked.3.gz
- x ./opt/local/share/man/man3/xcb_sync_alarm_notify_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_sync_await.3.gz
- x ./opt/local/share/man/man3/xcb_sync_await_checked.3.gz
- x ./opt/local/share/man/man3/xcb_sync_await_fence.3.gz
- x ./opt/local/share/man/man3/xcb_sync_await_fence_checked.3.gz
- x ./opt/local/share/man/man3/xcb_sync_change_alarm.3.gz
- x ./opt/local/share/man/man3/xcb_sync_change_alarm_checked.3.gz
- x ./opt/local/share/man/man3/xcb_sync_change_counter.3.gz
- x ./opt/local/share/man/man3/xcb_sync_change_counter_checked.3.gz
- x ./opt/local/share/man/man3/xcb_sync_counter_notify_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_sync_create_alarm.3.gz
- x ./opt/local/share/man/man3/xcb_sync_create_alarm_checked.3.gz
- x ./opt/local/share/man/man3/xcb_sync_create_counter.3.gz
- x ./opt/local/share/man/man3/xcb_sync_create_counter_checked.3.gz

x ./opt/local/share/man/man3/xcb_sync_create_fence.3.gz
x ./opt/local/share/man/man3/xcb_sync_create_fence_checked.3.gz
x ./opt/local/share/man/man3/xcb_sync_destroy_alarm.3.gz
x ./opt/local/share/man/man3/xcb_sync_destroy_alarm_checked.3.gz
x ./opt/local/share/man/man3/xcb_sync_destroy_counter.3.gz
x ./opt/local/share/man/man3/xcb_sync_destroy_counter_checked.3.gz
x ./opt/local/share/man/man3/xcb_sync_destroy_fence.3.gz
x ./opt/local/share/man/man3/xcb_sync_destroy_fence_checked.3.gz
x ./opt/local/share/man/man3/xcb_sync_get_priority.3.gz
x ./opt/local/share/man/man3/xcb_sync_get_priority_reply.3.gz
x ./opt/local/share/man/man3/xcb_sync_get_priority_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_sync_initialize.3.gz
x ./opt/local/share/man/man3/xcb_sync_initialize_reply.3.gz
x ./opt/local/share/man/man3/xcb_sync_initialize_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_sync_list_system_counters.3.gz
x ./opt/local/share/man/man3/xcb_sync_list_system_counters_counters_iterator.3.g
z
x ./opt/local/share/man/man3/xcb_sync_list_system_counters_counters_length.3.gz
x ./opt/local/share/man/man3/xcb_sync_list_system_counters_reply.3.gz
x ./opt/local/share/man/man3/xcb_sync_list_system_counters_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_sync_query_alarm.3.gz
x ./opt/local/share/man/man3/xcb_sync_query_alarm_reply.3.gz
x ./opt/local/share/man/man3/xcb_sync_query_alarm_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_sync_query_counter.3.gz

x ./opt/local/share/man/man3/xcb_sync_query_counter_reply.3.gz
x ./opt/local/share/man/man3/xcb_sync_query_counter_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_sync_query_fence.3.gz
x ./opt/local/share/man/man3/xcb_sync_query_fence_reply.3.gz
x ./opt/local/share/man/man3/xcb_sync_query_fence_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_sync_reset_fence.3.gz
x ./opt/local/share/man/man3/xcb_sync_reset_fence_checked.3.gz
x ./opt/local/share/man/man3/xcb_sync_set_counter.3.gz
x ./opt/local/share/man/man3/xcb_sync_set_counter_checked.3.gz
x ./opt/local/share/man/man3/xcb_sync_set_priority.3.gz
x ./opt/local/share/man/man3/xcb_sync_set_priority_checked.3.gz
x ./opt/local/share/man/man3/xcb_sync_trigger_fence.3.gz
x ./opt/local/share/man/man3/xcb_sync_trigger_fence_checked.3.gz
x ./opt/local/share/man/man3/xcb_test_compare_cursor.3.gz
x ./opt/local/share/man/man3/xcb_test_compare_cursor_reply.3.gz
x ./opt/local/share/man/man3/xcb_test_compare_cursor_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_test_fake_input.3.gz
x ./opt/local/share/man/man3/xcb_test_fake_input_checked.3.gz
x ./opt/local/share/man/man3/xcb_test_get_version.3.gz
x ./opt/local/share/man/man3/xcb_test_get_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_test_get_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_test_grab_control.3.gz
x ./opt/local/share/man/man3/xcb_test_grab_control_checked.3.gz
x ./opt/local/share/man/man3/xcb_translate_coordinates.3.gz

- x ./opt/local/share/man/man3/xcb_translate_coordinates_reply.3.gz
- x ./opt/local/share/man/man3/xcb_translate_coordinates_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_button.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_button_checked.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_key.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_key_checked.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_keyboard.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_keyboard_checked.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_pointer.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_pointer_checked.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_server.3.gz
- x ./opt/local/share/man/man3/xcb_ungrab_server_checked.3.gz
- x ./opt/local/share/man/man3/xcb_uninstall_colormap.3.gz
- x ./opt/local/share/man/man3/xcb_uninstall_colormap_checked.3.gz
- x ./opt/local/share/man/man3/xcb_unmap_notify_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_unmap_subwindows.3.gz
- x ./opt/local/share/man/man3/xcb_unmap_subwindows_checked.3.gz
- x ./opt/local/share/man/man3/xcb_unmap_window.3.gz
- x ./opt/local/share/man/man3/xcb_unmap_window_checked.3.gz
- x ./opt/local/share/man/man3/xcb_visibility_notify_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_warp_pointer.3.gz
- x ./opt/local/share/man/man3/xcb_warp_pointer_checked.3.gz
- x ./opt/local/share/man/man3/xcb_x_print_attribut_notify_event_t.3.gz
- x ./opt/local/share/man/man3/xcb_x_print_create_context.3.gz

x ./opt/local/share/man/man3/xcb_x_print_create_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_destroy_context.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_destroy_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_end_doc.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_end_doc_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_end_job.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_end_job_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_end_page.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_end_page_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_attributes.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_attributes_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_attributes_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_context.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_document_data.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_document_data_data.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_document_data_data_end.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_document_data_data_length.3.g
z
x ./opt/local/share/man/man3/xcb_x_print_print_get_document_data_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_document_data_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_image_resolution.3.gz

x ./opt/local/share/man/man3/xcb_x_print_print_get_image_resolution_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_image_resolution_unchecked.3.
gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_one_attributes.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_one_attributes_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_one_attributes_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_one_attributes_value.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_one_attributes_value_end.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_one_attributes_value_length.3
.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_page_dimensions.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_page_dimensions_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_page_dimensions_unchecked.3.g
z
x ./opt/local/share/man/man3/xcb_x_print_print_get_printer_list.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_printer_list_printers_iterato
r.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_printer_list_printers_length.
3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_printer_list_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_printer_list_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_screen_of_context.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_screen_of_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_get_screen_of_context_unchecked.3

.gz
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected_all_events_list.3.
gz
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected_all_events_list_en
d.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected_all_events_list_le
ngth.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected_event_list.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected_event_list_end.3.g
z
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected_event_list_length.
3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_input_selected_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_put_document_data.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_put_document_data_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_query_screens.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_query_screens_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_query_screens_roots.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_query_screens_roots_end.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_query_screens_roots_length.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_query_screens_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_query_version.3.gz

x ./opt/local/share/man/man3/xcb_x_print_print_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_rehash_printer_list.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_rehash_printer_list_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_select_input.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_select_input_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_set_attributes.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_set_attributes_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_set_context.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_set_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_set_image_resolution.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_set_image_resolution_reply.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_set_image_resolution_unchecked.3.
gz
x ./opt/local/share/man/man3/xcb_x_print_print_start_doc.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_start_doc_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_start_job.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_start_job_checked.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_start_page.3.gz
x ./opt/local/share/man/man3/xcb_x_print_print_start_page_checked.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_version.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_list.3.gz

x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_list_ids.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_list_ids_end.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_list_ids_length.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_list_reply.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_list_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_range.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_range_reply.3.gz
x ./opt/local/share/man/man3/xcb_xc_misc_get_xid_range_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xevie_end.3.gz
x ./opt/local/share/man/man3/xcb_xevie_end_reply.3.gz
x ./opt/local/share/man/man3/xcb_xevie_end_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xevie_query_version.3.gz
x ./opt/local/share/man/man3/xcb_xevie_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_xevie_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xevie_select_input.3.gz
x ./opt/local/share/man/man3/xcb_xevie_select_input_reply.3.gz
x ./opt/local/share/man/man3/xcb_xevie_select_input_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xevie_send.3.gz
x ./opt/local/share/man/man3/xcb_xevie_send_reply.3.gz
x ./opt/local/share/man/man3/xcb_xevie_send_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xevie_start.3.gz
x ./opt/local/share/man/man3/xcb_xevie_start_reply.3.gz
x ./opt/local/share/man/man3/xcb_xevie_start_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_auth_connection.3.gz

x ./opt/local/share/man/man3/xcb_xf86dri_auth_connection_reply.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_auth_connection_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_close_connection.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_close_connection_checked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_create_context.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_create_context_reply.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_create_context_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_create_drawable.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_create_drawable_reply.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_create_drawable_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_destroy_context.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_destroy_context_checked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_destroy_drawable.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_destroy_drawable_checked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_client_driver_name.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_client_driver_name_client_driver_name.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_client_driver_name_client_driver_name_end.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_client_driver_name_client_driver_name_length.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_client_driver_name_reply.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_client_driver_name_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_device_info.3.gz

x ./opt/local/share/man/man3/xcb_xf86dri_get_device_info_device_private.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_device_info_device_private_end.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_device_info_device_private_length.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_device_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_device_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info_back_clip_rects.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info_back_clip_rects_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info_back_clip_rects_length.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info_clip_rects.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info_clip_rects_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info_clip_rects_length.3.gz
z
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_get_drawable_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_open_connection.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_open_connection_bus_id.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_open_connection_bus_id_end.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_open_connection_bus_id_length.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_open_connection_reply.3.gz

x ./opt/local/share/man/man3/xcb_xf86dri_open_connection_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_query_direct_rendering_capable.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_query_direct_rendering_capable_reply.3.
gz
x ./opt/local/share/man/man3/xcb_xf86dri_query_direct_rendering_capable_unchecke
d.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_query_version.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_xf86dri_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_change_cursor.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_change_cursor_by_name.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_change_cursor_by_name_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_change_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_change_save_set.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_change_save_set_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_copy_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_copy_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region_from_bitmap.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region_from_bitmap_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region_from_gc.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region_from_gc_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region_from_picture.3.gz

x ./opt/local/share/man/man3/xcb_xfixes_create_region_from_picture_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region_from_window.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_create_region_from_window_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_cursor_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_destroy_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_destroy_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_expand_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_expand_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_fetch_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_fetch_region_rectangles.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_fetch_region_rectangles_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_fetch_region_rectangles_length.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_fetch_region_reply.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_fetch_region_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name_cursor_image.
.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name_cursor_image_e
nd.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name_cursor_image_l
ength.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name_name.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name_name_end.3.gz

x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name_name_length.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name_reply.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_and_name_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_cursor_image.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_cursor_image_end.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_cursor_image_length.3.g
z
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_reply.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_image_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_name.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_name_name.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_name_name_end.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_name_name_length.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_name_reply.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_get_cursor_name_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_hide_cursor.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_hide_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_intersect_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_intersect_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_invert_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_invert_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_query_version.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_query_version_reply.3.gz

x ./opt/local/share/man/man3/xcb_xfixes_query_version_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_region_extents.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_region_extents_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_select_cursor_input.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_select_cursor_input_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_select_selection_input.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_select_selection_input_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_selection_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_cursor_name.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_cursor_name_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_gc_clip_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_gc_clip_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_picture_clip_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_picture_clip_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_window_shape_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_set_window_shape_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_show_cursor.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_show_cursor_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_subtract_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_subtract_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_translate_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_translate_region_checked.3.gz

x ./opt/local/share/man/man3/xcb_xfixes_union_region.3.gz
x ./opt/local/share/man/man3/xcb_xfixes_union_region_checked.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_screen_count.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_screen_count_reply.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_screen_count_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_screen_size.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_screen_size_reply.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_screen_size_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_state.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_state_reply.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_get_state_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_is_active.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_is_active_reply.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_is_active_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_query_screens.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_query_screens_reply.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_query_screens_screen_info.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_query_screens_screen_info_iterator.3.g
z
x ./opt/local/share/man/man3/xcb_xinerama_query_screens_screen_info_length.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_query_screens_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_query_version.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_query_version_reply.3.gz
x ./opt/local/share/man/man3/xcb_xinerama_query_version_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_xkb_access_x_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_action_message_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_bell.3.gz
x ./opt/local/share/man/man3/xcb_xkb_bell_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_bell_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_compat_map_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_controls_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_extension_device_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map_group_rtrn.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map_group_rtrn_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map_group_rtrn_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map_si_rtrn.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map_si_rtrn_end.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map_si_rtrn_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_compat_map_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_controls.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_controls_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_controls_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_btn_actions.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_btn_actions_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_btn_actions_length.3.gz

x ./opt/local/share/man/man3/xcb_xkb_get_device_info_leds_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_leds_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_name.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_name_end.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_name_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_device_info_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_colors_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_colors_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_doodads_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_doodads_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_key_aliases.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_key_aliases_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_key_aliases_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_label_font.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_properties_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_properties_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_sections_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_sections_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_shapes_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_shapes_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_geometry_unchecked.3.gz

x ./opt/local/share/man/man3/xcb_xkb_get_indicator_map.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_indicator_map_maps.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_indicator_map_maps_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_indicator_map_maps_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_indicator_map_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_indicator_map_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_indicator_state.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_indicator_state_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_indicator_state_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_kbd_by_name.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_kbd_by_name_replies.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_kbd_by_name_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_kbd_by_name_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_map.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_map_map.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_map_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_map_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_named_indicator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_named_indicator_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_named_indicator_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_names.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_names_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_names_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_names_value_list.3.gz

x ./opt/local/share/man/man3/xcb_xkb_get_state.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_state_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_get_state_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_indicator_map_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_indicator_state_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_latch_lock_state.3.gz
x ./opt/local/share/man/man3/xcb_xkb_latch_lock_state_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_compat_maps_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_compat_maps_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_geometries_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_geometries_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_keycodes_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_keycodes_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_keymaps_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_keymaps_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_symbols_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_symbols_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_types_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_types_length.3.gz
x ./opt/local/share/man/man3/xcb_xkb_list_components_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_map_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_names_notify_event_t.3.gz

x ./opt/local/share/man/man3/xcb_xkb_new_keyboard_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_per_client_flags.3.gz
x ./opt/local/share/man/man3/xcb_xkb_per_client_flags_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_per_client_flags_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_select_events.3.gz
x ./opt/local/share/man/man3/xcb_xkb_select_events_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_compat_map.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_compat_map_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_controls.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_controls_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_debugging_flags.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_debugging_flags_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_debugging_flags_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_device_info.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_device_info_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_geometry.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_geometry_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_indicator_map.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_indicator_map_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_map.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_map_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_named_indicator.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_named_indicator_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_set_names.3.gz

x ./opt/local/share/man/man3/xcb_xkb_set_names_checked.3.gz
x ./opt/local/share/man/man3/xcb_xkb_state_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xkb_use_extension.3.gz
x ./opt/local/share/man/man3/xcb_xkb_use_extension_reply.3.gz
x ./opt/local/share/man/man3/xcb_xkb_use_extension_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_get_port_attribute.3.gz
x ./opt/local/share/man/man3/xcb_xv_get_port_attribute_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_get_port_attribute_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_get_still.3.gz
x ./opt/local/share/man/man3/xcb_xv_get_still_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_get_video.3.gz
x ./opt/local/share/man/man3/xcb_xv_get_video_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_grab_port.3.gz
x ./opt/local/share/man/man3/xcb_xv_grab_port_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_grab_port_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_list_image_formats.3.gz
x ./opt/local/share/man/man3/xcb_xv_list_image_formats_format.3.gz
x ./opt/local/share/man/man3/xcb_xv_list_image_formats_format_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xv_list_image_formats_format_length.3.gz
x ./opt/local/share/man/man3/xcb_xv_list_image_formats_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_list_image_formats_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_port_notify_event_t.3.gz
x ./opt/local/share/man/man3/xcb_xv_put_image.3.gz
x ./opt/local/share/man/man3/xcb_xv_put_image_checked.3.gz

x ./opt/local/share/man/man3/xcb_xv_put_still.3.gz
x ./opt/local/share/man/man3/xcb_xv_put_still_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_put_video.3.gz
x ./opt/local/share/man/man3/xcb_xv_put_video_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_adaptors.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_adaptors_info_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_adaptors_info_length.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_adaptors_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_adaptors_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_best_size.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_best_size_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_best_size_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_encodings.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_encodings_info_iterator.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_encodings_info_length.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_encodings_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_encodings_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_extension.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_extension_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_extension_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_image_attributes.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_image_attributes_offsets.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_image_attributes_offsets_end.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_image_attributes_offsets_length.3.gz

x ./opt/local/share/man/man3/xcb_xv_query_image_attributes_pitches.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_image_attributes_pitches_end.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_image_attributes_pitches_length.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_image_attributes_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_image_attributes_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_port_attributes.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_port_attributes_attributes_iterator.3.
gz
x ./opt/local/share/man/man3/xcb_xv_query_port_attributes_attributes_length.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_port_attributes_reply.3.gz
x ./opt/local/share/man/man3/xcb_xv_query_port_attributes_unchecked.3.gz
x ./opt/local/share/man/man3/xcb_xv_select_port_notify.3.gz
x ./opt/local/share/man/man3/xcb_xv_select_port_notify_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_select_video_notify.3.gz
x ./opt/local/share/man/man3/xcb_xv_select_video_notify_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_set_port_attribute.3.gz
x ./opt/local/share/man/man3/xcb_xv_set_port_attribute_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_shm_put_image.3.gz
x ./opt/local/share/man/man3/xcb_xv_shm_put_image_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_stop_video.3.gz
x ./opt/local/share/man/man3/xcb_xv_stop_video_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_ungrab_port.3.gz
x ./opt/local/share/man/man3/xcb_xv_ungrab_port_checked.3.gz
x ./opt/local/share/man/man3/xcb_xv_video_notify_event_t.3.gz

x ./opt/local/share/man/man3 xcb_xvmc_create_context.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_context_priv_data.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_context_priv_data_end.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_context_priv_data_length.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_context_reply.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_context_unchecked.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_subpicture.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_subpicture_priv_data.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_subpicture_priv_data_end.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_subpicture_priv_data_length.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_subpicture_reply.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_subpicture_unchecked.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_surface.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_surface_priv_data.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_surface_priv_data_end.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_surface_priv_data_length.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_surface_reply.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_create_surface_unchecked.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_destroy_context.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_destroy_context_checked.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_destroy_subpicture.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_destroy_subpicture_checked.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_destroy_surface.3.gz
x ./opt/local/share/man/man3 xcb_xvmc_destroy_surface_checked.3.gz

- x ./opt/local/share/man/man3/xcb_xvmc_list_subpicture_types.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_subpicture_types_reply.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_subpicture_types_types.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_subpicture_types_types_iterator.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_subpicture_types_types_length.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_subpicture_types_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_surface_types.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_surface_types_reply.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_surface_types_surfaces.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_surface_types_surfaces_iterator.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_surface_types_surfaces_length.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_list_surface_types_unchecked.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_query_version.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_query_version_reply.3.gz
- x ./opt/local/share/man/man3/xcb_xvmc_query_version_unchecked.3.gz
- x ./opt/local/share/doc/libxcb/
- x ./opt/local/share/doc/libxcb/tutorial/
- x ./opt/local/share/doc/libxcb/tutorial/index.html
- x ./opt/local/share/doc/libxcb/tutorial/xcb.css
- x ./opt/local/lib/libxcb-composite.0.dylib
- x ./opt/local/lib/libxcb-composite.a
- x ./opt/local/lib/libxcb-composite.dylib
- x ./opt/local/lib/libxcb-composite.la
- x ./opt/local/lib/libxcb-damage.0.dylib

x ./opt/local/lib/libxcb-damage.a
x ./opt/local/lib/libxcb-damage.dylib
x ./opt/local/lib/libxcb-damage.la
x ./opt/local/lib/libxcb-dpms.0.dylib
x ./opt/local/lib/libxcb-dpms.a
x ./opt/local/lib/libxcb-dpms.dylib
x ./opt/local/lib/libxcb-dpms.la
x ./opt/local/lib/libxcb-dri2.0.dylib
x ./opt/local/lib/libxcb-dri2.a
x ./opt/local/lib/libxcb-dri2.dylib
x ./opt/local/lib/libxcb-dri2.la
x ./opt/local/lib/libxcb-glx.0.dylib
x ./opt/local/lib/libxcb-glx.a
x ./opt/local/lib/libxcb-glx.dylib
x ./opt/local/lib/libxcb-glx.la
x ./opt/local/lib/libxcb-randr.0.dylib
x ./opt/local/lib/libxcb-randr.a
x ./opt/local/lib/libxcb-randr.dylib
x ./opt/local/lib/libxcb-randr.la
x ./opt/local/lib/libxcb-record.0.dylib
x ./opt/local/lib/libxcb-record.a
x ./opt/local/lib/libxcb-record.dylib
x ./opt/local/lib/libxcb-record.la
x ./opt/local/lib/libxcb-render.0.dylib

x ./opt/local/lib/libxcb-render.a
x ./opt/local/lib/libxcb-render.dylib
x ./opt/local/lib/libxcb-render.la
x ./opt/local/lib/libxcb-res.0.dylib
x ./opt/local/lib/libxcb-res.a
x ./opt/local/lib/libxcb-res.dylib
x ./opt/local/lib/libxcb-res.la
x ./opt/local/lib/libxcb-screensaver.0.dylib
x ./opt/local/lib/libxcb-screensaver.a
x ./opt/local/lib/libxcb-screensaver.dylib
x ./opt/local/lib/libxcb-screensaver.la
x ./opt/local/lib/libxcb-shape.0.dylib
x ./opt/local/lib/libxcb-shape.a
x ./opt/local/lib/libxcb-shape.dylib
x ./opt/local/lib/libxcb-shape.la
x ./opt/local/lib/libxcb-shm.0.dylib
x ./opt/local/lib/libxcb-shm.a
x ./opt/local/lib/libxcb-shm.dylib
x ./opt/local/lib/libxcb-shm.la
x ./opt/local/lib/libxcb-sync.0.dylib
x ./opt/local/lib/libxcb-sync.a
x ./opt/local/lib/libxcb-sync.dylib
x ./opt/local/lib/libxcb-sync.la
x ./opt/local/lib/libxcb-xevie.0.dylib

x ./opt/local/lib/libxcb-xevie.a
x ./opt/local/lib/libxcb-xevie.dylib
x ./opt/local/lib/libxcb-xevie.la
x ./opt/local/lib/libxcb-xf86dri.0.dylib
x ./opt/local/lib/libxcb-xf86dri.a
x ./opt/local/lib/libxcb-xf86dri.dylib
x ./opt/local/lib/libxcb-xf86dri.la
x ./opt/local/lib/libxcb-xfixes.0.dylib
x ./opt/local/lib/libxcb-xfixes.a
x ./opt/local/lib/libxcb-xfixes.dylib
x ./opt/local/lib/libxcb-xfixes.la
x ./opt/local/lib/libxcb-xinerama.0.dylib
x ./opt/local/lib/libxcb-xinerama.a
x ./opt/local/lib/libxcb-xinerama.dylib
x ./opt/local/lib/libxcb-xinerama.la
x ./opt/local/lib/libxcb-xprint.0.dylib
x ./opt/local/lib/libxcb-xprint.a
x ./opt/local/lib/libxcb-xprint.dylib
x ./opt/local/lib/libxcb-xprint.la
x ./opt/local/lib/libxcb-xtest.0.dylib
x ./opt/local/lib/libxcb-xtest.a
x ./opt/local/lib/libxcb-xtest.dylib
x ./opt/local/lib/libxcb-xtest.la
x ./opt/local/lib/libxcb-xv.0.dylib

```
x ./opt/local/lib/libxcb-xv.a
x ./opt/local/lib/libxcb-xv.dylib
x ./opt/local/lib/libxcb-xv.la
x ./opt/local/lib/libxcb-xvmc.0.dylib
x ./opt/local/lib/libxcb-xvmc.a
x ./opt/local/lib/libxcb-xvmc.dylib
x ./opt/local/lib/libxcb-xvmc.la
x ./opt/local/lib/libxcb.1.dylib
x ./opt/local/lib/libxcb.a
x ./opt/local/lib/libxcb.dylib
x ./opt/local/lib/libxcb.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xcb-composite.pc
x ./opt/local/lib/pkgconfig/xcb-damage.pc
x ./opt/local/lib/pkgconfig/xcb-dpms.pc
x ./opt/local/lib/pkgconfig/xcb-dri2.pc
x ./opt/local/lib/pkgconfig/xcb-glx.pc
x ./opt/local/lib/pkgconfig/xcb-randr.pc
x ./opt/local/lib/pkgconfig/xcb-record.pc
x ./opt/local/lib/pkgconfig/xcb-render.pc
x ./opt/local/lib/pkgconfig/xcb-res.pc
x ./opt/local/lib/pkgconfig/xcb-screensaver.pc
x ./opt/local/lib/pkgconfig/xcb-shape.pc
x ./opt/local/lib/pkgconfig/xcb-shm.pc
```

- x ./opt/local/lib/pkgconfig/xcb-sync.pc
- x ./opt/local/lib/pkgconfig/xcb-xevie.pc
- x ./opt/local/lib/pkgconfig/xcb-xf86dri.pc
- x ./opt/local/lib/pkgconfig/xcb-xfixes.pc
- x ./opt/local/lib/pkgconfig/xcb-xinerama.pc
- x ./opt/local/lib/pkgconfig/xcb-xprint.pc
- x ./opt/local/lib/pkgconfig/xcb-xtest.pc
- x ./opt/local/lib/pkgconfig/xcb-xv.pc
- x ./opt/local/lib/pkgconfig/xcb-xvmc.pc
- x ./opt/local/lib/pkgconfig/xcb.pc
- x ./opt/local/include/xcb/
- x ./opt/local/include/xcb/bigreq.h
- x ./opt/local/include/xcb/composite.h
- x ./opt/local/include/xcb/damage.h
- x ./opt/local/include/xcb/dpms.h
- x ./opt/local/include/xcb/dri2.h
- x ./opt/local/include/xcb/glx.h
- x ./opt/local/include/xcb/randr.h
- x ./opt/local/include/xcb/record.h
- x ./opt/local/include/xcb/render.h
- x ./opt/local/include/xcb/res.h
- x ./opt/local/include/xcb/screensaver.h
- x ./opt/local/include/xcb/shape.h
- x ./opt/local/include/xcb/shm.h

```
x ./opt/local/include/xc_b/sync.h
x ./opt/local/include/xc_b/xc_misc.h
x ./opt/local/include/xc_b/xc_b.h
x ./opt/local/include/xc_b/xc_bext.h
x ./opt/local/include/xc_b/xevie.h
x ./opt/local/include/xc_b/xf86dri.h
x ./opt/local/include/xc_b/xfixes.h
x ./opt/local/include/xc_b/xinerama.h
x ./opt/local/include/xc_b/xinput.h
x ./opt/local/include/xc_b/xkb.h
x ./opt/local/include/xc_b/xprint.h
x ./opt/local/include/xc_b/xproto.h
x ./opt/local/include/xc_b/xselinux.h
x ./opt/local/include/xc_b/xtest.h
x ./opt/local/include/xc_b/xv.h
x ./opt/local/include/xc_b/xvmc.h
---> Cleaning xorg-libxc_b
---> Removing work directory for xorg-libxc_b
---> Fetching archive for xorg-libX11
---> xorg-libX11-1.6.2_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libX11-1.6.2_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xorg-libX11
% Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
```

						Dload	Upload	Total	Spent	Left	Speed
100	2404k	100	2404k	0	0	299k	0	0:00:08	0:00:08	--:--:--	359k
---> Attempting to fetch xorg-libX11-1.6.2_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/xorg-libX11											
% Total	% Received	% Xferd	Average	Speed	Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
102	512	102	512	0	0	1580	0	--:--:--	--:--:--	--:--:--	3065
---> Installing xorg-libX11 @1.6.2_0											
---> Activating xorg-libX11 @1.6.2_0											
x ./											
x ./+COMMENT											
x ./+CONTENTS											
x ./+DESC											
x ./+PORTFILE											
x ./+STATE											
x ./opt/											
x ./opt/local/											
x ./opt/local/include/											
x ./opt/local/lib/											
x ./opt/local/share/											
x ./opt/local/share/man/											
x ./opt/local/share/X11/											
x ./opt/local/share/X11/locale/											
x ./opt/local/share/X11/Xcms.txt											

- x ./opt/local/share/X11/XErrorDB
- x ./opt/local/share/X11/locale/am_ET.UTF-8/
- x ./opt/local/share/X11/locale/armscii-8/
- x ./opt/local/share/X11/locale/C/
- x ./opt/local/share/X11/locale/compose.dir
- x ./opt/local/share/X11/locale/el_GR.UTF-8/
- x ./opt/local/share/X11/locale/en_US.UTF-8/
- x ./opt/local/share/X11/locale/fi_FI.UTF-8/
- x ./opt/local/share/X11/locale/georgian-academy/
- x ./opt/local/share/X11/locale/georgian-ps/
- x ./opt/local/share/X11/locale/ibm-cp1133/
- x ./opt/local/share/X11/locale/iscii-dev/
- x ./opt/local/share/X11/locale/isiri-3342/
- x ./opt/local/share/X11/locale/iso8859-1/
- x ./opt/local/share/X11/locale/iso8859-10/
- x ./opt/local/share/X11/locale/iso8859-11/
- x ./opt/local/share/X11/locale/iso8859-13/
- x ./opt/local/share/X11/locale/iso8859-14/
- x ./opt/local/share/X11/locale/iso8859-15/
- x ./opt/local/share/X11/locale/iso8859-2/
- x ./opt/local/share/X11/locale/iso8859-3/
- x ./opt/local/share/X11/locale/iso8859-4/
- x ./opt/local/share/X11/locale/iso8859-5/
- x ./opt/local/share/X11/locale/iso8859-6/

- x ./opt/local/share/X11/locale/iso8859-7/
- x ./opt/local/share/X11/locale/iso8859-8/
- x ./opt/local/share/X11/locale/iso8859-9/
- x ./opt/local/share/X11/locale/iso8859-9e/
- x ./opt/local/share/X11/locale/ja/
- x ./opt/local/share/X11/locale/ja.JIS/
- x ./opt/local/share/X11/locale/ja.SJIS/
- x ./opt/local/share/X11/locale/ja_JP.UTF-8/
- x ./opt/local/share/X11/locale/km_KH.UTF-8/
- x ./opt/local/share/X11/locale/ko/
- x ./opt/local/share/X11/locale/ko_KR.UTF-8/
- x ./opt/local/share/X11/locale/koi8-c/
- x ./opt/local/share/X11/locale/koi8-r/
- x ./opt/local/share/X11/locale/koi8-u/
- x ./opt/local/share/X11/locale/locale.alias
- x ./opt/local/share/X11/locale/locale.dir
- x ./opt/local/share/X11/locale/microsoft-cp1251/
- x ./opt/local/share/X11/locale/microsoft-cp1255/
- x ./opt/local/share/X11/locale/microsoft-cp1256/
- x ./opt/local/share/X11/locale/mulelao-1/
- x ./opt/local/share/X11/locale/nokhchi-1/
- x ./opt/local/share/X11/locale/pt_BR.UTF-8/
- x ./opt/local/share/X11/locale/ru_RU.UTF-8/
- x ./opt/local/share/X11/locale/sr_CS.UTF-8/

- x ./opt/local/share/X11/locale/tatar-cyr/
- x ./opt/local/share/X11/locale/th_TH/
- x ./opt/local/share/X11/locale/th_TH.UTF-8/
- x ./opt/local/share/X11/locale/tscii-0/
- x ./opt/local/share/X11/locale/vi_VN.tcvn/
- x ./opt/local/share/X11/locale/vi_VN.viscii/
- x ./opt/local/share/X11/locale/zh_CN/
- x ./opt/local/share/X11/locale/zh_CN.gb18030/
- x ./opt/local/share/X11/locale/zh_CN.gbk/
- x ./opt/local/share/X11/locale/zh_CN.UTF-8/
- x ./opt/local/share/X11/locale/zh_HK.big5/
- x ./opt/local/share/X11/locale/zh_HK.big5hkscs/
- x ./opt/local/share/X11/locale/zh_HK.UTF-8/
- x ./opt/local/share/X11/locale/zh_TW/
- x ./opt/local/share/X11/locale/zh_TW.big5/
- x ./opt/local/share/X11/locale/zh_TW.UTF-8/
- x ./opt/local/share/X11/locale/zh_TW.UTF-8/Compose
- x ./opt/local/share/X11/locale/zh_TW.UTF-8/XI18N_OBJS
- x ./opt/local/share/X11/locale/zh_TW.UTF-8/XLC_LOCALE
- x ./opt/local/share/X11/locale/zh_TW.big5/Compose
- x ./opt/local/share/X11/locale/zh_TW.big5/XI18N_OBJS
- x ./opt/local/share/X11/locale/zh_TW.big5/XLC_LOCALE
- x ./opt/local/share/X11/locale/zh_TW/Compose
- x ./opt/local/share/X11/locale/zh_TW/XI18N_OBJS

x ./opt/local/share/X11/locale/zh_TW/XLC_LOCALE
x ./opt/local/share/X11/locale/zh_HK.UTF-8/Compose
x ./opt/local/share/X11/locale/zh_HK.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/zh_HK.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/zh_HK.big5hkscs/Compose
x ./opt/local/share/X11/locale/zh_HK.big5hkscs/XI18N_OBJS
x ./opt/local/share/X11/locale/zh_HK.big5hkscs/XLC_LOCALE
x ./opt/local/share/X11/locale/zh_HK.big5/Compose
x ./opt/local/share/X11/locale/zh_HK.big5/XI18N_OBJS
x ./opt/local/share/X11/locale/zh_HK.big5/XLC_LOCALE
x ./opt/local/share/X11/locale/zh_CN.UTF-8/Compose
x ./opt/local/share/X11/locale/zh_CN.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/zh_CN.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/zh_CN.gbk/Compose
x ./opt/local/share/X11/locale/zh_CN.gbk/XI18N_OBJS
x ./opt/local/share/X11/locale/zh_CN.gbk/XLC_LOCALE
x ./opt/local/share/X11/locale/zh_CN.gb18030/Compose
x ./opt/local/share/X11/locale/zh_CN.gb18030/XI18N_OBJS
x ./opt/local/share/X11/locale/zh_CN.gb18030/XLC_LOCALE
x ./opt/local/share/X11/locale/zh_CN/Compose
x ./opt/local/share/X11/locale/zh_CN/XI18N_OBJS
x ./opt/local/share/X11/locale/zh_CN/XLC_LOCALE
x ./opt/local/share/X11/locale/vi_VN.viscii/Compose
x ./opt/local/share/X11/locale/vi_VN.viscii/XI18N_OBJS

x ./opt/local/share/X11/locale/vi_VN.viscii/XLC_LOCALE
x ./opt/local/share/X11/locale/vi_VN.tcvn/Compose
x ./opt/local/share/X11/locale/vi_VN.tcvn/XI18N_OBJS
x ./opt/local/share/X11/locale/vi_VN.tcvn/XLC_LOCALE
x ./opt/local/share/X11/locale/tscii-0/Compose
x ./opt/local/share/X11/locale/tscii-0/XI18N_OBJS
x ./opt/local/share/X11/locale/tscii-0/XLC_LOCALE
x ./opt/local/share/X11/locale/th_TH.UTF-8/Compose
x ./opt/local/share/X11/locale/th_TH.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/th_TH.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/th_TH/Compose
x ./opt/local/share/X11/locale/th_TH/XI18N_OBJS
x ./opt/local/share/X11/locale/th_TH/XLC_LOCALE
x ./opt/local/share/X11/locale/tatar-cyr/Compose
x ./opt/local/share/X11/locale/tatar-cyr/XI18N_OBJS
x ./opt/local/share/X11/locale/tatar-cyr/XLC_LOCALE
x ./opt/local/share/X11/locale/sr_CS.UTF-8/Compose
x ./opt/local/share/X11/locale/sr_CS.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/sr_CS.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/ru_RU.UTF-8/Compose
x ./opt/local/share/X11/locale/ru_RU.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/ru_RU.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/pt_BR.UTF-8/Compose
x ./opt/local/share/X11/locale/pt_BR.UTF-8/XI18N_OBJS

x ./opt/local/share/X11/locale/pt_BR.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/nokhchi-1/Compose
x ./opt/local/share/X11/locale/nokhchi-1/XI18N_OBJS
x ./opt/local/share/X11/locale/nokhchi-1/XLC_LOCALE
x ./opt/local/share/X11/locale/mulelao-1/Compose
x ./opt/local/share/X11/locale/mulelao-1/XI18N_OBJS
x ./opt/local/share/X11/locale/mulelao-1/XLC_LOCALE
x ./opt/local/share/X11/locale/microsoft-cp1256/Compose
x ./opt/local/share/X11/locale/microsoft-cp1256/XI18N_OBJS
x ./opt/local/share/X11/locale/microsoft-cp1256/XLC_LOCALE
x ./opt/local/share/X11/locale/microsoft-cp1255/Compose
x ./opt/local/share/X11/locale/microsoft-cp1255/XI18N_OBJS
x ./opt/local/share/X11/locale/microsoft-cp1255/XLC_LOCALE
x ./opt/local/share/X11/locale/microsoft-cp1251/Compose
x ./opt/local/share/X11/locale/microsoft-cp1251/XI18N_OBJS
x ./opt/local/share/X11/locale/microsoft-cp1251/XLC_LOCALE
x ./opt/local/share/X11/locale/koi8-u/Compose
x ./opt/local/share/X11/locale/koi8-u/XI18N_OBJS
x ./opt/local/share/X11/locale/koi8-u/XLC_LOCALE
x ./opt/local/share/X11/locale/koi8-r/Compose
x ./opt/local/share/X11/locale/koi8-r/XI18N_OBJS
x ./opt/local/share/X11/locale/koi8-r/XLC_LOCALE
x ./opt/local/share/X11/locale/koi8-c/Compose
x ./opt/local/share/X11/locale/koi8-c/XI18N_OBJS

x ./opt/local/share/X11/locale/koi8-c/XLC_LOCALE
x ./opt/local/share/X11/locale/ko_KR.UTF-8/Compose
x ./opt/local/share/X11/locale/ko_KR.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/ko_KR.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/ko/Compose
x ./opt/local/share/X11/locale/ko/XI18N_OBJS
x ./opt/local/share/X11/locale/ko/XLC_LOCALE
x ./opt/local/share/X11/locale/km_KH.UTF-8/Compose
x ./opt/local/share/X11/locale/km_KH.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/km_KH.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/ja_JP.UTF-8/Compose
x ./opt/local/share/X11/locale/ja_JP.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/ja_JP.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/ja.SJIS/Compose
x ./opt/local/share/X11/locale/ja.SJIS/XI18N_OBJS
x ./opt/local/share/X11/locale/ja.SJIS/XLC_LOCALE
x ./opt/local/share/X11/locale/ja.JIS/Compose
x ./opt/local/share/X11/locale/ja.JIS/XI18N_OBJS
x ./opt/local/share/X11/locale/ja.JIS/XLC_LOCALE
x ./opt/local/share/X11/locale/ja/Compose
x ./opt/local/share/X11/locale/ja/XI18N_OBJS
x ./opt/local/share/X11/locale/ja/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-9e/Compose
x ./opt/local/share/X11/locale/iso8859-9e/XI18N_OBJS

x ./opt/local/share/X11/locale/iso8859-9e/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-9/Compose
x ./opt/local/share/X11/locale/iso8859-9/XI18N_OBJS
x ./opt/local/share/X11/locale/iso8859-9/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-8/Compose
x ./opt/local/share/X11/locale/iso8859-8/XI18N_OBJS
x ./opt/local/share/X11/locale/iso8859-8/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-7/Compose
x ./opt/local/share/X11/locale/iso8859-7/XI18N_OBJS
x ./opt/local/share/X11/locale/iso8859-7/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-6/Compose
x ./opt/local/share/X11/locale/iso8859-6/XI18N_OBJS
x ./opt/local/share/X11/locale/iso8859-6/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-5/Compose
x ./opt/local/share/X11/locale/iso8859-5/XI18N_OBJS
x ./opt/local/share/X11/locale/iso8859-5/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-4/Compose
x ./opt/local/share/X11/locale/iso8859-4/XI18N_OBJS
x ./opt/local/share/X11/locale/iso8859-4/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-3/Compose
x ./opt/local/share/X11/locale/iso8859-3/XI18N_OBJS
x ./opt/local/share/X11/locale/iso8859-3/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-2/Compose
x ./opt/local/share/X11/locale/iso8859-2/XI18N_OBJS

x ./opt/local/share/X11/locale/iso8859-2/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-15/Compose
x ./opt/local/share/X11/locale/iso8859-15/XI18N_OBJJS
x ./opt/local/share/X11/locale/iso8859-15/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-14/Compose
x ./opt/local/share/X11/locale/iso8859-14/XI18N_OBJJS
x ./opt/local/share/X11/locale/iso8859-14/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-13/Compose
x ./opt/local/share/X11/locale/iso8859-13/XI18N_OBJJS
x ./opt/local/share/X11/locale/iso8859-13/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-11/Compose
x ./opt/local/share/X11/locale/iso8859-11/XI18N_OBJJS
x ./opt/local/share/X11/locale/iso8859-11/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-10/Compose
x ./opt/local/share/X11/locale/iso8859-10/XI18N_OBJJS
x ./opt/local/share/X11/locale/iso8859-10/XLC_LOCALE
x ./opt/local/share/X11/locale/iso8859-1/Compose
x ./opt/local/share/X11/locale/iso8859-1/XI18N_OBJJS
x ./opt/local/share/X11/locale/iso8859-1/XLC_LOCALE
x ./opt/local/share/X11/locale/isiri-3342/Compose
x ./opt/local/share/X11/locale/isiri-3342/XI18N_OBJJS
x ./opt/local/share/X11/locale/isiri-3342/XLC_LOCALE
x ./opt/local/share/X11/locale/iscii-dev/Compose
x ./opt/local/share/X11/locale/iscii-dev/XI18N_OBJJS

x ./opt/local/share/X11/locale/iscii-dev/XLC_LOCALE
x ./opt/local/share/X11/locale/ibm-cp1133/Compose
x ./opt/local/share/X11/locale/ibm-cp1133/XI18N_OBJS
x ./opt/local/share/X11/locale/ibm-cp1133/XLC_LOCALE
x ./opt/local/share/X11/locale/georgian-ps/Compose
x ./opt/local/share/X11/locale/georgian-ps/XI18N_OBJS
x ./opt/local/share/X11/locale/georgian-ps/XLC_LOCALE
x ./opt/local/share/X11/locale/georgian-academy/Compose
x ./opt/local/share/X11/locale/georgian-academy/XI18N_OBJS
x ./opt/local/share/X11/locale/georgian-academy/XLC_LOCALE
x ./opt/local/share/X11/locale/fi_FI.UTF-8/Compose
x ./opt/local/share/X11/locale/fi_FI.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/fi_FI.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/en_US.UTF-8/Compose
x ./opt/local/share/X11/locale/en_US.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/en_US.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/el_GR.UTF-8/Compose
x ./opt/local/share/X11/locale/el_GR.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/el_GR.UTF-8/XLC_LOCALE
x ./opt/local/share/X11/locale/C/Compose
x ./opt/local/share/X11/locale/C/XI18N_OBJS
x ./opt/local/share/X11/locale/C/XLC_LOCALE
x ./opt/local/share/X11/locale/armscii-8/Compose
x ./opt/local/share/X11/locale/armscii-8/XI18N_OBJS

x ./opt/local/share/X11/locale/armsci-8/XLC_LOCALE
x ./opt/local/share/X11/locale/am_ET.UTF-8/Compose
x ./opt/local/share/X11/locale/am_ET.UTF-8/XI18N_OBJS
x ./opt/local/share/X11/locale/am_ET.UTF-8/XLC_LOCALE
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man5/
x ./opt/local/share/man/man5/Compose.5.gz
x ./opt/local/share/man/man5/XCompose.5.gz
x ./opt/local/share/man/man3/AllPlanes.3.gz
x ./opt/local/share/man/man3/BitmapBitOrder.3.gz
x ./opt/local/share/man/man3/BitmapPad.3.gz
x ./opt/local/share/man/man3/BitmapUnit.3.gz
x ./opt/local/share/man/man3/BlackPixel.3.gz
x ./opt/local/share/man/man3/BlackPixelOfScreen.3.gz
x ./opt/local/share/man/man3/CellsOfScreen.3.gz
x ./opt/local/share/man/man3/ClientWhitePointOfCCC.3.gz
x ./opt/local/share/man/man3/ConnectionNumber.3.gz
x ./opt/local/share/man/man3/DefaultColormap.3.gz
x ./opt/local/share/man/man3/DefaultColormapOfScreen.3.gz
x ./opt/local/share/man/man3/DefaultDepth.3.gz
x ./opt/local/share/man/man3/DefaultDepthOfScreen.3.gz
x ./opt/local/share/man/man3/DefaultGC.3.gz
x ./opt/local/share/man/man3/DefaultGCOfScreen.3.gz
x ./opt/local/share/man/man3/DefaultRootWindow.3.gz

- x ./opt/local/share/man/man3/DefaultScreen.3.gz
- x ./opt/local/share/man/man3/DefaultScreenOfDisplay.3.gz
- x ./opt/local/share/man/man3/DefaultVisual.3.gz
- x ./opt/local/share/man/man3/DefaultVisualOfScreen.3.gz
- x ./opt/local/share/man/man3/DisplayCells.3.gz
- x ./opt/local/share/man/man3/DisplayHeight.3.gz
- x ./opt/local/share/man/man3/DisplayHeightMM.3.gz
- x ./opt/local/share/man/man3/DisplayOfCCC.3.gz
- x ./opt/local/share/man/man3/DisplayOfScreen.3.gz
- x ./opt/local/share/man/man3/DisplayPlanes.3.gz
- x ./opt/local/share/man/man3/DisplayString.3.gz
- x ./opt/local/share/man/man3/DisplayWidth.3.gz
- x ./opt/local/share/man/man3/DisplayWidthMM.3.gz
- x ./opt/local/share/man/man3/DoesBackingStore.3.gz
- x ./opt/local/share/man/man3/DoesSaveUnders.3.gz
- x ./opt/local/share/man/man3/EventMaskOfScreen.3.gz
- x ./opt/local/share/man/man3/HeightMMOfScreen.3.gz
- x ./opt/local/share/man/man3/HeightOfScreen.3.gz
- x ./opt/local/share/man/man3/ImageByteOrder.3.gz
- x ./opt/local/share/man/man3/IsCursorKey.3.gz
- x ./opt/local/share/man/man3/IsFunctionKey.3.gz
- x ./opt/local/share/man/man3/IsKeypadKey.3.gz
- x ./opt/local/share/man/man3/IsMiscFunctionKey.3.gz
- x ./opt/local/share/man/man3/IsModifierKey.3.gz

- x ./opt/local/share/man/man3/IsPFKey.3.gz
- x ./opt/local/share/man/man3/IsPrivateKeypadKey.3.gz
- x ./opt/local/share/man/man3/LastKnownRequestProcessed.3.gz
- x ./opt/local/share/man/man3/MaxCmapsOfScreen.3.gz
- x ./opt/local/share/man/man3/MinCmapsOfScreen.3.gz
- x ./opt/local/share/man/man3/NextRequest.3.gz
- x ./opt/local/share/man/man3/PlanesOfScreen.3.gz
- x ./opt/local/share/man/man3/ProtocolRevision.3.gz
- x ./opt/local/share/man/man3/ProtocolVersion.3.gz
- x ./opt/local/share/man/man3/QLength.3.gz
- x ./opt/local/share/man/man3/RootWindow.3.gz
- x ./opt/local/share/man/man3/RootWindowOfScreen.3.gz
- x ./opt/local/share/man/man3/ScreenCount.3.gz
- x ./opt/local/share/man/man3/ScreenNumberOfCCC.3.gz
- x ./opt/local/share/man/man3/ScreenOfDisplay.3.gz
- x ./opt/local/share/man/man3/ScreenWhitePointOfCCC.3.gz
- x ./opt/local/share/man/man3/ServerVendor.3.gz
- x ./opt/local/share/man/man3/VendorRelease.3.gz
- x ./opt/local/share/man/man3/VisualOfCCC.3.gz
- x ./opt/local/share/man/man3/WhitePixel.3.gz
- x ./opt/local/share/man/man3/WhitePixelOfScreen.3.gz
- x ./opt/local/share/man/man3/WidthMMOfScreen.3.gz
- x ./opt/local/share/man/man3/WidthOfScreen.3.gz
- x ./opt/local/share/man/man3/XActivateScreenSaver.3.gz

- x ./opt/local/share/man/man3/XAddConnectionWatch.3.gz
- x ./opt/local/share/man/man3/XAddHost.3.gz
- x ./opt/local/share/man/man3/XAddHosts.3.gz
- x ./opt/local/share/man/man3/XAddPixel.3.gz
- x ./opt/local/share/man/man3/XAddToSaveSet.3.gz
- x ./opt/local/share/man/man3/XAllocClassHint.3.gz
- x ./opt/local/share/man/man3/XAllocColor.3.gz
- x ./opt/local/share/man/man3/XAllocColorCells.3.gz
- x ./opt/local/share/man/man3/XAllocColorPlanes.3.gz
- x ./opt/local/share/man/man3/XAllocIconSize.3.gz
- x ./opt/local/share/man/man3/XAllocNamedColor.3.gz
- x ./opt/local/share/man/man3/XAllocSizeHints.3.gz
- x ./opt/local/share/man/man3/XAllocStandardColormap.3.gz
- x ./opt/local/share/man/man3/XAllocWMHints.3.gz
- x ./opt/local/share/man/man3/XAllowEvents.3.gz
- x ./opt/local/share/man/man3/XAnyEvent.3.gz
- x ./opt/local/share/man/man3/XArc.3.gz
- x ./opt/local/share/man/man3/XAutoRepeatOff.3.gz
- x ./opt/local/share/man/man3/XAutoRepeatOn.3.gz
- x ./opt/local/share/man/man3/XBaseFontNameListOfFontSet.3.gz
- x ./opt/local/share/man/man3/XBell.3.gz
- x ./opt/local/share/man/man3/XButtonEvent.3.gz
- x ./opt/local/share/man/man3/XChangeActivePointerGrab.3.gz
- x ./opt/local/share/man/man3/XChangeGC.3.gz

- x ./opt/local/share/man/man3/XChangeKeyboardControl.3.gz
- x ./opt/local/share/man/man3/XChangeKeyboardMapping.3.gz
- x ./opt/local/share/man/man3/XChangePointerControl.3.gz
- x ./opt/local/share/man/man3/XChangeProperty.3.gz
- x ./opt/local/share/man/man3/XChangeSaveSet.3.gz
- x ./opt/local/share/man/man3/XChangeWindowAttributes.3.gz
- x ./opt/local/share/man/man3/XChar2b.3.gz
- x ./opt/local/share/man/man3/XCharStruct.3.gz
- x ./opt/local/share/man/man3/XCheckIfEvent.3.gz
- x ./opt/local/share/man/man3/XCheckMaskEvent.3.gz
- x ./opt/local/share/man/man3/XCheckTypedEvent.3.gz
- x ./opt/local/share/man/man3/XCheckTypedWindowEvent.3.gz
- x ./opt/local/share/man/man3/XCheckWindowEvent.3.gz
- x ./opt/local/share/man/man3/XCirculateEvent.3.gz
- x ./opt/local/share/man/man3/XCirculateRequestEvent.3.gz
- x ./opt/local/share/man/man3/XCirculateSubwindows.3.gz
- x ./opt/local/share/man/man3/XCirculateSubwindowsDown.3.gz
- x ./opt/local/share/man/man3/XCirculateSubwindowsUp.3.gz
- x ./opt/local/share/man/man3/XClassHint.3.gz
- x ./opt/local/share/man/man3/XClearArea.3.gz
- x ./opt/local/share/man/man3/XClearWindow.3.gz
- x ./opt/local/share/man/man3/XClientMessageEvent.3.gz
- x ./opt/local/share/man/man3/XClipBox.3.gz
- x ./opt/local/share/man/man3/XCloseDisplay.3.gz

x ./opt/local/share/man/man3/XCloseIM.3.gz
x ./opt/local/share/man/man3/XCloseOM.3.gz
x ./opt/local/share/man/man3/XcmsAllocColor.3.gz
x ./opt/local/share/man/man3/XcmsAllocNamedColor.3.gz
x ./opt/local/share/man/man3/XcmsCCCOfColormap.3.gz
x ./opt/local/share/man/man3/XcmsCIELab.3.gz
x ./opt/local/share/man/man3/XcmsCIELabQueryMaxC.3.gz
x ./opt/local/share/man/man3/XcmsCIELabQueryMaxL.3.gz
x ./opt/local/share/man/man3/XcmsCIELabQueryMaxLC.3.gz
x ./opt/local/share/man/man3/XcmsCIELabQueryMinL.3.gz
x ./opt/local/share/man/man3/XcmsCIELuv.3.gz
x ./opt/local/share/man/man3/XcmsCIELuvQueryMaxC.3.gz
x ./opt/local/share/man/man3/XcmsCIELuvQueryMaxL.3.gz
x ./opt/local/share/man/man3/XcmsCIELuvQueryMaxLC.3.gz
x ./opt/local/share/man/man3/XcmsCIELuvQueryMinL.3.gz
x ./opt/local/share/man/man3/XcmsCIEuvY.3.gz
x ./opt/local/share/man/man3/XcmsCIExyY.3.gz
x ./opt/local/share/man/man3/XcmsCIEXYZ.3.gz
x ./opt/local/share/man/man3/XcmsColor.3.gz
x ./opt/local/share/man/man3/XcmsConvertColors.3.gz
x ./opt/local/share/man/man3/XcmsCreateCCC.3.gz
x ./opt/local/share/man/man3/XcmsDefaultCCC.3.gz
x ./opt/local/share/man/man3/XcmsFreeCCC.3.gz
x ./opt/local/share/man/man3/XcmsLookupColor.3.gz

x ./opt/local/share/man/man3/XcmsPad.3.gz
x ./opt/local/share/man/man3/XcmsQueryBlack.3.gz
x ./opt/local/share/man/man3/XcmsQueryBlue.3.gz
x ./opt/local/share/man/man3/XcmsQueryColor.3.gz
x ./opt/local/share/man/man3/XcmsQueryColors.3.gz
x ./opt/local/share/man/man3/XcmsQueryGreen.3.gz
x ./opt/local/share/man/man3/XcmsQueryRed.3.gz
x ./opt/local/share/man/man3/XcmsQueryWhite.3.gz
x ./opt/local/share/man/man3/XcmsRGB.3.gz
x ./opt/local/share/man/man3/XcmsRGBi.3.gz
x ./opt/local/share/man/man3/XcmsSetCCCOfColormap.3.gz
x ./opt/local/share/man/man3/XcmsSetWhiteAdjustProc.3.gz
x ./opt/local/share/man/man3/XcmsSetWhitePoint.3.gz
x ./opt/local/share/man/man3/XcmsStoreColor.3.gz
x ./opt/local/share/man/man3/XcmsStoreColors.3.gz
x ./opt/local/share/man/man3/XcmsTekHVC.3.gz
x ./opt/local/share/man/man3/XcmsTekHVCQueryMaxC.3.gz
x ./opt/local/share/man/man3/XcmsTekHVCQueryMaxV.3.gz
x ./opt/local/share/man/man3/XcmsTekHVCQueryMaxVC.3.gz
x ./opt/local/share/man/man3/XcmsTekHVCQueryMaxVSamples.3.gz
x ./opt/local/share/man/man3/XcmsTekHVCQueryMinV.3.gz
x ./opt/local/share/man/man3/XColor.3.gz
x ./opt/local/share/man/man3/XColormapEvent.3.gz
x ./opt/local/share/man/man3/XCompose.3.gz

- x ./opt/local/share/man/man3/XConfigureEvent.3.gz
- x ./opt/local/share/man/man3/XConfigureRequestEvent.3.gz
- x ./opt/local/share/man/man3/XConfigureWindow.3.gz
- x ./opt/local/share/man/man3/XContextDependentDrawing.3.gz
- x ./opt/local/share/man/man3/XContextualDrawing.3.gz
- x ./opt/local/share/man/man3/XConvertCase.3.gz
- x ./opt/local/share/man/man3/XConvertSelection.3.gz
- x ./opt/local/share/man/man3/XCopyArea.3.gz
- x ./opt/local/share/man/man3/XCopyColormapAndFree.3.gz
- x ./opt/local/share/man/man3/XCopyGC.3.gz
- x ./opt/local/share/man/man3/XCopyPlane.3.gz
- x ./opt/local/share/man/man3/XCreateBitmapFromData.3.gz
- x ./opt/local/share/man/man3/XCreateColormap.3.gz
- x ./opt/local/share/man/man3/XCreateFontCursor.3.gz
- x ./opt/local/share/man/man3/XCreateFontSet.3.gz
- x ./opt/local/share/man/man3/XCreateGC.3.gz
- x ./opt/local/share/man/man3/XCreateGlyphCursor.3.gz
- x ./opt/local/share/man/man3/XCreateIC.3.gz
- x ./opt/local/share/man/man3/XCreateImage.3.gz
- x ./opt/local/share/man/man3/XCreateOC.3.gz
- x ./opt/local/share/man/man3/XCreatePixmap.3.gz
- x ./opt/local/share/man/man3/XCreatePixmapCursor.3.gz
- x ./opt/local/share/man/man3/XCreatePixmapFromBitmapData.3.gz
- x ./opt/local/share/man/man3/XCreateRegion.3.gz

- x ./opt/local/share/man/man3/XCreateSimpleWindow.3.gz
- x ./opt/local/share/man/man3/XCreateWindow.3.gz
- x ./opt/local/share/man/man3/XCreateWindowEvent.3.gz
- x ./opt/local/share/man/man3/XCrossingEvent.3.gz
- x ./opt/local/share/man/man3/XDefaultString.3.gz
- x ./opt/local/share/man/man3/XDefineCursor.3.gz
- x ./opt/local/share/man/man3/XDeleteContext.3.gz
- x ./opt/local/share/man/man3/XDeleteModifiermapEntry.3.gz
- x ./opt/local/share/man/man3/XDeleteProperty.3.gz
- x ./opt/local/share/man/man3/XDestroyIC.3.gz
- x ./opt/local/share/man/man3/XDestroyImage.3.gz
- x ./opt/local/share/man/man3/XDestroyOC.3.gz
- x ./opt/local/share/man/man3/XDestroyRegion.3.gz
- x ./opt/local/share/man/man3/XDestroySubwindows.3.gz
- x ./opt/local/share/man/man3/XDestroyWindow.3.gz
- x ./opt/local/share/man/man3/XDestroyWindowEvent.3.gz
- x ./opt/local/share/man/man3/XDirectionalDependentDrawing.3.gz
- x ./opt/local/share/man/man3/XDisableAccessControl.3.gz
- x ./opt/local/share/man/man3/XDisplayKeycodes.3.gz
- x ./opt/local/share/man/man3/XDisplayMotionBufferSize.3.gz
- x ./opt/local/share/man/man3/XDisplayName.3.gz
- x ./opt/local/share/man/man3/XDisplayOfIM.3.gz
- x ./opt/local/share/man/man3/XDisplayOfOM.3.gz
- x ./opt/local/share/man/man3/XDrawArc.3.gz

- x ./opt/local/share/man/man3/XDrawArcs.3.gz
- x ./opt/local/share/man/man3/XDrawImageString.3.gz
- x ./opt/local/share/man/man3/XDrawImageString16.3.gz
- x ./opt/local/share/man/man3/XDrawLine.3.gz
- x ./opt/local/share/man/man3/XDrawLines.3.gz
- x ./opt/local/share/man/man3/XDrawPoint.3.gz
- x ./opt/local/share/man/man3/XDrawPoints.3.gz
- x ./opt/local/share/man/man3/XDrawRectangle.3.gz
- x ./opt/local/share/man/man3/XDrawRectangles.3.gz
- x ./opt/local/share/man/man3/XDrawSegments.3.gz
- x ./opt/local/share/man/man3/XDrawString.3.gz
- x ./opt/local/share/man/man3/XDrawString16.3.gz
- x ./opt/local/share/man/man3/XDrawText.3.gz
- x ./opt/local/share/man/man3/XDrawText16.3.gz
- x ./opt/local/share/man/man3/XEmptyRegion.3.gz
- x ./opt/local/share/man/man3/XEnableAccessControl.3.gz
- x ./opt/local/share/man/man3/XEqualRegion.3.gz
- x ./opt/local/share/man/man3/XErrorEvent.3.gz
- x ./opt/local/share/man/man3/XEvent.3.gz
- x ./opt/local/share/man/man3/XEventsQueued.3.gz
- x ./opt/local/share/man/man3/XExposeEvent.3.gz
- x ./opt/local/share/man/man3/XExtendedMaxRequestSize.3.gz
- x ./opt/local/share/man/man3/XExtentsOfFontSet.3.gz
- x ./opt/local/share/man/man3/XFetchBuffer.3.gz

- x ./opt/local/share/man/man3/XFetchBytes.3.gz
- x ./opt/local/share/man/man3/XFetchName.3.gz
- x ./opt/local/share/man/man3/XFillArc.3.gz
- x ./opt/local/share/man/man3/XFillArcs.3.gz
- x ./opt/local/share/man/man3/XFillPolygon.3.gz
- x ./opt/local/share/man/man3/XFillRectangle.3.gz
- x ./opt/local/share/man/man3/XFillRectangles.3.gz
- x ./opt/local/share/man/man3/XFilterEvent.3.gz
- x ./opt/local/share/man/man3/XFindContext.3.gz
- x ./opt/local/share/man/man3/XFlush.3.gz
- x ./opt/local/share/man/man3/XFocusChangeEvent.3.gz
- x ./opt/local/share/man/man3/XFontProp.3.gz
- x ./opt/local/share/man/man3/XFontSetExtents.3.gz
- x ./opt/local/share/man/man3/XFontsOfFontSet.3.gz
- x ./opt/local/share/man/man3/XFontStruct.3.gz
- x ./opt/local/share/man/man3/XForceScreenSaver.3.gz
- x ./opt/local/share/man/man3/XFree.3.gz
- x ./opt/local/share/man/man3/XFreeColormap.3.gz
- x ./opt/local/share/man/man3/XFreeColors.3.gz
- x ./opt/local/share/man/man3/XFreeCursor.3.gz
- x ./opt/local/share/man/man3/XFreeEventData.3.gz
- x ./opt/local/share/man/man3/XFreeExtensionList.3.gz
- x ./opt/local/share/man/man3/XFreeFont.3.gz
- x ./opt/local/share/man/man3/XFreeFontInfo.3.gz

x ./opt/local/share/man/man3/XFreeFontNames.3.gz
x ./opt/local/share/man/man3/XFreeFontPath.3.gz
x ./opt/local/share/man/man3/XFreeFontSet.3.gz
x ./opt/local/share/man/man3/XFreeGC.3.gz
x ./opt/local/share/man/man3/XFreeModifiermap.3.gz
x ./opt/local/share/man/man3/XFreePixmap.3.gz
x ./opt/local/share/man/man3/XFreeStringList.3.gz
x ./opt/local/share/man/man3/XGCContextFromGC.3.gz
x ./opt/local/share/man/man3/XGCValues.3.gz
x ./opt/local/share/man/man3/XGenericEventCookie.3.gz
x ./opt/local/share/man/man3/XGetAtomName.3.gz
x ./opt/local/share/man/man3/XGetAtomNames.3.gz
x ./opt/local/share/man/man3/XGetClassHint.3.gz
x ./opt/local/share/man/man3/XGetCommand.3.gz
x ./opt/local/share/man/man3/XGetErrorDatabaseText.3.gz
x ./opt/local/share/man/man3/XGetErrorText.3.gz
x ./opt/local/share/man/man3/XGetEventData.3.gz
x ./opt/local/share/man/man3/XGetFontPath.3.gz
x ./opt/local/share/man/man3/XGetFontProperty.3.gz
x ./opt/local/share/man/man3/XGetGCValues.3.gz
x ./opt/local/share/man/man3/XGetGeometry.3.gz
x ./opt/local/share/man/man3/XGetIconName.3.gz
x ./opt/local/share/man/man3/XGetIconSizes.3.gz
x ./opt/local/share/man/man3/XGetICValues.3.gz

- x ./opt/local/share/man/man3/XGetImage.3.gz
- x ./opt/local/share/man/man3/XGetIMValues.3.gz
- x ./opt/local/share/man/man3/XGetInputFocus.3.gz
- x ./opt/local/share/man/man3/XGetKeyboardControl.3.gz
- x ./opt/local/share/man/man3/XGetKeyboardMapping.3.gz
- x ./opt/local/share/man/man3/XGetModifierMapping.3.gz
- x ./opt/local/share/man/man3/XGetMotionEvents.3.gz
- x ./opt/local/share/man/man3/XGetOCValues.3.gz
- x ./opt/local/share/man/man3/XGetOMValues.3.gz
- x ./opt/local/share/man/man3/XGetPixel.3.gz
- x ./opt/local/share/man/man3/XGetPointerControl.3.gz
- x ./opt/local/share/man/man3/XGetPointerMapping.3.gz
- x ./opt/local/share/man/man3/XGetRGBColormaps.3.gz
- x ./opt/local/share/man/man3/XGetScreenSaver.3.gz
- x ./opt/local/share/man/man3/XGetSelectionOwner.3.gz
- x ./opt/local/share/man/man3/XGetSubImage.3.gz
- x ./opt/local/share/man/man3/XGetTextProperty.3.gz
- x ./opt/local/share/man/man3/XGetTransientForHint.3.gz
- x ./opt/local/share/man/man3/XGetVisualInfo.3.gz
- x ./opt/local/share/man/man3/XGetWindowAttributes.3.gz
- x ./opt/local/share/man/man3/XGetWindowProperty.3.gz
- x ./opt/local/share/man/man3/XGetWMClientMachine.3.gz
- x ./opt/local/share/man/man3/XGetWMColormapWindows.3.gz
- x ./opt/local/share/man/man3/XGetWMHints.3.gz

- x ./opt/local/share/man/man3/XGetWMIconName.3.gz
- x ./opt/local/share/man/man3/XGetWMName.3.gz
- x ./opt/local/share/man/man3/XGetWMNormalHints.3.gz
- x ./opt/local/share/man/man3/XGetWMProtocols.3.gz
- x ./opt/local/share/man/man3/XGetWMSizeHints.3.gz
- x ./opt/local/share/man/man3/XGetXCBConnection.3.gz
- x ./opt/local/share/man/man3/XGrabButton.3.gz
- x ./opt/local/share/man/man3/XGrabKey.3.gz
- x ./opt/local/share/man/man3/XGrabKeyboard.3.gz
- x ./opt/local/share/man/man3/XGrabPointer.3.gz
- x ./opt/local/share/man/man3/XGrabServer.3.gz
- x ./opt/local/share/man/man3/XGraphicsExposeEvent.3.gz
- x ./opt/local/share/man/man3/XGravityEvent.3.gz
- x ./opt/local/share/man/man3/XHostAddress.3.gz
- x ./opt/local/share/man/man3/XIconifyWindow.3.gz
- x ./opt/local/share/man/man3/XIconSize.3.gz
- x ./opt/local/share/man/man3/XIfEvent.3.gz
- x ./opt/local/share/man/man3/XIMOfIC.3.gz
- x ./opt/local/share/man/man3/XInitImage.3.gz
- x ./opt/local/share/man/man3/XInitThreads.3.gz
- x ./opt/local/share/man/man3/XInsertModifiermapEntry.3.gz
- x ./opt/local/share/man/man3/XInstallColormap.3.gz
- x ./opt/local/share/man/man3/XInternalConnectionNumbers.3.gz
- x ./opt/local/share/man/man3/XInternAtom.3.gz

x ./opt/local/share/man/man3/XInternAtoms.3.gz
x ./opt/local/share/man/man3/XIntersectRegion.3.gz
x ./opt/local/share/man/man3/XkbActionCtrls.3.gz
x ./opt/local/share/man/man3/XkbAddDeviceLedInfo.3.gz
x ./opt/local/share/man/man3/XkbAddGeomColor.3.gz
x ./opt/local/share/man/man3/XkbAddGeomDoodad.3.gz
x ./opt/local/share/man/man3/XkbAddGeomKey.3.gz
x ./opt/local/share/man/man3/XkbAddGeomKeyAlias.3.gz
x ./opt/local/share/man/man3/XkbAddGeomOutline.3.gz
x ./opt/local/share/man/man3/XkbAddGeomOverlay.3.gz
x ./opt/local/share/man/man3/XkbAddGeomOverlayKey.3.gz
x ./opt/local/share/man/man3/XkbAddGeomOverlayRow.3.gz
x ./opt/local/share/man/man3/XkbAddGeomProperty.3.gz
x ./opt/local/share/man/man3/XkbAddGeomRow.3.gz
x ./opt/local/share/man/man3/XkbAddGeomSection.3.gz
x ./opt/local/share/man/man3/XkbAddGeomShape.3.gz
x ./opt/local/share/man/man3/XkbAddSymInterpret.3.gz
x ./opt/local/share/man/man3/XkbAllocClientMap.3.gz
x ./opt/local/share/man/man3/XkbAllocCompatMap.3.gz
x ./opt/local/share/man/man3/XkbAllocControls.3.gz
x ./opt/local/share/man/man3/XkbAllocDeviceInfo.3.gz
x ./opt/local/share/man/man3/XkbAllocDeviceLedInfo.3.gz
x ./opt/local/share/man/man3/XkbAllocGeomColors.3.gz
x ./opt/local/share/man/man3/XkbAllocGeomDoodads.3.gz

- x ./opt/local/share/man/man3/XkbAllocGeometry.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomKeyAliases.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomKeys.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomOutlines.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomOverlayKey.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomOverlayRows.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomOverlays.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomPoints.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomProps.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomRows.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomSectionDoodads.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomSections.3.gz
- x ./opt/local/share/man/man3/XkbAllocGeomShapes.3.gz
- x ./opt/local/share/man/man3/XkbAllocIndicatorMaps.3.gz
- x ./opt/local/share/man/man3/XkbAllocKeyboard.3.gz
- x ./opt/local/share/man/man3/XkbAllocNames.3.gz
- x ./opt/local/share/man/man3/XkbAllocServerMap.3.gz
- x ./opt/local/share/man/man3/XkbApplyCompatMapToKey.3.gz
- x ./opt/local/share/man/man3/XkbBell.3.gz
- x ./opt/local/share/man/man3/XkbBellEvent.3.gz
- x ./opt/local/share/man/man3/XkbChangeControls.3.gz
- x ./opt/local/share/man/man3/XkbChangeDeviceInfo.3.gz
- x ./opt/local/share/man/man3/XkbChangeEnabledControls.3.gz
- x ./opt/local/share/man/man3/XkbChangeIndicators.3.gz

x ./opt/local/share/man/man3/XkbChangeMap.3.gz
x ./opt/local/share/man/man3/XkbChangeNames.3.gz
x ./opt/local/share/man/man3/XkbChangeTypesOfKey.3.gz
x ./opt/local/share/man/man3/XkbComputeRowBounds.3.gz
x ./opt/local/share/man/man3/XkbComputeSectionBounds.3.gz
x ./opt/local/share/man/man3/XkbComputeShapeBounds.3.gz
x ./opt/local/share/man/man3/XkbComputeShapeTop.3.gz
x ./opt/local/share/man/man3/XkbCopyKeyType.3.gz
x ./opt/local/share/man/man3/XkbCopyKeyTypes.3.gz
x ./opt/local/share/man/man3/XkbDeviceBell.3.gz
x ./opt/local/share/man/man3/XkbDeviceBellEvent.3.gz
x ./opt/local/share/man/man3/XkbFindOverlayForKey.3.gz
x ./opt/local/share/man/man3/XkbForceBell.3.gz
x ./opt/local/share/man/man3/XkbForceDeviceBell.3.gz
x ./opt/local/share/man/man3/XkbFreeClientMap.3.gz
x ./opt/local/share/man/man3/XkbFreeCompatMap.3.gz
x ./opt/local/share/man/man3/XkbFreeComponentList.3.gz
x ./opt/local/share/man/man3/XkbFreeControls.3.gz
x ./opt/local/share/man/man3/XkbFreeDeviceInfo.3.gz
x ./opt/local/share/man/man3/XkbFreeGeomColors.3.gz
x ./opt/local/share/man/man3/XkbFreeGeomDoodads.3.gz
x ./opt/local/share/man/man3/XkbFreeGeometry.3.gz
x ./opt/local/share/man/man3/XkbFreeGeomKeyAliases.3.gz
x ./opt/local/share/man/man3/XkbFreeGeomKeys.3.gz

- x ./opt/local/share/man/man3/XkbFreeGeomOutlines.3.gz
- x ./opt/local/share/man/man3/XkbFreeGeomOverlayKeys.3.gz
- x ./opt/local/share/man/man3/XkbFreeGeomOverlayRows.3.gz
- x ./opt/local/share/man/man3/XkbFreeGeomOverlays.3.gz
- x ./opt/local/share/man/man3/XkbFreeGeomPoints.3.gz
- x ./opt/local/share/man/man3/XkbFreeGeomProperties.3.gz
- x ./opt/local/share/man/man3/XkbFreeGeomRows.3.gz
- x ./opt/local/share/man/man3/XkbFreeGeomSections.3.gz
- x ./opt/local/share/man/man3/XkbFreeGeomShapes.3.gz
- x ./opt/local/share/man/man3/XkbFreeIndicatorMaps.3.gz
- x ./opt/local/share/man/man3/XkbFreeKeyboard.3.gz
- x ./opt/local/share/man/man3/XkbFreeNames.3.gz
- x ./opt/local/share/man/man3/XkbFreeServerMap.3.gz
- x ./opt/local/share/man/man3/XkbGetAccessXTimeout.3.gz
- x ./opt/local/share/man/man3/XkbGetAutoRepeatRate.3.gz
- x ./opt/local/share/man/man3/XkbGetAutoResetControls.3.gz
- x ./opt/local/share/man/man3/XkbGetBounceKeysDelay.3.gz
- x ./opt/local/share/man/man3/XkbGetCompatMap.3.gz
- x ./opt/local/share/man/man3/XkbGetControls.3.gz
- x ./opt/local/share/man/man3/XkbGetControlsChanges.3.gz
- x ./opt/local/share/man/man3/XkbGetDetectableAutoRepeat.3.gz
- x ./opt/local/share/man/man3/XkbGetDeviceButtonActions.3.gz
- x ./opt/local/share/man/man3/XkbGetDeviceInfo.3.gz
- x ./opt/local/share/man/man3/XkbGetDeviceInfoChanges.3.gz

- x ./opt/local/share/man/man3/XkbGetDeviceLedInfo.3.gz
- x ./opt/local/share/man/man3/XkbGetGeometry.3.gz
- x ./opt/local/share/man/man3/XkbGetIndicatorChanges.3.gz
- x ./opt/local/share/man/man3/XkbGetIndicatorMap.3.gz
- x ./opt/local/share/man/man3/XkbGetIndicatorState.3.gz
- x ./opt/local/share/man/man3/XkbGetKeyActions.3.gz
- x ./opt/local/share/man/man3/XkbGetKeyBehaviors.3.gz
- x ./opt/local/share/man/man3/XkbGetKeyboard.3.gz
- x ./opt/local/share/man/man3/XkbGetKeyboardByName.3.gz
- x ./opt/local/share/man/man3/XkbGetKeyExplicitComponents.3.gz
- x ./opt/local/share/man/man3/XkbGetKeyModifierMap.3.gz
- x ./opt/local/share/man/man3/XkbGetKeySyms.3.gz
- x ./opt/local/share/man/man3/XkbGetKeyTypes.3.gz
- x ./opt/local/share/man/man3/XkbGetKeyVirtualModMap.3.gz
- x ./opt/local/share/man/man3/XkbGetMap.3.gz
- x ./opt/local/share/man/man3/XkbGetNameChanges.3.gz
- x ./opt/local/share/man/man3/XkbGetNamedGeometry.3.gz
- x ./opt/local/share/man/man3/XkbGetNamedIndicator.3.gz
- x ./opt/local/share/man/man3/XkbGetNames.3.gz
- x ./opt/local/share/man/man3/XkbGetSlowKeysDelay.3.gz
- x ./opt/local/share/man/man3/XkbGetState.3.gz
- x ./opt/local/share/man/man3/XkbGetStickyKeysOptions.3.gz
- x ./opt/local/share/man/man3/XkbGetUpdatedMap.3.gz
- x ./opt/local/share/man/man3/XkbGetVirtualMods.3.gz

x ./opt/local/share/man/man3/XkbGetXlibControls.3.gz
x ./opt/local/share/man/man3/XkbIgnoreExtension.3.gz
x ./opt/local/share/man/man3/XkbInitCanonicalKeyTypes.3.gz
x ./opt/local/share/man/man3/XkbKeyAction.3.gz
x ./opt/local/share/man/man3/XkbKeyActionEntry.3.gz
x ./opt/local/share/man/man3/XkbKeyActionsPtr.3.gz
x ./opt/local/share/man/man3/XkbKeycodeToKeysym.3.gz
x ./opt/local/share/man/man3/XkbKeyGroupInfo.3.gz
x ./opt/local/share/man/man3/XkbKeyGroupsWidth.3.gz
x ./opt/local/share/man/man3/XkbKeyGroupWidth.3.gz
x ./opt/local/share/man/man3/XkbKeyHasActions.3.gz
x ./opt/local/share/man/man3/XkbKeyNumActions.3.gz
x ./opt/local/share/man/man3/XkbKeyNumGroups.3.gz
x ./opt/local/share/man/man3/XkbKeyNumSyms.3.gz
x ./opt/local/share/man/man3/XkbKeySymEntry.3.gz
x ./opt/local/share/man/man3/XkbKeySymsOffset.3.gz
x ./opt/local/share/man/man3/XkbKeySymsPtr.3.gz
x ./opt/local/share/man/man3/XkbKeysymToModifiers.3.gz
x ./opt/local/share/man/man3/XkbKeyType.3.gz
x ./opt/local/share/man/man3/XkbKeyTypeIndex.3.gz
x ./opt/local/share/man/man3/XkbKeyTypesForCoreSymbols.3.gz
x ./opt/local/share/man/man3/XkbLatchGroup.3.gz
x ./opt/local/share/man/man3/XkbLatchModifiers.3.gz
x ./opt/local/share/man/man3/XkbLibraryVersion.3.gz

- x ./opt/local/share/man/man3/XkbListComponents.3.gz
- x ./opt/local/share/man/man3/XkbLockGroup.3.gz
- x ./opt/local/share/man/man3/XkbLockModifiers.3.gz
- x ./opt/local/share/man/man3/XkbLookupKeyBinding.3.gz
- x ./opt/local/share/man/man3/XkbLookupKeySym.3.gz
- x ./opt/local/share/man/man3/XkbModActionVMods.3.gz
- x ./opt/local/share/man/man3/XkbNoteControlsChanges.3.gz
- x ./opt/local/share/man/man3/XkbNoteDeviceChanges.3.gz
- x ./opt/local/share/man/man3/XkbNoteIndicatorChanges.3.gz
- x ./opt/local/share/man/man3/XkbNoteNameChanges.3.gz
- x ./opt/local/share/man/man3/XkbOpenDisplay.3.gz
- x ./opt/local/share/man/man3/XkbOutOfRangeGroupInfo.3.gz
- x ./opt/local/share/man/man3/XkbOutOfRangeGroupNumber.3.gz
- x ./opt/local/share/man/man3/XkbPtrActionX.3.gz
- x ./opt/local/share/man/man3/XkbPtrActionY.3.gz
- x ./opt/local/share/man/man3/XkbQueryExtension.3.gz
- x ./opt/local/share/man/man3/XkbRefreshKeyboardMapping.3.gz
- x ./opt/local/share/man/man3/XkbResizeDeviceButtonActions.3.gz
- x ./opt/local/share/man/man3/XkbResizeKeyActions.3.gz
- x ./opt/local/share/man/man3/XkbResizeKeySyms.3.gz
- x ./opt/local/share/man/man3/XkbResizeKeyType.3.gz
- x ./opt/local/share/man/man3/XkbSAActionSetCtrls.3.gz
- x ./opt/local/share/man/man3/XkbSAGroup.3.gz
- x ./opt/local/share/man/man3/XkbSAPtrDfltValue.3.gz

x ./opt/local/share/man/man3/XkbSARedirectSetVMods.3.gz
x ./opt/local/share/man/man3/XkbSARedirectSetVModsMask.3.gz
x ./opt/local/share/man/man3/XkbSARedirectVMods.3.gz
x ./opt/local/share/man/man3/XkbSARedirectVModsMask.3.gz
x ./opt/local/share/man/man3/XkbSAScreen.3.gz
x ./opt/local/share/man/man3/XkbSASetGroup.3.gz
x ./opt/local/share/man/man3/XkbSASetPtrDfltValue.3.gz
x ./opt/local/share/man/man3/XkbSASetScreen.3.gz
x ./opt/local/share/man/man3/XkbSelectEventDetails.3.gz
x ./opt/local/share/man/man3/XkbSelectEvents.3.gz
x ./opt/local/share/man/man3/XkbSetAccessXTimeout.3.gz
x ./opt/local/share/man/man3/XkbSetAutoRepeatRate.3.gz
x ./opt/local/share/man/man3/XkbSetAutoResetControls.3.gz
x ./opt/local/share/man/man3/XkbSetBounceKeysDelay.3.gz
x ./opt/local/share/man/man3/XkbSetCompatMap.3.gz
x ./opt/local/share/man/man3/XkbSetControls.3.gz
x ./opt/local/share/man/man3/XkbSetDebuggingFlags.3.gz
x ./opt/local/share/man/man3/XkbSetDetectableAutoRepeat.3.gz
x ./opt/local/share/man/man3/XkbSetDeviceButtonActions.3.gz
x ./opt/local/share/man/man3/XkbSetDeviceInfo.3.gz
x ./opt/local/share/man/man3/XkbSetIgnoreLockMods.3.gz
x ./opt/local/share/man/man3/XkbSetIndicatorMap.3.gz
x ./opt/local/share/man/man3/XkbSetMap.3.gz
x ./opt/local/share/man/man3/XkbSetModActionVMods.3.gz

- x ./opt/local/share/man/man3/XkbSetNamedIndicator.3.gz
- x ./opt/local/share/man/man3/XkbSetNames.3.gz
- x ./opt/local/share/man/man3/XkbSetPtrActionX.3.gz
- x ./opt/local/share/man/man3/XkbSetPtrActionY.3.gz
- x ./opt/local/share/man/man3/XkbSetServerInternalMods.3.gz
- x ./opt/local/share/man/man3/XkbSetXlibControls.3.gz
- x ./opt/local/share/man/man3/XkbTranslateKeyCode.3.gz
- x ./opt/local/share/man/man3/XkbTranslateKeySym.3.gz
- x ./opt/local/share/man/man3/XkbUpdateMapFromCore.3.gz
- x ./opt/local/share/man/man3/XkbVirtualModsToReal.3.gz
- x ./opt/local/share/man/man3/XKeyboardControl.3.gz
- x ./opt/local/share/man/man3/XKeyCodeToKeysym.3.gz
- x ./opt/local/share/man/man3/XKeyEvent.3.gz
- x ./opt/local/share/man/man3/XKeymapEvent.3.gz
- x ./opt/local/share/man/man3/XKeysymToKeyCode.3.gz
- x ./opt/local/share/man/man3/XKeysymToString.3.gz
- x ./opt/local/share/man/man3/XKillClient.3.gz
- x ./opt/local/share/man/man3/XListDepths.3.gz
- x ./opt/local/share/man/man3/XListExtensions.3.gz
- x ./opt/local/share/man/man3/XListFonts.3.gz
- x ./opt/local/share/man/man3/XListFontsWithInfo.3.gz
- x ./opt/local/share/man/man3/XListHosts.3.gz
- x ./opt/local/share/man/man3/XListInstalledColormaps.3.gz
- x ./opt/local/share/man/man3/XListPixmapFormats.3.gz

x ./opt/local/share/man/man3/XListProperties.3.gz
x ./opt/local/share/man/man3/XLoadFont.3.gz
x ./opt/local/share/man/man3/XLoadQueryFont.3.gz
x ./opt/local/share/man/man3/XLocaleOfFontSet.3.gz
x ./opt/local/share/man/man3/XLocaleOfIM.3.gz
x ./opt/local/share/man/man3/XLocaleOfOM.3.gz
x ./opt/local/share/man/man3/XLockDisplay.3.gz
x ./opt/local/share/man/man3/XLookupColor.3.gz
x ./opt/local/share/man/man3/XLookupKeysym.3.gz
x ./opt/local/share/man/man3/XLookupString.3.gz
x ./opt/local/share/man/man3/XLowerWindow.3.gz
x ./opt/local/share/man/man3/XMapEvent.3.gz
x ./opt/local/share/man/man3/XMappingEvent.3.gz
x ./opt/local/share/man/man3/XMapRaised.3.gz
x ./opt/local/share/man/man3/XMapRequestEvent.3.gz
x ./opt/local/share/man/man3/XMapSubwindows.3.gz
x ./opt/local/share/man/man3/XMapWindow.3.gz
x ./opt/local/share/man/man3/XMaskEvent.3.gz
x ./opt/local/share/man/man3/XMatchVisualInfo.3.gz
x ./opt/local/share/man/man3/XMaxRequestSize.3.gz
x ./opt/local/share/man/man3/XmbDrawImageString.3.gz
x ./opt/local/share/man/man3/XmbDrawString.3.gz
x ./opt/local/share/man/man3/XmbDrawText.3.gz
x ./opt/local/share/man/man3/XmbLookupString.3.gz

- x ./opt/local/share/man/man3/XmbResetIC.3.gz
- x ./opt/local/share/man/man3/XmbSetWMProperties.3.gz
- x ./opt/local/share/man/man3/XmbTextEscapement.3.gz
- x ./opt/local/share/man/man3/XmbTextExtents.3.gz
- x ./opt/local/share/man/man3/XmbTextListToTextProperty.3.gz
- x ./opt/local/share/man/man3/XmbTextPerCharExtents.3.gz
- x ./opt/local/share/man/man3/XmbTextPropertyToTextList.3.gz
- x ./opt/local/share/man/man3/XModifierKeymap.3.gz
- x ./opt/local/share/man/man3/XMotionEvent.3.gz
- x ./opt/local/share/man/man3/XMoveResizeWindow.3.gz
- x ./opt/local/share/man/man3/XMoveWindow.3.gz
- x ./opt/local/share/man/man3/XNewModifiermap.3.gz
- x ./opt/local/share/man/man3/XNextEvent.3.gz
- x ./opt/local/share/man/man3/XNoExposeEvent.3.gz
- x ./opt/local/share/man/man3/XNoOp.3.gz
- x ./opt/local/share/man/man3/XOffsetRegion.3.gz
- x ./opt/local/share/man/man3/XOMOfOC.3.gz
- x ./opt/local/share/man/man3/XOpenDisplay.3.gz
- x ./opt/local/share/man/man3/XOpenIM.3.gz
- x ./opt/local/share/man/man3/XOpenOM.3.gz
- x ./opt/local/share/man/man3/XParseColor.3.gz
- x ./opt/local/share/man/man3/XParseGeometry.3.gz
- x ./opt/local/share/man/man3/XPeekEvent.3.gz
- x ./opt/local/share/man/man3/XPeekIfEvent.3.gz

- x ./opt/local/share/man/man3/XPending.3.gz
- x ./opt/local/share/man/man3/XPixmapFormatValues.3.gz
- x ./opt/local/share/man/man3/XPoint.3.gz
- x ./opt/local/share/man/man3/XPointInRegion.3.gz
- x ./opt/local/share/man/man3/XPolygonRegion.3.gz
- x ./opt/local/share/man/man3/XProcessInternalConnection.3.gz
- x ./opt/local/share/man/man3/XPropertyEvent.3.gz
- x ./opt/local/share/man/man3/XPutBackEvent.3.gz
- x ./opt/local/share/man/man3/XPutImage.3.gz
- x ./opt/local/share/man/man3/XPutPixel.3.gz
- x ./opt/local/share/man/man3/XQueryBestCursor.3.gz
- x ./opt/local/share/man/man3/XQueryBestSize.3.gz
- x ./opt/local/share/man/man3/XQueryBestStipple.3.gz
- x ./opt/local/share/man/man3/XQueryBestTile.3.gz
- x ./opt/local/share/man/man3/XQueryColor.3.gz
- x ./opt/local/share/man/man3/XQueryColors.3.gz
- x ./opt/local/share/man/man3/XQueryExtension.3.gz
- x ./opt/local/share/man/man3/XQueryFont.3.gz
- x ./opt/local/share/man/man3/XQueryKeymap.3.gz
- x ./opt/local/share/man/man3/XQueryPointer.3.gz
- x ./opt/local/share/man/man3/XQueryTextExtents.3.gz
- x ./opt/local/share/man/man3/XQueryTextExtents16.3.gz
- x ./opt/local/share/man/man3/XQueryTree.3.gz
- x ./opt/local/share/man/man3/XRaiseWindow.3.gz

- x ./opt/local/share/man/man3/XReadBitmapFile.3.gz
- x ./opt/local/share/man/man3/XReadBitmapFileData.3.gz
- x ./opt/local/share/man/man3/XRebindKeysym.3.gz
- x ./opt/local/share/man/man3/XRecolorCursor.3.gz
- x ./opt/local/share/man/man3/XReconfigureWMWindow.3.gz
- x ./opt/local/share/man/man3/XRectangle.3.gz
- x ./opt/local/share/man/man3/XRectInRegion.3.gz
- x ./opt/local/share/man/man3/XRefreshKeyboardMapping.3.gz
- x ./opt/local/share/man/man3/XRegisterIMInstantiateCallback.3.gz
- x ./opt/local/share/man/man3/XRemoveConnectionWatch.3.gz
- x ./opt/local/share/man/man3/XRemoveFromSaveSet.3.gz
- x ./opt/local/share/man/man3/XRemoveHost.3.gz
- x ./opt/local/share/man/man3/XRemoveHosts.3.gz
- x ./opt/local/share/man/man3/XReparentEvent.3.gz
- x ./opt/local/share/man/man3/XReparentWindow.3.gz
- x ./opt/local/share/man/man3/XResetScreenSaver.3.gz
- x ./opt/local/share/man/man3/XResizeRequestEvent.3.gz
- x ./opt/local/share/man/man3/XResizeWindow.3.gz
- x ./opt/local/share/man/man3/XResourceManagerString.3.gz
- x ./opt/local/share/man/man3/XRestackWindows.3.gz
- x ./opt/local/share/man/man3/XrmCombineDatabase.3.gz
- x ./opt/local/share/man/man3/XrmCombineFileDatabase.3.gz
- x ./opt/local/share/man/man3/XrmDestroyDatabase.3.gz
- x ./opt/local/share/man/man3/XrmEnumerateDatabase.3.gz

- x ./opt/local/share/man/man3/XrmGetDatabase.3.gz
- x ./opt/local/share/man/man3/XrmGetFileDatabase.3.gz
- x ./opt/local/share/man/man3/XrmGetResource.3.gz
- x ./opt/local/share/man/man3/XrmGetStringDatabase.3.gz
- x ./opt/local/share/man/man3/XrmInitialize.3.gz
- x ./opt/local/share/man/man3/XrmLocaleOfDatabase.3.gz
- x ./opt/local/share/man/man3/XrmMergeDatabases.3.gz
- x ./opt/local/share/man/man3/XrmOptionDescRec.3.gz
- x ./opt/local/share/man/man3/XrmOptionKind.3.gz
- x ./opt/local/share/man/man3/XrmParseCommand.3.gz
- x ./opt/local/share/man/man3/XrmPermStringToQuark.3.gz
- x ./opt/local/share/man/man3/XrmPutFileDatabase.3.gz
- x ./opt/local/share/man/man3/XrmPutLineResource.3.gz
- x ./opt/local/share/man/man3/XrmPutResource.3.gz
- x ./opt/local/share/man/man3/XrmPutStringResource.3.gz
- x ./opt/local/share/man/man3/XrmQGetResource.3.gz
- x ./opt/local/share/man/man3/XrmQGetSearchList.3.gz
- x ./opt/local/share/man/man3/XrmQGetSearchResource.3.gz
- x ./opt/local/share/man/man3/XrmQPutResource.3.gz
- x ./opt/local/share/man/man3/XrmQPutStringResource.3.gz
- x ./opt/local/share/man/man3/XrmQuarkToString.3.gz
- x ./opt/local/share/man/man3/XrmSetDatabase.3.gz
- x ./opt/local/share/man/man3/XrmStringToBindingQuarkList.3.gz
- x ./opt/local/share/man/man3/XrmStringToQuark.3.gz

- x ./opt/local/share/man/man3/XrmStringToQuarkList.3.gz
- x ./opt/local/share/man/man3/XrmUniqueQuark.3.gz
- x ./opt/local/share/man/man3/XrmValue.3.gz
- x ./opt/local/share/man/man3/XRotateBuffers.3.gz
- x ./opt/local/share/man/man3/XRotateWindowProperties.3.gz
- x ./opt/local/share/man/man3/XSaveContext.3.gz
- x ./opt/local/share/man/man3/XScreenNumberOfScreen.3.gz
- x ./opt/local/share/man/man3/XScreenResourceString.3.gz
- x ./opt/local/share/man/man3/XSegment.3.gz
- x ./opt/local/share/man/man3/XSelectInput.3.gz
- x ./opt/local/share/man/man3/XSelectionClearEvent.3.gz
- x ./opt/local/share/man/man3/XSelectionEvent.3.gz
- x ./opt/local/share/man/man3/XSelectionRequestEvent.3.gz
- x ./opt/local/share/man/man3/XSendEvent.3.gz
- x ./opt/local/share/man/man3/XSetAccessControl.3.gz
- x ./opt/local/share/man/man3/XSetAfterFunction.3.gz
- x ./opt/local/share/man/man3/XSetArcMode.3.gz
- x ./opt/local/share/man/man3/XSetBackground.3.gz
- x ./opt/local/share/man/man3/XSetClassHint.3.gz
- x ./opt/local/share/man/man3/XSetClipMask.3.gz
- x ./opt/local/share/man/man3/XSetClipOrigin.3.gz
- x ./opt/local/share/man/man3/XSetClipRectangles.3.gz
- x ./opt/local/share/man/man3/XSetCloseDownMode.3.gz
- x ./opt/local/share/man/man3/XSetCommand.3.gz

- x ./opt/local/share/man/man3/XSetDashes.3.gz
- x ./opt/local/share/man/man3/XSetErrorHandler.3.gz
- x ./opt/local/share/man/man3/XSetEventQueueOwner.3.gz
- x ./opt/local/share/man/man3/XSetFillRule.3.gz
- x ./opt/local/share/man/man3/XSetFillStyle.3.gz
- x ./opt/local/share/man/man3/XSetFont.3.gz
- x ./opt/local/share/man/man3/XSetFontPath.3.gz
- x ./opt/local/share/man/man3/XSetForeground.3.gz
- x ./opt/local/share/man/man3/XSetFunction.3.gz
- x ./opt/local/share/man/man3/XSetGraphicsExposure.3.gz
- x ./opt/local/share/man/man3/XSetICFocus.3.gz
- x ./opt/local/share/man/man3/XSetIconName.3.gz
- x ./opt/local/share/man/man3/XSetIconSizes.3.gz
- x ./opt/local/share/man/man3/XSetICValues.3.gz
- x ./opt/local/share/man/man3/XSetIMValues.3.gz
- x ./opt/local/share/man/man3/XSetInputFocus.3.gz
- x ./opt/local/share/man/man3/XSetIOErrorHandler.3.gz
- x ./opt/local/share/man/man3/XSetLineAttributes.3.gz
- x ./opt/local/share/man/man3/XSetLocaleModifiers.3.gz
- x ./opt/local/share/man/man3/XSetModifierMapping.3.gz
- x ./opt/local/share/man/man3/XSetOCValues.3.gz
- x ./opt/local/share/man/man3/XSetOMValues.3.gz
- x ./opt/local/share/man/man3/XSetPlaneMask.3.gz
- x ./opt/local/share/man/man3/XSetPointerMapping.3.gz

- x ./opt/local/share/man/man3/XSetRegion.3.gz
- x ./opt/local/share/man/man3/XSetRGBColormaps.3.gz
- x ./opt/local/share/man/man3/XSetScreenSaver.3.gz
- x ./opt/local/share/man/man3/XSetSelectionOwner.3.gz
- x ./opt/local/share/man/man3/XSetState.3.gz
- x ./opt/local/share/man/man3/XSetStipple.3.gz
- x ./opt/local/share/man/man3/XSetSubwindowMode.3.gz
- x ./opt/local/share/man/man3/XSetTextProperty.3.gz
- x ./opt/local/share/man/man3/XSetTile.3.gz
- x ./opt/local/share/man/man3/XSetTransientForHint.3.gz
- x ./opt/local/share/man/man3/XSetTSOrigin.3.gz
- x ./opt/local/share/man/man3/XSetWindowAttributes.3.gz
- x ./opt/local/share/man/man3/XSetWindowBackground.3.gz
- x ./opt/local/share/man/man3/XSetWindowBackgroundPixmap.3.gz
- x ./opt/local/share/man/man3/XSetWindowBorder.3.gz
- x ./opt/local/share/man/man3/XSetWindowBorderPixmap.3.gz
- x ./opt/local/share/man/man3/XSetWindowBorderWidth.3.gz
- x ./opt/local/share/man/man3/XSetWindowColormap.3.gz
- x ./opt/local/share/man/man3/XSetWMClientMachine.3.gz
- x ./opt/local/share/man/man3/XSetWMColormapWindows.3.gz
- x ./opt/local/share/man/man3/XSetWMHints.3.gz
- x ./opt/local/share/man/man3/XSetWMIconName.3.gz
- x ./opt/local/share/man/man3/XSetWMName.3.gz
- x ./opt/local/share/man/man3/XSetWMNormalHints.3.gz

- x ./opt/local/share/man/man3/XSetWMProperties.3.gz
- x ./opt/local/share/man/man3/XSetWMProtocols.3.gz
- x ./opt/local/share/man/man3/XSetWMSizeHints.3.gz
- x ./opt/local/share/man/man3/XShrinkRegion.3.gz
- x ./opt/local/share/man/man3/XSizeHints.3.gz
- x ./opt/local/share/man/man3/XStandardColormap.3.gz
- x ./opt/local/share/man/man3/XStoreBuffer.3.gz
- x ./opt/local/share/man/man3/XStoreBytes.3.gz
- x ./opt/local/share/man/man3/XStoreColor.3.gz
- x ./opt/local/share/man/man3/XStoreColors.3.gz
- x ./opt/local/share/man/man3/XStoreName.3.gz
- x ./opt/local/share/man/man3/XStoreNamedColor.3.gz
- x ./opt/local/share/man/man3/XStringListToTextProperty.3.gz
- x ./opt/local/share/man/man3/XStringToKeysym.3.gz
- x ./opt/local/share/man/man3/XSubImage.3.gz
- x ./opt/local/share/man/man3/XSubtractRegion.3.gz
- x ./opt/local/share/man/man3/XSupportsLocale.3.gz
- x ./opt/local/share/man/man3/XSync.3.gz
- x ./opt/local/share/man/man3/XSynchronize.3.gz
- x ./opt/local/share/man/man3/XTextExtents.3.gz
- x ./opt/local/share/man/man3/XTextExtents16.3.gz
- x ./opt/local/share/man/man3/XTextItem.3.gz
- x ./opt/local/share/man/man3/XTextItem16.3.gz
- x ./opt/local/share/man/man3/XTextProperty.3.gz

- x ./opt/local/share/man/man3/XTextPropertyToStringList.3.gz
- x ./opt/local/share/man/man3/XTextWidth.3.gz
- x ./opt/local/share/man/man3/XTextWidth16.3.gz
- x ./opt/local/share/man/man3/XTimeCoord.3.gz
- x ./opt/local/share/man/man3/XTranslateCoordinates.3.gz
- x ./opt/local/share/man/man3/XUndefineCursor.3.gz
- x ./opt/local/share/man/man3/XUngrabButton.3.gz
- x ./opt/local/share/man/man3/XUngrabKey.3.gz
- x ./opt/local/share/man/man3/XUngrabKeyboard.3.gz
- x ./opt/local/share/man/man3/XUngrabPointer.3.gz
- x ./opt/local/share/man/man3/XUngrabServer.3.gz
- x ./opt/local/share/man/man3/XUninstallColormap.3.gz
- x ./opt/local/share/man/man3/XUnionRectWithRegion.3.gz
- x ./opt/local/share/man/man3/XUnionRegion.3.gz
- x ./opt/local/share/man/man3/XUniqueContext.3.gz
- x ./opt/local/share/man/man3/XUnloadFont.3.gz
- x ./opt/local/share/man/man3/XUnlockDisplay.3.gz
- x ./opt/local/share/man/man3/XUnmapEvent.3.gz
- x ./opt/local/share/man/man3/XUnmapSubwindows.3.gz
- x ./opt/local/share/man/man3/XUnmapWindow.3.gz
- x ./opt/local/share/man/man3/XUnregisterIMInstantiateCallback.3.gz
- x ./opt/local/share/man/man3/XUnsetICFocus.3.gz
- x ./opt/local/share/man/man3/Xutf8DrawImageString.3.gz
- x ./opt/local/share/man/man3/Xutf8DrawString.3.gz

- x ./opt/local/share/man/man3/Xutf8DrawText.3.gz
- x ./opt/local/share/man/man3/Xutf8LookupString.3.gz
- x ./opt/local/share/man/man3/Xutf8ResetIC.3.gz
- x ./opt/local/share/man/man3/Xutf8SetWMPProperties.3.gz
- x ./opt/local/share/man/man3/Xutf8TextEscapement.3.gz
- x ./opt/local/share/man/man3/Xutf8TextExtents.3.gz
- x ./opt/local/share/man/man3/Xutf8TextListToTextProperty.3.gz
- x ./opt/local/share/man/man3/Xutf8TextPerCharExtents.3.gz
- x ./opt/local/share/man/man3/Xutf8TextPropertyToTextList.3.gz
- x ./opt/local/share/man/man3/XVaCreateNestedList.3.gz
- x ./opt/local/share/man/man3/XVisibilityEvent.3.gz
- x ./opt/local/share/man/man3/XVisualIDFromVisual.3.gz
- x ./opt/local/share/man/man3/XVisualInfo.3.gz
- x ./opt/local/share/man/man3/XWarpPointer.3.gz
- x ./opt/local/share/man/man3/XwcDrawImageString.3.gz
- x ./opt/local/share/man/man3/XwcDrawString.3.gz
- x ./opt/local/share/man/man3/XwcDrawText.3.gz
- x ./opt/local/share/man/man3/XwcFreeStringList.3.gz
- x ./opt/local/share/man/man3/XwcLookupString.3.gz
- x ./opt/local/share/man/man3/XwcResetIC.3.gz
- x ./opt/local/share/man/man3/XwcTextEscapement.3.gz
- x ./opt/local/share/man/man3/XwcTextExtents.3.gz
- x ./opt/local/share/man/man3/XwcTextListToTextProperty.3.gz
- x ./opt/local/share/man/man3/XwcTextPerCharExtents.3.gz

- x ./opt/local/share/man/man3/XwcTextPropertyToTextList.3.gz
- x ./opt/local/share/man/man3/XWindowAttributes.3.gz
- x ./opt/local/share/man/man3/XWindowChanges.3.gz
- x ./opt/local/share/man/man3/XWindowEvent.3.gz
- x ./opt/local/share/man/man3/XWithdrawWindow.3.gz
- x ./opt/local/share/man/man3/XWMGeometry.3.gz
- x ./opt/local/share/man/man3/XWMHints.3.gz
- x ./opt/local/share/man/man3/XWriteBitmapFile.3.gz
- x ./opt/local/share/man/man3/XXorRegion.3.gz
- x ./opt/local/lib/libX11-xcb.1.dylib
- x ./opt/local/lib/libX11-xcb.a
- x ./opt/local/lib/libX11-xcb.dylib
- x ./opt/local/lib/libX11-xcb.la
- x ./opt/local/lib/libX11.6.dylib
- x ./opt/local/lib/libX11.a
- x ./opt/local/lib/libX11.dylib
- x ./opt/local/lib/libX11.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/x11-xcb.pc
- x ./opt/local/lib/pkgconfig/x11.pc
- x ./opt/local/include/X11/
- x ./opt/local/include/X11/cursorfont.h
- x ./opt/local/include/X11/ImUtil.h
- x ./opt/local/include/X11/Xcms.h

```

x ./opt/local/include/X11/XKBlib.h
x ./opt/local/include/X11/Xlib-xcb.h
x ./opt/local/include/X11/Xlib.h
x ./opt/local/include/X11/XlibConf.h
x ./opt/local/include/X11/Xlibint.h
x ./opt/local/include/X11/Xlocale.h
x ./opt/local/include/X11/Xregion.h
x ./opt/local/include/X11/Xresource.h
x ./opt/local/include/X11/Xutil.h
---> Cleaning xorg-libX11
---> Removing work directory for xorg-libX11
---> Fetching archive for xorg-libXfixes
---> xorg-libXfixes-5.0.1_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt
/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXfixes-5.0.1_0.darwin_10.x86_64.tbz2 from http
://packages.macports.org/xorg-libXfixes
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
100 17019  100 17019    0     0  20968      0 --:--:-- --:--:-- --:--:-- 26142
---> Attempting to fetch xorg-libXfixes-5.0.1_0.darwin_10.x86_64.tbz2.rmd160 fr
om http://packages.macports.org/xorg-libXfixes
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0     0   1569      0 --:--:-- --:--:-- --:--:-- 3103

```

```
---> Installing xorg-libXfixes @5.0.1_0
---> Activating xorg-libXfixes @5.0.1_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/Xfixes.3.gz
x ./opt/local/lib/libXfixes.3.dylib
x ./opt/local/lib/libXfixes.a
x ./opt/local/lib/libXfixes.dylib
x ./opt/local/lib/libXfixes.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xfixes.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/extensions/
```

```

x ./opt/local/include/X11/extensions/Xfixes.h
---> Cleaning xorg-libXfixes
---> Removing work directory for xorg-libXfixes
---> Fetching archive for xorg-inputproto
---> xorg-inputproto-2.3_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/
local/var/macports/incoming/verified
---> Attempting to fetch xorg-inputproto-2.3_0.darwin_10.noarch.tbz2 from http:
//packages.macports.org/xorg-inputproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
100 15322  100 15322    0     0  23220      0  --:--:--  --:--:--  --:--:-- 30705
---> Attempting to fetch xorg-inputproto-2.3_0.darwin_10.noarch.tbz2.rmd160 fro
m http://packages.macports.org/xorg-inputproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0     0   1596      0  --:--:--  --:--:--  --:--:--  3180
---> Installing xorg-inputproto @2.3_0
---> Activating xorg-inputproto @2.3_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE

```



```

x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/inputproto.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/extensions/
x ./opt/local/include/X11/extensions/XI.h
x ./opt/local/include/X11/extensions/XI2.h
x ./opt/local/include/X11/extensions/XI2proto.h
x ./opt/local/include/X11/extensions/XIproto.h
---> Cleaning xorg-inputproto
---> Removing work directory for xorg-inputproto
---> Fetching archive for xorg-libXext
---> xorg-libXext-1.3.2_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/l
ocal/var/macports/incoming/verified
---> Attempting to fetch xorg-libXext-1.3.2_0.darwin_10.x86_64.tbz2 from http:/
/packages.macports.org/xorg-libXext
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left     Speed
100 106k 100 106k    0     0 84389      0  0:00:01  0:00:01 --:--:-- 96051
---> Attempting to fetch xorg-libXext-1.3.2_0.darwin_10.x86_64.tbz2.rmd160 from
http://packages.macports.org/xorg-libXext

```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload	Upload	Total	Spent	Speed
102	512	102	512	0	0	1558	0
						--:--:--	--:--:--
						--:--:--	--:--:--
							2994
---> Installing xorg-libXext @1.3.2_0							
---> Activating xorg-libXext @1.3.2_0							
x ./							
x ./+COMMENT							
x ./+CONTENTS							
x ./+DESC							
x ./+PORTFILE							
x ./+STATE							
x ./opt/							
x ./opt/local/							
x ./opt/local/include/							
x ./opt/local/lib/							
x ./opt/local/share/							
x ./opt/local/share/man/							
x ./opt/local/share/man/man3/							
x ./opt/local/share/man/man3/DBE.3.gz							
x ./opt/local/share/man/man3/DPMSCapable.3.gz							
x ./opt/local/share/man/man3/DPMStDisable.3.gz							
x ./opt/local/share/man/man3/DPMSEnable.3.gz							
x ./opt/local/share/man/man3/DPMStForceLevel.3.gz							
x ./opt/local/share/man/man3/DPMStGetTimeouts.3.gz							

- x ./opt/local/share/man/man3/DPMSGetVersion.3.gz
- x ./opt/local/share/man/man3/DPMSInfo.3.gz
- x ./opt/local/share/man/man3/DPMSQueryExtension.3.gz
- x ./opt/local/share/man/man3/DPMSSetTimeouts.3.gz
- x ./opt/local/share/man/man3/XcupGetReservedColormapEntries.3.gz
- x ./opt/local/share/man/man3/XcupQueryVersion.3.gz
- x ./opt/local/share/man/man3/XcupStoreColors.3.gz
- x ./opt/local/share/man/man3/XdbeAllocateBackBufferName.3.gz
- x ./opt/local/share/man/man3/XdbeBeginIdiom.3.gz
- x ./opt/local/share/man/man3/XdbeDeallocateBackBufferName.3.gz
- x ./opt/local/share/man/man3/XdbeEndIdiom.3.gz
- x ./opt/local/share/man/man3/XdbeFreeVisualInfo.3.gz
- x ./opt/local/share/man/man3/XdbeGetBackBufferAttributes.3.gz
- x ./opt/local/share/man/man3/XdbeGetVisualInfo.3.gz
- x ./opt/local/share/man/man3/XdbeQueryExtension.3.gz
- x ./opt/local/share/man/man3/XdbeSwapBuffers.3.gz
- x ./opt/local/share/man/man3/Xevi.3.gz
- x ./opt/local/share/man/man3/XeviGetVisualInfo.3.gz
- x ./opt/local/share/man/man3/XeviQueryExtension.3.gz
- x ./opt/local/share/man/man3/XeviQueryVersion.3.gz
- x ./opt/local/share/man/man3/Xmbuf.3.gz
- x ./opt/local/share/man/man3/XmbufChangeBufferAttributes.3.gz
- x ./opt/local/share/man/man3/XmbufChangeWindowAttributes.3.gz
- x ./opt/local/share/man/man3/XmbufCreateBuffers.3.gz

- x ./opt/local/share/man/man3/XmbufCreateStereoWindow.3.gz
- x ./opt/local/share/man/man3/XmbufDestroyBuffers.3.gz
- x ./opt/local/share/man/man3/XmbufDisplayBuffers.3.gz
- x ./opt/local/share/man/man3/XmbufGetBufferAttributes.3.gz
- x ./opt/local/share/man/man3/XmbufGetScreenInfo.3.gz
- x ./opt/local/share/man/man3/XmbufGetVersion.3.gz
- x ./opt/local/share/man/man3/XmbufGetWindowAttributes.3.gz
- x ./opt/local/share/man/man3/XmbufQueryExtension.3.gz
- x ./opt/local/share/man/man3/XShape.3.gz
- x ./opt/local/share/man/man3/XShapeCombineMask.3.gz
- x ./opt/local/share/man/man3/XShapeCombineRectangles.3.gz
- x ./opt/local/share/man/man3/XShapeCombineRegion.3.gz
- x ./opt/local/share/man/man3/XShapeCombineShape.3.gz
- x ./opt/local/share/man/man3/XShapeGetRectangles.3.gz
- x ./opt/local/share/man/man3/XShapeInputSelected.3.gz
- x ./opt/local/share/man/man3/XShapeOffsetShape.3.gz
- x ./opt/local/share/man/man3/XShapeQueryExtension.3.gz
- x ./opt/local/share/man/man3/XShapeQueryExtents.3.gz
- x ./opt/local/share/man/man3/XShapeQueryVersion.3.gz
- x ./opt/local/share/man/man3/XShapeSelectInput.3.gz
- x ./opt/local/share/man/man3/XShm.3.gz
- x ./opt/local/share/man/man3/XShmAttach.3.gz
- x ./opt/local/share/man/man3/XShmCreateImage.3.gz
- x ./opt/local/share/man/man3/XShmCreatePixmap.3.gz

- x ./opt/local/share/man/man3/XShmDetach.3.gz
- x ./opt/local/share/man/man3/XShmGetEventBase.3.gz
- x ./opt/local/share/man/man3/XShmGetImage.3.gz
- x ./opt/local/share/man/man3/XShmPixmapFormat.3.gz
- x ./opt/local/share/man/man3/XShmPutImage.3.gz
- x ./opt/local/share/man/man3/XShmQueryExtension.3.gz
- x ./opt/local/share/man/man3/XShmQueryVersion.3.gz
- x ./opt/local/lib/libXext.6.dylib
- x ./opt/local/lib/libXext.a
- x ./opt/local/lib/libXext.dylib
- x ./opt/local/lib/libXext.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/xext.pc
- x ./opt/local/include/X11/
- x ./opt/local/include/X11/extensions/
- x ./opt/local/include/X11/extensions/dpms.h
- x ./opt/local/include/X11/extensions/extutil.h
- x ./opt/local/include/X11/extensions/MITMisc.h
- x ./opt/local/include/X11/extensions/multibuf.h
- x ./opt/local/include/X11/extensions/security.h
- x ./opt/local/include/X11/extensions/shape.h
- x ./opt/local/include/X11/extensions/sync.h
- x ./opt/local/include/X11/extensions/Xag.h
- x ./opt/local/include/X11/extensions/Xcup.h

```

x ./opt/local/include/X11/extensions/Xdbe.h
x ./opt/local/include/X11/extensions/XEVI.h
x ./opt/local/include/X11/extensions/Xext.h
x ./opt/local/include/X11/extensions/Xge.h
x ./opt/local/include/X11/extensions/XLbx.h
x ./opt/local/include/X11/extensions/Xshm.h
x ./opt/local/include/X11/extensions/xtstext1.h
---> Cleaning xorg-libXext
---> Removing work directory for xorg-libXext
---> Fetching archive for xorg-libXi
---> xorg-libXi-1.7.2_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXi-1.7.2_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xorg-libXi
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left     Speed
100  131k  100  131k    0      0  93744      0  0:00:01  0:00:01 --:--:--  102k
---> Attempting to fetch xorg-libXi-1.7.2_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/xorg-libXi
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left     Speed
102   512  102   512    0      0   1556      0  --:--:--  --:--:--  --:--:--   3065
---> Installing xorg-libXi @1.7.2_0
---> Activating xorg-libXi @1.7.2_0

```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/XAllowDeviceEvents.3.gz
x ./opt/local/share/man/man3/XChangeDeviceControl.3.gz
x ./opt/local/share/man/man3/XChangeDeviceDontPropagateList.3.gz
x ./opt/local/share/man/man3/XChangeDeviceKeyMapping.3.gz
x ./opt/local/share/man/man3/XChangeDeviceProperty.3.gz
x ./opt/local/share/man/man3/XChangeFeedbackControl.3.gz
x ./opt/local/share/man/man3/XChangeKeyboardDevice.3.gz
x ./opt/local/share/man/man3/XChangePointerDevice.3.gz
x ./opt/local/share/man/man3/XCloseDevice.3.gz
x ./opt/local/share/man/man3/XDeleteDeviceProperty.3.gz
x ./opt/local/share/man/man3/XDeviceBell.3.gz
```

- x ./opt/local/share/man/man3/XDeviceTimeCoord.3.gz
- x ./opt/local/share/man/man3/XFreeDeviceList.3.gz
- x ./opt/local/share/man/man3/XGetDeviceButtonMapping.3.gz
- x ./opt/local/share/man/man3/XGetDeviceControl.3.gz
- x ./opt/local/share/man/man3/XGetDeviceDontPropagateList.3.gz
- x ./opt/local/share/man/man3/XGetDeviceFocus.3.gz
- x ./opt/local/share/man/man3/XGetDeviceKeyMapping.3.gz
- x ./opt/local/share/man/man3/XGetDeviceModifierMapping.3.gz
- x ./opt/local/share/man/man3/XGetDeviceMotionEvents.3.gz
- x ./opt/local/share/man/man3/XGetDeviceProperty.3.gz
- x ./opt/local/share/man/man3/XGetExtensionVersion.3.gz
- x ./opt/local/share/man/man3/XGetFeedbackControl.3.gz
- x ./opt/local/share/man/man3/XGetSelectedExtensionEvents.3.gz
- x ./opt/local/share/man/man3/XGrabDevice.3.gz
- x ./opt/local/share/man/man3/XGrabDeviceButton.3.gz
- x ./opt/local/share/man/man3/XGrabDeviceKey.3.gz
- x ./opt/local/share/man/man3/XIBarrierReleasePointer.3.gz
- x ./opt/local/share/man/man3/XIBarrierReleasePointers.3.gz
- x ./opt/local/share/man/man3/XIChangeHierarchy.3.gz
- x ./opt/local/share/man/man3/XIChangeProperty.3.gz
- x ./opt/local/share/man/man3/XIDefineCursor.3.gz
- x ./opt/local/share/man/man3/XIDeleteProperty.3.gz
- x ./opt/local/share/man/man3/XIFreeDeviceInfo.3.gz
- x ./opt/local/share/man/man3/XIGetClientPointer.3.gz

x ./opt/local/share/man/man3/XIGetFocus.3.gz
x ./opt/local/share/man/man3/XIGetProperty.3.gz
x ./opt/local/share/man/man3/XIGetSelectedEvents.3.gz
x ./opt/local/share/man/man3/XIGrabButton.3.gz
x ./opt/local/share/man/man3/XIGrabDevice.3.gz
x ./opt/local/share/man/man3/XIGrabEnter.3.gz
x ./opt/local/share/man/man3/XIGrabFocusIn.3.gz
x ./opt/local/share/man/man3/XIGrabKeycode.3.gz
x ./opt/local/share/man/man3/XIGrabTouchBegin.3.gz
x ./opt/local/share/man/man3/XIListProperties.3.gz
x ./opt/local/share/man/man3/XIQueryDevice.3.gz
x ./opt/local/share/man/man3/XIQueryPointer.3.gz
x ./opt/local/share/man/man3/XIQueryVersion.3.gz
x ./opt/local/share/man/man3/XISelectEvents.3.gz
x ./opt/local/share/man/man3/XISetClientPointer.3.gz
x ./opt/local/share/man/man3/XISetFocus.3.gz
x ./opt/local/share/man/man3/XIUndefineCursor.3.gz
x ./opt/local/share/man/man3/XIUngrabButton.3.gz
x ./opt/local/share/man/man3/XIUngrabDevice.3.gz
x ./opt/local/share/man/man3/XIUngrabEnter.3.gz
x ./opt/local/share/man/man3/XIUngrabFocusIn.3.gz
x ./opt/local/share/man/man3/XIUngrabKeycode.3.gz
x ./opt/local/share/man/man3/XIUngrabTouchBegin.3.gz
x ./opt/local/share/man/man3/XIWarpPointer.3.gz

- x ./opt/local/share/man/man3/XListDeviceProperties.3.gz
- x ./opt/local/share/man/man3/XListInputDevices.3.gz
- x ./opt/local/share/man/man3/XOpenDevice.3.gz
- x ./opt/local/share/man/man3/XQueryDeviceState.3.gz
- x ./opt/local/share/man/man3/XSelectExtensionEvent.3.gz
- x ./opt/local/share/man/man3/XSendExtensionEvent.3.gz
- x ./opt/local/share/man/man3/XSetDeviceButtonMapping.3.gz
- x ./opt/local/share/man/man3/XSetDeviceFocus.3.gz
- x ./opt/local/share/man/man3/XSetDeviceMode.3.gz
- x ./opt/local/share/man/man3/XSetDeviceModifierMapping.3.gz
- x ./opt/local/share/man/man3/XSetDeviceValuators.3.gz
- x ./opt/local/share/man/man3/XUngrabDevice.3.gz
- x ./opt/local/share/man/man3/XUngrabDeviceButton.3.gz
- x ./opt/local/share/man/man3/XUngrabDeviceKey.3.gz
- x ./opt/local/lib/libXi.6.dylib
- x ./opt/local/lib/libXi.a
- x ./opt/local/lib/libXi.dylib
- x ./opt/local/lib/libXi.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/xi.pc
- x ./opt/local/include/X11/
- x ./opt/local/include/X11/extensions/
- x ./opt/local/include/X11/extensions/XInput.h
- x ./opt/local/include/X11/extensions/XInput2.h

```
---> Cleaning xorg-libXi
---> Removing work directory for xorg-libXi
---> Fetching archive for xorg-libice
---> xorg-libice-1.0.8_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libice-1.0.8_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xorg-libice
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	75472	100	75472	0	0	65209	0	0:00:01	0:00:01	--:--:--	75623

```
---> Attempting to fetch xorg-libice-1.0.8_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/xorg-libice
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1392	0	--:--:--	--:--:--	--:--:--	3303

```
---> Installing xorg-libice @1.0.8_0
---> Activating xorg-libice @1.0.8_0
```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
```

```
x ./opt/local/  
x ./opt/local/include/  
x ./opt/local/lib/  
x ./opt/local/lib/libICE.6.dylib  
x ./opt/local/lib/libICE.a  
x ./opt/local/lib/libICE.dylib  
x ./opt/local/lib/libICE.la  
x ./opt/local/lib/pkgconfig/  
x ./opt/local/lib/pkgconfig/ice.pc  
x ./opt/local/include/X11/  
x ./opt/local/include/X11/ICE/  
x ./opt/local/include/X11/ICE/ICE.h  
x ./opt/local/include/X11/ICE/ICEconn.h  
x ./opt/local/include/X11/ICE/ICElib.h  
x ./opt/local/include/X11/ICE/ICEmsg.h  
x ./opt/local/include/X11/ICE/ICEproto.h  
x ./opt/local/include/X11/ICE/ICEutil.h  
---> Cleaning xorg-libice  
---> Removing work directory for xorg-libice  
---> Fetching archive for xorg-libsm  
---> xorg-libsm-1.2.1_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified  
---> Attempting to fetch xorg-libsm-1.2.1_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xorg-libsm
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	27037	100	27037	0	0	33832	0	--:--:--	--:--:--	--:--:--	42377

---> Attempting to fetch xorg-libsm-1.2.1_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/xorg-libsm

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1631	0	--:--:--	--:--:--	--:--:--	3261

---> Installing xorg-libsm @1.2.1_0
---> Activating xorg-libsm @1.2.1_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/lib/libSM.6.dylib

x ./opt/local/lib/libSM.a

x ./opt/local/lib/libSM.dylib

x ./opt/local/lib/libSM.la

```

x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/sm.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/SM/
x ./opt/local/include/X11/SM/SM.h
x ./opt/local/include/X11/SM/SMlib.h
x ./opt/local/include/X11/SM/SMproto.h
---> Cleaning xorg-libsm
---> Removing work directory for xorg-libsm
---> Fetching archive for xorg-libXt
---> xorg-libXt-1.1.4_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXt-1.1.4_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xorg-libXt
  % Total      % Received % Xferd   Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
100  705k  100  705k    0      0   219k      0  0:00:03  0:00:03  --:--:--  231k
---> Attempting to fetch xorg-libXt-1.1.4_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/xorg-libXt
  % Total      % Received % Xferd   Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0      0   1613      0  --:--:--  --:--:--  --:--:--  3220
---> Installing xorg-libXt @1.1.4_0
---> Activating xorg-libXt @1.1.4_0

```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/MenuPopdown.3.gz
x ./opt/local/share/man/man3/MenuPopup.3.gz
x ./opt/local/share/man/man3/XtAddActions.3.gz
x ./opt/local/share/man/man3/XtAddCallback.3.gz
x ./opt/local/share/man/man3/XtAddCallbacks.3.gz
x ./opt/local/share/man/man3/XtAddConverter.3.gz
x ./opt/local/share/man/man3/XtAddEventHandler.3.gz
x ./opt/local/share/man/man3/XtAddExposureToRegion.3.gz
x ./opt/local/share/man/man3/XtAddGrab.3.gz
x ./opt/local/share/man/man3/XtAddInput.3.gz
```

- x ./opt/local/share/man/man3/XtAddRawEventHandler.3.gz
- x ./opt/local/share/man/man3/XtAddTimeOut.3.gz
- x ./opt/local/share/man/man3/XtAddWorkProc.3.gz
- x ./opt/local/share/man/man3/XtAllocateGC.3.gz
- x ./opt/local/share/man/man3/XtAppAddActionHook.3.gz
- x ./opt/local/share/man/man3/XtAppAddActions.3.gz
- x ./opt/local/share/man/man3/XtAppAddBlockHook.3.gz
- x ./opt/local/share/man/man3/XtAppAddConverter.3.gz
- x ./opt/local/share/man/man3/XtAppAddInput.3.gz
- x ./opt/local/share/man/man3/XtAppAddSignal.3.gz
- x ./opt/local/share/man/man3/XtAppAddTimeOut.3.gz
- x ./opt/local/share/man/man3/XtAppAddWorkProc.3.gz
- x ./opt/local/share/man/man3/XtAppCreateShell.3.gz
- x ./opt/local/share/man/man3/XtAppError.3.gz
- x ./opt/local/share/man/man3/XtAppErrorMsg.3.gz
- x ./opt/local/share/man/man3/XtAppGetErrorDatabase.3.gz
- x ./opt/local/share/man/man3/XtAppGetErrorDatabaseText.3.gz
- x ./opt/local/share/man/man3/XtAppGetExitFlag.3.gz
- x ./opt/local/share/man/man3/XtAppGetSelectionTimeout.3.gz
- x ./opt/local/share/man/man3/XtAppInitialize.3.gz
- x ./opt/local/share/man/man3/XtAppLock.3.gz
- x ./opt/local/share/man/man3/XtAppMainLoop.3.gz
- x ./opt/local/share/man/man3/XtAppNextEvent.3.gz
- x ./opt/local/share/man/man3/XtAppPeekEvent.3.gz

- x ./opt/local/share/man/man3/XtAppPending.3.gz
- x ./opt/local/share/man/man3/XtAppProcessEvent.3.gz
- x ./opt/local/share/man/man3/XtAppReleaseCacheRefs.3.gz
- x ./opt/local/share/man/man3/XtAppSetErrorHandler.3.gz
- x ./opt/local/share/man/man3/XtAppSetErrorMsgHandler.3.gz
- x ./opt/local/share/man/man3/XtAppSetExitFlag.3.gz
- x ./opt/local/share/man/man3/XtAppSetFallbackResources.3.gz
- x ./opt/local/share/man/man3/XtAppSetSelectionTimeout.3.gz
- x ./opt/local/share/man/man3/XtAppSetTypeConverter.3.gz
- x ./opt/local/share/man/man3/XtAppSetWarningHandler.3.gz
- x ./opt/local/share/man/man3/XtAppSetWarningMsgHandler.3.gz
- x ./opt/local/share/man/man3/XtAppUnlock.3.gz
- x ./opt/local/share/man/man3/XtAppWarning.3.gz
- x ./opt/local/share/man/man3/XtAppWarningMsg.3.gz
- x ./opt/local/share/man/man3/XtAsprintf.3.gz
- x ./opt/local/share/man/man3/XtAugmentTranslations.3.gz
- x ./opt/local/share/man/man3/XtBuildEventMask.3.gz
- x ./opt/local/share/man/man3/XtCallAcceptFocus.3.gz
- x ./opt/local/share/man/man3/XtCallActionProc.3.gz
- x ./opt/local/share/man/man3/XtCallbackExclusive.3.gz
- x ./opt/local/share/man/man3/XtCallbackNone.3.gz
- x ./opt/local/share/man/man3/XtCallbackNonexclusive.3.gz
- x ./opt/local/share/man/man3/XtCallbackPopdown.3.gz
- x ./opt/local/share/man/man3/XtCallCallbackList.3.gz

- x ./opt/local/share/man/man3/XtCallCallbacks.3.gz
- x ./opt/local/share/man/man3/XtCallConverter.3.gz
- x ./opt/local/share/man/man3/XtCalloc.3.gz
- x ./opt/local/share/man/man3/XtCancelSelectionRequest.3.gz
- x ./opt/local/share/man/man3/XtChangeManagedSet.3.gz
- x ./opt/local/share/man/man3/XtCheckSubclass.3.gz
- x ./opt/local/share/man/man3/XtClass.3.gz
- x ./opt/local/share/man/man3/XtCloseDisplay.3.gz
- x ./opt/local/share/man/man3/XtConfigureWidget.3.gz
- x ./opt/local/share/man/man3/XtConvert.3.gz
- x ./opt/local/share/man/man3/XtConvertAndStore.3.gz
- x ./opt/local/share/man/man3/XtConvertCase.3.gz
- x ./opt/local/share/man/man3/XtCreateApplicationContext.3.gz
- x ./opt/local/share/man/man3/XtCreateApplicationShell.3.gz
- x ./opt/local/share/man/man3/XtCreateManagedWidget.3.gz
- x ./opt/local/share/man/man3/XtCreatePopupShell.3.gz
- x ./opt/local/share/man/man3/XtCreateSelectionRequest.3.gz
- x ./opt/local/share/man/man3/XtCreateWidget.3.gz
- x ./opt/local/share/man/man3/XtCreateWindow.3.gz
- x ./opt/local/share/man/man3/XtDatabase.3.gz
- x ./opt/local/share/man/man3/XtDestroyApplicationContext.3.gz
- x ./opt/local/share/man/man3/XtDestroyWidget.3.gz
- x ./opt/local/share/man/man3/XtDirectConvert.3.gz
- x ./opt/local/share/man/man3/XtDisownSelection.3.gz

- x ./opt/local/share/man/man3/XtDispatchEvent.3.gz
- x ./opt/local/share/man/man3/XtDispatchEventToWidget.3.gz
- x ./opt/local/share/man/man3/XtDisplay.3.gz
- x ./opt/local/share/man/man3/XtDisplayInitialize.3.gz
- x ./opt/local/share/man/man3/XtDisplayOfObject.3.gz
- x ./opt/local/share/man/man3/XtDisplayStringConversionWarning.3.gz
- x ./opt/local/share/man/man3/XtDisplayToApplicationContext.3.gz
- x ./opt/local/share/man/man3/XtError.3.gz
- x ./opt/local/share/man/man3/XtErrorMsg.3.gz
- x ./opt/local/share/man/man3/XtFindFile.3.gz
- x ./opt/local/share/man/man3/XtFree.3.gz
- x ./opt/local/share/man/man3/XtGetActionKeysym.3.gz
- x ./opt/local/share/man/man3/XtGetActionList.3.gz
- x ./opt/local/share/man/man3/XtGetApplicationNameAndClass.3.gz
- x ./opt/local/share/man/man3/XtGetApplicationResources.3.gz
- x ./opt/local/share/man/man3/XtGetClassExtension.3.gz
- x ./opt/local/share/man/man3/XtGetConstraintResourceList.3.gz
- x ./opt/local/share/man/man3/XtGetDisplays.3.gz
- x ./opt/local/share/man/man3/XtGetErrorDatabase.3.gz
- x ./opt/local/share/man/man3/XtGetErrorDatabaseText.3.gz
- x ./opt/local/share/man/man3/XtGetGC.3.gz
- x ./opt/local/share/man/man3/XtGetKeyboardFocusWidget.3.gz
- x ./opt/local/share/man/man3/XtGetKeysymTable.3.gz
- x ./opt/local/share/man/man3/XtGetMultiClickTime.3.gz

- x ./opt/local/share/man/man3/XtGetResourceList.3.gz
- x ./opt/local/share/man/man3/XtGetSelectionParameters.3.gz
- x ./opt/local/share/man/man3/XtGetSelectionRequest.3.gz
- x ./opt/local/share/man/man3/XtGetSelectionTimeout.3.gz
- x ./opt/local/share/man/man3/XtGetSelectionValue.3.gz
- x ./opt/local/share/man/man3/XtGetSelectionValueIncremental.3.gz
- x ./opt/local/share/man/man3/XtGetSelectionValues.3.gz
- x ./opt/local/share/man/man3/XtGetSelectionValuesIncremental.3.gz
- x ./opt/local/share/man/man3/XtGetSubresources.3.gz
- x ./opt/local/share/man/man3/XtGetSubvalues.3.gz
- x ./opt/local/share/man/man3/XtGetValues.3.gz
- x ./opt/local/share/man/man3/XtGrabButton.3.gz
- x ./opt/local/share/man/man3/XtGrabKey.3.gz
- x ./opt/local/share/man/man3/XtGrabKeyboard.3.gz
- x ./opt/local/share/man/man3/XtGrabPointer.3.gz
- x ./opt/local/share/man/man3/XtHasCallbacks.3.gz
- x ./opt/local/share/man/man3/XtHooksOfDisplay.3.gz
- x ./opt/local/share/man/man3/XtInitialize.3.gz
- x ./opt/local/share/man/man3/XtInitializeWidgetClass.3.gz
- x ./opt/local/share/man/man3/XtInsertEventHandler.3.gz
- x ./opt/local/share/man/man3/XtInsertEventTypeHandler.3.gz
- x ./opt/local/share/man/man3/XtInsertRawEventHandler.3.gz
- x ./opt/local/share/man/man3/XtInstallAccelerators.3.gz
- x ./opt/local/share/man/man3/XtInstallAllAccelerators.3.gz

- x ./opt/local/share/man/man3/XtIsApplicationShell.3.gz
- x ./opt/local/share/man/man3/XtIsComposite.3.gz
- x ./opt/local/share/man/man3/XtIsConstraint.3.gz
- x ./opt/local/share/man/man3/XtIsManaged.3.gz
- x ./opt/local/share/man/man3/XtIsObject.3.gz
- x ./opt/local/share/man/man3/XtIsOverrideShell.3.gz
- x ./opt/local/share/man/man3/XtIsRealized.3.gz
- x ./opt/local/share/man/man3/XtIsRectObj.3.gz
- x ./opt/local/share/man/man3/XtIsSensitive.3.gz
- x ./opt/local/share/man/man3/XtIsSessionShell.3.gz
- x ./opt/local/share/man/man3/XtIsShell.3.gz
- x ./opt/local/share/man/man3/XtIsSubclass.3.gz
- x ./opt/local/share/man/man3/XtIsTopLevelShell.3.gz
- x ./opt/local/share/man/man3/XtIsTransientShell.3.gz
- x ./opt/local/share/man/man3/XtIsVendorShell.3.gz
- x ./opt/local/share/man/man3/XtIsWidget.3.gz
- x ./opt/local/share/man/man3/XtIsWMShell.3.gz
- x ./opt/local/share/man/man3/XtKeysymToKeycodeList.3.gz
- x ./opt/local/share/man/man3/XtLastEventProcessed.3.gz
- x ./opt/local/share/man/man3/XtLastTimestampProcessed.3.gz
- x ./opt/local/share/man/man3/XtMainLoop.3.gz
- x ./opt/local/share/man/man3/XtMakeGeometryRequest.3.gz
- x ./opt/local/share/man/man3/XtMakeResizeRequest.3.gz
- x ./opt/local/share/man/man3/XtMalloc.3.gz

- x ./opt/local/share/man/man3/XtManageChild.3.gz
- x ./opt/local/share/man/man3/XtManageChildren.3.gz
- x ./opt/local/share/man/man3/XtMapWidget.3.gz
- x ./opt/local/share/man/man3/XtMergeArgLists.3.gz
- x ./opt/local/share/man/man3/XtMoveWidget.3.gz
- x ./opt/local/share/man/man3/XtName.3.gz
- x ./opt/local/share/man/man3/XtNameToWidget.3.gz
- x ./opt/local/share/man/man3/XtNew.3.gz
- x ./opt/local/share/man/man3/XtNewString.3.gz
- x ./opt/local/share/man/man3/XtNextEvent.3.gz
- x ./opt/local/share/man/man3/XtNoticeSignal.3.gz
- x ./opt/local/share/man/man3/XtNumber.3.gz
- x ./opt/local/share/man/man3/XtOffset.3.gz
- x ./opt/local/share/man/man3/XtOffsetOf.3.gz
- x ./opt/local/share/man/man3/XtOpenApplication.3.gz
- x ./opt/local/share/man/man3/XtOpenDisplay.3.gz
- x ./opt/local/share/man/man3/XtOverrideTranslations.3.gz
- x ./opt/local/share/man/man3/XtOwnSelection.3.gz
- x ./opt/local/share/man/man3/XtOwnSelectionIncremental.3.gz
- x ./opt/local/share/man/man3/XtParent.3.gz
- x ./opt/local/share/man/man3/XtParseAcceleratorTable.3.gz
- x ./opt/local/share/man/man3/XtParseTranslationTable.3.gz
- x ./opt/local/share/man/man3/XtPeekEvent.3.gz
- x ./opt/local/share/man/man3/XtPending.3.gz

- x ./opt/local/share/man/man3/XtPopdown.3.gz
- x ./opt/local/share/man/man3/XtPopup.3.gz
- x ./opt/local/share/man/man3/XtPopupSpringLoaded.3.gz
- x ./opt/local/share/man/man3/XtProcessEvent.3.gz
- x ./opt/local/share/man/man3/XtProcessLock.3.gz
- x ./opt/local/share/man/man3/XtProcessUnlock.3.gz
- x ./opt/local/share/man/man3/XtQueryGeometry.3.gz
- x ./opt/local/share/man/man3/XtRealizeWidget.3.gz
- x ./opt/local/share/man/man3/XtRealloc.3.gz
- x ./opt/local/share/man/man3/XtRegisterCaseConverter.3.gz
- x ./opt/local/share/man/man3/XtRegisterDrawable.3.gz
- x ./opt/local/share/man/man3/XtRegisterExtensionSelector.3.gz
- x ./opt/local/share/man/man3/XtRegisterGrabAction.3.gz
- x ./opt/local/share/man/man3/XtReleaseGC.3.gz
- x ./opt/local/share/man/man3/XtReleasePropertyAtom.3.gz
- x ./opt/local/share/man/man3/XtRemoveActionHook.3.gz
- x ./opt/local/share/man/man3/XtRemoveAllCallbacks.3.gz
- x ./opt/local/share/man/man3/XtRemoveBlockHook.3.gz
- x ./opt/local/share/man/man3/XtRemoveCallback.3.gz
- x ./opt/local/share/man/man3/XtRemoveCallbacks.3.gz
- x ./opt/local/share/man/man3/XtRemoveEventHandler.3.gz
- x ./opt/local/share/man/man3/XtRemoveEventTypeHandler.3.gz
- x ./opt/local/share/man/man3/XtRemoveGrab.3.gz
- x ./opt/local/share/man/man3/XtRemoveInput.3.gz

- x ./opt/local/share/man/man3/XtRemoveRawEventHandler.3.gz
- x ./opt/local/share/man/man3/XtRemoveSignal.3.gz
- x ./opt/local/share/man/man3/XtRemoveTimeout.3.gz
- x ./opt/local/share/man/man3/XtRemoveWorkProc.3.gz
- x ./opt/local/share/man/man3/XtReservePropertyAtom.3.gz
- x ./opt/local/share/man/man3/XtResizeWidget.3.gz
- x ./opt/local/share/man/man3/XtResolvePathname.3.gz
- x ./opt/local/share/man/man3/XtScreen.3.gz
- x ./opt/local/share/man/man3/XtScreenDatabase.3.gz
- x ./opt/local/share/man/man3/XtScreenOfObject.3.gz
- x ./opt/local/share/man/man3/XtSendSelectionRequest.3.gz
- x ./opt/local/share/man/man3/XtSessionGetToken.3.gz
- x ./opt/local/share/man/man3/XtSessionReturnToken.3.gz
- x ./opt/local/share/man/man3/XtSetArg.3.gz
- x ./opt/local/share/man/man3/XtSetErrorHandler.3.gz
- x ./opt/local/share/man/man3/XtSetErrorMsgHandler.3.gz
- x ./opt/local/share/man/man3/XtSetEventDispatcher.3.gz
- x ./opt/local/share/man/man3/XtSetKeyboardFocus.3.gz
- x ./opt/local/share/man/man3/XtSetKeyTranslator.3.gz
- x ./opt/local/share/man/man3/XtSetLanguageProc.3.gz
- x ./opt/local/share/man/man3/XtSetMappedWhenManaged.3.gz
- x ./opt/local/share/man/man3/XtSetMultiClickTime.3.gz
- x ./opt/local/share/man/man3/XtSetSelectionParameters.3.gz
- x ./opt/local/share/man/man3/XtSetSelectionTimeout.3.gz

- x ./opt/local/share/man/man3/XtSetSensitive.3.gz
- x ./opt/local/share/man/man3/XtSetSubvalues.3.gz
- x ./opt/local/share/man/man3/XtSetTypeConverter.3.gz
- x ./opt/local/share/man/man3/XtSetValues.3.gz
- x ./opt/local/share/man/man3/XtSetWarningHandler.3.gz
- x ./opt/local/share/man/man3/XtSetWarningMsgHandler.3.gz
- x ./opt/local/share/man/man3/XtSetWMColormapWindows.3.gz
- x ./opt/local/share/man/man3/XtStringConversionWarning.3.gz
- x ./opt/local/share/man/man3/XtSuperclass.3.gz
- x ./opt/local/share/man/man3/XtToolkitInitialize.3.gz
- x ./opt/local/share/man/man3/XtToolkitThreadInitialize.3.gz
- x ./opt/local/share/man/man3/XtTranslateCoords.3.gz
- x ./opt/local/share/man/man3/XtTranslateKeyCode.3.gz
- x ./opt/local/share/man/man3/XtUngrabButton.3.gz
- x ./opt/local/share/man/man3/XtUngrabKey.3.gz
- x ./opt/local/share/man/man3/XtUngrabKeyboard.3.gz
- x ./opt/local/share/man/man3/XtUngrabPointer.3.gz
- x ./opt/local/share/man/man3/XtUninstallTranslations.3.gz
- x ./opt/local/share/man/man3/XtUnmanageChild.3.gz
- x ./opt/local/share/man/man3/XtUnmanageChildren.3.gz
- x ./opt/local/share/man/man3/XtUnmapWidget.3.gz
- x ./opt/local/share/man/man3/XtUnrealizeWidget.3.gz
- x ./opt/local/share/man/man3/XtUnregisterDrawable.3.gz
- x ./opt/local/share/man/man3/XtVaAppCreateShell.3.gz

- x ./opt/local/share/man/man3/XtVaAppInitialize.3.gz
- x ./opt/local/share/man/man3/XtVaCreateArgsList.3.gz
- x ./opt/local/share/man/man3/XtVaCreateManagedWidget.3.gz
- x ./opt/local/share/man/man3/XtVaCreatePopupShell.3.gz
- x ./opt/local/share/man/man3/XtVaCreateWidget.3.gz
- x ./opt/local/share/man/man3/XtVaGetApplicationResources.3.gz
- x ./opt/local/share/man/man3/XtVaGetSubresources.3.gz
- x ./opt/local/share/man/man3/XtVaGetSubvalues.3.gz
- x ./opt/local/share/man/man3/XtVaGetValues.3.gz
- x ./opt/local/share/man/man3/XtVaOpenApplication.3.gz
- x ./opt/local/share/man/man3/XtVaSetSubvalues.3.gz
- x ./opt/local/share/man/man3/XtVaSetValues.3.gz
- x ./opt/local/share/man/man3/XtWarning.3.gz
- x ./opt/local/share/man/man3/XtWarningMsg.3.gz
- x ./opt/local/share/man/man3/XtWidgetToApplicationContext.3.gz
- x ./opt/local/share/man/man3/XtWindow.3.gz
- x ./opt/local/share/man/man3/XtWindowOfObject.3.gz
- x ./opt/local/share/man/man3/XtWindowToWidget.3.gz
- x ./opt/local/share/doc/libXt/
- x ./opt/local/share/doc/libXt/acknowledgement.xml
- x ./opt/local/share/doc/libXt/appA.xml
- x ./opt/local/share/doc/libXt/appB.xml
- x ./opt/local/share/doc/libXt/appC.xml
- x ./opt/local/share/doc/libXt/appD.xml

- x ./opt/local/share/doc/libXt/appE.xml
- x ./opt/local/share/doc/libXt/appF.xml
- x ./opt/local/share/doc/libXt/CH01.xml
- x ./opt/local/share/doc/libXt/CH02.xml
- x ./opt/local/share/doc/libXt/CH03.xml
- x ./opt/local/share/doc/libXt/CH04.xml
- x ./opt/local/share/doc/libXt/CH05.xml
- x ./opt/local/share/doc/libXt/CH06.xml
- x ./opt/local/share/doc/libXt/CH07.xml
- x ./opt/local/share/doc/libXt/CH08.xml
- x ./opt/local/share/doc/libXt/CH09.xml
- x ./opt/local/share/doc/libXt/CH10.xml
- x ./opt/local/share/doc/libXt/CH11.xml
- x ./opt/local/share/doc/libXt/CH12.xml
- x ./opt/local/share/doc/libXt/CH13.xml
- x ./opt/local/share/doc/libXt/intrinsics.xml
- x ./opt/local/share/doc/libXt/preface.xml
- x ./opt/local/lib/libXt.6.dylib
- x ./opt/local/lib/libXt.a
- x ./opt/local/lib/libXt.dylib
- x ./opt/local/lib/libXt.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/xt.pc
- x ./opt/local/include/X11/

x ./opt/local/include/X11/CallbackI.h
x ./opt/local/include/X11/Composite.h
x ./opt/local/include/X11/CompositeP.h
x ./opt/local/include/X11/ConstrainP.h
x ./opt/local/include/X11/Constraint.h
x ./opt/local/include/X11/ConvertI.h
x ./opt/local/include/X11/Core.h
x ./opt/local/include/X11/CoreP.h
x ./opt/local/include/X11/CreateI.h
x ./opt/local/include/X11/EventI.h
x ./opt/local/include/X11/HookObjI.h
x ./opt/local/include/X11/InitialI.h
x ./opt/local/include/X11/Intrinsic.h
x ./opt/local/include/X11/IntrinsicI.h
x ./opt/local/include/X11/IntrinsicP.h
x ./opt/local/include/X11/Object.h
x ./opt/local/include/X11/ObjectP.h
x ./opt/local/include/X11/PassivGraI.h
x ./opt/local/include/X11/RectObj.h
x ./opt/local/include/X11/RectObjP.h
x ./opt/local/include/X11/ResConfigP.h
x ./opt/local/include/X11/ResourceI.h
x ./opt/local/include/X11/SelectionI.h
x ./opt/local/include/X11/Shell.h

```

x ./opt/local/include/X11/ShellI.h
x ./opt/local/include/X11/ShellP.h
x ./opt/local/include/X11/StringDefs.h
x ./opt/local/include/X11/ThreadsI.h
x ./opt/local/include/X11/TranslateI.h
x ./opt/local/include/X11/VarargsI.h
x ./opt/local/include/X11/Vendor.h
x ./opt/local/include/X11/VendorP.h
x ./opt/local/include/X11/Xtos.h
---> Cleaning xorg-libXt
---> Removing work directory for xorg-libXt
---> Fetching archive for xorg-libXmu
---> xorg-libXmu-1.1.2_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXmu-1.1.2_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xorg-libXmu
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left     Speed
100 90014  100 90014    0     0  69709      0  0:00:01  0:00:01 --:--:--  80226
---> Attempting to fetch xorg-libXmu-1.1.2_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/xorg-libXmu
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left     Speed
102   512  102   512    0     0   1563      0  --:--:--  --:--:--  --:--:--  3103

```

```
---> Installing xorg-libXmu @1.1.2_0
---> Activating xorg-libXmu @1.1.2_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/lib/libXmu.6.dylib
x ./opt/local/lib/libXmu.a
x ./opt/local/lib/libXmu.dylib
x ./opt/local/lib/libXmu.la
x ./opt/local/lib/libXmuu.1.dylib
x ./opt/local/lib/libXmuu.a
x ./opt/local/lib/libXmuu.dylib
x ./opt/local/lib/libXmuu.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xmu.pc
x ./opt/local/lib/pkgconfig/xmuu.pc
x ./opt/local/include/X11/
```

```
x ./opt/local/include/X11/Xmu/  
x ./opt/local/include/X11/Xmu/Atoms.h  
x ./opt/local/include/X11/Xmu/CharSet.h  
x ./opt/local/include/X11/Xmu/CloseHook.h  
x ./opt/local/include/X11/Xmu/Converters.h  
x ./opt/local/include/X11/Xmu/CurUtil.h  
x ./opt/local/include/X11/Xmu/CvtCache.h  
x ./opt/local/include/X11/Xmu/DisplayQue.h  
x ./opt/local/include/X11/Xmu/Drawing.h  
x ./opt/local/include/X11/Xmu/Editres.h  
x ./opt/local/include/X11/Xmu/EditresP.h  
x ./opt/local/include/X11/Xmu/Error.h  
x ./opt/local/include/X11/Xmu/ExtAgent.h  
x ./opt/local/include/X11/Xmu/Initer.h  
x ./opt/local/include/X11/Xmu/Lookup.h  
x ./opt/local/include/X11/Xmu/Misc.h  
x ./opt/local/include/X11/Xmu/StdCmap.h  
x ./opt/local/include/X11/Xmu/StdSel.h  
x ./opt/local/include/X11/Xmu/SysUtil.h  
x ./opt/local/include/X11/Xmu/WhitePoint.h  
x ./opt/local/include/X11/Xmu/WidgetNode.h  
x ./opt/local/include/X11/Xmu/WinUtil.h  
x ./opt/local/include/X11/Xmu/Xct.h  
x ./opt/local/include/X11/Xmu/Xmu.h
```

```
---> Cleaning xorg-libXmu
---> Removing work directory for xorg-libXmu
---> Fetching archive for mesa
---> mesa-8.0.4_2+python27.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/
local/var/macports/incoming/verified
---> Attempting to fetch mesa-8.0.4_2+python27.darwin_10.x86_64.tbz2 from http:
//packages.macports.org/mesa
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	1530k	100	1530k	0	0	274k	0	0:00:05	0:00:05	--:--:--	328k

```
---> Attempting to fetch mesa-8.0.4_2+python27.darwin_10.x86_64.tbz2.rmd160 fro
m http://packages.macports.org/mesa
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1632	0	--:--:--	--:--:--	--:--:--	3200

```
---> Installing mesa @8.0.4_2+python27
---> Activating mesa @8.0.4_2+python27
```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
```



```
x ./opt/local/  
x ./opt/local/include/  
x ./opt/local/lib/  
x ./opt/local/lib/libGL.1.dylib  
x ./opt/local/lib/libGL.dylib  
x ./opt/local/lib/libGLU.1.dylib  
x ./opt/local/lib/libGLU.dylib  
x ./opt/local/lib/libOpenVG.1.dylib  
x ./opt/local/lib/libOpenVG.dylib  
x ./opt/local/lib/libOSMesa.8.dylib  
x ./opt/local/lib/libOSMesa.dylib  
x ./opt/local/lib/pkgconfig/  
x ./opt/local/lib/pkgconfig/gl.pc  
x ./opt/local/lib/pkgconfig/glu.pc  
x ./opt/local/lib/pkgconfig/osmesa.pc  
x ./opt/local/lib/pkgconfig/vg.pc  
x ./opt/local/include/GL/  
x ./opt/local/include/KHR/  
x ./opt/local/include/VG/  
x ./opt/local/include/VG/opencv.h  
x ./opt/local/include/VG/vgext.h  
x ./opt/local/include/VG/vgplatform.h  
x ./opt/local/include/VG/vgu.h  
x ./opt/local/include/KHR/khrplatform.h
```

```

x ./opt/local/include/GL/gl.h
x ./opt/local/include/GL/gl_mangle.h
x ./opt/local/include/GL/glext.h
x ./opt/local/include/GL/glu.h
x ./opt/local/include/GL/glu_mangle.h
x ./opt/local/include/GL/glx.h
x ./opt/local/include/GL/glx_mangle.h
x ./opt/local/include/GL/glxext.h
x ./opt/local/include/GL/osmesa.h
x ./opt/local/include/GL/vms_x_fix.h
x ./opt/local/include/GL/wglext.h
x ./opt/local/include/GL/wmesa.h
---> Cleaning mesa
---> Removing work directory for mesa
---> Fetching archive for ilmbase
---> ilmbase-1.0.2_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified
---> Attempting to fetch ilmbase-1.0.2_0.darwin_10.x86_64.tbz2 from http://pack
ages.macports.org/ilmbase
  % Total      % Received % Xferd   Average Speed   Time    Time       Time    Current
                        Dload  Upload    Total     Spent    Left     Speed
100 251k 100 251k    0      0  113k      0  0:00:02  0:00:02 --:--:--  122k
---> Attempting to fetch ilmbase-1.0.2_0.darwin_10.x86_64.tbz2.rmd160 from http
://packages.macports.org/ilmbase

```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1536	0	--:--:--	--:--:--	--:--:--	2942
---> Installing ilmbase @1.0.2_0											
---> Activating ilmbase @1.0.2_0											
x ./											
x ./+COMMENT											
x ./+CONTENTS											
x ./+DESC											
x ./+PORTFILE											
x ./+STATE											
x ./opt/											
x ./opt/local/											
x ./opt/local/include/											
x ./opt/local/lib/											
x ./opt/local/lib/libHalf.6.dylib											
x ./opt/local/lib/libHalf.a											
x ./opt/local/lib/libHalf.dylib											
x ./opt/local/lib/libHalf.la											
x ./opt/local/lib/libIex.6.dylib											
x ./opt/local/lib/libIex.a											
x ./opt/local/lib/libIex.dylib											
x ./opt/local/lib/libIex.la											
x ./opt/local/lib/libIlmThread.6.dylib											

- x ./opt/local/lib/libIlmThread.a
- x ./opt/local/lib/libIlmThread.dylib
- x ./opt/local/lib/libIlmThread.la
- x ./opt/local/lib/libImath.6.dylib
- x ./opt/local/lib/libImath.a
- x ./opt/local/lib/libImath.dylib
- x ./opt/local/lib/libImath.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/IlmBase.pc
- x ./opt/local/include/OpenEXR/
- x ./opt/local/include/OpenEXR/Iex.h
- x ./opt/local/include/OpenEXR/IexBaseExc.h
- x ./opt/local/include/OpenEXR/IexErrnoExc.h
- x ./opt/local/include/OpenEXR/IexMacros.h
- x ./opt/local/include/OpenEXR/IexMathExc.h
- x ./opt/local/include/OpenEXR/IexThrowErrnoExc.h
- x ./opt/local/include/OpenEXR/IlmBaseConfig.h
- x ./opt/local/include/OpenEXR/IlmThread.h
- x ./opt/local/include/OpenEXR/IlmThreadMutex.h
- x ./opt/local/include/OpenEXR/IlmThreadPool.h
- x ./opt/local/include/OpenEXR/IlmThreadSemaphore.h
- x ./opt/local/include/OpenEXR/ImathBox.h
- x ./opt/local/include/OpenEXR/ImathBoxAlgo.h
- x ./opt/local/include/OpenEXR/ImathColor.h

x ./opt/local/include/OpenEXR/ImathColorAlgo.h
x ./opt/local/include/OpenEXR/ImathEuler.h
x ./opt/local/include/OpenEXR/ImathExc.h
x ./opt/local/include/OpenEXR/ImathFrame.h
x ./opt/local/include/OpenEXR/ImathFrustum.h
x ./opt/local/include/OpenEXR/ImathFun.h
x ./opt/local/include/OpenEXR/ImathGL.h
x ./opt/local/include/OpenEXR/ImathGLU.h
x ./opt/local/include/OpenEXR/ImathHalfLimits.h
x ./opt/local/include/OpenEXR/ImathInt64.h
x ./opt/local/include/OpenEXR/ImathInterval.h
x ./opt/local/include/OpenEXR/ImathLimits.h
x ./opt/local/include/OpenEXR/ImathLine.h
x ./opt/local/include/OpenEXR/ImathLineAlgo.h
x ./opt/local/include/OpenEXR/ImathMath.h
x ./opt/local/include/OpenEXR/ImathMatrix.h
x ./opt/local/include/OpenEXR/ImathMatrixAlgo.h
x ./opt/local/include/OpenEXR/ImathPlane.h
x ./opt/local/include/OpenEXR/ImathPlatform.h
x ./opt/local/include/OpenEXR/ImathQuat.h
x ./opt/local/include/OpenEXR/ImathRandom.h
x ./opt/local/include/OpenEXR/ImathRoots.h
x ./opt/local/include/OpenEXR/ImathShear.h
x ./opt/local/include/OpenEXR/ImathSphere.h

```

x ./opt/local/include/OpenEXR/ImathVec.h
x ./opt/local/include/OpenEXR/ImathVecAlgo.h
x ./opt/local/include/OpenEXR/half.h
x ./opt/local/include/OpenEXR/halfFunction.h
x ./opt/local/include/OpenEXR/halfLimits.h
---> Cleaning ilmbase
---> Removing work directory for ilmbase
---> Fetching archive for openexr
---> openexr-1.7.0_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified
---> Attempting to fetch openexr-1.7.0_0.darwin_10.x86_64.tbz2 from http://pack
ages.macports.org/openexr
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
100 3465k  100 3465k    0     0   364k      0  0:00:09  0:00:09  --:--:--   540k
---> Attempting to fetch openexr-1.7.0_0.darwin_10.x86_64.tbz2.rmd160 from http
://packages.macports.org/openexr
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left   Speed
102   512  102   512    0     0   1612      0  --:--:--  --:--:--  --:--:--   3160
---> Installing openexr @1.7.0_0
---> Activating openexr @1.7.0_0
x ./
x ./+COMMENT

```

```
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/aclocal/
x ./opt/local/share/doc/
x ./opt/local/share/doc/OpenEXR-1.7.0/
x ./opt/local/share/doc/OpenEXR-1.7.0/MultiViewOpenEXR.pdf
x ./opt/local/share/doc/OpenEXR-1.7.0/OpenEXRFileLayout.pdf
x ./opt/local/share/doc/OpenEXR-1.7.0/ReadingAndWritingImageFiles.pdf
x ./opt/local/share/doc/OpenEXR-1.7.0/TechnicalIntroduction.pdf
x ./opt/local/share/doc/OpenEXR-1.7.0/examples/
x ./opt/local/share/doc/OpenEXR-1.7.0/examples/drawImage.cpp
x ./opt/local/share/doc/OpenEXR-1.7.0/examples/drawImage.h
x ./opt/local/share/doc/OpenEXR-1.7.0/examples/generalInterfaceExamples.cpp
x ./opt/local/share/doc/OpenEXR-1.7.0/examples/generalInterfaceExamples.h
x ./opt/local/share/doc/OpenEXR-1.7.0/examples/generalInterfaceTiledExamples.cpp
x ./opt/local/share/doc/OpenEXR-1.7.0/examples/generalInterfaceTiledExamples.h
```

- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/lowLevelIoExamples.cpp
- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/lowLevelIoExamples.h
- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/main.cpp
- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/previewImageExamples.cpp
- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/previewImageExamples.h
- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/rgbaInterfaceExamples.cpp
- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/rgbaInterfaceExamples.h
- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/rgbaInterfaceTiledExamples.cpp
- x ./opt/local/share/doc/OpenEXR-1.7.0/examples/rgbaInterfaceTiledExamples.h
- x ./opt/local/share/aclocal/openexr.m4
- x ./opt/local/lib/libIlmImf.6.dylib
- x ./opt/local/lib/libIlmImf.a
- x ./opt/local/lib/libIlmImf.dylib
- x ./opt/local/lib/libIlmImf.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/OpenEXR.pc
- x ./opt/local/include/OpenEXR/
- x ./opt/local/include/OpenEXR/ImfAcesFile.h
- x ./opt/local/include/OpenEXR/ImfArray.h
- x ./opt/local/include/OpenEXR/ImfAttribute.h
- x ./opt/local/include/OpenEXR/ImfB44Compressor.h
- x ./opt/local/include/OpenEXR/ImfBoxAttribute.h
- x ./opt/local/include/OpenEXR/ImfCRgbaFile.h
- x ./opt/local/include/OpenEXR/ImfChannelList.h

- x ./opt/local/include/OpenEXR/ImfChannelListAttribute.h
- x ./opt/local/include/OpenEXR/ImfChromaticities.h
- x ./opt/local/include/OpenEXR/ImfChromaticitiesAttribute.h
- x ./opt/local/include/OpenEXR/ImfCompression.h
- x ./opt/local/include/OpenEXR/ImfCompressionAttribute.h
- x ./opt/local/include/OpenEXR/ImfConvert.h
- x ./opt/local/include/OpenEXR/ImfDoubleAttribute.h
- x ./opt/local/include/OpenEXR/ImfEnvmap.h
- x ./opt/local/include/OpenEXR/ImfEnvmapAttribute.h
- x ./opt/local/include/OpenEXR/ImfFloatAttribute.h
- x ./opt/local/include/OpenEXR/ImfFrameBuffer.h
- x ./opt/local/include/OpenEXR/ImfFramesPerSecond.h
- x ./opt/local/include/OpenEXR/ImfHeader.h
- x ./opt/local/include/OpenEXR/ImfHuf.h
- x ./opt/local/include/OpenEXR/ImfIO.h
- x ./opt/local/include/OpenEXR/ImfInputFile.h
- x ./opt/local/include/OpenEXR/ImfInt64.h
- x ./opt/local/include/OpenEXR/ImfIntAttribute.h
- x ./opt/local/include/OpenEXR/ImfKeyCode.h
- x ./opt/local/include/OpenEXR/ImfKeyCodeAttribute.h
- x ./opt/local/include/OpenEXR/ImfLineOrder.h
- x ./opt/local/include/OpenEXR/ImfLineOrderAttribute.h
- x ./opt/local/include/OpenEXR/ImfLut.h
- x ./opt/local/include/OpenEXR/ImfMatrixAttribute.h

x ./opt/local/include/OpenEXR/ImfMultiView.h
x ./opt/local/include/OpenEXR/ImfName.h
x ./opt/local/include/OpenEXR/ImfOpaqueAttribute.h
x ./opt/local/include/OpenEXR/ImfOutputFile.h
x ./opt/local/include/OpenEXR/ImfPixelType.h
x ./opt/local/include/OpenEXR/ImfPreviewImage.h
x ./opt/local/include/OpenEXR/ImfPreviewImageAttribute.h
x ./opt/local/include/OpenEXR/ImfRational.h
x ./opt/local/include/OpenEXR/ImfRationalAttribute.h
x ./opt/local/include/OpenEXR/ImfRgba.h
x ./opt/local/include/OpenEXR/ImfRgbaFile.h
x ./opt/local/include/OpenEXR/ImfRgbaYca.h
x ./opt/local/include/OpenEXR/ImfStandardAttributes.h
x ./opt/local/include/OpenEXR/ImfStringAttribute.h
x ./opt/local/include/OpenEXR/ImfStringVectorAttribute.h
x ./opt/local/include/OpenEXR/ImfTestFile.h
x ./opt/local/include/OpenEXR/ImfThreading.h
x ./opt/local/include/OpenEXR/ImfTileDescription.h
x ./opt/local/include/OpenEXR/ImfTileDescriptionAttribute.h
x ./opt/local/include/OpenEXR/ImfTiledInputFile.h
x ./opt/local/include/OpenEXR/ImfTiledOutputFile.h
x ./opt/local/include/OpenEXR/ImfTiledRgbaFile.h
x ./opt/local/include/OpenEXR/ImfTimeCode.h
x ./opt/local/include/OpenEXR/ImfTimeCodeAttribute.h

```

x ./opt/local/include/OpenEXR/ImfVecAttribute.h
x ./opt/local/include/OpenEXR/ImfVersion.h
x ./opt/local/include/OpenEXR/ImfWav.h
x ./opt/local/include/OpenEXR/ImfXdr.h
x ./opt/local/include/OpenEXR/OpenEXRConfig.h
x ./opt/local/bin/exr2aces
x ./opt/local/bin/exrenvmap
x ./opt/local/bin/exrheader
x ./opt/local/bin/exrmakepreview
x ./opt/local/bin/exrmake tiled
x ./opt/local/bin/exrmultiview
x ./opt/local/bin/exrstdatr
---> Cleaning openexr
---> Removing work directory for openexr
---> Fetching archive for pcre
---> pcre-8.33_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/
macports/incoming/verified
---> Attempting to fetch pcre-8.33_0.darwin_10.x86_64.tbz2 from http://packages
.macports.org/pcre
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
             % Dload  % Upload   Total   Spent    Left     Speed
100 1239k  100 1239k    0     0  230k      0  0:00:05  0:00:05 --:--:--  267k
---> Attempting to fetch pcre-8.33_0.darwin_10.x86_64.tbz2.rmd160 from http://p
ackages.macports.org/pcre

```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current					
			Dload Upload	Total	Spent	Left	Speed					
102	512	102	512	0	0	1584	0	--:--:--	--:--:--	--:--:--	3200	
---> Installing pcre @8.33_0												
---> Activating pcre @8.33_0												
x ./												
x ./+COMMENT												
x ./+CONTENTS												
x ./+DESC												
x ./+PORTFILE												
x ./+STATE												
x ./opt/												
x ./opt/local/												
x ./opt/local/bin/												
x ./opt/local/include/												
x ./opt/local/lib/												
x ./opt/local/share/												
x ./opt/local/share/doc/												
x ./opt/local/share/man/												
x ./opt/local/share/man/man1/												
x ./opt/local/share/man/man3/												
x ./opt/local/share/man/man3/pcre.3.gz												
x ./opt/local/share/man/man3/pcre16.3.gz												
x ./opt/local/share/man/man3/pcre16_assign_jit_stack.3.gz												

- x ./opt/local/share/man/man3/pcre16_compile.3.gz
- x ./opt/local/share/man/man3/pcre16_compile2.3.gz
- x ./opt/local/share/man/man3/pcre16_config.3.gz
- x ./opt/local/share/man/man3/pcre16_copy_named_substring.3.gz
- x ./opt/local/share/man/man3/pcre16_copy_substring.3.gz
- x ./opt/local/share/man/man3/pcre16_dfa_exec.3.gz
- x ./opt/local/share/man/man3/pcre16_exec.3.gz
- x ./opt/local/share/man/man3/pcre16_free_study.3.gz
- x ./opt/local/share/man/man3/pcre16_free_substring.3.gz
- x ./opt/local/share/man/man3/pcre16_free_substring_list.3.gz
- x ./opt/local/share/man/man3/pcre16_fullinfo.3.gz
- x ./opt/local/share/man/man3/pcre16_get_named_substring.3.gz
- x ./opt/local/share/man/man3/pcre16_get_stringnumber.3.gz
- x ./opt/local/share/man/man3/pcre16_get_stringtable_entries.3.gz
- x ./opt/local/share/man/man3/pcre16_get_substring.3.gz
- x ./opt/local/share/man/man3/pcre16_get_substring_list.3.gz
- x ./opt/local/share/man/man3/pcre16_jit_exec.3.gz
- x ./opt/local/share/man/man3/pcre16_jit_stack_alloc.3.gz
- x ./opt/local/share/man/man3/pcre16_jit_stack_free.3.gz
- x ./opt/local/share/man/man3/pcre16_maketables.3.gz
- x ./opt/local/share/man/man3/pcre16_pattern_to_host_byte_order.3.gz
- x ./opt/local/share/man/man3/pcre16_refcount.3.gz
- x ./opt/local/share/man/man3/pcre16_study.3.gz
- x ./opt/local/share/man/man3/pcre16_utf16_to_host_byte_order.3.gz

- x ./opt/local/share/man/man3/pcre16_version.3.gz
- x ./opt/local/share/man/man3/pcre32.3.gz
- x ./opt/local/share/man/man3/pcre32_assign_jit_stack.3.gz
- x ./opt/local/share/man/man3/pcre32_compile.3.gz
- x ./opt/local/share/man/man3/pcre32_compile2.3.gz
- x ./opt/local/share/man/man3/pcre32_config.3.gz
- x ./opt/local/share/man/man3/pcre32_copy_named_substring.3.gz
- x ./opt/local/share/man/man3/pcre32_copy_substring.3.gz
- x ./opt/local/share/man/man3/pcre32_dfa_exec.3.gz
- x ./opt/local/share/man/man3/pcre32_exec.3.gz
- x ./opt/local/share/man/man3/pcre32_free_study.3.gz
- x ./opt/local/share/man/man3/pcre32_free_substring.3.gz
- x ./opt/local/share/man/man3/pcre32_free_substring_list.3.gz
- x ./opt/local/share/man/man3/pcre32_fullinfo.3.gz
- x ./opt/local/share/man/man3/pcre32_get_named_substring.3.gz
- x ./opt/local/share/man/man3/pcre32_get_stringnumber.3.gz
- x ./opt/local/share/man/man3/pcre32_get_stringtable_entries.3.gz
- x ./opt/local/share/man/man3/pcre32_get_substring.3.gz
- x ./opt/local/share/man/man3/pcre32_get_substring_list.3.gz
- x ./opt/local/share/man/man3/pcre32_jit_exec.3.gz
- x ./opt/local/share/man/man3/pcre32_jit_stack_alloc.3.gz
- x ./opt/local/share/man/man3/pcre32_jit_stack_free.3.gz
- x ./opt/local/share/man/man3/pcre32_maketables.3.gz
- x ./opt/local/share/man/man3/pcre32_pattern_to_host_byte_order.3.gz

- x ./opt/local/share/man/man3/pcre32_refcount.3.gz
- x ./opt/local/share/man/man3/pcre32_study.3.gz
- x ./opt/local/share/man/man3/pcre32_utf32_to_host_byte_order.3.gz
- x ./opt/local/share/man/man3/pcre32_version.3.gz
- x ./opt/local/share/man/man3/pcre_assign_jit_stack.3.gz
- x ./opt/local/share/man/man3/pcre_compile.3.gz
- x ./opt/local/share/man/man3/pcre_compile2.3.gz
- x ./opt/local/share/man/man3/pcre_config.3.gz
- x ./opt/local/share/man/man3/pcre_copy_named_substring.3.gz
- x ./opt/local/share/man/man3/pcre_copy_substring.3.gz
- x ./opt/local/share/man/man3/pcre_dfa_exec.3.gz
- x ./opt/local/share/man/man3/pcre_exec.3.gz
- x ./opt/local/share/man/man3/pcre_free_study.3.gz
- x ./opt/local/share/man/man3/pcre_free_substring.3.gz
- x ./opt/local/share/man/man3/pcre_free_substring_list.3.gz
- x ./opt/local/share/man/man3/pcre_fullinfo.3.gz
- x ./opt/local/share/man/man3/pcre_get_named_substring.3.gz
- x ./opt/local/share/man/man3/pcre_get_stringnumber.3.gz
- x ./opt/local/share/man/man3/pcre_get_stringtable_entries.3.gz
- x ./opt/local/share/man/man3/pcre_get_substring.3.gz
- x ./opt/local/share/man/man3/pcre_get_substring_list.3.gz
- x ./opt/local/share/man/man3/pcre_jit_exec.3.gz
- x ./opt/local/share/man/man3/pcre_jit_stack_alloc.3.gz
- x ./opt/local/share/man/man3/pcre_jit_stack_free.3.gz

- x ./opt/local/share/man/man3/pcre_maketables.3.gz
- x ./opt/local/share/man/man3/pcre_pattern_to_host_byte_order.3.gz
- x ./opt/local/share/man/man3/pcre_refcount.3.gz
- x ./opt/local/share/man/man3/pcre_study.3.gz
- x ./opt/local/share/man/man3/pcre_utf16_to_host_byte_order.3.gz
- x ./opt/local/share/man/man3/pcre_utf32_to_host_byte_order.3.gz
- x ./opt/local/share/man/man3/pcre_version.3.gz
- x ./opt/local/share/man/man3/pcreapi.3.gz
- x ./opt/local/share/man/man3/pcrebuild.3.gz
- x ./opt/local/share/man/man3/pcrecallout.3.gz
- x ./opt/local/share/man/man3/pcrecompat.3.gz
- x ./opt/local/share/man/man3/pcrecpp.3.gz
- x ./opt/local/share/man/man3/pcredemo.3.gz
- x ./opt/local/share/man/man3/pcrejit.3.gz
- x ./opt/local/share/man/man3/pcrelimits.3.gz
- x ./opt/local/share/man/man3/pcrematching.3.gz
- x ./opt/local/share/man/man3/pcrepartial.3.gz
- x ./opt/local/share/man/man3/pcrepattern.3.gz
- x ./opt/local/share/man/man3/pcreperform.3.gz
- x ./opt/local/share/man/man3/pcreposix.3.gz
- x ./opt/local/share/man/man3/pcreprecompile.3.gz
- x ./opt/local/share/man/man3/pcresample.3.gz
- x ./opt/local/share/man/man3/pcrestack.3.gz
- x ./opt/local/share/man/man3/pcresyntax.3.gz

- x ./opt/local/share/man/man3/pcreunicode.3.gz
- x ./opt/local/share/man/man1/pcre-config.1.gz
- x ./opt/local/share/man/man1/pcregrep.1.gz
- x ./opt/local/share/man/man1/pcretest.1.gz
- x ./opt/local/share/doc/pcre/
- x ./opt/local/share/doc/pcre/AUTHORS
- x ./opt/local/share/doc/pcre/ChangeLog
- x ./opt/local/share/doc/pcre/COPYING
- x ./opt/local/share/doc/pcre/html/
- x ./opt/local/share/doc/pcre/LICENCE
- x ./opt/local/share/doc/pcre/NEWS
- x ./opt/local/share/doc/pcre/pcre-config.txt
- x ./opt/local/share/doc/pcre/pcre.txt
- x ./opt/local/share/doc/pcre/pcregrep.txt
- x ./opt/local/share/doc/pcre/pcretest.txt
- x ./opt/local/share/doc/pcre/README
- x ./opt/local/share/doc/pcre/html/index.html
- x ./opt/local/share/doc/pcre/html/NON-AUTOTOOLS-BUILD.txt
- x ./opt/local/share/doc/pcre/html/pcre-config.html
- x ./opt/local/share/doc/pcre/html/pcre.html
- x ./opt/local/share/doc/pcre/html/pcre16.html
- x ./opt/local/share/doc/pcre/html/pcre32.html
- x ./opt/local/share/doc/pcre/html/pcre_assign_jit_stack.html
- x ./opt/local/share/doc/pcre/html/pcre_compile.html

- x [./opt/local/share/doc/pcre/html/pcre_compile2.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_config.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_copy_named_substring.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_copy_substring.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_dfa_exec.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_exec.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_free_study.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_free_substring.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_free_substring_list.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_fullinfo.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_get_named_substring.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_get_stringnumber.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_get_stringtable_entries.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_get_substring.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_get_substring_list.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_jit_exec.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_jit_stack_alloc.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_jit_stack_free.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_maketables.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_pattern_to_host_byte_order.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_refcount.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_study.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_utf16_to_host_byte_order.html](#)
- x [./opt/local/share/doc/pcre/html/pcre_utf32_to_host_byte_order.html](#)

- x ./opt/local/share/doc/pcre/html/pcre_version.html
- x ./opt/local/share/doc/pcre/html/pcreapi.html
- x ./opt/local/share/doc/pcre/html/pcrebuild.html
- x ./opt/local/share/doc/pcre/html/pcrecallout.html
- x ./opt/local/share/doc/pcre/html/pcrecompat.html
- x ./opt/local/share/doc/pcre/html/pcrecpp.html
- x ./opt/local/share/doc/pcre/html/pcredemo.html
- x ./opt/local/share/doc/pcre/html/pcregrep.html
- x ./opt/local/share/doc/pcre/html/pcrejit.html
- x ./opt/local/share/doc/pcre/html/pcrelimits.html
- x ./opt/local/share/doc/pcre/html/pcrematching.html
- x ./opt/local/share/doc/pcre/html/pcrepartial.html
- x ./opt/local/share/doc/pcre/html/pcrepattern.html
- x ./opt/local/share/doc/pcre/html/pcreperform.html
- x ./opt/local/share/doc/pcre/html/pcreposix.html
- x ./opt/local/share/doc/pcre/html/pcreprecompile.html
- x ./opt/local/share/doc/pcre/html/pcresample.html
- x ./opt/local/share/doc/pcre/html/pcrestack.html
- x ./opt/local/share/doc/pcre/html/pcresyntax.html
- x ./opt/local/share/doc/pcre/html/pcretest.html
- x ./opt/local/share/doc/pcre/html/pcreunicode.html
- x ./opt/local/share/doc/pcre/html/README.txt
- x ./opt/local/lib/libpcre.1.dylib
- x ./opt/local/lib/libpcre.a

- x ./opt/local/lib/libpcre.dylib
- x ./opt/local/lib/libpcre.la
- x ./opt/local/lib/libpcre16.0.dylib
- x ./opt/local/lib/libpcre16.a
- x ./opt/local/lib/libpcre16.dylib
- x ./opt/local/lib/libpcre16.la
- x ./opt/local/lib/libpcre32.0.dylib
- x ./opt/local/lib/libpcre32.a
- x ./opt/local/lib/libpcre32.dylib
- x ./opt/local/lib/libpcre32.la
- x ./opt/local/lib/libpcrecpp.0.dylib
- x ./opt/local/lib/libpcrecpp.a
- x ./opt/local/lib/libpcrecpp.dylib
- x ./opt/local/lib/libpcrecpp.la
- x ./opt/local/lib/libpcreposix.0.dylib
- x ./opt/local/lib/libpcreposix.a
- x ./opt/local/lib/libpcreposix.dylib
- x ./opt/local/lib/libpcreposix.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/libpcre.pc
- x ./opt/local/lib/pkgconfig/libpcre16.pc
- x ./opt/local/lib/pkgconfig/libpcre32.pc
- x ./opt/local/lib/pkgconfig/libpcrecpp.pc
- x ./opt/local/lib/pkgconfig/libpcreposix.pc

```

x ./opt/local/include/pcre.h
x ./opt/local/include/pcre_scanner.h
x ./opt/local/include/pcre_stringpiece.h
x ./opt/local/include/pcrecpp.h
x ./opt/local/include/pcrecpparg.h
x ./opt/local/include/pcreposix.h
x ./opt/local/bin/pcre-config
x ./opt/local/bin/pcregrep
x ./opt/local/bin/pcretest
---> Cleaning pcre
---> Removing work directory for pcre
---> Fetching archive for pkgconfig
---> pkgconfig-0.28_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local
/var/macports/incoming/verified
---> Attempting to fetch pkgconfig-0.28_0.darwin_10.x86_64.tbz2 from http://pac
kages.macports.org/pkgconfig
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
             %                   %              Dload  Upload    Total   Spent    Left   Speed
100 245k 100 245k    0      0 131k      0  0:00:01  0:00:01  --:--:-- 143k
---> Attempting to fetch pkgconfig-0.28_0.darwin_10.x86_64.tbz2.rmd160 from htt
p://packages.macports.org/pkgconfig
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
             %                   %              Dload  Upload    Total   Spent    Left   Speed
102  512 102  512    0      0 1570      0  --:--:--  --:--:--  --:--:-- 3103

```

```
---> Installing pkgconfig @0.28_0
---> Activating pkgconfig @0.28_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/aclocal/
x ./opt/local/share/doc/
x ./opt/local/share/man/
x ./opt/local/share/pkgconfig/
x ./opt/local/share/pkgconfig/.turd_pkgconfig
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man1/pkg-config.1.gz
x ./opt/local/share/doc/pkgconfig/
x ./opt/local/share/doc/pkgconfig/AUTHORS
x ./opt/local/share/doc/pkgconfig/COPYING
x ./opt/local/share/doc/pkgconfig/NEWS
```

```

x ./opt/local/share/doc/pkgconfig/pkg-config-guide.html
x ./opt/local/share/doc/pkgconfig/README
x ./opt/local/share/aclocal/pkg.m4
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/.turd_pkgconfig
x ./opt/local/bin/pkg-config
---> Cleaning pkgconfig
---> Removing work directory for pkgconfig
---> Fetching archive for xorg-renderproto
---> xorg-renderproto-0.11.1_0.darwin_10.noarch.tbz2 doesn't seem to exist in /
opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-renderproto-0.11.1_0.darwin_10.noarch.tbz2 from h
http://packages.macports.org/xorg-renderproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                          Dload  Upload   Total     Spent    Left     Speed
100 16241  100 16241    0     0  21806      0  --:--:--  --:--:--  --:--:--  27857
---> Attempting to fetch xorg-renderproto-0.11.1_0.darwin_10.noarch.tbz2.rmd160
from http://packages.macports.org/xorg-renderproto
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                          Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0     0   1496      0  --:--:--  --:--:--  --:--:--  2959
---> Installing xorg-renderproto @0.11.1_0
---> Activating xorg-renderproto @0.11.1_0
x ./

```

```
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/doc/renderproto/
x ./opt/local/share/doc/renderproto/renderproto.txt
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/renderproto.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/extensions/
x ./opt/local/include/X11/extensions/render.h
x ./opt/local/include/X11/extensions/renderproto.h
---> Cleaning xorg-renderproto
---> Removing work directory for xorg-renderproto
---> Fetching archive for xrender
---> xrender-0.9.8_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified
```


---> Attempting to fetch xrender-0.9.8_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xrender

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
100	39709	100	39709	0	0	37276	0	0:00:01	0:00:01	--:--:--	44268

---> Attempting to fetch xrender-0.9.8_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/xrender

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1437	0	--:--:--	--:--:--	--:--:--	2892

---> Installing xrender @0.9.8_0

---> Activating xrender @0.9.8_0

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/doc/
```

```
x ./opt/local/share/doc/libXrender/  
x ./opt/local/share/doc/xrender/  
x ./opt/local/share/doc/xrender/AUTHORS  
x ./opt/local/share/doc/xrender/ChangeLog  
x ./opt/local/share/doc/xrender/COPYING  
x ./opt/local/share/doc/xrender/README  
x ./opt/local/share/doc/libXrender/libXrender.txt  
x ./opt/local/lib/libXrender.1.dylib  
x ./opt/local/lib/libXrender.a  
x ./opt/local/lib/libXrender.dylib  
x ./opt/local/lib/libXrender.la  
x ./opt/local/lib/pkgconfig/  
x ./opt/local/lib/pkgconfig/xrender.pc  
x ./opt/local/include/X11/  
x ./opt/local/include/X11/extensions/  
x ./opt/local/include/X11/extensions/Xrender.h  
---> Cleaning xrender  
---> Removing work directory for xrender  
---> Fetching archive for Xft2  
---> Xft2-2.3.1_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var  
/macports/incoming/verified  
---> Attempting to fetch Xft2-2.3.1_0.darwin_10.x86_64.tbz2 from http://package  
s.macports.org/Xft2  
% Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
```

```
100 70867 100 70867 0 0 Dload Upload Total Spent Left Speed
54235 0 0:00:01 0:00:01 --:--:-- 62437
---> Attempting to fetch Xft2-2.3.1_0.darwin_10.x86_64.tbz2.rmd160 from http://
packages.macports.org/Xft2
```

```
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
102 512 102 512 0 0 1593 0 --:--:-- --:--:-- --:--:-- 3141
```

```
---> Installing Xft2 @2.3.1_0
```

```
---> Activating Xft2 @2.3.1_0
```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/Xft.3.gz
x ./opt/local/lib/libXft.2.dylib
```

```

x ./opt/local/lib/libXft.a
x ./opt/local/lib/libXft.dylib
x ./opt/local/lib/libXft.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xft.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/Xft/
x ./opt/local/include/X11/Xft/Xft.h
x ./opt/local/include/X11/Xft/XftCompat.h
---> Cleaning Xft2
---> Removing work directory for Xft2
---> Fetching archive for xorg-util-macros
---> xorg-util-macros-1.17.1_0.darwin_10.noarch.tbz2 doesn't seem to exist in /
opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-util-macros-1.17.1_0.darwin_10.noarch.tbz2 from h
ttp://packages.macports.org/xorg-util-macros
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                   Dload  Upload   Total     Spent    Left     Speed
100 20298  100 20298    0     0 24444      0 --:--:-- --:--:-- --:--:-- 30615
---> Attempting to fetch xorg-util-macros-1.17.1_0.darwin_10.noarch.tbz2.rmd160
from http://packages.macports.org/xorg-util-macros
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                   Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0     0  1581      0 --:--:-- --:--:-- --:--:--  3103

```

```
---> Installing xorg-util-macros @1.17.1_0
---> Activating xorg-util-macros @1.17.1_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/share/
x ./opt/local/share/aclocal/
x ./opt/local/share/pkgconfig/
x ./opt/local/share/util-macros/
x ./opt/local/share/util-macros/INSTALL
x ./opt/local/share/pkgconfig/xorg-macros.pc
x ./opt/local/share/aclocal/xorg-macros.m4
---> Cleaning xorg-util-macros
---> Removing work directory for xorg-util-macros
---> Fetching archive for xorg-libXcursor
---> xorg-libXcursor-1.1.14_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXcursor-1.1.14_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xorg-libXcursor
```

```

% Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
           Dload  Upload  Total      Spent    Left     Speed
0          0          0          0          0          0  --:--:--  --:--:--  --:--:--    0
---> Attempting to fetch xorg-libXcursor-1.1.14_0.darwin_10.x86_64.tbz2 from ht
tp://mse.uk.packages.macports.org/sites/packages.macports.org/xorg-libXcursor
% Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
           Dload  Upload  Total      Spent    Left     Speed
0          0          0          0          0          0  --:--:--  --:--:--  --:--:--    0
---> Attempting to fetch xorg-libXcursor-1.1.14_0.darwin_10.x86_64.tbz2 from ht
tp://lil.fr.packages.macports.org/xorg-libXcursor
% Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
           Dload  Upload  Total      Spent    Left     Speed
0          0          0          0          0          0  --:--:--  --:--:--  --:--:--    0
---> Fetching distfiles for xorg-libXcursor
---> libXcursor-1.1.14.tar.bz2 doesn't seem to exist in /opt/local/var/macports
/distfiles/xorg-libXcursor
---> Attempting to fetch libXcursor-1.1.14.tar.bz2 from ftp://ftp.x.org/pub/ind
ividual/lib/
% Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
           Dload  Upload  Total      Spent    Left     Speed
100 304k 100 304k    0          0 21610          0 0:00:14 0:00:14 --:--:-- 172k
---> Verifying checksums for xorg-libXcursor
---> Checksumming libXcursor-1.1.14.tar.bz2
---> Extracting xorg-libXcursor

```

```
---> Extracting libXcursor-1.1.14.tar.bz2
---> Configuring xorg-libXcursor
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... ./install-sh -c -d
checking for gawk... no
checking for mawk... no
checking for nawk... no
checking for awk... awk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking whether to enable maintainer-specific portions of Makefiles... no
checking build system type... x86_64-apple-darwin10.8.0
checking host system type... x86_64-apple-darwin10.8.0
checking how to print strings... printf
checking for style of include used by make... GNU
checking for gcc... /usr/bin/gcc-4.2
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether /usr/bin/gcc-4.2 accepts -g... yes
```

checking for /usr/bin/gcc-4.2 option to accept ISO C89... none needed
checking dependency style of /usr/bin/gcc-4.2... gcc3
checking for a sed that does not truncate output... /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for fgrep... /usr/bin/grep -F
checking for ld used by /usr/bin/gcc-4.2... /usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) is GNU ld
... no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm
checking the name lister (/usr/bin/nm) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 196608
checking whether the shell understands some XSI constructs... yes
checking whether the shell understands "+="... yes
checking how to convert x86_64-apple-darwin10.8.0 file names to x86_64-apple-darwin10.8.0 format... func_convert_file_noop
checking how to convert x86_64-apple-darwin10.8.0 file names to toolchain format
... func_convert_file_noop
checking for /usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld option to reload object files... -r
checking for objdump... no
checking how to recognize dependent libraries... pass_all

checking for dlltool... no
checking how to associate runtime and link libraries... printf %s\n
checking for ar... ar
checking for archiver @FILE support... no
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm output from /usr/bin/gcc-4.2 object... ok
checking for sysroot... no
checking for mt... no
checking if : is a manifest tool... no
checking for dsymutil... dsymutil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... yes
checking for -exported_symbols_list linker flag... yes
checking for -force_load linker flag... yes
checking how to run the C preprocessor... /usr/bin/gcc-4.2 -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes

checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking for dlfcn.h... yes
checking for objdir... .libs
checking if /usr/bin/gcc-4.2 supports -fno-rtti -fno-exceptions... no
checking for /usr/bin/gcc-4.2 option to produce PIC... -fno-common -DPIC
checking if /usr/bin/gcc-4.2 PIC flag -fno-common -DPIC works... yes
checking if /usr/bin/gcc-4.2 static flag -static works... no
checking if /usr/bin/gcc-4.2 supports -c -o file.o... yes
checking if /usr/bin/gcc-4.2 supports -c -o file.o... (cached) yes
checking whether the /usr/bin/gcc-4.2 linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin10.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... yes
checking for /usr/bin/gcc-4.2 option to accept ISO C99... -std=gnu99
checking whether __clang__ is declared... no
checking whether __INTEL_COMPILER is declared... no

checking whether __SUNPRO_C is declared... no
checking for pkg-config... /opt/local/bin/pkg-config
checking pkg-config is at least version 0.9.0... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=unknown-warning-option..
.. no
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=unused-command-line-arg
ument... no
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wall... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wpointer-arith... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wmissing-declarations... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wformat=2... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wstrict-prototypes... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wmissing-prototypes... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wnested-externs... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wbad-function-cast... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wold-style-definition... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wdeclaration-after-statement..
. yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wunused... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wuninitialized... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wshadow... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wcast-qual... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wmissing-noreturn... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wmissing-format-attribute... y

```
es
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Wredundant-decls... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=implicit... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=nonnull... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=init-self... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=main... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=missing-braces... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=sequence-point... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=return-type... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=trigraphs... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=array-bounds... no
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=write-strings... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=address... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=int-to-pointer-cast...
yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=pointer-to-int-cast...
yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -pedantic... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror... yes
checking if /usr/bin/gcc-4.2 -std=gnu99 supports -Werror=attributes... yes
checking whether make supports nested variables... (cached) yes
checking for XCURSOR... yes
checking that generated files are newer than configure... done
configure: creating ./config.status
```

```
config.status: creating Makefile
config.status: creating src/Makefile
config.status: creating man/Makefile
config.status: creating xcursor.pc
config.status: creating config.h
config.status: creating include/X11/Xcursor/Xcursor.h
config.status: include/X11/Xcursor/Xcursor.h is unchanged
config.status: executing depfiles commands
config.status: executing libtool commands
---> Building xorg-libXcursor
make: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_
sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXc
ursor/work/libXcursor-1.1.14'
/usr/bin/make all-recursive
make[1]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-li
bXcursor/work/libXcursor-1.1.14'
Making all in src
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-li
bXcursor/work/libXcursor-1.1.14/src'
CC      cursor.lo
CC      display.lo
CC      file.lo
```

```
CC      library.lo
CC      xlib.lo
CCLD    libXcursor.la
```

```
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-lib
Xcursor/work/libXcursor-1.1.14/src'
```

```
Making all in man
```

```
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-li
bXcursor/work/libXcursor-1.1.14/man'
```

```
GEN     Xcursor.3
GEN     XcursorImageCreate.3
GEN     XcursorImageDestroy.3
GEN     XcursorImagesCreate.3
GEN     XcursorImagesDestroy.3
GEN     XcursorCursorsCreate.3
GEN     XcursorCursorsDestroy.3
GEN     XcursorXcFileLoadImage.3
GEN     XcursorXcFileLoadImages.3
GEN     XcursorXcFileLoadAllImages.3
GEN     XcursorXcFileLoad.3
GEN     XcursorXcFileSave.3
GEN     XcursorFilenameLoadImage.3
GEN     XcursorFilenameLoadImages.3
```

GEN XcursorFilenameLoadAllImages.3
GEN XcursorFilenameLoad.3
GEN XcursorFilenameSaveImages.3
GEN XcursorFilenameSave.3
GEN XcursorLibraryLoadImage.3
GEN XcursorLibraryLoadImages.3
GEN XcursorFilenameLoadCursor.3
GEN XcursorLibraryLoadCursor.3
GEN XcursorLibraryLoadCursors.3
GEN XcursorShapeLoadImage.3
GEN XcursorShapeLoadImages.3
GEN XcursorShapeLoadCursor.3
GEN XcursorShapeLoadCursors.3
GEN XcursorSupportsARGB.3
GEN XcursorSetDefaultSize.3
GEN XcursorGetDefaultSize.3
GEN XcursorSetTheme.3
GEN XcursorGetTheme.3

make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14/man'

make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14'

```
make[2]: Nothing to be done for `all-am'.
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14'
make[1]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14'
make: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14'
---> Staging xorg-libXcursor into destroot
. changed
    gid expected 0 found 80 modified
./usr missing (created)
. missing (directory not created: File exists)
./Applications missing (created)
./Developer missing (created)
./Library missing (created)
. changed
    gid expected 80 found 0 modified
./bin missing (created)
./etc missing (created)
./include missing (created)
./lib missing (created)
```


./lib/pkgconfig missing (created)
./libexec missing (created)
./sbin missing (created)
./share missing (created)
./share/info missing (created)
./share/man missing (created)
./share/man/cat1 missing (created)
./share/man/cat2 missing (created)
./share/man/cat3 missing (created)
./share/man/cat4 missing (created)
./share/man/cat5 missing (created)
./share/man/cat6 missing (created)
./share/man/cat7 missing (created)
./share/man/cat8 missing (created)
./share/man/cat9 missing (created)
./share/man/catl missing (created)
./share/man/catn missing (created)
./share/man/man1 missing (created)
./share/man/man2 missing (created)
./share/man/man3 missing (created)
./share/man/man4 missing (created)
./share/man/man5 missing (created)
./share/man/man6 missing (created)
./share/man/man7 missing (created)

./share/man/man8 missing (created)
./share/man/man9 missing (created)
./share/man/man1 missing (created)
./share/man/mann missing (created)
./share/nls missing (created)
./share/nls/C missing (created)
./share/nls/af_ZA.ISO8859-1 missing (created)
./share/nls/af_ZA.ISO8859-15 missing (created)
./share/nls/bg_BG.CP1251 missing (created)
./share/nls/cs_CZ.ISO8859-2 missing (created)
./share/nls/da_DK.ISO8859-1 missing (created)
./share/nls/da_DK.ISO8859-15 missing (created)
./share/nls/de_AT.ISO8859-1 missing (created)
./share/nls/de_AT.ISO8859-15 missing (created)
./share/nls/de_CH.ISO8859-1 missing (created)
./share/nls/de_CH.ISO8859-15 missing (created)
./share/nls/de_DE.ISO8859-1 missing (created)
./share/nls/de_DE.ISO8859-15 missing (created)
./share/nls/el_GR.ISO8859-7 missing (created)
./share/nls/en_AU.ISO8859-1 missing (created)
./share/nls/en_AU.ISO8859-15 missing (created)
./share/nls/en_AU.US-ASCII missing (created)
./share/nls/en_CA.ISO8859-1 missing (created)
./share/nls/en_CA.ISO8859-15 missing (created)

./share/nls/en_CA.US-ASCII missing (created)
./share/nls/en_GB.ISO8859-1 missing (created)
./share/nls/en_GB.ISO8859-15 missing (created)
./share/nls/en_GB.US-ASCII missing (created)
./share/nls/en_NZ.ISO8859-1 missing (created)
./share/nls/en_NZ.ISO8859-15 missing (created)
./share/nls/en_NZ.US-ASCII missing (created)
./share/nls/en_US.ISO8859-1 missing (created)
./share/nls/en_US.ISO8859-15 missing (created)
./share/nls/es_ES.ISO8859-1 missing (created)
./share/nls/es_ES.ISO8859-15 missing (created)
./share/nls/et_EE.ISO8859-15 missing (created)
./share/nls/fi_FI.ISO8859-1 missing (created)
./share/nls/fi_FI.ISO8859-15 missing (created)
./share/nls/fr_BE.ISO8859-1 missing (created)
./share/nls/fr_BE.ISO8859-15 missing (created)
./share/nls/fr_CA.ISO8859-1 missing (created)
./share/nls/fr_CA.ISO8859-15 missing (created)
./share/nls/fr_CH.ISO8859-1 missing (created)
./share/nls/fr_CH.ISO8859-15 missing (created)
./share/nls/fr_FR.ISO8859-1 missing (created)
./share/nls/fr_FR.ISO8859-15 missing (created)
./share/nls/hi_IN.ISCII-DEV missing (created)
./share/nls/hr_HR.ISO8859-2 missing (created)

./share/nls/hu_HU.IS08859-2 missing (created)
./share/nls/is_IS.IS08859-1 missing (created)
./share/nls/is_IS.IS08859-15 missing (created)
./share/nls/it_CH.IS08859-1 missing (created)
./share/nls/it_CH.IS08859-15 missing (created)
./share/nls/it_IT.IS08859-1 missing (created)
./share/nls/it_IT.IS08859-15 missing (created)
./share/nls/ja_JP.SJIS missing (created)
./share/nls/ja_JP.eucJP missing (created)
./share/nls/ko_KR.eucKR missing (created)
./share/nls/la_LN.IS08859-1 missing (created)
./share/nls/la_LN.IS08859-15 missing (created)
./share/nls/la_LN.IS08859-2 missing (created)
./share/nls/la_LN.IS08859-4 missing (created)
./share/nls/la_LN.US-ASCII missing (created)
./share/nls/lt_LT.IS08859-4 missing (created)
./share/nls/nl_BE.IS08859-1 missing (created)
./share/nls/nl_BE.IS08859-15 missing (created)
./share/nls/nl_NL.IS08859-1 missing (created)
./share/nls/nl_NL.IS08859-15 missing (created)
./share/nls/no_NO.IS08859-1 missing (created)
./share/nls/no_NO.IS08859-15 missing (created)
./share/nls/pl_PL.IS08859-2 missing (created)
./share/nls/pt_BR.IS08859-1 missing (created)

```
./share/nls/pt_PT.ISO8859-1 missing (created)
./share/nls/pt_PT.ISO8859-15 missing (created)
./share/nls/ro_RO.ISO8859-2 missing (created)
./share/nls/ru_RU.CP866 missing (created)
./share/nls/ru_RU.ISO8859-5 missing (created)
./share/nls/ru_RU.KOI8-R missing (created)
./share/nls/sk_SK.ISO8859-2 missing (created)
./share/nls/sl_SI.ISO8859-2 missing (created)
./share/nls/sv_SE.ISO8859-1 missing (created)
./share/nls/sv_SE.ISO8859-15 missing (created)
./share/nls/tr_TR.ISO8859-9 missing (created)
./share/nls/uk_UA.ISO8859-5 missing (created)
./share/nls/uk_UA.KOI8-U missing (created)
./share/nls/zh_CN.eucCN missing (created)
./share/nls/zh_TW.Big5 missing (created)
./share/skel missing (created)
./src missing (created)
./var missing (created)
./www missing (created)
make: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_
sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXc
ursor/work/libXcursor-1.1.14'
Making install in src
make[1]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
```

```
ts_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14/src'
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14/src'
.././install-sh -c -d '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/lib'
/bin/sh ../libtool --mode=install /usr/bin/install -c libXcursor.la '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/lib'
libtool: install: /usr/bin/install -c .libs/libXcursor.1.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/lib/libXcursor.1.dylib
libtool: install: (cd /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/lib && { ln -s -f libXcursor.1.dylib libXcursor.dylib || { rm -f libXcursor.dylib && ln -s libXcursor.1.dylib libXcursor.dylib; }; })
libtool: install: /usr/bin/install -c .libs/libXcursor.lai /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/lib/libXcursor.la
libtool: install: /usr/bin/install -c .libs/libXcursor.a /opt/local/var/macports
```

```
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/lib/libXcursor.a
libtool: install: chmod 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/lib/libXcursor.a
libtool: install: ranlib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/lib/libXcursor.a
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
  .././install-sh -c -d '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/include/X11/Xcursor'
  /usr/bin/install -c -m 644 ../include/X11/Xcursor/Xcursor.h '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/include/X11/Xcursor'
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14/src'
make[1]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14/src'
Making install in man
make[1]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
```

```
ts_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14/man'
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14/man'
make[2]: Nothing to be done for `install-exec-am'.
  .././install-sh -c -d '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/share/man/man3'
  /usr/bin/install -c -m 644 Xcursor.3 XcursorImageCreate.3 XcursorImageDestroy.3 XcursorImagesCreate.3 XcursorImagesDestroy.3 XcursorCursorsCreate.3 XcursorCursorsDestroy.3 XcursorXcFileLoadImage.3 XcursorXcFileLoadImages.3 XcursorXcFileLoadAllImages.3 XcursorXcFileLoad.3 XcursorXcFileSave.3 XcursorFilenameLoadImage.3 XcursorFilenameLoadImages.3 XcursorFilenameLoadAllImages.3 XcursorFilenameLoad.3 XcursorFilenameSaveImages.3 XcursorFilenameSave.3 XcursorLibraryLoadImage.3 XcursorLibraryLoadImages.3 XcursorFilenameLoadCursor.3 XcursorLibraryLoadCursor.3 XcursorLibraryLoadCursors.3 XcursorShapeLoadImage.3 XcursorShapeLoadImages.3 XcursorShapeLoadCursor.3 XcursorShapeLoadCursors.3 XcursorSupportsARGB.3 XcursorSetDefaultSize.3 XcursorGetDefaultSize.3 XcursorSetTheme.3 XcursorGetTheme.3 '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/destroot/opt/local/share/man/man3'
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-lib
```



```
Xcursor/work/libXcursor-1.1.14/man'
make[1]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-lib
Xcursor/work/libXcursor-1.1.14/man'
make[1]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-li
bXcursor/work/libXcursor-1.1.14'
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-li
bXcursor/work/libXcursor-1.1.14'
make[2]: Nothing to be done for `install-exec-am'.
./install-sh -c -d '/opt/local/var/macports/build/_opt_local_var_macports_sourc
es_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor
/work/destroot/opt/local/lib/pkgconfig'
/usr/bin/install -c -m 644 xcursor.pc '/opt/local/var/macports/build/_opt_local
_var_macports_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcur
sor/xorg-libXcursor/work/destroot/opt/local/lib/pkgconfig'
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-lib
Xcursor/work/libXcursor-1.1.14'
make[1]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-lib
Xcursor/work/libXcursor-1.1.14'
make: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_s
```

ources_rsync.macports.org_release_tarballs_ports_x11_xorg-libXcursor/xorg-libXcursor/work/libXcursor-1.1.14'

---> Compressing man pages for xorg-libXcursor

man3/Xcursor.3: 67.3% -- replaced with man3/Xcursor.3.gz

man3/Xcursor.3.gz: changing permissions from 00644 to 00444

man3/XcursorCursorsCreate.3: 31.6% -- replaced with man3/XcursorCursorsCreate.3.gz

man3/XcursorCursorsCreate.3.gz: changing permissions from 00644 to 00444

man3/XcursorCursorsDestroy.3: 31.6% -- replaced with man3/XcursorCursorsDestroy.3.gz

man3/XcursorCursorsDestroy.3.gz: changing permissions from 00644 to 00444

man3/XcursorFilenameLoad.3: 31.6% -- replaced with man3/XcursorFilenameLoad.3.gz

man3/XcursorFilenameLoad.3.gz: changing permissions from 00644 to 00444

man3/XcursorFilenameLoadAllImages.3: 31.6% -- replaced with man3/XcursorFilenameLoadAllImages.3.gz

man3/XcursorFilenameLoadAllImages.3.gz: changing permissions from 00644 to 00444

man3/XcursorFilenameLoadCursor.3: 31.6% -- replaced with man3/XcursorFilenameLoadCursor.3.gz

man3/XcursorFilenameLoadCursor.3.gz: changing permissions from 00644 to 00444

man3/XcursorFilenameLoadImage.3: 31.6% -- replaced with man3/XcursorFilenameLoadImage.3.gz

man3/XcursorFilenameLoadImage.3.gz: changing permissions from 00644 to 00444

man3/XcursorFilenameLoadImages.3: 31.6% -- replaced with man3/XcursorFilenameLoadImages.3.gz

nameLoadImages.3.gz

man3/XcursorFilenameLoadImages.3.gz: changing permissions from 00644 to 00444

man3/XcursorFilenameSave.3: 31.6% -- replaced with man3/XcursorFilenameSave.3.gz

man3/XcursorFilenameSave.3.gz: changing permissions from 00644 to 00444

man3/XcursorFilenameSaveImages.3: 31.6% -- replaced with man3/XcursorFilenameSaveImages.3.gz

man3/XcursorFilenameSaveImages.3.gz: changing permissions from 00644 to 00444

man3/XcursorGetDefaultSize.3: 31.6% -- replaced with man3/XcursorGetDefaultSize.3.gz

man3/XcursorGetDefaultSize.3.gz: changing permissions from 00644 to 00444

man3/XcursorGetTheme.3: 31.6% -- replaced with man3/XcursorGetTheme.3.gz

man3/XcursorGetTheme.3.gz: changing permissions from 00644 to 00444

man3/XcursorImageCreate.3: 31.6% -- replaced with man3/XcursorImageCreate.3.gz

man3/XcursorImageCreate.3.gz: changing permissions from 00644 to 00444

man3/XcursorImageDestroy.3: 31.6% -- replaced with man3/XcursorImageDestroy.3.gz

man3/XcursorImageDestroy.3.gz: changing permissions from 00644 to 00444

man3/XcursorImagesCreate.3: 31.6% -- replaced with man3/XcursorImagesCreate.3.gz

man3/XcursorImagesCreate.3.gz: changing permissions from 00644 to 00444

man3/XcursorImagesDestroy.3: 31.6% -- replaced with man3/XcursorImagesDestroy.3.gz

man3/XcursorImagesDestroy.3.gz: changing permissions from 00644 to 00444
man3/XcursorLibraryLoadCursor.3: 31.6% -- replaced with man3/XcursorLibraryLoadCursor.3.gz
man3/XcursorLibraryLoadCursor.3.gz: changing permissions from 00644 to 00444
man3/XcursorLibraryLoadCursors.3: 31.6% -- replaced with man3/XcursorLibraryLoadCursors.3.gz
man3/XcursorLibraryLoadCursors.3.gz: changing permissions from 00644 to 00444
man3/XcursorLibraryLoadImage.3: 31.6% -- replaced with man3/XcursorLibraryLoadImage.3.gz
man3/XcursorLibraryLoadImage.3.gz: changing permissions from 00644 to 00444
man3/XcursorLibraryLoadImages.3: 31.6% -- replaced with man3/XcursorLibraryLoadImages.3.gz
man3/XcursorLibraryLoadImages.3.gz: changing permissions from 00644 to 00444
man3/XcursorSetDefaultSize.3: 31.6% -- replaced with man3/XcursorSetDefaultSize.3.gz
man3/XcursorSetDefaultSize.3.gz: changing permissions from 00644 to 00444
man3/XcursorSetTheme.3: 31.6% -- replaced with man3/XcursorSetTheme.3.gz
man3/XcursorSetTheme.3.gz: changing permissions from 00644 to 00444
man3/XcursorShapeLoadCursor.3: 31.6% -- replaced with man3/XcursorShapeLoadCursor.3.gz
man3/XcursorShapeLoadCursor.3.gz: changing permissions from 00644 to 00444
man3/XcursorShapeLoadCursors.3: 31.6% -- replaced with man3/XcursorShapeLoadCursors.3.gz
man3/XcursorShapeLoadCursors.3.gz: changing permissions from 00644 to 00444

man3/XcursorShapeLoadImage.3: 31.6% -- replaced with man3/XcursorShapeLoadImage.3.gz
man3/XcursorShapeLoadImage.3.gz: changing permissions from 00644 to 00444
man3/XcursorShapeLoadImages.3: 31.6% -- replaced with man3/XcursorShapeLoadImages.3.gz
man3/XcursorShapeLoadImages.3.gz: changing permissions from 00644 to 00444
man3/XcursorSupportsARGB.3: 31.6% -- replaced with man3/XcursorSupportsARGB.3.gz
man3/XcursorSupportsARGB.3.gz: changing permissions from 00644 to 00444
man3/XcursorXcFileLoad.3: 31.6% -- replaced with man3/XcursorXcFileLoad.3.gz
man3/XcursorXcFileLoad.3.gz: changing permissions from 00644 to 00444
man3/XcursorXcFileLoadAllImages.3: 31.6% -- replaced with man3/XcursorXcFileLoadAllImages.3.gz
man3/XcursorXcFileLoadAllImages.3.gz: changing permissions from 00644 to 00444
man3/XcursorXcFileLoadImage.3: 31.6% -- replaced with man3/XcursorXcFileLoadImage.3.gz
man3/XcursorXcFileLoadImage.3.gz: changing permissions from 00644 to 00444
man3/XcursorXcFileLoadImages.3: 31.6% -- replaced with man3/XcursorXcFileLoadImages.3.gz
man3/XcursorXcFileLoadImages.3.gz: changing permissions from 00644 to 00444
man3/XcursorXcFileSave.3: 31.6% -- replaced with man3/XcursorXcFileSave.3.gz
man3/XcursorXcFileSave.3.gz: changing permissions from 00644 to 00444

---> Installing xorg-libXcursor @1.1.14_0

```
a .
a ./+COMMENT
a ./+CONTENTS
a ./+DESC
a ./+PORTFILE
a ./+STATE
a ./opt
a ./opt/local
a ./opt/local/include
a ./opt/local/lib
a ./opt/local/share
a ./opt/local/share/man
a ./opt/local/share/man/man3
a ./opt/local/share/man/man3/Xcursor.3.gz
a ./opt/local/share/man/man3/XcursorCursorsCreate.3.gz
a ./opt/local/share/man/man3/XcursorCursorsDestroy.3.gz
a ./opt/local/share/man/man3/XcursorFilenameLoad.3.gz
a ./opt/local/share/man/man3/XcursorFilenameLoadAllImages.3.gz
a ./opt/local/share/man/man3/XcursorFilenameLoadCursor.3.gz
a ./opt/local/share/man/man3/XcursorFilenameLoadImage.3.gz
a ./opt/local/share/man/man3/XcursorFilenameLoadImages.3.gz
a ./opt/local/share/man/man3/XcursorFilenameSave.3.gz
a ./opt/local/share/man/man3/XcursorFilenameSaveImages.3.gz
```

a ./opt/local/share/man/man3/XcursorGetDefaultSize.3.gz
a ./opt/local/share/man/man3/XcursorGetTheme.3.gz
a ./opt/local/share/man/man3/XcursorImageCreate.3.gz
a ./opt/local/share/man/man3/XcursorImageDestroy.3.gz
a ./opt/local/share/man/man3/XcursorImagesCreate.3.gz
a ./opt/local/share/man/man3/XcursorImagesDestroy.3.gz
a ./opt/local/share/man/man3/XcursorLibraryLoadCursor.3.gz
a ./opt/local/share/man/man3/XcursorLibraryLoadCursors.3.gz
a ./opt/local/share/man/man3/XcursorLibraryLoadImage.3.gz
a ./opt/local/share/man/man3/XcursorLibraryLoadImages.3.gz
a ./opt/local/share/man/man3/XcursorSetDefaultSize.3.gz
a ./opt/local/share/man/man3/XcursorSetTheme.3.gz
a ./opt/local/share/man/man3/XcursorShapeLoadCursor.3.gz
a ./opt/local/share/man/man3/XcursorShapeLoadCursors.3.gz
a ./opt/local/share/man/man3/XcursorShapeLoadImage.3.gz
a ./opt/local/share/man/man3/XcursorShapeLoadImages.3.gz
a ./opt/local/share/man/man3/XcursorSupportsARGB.3.gz
a ./opt/local/share/man/man3/XcursorXcFileLoad.3.gz
a ./opt/local/share/man/man3/XcursorXcFileLoadAllImages.3.gz
a ./opt/local/share/man/man3/XcursorXcFileLoadImage.3.gz
a ./opt/local/share/man/man3/XcursorXcFileLoadImages.3.gz
a ./opt/local/share/man/man3/XcursorXcFileSave.3.gz
a ./opt/local/lib/libXcursor.1.dylib
a ./opt/local/lib/libXcursor.a

```
a ./opt/local/lib/libXcursor.dylib
a ./opt/local/lib/libXcursor.la
a ./opt/local/lib/pkgconfig
a ./opt/local/lib/pkgconfig/xcursor.pc
a ./opt/local/include/X11
a ./opt/local/include/X11/Xcursor
a ./opt/local/include/X11/Xcursor/Xcursor.h
--> Activating xorg-libXcursor @1.1.14_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/Xcursor.3.gz
x ./opt/local/share/man/man3/XcursorCursorsCreate.3.gz
x ./opt/local/share/man/man3/XcursorCursorsDestroy.3.gz
```


x ./opt/local/share/man/man3/XcursorFilenameLoad.3.gz
x ./opt/local/share/man/man3/XcursorFilenameLoadAllImages.3.gz
x ./opt/local/share/man/man3/XcursorFilenameLoadCursor.3.gz
x ./opt/local/share/man/man3/XcursorFilenameLoadImage.3.gz
x ./opt/local/share/man/man3/XcursorFilenameLoadImages.3.gz
x ./opt/local/share/man/man3/XcursorFilenameSave.3.gz
x ./opt/local/share/man/man3/XcursorFilenameSaveImages.3.gz
x ./opt/local/share/man/man3/XcursorGetDefaultSize.3.gz
x ./opt/local/share/man/man3/XcursorGetTheme.3.gz
x ./opt/local/share/man/man3/XcursorImageCreate.3.gz
x ./opt/local/share/man/man3/XcursorImageDestroy.3.gz
x ./opt/local/share/man/man3/XcursorImagesCreate.3.gz
x ./opt/local/share/man/man3/XcursorImagesDestroy.3.gz
x ./opt/local/share/man/man3/XcursorLibraryLoadCursor.3.gz
x ./opt/local/share/man/man3/XcursorLibraryLoadCursors.3.gz
x ./opt/local/share/man/man3/XcursorLibraryLoadImage.3.gz
x ./opt/local/share/man/man3/XcursorLibraryLoadImages.3.gz
x ./opt/local/share/man/man3/XcursorSetDefaultSize.3.gz
x ./opt/local/share/man/man3/XcursorSetTheme.3.gz
x ./opt/local/share/man/man3/XcursorShapeLoadCursor.3.gz
x ./opt/local/share/man/man3/XcursorShapeLoadCursors.3.gz
x ./opt/local/share/man/man3/XcursorShapeLoadImage.3.gz
x ./opt/local/share/man/man3/XcursorShapeLoadImages.3.gz
x ./opt/local/share/man/man3/XcursorSupportsARGB.3.gz

```

x ./opt/local/share/man/man3/XcursorXcFileLoad.3.gz
x ./opt/local/share/man/man3/XcursorXcFileLoadAllImages.3.gz
x ./opt/local/share/man/man3/XcursorXcFileLoadImage.3.gz
x ./opt/local/share/man/man3/XcursorXcFileLoadImages.3.gz
x ./opt/local/share/man/man3/XcursorXcFileSave.3.gz
x ./opt/local/lib/libXcursor.1.dylib
x ./opt/local/lib/libXcursor.a
x ./opt/local/lib/libXcursor.dylib
x ./opt/local/lib/libXcursor.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xcursor.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/Xcursor/
x ./opt/local/include/X11/Xcursor/Xcursor.h
---> Cleaning xorg-libXcursor
---> Removing work directory for xorg-libXcursor
---> Fetching archive for xorg-xineramaproto
---> xorg-xineramaproto-1.2.1_0.darwin_10.noarch.tbz2 doesn't seem to exist in
/opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-xineramaproto-1.2.1_0.darwin_10.noarch.tbz2 from
http://packages.macports.org/xorg-xineramaproto
  % Total      % Received % Xferd   Average Speed   Time    Time       Time  Current
                   % Dload  % Upload   Dload  Upload   Total   Spent    Left   Speed
100  3010  100  3010    0     0   9760      0  --:--:--  --:--:--  --:--:-- 19050

```

---> Attempting to fetch xorg-xineramaproto-1.2.1_0.darwin_10.noarch.tbz2.rmd16
0 from <http://packages.macports.org/xorg-xineramaproto>

% Total	% Received	% Xferd	Average Dload	Average Upload	Speed	Time Total	Time Spent	Time Left	Current Speed	
102	512	102	512	0	0	1667	0	--:--:--	--:--:--	3261

---> Installing xorg-xineramaproto @1.2.1_0

---> Activating xorg-xineramaproto @1.2.1_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/lib/pkgconfig/

x ./opt/local/lib/pkgconfig/xineramaproto.pc

x ./opt/local/include/X11/

x ./opt/local/include/X11/extensions/

x ./opt/local/include/X11/extensions/panoramiXproto.h

---> Cleaning xorg-xineramaproto

---> Removing work directory for xorg-xineramaproto

```
---> Fetching archive for xorg-libXinerama
---> xorg-libXinerama-1.1.3_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXinerama-1.1.3_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/xorg-libXinerama
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current
			Dload	Upload	Total	Spent	Left	Speed
100	11270	100	11270	0	0	18204	0	--:--:-- --:--:-- --:--:-- 24236

```
---> Attempting to fetch xorg-libXinerama-1.1.3_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/xorg-libXinerama
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current
			Dload	Upload	Total	Spent	Left	Speed
102	512	102	512	0	0	1714	0	--:--:-- --:--:-- --:--:-- 3413

```
---> Installing xorg-libXinerama @1.1.3_0
```

```
---> Activating xorg-libXinerama @1.1.3_0
```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
```

```
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/Xinerama.3.gz
x ./opt/local/share/man/man3/XineramaIsActive.3.gz
x ./opt/local/share/man/man3/XineramaQueryExtension.3.gz
x ./opt/local/share/man/man3/XineramaQueryScreens.3.gz
x ./opt/local/share/man/man3/XineramaQueryVersion.3.gz
x ./opt/local/lib/libXinerama.1.dylib
x ./opt/local/lib/libXinerama.a
x ./opt/local/lib/libXinerama.dylib
x ./opt/local/lib/libXinerama.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xinerama.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/extensions/
x ./opt/local/include/X11/extensions/panoramiXext.h
x ./opt/local/include/X11/extensions/Xinerama.h
---> Cleaning xorg-libXinerama
---> Removing work directory for xorg-libXinerama
---> Fetching archive for xorg-randrproto
---> xorg-randrproto-1.4.0_0.darwin_10.noarch.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
```

---> Attempting to fetch xorg-randrproto-1.4.0_0.darwin_10.noarch.tbz2 from http://packages.macports.org/xorg-randrproto

% Total	% Received	% Xferd	Average Dload	Average Upload	Speed	Time Total	Time Spent	Time Left	Current Speed
100	27440	100	27440	0	0	34860	0	--:--:--	43212

---> Attempting to fetch xorg-randrproto-1.4.0_0.darwin_10.noarch.tbz2.rmd160 from http://packages.macports.org/xorg-randrproto

% Total	% Received	% Xferd	Average Dload	Average Upload	Speed	Time Total	Time Spent	Time Left	Current Speed
102	512	102	512	0	0	1671	0	--:--:--	3282

---> Installing xorg-randrproto @1.4.0_0

---> Activating xorg-randrproto @1.4.0_0

- x ./
- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/doc/

```

x ./opt/local/share/doc/randrproto/
x ./opt/local/share/doc/randrproto/randrproto.txt
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/randrproto.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/extensions/
x ./opt/local/include/X11/extensions/randr.h
x ./opt/local/include/X11/extensions/randrproto.h
---> Cleaning xorg-randrproto
---> Removing work directory for xorg-randrproto
---> Fetching archive for xorg-libXrandr
---> xorg-libXrandr-1.4.2_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt
/local/var/macports/incoming/verified
---> Attempting to fetch xorg-libXrandr-1.4.2_0.darwin_10.x86_64.tbz2 from http
://packages.macports.org/xorg-libXrandr
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
100 33110  100 33110    0     0  36937      0  --:--:--  --:--:--  --:--:--  44743
---> Attempting to fetch xorg-libXrandr-1.4.2_0.darwin_10.x86_64.tbz2.rmd160 fr
om http://packages.macports.org/xorg-libXrandr
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
102  512  102  512    0     0   1615      0  --:--:--  --:--:--  --:--:--  3200
---> Installing xorg-libXrandr @1.4.2_0

```

```
---> Activating xorg-libXrandr @1.4.2_0
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/man/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/Xrandr.3.gz
x ./opt/local/share/man/man3/XRRConfigCurrentConfiguration.3.gz
x ./opt/local/share/man/man3/XRRConfigCurrentRate.3.gz
x ./opt/local/share/man/man3/XRRConfigRates.3.gz
x ./opt/local/share/man/man3/XRRConfigRotations.3.gz
x ./opt/local/share/man/man3/XRRConfigSizes.3.gz
x ./opt/local/share/man/man3/XRRConfigTimes.3.gz
x ./opt/local/share/man/man3/XRRFreeScreenConfigInfo.3.gz
x ./opt/local/share/man/man3/XRRGetScreenInfo.3.gz
x ./opt/local/share/man/man3/XRRQueryExtension.3.gz
```



```

x ./opt/local/share/man/man3/XRRQueryVersion.3.gz
x ./opt/local/share/man/man3/XRRRootToScreen.3.gz
x ./opt/local/share/man/man3/XRRSelectInput.3.gz
x ./opt/local/share/man/man3/XRRSetScreenConfig.3.gz
x ./opt/local/share/man/man3/XRRSetScreenConfigAndRate.3.gz
x ./opt/local/lib/libXrandr.2.dylib
x ./opt/local/lib/libXrandr.a
x ./opt/local/lib/libXrandr.dylib
x ./opt/local/lib/libXrandr.la
x ./opt/local/lib/pkgconfig/
x ./opt/local/lib/pkgconfig/xrandr.pc
x ./opt/local/include/X11/
x ./opt/local/include/X11/extensions/
x ./opt/local/include/X11/extensions/Xrandr.h
---> Cleaning xorg-libXrandr
---> Removing work directory for xorg-libXrandr
---> Fetching archive for qt3
---> qt3-3.3.8_13.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var
/macports/incoming/verified
---> Attempting to fetch qt3-3.3.8_13.darwin_10.x86_64.tbz2 from http://package
s.macports.org/qt3
  % Total    % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload   Total   Spent    Left     Speed
100 14.1M  100 14.1M    0     0   523k      0  0:00:27  0:00:27 --:--:--  597k

```

---> Attempting to fetch qt3-3.3.8_13.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/qt3

% Total	% Received	% Xferd	Average Dload	Average Upload	Speed	Time Total	Time Spent	Time Left	Current Speed
102	512	102	512	0	0	1614	0	--:--:--	3180

---> Installing qt3 @3.3.8_13

---> Activating qt3 @3.3.8_13

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./opt/

x ./opt/local/

x ./opt/local/bin/

x ./opt/local/include/

x ./opt/local/lib/

x ./opt/local/share/

x ./opt/local/share/applnk/

x ./opt/local/share/doc/

x ./opt/local/share/man/

x ./opt/local/share/man/man1/

x ./opt/local/share/man/man3/

- x ./opt/local/share/man/man3/qaccel.3qt.gz
- x ./opt/local/share/man/man3/qaccessible.3qt.gz
- x ./opt/local/share/man/man3/qaccessibleinterface.3qt.gz
- x ./opt/local/share/man/man3/QAccessibleObject.3qt.gz
- x ./opt/local/share/man/man3/qaction.3qt.gz
- x ./opt/local/share/man/man3/QActionGroup.3qt.gz
- x ./opt/local/share/man/man3/qapplication.3qt.gz
- x ./opt/local/share/man/man3/qasciicache.3qt.gz
- x ./opt/local/share/man/man3/QAsciiCacheIterator.3qt.gz
- x ./opt/local/share/man/man3/QAsciiDict.3qt.gz
- x ./opt/local/share/man/man3/qasciidictiterator.3qt.gz
- x ./opt/local/share/man/man3/qassistantclient.3qt.gz
- x ./opt/local/share/man/man3/qaxaggregated.3qt.gz
- x ./opt/local/share/man/man3/QAxBase.3qt.gz
- x ./opt/local/share/man/man3/QAxBindable.3qt.gz
- x ./opt/local/share/man/man3/QAxFactory.3qt.gz
- x ./opt/local/share/man/man3/QAxObject.3qt.gz
- x ./opt/local/share/man/man3/QAxScript.3qt.gz
- x ./opt/local/share/man/man3/QAxScriptEngine.3qt.gz
- x ./opt/local/share/man/man3/qaxscriptmanager.3qt.gz
- x ./opt/local/share/man/man3/qaxwidget.3qt.gz
- x ./opt/local/share/man/man3/QBig5Codec.3qt.gz
- x ./opt/local/share/man/man3/QBig5hkscsCodec.3qt.gz
- x ./opt/local/share/man/man3/qbitarray.3qt.gz

- x ./opt/local/share/man/man3/qbitmap.3qt.gz
- x ./opt/local/share/man/man3/QBitVal.3qt.gz
- x ./opt/local/share/man/man3/qboxlayout.3qt.gz
- x ./opt/local/share/man/man3/QBrush.3qt.gz
- x ./opt/local/share/man/man3/QBuffer.3qt.gz
- x ./opt/local/share/man/man3/qbutton.3qt.gz
- x ./opt/local/share/man/man3/QButtonGroup.3qt.gz
- x ./opt/local/share/man/man3/qbytearray.3qt.gz
- x ./opt/local/share/man/man3/qcache.3qt.gz
- x ./opt/local/share/man/man3/qcacheiterator.3qt.gz
- x ./opt/local/share/man/man3/QCanvas.3qt.gz
- x ./opt/local/share/man/man3/qcanvasellipse.3qt.gz
- x ./opt/local/share/man/man3/qcanvasitem.3qt.gz
- x ./opt/local/share/man/man3/qcanvasitemlist.3qt.gz
- x ./opt/local/share/man/man3/qcanvasline.3qt.gz
- x ./opt/local/share/man/man3/QCanvasPixmap.3qt.gz
- x ./opt/local/share/man/man3/qcanvaspixmaparray.3qt.gz
- x ./opt/local/share/man/man3/qcanvaspolygon.3qt.gz
- x ./opt/local/share/man/man3/QCanvasPolygonalItem.3qt.gz
- x ./opt/local/share/man/man3/QCanvasRectangle.3qt.gz
- x ./opt/local/share/man/man3/QCanvasSpline.3qt.gz
- x ./opt/local/share/man/man3/QCanvasSprite.3qt.gz
- x ./opt/local/share/man/man3/qcanvastext.3qt.gz
- x ./opt/local/share/man/man3/qcanvasview.3qt.gz

- x ./opt/local/share/man/man3/qcdestyle.3qt.gz
- x ./opt/local/share/man/man3/QChar.3qt.gz
- x ./opt/local/share/man/man3/QCharRef.3qt.gz
- x ./opt/local/share/man/man3/qcheckbox.3qt.gz
- x ./opt/local/share/man/man3/QCheckListItem.3qt.gz
- x ./opt/local/share/man/man3/qchecktableitem.3qt.gz
- x ./opt/local/share/man/man3/QChildEvent.3qt.gz
- x ./opt/local/share/man/man3/qclipboard.3qt.gz
- x ./opt/local/share/man/man3/qcloseevent.3qt.gz
- x ./opt/local/share/man/man3/qcolor.3qt.gz
- x ./opt/local/share/man/man3/QColorDialog.3qt.gz
- x ./opt/local/share/man/man3/QColorDrag.3qt.gz
- x ./opt/local/share/man/man3/QColorGroup.3qt.gz
- x ./opt/local/share/man/man3/qcombobox.3qt.gz
- x ./opt/local/share/man/man3/qcombotableitem.3qt.gz
- x ./opt/local/share/man/man3/qcommonstyle.3qt.gz
- x ./opt/local/share/man/man3/QConstString.3qt.gz
- x ./opt/local/share/man/man3/QContextMenuEvent.3qt.gz
- x ./opt/local/share/man/man3/qcopchannel.3qt.gz
- x ./opt/local/share/man/man3/QCString.3qt.gz
- x ./opt/local/share/man/man3/qcursor.3qt.gz
- x ./opt/local/share/man/man3/QCustomEvent.3qt.gz
- x ./opt/local/share/man/man3/qcustommenuItem.3qt.gz
- x ./opt/local/share/man/man3/qdatabrowser.3qt.gz

x ./opt/local/share/man/man3/qdatastream.3qt.gz
x ./opt/local/share/man/man3/qdatatable.3qt.gz
x ./opt/local/share/man/man3/QDataView.3qt.gz
x ./opt/local/share/man/man3/qdate.3qt.gz
x ./opt/local/share/man/man3/QDateEdit.3qt.gz
x ./opt/local/share/man/man3/QDateTime.3qt.gz
x ./opt/local/share/man/man3/QDateTimeEdit.3qt.gz
x ./opt/local/share/man/man3/qdatetimeditbase.3qt.gz
x ./opt/local/share/man/man3/QDeepCopy.3qt.gz
x ./opt/local/share/man/man3/QDesktopWidget.3qt.gz
x ./opt/local/share/man/man3/qdial.3qt.gz
x ./opt/local/share/man/man3/qdialog.3qt.gz
x ./opt/local/share/man/man3/qdict.3qt.gz
x ./opt/local/share/man/man3/qdictiterator.3qt.gz
x ./opt/local/share/man/man3/QDir.3qt.gz
x ./opt/local/share/man/man3/qdirectpainter.3qt.gz
x ./opt/local/share/man/man3/QDns.3qt.gz
x ./opt/local/share/man/man3/QDockArea.3qt.gz
x ./opt/local/share/man/man3/qdockwindow.3qt.gz
x ./opt/local/share/man/man3/qdomattr.3qt.gz
x ./opt/local/share/man/man3/qdomcdatasection.3qt.gz
x ./opt/local/share/man/man3/QDomCharacterData.3qt.gz
x ./opt/local/share/man/man3/QDomComment.3qt.gz
x ./opt/local/share/man/man3/qdomdocument.3qt.gz

- x ./opt/local/share/man/man3/qdomdocumentfragment.3qt.gz
- x ./opt/local/share/man/man3/qdomdocumenttype.3qt.gz
- x ./opt/local/share/man/man3/qdomelement.3qt.gz
- x ./opt/local/share/man/man3/QDomEntity.3qt.gz
- x ./opt/local/share/man/man3/QDomEntityReference.3qt.gz
- x ./opt/local/share/man/man3/qdomimplementation.3qt.gz
- x ./opt/local/share/man/man3/QDomNamedNodeMap.3qt.gz
- x ./opt/local/share/man/man3/qdomnode.3qt.gz
- x ./opt/local/share/man/man3/qdomodelist.3qt.gz
- x ./opt/local/share/man/man3/qdomnotation.3qt.gz
- x ./opt/local/share/man/man3/QDomProcessingInstruction.3qt.gz
- x ./opt/local/share/man/man3/qdomtext.3qt.gz
- x ./opt/local/share/man/man3/QDoubleValidator.3qt.gz
- x ./opt/local/share/man/man3/QDragEnterEvent.3qt.gz
- x ./opt/local/share/man/man3/qdragleaveevent.3qt.gz
- x ./opt/local/share/man/man3/QDragMoveEvent.3qt.gz
- x ./opt/local/share/man/man3/qdragobject.3qt.gz
- x ./opt/local/share/man/man3/qdropevent.3qt.gz
- x ./opt/local/share/man/man3/qeditorfactory.3qt.gz
- x ./opt/local/share/man/man3/QErrorMessage.3qt.gz
- x ./opt/local/share/man/man3/qeucjpcodec.3qt.gz
- x ./opt/local/share/man/man3/QEucKrCodec.3qt.gz
- x ./opt/local/share/man/man3/QEvent.3qt.gz
- x ./opt/local/share/man/man3/QEventLoop.3qt.gz

x ./opt/local/share/man/man3/QFile.3qt.gz
x ./opt/local/share/man/man3/qfiledialog.3qt.gz
x ./opt/local/share/man/man3/qfileiconprovider.3qt.gz
x ./opt/local/share/man/man3/QFileInfo.3qt.gz
x ./opt/local/share/man/man3/QFilePreview.3qt.gz
x ./opt/local/share/man/man3/qfocusdata.3qt.gz
x ./opt/local/share/man/man3/qfocusevent.3qt.gz
x ./opt/local/share/man/man3/QFont.3qt.gz
x ./opt/local/share/man/man3/qfontdatabase.3qt.gz
x ./opt/local/share/man/man3/qfontdialog.3qt.gz
x ./opt/local/share/man/man3/qfontinfo.3qt.gz
x ./opt/local/share/man/man3/QFontManager.3qt.gz
x ./opt/local/share/man/man3/QFontMetrics.3qt.gz
x ./opt/local/share/man/man3/qframe.3qt.gz
x ./opt/local/share/man/man3/QFtp.3qt.gz
x ./opt/local/share/man/man3/qgb18030codec.3qt.gz
x ./opt/local/share/man/man3/QGb2312Codec.3qt.gz
x ./opt/local/share/man/man3/QGbkCodec.3qt.gz
x ./opt/local/share/man/man3/QGfxDriverFactory.3qt.gz
x ./opt/local/share/man/man3/QGfxDriverPlugin.3qt.gz
x ./opt/local/share/man/man3/qgl.3qt.gz
x ./opt/local/share/man/man3/qglayoutiterator.3qt.gz
x ./opt/local/share/man/man3/qglcolormap.3qt.gz
x ./opt/local/share/man/man3/QGLContext.3qt.gz

- x ./opt/local/share/man/man3/QGLFormat.3qt.gz
- x ./opt/local/share/man/man3/qglwidget.3qt.gz
- x ./opt/local/share/man/man3/QGrid.3qt.gz
- x ./opt/local/share/man/man3/qgridlayout.3qt.gz
- x ./opt/local/share/man/man3/qgridview.3qt.gz
- x ./opt/local/share/man/man3/QGroupBox.3qt.gz
- x ./opt/local/share/man/man3/QGuardedPtr.3qt.gz
- x ./opt/local/share/man/man3/qhbox.3qt.gz
- x ./opt/local/share/man/man3/QHBoxLayout.3qt.gz
- x ./opt/local/share/man/man3/QHButtonGroup.3qt.gz
- x ./opt/local/share/man/man3/QHeader.3qt.gz
- x ./opt/local/share/man/man3/QHebrewCodec.3qt.gz
- x ./opt/local/share/man/man3/qhgroupbox.3qt.gz
- x ./opt/local/share/man/man3/QHideEvent.3qt.gz
- x ./opt/local/share/man/man3/qhostaddress.3qt.gz
- x ./opt/local/share/man/man3/QHttp.3qt.gz
- x ./opt/local/share/man/man3/qhttpheader.3qt.gz
- x ./opt/local/share/man/man3/qhttprequestheader.3qt.gz
- x ./opt/local/share/man/man3/QHttpResponseHeader.3qt.gz
- x ./opt/local/share/man/man3/qicondrag.3qt.gz
- x ./opt/local/share/man/man3/QIconDragEvent.3qt.gz
- x ./opt/local/share/man/man3/qicondragitem.3qt.gz
- x ./opt/local/share/man/man3/QIconFactory.3qt.gz
- x ./opt/local/share/man/man3/qiconset.3qt.gz

- x ./opt/local/share/man/man3/QIconView.3qt.gz
- x ./opt/local/share/man/man3/QIconViewItem.3qt.gz
- x ./opt/local/share/man/man3/QImage.3qt.gz
- x ./opt/local/share/man/man3/qimageconsumer.3qt.gz
- x ./opt/local/share/man/man3/qimagedecoder.3qt.gz
- x ./opt/local/share/man/man3/QImageDrag.3qt.gz
- x ./opt/local/share/man/man3/qimageformat.3qt.gz
- x ./opt/local/share/man/man3/qimageformatplugin.3qt.gz
- x ./opt/local/share/man/man3/QImageFormatType.3qt.gz
- x ./opt/local/share/man/man3/QImageIO.3qt.gz
- x ./opt/local/share/man/man3/qimevent.3qt.gz
- x ./opt/local/share/man/man3/QInputDialog.3qt.gz
- x ./opt/local/share/man/man3/qintcache.3qt.gz
- x ./opt/local/share/man/man3/qintcacheiterator.3qt.gz
- x ./opt/local/share/man/man3/QIntDict.3qt.gz
- x ./opt/local/share/man/man3/QIntDictIterator.3qt.gz
- x ./opt/local/share/man/man3/QIntValidator.3qt.gz
- x ./opt/local/share/man/man3/QIODevice.3qt.gz
- x ./opt/local/share/man/man3/QJisCodec.3qt.gz
- x ./opt/local/share/man/man3/QKbdDriverFactory.3qt.gz
- x ./opt/local/share/man/man3/QKbdDriverPlugin.3qt.gz
- x ./opt/local/share/man/man3/qkeyevent.3qt.gz
- x ./opt/local/share/man/man3/qkeysequence.3qt.gz
- x ./opt/local/share/man/man3/qlabel.3qt.gz

x ./opt/local/share/man/man3/QLayout.3qt.gz
x ./opt/local/share/man/man3/qlayoutitem.3qt.gz
x ./opt/local/share/man/man3/qlayoutiterator.3qt.gz
x ./opt/local/share/man/man3/qlcdnumber.3qt.gz
x ./opt/local/share/man/man3/QLibrary.3qt.gz
x ./opt/local/share/man/man3/qlineedit.3qt.gz
x ./opt/local/share/man/man3/QListBox.3qt.gz
x ./opt/local/share/man/man3/qlistboxitem.3qt.gz
x ./opt/local/share/man/man3/QListBoxPixmap.3qt.gz
x ./opt/local/share/man/man3/qlistboxtext.3qt.gz
x ./opt/local/share/man/man3/qlistview.3qt.gz
x ./opt/local/share/man/man3/QListViewItem.3qt.gz
x ./opt/local/share/man/man3/qlistviewitemiterator.3qt.gz
x ./opt/local/share/man/man3/qlocale.3qt.gz
x ./opt/local/share/man/man3/qlocalfs.3qt.gz
x ./opt/local/share/man/man3/qmacmime.3qt.gz
x ./opt/local/share/man/man3/QMacStyle.3qt.gz
x ./opt/local/share/man/man3/qmainwindow.3qt.gz
x ./opt/local/share/man/man3/QMap.3qt.gz
x ./opt/local/share/man/man3/qmapconstiterator.3qt.gz
x ./opt/local/share/man/man3/qmapiterator.3qt.gz
x ./opt/local/share/man/man3/QMemArray.3qt.gz
x ./opt/local/share/man/man3/QMenuBar.3qt.gz
x ./opt/local/share/man/man3/QMenuData.3qt.gz

x ./opt/local/share/man/man3/QMessageBox.3qt.gz
x ./opt/local/share/man/man3/qmetaobject.3qt.gz
x ./opt/local/share/man/man3/qmetaproperty.3qt.gz
x ./opt/local/share/man/man3/qmimesource.3qt.gz
x ./opt/local/share/man/man3/QMimeSourceFactory.3qt.gz
x ./opt/local/share/man/man3/QMotif.3qt.gz
x ./opt/local/share/man/man3/QMotifDialog.3qt.gz
x ./opt/local/share/man/man3/QMotifPlusStyle.3qt.gz
x ./opt/local/share/man/man3/qmotifstyle.3qt.gz
x ./opt/local/share/man/man3/QMotifWidget.3qt.gz
x ./opt/local/share/man/man3/QMouseDriverFactory.3qt.gz
x ./opt/local/share/man/man3/qmousedriverplugin.3qt.gz
x ./opt/local/share/man/man3/QMouseEvent.3qt.gz
x ./opt/local/share/man/man3/QMoveEvent.3qt.gz
x ./opt/local/share/man/man3/qmovie.3qt.gz
x ./opt/local/share/man/man3/QMutex.3qt.gz
x ./opt/local/share/man/man3/qmutexlocker.3qt.gz
x ./opt/local/share/man/man3/QNetworkOperation.3qt.gz
x ./opt/local/share/man/man3/QNetworkProtocol.3qt.gz
x ./opt/local/share/man/man3/qnpinstance.3qt.gz
x ./opt/local/share/man/man3/QNPPlugin.3qt.gz
x ./opt/local/share/man/man3/qnpstream.3qt.gz
x ./opt/local/share/man/man3/QNPWidget.3qt.gz
x ./opt/local/share/man/man3/qobject.3qt.gz

- x ./opt/local/share/man/man3/QObjectCleanupHandler.3qt.gz
- x ./opt/local/share/man/man3/qobjectlist.3qt.gz
- x ./opt/local/share/man/man3/qobjectlistiterator.3qt.gz
- x ./opt/local/share/man/man3/QPaintDevice.3qt.gz
- x ./opt/local/share/man/man3/QPaintDeviceMetrics.3qt.gz
- x ./opt/local/share/man/man3/QPainter.3qt.gz
- x ./opt/local/share/man/man3/QPaintEvent.3qt.gz
- x ./opt/local/share/man/man3/QPair.3qt.gz
- x ./opt/local/share/man/man3/QPalette.3qt.gz
- x ./opt/local/share/man/man3/qpen.3qt.gz
- x ./opt/local/share/man/man3/QPicture.3qt.gz
- x ./opt/local/share/man/man3/qpixmap.3qt.gz
- x ./opt/local/share/man/man3/QPixmapCache.3qt.gz
- x ./opt/local/share/man/man3/QPlatinumStyle.3qt.gz
- x ./opt/local/share/man/man3/qpngimagepacker.3qt.gz
- x ./opt/local/share/man/man3/qpoint.3qt.gz
- x ./opt/local/share/man/man3/qpointarray.3qt.gz
- x ./opt/local/share/man/man3/qpopupmenu.3qt.gz
- x ./opt/local/share/man/man3/QPrinter.3qt.gz
- x ./opt/local/share/man/man3/QProcess.3qt.gz
- x ./opt/local/share/man/man3/qprogressbar.3qt.gz
- x ./opt/local/share/man/man3/QProgressDialog.3qt.gz
- x ./opt/local/share/man/man3/qptrcollection.3qt.gz
- x ./opt/local/share/man/man3/qptrdict.3qt.gz

- x ./opt/local/share/man/man3/qptrdictiterator.3qt.gz
- x ./opt/local/share/man/man3/qptrlist.3qt.gz
- x ./opt/local/share/man/man3/QPtrListIterator.3qt.gz
- x ./opt/local/share/man/man3/QPtrQueue.3qt.gz
- x ./opt/local/share/man/man3/QPtrStack.3qt.gz
- x ./opt/local/share/man/man3/QPtrVector.3qt.gz
- x ./opt/local/share/man/man3/qpushbutton.3qt.gz
- x ./opt/local/share/man/man3/QRadioButton.3qt.gz
- x ./opt/local/share/man/man3/qrangecontrol.3qt.gz
- x ./opt/local/share/man/man3/qrect.3qt.gz
- x ./opt/local/share/man/man3/qregex.3qt.gz
- x ./opt/local/share/man/man3/QRegExpValidator.3qt.gz
- x ./opt/local/share/man/man3/QRegion.3qt.gz
- x ./opt/local/share/man/man3/QResizeEvent.3qt.gz
- x ./opt/local/share/man/man3/QScreen.3qt.gz
- x ./opt/local/share/man/man3/QScrollBar.3qt.gz
- x ./opt/local/share/man/man3/qscrollview.3qt.gz
- x ./opt/local/share/man/man3/qsemaphore.3qt.gz
- x ./opt/local/share/man/man3/QServerSocket.3qt.gz
- x ./opt/local/share/man/man3/QSessionManager.3qt.gz
- x ./opt/local/share/man/man3/QSettings.3qt.gz
- x ./opt/local/share/man/man3/qsgistyle.3qt.gz
- x ./opt/local/share/man/man3/QShowEvent.3qt.gz
- x ./opt/local/share/man/man3/QSignal.3qt.gz

- x ./opt/local/share/man/man3/QSignalMapper.3qt.gz
- x ./opt/local/share/man/man3/qsimplerichtext.3qt.gz
- x ./opt/local/share/man/man3/QSize.3qt.gz
- x ./opt/local/share/man/man3/QSizeGrip.3qt.gz
- x ./opt/local/share/man/man3/qsizepolicy.3qt.gz
- x ./opt/local/share/man/man3/qsjiscodec.3qt.gz
- x ./opt/local/share/man/man3/qslider.3qt.gz
- x ./opt/local/share/man/man3/qsocket.3qt.gz
- x ./opt/local/share/man/man3/QSocketDevice.3qt.gz
- x ./opt/local/share/man/man3/qsocketnotifier.3qt.gz
- x ./opt/local/share/man/man3/QSound.3qt.gz
- x ./opt/local/share/man/man3/qspaceritem.3qt.gz
- x ./opt/local/share/man/man3/qspinbox.3qt.gz
- x ./opt/local/share/man/man3/QSplashScreen.3qt.gz
- x ./opt/local/share/man/man3/QSplitter.3qt.gz
- x ./opt/local/share/man/man3/QSql.3qt.gz
- x ./opt/local/share/man/man3/qsqldcursor.3qt.gz
- x ./opt/local/share/man/man3/qsqldatabase.3qt.gz
- x ./opt/local/share/man/man3/qsqldriver.3qt.gz
- x ./opt/local/share/man/man3/QSqlDriverPlugin.3qt.gz
- x ./opt/local/share/man/man3/QSqlEditorFactory.3qt.gz
- x ./opt/local/share/man/man3/QSqlError.3qt.gz
- x ./opt/local/share/man/man3/QSqlField.3qt.gz
- x ./opt/local/share/man/man3/qsqldfieldinfo.3qt.gz

- x ./opt/local/share/man/man3/qsqiform.3qt.gz
- x ./opt/local/share/man/man3/qsqindex.3qt.gz
- x ./opt/local/share/man/man3/QSqlPropertyMap.3qt.gz
- x ./opt/local/share/man/man3/QSqlQuery.3qt.gz
- x ./opt/local/share/man/man3/qsqrecord.3qt.gz
- x ./opt/local/share/man/man3/QSqlRecordInfo.3qt.gz
- x ./opt/local/share/man/man3/qsqresult.3qt.gz
- x ./opt/local/share/man/man3/QSqlSelectCursor.3qt.gz
- x ./opt/local/share/man/man3/qstatusbar.3qt.gz
- x ./opt/local/share/man/man3/QStoredDrag.3qt.gz
- x ./opt/local/share/man/man3/QStrIList.3qt.gz
- x ./opt/local/share/man/man3/qstring.3qt.gz
- x ./opt/local/share/man/man3/QStringList.3qt.gz
- x ./opt/local/share/man/man3/qstrlist.3qt.gz
- x ./opt/local/share/man/man3/qstrlistiterator.3qt.gz
- x ./opt/local/share/man/man3/qstyle.3qt.gz
- x ./opt/local/share/man/man3/qstylefactory.3qt.gz
- x ./opt/local/share/man/man3/QStyleOption.3qt.gz
- x ./opt/local/share/man/man3/QStylePlugin.3qt.gz
- x ./opt/local/share/man/man3/qstylesheet.3qt.gz
- x ./opt/local/share/man/man3/QStyleSheetItem.3qt.gz
- x ./opt/local/share/man/man3/QSyntaxHighlighter.3qt.gz
- x ./opt/local/share/man/man3/qt.3qt.gz
- x ./opt/local/share/man/man3/QTab.3qt.gz

- x ./opt/local/share/man/man3/qtabbar.3qt.gz
- x ./opt/local/share/man/man3/QTabDialog.3qt.gz
- x ./opt/local/share/man/man3/qtable.3qt.gz
- x ./opt/local/share/man/man3/qtableitem.3qt.gz
- x ./opt/local/share/man/man3/qtableselection.3qt.gz
- x ./opt/local/share/man/man3/QTabletEvent.3qt.gz
- x ./opt/local/share/man/man3/qtabwidget.3qt.gz
- x ./opt/local/share/man/man3/QTextBrowser.3qt.gz
- x ./opt/local/share/man/man3/QTextCodec.3qt.gz
- x ./opt/local/share/man/man3/QTextCodecPlugin.3qt.gz
- x ./opt/local/share/man/man3/QTextDecoder.3qt.gz
- x ./opt/local/share/man/man3/qtextdrag.3qt.gz
- x ./opt/local/share/man/man3/QTextEdit.3qt.gz
- x ./opt/local/share/man/man3/QTextEncoder.3qt.gz
- x ./opt/local/share/man/man3/QTextIStream.3qt.gz
- x ./opt/local/share/man/man3/QTextOStream.3qt.gz
- x ./opt/local/share/man/man3/qtextstream.3qt.gz
- x ./opt/local/share/man/man3/QThread.3qt.gz
- x ./opt/local/share/man/man3/qthreadstorage.3qt.gz
- x ./opt/local/share/man/man3/qtime.3qt.gz
- x ./opt/local/share/man/man3/qtimeedit.3qt.gz
- x ./opt/local/share/man/man3/qtimer.3qt.gz
- x ./opt/local/share/man/man3/qtimerevent.3qt.gz
- x ./opt/local/share/man/man3/QToolBar.3qt.gz

x ./opt/local/share/man/man3/QToolBox.3qt.gz
x ./opt/local/share/man/man3/qtoolbutton.3qt.gz
x ./opt/local/share/man/man3/qtooltip.3qt.gz
x ./opt/local/share/man/man3/QToolTipGroup.3qt.gz
x ./opt/local/share/man/man3/QTranslator.3qt.gz
x ./opt/local/share/man/man3/QTranslatorMessage.3qt.gz
x ./opt/local/share/man/man3/qtsciidec.3qt.gz
x ./opt/local/share/man/man3/quridrag.3qt.gz
x ./opt/local/share/man/man3/QUrl.3qt.gz
x ./opt/local/share/man/man3/qurlinfo.3qt.gz
x ./opt/local/share/man/man3/qurloperator.3qt.gz
x ./opt/local/share/man/man3/QUuid.3qt.gz
x ./opt/local/share/man/man3/qvalidator.3qt.gz
x ./opt/local/share/man/man3/QValueList.3qt.gz
x ./opt/local/share/man/man3/qvalueiterator.3qt.gz
x ./opt/local/share/man/man3/QValueListIterator.3qt.gz
x ./opt/local/share/man/man3/qvaluestack.3qt.gz
x ./opt/local/share/man/man3/QValueVector.3qt.gz
x ./opt/local/share/man/man3/QVariant.3qt.gz
x ./opt/local/share/man/man3/qvbox.3qt.gz
x ./opt/local/share/man/man3/qvboxlayout.3qt.gz
x ./opt/local/share/man/man3/qvbuttongroup.3qt.gz
x ./opt/local/share/man/man3/QVGroupBox.3qt.gz
x ./opt/local/share/man/man3/QWaitCondition.3qt.gz

x ./opt/local/share/man/man3/qwhatsthis.3qt.gz
x ./opt/local/share/man/man3/QWheelEvent.3qt.gz
x ./opt/local/share/man/man3/qwidget.3qt.gz
x ./opt/local/share/man/man3/qwidgetfactory.3qt.gz
x ./opt/local/share/man/man3/qwidgetitem.3qt.gz
x ./opt/local/share/man/man3/QWidgetPlugin.3qt.gz
x ./opt/local/share/man/man3/QWidgetStack.3qt.gz
x ./opt/local/share/man/man3/QWindowsMime.3qt.gz
x ./opt/local/share/man/man3/qwindowsstyle.3qt.gz
x ./opt/local/share/man/man3/QWizard.3qt.gz
x ./opt/local/share/man/man3/QWMatrix.3qt.gz
x ./opt/local/share/man/man3/qworkspace.3qt.gz
x ./opt/local/share/man/man3/QWSDecoration.3qt.gz
x ./opt/local/share/man/man3/qwsinputmethod.3qt.gz
x ./opt/local/share/man/man3/QWSKeyboardHandler.3qt.gz
x ./opt/local/share/man/man3/qwsmousehandler.3qt.gz
x ./opt/local/share/man/man3/QWSServer.3qt.gz
x ./opt/local/share/man/man3/qswindow.3qt.gz
x ./opt/local/share/man/man3/qxmlattributes.3qt.gz
x ./opt/local/share/man/man3/qxmlcontenthandler.3qt.gz
x ./opt/local/share/man/man3/QXmlDeclHandler.3qt.gz
x ./opt/local/share/man/man3/QXmlDefaultHandler.3qt.gz
x ./opt/local/share/man/man3/qxmldtdhandler.3qt.gz
x ./opt/local/share/man/man3/QXmlEntityResolver.3qt.gz

- x ./opt/local/share/man/man3/qxmlerrorhandler.3qt.gz
- x ./opt/local/share/man/man3/QXmlInputSource.3qt.gz
- x ./opt/local/share/man/man3/qxmllexicalhandler.3qt.gz
- x ./opt/local/share/man/man3/QXmlLocator.3qt.gz
- x ./opt/local/share/man/man3/QXmlNamespaceSupport.3qt.gz
- x ./opt/local/share/man/man3/qxmlparseexception.3qt.gz
- x ./opt/local/share/man/man3/qxmlreader.3qt.gz
- x ./opt/local/share/man/man3/QXmlSimpleReader.3qt.gz
- x ./opt/local/share/man/man1/lrelease.1.gz
- x ./opt/local/share/man/man1/lupdate.1.gz
- x ./opt/local/share/man/man1/moc.1.gz
- x ./opt/local/share/man/man1/uic.1.gz
- x ./opt/local/share/doc/installed-packages/
- x ./opt/local/share/doc/qt3/
- x ./opt/local/share/doc/qt3/changes-3.3.8
- x ./opt/local/share/doc/qt3/examples/
- x ./opt/local/share/doc/qt3/FAQ
- x ./opt/local/share/doc/qt3/findtr
- x ./opt/local/share/doc/qt3/html/
- x ./opt/local/share/doc/qt3/INSTALL
- x ./opt/local/share/doc/qt3/LICENSE.GPL
- x ./opt/local/share/doc/qt3/LICENSE.QPL
- x ./opt/local/share/doc/qt3/MANIFEST
- x ./opt/local/share/doc/qt3/PLATFORMS

```
x ./opt/local/share/doc/qt3/qt20fix
x ./opt/local/share/doc/qt3/qtrename140
x ./opt/local/share/doc/qt3/README
x ./opt/local/share/doc/qt3/README-QT.TXT
x ./opt/local/share/doc/qt3/tutorial/
x ./opt/local/share/doc/qt3/tutorial/README
x ./opt/local/share/doc/qt3/tutorial/t1/
x ./opt/local/share/doc/qt3/tutorial/t10/
x ./opt/local/share/doc/qt3/tutorial/t11/
x ./opt/local/share/doc/qt3/tutorial/t12/
x ./opt/local/share/doc/qt3/tutorial/t13/
x ./opt/local/share/doc/qt3/tutorial/t14/
x ./opt/local/share/doc/qt3/tutorial/t2/
x ./opt/local/share/doc/qt3/tutorial/t3/
x ./opt/local/share/doc/qt3/tutorial/t4/
x ./opt/local/share/doc/qt3/tutorial/t5/
x ./opt/local/share/doc/qt3/tutorial/t6/
x ./opt/local/share/doc/qt3/tutorial/t7/
x ./opt/local/share/doc/qt3/tutorial/t8/
x ./opt/local/share/doc/qt3/tutorial/t9/
x ./opt/local/share/doc/qt3/tutorial/tutorial.pro
x ./opt/local/share/doc/qt3/tutorial/t9/cannon.cpp
x ./opt/local/share/doc/qt3/tutorial/t9/cannon.h
x ./opt/local/share/doc/qt3/tutorial/t9/lcdrange.cpp
```

x ./opt/local/share/doc/qt3/tutorial/t9/lcdrange.h
x ./opt/local/share/doc/qt3/tutorial/t9/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t9/t9.pro
x ./opt/local/share/doc/qt3/tutorial/t8/cannon.cpp
x ./opt/local/share/doc/qt3/tutorial/t8/cannon.h
x ./opt/local/share/doc/qt3/tutorial/t8/lcdrange.cpp
x ./opt/local/share/doc/qt3/tutorial/t8/lcdrange.h
x ./opt/local/share/doc/qt3/tutorial/t8/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t8/t8.pro
x ./opt/local/share/doc/qt3/tutorial/t7/lcdrange.cpp
x ./opt/local/share/doc/qt3/tutorial/t7/lcdrange.h
x ./opt/local/share/doc/qt3/tutorial/t7/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t7/t7.pro
x ./opt/local/share/doc/qt3/tutorial/t6/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t6/t6.pro
x ./opt/local/share/doc/qt3/tutorial/t5/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t5/t5.pro
x ./opt/local/share/doc/qt3/tutorial/t4/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t4/t4.pro
x ./opt/local/share/doc/qt3/tutorial/t3/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t3/t3.pro
x ./opt/local/share/doc/qt3/tutorial/t2/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t2/t2.pro
x ./opt/local/share/doc/qt3/tutorial/t14/cannon.cpp

x ./opt/local/share/doc/qt3/tutorial/t14/cannon.h
x ./opt/local/share/doc/qt3/tutorial/t14/gamebrd.cpp
x ./opt/local/share/doc/qt3/tutorial/t14/gamebrd.h
x ./opt/local/share/doc/qt3/tutorial/t14/lcdrange.cpp
x ./opt/local/share/doc/qt3/tutorial/t14/lcdrange.h
x ./opt/local/share/doc/qt3/tutorial/t14/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t14/t14.pro
x ./opt/local/share/doc/qt3/tutorial/t13/cannon.cpp
x ./opt/local/share/doc/qt3/tutorial/t13/cannon.h
x ./opt/local/share/doc/qt3/tutorial/t13/gamebrd.cpp
x ./opt/local/share/doc/qt3/tutorial/t13/gamebrd.h
x ./opt/local/share/doc/qt3/tutorial/t13/lcdrange.cpp
x ./opt/local/share/doc/qt3/tutorial/t13/lcdrange.h
x ./opt/local/share/doc/qt3/tutorial/t13/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t13/t13.pro
x ./opt/local/share/doc/qt3/tutorial/t12/cannon.cpp
x ./opt/local/share/doc/qt3/tutorial/t12/cannon.h
x ./opt/local/share/doc/qt3/tutorial/t12/lcdrange.cpp
x ./opt/local/share/doc/qt3/tutorial/t12/lcdrange.h
x ./opt/local/share/doc/qt3/tutorial/t12/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t12/t12.pro
x ./opt/local/share/doc/qt3/tutorial/t11/cannon.cpp
x ./opt/local/share/doc/qt3/tutorial/t11/cannon.h
x ./opt/local/share/doc/qt3/tutorial/t11/lcdrange.cpp

x ./opt/local/share/doc/qt3/tutorial/t11/lcdrange.h
x ./opt/local/share/doc/qt3/tutorial/t11/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t11/t11.pro
x ./opt/local/share/doc/qt3/tutorial/t10/cannon.cpp
x ./opt/local/share/doc/qt3/tutorial/t10/cannon.h
x ./opt/local/share/doc/qt3/tutorial/t10/lcdrange.cpp
x ./opt/local/share/doc/qt3/tutorial/t10/lcdrange.h
x ./opt/local/share/doc/qt3/tutorial/t10/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t10/t10.pro
x ./opt/local/share/doc/qt3/tutorial/t1/main.cpp
x ./opt/local/share/doc/qt3/tutorial/t1/t1.pro
x ./opt/local/share/doc/qt3/html/3rdparty.html
x ./opt/local/share/doc/qt3/html/aboutqt.html
x ./opt/local/share/doc/qt3/html/abstract-connections.png
x ./opt/local/share/doc/qt3/html/abstractwidgets.html
x ./opt/local/share/doc/qt3/html/accelerators.html
x ./opt/local/share/doc/qt3/html/aclock-example.html
x ./opt/local/share/doc/qt3/html/activeqt-dotnet.html
x ./opt/local/share/doc/qt3/html/activeqt-examples.html
x ./opt/local/share/doc/qt3/html/activeqt-tools-dumpdoc.html
x ./opt/local/share/doc/qt3/html/activeqt-tools-idc.html
x ./opt/local/share/doc/qt3/html/activeqt-tools-testcon.html
x ./opt/local/share/doc/qt3/html/activeqt-tools.html
x ./opt/local/share/doc/qt3/html/activeqt.html

- x ./opt/local/share/doc/qt3/html/addressbook-example.html
- x ./opt/local/share/doc/qt3/html/advanced.html
- x ./opt/local/share/doc/qt3/html/annotated.html
- x ./opt/local/share/doc/qt3/html/appearance.html
- x ./opt/local/share/doc/qt3/html/appicon.html
- x ./opt/local/share/doc/qt3/html/application.html
- x ./opt/local/share/doc/qt3/html/archivesearch-example.html
- x ./opt/local/share/doc/qt3/html/assistant-1.html
- x ./opt/local/share/doc/qt3/html/assistant-2.html
- x ./opt/local/share/doc/qt3/html/assistant-3.html
- x ./opt/local/share/doc/qt3/html/assistant-4.html
- x ./opt/local/share/doc/qt3/html/assistant-5.html
- x ./opt/local/share/doc/qt3/html/assistant-6.html
- x ./opt/local/share/doc/qt3/html/assistant.dcf
- x ./opt/local/share/doc/qt3/html/assistant.html
- x ./opt/local/share/doc/qt3/html/assistant.png
- x ./opt/local/share/doc/qt3/html/basic.html
- x ./opt/local/share/doc/qt3/html/bearings.png
- x ./opt/local/share/doc/qt3/html/biff-example.html
- x ./opt/local/share/doc/qt3/html/bigtable-example.html
- x ./opt/local/share/doc/qt3/html/book-dialog.png
- x ./opt/local/share/doc/qt3/html/book-main.png
- x ./opt/local/share/doc/qt3/html/brush-styles.png
- x ./opt/local/share/doc/qt3/html/bughowto.html

- x ./opt/local/share/doc/qt3/html/buttongroup-w.png
- x ./opt/local/share/doc/qt3/html/buttongroups-example.html
- x ./opt/local/share/doc/qt3/html/canvas-chart-example.html
- x ./opt/local/share/doc/qt3/html/canvas-example.html
- x ./opt/local/share/doc/qt3/html/canvas.html
- x ./opt/local/share/doc/qt3/html/chart-canstext-h.html
- x ./opt/local/share/doc/qt3/html/chart-canvasview-cpp.html
- x ./opt/local/share/doc/qt3/html/chart-canvasview-h.html
- x ./opt/local/share/doc/qt3/html/chart-chart-pro.html
- x ./opt/local/share/doc/qt3/html/chart-chartform-cpp.html
- x ./opt/local/share/doc/qt3/html/chart-chartform-h.html
- x ./opt/local/share/doc/qt3/html/chart-chartform_canvas-cpp.html
- x ./opt/local/share/doc/qt3/html/chart-chartform_files-cpp.html
- x ./opt/local/share/doc/qt3/html/chart-element-cpp.html
- x ./opt/local/share/doc/qt3/html/chart-element-h.html
- x ./opt/local/share/doc/qt3/html/chart-forms.png
- x ./opt/local/share/doc/qt3/html/chart-main-cpp.html
- x ./opt/local/share/doc/qt3/html/chart-main.png
- x ./opt/local/share/doc/qt3/html/chart-main2.png
- x ./opt/local/share/doc/qt3/html/chart-options.png
- x ./opt/local/share/doc/qt3/html/chart-optionsform-cpp.html
- x ./opt/local/share/doc/qt3/html/chart-optionsform-h.html
- x ./opt/local/share/doc/qt3/html/chart-setdata.png
- x ./opt/local/share/doc/qt3/html/chart-setdataform-cpp.html

- x ./opt/local/share/doc/qt3/html/chart-setdataform-h.html
- x ./opt/local/share/doc/qt3/html/checklists-example.html
- x ./opt/local/share/doc/qt3/html/classchart.html
- x ./opt/local/share/doc/qt3/html/classes.html
- x ./opt/local/share/doc/qt3/html/clientserver-example.html
- x ./opt/local/share/doc/qt3/html/collection.html
- x ./opt/local/share/doc/qt3/html/commercialeditions.html
- x ./opt/local/share/doc/qt3/html/commonproblems.html
- x ./opt/local/share/doc/qt3/html/concrete-connections.png
- x ./opt/local/share/doc/qt3/html/coordsys.html
- x ./opt/local/share/doc/qt3/html/coordsys.png
- x ./opt/local/share/doc/qt3/html/credits.html
- x ./opt/local/share/doc/qt3/html/cursor-example.html
- x ./opt/local/share/doc/qt3/html/cursors.png
- x ./opt/local/share/doc/qt3/html/customlayout-example.html
- x ./opt/local/share/doc/qt3/html/customlayout.html
- x ./opt/local/share/doc/qt3/html/customstyles.html
- x ./opt/local/share/doc/qt3/html/database.html
- x ./opt/local/share/doc/qt3/html/databaseconnections.png
- x ./opt/local/share/doc/qt3/html/datastreamformat.html
- x ./opt/local/share/doc/qt3/html/datetimewidgets.png
- x ./opt/local/share/doc/qt3/html/dclock-example.html
- x ./opt/local/share/doc/qt3/html/debug.html
- x ./opt/local/share/doc/qt3/html/demo-example.html

- x ./opt/local/share/doc/qt3/html/dependencies.png
- x ./opt/local/share/doc/qt3/html/designer-manual-1.html
- x ./opt/local/share/doc/qt3/html/designer-manual-10.html
- x ./opt/local/share/doc/qt3/html/designer-manual-11.html
- x ./opt/local/share/doc/qt3/html/designer-manual-12.html
- x ./opt/local/share/doc/qt3/html/designer-manual-13.html
- x ./opt/local/share/doc/qt3/html/designer-manual-14.html
- x ./opt/local/share/doc/qt3/html/designer-manual-15.html
- x ./opt/local/share/doc/qt3/html/designer-manual-16.html
- x ./opt/local/share/doc/qt3/html/designer-manual-2.html
- x ./opt/local/share/doc/qt3/html/designer-manual-3.html
- x ./opt/local/share/doc/qt3/html/designer-manual-4.html
- x ./opt/local/share/doc/qt3/html/designer-manual-5.html
- x ./opt/local/share/doc/qt3/html/designer-manual-6.html
- x ./opt/local/share/doc/qt3/html/designer-manual-7.html
- x ./opt/local/share/doc/qt3/html/designer-manual-8.html
- x ./opt/local/share/doc/qt3/html/designer-manual-9.html
- x ./opt/local/share/doc/qt3/html/designer-manual.html
- x ./opt/local/share/doc/qt3/html/designer.dcf
- x ./opt/local/share/doc/qt3/html/designer1.jpg
- x ./opt/local/share/doc/qt3/html/designer2.jpg
- x ./opt/local/share/doc/qt3/html/designer3.jpg
- x ./opt/local/share/doc/qt3/html/desktop-example.html
- x ./opt/local/share/doc/qt3/html/dialog1addwidg.png

x ./opt/local/share/doc/qt3/html/dialog1layout1.png
x ./opt/local/share/doc/qt3/html/dialog1layout2.png
x ./opt/local/share/doc/qt3/html/dialog1selewidg.png
x ./opt/local/share/doc/qt3/html/dialog1selewidg1.png
x ./opt/local/share/doc/qt3/html/dialog1tab.png
x ./opt/local/share/doc/qt3/html/dialog2laywidg.png
x ./opt/local/share/doc/qt3/html/dialog2sample.png
x ./opt/local/share/doc/qt3/html/dialog2setwidg.png
x ./opt/local/share/doc/qt3/html/dialog3buttons.png
x ./opt/local/share/doc/qt3/html/dialog3clipgrp.png
x ./opt/local/share/doc/qt3/html/dialog3grpbox.png
x ./opt/local/share/doc/qt3/html/dialog3layclip.png
x ./opt/local/share/doc/qt3/html/dialog3layout.png
x ./opt/local/share/doc/qt3/html/dialog3sample.png
x ./opt/local/share/doc/qt3/html/dialogs.html
x ./opt/local/share/doc/qt3/html/dirview-example.html
x ./opt/local/share/doc/qt3/html/distributingqt.html
x ./opt/local/share/doc/qt3/html/distributor-example.html
x ./opt/local/share/doc/qt3/html/dnd.html
x ./opt/local/share/doc/qt3/html/docwindow.png
x ./opt/local/share/doc/qt3/html/doneandnext.png
x ./opt/local/share/doc/qt3/html/draganddrop.html
x ./opt/local/share/doc/qt3/html/dragdrop-example.html
x ./opt/local/share/doc/qt3/html/drawdemo-example.html

- x ./opt/local/share/doc/qt3/html/drawlines-example.html
- x ./opt/local/share/doc/qt3/html/edit-dbtable-dialog.png
- x ./opt/local/share/doc/qt3/html/editcopy.png
- x ./opt/local/share/doc/qt3/html/editcut.png
- x ./opt/local/share/doc/qt3/html/editfind.png
- x ./opt/local/share/doc/qt3/html/editions.html
- x ./opt/local/share/doc/qt3/html/editpaste.png
- x ./opt/local/share/doc/qt3/html/editredo.png
- x ./opt/local/share/doc/qt3/html/editundo.png
- x ./opt/local/share/doc/qt3/html/emb-accel.html
- x ./opt/local/share/doc/qt3/html/emb-charinput.html
- x ./opt/local/share/doc/qt3/html/emb-classes.html
- x ./opt/local/share/doc/qt3/html/emb-envvars.html
- x ./opt/local/share/doc/qt3/html/emb-features.html
- x ./opt/local/share/doc/qt3/html/emb-fonts.html
- x ./opt/local/share/doc/qt3/html/emb-framebuffer-howto.html
- x ./opt/local/share/doc/qt3/html/emb-install.html
- x ./opt/local/share/doc/qt3/html/emb-performance.html
- x ./opt/local/share/doc/qt3/html/emb-pointer.html
- x ./opt/local/share/doc/qt3/html/emb-porting.html
- x ./opt/local/share/doc/qt3/html/emb-qvfb.html
- x ./opt/local/share/doc/qt3/html/emb-running.html
- x ./opt/local/share/doc/qt3/html/emb-vnc.html
- x ./opt/local/share/doc/qt3/html/embedporting.html

- x ./opt/local/share/doc/qt3/html/environment.html
- x ./opt/local/share/doc/qt3/html/events.html
- x ./opt/local/share/doc/qt3/html/eventsandfilters.html
- x ./opt/local/share/doc/qt3/html/examples.html
- x ./opt/local/share/doc/qt3/html/extension-dialog-example.html
- x ./opt/local/share/doc/qt3/html/faq.html
- x ./opt/local/share/doc/qt3/html/filechooser.png
- x ./opt/local/share/doc/qt3/html/fileiconview-example.html
- x ./opt/local/share/doc/qt3/html/fileopen.png
- x ./opt/local/share/doc/qt3/html/fileprint.png
- x ./opt/local/share/doc/qt3/html/filesave.png
- x ./opt/local/share/doc/qt3/html/finddialog.png
- x ./opt/local/share/doc/qt3/html/focus.html
- x ./opt/local/share/doc/qt3/html/forever-example.html
- x ./opt/local/share/doc/qt3/html/frames.png
- x ./opt/local/share/doc/qt3/html/ftpclient-example.html
- x ./opt/local/share/doc/qt3/html/functions.html
- x ./opt/local/share/doc/qt3/html/general.png
- x ./opt/local/share/doc/qt3/html/geomanagement.html
- x ./opt/local/share/doc/qt3/html/geometry.html
- x ./opt/local/share/doc/qt3/html/geometry.png
- x ./opt/local/share/doc/qt3/html/gpl.html
- x ./opt/local/share/doc/qt3/html/graph.g1n
- x ./opt/local/share/doc/qt3/html/grapher-nsplugin-example.html

- x ./opt/local/share/doc/qt3/html/graphics.html
- x ./opt/local/share/doc/qt3/html/gridlayout.png
- x ./opt/local/share/doc/qt3/html/groupbox-w.png
- x ./opt/local/share/doc/qt3/html/groups.html
- x ./opt/local/share/doc/qt3/html/guibooks.html
- x ./opt/local/share/doc/qt3/html/headerfilesynonyms
- x ./opt/local/share/doc/qt3/html/headers.html
- x ./opt/local/share/doc/qt3/html/hello-example.html
- x ./opt/local/share/doc/qt3/html/helpsystem-example.html
- x ./opt/local/share/doc/qt3/html/helpsystem.html
- x ./opt/local/share/doc/qt3/html/helpviewer-example.html
- x ./opt/local/share/doc/qt3/html/hierarchy.html
- x ./opt/local/share/doc/qt3/html/how-to-learn-qt.html
- x ./opt/local/share/doc/qt3/html/httpd-example.html
- x ./opt/local/share/doc/qt3/html/i18n-example.html
- x ./opt/local/share/doc/qt3/html/i18n.html
- x ./opt/local/share/doc/qt3/html/iconset.png
- x ./opt/local/share/doc/qt3/html/iconview-example.html
- x ./opt/local/share/doc/qt3/html/iconview-simple_dd-main-cpp.html
- x ./opt/local/share/doc/qt3/html/iconview-simple_dd-main-h.html
- x ./opt/local/share/doc/qt3/html/iconview.html
- x ./opt/local/share/doc/qt3/html/images.html
- x ./opt/local/share/doc/qt3/html/index
- x ./opt/local/share/doc/qt3/html/index.html

- x ./opt/local/share/doc/qt3/html/inputdialogs.png
- x ./opt/local/share/doc/qt3/html/install-mac.html
- x ./opt/local/share/doc/qt3/html/install-win.html
- x ./opt/local/share/doc/qt3/html/install-x11.html
- x ./opt/local/share/doc/qt3/html/installation.html
- x ./opt/local/share/doc/qt3/html/integration.html
- x ./opt/local/share/doc/qt3/html/io.html
- x ./opt/local/share/doc/qt3/html/keyfeatures30.html
- x ./opt/local/share/doc/qt3/html/layout-example.html
- x ./opt/local/share/doc/qt3/html/layout.html
- x ./opt/local/share/doc/qt3/html/layout1.png
- x ./opt/local/share/doc/qt3/html/layout2.png
- x ./opt/local/share/doc/qt3/html/license.html
- x ./opt/local/share/doc/qt3/html/licenses.html
- x ./opt/local/share/doc/qt3/html/life-example.html
- x ./opt/local/share/doc/qt3/html/lineedit-example.html
- x ./opt/local/share/doc/qt3/html/linguist-manual-1.html
- x ./opt/local/share/doc/qt3/html/linguist-manual-2.html
- x ./opt/local/share/doc/qt3/html/linguist-manual-3.html
- x ./opt/local/share/doc/qt3/html/linguist-manual-4.html
- x ./opt/local/share/doc/qt3/html/linguist-manual.html
- x ./opt/local/share/doc/qt3/html/linguist.dcf
- x ./opt/local/share/doc/qt3/html/linguist.png
- x ./opt/local/share/doc/qt3/html/listbox-example.html

- x ./opt/local/share/doc/qt3/html/listboxcombo-example.html
- x ./opt/local/share/doc/qt3/html/listviews-example.html
- x ./opt/local/share/doc/qt3/html/logo32.png
- x ./opt/local/share/doc/qt3/html/mac-differences.html
- x ./opt/local/share/doc/qt3/html/mail-example.html
- x ./opt/local/share/doc/qt3/html/mainclasses.html
- x ./opt/local/share/doc/qt3/html/mainwindow-w.png
- x ./opt/local/share/doc/qt3/html/makeqpf.html
- x ./opt/local/share/doc/qt3/html/md-example.html
- x ./opt/local/share/doc/qt3/html/menu-example.html
- x ./opt/local/share/doc/qt3/html/menubar.png
- x ./opt/local/share/doc/qt3/html/metaobjects.html
- x ./opt/local/share/doc/qt3/html/misc.html
- x ./opt/local/share/doc/qt3/html/moc.html
- x ./opt/local/share/doc/qt3/html/modules.html
- x ./opt/local/share/doc/qt3/html/motif-customwidget-example.html
- x ./opt/local/share/doc/qt3/html/motif-dialog-example.html
- x ./opt/local/share/doc/qt3/html/motif-examples.html
- x ./opt/local/share/doc/qt3/html/motif-extension.html
- x ./opt/local/share/doc/qt3/html/motif-todo.png
- x ./opt/local/share/doc/qt3/html/motif-walkthrough-1.html
- x ./opt/local/share/doc/qt3/html/motif-walkthrough-10.html
- x ./opt/local/share/doc/qt3/html/motif-walkthrough-2.html
- x ./opt/local/share/doc/qt3/html/motif-walkthrough-3.html

x ./opt/local/share/doc/qt3/html/motif-walkthrough-4.html
x ./opt/local/share/doc/qt3/html/motif-walkthrough-5.html
x ./opt/local/share/doc/qt3/html/motif-walkthrough-6.html
x ./opt/local/share/doc/qt3/html/motif-walkthrough-7.html
x ./opt/local/share/doc/qt3/html/motif-walkthrough-8.html
x ./opt/local/share/doc/qt3/html/motif-walkthrough-9.html
x ./opt/local/share/doc/qt3/html/motif-walkthrough.html
x ./opt/local/share/doc/qt3/html/movies-example.html
x ./opt/local/share/doc/qt3/html/multimedia.html
x ./opt/local/share/doc/qt3/html/mw-addmainwidg.png
x ./opt/local/share/doc/qt3/html/mw-coloriconv.png
x ./opt/local/share/doc/qt3/html/mw-colortable.png
x ./opt/local/share/doc/qt3/html/mw-colortool1.png
x ./opt/local/share/doc/qt3/html/mw-colortool2.png
x ./opt/local/share/doc/qt3/html/mw-conn1.png
x ./opt/local/share/doc/qt3/html/mw-conn2.png
x ./opt/local/share/doc/qt3/html/mw-conn3.png
x ./opt/local/share/doc/qt3/html/mw-conn4.png
x ./opt/local/share/doc/qt3/html/mw-dragaction.png
x ./opt/local/share/doc/qt3/html/mw-dragviewitem.png
x ./opt/local/share/doc/qt3/html/mw-editforw.png
x ./opt/local/share/doc/qt3/html/mw-editfunc.png
x ./opt/local/share/doc/qt3/html/mw-editincimp.png
x ./opt/local/share/doc/qt3/html/mw-editvar.png

- x ./opt/local/share/doc/qt3/html/mw-laycoloriconv.png
- x ./opt/local/share/doc/qt3/html/mw-laycolortable.png
- x ./opt/local/share/doc/qt3/html/mw-laymainwidg.png
- x ./opt/local/share/doc/qt3/html/mw-menuwiz.png
- x ./opt/local/share/doc/qt3/html/mw-newfile.png
- x ./opt/local/share/doc/qt3/html/mw-newmenuitem.png
- x ./opt/local/share/doc/qt3/html/mw-objexplor.png
- x ./opt/local/share/doc/qt3/html/mw-previewform.png
- x ./opt/local/share/doc/qt3/html/mw-projset.png
- x ./opt/local/share/doc/qt3/html/mw-propedit.png
- x ./opt/local/share/doc/qt3/html/mw-separator.png
- x ./opt/local/share/doc/qt3/html/mw-settoolwiz.png
- x ./opt/local/share/doc/qt3/html/mw-startdesign.png
- x ./opt/local/share/doc/qt3/html/mw-toolbarpits.png
- x ./opt/local/share/doc/qt3/html/netscape-plugin.html
- x ./opt/local/share/doc/qt3/html/network-examples.html
- x ./opt/local/share/doc/qt3/html/network.html
- x ./opt/local/share/doc/qt3/html/networkprotocol-example.html
- x ./opt/local/share/doc/qt3/html/next.png
- x ./opt/local/share/doc/qt3/html/nextunfinished.png
- x ./opt/local/share/doc/qt3/html/nsplugin-examples.html
- x ./opt/local/share/doc/qt3/html/object.html
- x ./opt/local/share/doc/qt3/html/objectmodel.html
- x ./opt/local/share/doc/qt3/html/objecttrees.html

- x ./opt/local/share/doc/qt3/html/opengl-box-example.html
- x ./opt/local/share/doc/qt3/html/opengl-examples.html
- x ./opt/local/share/doc/qt3/html/opengl-gear-example.html
- x ./opt/local/share/doc/qt3/html/opengl-overlay-example.html
- x ./opt/local/share/doc/qt3/html/opengl-overlay-x11-example.html
- x ./opt/local/share/doc/qt3/html/opengl-pixmap-example.html
- x ./opt/local/share/doc/qt3/html/opengl-sharedbox-example.html
- x ./opt/local/share/doc/qt3/html/opengl-texture-example.html
- x ./opt/local/share/doc/qt3/html/opengl-x11-overlays.html
- x ./opt/local/share/doc/qt3/html/opengl.html
- x ./opt/local/share/doc/qt3/html/opensourceedition.html
- x ./opt/local/share/doc/qt3/html/organizers.html
- x ./opt/local/share/doc/qt3/html/outliner-example.html
- x ./opt/local/share/doc/qt3/html/overviews-list.html
- x ./opt/local/share/doc/qt3/html/palette.png
- x ./opt/local/share/doc/qt3/html/pdf1.png
- x ./opt/local/share/doc/qt3/html/pen-cap-styles.png
- x ./opt/local/share/doc/qt3/html/pen-join-styles.png
- x ./opt/local/share/doc/qt3/html/pen-styles.png
- x ./opt/local/share/doc/qt3/html/penstyles.png
- x ./opt/local/share/doc/qt3/html/phrasebookdialog.png
- x ./opt/local/share/doc/qt3/html/phrasebookopen.png
- x ./opt/local/share/doc/qt3/html/picture-example.html
- x ./opt/local/share/doc/qt3/html/pictures.html

- x [./opt/local/share/doc/qt3/html/plugins-howto.html](#)
- x [./opt/local/share/doc/qt3/html/plugins.html](#)
- x [./opt/local/share/doc/qt3/html/popup-example.html](#)
- x [./opt/local/share/doc/qt3/html/porting.html](#)
- x [./opt/local/share/doc/qt3/html/porting2.html](#)
- x [./opt/local/share/doc/qt3/html/prev.png](#)
- x [./opt/local/share/doc/qt3/html/prevunfinished.png](#)
- x [./opt/local/share/doc/qt3/html/primes.html](#)
- x [./opt/local/share/doc/qt3/html/process-example.html](#)
- x [./opt/local/share/doc/qt3/html/progress-example.html](#)
- x [./opt/local/share/doc/qt3/html/progressbar-example.html](#)
- x [./opt/local/share/doc/qt3/html/properties.html](#)
- x [./opt/local/share/doc/qt3/html/propertydocs](#)
- x [./opt/local/share/doc/qt3/html/propertyindex](#)
- x [./opt/local/share/doc/qt3/html/qaccel-h.html](#)
- x [./opt/local/share/doc/qt3/html/qaccel-members.html](#)
- x [./opt/local/share/doc/qt3/html/qaccel.html](#)
- x [./opt/local/share/doc/qt3/html/qaccessible-h.html](#)
- x [./opt/local/share/doc/qt3/html/qaccessible-members.html](#)
- x [./opt/local/share/doc/qt3/html/qaccessible.html](#)
- x [./opt/local/share/doc/qt3/html/qaccessibleinterface-members.html](#)
- x [./opt/local/share/doc/qt3/html/qaccessibleinterface.html](#)
- x [./opt/local/share/doc/qt3/html/qaccessibleobject-members.html](#)
- x [./opt/local/share/doc/qt3/html/qaccessibleobject.html](#)

- x ./opt/local/share/doc/qt3/html/qaction-application-example.html
- x ./opt/local/share/doc/qt3/html/qaction-examples.html
- x ./opt/local/share/doc/qt3/html/qaction-h.html
- x ./opt/local/share/doc/qt3/html/qaction-members.html
- x ./opt/local/share/doc/qt3/html/qaction.html
- x ./opt/local/share/doc/qt3/html/qactiongroup-members.html
- x ./opt/local/share/doc/qt3/html/qactiongroup.html
- x ./opt/local/share/doc/qt3/html/qactiongroup_menu.png
- x ./opt/local/share/doc/qt3/html/qactiongroup_menu_subwidget.png
- x ./opt/local/share/doc/qt3/html/qactiongroup_toolbar.png
- x ./opt/local/share/doc/qt3/html/qactiongroup_toolbar_exclusive_subwidget.png
- x ./opt/local/share/doc/qt3/html/qactiongroup_toolbar_nonexclusive_subwidget.png
- x ./opt/local/share/doc/qt3/html/qapplication-h.html
- x ./opt/local/share/doc/qt3/html/qapplication-members.html
- x ./opt/local/share/doc/qt3/html/qapplication.html
- x ./opt/local/share/doc/qt3/html/qarray.html
- x ./opt/local/share/doc/qt3/html/qasciicache-h.html
- x ./opt/local/share/doc/qt3/html/qasciicache-members.html
- x ./opt/local/share/doc/qt3/html/qasciicache.html
- x ./opt/local/share/doc/qt3/html/qasciicacheiterator-members.html
- x ./opt/local/share/doc/qt3/html/qasciicacheiterator.html
- x ./opt/local/share/doc/qt3/html/qasciidict-h.html
- x ./opt/local/share/doc/qt3/html/qasciidict-members.html
- x ./opt/local/share/doc/qt3/html/qasciidict.html

x ./opt/local/share/doc/qt3/html/qasciidictiterator-members.html
x ./opt/local/share/doc/qt3/html/qasciidictiterator.html
x ./opt/local/share/doc/qt3/html/qassistantclient-h.html
x ./opt/local/share/doc/qt3/html/qassistantclient-members.html
x ./opt/local/share/doc/qt3/html/qassistantclient.html
x ./opt/local/share/doc/qt3/html/qasyncimageio-h.html
x ./opt/local/share/doc/qt3/html/qasyncio-h.html
x ./opt/local/share/doc/qt3/html/qasyncio-members.html
x ./opt/local/share/doc/qt3/html/qasyncio.html
x ./opt/local/share/doc/qt3/html/qaxaggregated-members.html
x ./opt/local/share/doc/qt3/html/qaxaggregated.html
x ./opt/local/share/doc/qt3/html/qaxbase-h.html
x ./opt/local/share/doc/qt3/html/qaxbase-members.html
x ./opt/local/share/doc/qt3/html/qaxbase.html
x ./opt/local/share/doc/qt3/html/qaxbindable-h.html
x ./opt/local/share/doc/qt3/html/qaxbindable-members.html
x ./opt/local/share/doc/qt3/html/qaxbindable.html
x ./opt/local/share/doc/qt3/html/qaxcontainer-example-qtlook.html
x ./opt/local/share/doc/qt3/html/qaxcontainer-example-webbrowser.html
x ./opt/local/share/doc/qt3/html/qaxcontainer-examples.html
x ./opt/local/share/doc/qt3/html/qaxcontainer.html
x ./opt/local/share/doc/qt3/html/qaxfactory-h.html
x ./opt/local/share/doc/qt3/html/qaxfactory-members.html
x ./opt/local/share/doc/qt3/html/qaxfactory.html

- x ./opt/local/share/doc/qt3/html/qaxobject-h.html
- x ./opt/local/share/doc/qt3/html/qaxobject-members.html
- x ./opt/local/share/doc/qt3/html/qaxobject.html
- x ./opt/local/share/doc/qt3/html/qaxscript-h.html
- x ./opt/local/share/doc/qt3/html/qaxscript-members.html
- x ./opt/local/share/doc/qt3/html/qaxscript.html
- x ./opt/local/share/doc/qt3/html/qaxscriptengine-members.html
- x ./opt/local/share/doc/qt3/html/qaxscriptengine.html
- x ./opt/local/share/doc/qt3/html/qaxscriptmanager-members.html
- x ./opt/local/share/doc/qt3/html/qaxscriptmanager.html
- x ./opt/local/share/doc/qt3/html/qaxserver-demo-hierarchy.html
- x ./opt/local/share/doc/qt3/html/qaxserver-demo-menus.html
- x ./opt/local/share/doc/qt3/html/qaxserver-demo-multiple.html
- x ./opt/local/share/doc/qt3/html/qaxserver-demo-opengl.html
- x ./opt/local/share/doc/qt3/html/qaxserver-demo-simple.html
- x ./opt/local/share/doc/qt3/html/qaxserver-demo-tetrax.html
- x ./opt/local/share/doc/qt3/html/qaxserver-demo-wrapper.html
- x ./opt/local/share/doc/qt3/html/qaxserver-example-hierarchy.html
- x ./opt/local/share/doc/qt3/html/qaxserver-example-menus.html
- x ./opt/local/share/doc/qt3/html/qaxserver-example-multiple.html
- x ./opt/local/share/doc/qt3/html/qaxserver-example-opengl.html
- x ./opt/local/share/doc/qt3/html/qaxserver-example-simple.html
- x ./opt/local/share/doc/qt3/html/qaxserver-example-tetrax.html
- x ./opt/local/share/doc/qt3/html/qaxserver-example-wrapper.html

- x ./opt/local/share/doc/qt3/html/qaxserver-examples.html
- x ./opt/local/share/doc/qt3/html/qaxserver.html
- x ./opt/local/share/doc/qt3/html/qaxwidget-h.html
- x ./opt/local/share/doc/qt3/html/qaxwidget-members.html
- x ./opt/local/share/doc/qt3/html/qaxwidget.html
- x ./opt/local/share/doc/qt3/html/qbig5codec-h.html
- x ./opt/local/share/doc/qt3/html/qbig5codec-members.html
- x ./opt/local/share/doc/qt3/html/qbig5codec.html
- x ./opt/local/share/doc/qt3/html/qbig5hkscscodec-members.html
- x ./opt/local/share/doc/qt3/html/qbig5hkscscodec.html
- x ./opt/local/share/doc/qt3/html/qbitarray-h.html
- x ./opt/local/share/doc/qt3/html/qbitarray-members.html
- x ./opt/local/share/doc/qt3/html/qbitarray.html
- x ./opt/local/share/doc/qt3/html/qbitmap-h.html
- x ./opt/local/share/doc/qt3/html/qbitmap-members.html
- x ./opt/local/share/doc/qt3/html/qbitmap.html
- x ./opt/local/share/doc/qt3/html/qbitval-members.html
- x ./opt/local/share/doc/qt3/html/qbitval.html
- x ./opt/local/share/doc/qt3/html/qboxlayout-members.html
- x ./opt/local/share/doc/qt3/html/qboxlayout.html
- x ./opt/local/share/doc/qt3/html/qbrush-h.html
- x ./opt/local/share/doc/qt3/html/qbrush-members.html
- x ./opt/local/share/doc/qt3/html/qbrush.html
- x ./opt/local/share/doc/qt3/html/qbttnggrp-m.png

- x ./opt/local/share/doc/qt3/html/qbttngroup-w.png
- x ./opt/local/share/doc/qt3/html/qbuffer-h.html
- x ./opt/local/share/doc/qt3/html/qbuffer-members.html
- x ./opt/local/share/doc/qt3/html/qbuffer.html
- x ./opt/local/share/doc/qt3/html/qbutton-h.html
- x ./opt/local/share/doc/qt3/html/qbutton-members.html
- x ./opt/local/share/doc/qt3/html/qbutton.html
- x ./opt/local/share/doc/qt3/html/qbuttongroup-h.html
- x ./opt/local/share/doc/qt3/html/qbuttongroup-h.png
- x ./opt/local/share/doc/qt3/html/qbuttongroup-members.html
- x ./opt/local/share/doc/qt3/html/qbuttongroup-v.png
- x ./opt/local/share/doc/qt3/html/qbuttongroup.html
- x ./opt/local/share/doc/qt3/html/qbytearray-members.html
- x ./opt/local/share/doc/qt3/html/qbytearray.html
- x ./opt/local/share/doc/qt3/html/qcache-h.html
- x ./opt/local/share/doc/qt3/html/qcache-members.html
- x ./opt/local/share/doc/qt3/html/qcache.html
- x ./opt/local/share/doc/qt3/html/qcacheiterator-members.html
- x ./opt/local/share/doc/qt3/html/qcacheiterator.html
- x ./opt/local/share/doc/qt3/html/qcanvas-h.html
- x ./opt/local/share/doc/qt3/html/qcanvas-members.html
- x ./opt/local/share/doc/qt3/html/qcanvas.html
- x ./opt/local/share/doc/qt3/html/qcanvas.png
- x ./opt/local/share/doc/qt3/html/qcanvasellipse-members.html

x ./opt/local/share/doc/qt3/html/qcanvasellipse.html
x ./opt/local/share/doc/qt3/html/qcanvasellipse.png
x ./opt/local/share/doc/qt3/html/qcanvasitem-members.html
x ./opt/local/share/doc/qt3/html/qcanvasitem.html
x ./opt/local/share/doc/qt3/html/qcanvasitemlist-members.html
x ./opt/local/share/doc/qt3/html/qcanvasitemlist.html
x ./opt/local/share/doc/qt3/html/qcanvasline-members.html
x ./opt/local/share/doc/qt3/html/qcanvasline.html
x ./opt/local/share/doc/qt3/html/qcanvaspixmap-members.html
x ./opt/local/share/doc/qt3/html/qcanvaspixmap.html
x ./opt/local/share/doc/qt3/html/qcanvaspixmaparray-members.html
x ./opt/local/share/doc/qt3/html/qcanvaspixmaparray.html
x ./opt/local/share/doc/qt3/html/qcanvaspolygon-members.html
x ./opt/local/share/doc/qt3/html/qcanvaspolygon.html
x ./opt/local/share/doc/qt3/html/qcanvaspolygonalitem-members.html
x ./opt/local/share/doc/qt3/html/qcanvaspolygonalitem.html
x ./opt/local/share/doc/qt3/html/qcanvasrectangle-members.html
x ./opt/local/share/doc/qt3/html/qcanvasrectangle.html
x ./opt/local/share/doc/qt3/html/qcavasspline-members.html
x ./opt/local/share/doc/qt3/html/qcavasspline.html
x ./opt/local/share/doc/qt3/html/qcavassprite-members.html
x ./opt/local/share/doc/qt3/html/qcavassprite.html
x ./opt/local/share/doc/qt3/html/qcavastext-members.html
x ./opt/local/share/doc/qt3/html/qcavastext.html

- x ./opt/local/share/doc/qt3/html/qcanvasview-members.html
- x ./opt/local/share/doc/qt3/html/qcanvasview.html
- x ./opt/local/share/doc/qt3/html/qcdestyle-h.html
- x ./opt/local/share/doc/qt3/html/qcdestyle-members.html
- x ./opt/local/share/doc/qt3/html/qcdestyle.html
- x ./opt/local/share/doc/qt3/html/qchar-members.html
- x ./opt/local/share/doc/qt3/html/qchar.html
- x ./opt/local/share/doc/qt3/html/qcharref-members.html
- x ./opt/local/share/doc/qt3/html/qcharref.html
- x ./opt/local/share/doc/qt3/html/qcheckbox-h.html
- x ./opt/local/share/doc/qt3/html/qcheckbox-members.html
- x ./opt/local/share/doc/qt3/html/qcheckbox.html
- x ./opt/local/share/doc/qt3/html/qcheckboxlistitem-members.html
- x ./opt/local/share/doc/qt3/html/qcheckboxlistitem.html
- x ./opt/local/share/doc/qt3/html/qcheckboxtableitem-members.html
- x ./opt/local/share/doc/qt3/html/qcheckboxtableitem.html
- x ./opt/local/share/doc/qt3/html/qchildevent-members.html
- x ./opt/local/share/doc/qt3/html/qchildevent.html
- x ./opt/local/share/doc/qt3/html/qcheckbox-m.png
- x ./opt/local/share/doc/qt3/html/qcheckbox-w.png
- x ./opt/local/share/doc/qt3/html/qclipboard-h.html
- x ./opt/local/share/doc/qt3/html/qclipboard-members.html
- x ./opt/local/share/doc/qt3/html/qclipboard.html
- x ./opt/local/share/doc/qt3/html/qcloseevent-members.html

- x ./opt/local/share/doc/qt3/html/qcloseevent.html
- x ./opt/local/share/doc/qt3/html/qcollection.html
- x ./opt/local/share/doc/qt3/html/qcolor-h.html
- x ./opt/local/share/doc/qt3/html/qcolor-members.html
- x ./opt/local/share/doc/qt3/html/qcolor.html
- x ./opt/local/share/doc/qt3/html/qcolordialog-h.html
- x ./opt/local/share/doc/qt3/html/qcolordialog-members.html
- x ./opt/local/share/doc/qt3/html/qcolordialog.html
- x ./opt/local/share/doc/qt3/html/qcolordlg-w.png
- x ./opt/local/share/doc/qt3/html/qcolordrag-members.html
- x ./opt/local/share/doc/qt3/html/qcolordrag.html
- x ./opt/local/share/doc/qt3/html/qcolorgroup-members.html
- x ./opt/local/share/doc/qt3/html/qcolorgroup.html
- x ./opt/local/share/doc/qt3/html/qcombo1-m.png
- x ./opt/local/share/doc/qt3/html/qcombo1-w.png
- x ./opt/local/share/doc/qt3/html/qcombo2-m.png
- x ./opt/local/share/doc/qt3/html/qcombo3-m.png
- x ./opt/local/share/doc/qt3/html/qcombobox-h.html
- x ./opt/local/share/doc/qt3/html/qcombobox-members.html
- x ./opt/local/share/doc/qt3/html/qcombobox.html
- x ./opt/local/share/doc/qt3/html/qcombotableitem-members.html
- x ./opt/local/share/doc/qt3/html/qcombotableitem.html
- x ./opt/local/share/doc/qt3/html/qcommonstyle-h.html
- x ./opt/local/share/doc/qt3/html/qcommonstyle-members.html

- x ./opt/local/share/doc/qt3/html/qcommonstyle.html
- x ./opt/local/share/doc/qt3/html/qconststring-members.html
- x ./opt/local/share/doc/qt3/html/qconststring.html
- x ./opt/local/share/doc/qt3/html/qcontextmenuevent-members.html
- x ./opt/local/share/doc/qt3/html/qcontextmenuevent.html
- x ./opt/local/share/doc/qt3/html/qcopchannel-members.html
- x ./opt/local/share/doc/qt3/html/qcopchannel.html
- x ./opt/local/share/doc/qt3/html/qcopchannel_qws-h.html
- x ./opt/local/share/doc/qt3/html/qcstring-h.html
- x ./opt/local/share/doc/qt3/html/qcstring-members.html
- x ./opt/local/share/doc/qt3/html/qcstring.html
- x ./opt/local/share/doc/qt3/html/qcursor-h.html
- x ./opt/local/share/doc/qt3/html/qcursor-members.html
- x ./opt/local/share/doc/qt3/html/qcursor.html
- x ./opt/local/share/doc/qt3/html/qcustomevent-members.html
- x ./opt/local/share/doc/qt3/html/qcustomevent.html
- x ./opt/local/share/doc/qt3/html/qcustommenuItem-members.html
- x ./opt/local/share/doc/qt3/html/qcustommenuItem.html
- x ./opt/local/share/doc/qt3/html/qd-actioneditor.png
- x ./opt/local/share/doc/qt3/html/qd-colortool-name.png
- x ./opt/local/share/doc/qt3/html/qd-databrowserwzd.png
- x ./opt/local/share/doc/qt3/html/qd-databrowserwzdpag2.png
- x ./opt/local/share/doc/qt3/html/qd-databrowserwzdpag3.png
- x ./opt/local/share/doc/qt3/html/qd-databrowserwzdpag4.png

- x ./opt/local/share/doc/qt3/html/qd-databrowserwzdpage5.png
- x ./opt/local/share/doc/qt3/html/qd-databrowserwzdpage6.png
- x ./opt/local/share/doc/qt3/html/qd-datatablewzd.png
- x ./opt/local/share/doc/qt3/html/qd-datatablewzdpage2.png
- x ./opt/local/share/doc/qt3/html/qd-datatablewzdpage3.png
- x ./opt/local/share/doc/qt3/html/qd-datatablewzdpage4.png
- x ./opt/local/share/doc/qt3/html/qd-datatablewzdpage5.png
- x ./opt/local/share/doc/qt3/html/qd-dataviwwzd.png
- x ./opt/local/share/doc/qt3/html/qd-dataviwwzdpage2.png
- x ./opt/local/share/doc/qt3/html/qd-dataviwwzdpage3.png
- x ./opt/local/share/doc/qt3/html/qd-dataviwwzdpage4.png
- x ./opt/local/share/doc/qt3/html/qd-helptoolbuttons3.png
- x ./opt/local/share/doc/qt3/html/qd-mainwinwzd.png
- x ./opt/local/share/doc/qt3/html/qd-mainwinwzdpage2.png
- x ./opt/local/share/doc/qt3/html/qd-preface.png
- x ./opt/local/share/doc/qt3/html/qd-preferences-dlg.png
- x ./opt/local/share/doc/qt3/html/qdatabrowser-h.html
- x ./opt/local/share/doc/qt3/html/qdatabrowser-members.html
- x ./opt/local/share/doc/qt3/html/qdatabrowser.html
- x ./opt/local/share/doc/qt3/html/qdatapump-members.html
- x ./opt/local/share/doc/qt3/html/qdatapump.html
- x ./opt/local/share/doc/qt3/html/qdatasink-members.html
- x ./opt/local/share/doc/qt3/html/qdatasink.html
- x ./opt/local/share/doc/qt3/html/qdatasource-members.html

- x ./opt/local/share/doc/qt3/html/qdatasource.html
- x ./opt/local/share/doc/qt3/html/qdatastream-h.html
- x ./opt/local/share/doc/qt3/html/qdatastream-members.html
- x ./opt/local/share/doc/qt3/html/qdatastream.html
- x ./opt/local/share/doc/qt3/html/qdatatable-h.html
- x ./opt/local/share/doc/qt3/html/qdatatable-members.html
- x ./opt/local/share/doc/qt3/html/qdatatable.html
- x ./opt/local/share/doc/qt3/html/qdataview-h.html
- x ./opt/local/share/doc/qt3/html/qdataview-members.html
- x ./opt/local/share/doc/qt3/html/qdataview.html
- x ./opt/local/share/doc/qt3/html/qdate-members.html
- x ./opt/local/share/doc/qt3/html/qdate.html
- x ./opt/local/share/doc/qt3/html/qdateedit-members.html
- x ./opt/local/share/doc/qt3/html/qdateedit.html
- x ./opt/local/share/doc/qt3/html/qdatetime-h.html
- x ./opt/local/share/doc/qt3/html/qdatetime-members.html
- x ./opt/local/share/doc/qt3/html/qdatetime.html
- x ./opt/local/share/doc/qt3/html/qdatetimeedit-h.html
- x ./opt/local/share/doc/qt3/html/qdatetimeedit-members.html
- x ./opt/local/share/doc/qt3/html/qdatetimeedit.html
- x ./opt/local/share/doc/qt3/html/qdatetimeeditbase-members.html
- x ./opt/local/share/doc/qt3/html/qdatetimeeditbase.html
- x ./opt/local/share/doc/qt3/html/qdeepcopy-h.html
- x ./opt/local/share/doc/qt3/html/qdeepcopy-members.html

- x ./opt/local/share/doc/qt3/html/qdeepcopy.html
- x ./opt/local/share/doc/qt3/html/qdesktopwidget-h.html
- x ./opt/local/share/doc/qt3/html/qdesktopwidget-members.html
- x ./opt/local/share/doc/qt3/html/qdesktopwidget.html
- x ./opt/local/share/doc/qt3/html/qdesktopwidget.png
- x ./opt/local/share/doc/qt3/html/qdial-h.html
- x ./opt/local/share/doc/qt3/html/qdial-m.png
- x ./opt/local/share/doc/qt3/html/qdial-members.html
- x ./opt/local/share/doc/qt3/html/qdial-w.png
- x ./opt/local/share/doc/qt3/html/qdial.html
- x ./opt/local/share/doc/qt3/html/qdialog-h.html
- x ./opt/local/share/doc/qt3/html/qdialog-members.html
- x ./opt/local/share/doc/qt3/html/qdialog.html
- x ./opt/local/share/doc/qt3/html/qdict-h.html
- x ./opt/local/share/doc/qt3/html/qdict-members.html
- x ./opt/local/share/doc/qt3/html/qdict.html
- x ./opt/local/share/doc/qt3/html/qdictiterator-members.html
- x ./opt/local/share/doc/qt3/html/qdictiterator.html
- x ./opt/local/share/doc/qt3/html/qdir-example.html
- x ./opt/local/share/doc/qt3/html/qdir-h.html
- x ./opt/local/share/doc/qt3/html/qdir-members.html
- x ./opt/local/share/doc/qt3/html/qdir.html
- x ./opt/local/share/doc/qt3/html/qdirectpainter-members.html
- x ./opt/local/share/doc/qt3/html/qdirectpainter.html

- x ./opt/local/share/doc/qt3/html/qdirectpainter_qws-h.html
- x ./opt/local/share/doc/qt3/html/qdns-h.html
- x ./opt/local/share/doc/qt3/html/qdns-members.html
- x ./opt/local/share/doc/qt3/html/qdns.html
- x ./opt/local/share/doc/qt3/html/qdockarea-h.html
- x ./opt/local/share/doc/qt3/html/qdockarea-members.html
- x ./opt/local/share/doc/qt3/html/qdockarea.html
- x ./opt/local/share/doc/qt3/html/qdockwindow-h.html
- x ./opt/local/share/doc/qt3/html/qdockwindow-members.html
- x ./opt/local/share/doc/qt3/html/qdockwindow.html
- x ./opt/local/share/doc/qt3/html/qdockwindow.png
- x ./opt/local/share/doc/qt3/html/qdom-h.html
- x ./opt/local/share/doc/qt3/html/qdomattr-members.html
- x ./opt/local/share/doc/qt3/html/qdomattr.html
- x ./opt/local/share/doc/qt3/html/qdomcdatasection-members.html
- x ./opt/local/share/doc/qt3/html/qdomcdatasection.html
- x ./opt/local/share/doc/qt3/html/qdomcharacterdata-members.html
- x ./opt/local/share/doc/qt3/html/qdomcharacterdata.html
- x ./opt/local/share/doc/qt3/html/qdomcomment-members.html
- x ./opt/local/share/doc/qt3/html/qdomcomment.html
- x ./opt/local/share/doc/qt3/html/qdomdocument-members.html
- x ./opt/local/share/doc/qt3/html/qdomdocument.html
- x ./opt/local/share/doc/qt3/html/qdomdocumentfragment-members.html
- x ./opt/local/share/doc/qt3/html/qdomdocumentfragment.html

- x ./opt/local/share/doc/qt3/html/qdomdocumenttype-members.html
- x ./opt/local/share/doc/qt3/html/qdomdocumenttype.html
- x ./opt/local/share/doc/qt3/html/qdomelement-members.html
- x ./opt/local/share/doc/qt3/html/qdomelement.html
- x ./opt/local/share/doc/qt3/html/qdomententity-members.html
- x ./opt/local/share/doc/qt3/html/qdomententity.html
- x ./opt/local/share/doc/qt3/html/qdomententityreference-members.html
- x ./opt/local/share/doc/qt3/html/qdomententityreference.html
- x ./opt/local/share/doc/qt3/html/qdomimplementation-members.html
- x ./opt/local/share/doc/qt3/html/qdomimplementation.html
- x ./opt/local/share/doc/qt3/html/qdomnamednodemap-members.html
- x ./opt/local/share/doc/qt3/html/qdomnamednodemap.html
- x ./opt/local/share/doc/qt3/html/qdomnode-members.html
- x ./opt/local/share/doc/qt3/html/qdomnode.html
- x ./opt/local/share/doc/qt3/html/qdomodelist-members.html
- x ./opt/local/share/doc/qt3/html/qdomodelist.html
- x ./opt/local/share/doc/qt3/html/qdomnotation-members.html
- x ./opt/local/share/doc/qt3/html/qdomnotation.html
- x ./opt/local/share/doc/qt3/html/qdomprocessinginstruction-members.html
- x ./opt/local/share/doc/qt3/html/qdomprocessinginstruction.html
- x ./opt/local/share/doc/qt3/html/qdomtext-members.html
- x ./opt/local/share/doc/qt3/html/qdomtext.html
- x ./opt/local/share/doc/qt3/html/qdoublevalidator-members.html
- x ./opt/local/share/doc/qt3/html/qdoublevalidator.html

x ./opt/local/share/doc/qt3/html/qdragenterevent-members.html
x ./opt/local/share/doc/qt3/html/qdragenterevent.html
x ./opt/local/share/doc/qt3/html/qdragleaveevent-members.html
x ./opt/local/share/doc/qt3/html/qdragleaveevent.html
x ./opt/local/share/doc/qt3/html/qdragmoveevent-members.html
x ./opt/local/share/doc/qt3/html/qdragmoveevent.html
x ./opt/local/share/doc/qt3/html/qdragobject-h.html
x ./opt/local/share/doc/qt3/html/qdragobject-members.html
x ./opt/local/share/doc/qt3/html/qdragobject.html
x ./opt/local/share/doc/qt3/html/qdrawutil-h.html
x ./opt/local/share/doc/qt3/html/qdropevent-members.html
x ./opt/local/share/doc/qt3/html/qdropevent.html
x ./opt/local/share/doc/qt3/html/qdropsite-h.html
x ./opt/local/share/doc/qt3/html/qdropsite-members.html
x ./opt/local/share/doc/qt3/html/qdropsite.html
x ./opt/local/share/doc/qt3/html/qeditorfactory-h.html
x ./opt/local/share/doc/qt3/html/qeditorfactory-members.html
x ./opt/local/share/doc/qt3/html/qeditorfactory.html
x ./opt/local/share/doc/qt3/html/qembed.html
x ./opt/local/share/doc/qt3/html/qerrormessage-h.html
x ./opt/local/share/doc/qt3/html/qerrormessage-members.html
x ./opt/local/share/doc/qt3/html/qerrormessage.html
x ./opt/local/share/doc/qt3/html/qerrormessage.png
x ./opt/local/share/doc/qt3/html/qeucjpegcodec-h.html

- x ./opt/local/share/doc/qt3/html/qeucjpcoddec-members.html
- x ./opt/local/share/doc/qt3/html/qeucjpcoddec.html
- x ./opt/local/share/doc/qt3/html/qeuckrcoddec-h.html
- x ./opt/local/share/doc/qt3/html/qeuckrcoddec-members.html
- x ./opt/local/share/doc/qt3/html/qeuckrcoddec.html
- x ./opt/local/share/doc/qt3/html/qevent-h.html
- x ./opt/local/share/doc/qt3/html/qevent-members.html
- x ./opt/local/share/doc/qt3/html/qevent.html
- x ./opt/local/share/doc/qt3/html/qeventloop-h.html
- x ./opt/local/share/doc/qt3/html/qeventloop-members.html
- x ./opt/local/share/doc/qt3/html/qeventloop.html
- x ./opt/local/share/doc/qt3/html/qfd-example.html
- x ./opt/local/share/doc/qt3/html/qfile-h.html
- x ./opt/local/share/doc/qt3/html/qfile-members.html
- x ./opt/local/share/doc/qt3/html/qfile.html
- x ./opt/local/share/doc/qt3/html/qfiledialog-h.html
- x ./opt/local/share/doc/qt3/html/qfiledialog-members.html
- x ./opt/local/share/doc/qt3/html/qfiledialog.html
- x ./opt/local/share/doc/qt3/html/qfiledlg-m.png
- x ./opt/local/share/doc/qt3/html/qfiledlg-w.png
- x ./opt/local/share/doc/qt3/html/qfileiconprovider-members.html
- x ./opt/local/share/doc/qt3/html/qfileiconprovider.html
- x ./opt/local/share/doc/qt3/html/qfileinfo-h.html
- x ./opt/local/share/doc/qt3/html/qfileinfo-members.html

- x ./opt/local/share/doc/qt3/html/qfileinfo.html
- x ./opt/local/share/doc/qt3/html/qfilepreview-members.html
- x ./opt/local/share/doc/qt3/html/qfilepreview.html
- x ./opt/local/share/doc/qt3/html/qfocusdata-h.html
- x ./opt/local/share/doc/qt3/html/qfocusdata-members.html
- x ./opt/local/share/doc/qt3/html/qfocusdata.html
- x ./opt/local/share/doc/qt3/html/qfocusevent-members.html
- x ./opt/local/share/doc/qt3/html/qfocusevent.html
- x ./opt/local/share/doc/qt3/html/qfont-examples.html
- x ./opt/local/share/doc/qt3/html/qfont-h.html
- x ./opt/local/share/doc/qt3/html/qfont-members.html
- x ./opt/local/share/doc/qt3/html/qfont.html
- x ./opt/local/share/doc/qt3/html/qfontdatabase-h.html
- x ./opt/local/share/doc/qt3/html/qfontdatabase-members.html
- x ./opt/local/share/doc/qt3/html/qfontdatabase.html
- x ./opt/local/share/doc/qt3/html/qfontdialog-h.html
- x ./opt/local/share/doc/qt3/html/qfontdialog-members.html
- x ./opt/local/share/doc/qt3/html/qfontdialog.html
- x ./opt/local/share/doc/qt3/html/qfontdlg-w.png
- x ./opt/local/share/doc/qt3/html/qfontinfo-h.html
- x ./opt/local/share/doc/qt3/html/qfontinfo-members.html
- x ./opt/local/share/doc/qt3/html/qfontinfo.html
- x ./opt/local/share/doc/qt3/html/qfontmanager-members.html
- x ./opt/local/share/doc/qt3/html/qfontmanager.html

x ./opt/local/share/doc/qt3/html/qfontmanager_qws-h.html
x ./opt/local/share/doc/qt3/html/qfontmetrics-h.html
x ./opt/local/share/doc/qt3/html/qfontmetrics-members.html
x ./opt/local/share/doc/qt3/html/qfontmetrics.html
x ./opt/local/share/doc/qt3/html/qframe-h.html
x ./opt/local/share/doc/qt3/html/qframe-members.html
x ./opt/local/share/doc/qt3/html/qframe.html
x ./opt/local/share/doc/qt3/html/qftp-h.html
x ./opt/local/share/doc/qt3/html/qftp-members.html
x ./opt/local/share/doc/qt3/html/qftp.html
x ./opt/local/share/doc/qt3/html/qgb18030codec-h.html
x ./opt/local/share/doc/qt3/html/qgb18030codec-members.html
x ./opt/local/share/doc/qt3/html/qgb18030codec.html
x ./opt/local/share/doc/qt3/html/qgb2312codec-members.html
x ./opt/local/share/doc/qt3/html/qgb2312codec.html
x ./opt/local/share/doc/qt3/html/qgbkcodec-members.html
x ./opt/local/share/doc/qt3/html/qgbkcodec.html
x ./opt/local/share/doc/qt3/html/qgfx_qws-h.html
x ./opt/local/share/doc/qt3/html/qgfxdriverfactory-members.html
x ./opt/local/share/doc/qt3/html/qgfxdriverfactory.html
x ./opt/local/share/doc/qt3/html/qgfxdriverfactory_qws-h.html
x ./opt/local/share/doc/qt3/html/qgfxdriverplugin-members.html
x ./opt/local/share/doc/qt3/html/qgfxdriverplugin.html
x ./opt/local/share/doc/qt3/html/qgfxdriverplugin_qws-h.html

- x ./opt/local/share/doc/qt3/html/qgl-h.html
- x ./opt/local/share/doc/qt3/html/qgl-members.html
- x ./opt/local/share/doc/qt3/html/qgl.html
- x ./opt/local/share/doc/qt3/html/qglayoutiterator-members.html
- x ./opt/local/share/doc/qt3/html/qglayoutiterator.html
- x ./opt/local/share/doc/qt3/html/qglcolormap-h.html
- x ./opt/local/share/doc/qt3/html/qglcolormap-members.html
- x ./opt/local/share/doc/qt3/html/qglcolormap.html
- x ./opt/local/share/doc/qt3/html/qglcontext-members.html
- x ./opt/local/share/doc/qt3/html/qglcontext.html
- x ./opt/local/share/doc/qt3/html/qglformat-members.html
- x ./opt/local/share/doc/qt3/html/qglformat.html
- x ./opt/local/share/doc/qt3/html/qglobal-h.html
- x ./opt/local/share/doc/qt3/html/qglwidget-members.html
- x ./opt/local/share/doc/qt3/html/qglwidget.html
- x ./opt/local/share/doc/qt3/html/qgrid-h.html
- x ./opt/local/share/doc/qt3/html/qgrid-m.png
- x ./opt/local/share/doc/qt3/html/qgrid-members.html
- x ./opt/local/share/doc/qt3/html/qgrid.html
- x ./opt/local/share/doc/qt3/html/qgridlayout-members.html
- x ./opt/local/share/doc/qt3/html/qgridlayout.html
- x ./opt/local/share/doc/qt3/html/qgridview-h.html
- x ./opt/local/share/doc/qt3/html/qgridview-members.html
- x ./opt/local/share/doc/qt3/html/qgridview.html

- x ./opt/local/share/doc/qt3/html/qgroupbox-h.html
- x ./opt/local/share/doc/qt3/html/qgroupbox-members.html
- x ./opt/local/share/doc/qt3/html/qgroupbox.html
- x ./opt/local/share/doc/qt3/html/qgroupboxes.png
- x ./opt/local/share/doc/qt3/html/qgrpbox-w.png
- x ./opt/local/share/doc/qt3/html/qguardedptr-h.html
- x ./opt/local/share/doc/qt3/html/qguardedptr-members.html
- x ./opt/local/share/doc/qt3/html/qguardedptr.html
- x ./opt/local/share/doc/qt3/html/qhbox-h.html
- x ./opt/local/share/doc/qt3/html/qhbox-m.png
- x ./opt/local/share/doc/qt3/html/qhbox-members.html
- x ./opt/local/share/doc/qt3/html/qhbox.html
- x ./opt/local/share/doc/qt3/html/qhboxlayout-members.html
- x ./opt/local/share/doc/qt3/html/qhboxlayout.html
- x ./opt/local/share/doc/qt3/html/qhboxlayout.png
- x ./opt/local/share/doc/qt3/html/qhbuttongroup-h.html
- x ./opt/local/share/doc/qt3/html/qhbuttongroup-members.html
- x ./opt/local/share/doc/qt3/html/qhbuttongroup.html
- x ./opt/local/share/doc/qt3/html/qheader-h.html
- x ./opt/local/share/doc/qt3/html/qheader-m.png
- x ./opt/local/share/doc/qt3/html/qheader-members.html
- x ./opt/local/share/doc/qt3/html/qheader-w.png
- x ./opt/local/share/doc/qt3/html/qheader.html
- x ./opt/local/share/doc/qt3/html/qhebrewcodec-members.html

x ./opt/local/share/doc/qt3/html/qhebrewcodec.html
x ./opt/local/share/doc/qt3/html/qhgroupbox-h.html
x ./opt/local/share/doc/qt3/html/qhgroupbox-members.html
x ./opt/local/share/doc/qt3/html/qhgroupbox.html
x ./opt/local/share/doc/qt3/html/qhideevent-members.html
x ./opt/local/share/doc/qt3/html/qhideevent.html
x ./opt/local/share/doc/qt3/html/qhostaddress-h.html
x ./opt/local/share/doc/qt3/html/qhostaddress-members.html
x ./opt/local/share/doc/qt3/html/qhostaddress.html
x ./opt/local/share/doc/qt3/html/qhttp-h.html
x ./opt/local/share/doc/qt3/html/qhttp-members.html
x ./opt/local/share/doc/qt3/html/qhttp.html
x ./opt/local/share/doc/qt3/html/qhttpheader-members.html
x ./opt/local/share/doc/qt3/html/qhttpheader.html
x ./opt/local/share/doc/qt3/html/qhttprequestheader-members.html
x ./opt/local/share/doc/qt3/html/qhttprequestheader.html
x ./opt/local/share/doc/qt3/html/qhttpresponseheader-members.html
x ./opt/local/share/doc/qt3/html/qhttpresponseheader.html
x ./opt/local/share/doc/qt3/html/qicondrag-members.html
x ./opt/local/share/doc/qt3/html/qicondrag.html
x ./opt/local/share/doc/qt3/html/qicondragevent-members.html
x ./opt/local/share/doc/qt3/html/qicondragevent.html
x ./opt/local/share/doc/qt3/html/qicondragitem-members.html
x ./opt/local/share/doc/qt3/html/qicondragitem.html

x ./opt/local/share/doc/qt3/html/qiconfactory-members.html
x ./opt/local/share/doc/qt3/html/qiconfactory.html
x ./opt/local/share/doc/qt3/html/qiconset-h.html
x ./opt/local/share/doc/qt3/html/qiconset-members.html
x ./opt/local/share/doc/qt3/html/qiconset.html
x ./opt/local/share/doc/qt3/html/qiconview-h.html
x ./opt/local/share/doc/qt3/html/qiconview-m.png
x ./opt/local/share/doc/qt3/html/qiconview-members.html
x ./opt/local/share/doc/qt3/html/qiconview-w.png
x ./opt/local/share/doc/qt3/html/qiconview.html
x ./opt/local/share/doc/qt3/html/qiconviewitem-members.html
x ./opt/local/share/doc/qt3/html/qiconviewitem.html
x ./opt/local/share/doc/qt3/html/qimage-h.html
x ./opt/local/share/doc/qt3/html/qimage-members.html
x ./opt/local/share/doc/qt3/html/qimage.html
x ./opt/local/share/doc/qt3/html/qimageconsumer-members.html
x ./opt/local/share/doc/qt3/html/qimageconsumer.html
x ./opt/local/share/doc/qt3/html/qimagedecoder-members.html
x ./opt/local/share/doc/qt3/html/qimagedecoder.html
x ./opt/local/share/doc/qt3/html/qimagedrag-members.html
x ./opt/local/share/doc/qt3/html/qimagedrag.html
x ./opt/local/share/doc/qt3/html/qimageformat-members.html
x ./opt/local/share/doc/qt3/html/qimageformat.html
x ./opt/local/share/doc/qt3/html/qimageformatplugin-h.html

- x ./opt/local/share/doc/qt3/html/qimageformatplugin-members.html
- x ./opt/local/share/doc/qt3/html/qimageformatplugin.html
- x ./opt/local/share/doc/qt3/html/qimageformattype-members.html
- x ./opt/local/share/doc/qt3/html/qimageformattype.html
- x ./opt/local/share/doc/qt3/html/qimageio-members.html
- x ./opt/local/share/doc/qt3/html/qimageio.html
- x ./opt/local/share/doc/qt3/html/qimevent-members.html
- x ./opt/local/share/doc/qt3/html/qimevent.html
- x ./opt/local/share/doc/qt3/html/qinputdialog-h.html
- x ./opt/local/share/doc/qt3/html/qinputdialog-members.html
- x ./opt/local/share/doc/qt3/html/qinputdialog.html
- x ./opt/local/share/doc/qt3/html/qintcache-h.html
- x ./opt/local/share/doc/qt3/html/qintcache-members.html
- x ./opt/local/share/doc/qt3/html/qintcache.html
- x ./opt/local/share/doc/qt3/html/qintcacheiterator-members.html
- x ./opt/local/share/doc/qt3/html/qintcacheiterator.html
- x ./opt/local/share/doc/qt3/html/qintdict-h.html
- x ./opt/local/share/doc/qt3/html/qintdict-members.html
- x ./opt/local/share/doc/qt3/html/qintdict.html
- x ./opt/local/share/doc/qt3/html/qintdictiterator-members.html
- x ./opt/local/share/doc/qt3/html/qintdictiterator.html
- x ./opt/local/share/doc/qt3/html/qintvalidator-members.html
- x ./opt/local/share/doc/qt3/html/qintvalidator.html
- x ./opt/local/share/doc/qt3/html/qiodevice-h.html

- x ./opt/local/share/doc/qt3/html/qiodevice-members.html
- x ./opt/local/share/doc/qt3/html/qiodevice.html
- x ./opt/local/share/doc/qt3/html/qiodevicesource-members.html
- x ./opt/local/share/doc/qt3/html/qiodevicesource.html
- x ./opt/local/share/doc/qt3/html/qjiscodec-h.html
- x ./opt/local/share/doc/qt3/html/qjiscodec-members.html
- x ./opt/local/share/doc/qt3/html/qjiscodec.html
- x ./opt/local/share/doc/qt3/html/qkbddriverfactory-members.html
- x ./opt/local/share/doc/qt3/html/qkbddriverfactory.html
- x ./opt/local/share/doc/qt3/html/qkbddriverfactory_qws-h.html
- x ./opt/local/share/doc/qt3/html/qkbddriverplugin-members.html
- x ./opt/local/share/doc/qt3/html/qkbddriverplugin.html
- x ./opt/local/share/doc/qt3/html/qkbddriverplugin_qws-h.html
- x ./opt/local/share/doc/qt3/html/qkeyboard_qws-h.html
- x ./opt/local/share/doc/qt3/html/qkeyevent-members.html
- x ./opt/local/share/doc/qt3/html/qkeyevent.html
- x ./opt/local/share/doc/qt3/html/qkeysequence-h.html
- x ./opt/local/share/doc/qt3/html/qkeysequence-members.html
- x ./opt/local/share/doc/qt3/html/qkeysequence.html
- x ./opt/local/share/doc/qt3/html/qlabel-h.html
- x ./opt/local/share/doc/qt3/html/qlabel-m.png
- x ./opt/local/share/doc/qt3/html/qlabel-members.html
- x ./opt/local/share/doc/qt3/html/qlabel-w.png
- x ./opt/local/share/doc/qt3/html/qlabel.html

- x ./opt/local/share/doc/qt3/html/qlayout-h.html
- x ./opt/local/share/doc/qt3/html/qlayout-members.html
- x ./opt/local/share/doc/qt3/html/qlayout.html
- x ./opt/local/share/doc/qt3/html/qlayoutitem-members.html
- x ./opt/local/share/doc/qt3/html/qlayoutitem.html
- x ./opt/local/share/doc/qt3/html/qlayoutiterator-members.html
- x ./opt/local/share/doc/qt3/html/qlayoutiterator.html
- x ./opt/local/share/doc/qt3/html/qLCDnum-m.png
- x ./opt/local/share/doc/qt3/html/qLCDnum-w.png
- x ./opt/local/share/doc/qt3/html/qLCDnumber-h.html
- x ./opt/local/share/doc/qt3/html/qLCDnumber-members.html
- x ./opt/local/share/doc/qt3/html/qLCDnumber.html
- x ./opt/local/share/doc/qt3/html/qLibrary-h.html
- x ./opt/local/share/doc/qt3/html/qLibrary-members.html
- x ./opt/local/share/doc/qt3/html/qLibrary.html
- x ./opt/local/share/doc/qt3/html/qLined-m.png
- x ./opt/local/share/doc/qt3/html/qLined-w.png
- x ./opt/local/share/doc/qt3/html/qLineedit-h.html
- x ./opt/local/share/doc/qt3/html/qLineedit-members.html
- x ./opt/local/share/doc/qt3/html/qLineedit.html
- x ./opt/local/share/doc/qt3/html/qList.html
- x ./opt/local/share/doc/qt3/html/qListbox-h.html
- x ./opt/local/share/doc/qt3/html/qListbox-m.png
- x ./opt/local/share/doc/qt3/html/qListbox-members.html

x ./opt/local/share/doc/qt3/html/qlistbox-w.png
x ./opt/local/share/doc/qt3/html/qlistbox.html
x ./opt/local/share/doc/qt3/html/qlistboxitem-members.html
x ./opt/local/share/doc/qt3/html/qlistboxitem.html
x ./opt/local/share/doc/qt3/html/qlistboxpixmap-members.html
x ./opt/local/share/doc/qt3/html/qlistboxpixmap.html
x ./opt/local/share/doc/qt3/html/qlistboxtext-members.html
x ./opt/local/share/doc/qt3/html/qlistboxtext.html
x ./opt/local/share/doc/qt3/html/qlistiterator.html
x ./opt/local/share/doc/qt3/html/qlistview-h.html
x ./opt/local/share/doc/qt3/html/qlistview-m.png
x ./opt/local/share/doc/qt3/html/qlistview-members.html
x ./opt/local/share/doc/qt3/html/qlistview-w.png
x ./opt/local/share/doc/qt3/html/qlistview.html
x ./opt/local/share/doc/qt3/html/qlistviewitem-members.html
x ./opt/local/share/doc/qt3/html/qlistviewitem.html
x ./opt/local/share/doc/qt3/html/qlistviewitemiterator-members.html
x ./opt/local/share/doc/qt3/html/qlistviewitemiterator.html
x ./opt/local/share/doc/qt3/html/qlistviewitems.png
x ./opt/local/share/doc/qt3/html/qlocale-h.html
x ./opt/local/share/doc/qt3/html/qlocale-members.html
x ./opt/local/share/doc/qt3/html/qlocale.html
x ./opt/local/share/doc/qt3/html/qlocalfs-h.html
x ./opt/local/share/doc/qt3/html/qlocalfs-members.html

- x ./opt/local/share/doc/qt3/html/qlocalfs.html
- x ./opt/local/share/doc/qt3/html/qmacmime-members.html
- x ./opt/local/share/doc/qt3/html/qmacmime.html
- x ./opt/local/share/doc/qt3/html/qmacstyle-members.html
- x ./opt/local/share/doc/qt3/html/qmacstyle.html
- x ./opt/local/share/doc/qt3/html/qmacstyle_mac-h.html
- x ./opt/local/share/doc/qt3/html/qmag-example.html
- x ./opt/local/share/doc/qt3/html/qmainwindow-h.html
- x ./opt/local/share/doc/qt3/html/qmainwindow-m.png
- x ./opt/local/share/doc/qt3/html/qmainwindow-members.html
- x ./opt/local/share/doc/qt3/html/qmainwindow-qdockareas.png
- x ./opt/local/share/doc/qt3/html/qmainwindow-w.png
- x ./opt/local/share/doc/qt3/html/qmainwindow.html
- x ./opt/local/share/doc/qt3/html/qmake-manual-1.html
- x ./opt/local/share/doc/qt3/html/qmake-manual-2.html
- x ./opt/local/share/doc/qt3/html/qmake-manual-3.html
- x ./opt/local/share/doc/qt3/html/qmake-manual-4.html
- x ./opt/local/share/doc/qt3/html/qmake-manual-5.html
- x ./opt/local/share/doc/qt3/html/qmake-manual-6.html
- x ./opt/local/share/doc/qt3/html/qmake-manual-7.html
- x ./opt/local/share/doc/qt3/html/qmake-manual-8.html
- x ./opt/local/share/doc/qt3/html/qmake-manual.html
- x ./opt/local/share/doc/qt3/html/qmake.dcf
- x ./opt/local/share/doc/qt3/html/qmap-h.html

- x ./opt/local/share/doc/qt3/html/qmap-members.html
- x ./opt/local/share/doc/qt3/html/qmap.html
- x ./opt/local/share/doc/qt3/html/qmapconstiterator-members.html
- x ./opt/local/share/doc/qt3/html/qmapconstiterator.html
- x ./opt/local/share/doc/qt3/html/qmapiterator-members.html
- x ./opt/local/share/doc/qt3/html/qmapiterator.html
- x ./opt/local/share/doc/qt3/html/qmemarray-h.html
- x ./opt/local/share/doc/qt3/html/qmemarray-members.html
- x ./opt/local/share/doc/qt3/html/qmemarray.html
- x ./opt/local/share/doc/qt3/html/qmenubar-h.html
- x ./opt/local/share/doc/qt3/html/qmenubar-m.png
- x ./opt/local/share/doc/qt3/html/qmenubar-members.html
- x ./opt/local/share/doc/qt3/html/qmenubar-w.png
- x ./opt/local/share/doc/qt3/html/qmenubar.html
- x ./opt/local/share/doc/qt3/html/qmenudata-h.html
- x ./opt/local/share/doc/qt3/html/qmenudata-members.html
- x ./opt/local/share/doc/qt3/html/qmenudata.html
- x ./opt/local/share/doc/qt3/html/qmessagebox-crit.png
- x ./opt/local/share/doc/qt3/html/qmessagebox-h.html
- x ./opt/local/share/doc/qt3/html/qmessagebox-info.png
- x ./opt/local/share/doc/qt3/html/qmessagebox-members.html
- x ./opt/local/share/doc/qt3/html/qmessagebox-quest.png
- x ./opt/local/share/doc/qt3/html/qmessagebox-warn.png
- x ./opt/local/share/doc/qt3/html/qmessagebox.html

x ./opt/local/share/doc/qt3/html/qmetaobject-h.html
x ./opt/local/share/doc/qt3/html/qmetaobject-members.html
x ./opt/local/share/doc/qt3/html/qmetaobject.html
x ./opt/local/share/doc/qt3/html/qmetaproperty-members.html
x ./opt/local/share/doc/qt3/html/qmetaproperty.html
x ./opt/local/share/doc/qt3/html/qmime-h.html
x ./opt/local/share/doc/qt3/html/qmimesource-members.html
x ./opt/local/share/doc/qt3/html/qmimesource.html
x ./opt/local/share/doc/qt3/html/qmimesourcefactory-members.html
x ./opt/local/share/doc/qt3/html/qmimesourcefactory.html
x ./opt/local/share/doc/qt3/html/qmlined-m.png
x ./opt/local/share/doc/qt3/html/qmlined-w.png
x ./opt/local/share/doc/qt3/html/qmotif-h.html
x ./opt/local/share/doc/qt3/html/qmotif-members.html
x ./opt/local/share/doc/qt3/html/qmotif.html
x ./opt/local/share/doc/qt3/html/qmotifdialog-h.html
x ./opt/local/share/doc/qt3/html/qmotifdialog-members.html
x ./opt/local/share/doc/qt3/html/qmotifdialog.html
x ./opt/local/share/doc/qt3/html/qmotifplusstyle-h.html
x ./opt/local/share/doc/qt3/html/qmotifplusstyle-members.html
x ./opt/local/share/doc/qt3/html/qmotifplusstyle.html
x ./opt/local/share/doc/qt3/html/qmotifstyle-h.html
x ./opt/local/share/doc/qt3/html/qmotifstyle-members.html
x ./opt/local/share/doc/qt3/html/qmotifstyle.html

- x ./opt/local/share/doc/qt3/html/qmotifwidget-h.html
- x ./opt/local/share/doc/qt3/html/qmotifwidget-members.html
- x ./opt/local/share/doc/qt3/html/qmotifwidget.html
- x ./opt/local/share/doc/qt3/html/qmouse_qws-h.html
- x ./opt/local/share/doc/qt3/html/qmousedriverfactory-members.html
- x ./opt/local/share/doc/qt3/html/qmousedriverfactory.html
- x ./opt/local/share/doc/qt3/html/qmousedriverfactory_qws-h.html
- x ./opt/local/share/doc/qt3/html/qmousedriverplugin-members.html
- x ./opt/local/share/doc/qt3/html/qmousedriverplugin.html
- x ./opt/local/share/doc/qt3/html/qmousedriverplugin_qws-h.html
- x ./opt/local/share/doc/qt3/html/qmouseevent-members.html
- x ./opt/local/share/doc/qt3/html/qmouseevent.html
- x ./opt/local/share/doc/qt3/html/qmoveevent-members.html
- x ./opt/local/share/doc/qt3/html/qmoveevent.html
- x ./opt/local/share/doc/qt3/html/qmovie-h.html
- x ./opt/local/share/doc/qt3/html/qmovie-members.html
- x ./opt/local/share/doc/qt3/html/qmovie.html
- x ./opt/local/share/doc/qt3/html/qmovie.png
- x ./opt/local/share/doc/qt3/html/qmsgbox-m.png
- x ./opt/local/share/doc/qt3/html/qmsgbox-w.png
- x ./opt/local/share/doc/qt3/html/qmultilineedit-h.html
- x ./opt/local/share/doc/qt3/html/qmultilineedit-members.html
- x ./opt/local/share/doc/qt3/html/qmultilineedit.html
- x ./opt/local/share/doc/qt3/html/qmutex-h.html

- x ./opt/local/share/doc/qt3/html/qmutex-members.html
- x ./opt/local/share/doc/qt3/html/qmutex.html
- x ./opt/local/share/doc/qt3/html/qmutexlocker-members.html
- x ./opt/local/share/doc/qt3/html/qmutexlocker.html
- x ./opt/local/share/doc/qt3/html/qnamespace-h.html
- x ./opt/local/share/doc/qt3/html/qnetwork-h.html
- x ./opt/local/share/doc/qt3/html/qnetworkoperation-members.html
- x ./opt/local/share/doc/qt3/html/qnetworkoperation.html
- x ./opt/local/share/doc/qt3/html/qnetworkprotocol-h.html
- x ./opt/local/share/doc/qt3/html/qnetworkprotocol-members.html
- x ./opt/local/share/doc/qt3/html/qnetworkprotocol.html
- x ./opt/local/share/doc/qt3/html/qnp-h.html
- x ./opt/local/share/doc/qt3/html/qnpinstance-members.html
- x ./opt/local/share/doc/qt3/html/qnpinstance.html
- x ./opt/local/share/doc/qt3/html/qnplugin-members.html
- x ./opt/local/share/doc/qt3/html/qnplugin.html
- x ./opt/local/share/doc/qt3/html/qnpstream-members.html
- x ./opt/local/share/doc/qt3/html/qnpstream.html
- x ./opt/local/share/doc/qt3/html/qnpwidget-members.html
- x ./opt/local/share/doc/qt3/html/qnpwidget.html
- x ./opt/local/share/doc/qt3/html/qobject-h.html
- x ./opt/local/share/doc/qt3/html/qobject-members.html
- x ./opt/local/share/doc/qt3/html/qobject.html
- x ./opt/local/share/doc/qt3/html/qobjectcleanuphandler-h.html

- x ./opt/local/share/doc/qt3/html/qobjectcleanuphandler-members.html
- x ./opt/local/share/doc/qt3/html/qobjectcleanuphandler.html
- x ./opt/local/share/doc/qt3/html/qobjectlist-h.html
- x ./opt/local/share/doc/qt3/html/qobjectlist-members.html
- x ./opt/local/share/doc/qt3/html/qobjectlist.html
- x ./opt/local/share/doc/qt3/html/qobjectlistiterator-members.html
- x ./opt/local/share/doc/qt3/html/qobjectlistiterator.html
- x ./opt/local/share/doc/qt3/html/qpaintdevice-h.html
- x ./opt/local/share/doc/qt3/html/qpaintdevice-members.html
- x ./opt/local/share/doc/qt3/html/qpaintdevice.html
- x ./opt/local/share/doc/qt3/html/qpaintdevicemetrics-h.html
- x ./opt/local/share/doc/qt3/html/qpaintdevicemetrics-members.html
- x ./opt/local/share/doc/qt3/html/qpaintdevicemetrics.html
- x ./opt/local/share/doc/qt3/html/qpainter-h.html
- x ./opt/local/share/doc/qt3/html/qpainter-members.html
- x ./opt/local/share/doc/qt3/html/qpainter.html
- x ./opt/local/share/doc/qt3/html/qpaintevent-members.html
- x ./opt/local/share/doc/qt3/html/qpaintevent.html
- x ./opt/local/share/doc/qt3/html/qpair-h.html
- x ./opt/local/share/doc/qt3/html/qpair-members.html
- x ./opt/local/share/doc/qt3/html/qpair.html
- x ./opt/local/share/doc/qt3/html/qpalette-h.html
- x ./opt/local/share/doc/qt3/html/qpalette-members.html
- x ./opt/local/share/doc/qt3/html/qpalette.html

x ./opt/local/share/doc/qt3/html/qpen-h.html
x ./opt/local/share/doc/qt3/html/qpen-members.html
x ./opt/local/share/doc/qt3/html/qpen.html
x ./opt/local/share/doc/qt3/html/qpicture-h.html
x ./opt/local/share/doc/qt3/html/qpicture-members.html
x ./opt/local/share/doc/qt3/html/qpicture.html
x ./opt/local/share/doc/qt3/html/qpixmap-h.html
x ./opt/local/share/doc/qt3/html/qpixmap-members.html
x ./opt/local/share/doc/qt3/html/qpixmap.html
x ./opt/local/share/doc/qt3/html/qpixmapcache-h.html
x ./opt/local/share/doc/qt3/html/qpixmapcache-members.html
x ./opt/local/share/doc/qt3/html/qpixmapcache.html
x ./opt/local/share/doc/qt3/html/qplatinumstyle-h.html
x ./opt/local/share/doc/qt3/html/qplatinumstyle-members.html
x ./opt/local/share/doc/qt3/html/qplatinumstyle.html
x ./opt/local/share/doc/qt3/html/qpngimagepacker-members.html
x ./opt/local/share/doc/qt3/html/qpngimagepacker.html
x ./opt/local/share/doc/qt3/html/qpngio-h.html
x ./opt/local/share/doc/qt3/html/qpoint-h.html
x ./opt/local/share/doc/qt3/html/qpoint-members.html
x ./opt/local/share/doc/qt3/html/qpoint.html
x ./opt/local/share/doc/qt3/html/qpointarray-h.html
x ./opt/local/share/doc/qt3/html/qpointarray-members.html
x ./opt/local/share/doc/qt3/html/qpointarray.html

x ./opt/local/share/doc/qt3/html/qpopupmenu-fancy.png
x ./opt/local/share/doc/qt3/html/qpopupmenu-m.png
x ./opt/local/share/doc/qt3/html/qpopupmenu-w.png
x ./opt/local/share/doc/qt3/html/qpopupmenu-h.html
x ./opt/local/share/doc/qt3/html/qpopupmenu-members.html
x ./opt/local/share/doc/qt3/html/qpopupmenu.html
x ./opt/local/share/doc/qt3/html/qprintdlg-m.png
x ./opt/local/share/doc/qt3/html/qprinter-h.html
x ./opt/local/share/doc/qt3/html/qprinter-members.html
x ./opt/local/share/doc/qt3/html/qprinter.html
x ./opt/local/share/doc/qt3/html/qprocess-examples.html
x ./opt/local/share/doc/qt3/html/qprocess-h.html
x ./opt/local/share/doc/qt3/html/qprocess-members.html
x ./opt/local/share/doc/qt3/html/qprocess.html
x ./opt/local/share/doc/qt3/html/qprogressbar-m.png
x ./opt/local/share/doc/qt3/html/qprogressbar-w.png
x ./opt/local/share/doc/qt3/html/qprogdlg-m.png
x ./opt/local/share/doc/qt3/html/qprogdlg-w.png
x ./opt/local/share/doc/qt3/html/qprogressbar-h.html
x ./opt/local/share/doc/qt3/html/qprogressbar-members.html
x ./opt/local/share/doc/qt3/html/qprogressbar.html
x ./opt/local/share/doc/qt3/html/qprogressdialog-h.html
x ./opt/local/share/doc/qt3/html/qprogressdialog-members.html
x ./opt/local/share/doc/qt3/html/qprogressdialog.html

- x ./opt/local/share/doc/qt3/html/qptrcollection-h.html
- x ./opt/local/share/doc/qt3/html/qptrcollection-members.html
- x ./opt/local/share/doc/qt3/html/qptrcollection.html
- x ./opt/local/share/doc/qt3/html/qptrdict-h.html
- x ./opt/local/share/doc/qt3/html/qptrdict-members.html
- x ./opt/local/share/doc/qt3/html/qptrdict.html
- x ./opt/local/share/doc/qt3/html/qptrdictiterator-members.html
- x ./opt/local/share/doc/qt3/html/qptrdictiterator.html
- x ./opt/local/share/doc/qt3/html/qptrlist-h.html
- x ./opt/local/share/doc/qt3/html/qptrlist-members.html
- x ./opt/local/share/doc/qt3/html/qptrlist.html
- x ./opt/local/share/doc/qt3/html/qptrlistiterator-members.html
- x ./opt/local/share/doc/qt3/html/qptrlistiterator.html
- x ./opt/local/share/doc/qt3/html/qptrqueue-h.html
- x ./opt/local/share/doc/qt3/html/qptrqueue-members.html
- x ./opt/local/share/doc/qt3/html/qptrqueue.html
- x ./opt/local/share/doc/qt3/html/qptrstack-h.html
- x ./opt/local/share/doc/qt3/html/qptrstack-members.html
- x ./opt/local/share/doc/qt3/html/qptrstack.html
- x ./opt/local/share/doc/qt3/html/qptrvector-h.html
- x ./opt/local/share/doc/qt3/html/qptrvector-members.html
- x ./opt/local/share/doc/qt3/html/qptrvector.html
- x ./opt/local/share/doc/qt3/html/qpushbt-m.png
- x ./opt/local/share/doc/qt3/html/qpushbt-w.png

- x ./opt/local/share/doc/qt3/html/qpushbutton-h.html
- x ./opt/local/share/doc/qt3/html/qpushbutton-members.html
- x ./opt/local/share/doc/qt3/html/qpushbutton.html
- x ./opt/local/share/doc/qt3/html/qqueue.html
- x ./opt/local/share/doc/qt3/html/qradiobt-m.png
- x ./opt/local/share/doc/qt3/html/qradiobt-w.png
- x ./opt/local/share/doc/qt3/html/qradiobutton-h.html
- x ./opt/local/share/doc/qt3/html/qradiobutton-members.html
- x ./opt/local/share/doc/qt3/html/qradiobutton.html
- x ./opt/local/share/doc/qt3/html/qrangecontrol-h.html
- x ./opt/local/share/doc/qt3/html/qrangecontrol-members.html
- x ./opt/local/share/doc/qt3/html/qrangecontrol.html
- x ./opt/local/share/doc/qt3/html/qrect-h.html
- x ./opt/local/share/doc/qt3/html/qrect-members.html
- x ./opt/local/share/doc/qt3/html/qrect.html
- x ./opt/local/share/doc/qt3/html/qregexp-h.html
- x ./opt/local/share/doc/qt3/html/qregexp-members.html
- x ./opt/local/share/doc/qt3/html/qregexp.html
- x ./opt/local/share/doc/qt3/html/qregexpvalidator-members.html
- x ./opt/local/share/doc/qt3/html/qregexpvalidator.html
- x ./opt/local/share/doc/qt3/html/qregion-h.html
- x ./opt/local/share/doc/qt3/html/qregion-members.html
- x ./opt/local/share/doc/qt3/html/qregion.html
- x ./opt/local/share/doc/qt3/html/qresizeevent-members.html

x ./opt/local/share/doc/qt3/html/qresizeevent.html
x ./opt/local/share/doc/qt3/html/qrtrlcodec-h.html
x ./opt/local/share/doc/qt3/html/qs-addwidg.png
x ./opt/local/share/doc/qt3/html/qs-editconn1.png
x ./opt/local/share/doc/qt3/html/qs-editconn2.png
x ./opt/local/share/doc/qt3/html/qs-editfunc.png
x ./opt/local/share/doc/qt3/html/qs-editlistbox1.png
x ./opt/local/share/doc/qt3/html/qs-laygrid.png
x ./opt/local/share/doc/qt3/html/qs-layhoriz.png
x ./opt/local/share/doc/qt3/html/qs-layvert.png
x ./opt/local/share/doc/qt3/html/qs-newdlg.png
x ./opt/local/share/doc/qt3/html/qs-projset.png
x ./opt/local/share/doc/qt3/html/qs-pushbutt.png
x ./opt/local/share/doc/qt3/html/qs-spacers.png
x ./opt/local/share/doc/qt3/html/qs-txtlbl.png
x ./opt/local/share/doc/qt3/html/qscrbar-m.png
x ./opt/local/share/doc/qt3/html/qscrbar-w.png
x ./opt/local/share/doc/qt3/html/qscreen-members.html
x ./opt/local/share/doc/qt3/html/qscreen.html
x ./opt/local/share/doc/qt3/html/qscrollbar-h.html
x ./opt/local/share/doc/qt3/html/qscrollbar-members.html
x ./opt/local/share/doc/qt3/html/qscrollbar.html
x ./opt/local/share/doc/qt3/html/qscrollview-cl.png

x ./opt/local/share/doc/qt3/html/qscrollview-h.html
x ./opt/local/share/doc/qt3/html/qscrollview-m.png
x ./opt/local/share/doc/qt3/html/qscrollview-members.html
x ./opt/local/share/doc/qt3/html/qscrollview-vp.png
x ./opt/local/share/doc/qt3/html/qscrollview-vp2.png
x ./opt/local/share/doc/qt3/html/qscrollview-w.png
x ./opt/local/share/doc/qt3/html/qscrollview.html
x ./opt/local/share/doc/qt3/html/qsemaphore-h.html
x ./opt/local/share/doc/qt3/html/qsemaphore-members.html
x ./opt/local/share/doc/qt3/html/qsemaphore.html
x ./opt/local/share/doc/qt3/html/qserversocket-h.html
x ./opt/local/share/doc/qt3/html/qserversocket-members.html
x ./opt/local/share/doc/qt3/html/qserversocket.html
x ./opt/local/share/doc/qt3/html/qsessionmanager-h.html
x ./opt/local/share/doc/qt3/html/qsessionmanager-members.html
x ./opt/local/share/doc/qt3/html/qsessionmanager.html
x ./opt/local/share/doc/qt3/html/qsettings-h.html
x ./opt/local/share/doc/qt3/html/qsettings-members.html
x ./opt/local/share/doc/qt3/html/qsettings.html
x ./opt/local/share/doc/qt3/html/qsgistyle-h.html
x ./opt/local/share/doc/qt3/html/qsgistyle-members.html
x ./opt/local/share/doc/qt3/html/qsgistyle.html
x ./opt/local/share/doc/qt3/html/qshowevent-members.html
x ./opt/local/share/doc/qt3/html/qshowevent.html

- x ./opt/local/share/doc/qt3/html/qsignal-h.html
- x ./opt/local/share/doc/qt3/html/qsignal-members.html
- x ./opt/local/share/doc/qt3/html/qsignal.html
- x ./opt/local/share/doc/qt3/html/qsignalmapper-h.html
- x ./opt/local/share/doc/qt3/html/qsignalmapper-members.html
- x ./opt/local/share/doc/qt3/html/qsignalmapper.html
- x ./opt/local/share/doc/qt3/html/qsimplerichtext-h.html
- x ./opt/local/share/doc/qt3/html/qsimplerichtext-members.html
- x ./opt/local/share/doc/qt3/html/qsimplerichtext.html
- x ./opt/local/share/doc/qt3/html/qsize-h.html
- x ./opt/local/share/doc/qt3/html/qsize-members.html
- x ./opt/local/share/doc/qt3/html/qsize.html
- x ./opt/local/share/doc/qt3/html/qsizegrip-h.html
- x ./opt/local/share/doc/qt3/html/qsizegrip-m.png
- x ./opt/local/share/doc/qt3/html/qsizegrip-members.html
- x ./opt/local/share/doc/qt3/html/qsizegrip-w.png
- x ./opt/local/share/doc/qt3/html/qsizegrip.html
- x ./opt/local/share/doc/qt3/html/qsizepolicy-h.html
- x ./opt/local/share/doc/qt3/html/qsizepolicy-members.html
- x ./opt/local/share/doc/qt3/html/qsizepolicy.html
- x ./opt/local/share/doc/qt3/html/qsjiscodec-h.html
- x ./opt/local/share/doc/qt3/html/qsjiscodec-members.html
- x ./opt/local/share/doc/qt3/html/qsjiscodec.html
- x ./opt/local/share/doc/qt3/html/qslider-h.html

- x ./opt/local/share/doc/qt3/html/qslider-m.png
- x ./opt/local/share/doc/qt3/html/qslider-members.html
- x ./opt/local/share/doc/qt3/html/qslider-w.png
- x ./opt/local/share/doc/qt3/html/qslider.html
- x ./opt/local/share/doc/qt3/html/qsmetric.png
- x ./opt/local/share/doc/qt3/html/qsocket-h.html
- x ./opt/local/share/doc/qt3/html/qsocket-members.html
- x ./opt/local/share/doc/qt3/html/qsocket.html
- x ./opt/local/share/doc/qt3/html/qsocketdevice-h.html
- x ./opt/local/share/doc/qt3/html/qsocketdevice-members.html
- x ./opt/local/share/doc/qt3/html/qsocketdevice.html
- x ./opt/local/share/doc/qt3/html/qsocketnotifier-h.html
- x ./opt/local/share/doc/qt3/html/qsocketnotifier-members.html
- x ./opt/local/share/doc/qt3/html/qsocketnotifier.html
- x ./opt/local/share/doc/qt3/html/qsortedlist-h.html
- x ./opt/local/share/doc/qt3/html/qsortedlist-members.html
- x ./opt/local/share/doc/qt3/html/qsortedlist.html
- x ./opt/local/share/doc/qt3/html/qsound-h.html
- x ./opt/local/share/doc/qt3/html/qsound-members.html
- x ./opt/local/share/doc/qt3/html/qsound.html
- x ./opt/local/share/doc/qt3/html/qspaceritem-members.html
- x ./opt/local/share/doc/qt3/html/qspaceritem.html
- x ./opt/local/share/doc/qt3/html/qspinbox-h.html
- x ./opt/local/share/doc/qt3/html/qspinbox-m.png

- x ./opt/local/share/doc/qt3/html/qspinbox-members.html
- x ./opt/local/share/doc/qt3/html/qspinbox-w.png
- x ./opt/local/share/doc/qt3/html/qspinbox.html
- x ./opt/local/share/doc/qt3/html/qsplashscreen-h.html
- x ./opt/local/share/doc/qt3/html/qsplashscreen-members.html
- x ./opt/local/share/doc/qt3/html/qsplashscreen.html
- x ./opt/local/share/doc/qt3/html/qsplitters-h.html
- x ./opt/local/share/doc/qt3/html/qsplitters-m.png
- x ./opt/local/share/doc/qt3/html/qsplitters-members.html
- x ./opt/local/share/doc/qt3/html/qsplitters-w.png
- x ./opt/local/share/doc/qt3/html/qsplitters.html
- x ./opt/local/share/doc/qt3/html/qsqldb-h.html
- x ./opt/local/share/doc/qt3/html/qsqldb-members.html
- x ./opt/local/share/doc/qt3/html/qsqldb.html
- x ./opt/local/share/doc/qt3/html/qsqldbcursor-h.html
- x ./opt/local/share/doc/qt3/html/qsqldbcursor-members.html
- x ./opt/local/share/doc/qt3/html/qsqldbcursor.html
- x ./opt/local/share/doc/qt3/html/qsqldbdatabase-h.html
- x ./opt/local/share/doc/qt3/html/qsqldbdatabase-members.html
- x ./opt/local/share/doc/qt3/html/qsqldbdatabase.html
- x ./opt/local/share/doc/qt3/html/qsqldbdriver-h.html
- x ./opt/local/share/doc/qt3/html/qsqldbdriver-members.html
- x ./opt/local/share/doc/qt3/html/qsqldbdriver.html
- x ./opt/local/share/doc/qt3/html/qsqldbdriverplugin-h.html

- x ./opt/local/share/doc/qt3/html/qsqldriverplugin-members.html
- x ./opt/local/share/doc/qt3/html/qsqldriverplugin.html
- x ./opt/local/share/doc/qt3/html/qsqleditorfactory-h.html
- x ./opt/local/share/doc/qt3/html/qsqleditorfactory-members.html
- x ./opt/local/share/doc/qt3/html/qsqleditorfactory.html
- x ./opt/local/share/doc/qt3/html/qsqLError-h.html
- x ./opt/local/share/doc/qt3/html/qsqLError-members.html
- x ./opt/local/share/doc/qt3/html/qsqLError.html
- x ./opt/local/share/doc/qt3/html/qsqLfield-h.html
- x ./opt/local/share/doc/qt3/html/qsqLfield-members.html
- x ./opt/local/share/doc/qt3/html/qsqLfield.html
- x ./opt/local/share/doc/qt3/html/qsqLfieldinfo-members.html
- x ./opt/local/share/doc/qt3/html/qsqLfieldinfo.html
- x ./opt/local/share/doc/qt3/html/qsqLform-h.html
- x ./opt/local/share/doc/qt3/html/qsqLform-members.html
- x ./opt/local/share/doc/qt3/html/qsqLform.html
- x ./opt/local/share/doc/qt3/html/qsqLindex-h.html
- x ./opt/local/share/doc/qt3/html/qsqLindex-members.html
- x ./opt/local/share/doc/qt3/html/qsqLindex.html
- x ./opt/local/share/doc/qt3/html/qsqLpropertymap-h.html
- x ./opt/local/share/doc/qt3/html/qsqLpropertymap-members.html
- x ./opt/local/share/doc/qt3/html/qsqLpropertymap.html
- x ./opt/local/share/doc/qt3/html/qsqLquery-h.html
- x ./opt/local/share/doc/qt3/html/qsqLquery-members.html

- x ./opt/local/share/doc/qt3/html/qsqquery.html
- x ./opt/local/share/doc/qt3/html/qsqrecord-h.html
- x ./opt/local/share/doc/qt3/html/qsqrecord-members.html
- x ./opt/local/share/doc/qt3/html/qsqrecord.html
- x ./opt/local/share/doc/qt3/html/qsqrecordinfo-members.html
- x ./opt/local/share/doc/qt3/html/qsqrecordinfo.html
- x ./opt/local/share/doc/qt3/html/qsqresult-h.html
- x ./opt/local/share/doc/qt3/html/qsqresult-members.html
- x ./opt/local/share/doc/qt3/html/qsqresult.html
- x ./opt/local/share/doc/qt3/html/qsqselectcursor-h.html
- x ./opt/local/share/doc/qt3/html/qsqselectcursor-members.html
- x ./opt/local/share/doc/qt3/html/qsqselectcursor.html
- x ./opt/local/share/doc/qt3/html/qstack.html
- x ./opt/local/share/doc/qt3/html/qstatusbar-h.html
- x ./opt/local/share/doc/qt3/html/qstatusbar-m.png
- x ./opt/local/share/doc/qt3/html/qstatusbar-members.html
- x ./opt/local/share/doc/qt3/html/qstatusbar-w.png
- x ./opt/local/share/doc/qt3/html/qstatusbar.html
- x ./opt/local/share/doc/qt3/html/qstoreddrag-members.html
- x ./opt/local/share/doc/qt3/html/qstoreddrag.html
- x ./opt/local/share/doc/qt3/html/qstrilist-members.html
- x ./opt/local/share/doc/qt3/html/qstrilist.html
- x ./opt/local/share/doc/qt3/html/qstring-h.html
- x ./opt/local/share/doc/qt3/html/qstring-members.html

- x ./opt/local/share/doc/qt3/html/qstring.html
- x ./opt/local/share/doc/qt3/html/qstringlist-h.html
- x ./opt/local/share/doc/qt3/html/qstringlist-members.html
- x ./opt/local/share/doc/qt3/html/qstringlist.html
- x ./opt/local/share/doc/qt3/html/qstrlist-h.html
- x ./opt/local/share/doc/qt3/html/qstrlist-members.html
- x ./opt/local/share/doc/qt3/html/qstrlist.html
- x ./opt/local/share/doc/qt3/html/qstrlistiterator-members.html
- x ./opt/local/share/doc/qt3/html/qstrlistiterator.html
- x ./opt/local/share/doc/qt3/html/qstyle-h.html
- x ./opt/local/share/doc/qt3/html/qstyle-members.html
- x ./opt/local/share/doc/qt3/html/qstyle.html
- x ./opt/local/share/doc/qt3/html/qstylefactory-h.html
- x ./opt/local/share/doc/qt3/html/qstylefactory-members.html
- x ./opt/local/share/doc/qt3/html/qstylefactory.html
- x ./opt/local/share/doc/qt3/html/qstyleoption-members.html
- x ./opt/local/share/doc/qt3/html/qstyleoption.html
- x ./opt/local/share/doc/qt3/html/qstyleplugin-h.html
- x ./opt/local/share/doc/qt3/html/qstyleplugin-members.html
- x ./opt/local/share/doc/qt3/html/qstyleplugin.html
- x ./opt/local/share/doc/qt3/html/qstylesheet-h.html
- x ./opt/local/share/doc/qt3/html/qstylesheet-members.html
- x ./opt/local/share/doc/qt3/html/qstylesheet.html
- x ./opt/local/share/doc/qt3/html/qstylesheetitem-members.html

- x ./opt/local/share/doc/qt3/html/qstylesheetitem.html
- x ./opt/local/share/doc/qt3/html/qsyntaxhighlighter-h.html
- x ./opt/local/share/doc/qt3/html/qsyntaxhighlighter-members.html
- x ./opt/local/share/doc/qt3/html/qsyntaxhighlighter.html
- x ./opt/local/share/doc/qt3/html/qt-colors.png
- x ./opt/local/share/doc/qt3/html/qt-members.html
- x ./opt/local/share/doc/qt3/html/qt-template-lib.html
- x ./opt/local/share/doc/qt3/html/qt.dcf
- x ./opt/local/share/doc/qt3/html/qt.html
- x ./opt/local/share/doc/qt3/html/qt33-class-chart.png
- x ./opt/local/share/doc/qt3/html/qtab-members.html
- x ./opt/local/share/doc/qt3/html/qtab.html
- x ./opt/local/share/doc/qt3/html/qtabbar-h.html
- x ./opt/local/share/doc/qt3/html/qtabbar-m.png
- x ./opt/local/share/doc/qt3/html/qtabbar-members.html
- x ./opt/local/share/doc/qt3/html/qtabbar-w.png
- x ./opt/local/share/doc/qt3/html/qtabbar.html
- x ./opt/local/share/doc/qt3/html/qtabdialog-h.html
- x ./opt/local/share/doc/qt3/html/qtabdialog-members.html
- x ./opt/local/share/doc/qt3/html/qtabdialog.html
- x ./opt/local/share/doc/qt3/html/qtabdlg-m.png
- x ./opt/local/share/doc/qt3/html/qtabdlg-w.png
- x ./opt/local/share/doc/qt3/html/qtable-h.html
- x ./opt/local/share/doc/qt3/html/qtable-members.html

x ./opt/local/share/doc/qt3/html/qtable.html
x ./opt/local/share/doc/qt3/html/qtable.png
x ./opt/local/share/doc/qt3/html/qtableitem-members.html
x ./opt/local/share/doc/qt3/html/qtableitem.html
x ./opt/local/share/doc/qt3/html/qtableitems.png
x ./opt/local/share/doc/qt3/html/qtableselection-members.html
x ./opt/local/share/doc/qt3/html/qtableselection.html
x ./opt/local/share/doc/qt3/html/qtabletevent-members.html
x ./opt/local/share/doc/qt3/html/qtabletevent.html
x ./opt/local/share/doc/qt3/html/qtabwidget-h.html
x ./opt/local/share/doc/qt3/html/qtabwidget-m.png
x ./opt/local/share/doc/qt3/html/qtabwidget-members.html
x ./opt/local/share/doc/qt3/html/qtabwidget-w.png
x ./opt/local/share/doc/qt3/html/qtabwidget.html
x ./opt/local/share/doc/qt3/html/qtextbrowser-h.html
x ./opt/local/share/doc/qt3/html/qtextbrowser-m.png
x ./opt/local/share/doc/qt3/html/qtextbrowser-members.html
x ./opt/local/share/doc/qt3/html/qtextbrowser-w.png
x ./opt/local/share/doc/qt3/html/qtextbrowser.html
x ./opt/local/share/doc/qt3/html/qtextcodec-h.html
x ./opt/local/share/doc/qt3/html/qtextcodec-members.html
x ./opt/local/share/doc/qt3/html/qtextcodec.html
x ./opt/local/share/doc/qt3/html/qtextcodecplugin-h.html
x ./opt/local/share/doc/qt3/html/qtextcodecplugin-members.html

- x ./opt/local/share/doc/qt3/html/qttextcodecplugin.html
- x ./opt/local/share/doc/qt3/html/qttextdecoder-members.html
- x ./opt/local/share/doc/qt3/html/qttextdecoder.html
- x ./opt/local/share/doc/qt3/html/qttextdrag-members.html
- x ./opt/local/share/doc/qt3/html/qttextdrag.html
- x ./opt/local/share/doc/qt3/html/qttextedit-h.html
- x ./opt/local/share/doc/qt3/html/qttextedit-members.html
- x ./opt/local/share/doc/qt3/html/qttextedit.html
- x ./opt/local/share/doc/qt3/html/qttextencoder-members.html
- x ./opt/local/share/doc/qt3/html/qttextencoder.html
- x ./opt/local/share/doc/qt3/html/qttextistream-members.html
- x ./opt/local/share/doc/qt3/html/qttextistream.html
- x ./opt/local/share/doc/qt3/html/qttextostream-members.html
- x ./opt/local/share/doc/qt3/html/qttextostream.html
- x ./opt/local/share/doc/qt3/html/qttextstream-h.html
- x ./opt/local/share/doc/qt3/html/qttextstream-members.html
- x ./opt/local/share/doc/qt3/html/qttextstream.html
- x ./opt/local/share/doc/qt3/html/qttextview-h.html
- x ./opt/local/share/doc/qt3/html/qttextview-members.html
- x ./opt/local/share/doc/qt3/html/qttextview.html
- x ./opt/local/share/doc/qt3/html/qthread-h.html
- x ./opt/local/share/doc/qt3/html/qthread-members.html
- x ./opt/local/share/doc/qt3/html/qthread.html
- x ./opt/local/share/doc/qt3/html/qthreadstorage-h.html

- x ./opt/local/share/doc/qt3/html/qthreadstorage-members.html
- x ./opt/local/share/doc/qt3/html/qthreadstorage.html
- x ./opt/local/share/doc/qt3/html/qtime-members.html
- x ./opt/local/share/doc/qt3/html/qtime.html
- x ./opt/local/share/doc/qt3/html/qtimeedit-members.html
- x ./opt/local/share/doc/qt3/html/qtimeedit.html
- x ./opt/local/share/doc/qt3/html/qtimer-h.html
- x ./opt/local/share/doc/qt3/html/qtimer-members.html
- x ./opt/local/share/doc/qt3/html/qtimer.html
- x ./opt/local/share/doc/qt3/html/qtimerevent-members.html
- x ./opt/local/share/doc/qt3/html/qtimerevent.html
- x ./opt/local/share/doc/qt3/html/qt1-qvaluelist-example.html
- x ./opt/local/share/doc/qt3/html/qt1.html
- x ./opt/local/share/doc/qt3/html/qtmac-as-native.html
- x ./opt/local/share/doc/qt3/html/qtoolbar-h.html
- x ./opt/local/share/doc/qt3/html/qtoolbar-members.html
- x ./opt/local/share/doc/qt3/html/qtoolbar.html
- x ./opt/local/share/doc/qt3/html/qtoolbox-h.html
- x ./opt/local/share/doc/qt3/html/qtoolbox-members.html
- x ./opt/local/share/doc/qt3/html/qtoolbox.html
- x ./opt/local/share/doc/qt3/html/qtoolbutton-h.html
- x ./opt/local/share/doc/qt3/html/qtoolbutton-members.html
- x ./opt/local/share/doc/qt3/html/qtoolbutton.html
- x ./opt/local/share/doc/qt3/html/qtooltip-h.html

- x ./opt/local/share/doc/qt3/html/qtooltip-members.html
- x ./opt/local/share/doc/qt3/html/qtooltip.html
- x ./opt/local/share/doc/qt3/html/qtooltipgroup-members.html
- x ./opt/local/share/doc/qt3/html/qtooltipgroup.html
- x ./opt/local/share/doc/qt3/html/qtranslator-h.html
- x ./opt/local/share/doc/qt3/html/qtranslator-members.html
- x ./opt/local/share/doc/qt3/html/qtranslator.html
- x ./opt/local/share/doc/qt3/html/qtranslatormessage-members.html
- x ./opt/local/share/doc/qt3/html/qtranslatormessage.html
- x ./opt/local/share/doc/qt3/html/qtsciicodec-h.html
- x ./opt/local/share/doc/qt3/html/qtsciicodec-members.html
- x ./opt/local/share/doc/qt3/html/qtsciicodec.html
- x ./opt/local/share/doc/qt3/html/quiridrag-members.html
- x ./opt/local/share/doc/qt3/html/quiridrag.html
- x ./opt/local/share/doc/qt3/html/qurl-h.html
- x ./opt/local/share/doc/qt3/html/qurl-members.html
- x ./opt/local/share/doc/qt3/html/qurl.html
- x ./opt/local/share/doc/qt3/html/qurlinfo-h.html
- x ./opt/local/share/doc/qt3/html/qurlinfo-members.html
- x ./opt/local/share/doc/qt3/html/qurlinfo.html
- x ./opt/local/share/doc/qt3/html/qurloperator-h.html
- x ./opt/local/share/doc/qt3/html/qurloperator-members.html
- x ./opt/local/share/doc/qt3/html/qurloperator.html
- x ./opt/local/share/doc/qt3/html/quid-h.html

- x ./opt/local/share/doc/qt3/html/quuid-members.html
- x ./opt/local/share/doc/qt3/html/quuid.html
- x ./opt/local/share/doc/qt3/html/qvalidator-h.html
- x ./opt/local/share/doc/qt3/html/qvalidator-members.html
- x ./opt/local/share/doc/qt3/html/qvalidator.html
- x ./opt/local/share/doc/qt3/html/qvaluelist-h.html
- x ./opt/local/share/doc/qt3/html/qvaluelist-members.html
- x ./opt/local/share/doc/qt3/html/qvaluelist.html
- x ./opt/local/share/doc/qt3/html/qvaluelistconstiterator-members.html
- x ./opt/local/share/doc/qt3/html/qvaluelistconstiterator.html
- x ./opt/local/share/doc/qt3/html/qvaluelistiterator-members.html
- x ./opt/local/share/doc/qt3/html/qvaluelistiterator.html
- x ./opt/local/share/doc/qt3/html/qvaluestack-h.html
- x ./opt/local/share/doc/qt3/html/qvaluestack-members.html
- x ./opt/local/share/doc/qt3/html/qvaluestack.html
- x ./opt/local/share/doc/qt3/html/qvaluevector-h.html
- x ./opt/local/share/doc/qt3/html/qvaluevector-members.html
- x ./opt/local/share/doc/qt3/html/qvaluevector.html
- x ./opt/local/share/doc/qt3/html/qvariant-h.html
- x ./opt/local/share/doc/qt3/html/qvariant-members.html
- x ./opt/local/share/doc/qt3/html/qvariant.html
- x ./opt/local/share/doc/qt3/html/qvbox-h.html
- x ./opt/local/share/doc/qt3/html/qvbox-m.png
- x ./opt/local/share/doc/qt3/html/qvbox-members.html

- x ./opt/local/share/doc/qt3/html/qvbox.html
- x ./opt/local/share/doc/qt3/html/qvboxlayout-members.html
- x ./opt/local/share/doc/qt3/html/qvboxlayout.html
- x ./opt/local/share/doc/qt3/html/qvboxlayout.png
- x ./opt/local/share/doc/qt3/html/qvbuttongroup-h.html
- x ./opt/local/share/doc/qt3/html/qvbuttongroup-members.html
- x ./opt/local/share/doc/qt3/html/qvbuttongroup.html
- x ./opt/local/share/doc/qt3/html/qvector.html
- x ./opt/local/share/doc/qt3/html/qvgroupbox-h.html
- x ./opt/local/share/doc/qt3/html/qvgroupbox-members.html
- x ./opt/local/share/doc/qt3/html/qvgroupbox.html
- x ./opt/local/share/doc/qt3/html/qwaitcondition-h.html
- x ./opt/local/share/doc/qt3/html/qwaitcondition-members.html
- x ./opt/local/share/doc/qt3/html/qwaitcondition.html
- x ./opt/local/share/doc/qt3/html/qwerty-example.html
- x ./opt/local/share/doc/qt3/html/qwhatsthis-h.html
- x ./opt/local/share/doc/qt3/html/qwhatsthis-members.html
- x ./opt/local/share/doc/qt3/html/qwhatsthis.html
- x ./opt/local/share/doc/qt3/html/qwheelevent-members.html
- x ./opt/local/share/doc/qt3/html/qwheelevent.html
- x ./opt/local/share/doc/qt3/html/qwidget-h.html
- x ./opt/local/share/doc/qt3/html/qwidget-members.html
- x ./opt/local/share/doc/qt3/html/qwidget.html
- x ./opt/local/share/doc/qt3/html/qwidgetfactory-h.html

- x ./opt/local/share/doc/qt3/html/qwidgetfactory-members.html
- x ./opt/local/share/doc/qt3/html/qwidgetfactory.html
- x ./opt/local/share/doc/qt3/html/qwidgetitem-members.html
- x ./opt/local/share/doc/qt3/html/qwidgetitem.html
- x ./opt/local/share/doc/qt3/html/qwidgetplugin-h.html
- x ./opt/local/share/doc/qt3/html/qwidgetplugin-members.html
- x ./opt/local/share/doc/qt3/html/qwidgetplugin.html
- x ./opt/local/share/doc/qt3/html/qwidgetstack-h.html
- x ./opt/local/share/doc/qt3/html/qwidgetstack-members.html
- x ./opt/local/share/doc/qt3/html/qwidgetstack.html
- x ./opt/local/share/doc/qt3/html/qwindowdefs-h.html
- x ./opt/local/share/doc/qt3/html/qwindowmime-members.html
- x ./opt/local/share/doc/qt3/html/qwindowmime.html
- x ./opt/local/share/doc/qt3/html/qwindowstyle-h.html
- x ./opt/local/share/doc/qt3/html/qwindowstyle-members.html
- x ./opt/local/share/doc/qt3/html/qwindowstyle.html
- x ./opt/local/share/doc/qt3/html/qwindowssystem_qws-h.html
- x ./opt/local/share/doc/qt3/html/qwizard-h.html
- x ./opt/local/share/doc/qt3/html/qwizard-members.html
- x ./opt/local/share/doc/qt3/html/qwizard.html
- x ./opt/local/share/doc/qt3/html/qwizard.png
- x ./opt/local/share/doc/qt3/html/qwmatrix-h.html
- x ./opt/local/share/doc/qt3/html/qwmatrix-members.html
- x ./opt/local/share/doc/qt3/html/qwmatrix.html

- x ./opt/local/share/doc/qt3/html/qworkspace-h.html
- x ./opt/local/share/doc/qt3/html/qworkspace-members.html
- x ./opt/local/share/doc/qt3/html/qworkspace.html
- x ./opt/local/share/doc/qt3/html/qws.html
- x ./opt/local/share/doc/qt3/html/qwsdecoration-members.html
- x ./opt/local/share/doc/qt3/html/qwsdecoration.html
- x ./opt/local/share/doc/qt3/html/qwsdecoration_qws-h.html
- x ./opt/local/share/doc/qt3/html/qwsinputmethod-members.html
- x ./opt/local/share/doc/qt3/html/qwsinputmethod.html
- x ./opt/local/share/doc/qt3/html/qwskeyboardhandler-members.html
- x ./opt/local/share/doc/qt3/html/qwskeyboardhandler.html
- x ./opt/local/share/doc/qt3/html/qwsmousehandler-members.html
- x ./opt/local/share/doc/qt3/html/qwsmousehandler.html
- x ./opt/local/share/doc/qt3/html/qwsserver-members.html
- x ./opt/local/share/doc/qt3/html/qwsserver.html
- x ./opt/local/share/doc/qt3/html/qswindow-members.html
- x ./opt/local/share/doc/qt3/html/qswindow.html
- x ./opt/local/share/doc/qt3/html/qxml-h.html
- x ./opt/local/share/doc/qt3/html/qxmlattributes-members.html
- x ./opt/local/share/doc/qt3/html/qxmlattributes.html
- x ./opt/local/share/doc/qt3/html/qxmlcontenthandler-members.html
- x ./opt/local/share/doc/qt3/html/qxmlcontenthandler.html
- x ./opt/local/share/doc/qt3/html/qxmldeclhandler-members.html
- x ./opt/local/share/doc/qt3/html/qxmldeclhandler.html

- x ./opt/local/share/doc/qt3/html/qxmldefaulthandler-members.html
- x ./opt/local/share/doc/qt3/html/qxmldefaulthandler.html
- x ./opt/local/share/doc/qt3/html/qxmldtdhandler-members.html
- x ./opt/local/share/doc/qt3/html/qxmldtdhandler.html
- x ./opt/local/share/doc/qt3/html/qxmlentityresolver-members.html
- x ./opt/local/share/doc/qt3/html/qxmlentityresolver.html
- x ./opt/local/share/doc/qt3/html/qxmlerrorhandler-members.html
- x ./opt/local/share/doc/qt3/html/qxmlerrorhandler.html
- x ./opt/local/share/doc/qt3/html/qxmlinputsource-members.html
- x ./opt/local/share/doc/qt3/html/qxmlinputsource.html
- x ./opt/local/share/doc/qt3/html/qxmllexicalhandler-members.html
- x ./opt/local/share/doc/qt3/html/qxmllexicalhandler.html
- x ./opt/local/share/doc/qt3/html/qxmllocator-members.html
- x ./opt/local/share/doc/qt3/html/qxmllocator.html
- x ./opt/local/share/doc/qt3/html/qxmlnamespacesupport-members.html
- x ./opt/local/share/doc/qt3/html/qxmlnamespacesupport.html
- x ./opt/local/share/doc/qt3/html/qxmlparseexception-members.html
- x ./opt/local/share/doc/qt3/html/qxmlparseexception.html
- x ./opt/local/share/doc/qt3/html/qxmlreader-members.html
- x ./opt/local/share/doc/qt3/html/qxmlreader.html
- x ./opt/local/share/doc/qt3/html/qxmlsimplereader-members.html
- x ./opt/local/share/doc/qt3/html/qxmlsimplereader.html
- x ./opt/local/share/doc/qt3/html/qxtwidget-h.html
- x ./opt/local/share/doc/qt3/html/qxtwidget-members.html

- x ./opt/local/share/doc/qt3/html/qxtwidget.html
- x ./opt/local/share/doc/qt3/html/rangecontrols-example.html
- x ./opt/local/share/doc/qt3/html/rd-add.png
- x ./opt/local/share/doc/qt3/html/rd-chooseanimage.png
- x ./opt/local/share/doc/qt3/html/rd-chooseapixmap.png
- x ./opt/local/share/doc/qt3/html/rd-configmf.png
- x ./opt/local/share/doc/qt3/html/rd-configtb.png
- x ./opt/local/share/doc/qt3/html/rd-cwidgdef.png
- x ./opt/local/share/doc/qt3/html/rd-cwidgprop.png
- x ./opt/local/share/doc/qt3/html/rd-cwidgsig.png
- x ./opt/local/share/doc/qt3/html/rd-cwidgslot.png
- x ./opt/local/share/doc/qt3/html/rd-dbconn.png
- x ./opt/local/share/doc/qt3/html/rd-ediconview.png
- x ./opt/local/share/doc/qt3/html/rd-editincdec.png
- x ./opt/local/share/doc/qt3/html/rd-edittext1.png
- x ./opt/local/share/doc/qt3/html/rd-edittext2.png
- x ./opt/local/share/doc/qt3/html/rd-edlistbox.png
- x ./opt/local/share/doc/qt3/html/rd-edlistview.png
- x ./opt/local/share/doc/qt3/html/rd-edlistview2.png
- x ./opt/local/share/doc/qt3/html/rd-edpalette.png
- x ./opt/local/share/doc/qt3/html/rd-edtablecol.png
- x ./opt/local/share/doc/qt3/html/rd-edtablerow.png
- x ./opt/local/share/doc/qt3/html/rd-find.png
- x ./opt/local/share/doc/qt3/html/rd-formset.png

- x ./opt/local/share/doc/qt3/html/rd-goto.png
- x ./opt/local/share/doc/qt3/html/rd-image.png
- x ./opt/local/share/doc/qt3/html/rd-open.png
- x ./opt/local/share/doc/qt3/html/rd-pagetitle.png
- x ./opt/local/share/doc/qt3/html/rd-prefedit1.png
- x ./opt/local/share/doc/qt3/html/rd-projset.png
- x ./opt/local/share/doc/qt3/html/rd-projset2.png
- x ./opt/local/share/doc/qt3/html/rd-replace.png
- x ./opt/local/share/doc/qt3/html/rd-saveas.png
- x ./opt/local/share/doc/qt3/html/rd-saveform.png
- x ./opt/local/share/doc/qt3/html/rd-saveformas.png
- x ./opt/local/share/doc/qt3/html/rd-saveprojset.png
- x ./opt/local/share/doc/qt3/html/rd-selcolor.png
- x ./opt/local/share/doc/qt3/html/rd-selfont.png
- x ./opt/local/share/doc/qt3/html/rd-startdesigntab2.png
- x ./opt/local/share/doc/qt3/html/rd-template.png
- x ./opt/local/share/doc/qt3/html/rd-text.png
- x ./opt/local/share/doc/qt3/html/rd-title.png
- x ./opt/local/share/doc/qt3/html/rd-tunepalette.png
- x ./opt/local/share/doc/qt3/html/regexptester-example.html
- x ./opt/local/share/doc/qt3/html/removed20.html
- x ./opt/local/share/doc/qt3/html/richtext-example.html
- x ./opt/local/share/doc/qt3/html/rintersect.png
- x ./opt/local/share/doc/qt3/html/rmo-editmenu.png

x ./opt/local/share/doc/qt3/html/rmo-filemenu.png
x ./opt/local/share/doc/qt3/html/rmo-helpmenu.png
x ./opt/local/share/doc/qt3/html/rmo-layoutmenu.png
x ./opt/local/share/doc/qt3/html/rmo-previewmenu.png
x ./opt/local/share/doc/qt3/html/rmo-projectmenu.png
x ./opt/local/share/doc/qt3/html/rmo-searchmenu.png
x ./opt/local/share/doc/qt3/html/rmo-toolsmenu.png
x ./opt/local/share/doc/qt3/html/rmo-windowmenu.png
x ./opt/local/share/doc/qt3/html/rot-example.html
x ./opt/local/share/doc/qt3/html/rsubtract.png
x ./opt/local/share/doc/qt3/html/rtb-edit.png
x ./opt/local/share/doc/qt3/html/rtb-file.png
x ./opt/local/share/doc/qt3/html/rtb-layout.png
x ./opt/local/share/doc/qt3/html/rtb-search.png
x ./opt/local/share/doc/qt3/html/rtb-tbbuttons.png
x ./opt/local/share/doc/qt3/html/rtb-tbcontain.png
x ./opt/local/share/doc/qt3/html/rtb-tbcustom.png
x ./opt/local/share/doc/qt3/html/rtb-tbdatabase.png
x ./opt/local/share/doc/qt3/html/rtb-tbdisplay.png
x ./opt/local/share/doc/qt3/html/rtb-tbinput.png
x ./opt/local/share/doc/qt3/html/rtb-tbviews.png
x ./opt/local/share/doc/qt3/html/rtb-toolbox.png
x ./opt/local/share/doc/qt3/html/rtb-tools.png
x ./opt/local/share/doc/qt3/html/runion.png

- x ./opt/local/share/doc/qt3/html/rxor.png
- x ./opt/local/share/doc/qt3/html/scaling.png
- x ./opt/local/share/doc/qt3/html/scribble-example.html
- x ./opt/local/share/doc/qt3/html/scrollview-example.html
- x ./opt/local/share/doc/qt3/html/search.png
- x ./opt/local/share/doc/qt3/html/session.html
- x ./opt/local/share/doc/qt3/html/session.png
- x ./opt/local/share/doc/qt3/html/shared.html
- x ./opt/local/share/doc/qt3/html/shclass.html
- x ./opt/local/share/doc/qt3/html/showimg-example.html
- x ./opt/local/share/doc/qt3/html/sidebar.png
- x ./opt/local/share/doc/qt3/html/signalsandslots.html
- x ./opt/local/share/doc/qt3/html/simple-application-example.html
- x ./opt/local/share/doc/qt3/html/simple-application.html
- x ./opt/local/share/doc/qt3/html/simple-font-demo-example.html
- x ./opt/local/share/doc/qt3/html/simple_dd-example.html
- x ./opt/local/share/doc/qt3/html/small-table-example-example.html
- x ./opt/local/share/doc/qt3/html/smooth.png
- x ./opt/local/share/doc/qt3/html/sound-example.html
- x ./opt/local/share/doc/qt3/html/splitter-example.html
- x ./opt/local/share/doc/qt3/html/splitter-views-w.png
- x ./opt/local/share/doc/qt3/html/sql-driver.html
- x ./opt/local/share/doc/qt3/html/sql-examples.html
- x ./opt/local/share/doc/qt3/html/sql-overview-basicbrowsing-main-cpp.html

x ./opt/local/share/doc/qt3/html/sql-overview-basicbrowsing2-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-basicdatamanip-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-connect1-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-create_connections-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-custom1-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-custom1-main-h.html
x ./opt/local/share/doc/qt3/html/sql-overview-delete-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-extract-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-form1-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-form2-main-h.html
x ./opt/local/share/doc/qt3/html/sql-overview-insert-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-navigating-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-order1-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-order2-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-retrieve1-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-retrieve2-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-subclass1-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-subclass2-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-subclass2-main-h.html
x ./opt/local/share/doc/qt3/html/sql-overview-subclass3-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-subclass3-main-h.html
x ./opt/local/share/doc/qt3/html/sql-overview-subclass4-main-cpp.html
x ./opt/local/share/doc/qt3/html/sql-overview-subclass4-main-h.html
x ./opt/local/share/doc/qt3/html/sql-overview-subclass5-main-cpp.html

- x ./opt/local/share/doc/qt3/html/sql-overview-subclass5-main-h.html
- x ./opt/local/share/doc/qt3/html/sql-overview-table1-main-cpp.html
- x ./opt/local/share/doc/qt3/html/sql-overview-table2-main-cpp.html
- x ./opt/local/share/doc/qt3/html/sql-overview-table3-main-cpp.html
- x ./opt/local/share/doc/qt3/html/sql-overview-table3-main-h.html
- x ./opt/local/share/doc/qt3/html/sql-overview-table4-main-cpp.html
- x ./opt/local/share/doc/qt3/html/sql-overview-table4-main-h.html
- x ./opt/local/share/doc/qt3/html/sql-overview-update-main-cpp.html
- x ./opt/local/share/doc/qt3/html/sql.html
- x ./opt/local/share/doc/qt3/html/sqltable-example.html
- x ./opt/local/share/doc/qt3/html/statistics-example.html
- x ./opt/local/share/doc/qt3/html/step-by-step-examples.html
- x ./opt/local/share/doc/qt3/html/t1.png
- x ./opt/local/share/doc/qt3/html/t10-cannon-cpp.html
- x ./opt/local/share/doc/qt3/html/t10-cannon-h.html
- x ./opt/local/share/doc/qt3/html/t10-lcdrange-cpp.html
- x ./opt/local/share/doc/qt3/html/t10-lcdrange-h.html
- x ./opt/local/share/doc/qt3/html/t10-main-cpp.html
- x ./opt/local/share/doc/qt3/html/t10.png
- x ./opt/local/share/doc/qt3/html/t11-cannon-cpp.html
- x ./opt/local/share/doc/qt3/html/t11-cannon-h.html
- x ./opt/local/share/doc/qt3/html/t11-lcdrange-cpp.html
- x ./opt/local/share/doc/qt3/html/t11-lcdrange-h.html
- x ./opt/local/share/doc/qt3/html/t11-main-cpp.html

x ./opt/local/share/doc/qt3/html/t11.png
x ./opt/local/share/doc/qt3/html/t12-cannon-cpp.html
x ./opt/local/share/doc/qt3/html/t12-cannon-h.html
x ./opt/local/share/doc/qt3/html/t12-lcdrange-cpp.html
x ./opt/local/share/doc/qt3/html/t12-lcdrange-h.html
x ./opt/local/share/doc/qt3/html/t12-main-cpp.html
x ./opt/local/share/doc/qt3/html/t12.png
x ./opt/local/share/doc/qt3/html/t13-cannon-cpp.html
x ./opt/local/share/doc/qt3/html/t13-cannon-h.html
x ./opt/local/share/doc/qt3/html/t13-gamebrd-cpp.html
x ./opt/local/share/doc/qt3/html/t13-gamebrd-h.html
x ./opt/local/share/doc/qt3/html/t13-lcdrange-cpp.html
x ./opt/local/share/doc/qt3/html/t13-lcdrange-h.html
x ./opt/local/share/doc/qt3/html/t13-main-cpp.html
x ./opt/local/share/doc/qt3/html/t13.png
x ./opt/local/share/doc/qt3/html/t14-cannon-cpp.html
x ./opt/local/share/doc/qt3/html/t14-cannon-h.html
x ./opt/local/share/doc/qt3/html/t14-gamebrd-cpp.html
x ./opt/local/share/doc/qt3/html/t14-gamebrd-h.html
x ./opt/local/share/doc/qt3/html/t14-lcdrange-cpp.html
x ./opt/local/share/doc/qt3/html/t14-lcdrange-h.html
x ./opt/local/share/doc/qt3/html/t14-main-cpp.html
x ./opt/local/share/doc/qt3/html/t14.png
x ./opt/local/share/doc/qt3/html/t2.png

- x ./opt/local/share/doc/qt3/html/t3.png
- x ./opt/local/share/doc/qt3/html/t4.png
- x ./opt/local/share/doc/qt3/html/t5.png
- x ./opt/local/share/doc/qt3/html/t6.png
- x ./opt/local/share/doc/qt3/html/t7-lcdrange-cpp.html
- x ./opt/local/share/doc/qt3/html/t7-lcdrange-h.html
- x ./opt/local/share/doc/qt3/html/t7-main-cpp.html
- x ./opt/local/share/doc/qt3/html/t7.png
- x ./opt/local/share/doc/qt3/html/t8-cannon-cpp.html
- x ./opt/local/share/doc/qt3/html/t8-cannon-h.html
- x ./opt/local/share/doc/qt3/html/t8-lcdrange-cpp.html
- x ./opt/local/share/doc/qt3/html/t8-lcdrange-h.html
- x ./opt/local/share/doc/qt3/html/t8-main-cpp.html
- x ./opt/local/share/doc/qt3/html/t8.png
- x ./opt/local/share/doc/qt3/html/t9-cannon-cpp.html
- x ./opt/local/share/doc/qt3/html/t9-cannon-h.html
- x ./opt/local/share/doc/qt3/html/t9-lcdrange-cpp.html
- x ./opt/local/share/doc/qt3/html/t9-lcdrange-h.html
- x ./opt/local/share/doc/qt3/html/t9-main-cpp.html
- x ./opt/local/share/doc/qt3/html/t9.png
- x ./opt/local/share/doc/qt3/html/t9_1.png
- x ./opt/local/share/doc/qt3/html/t9_2.png
- x ./opt/local/share/doc/qt3/html/tabdialog-example.html
- x ./opt/local/share/doc/qt3/html/table-bigtable-main-cpp.html

- x ./opt/local/share/doc/qt3/html/table-examples.html
- x ./opt/local/share/doc/qt3/html/table-small-table-demo-main-cpp.html
- x ./opt/local/share/doc/qt3/html/table-statistics-statistics-cpp.html
- x ./opt/local/share/doc/qt3/html/table.html
- x ./opt/local/share/doc/qt3/html/tablet-example.html
- x ./opt/local/share/doc/qt3/html/tagreader-example.html
- x ./opt/local/share/doc/qt3/html/tagreader-with-features-example.html
- x ./opt/local/share/doc/qt3/html/templates.html
- x ./opt/local/share/doc/qt3/html/tetrix-example.html
- x ./opt/local/share/doc/qt3/html/text.html
- x ./opt/local/share/doc/qt3/html/textedit-example.html
- x ./opt/local/share/doc/qt3/html/themes-example.html
- x ./opt/local/share/doc/qt3/html/thread.html
- x ./opt/local/share/doc/qt3/html/threads.html
- x ./opt/local/share/doc/qt3/html/tictac-example.html
- x ./opt/local/share/doc/qt3/html/time.html
- x ./opt/local/share/doc/qt3/html/timers.html
- x ./opt/local/share/doc/qt3/html/titleindex
- x ./opt/local/share/doc/qt3/html/toggleaction-example.html
- x ./opt/local/share/doc/qt3/html/toolbar.png
- x ./opt/local/share/doc/qt3/html/toolbar1.png
- x ./opt/local/share/doc/qt3/html/tools-list.html
- x ./opt/local/share/doc/qt3/html/tools.html
- x ./opt/local/share/doc/qt3/html/tooltip-example.html

x ./opt/local/share/doc/qt3/html/toplevel-example.html
x ./opt/local/share/doc/qt3/html/trademarks.html
x ./opt/local/share/doc/qt3/html/trivial-nsplugin-example.html
x ./opt/local/share/doc/qt3/html/troll.html
x ./opt/local/share/doc/qt3/html/tt1_en.png
x ./opt/local/share/doc/qt3/html/tt1_la.png
x ./opt/local/share/doc/qt3/html/tt2_en.png
x ./opt/local/share/doc/qt3/html/tt2_fr.png
x ./opt/local/share/doc/qt3/html/tt2_nl.png
x ./opt/local/share/doc/qt3/html/tt3_10_en.png
x ./opt/local/share/doc/qt3/html/tt3_10_pt_bad.png
x ./opt/local/share/doc/qt3/html/tt3_10_pt_good.png
x ./opt/local/share/doc/qt3/html/tt3_11_about_pt.png
x ./opt/local/share/doc/qt3/html/tt3_11_en.png
x ./opt/local/share/doc/qt3/html/tt3_11_pt.png
x ./opt/local/share/doc/qt3/html/tutorial.html
x ./opt/local/share/doc/qt3/html/tutorial1-01.html
x ./opt/local/share/doc/qt3/html/tutorial1-02.html
x ./opt/local/share/doc/qt3/html/tutorial1-03.html
x ./opt/local/share/doc/qt3/html/tutorial1-04.html
x ./opt/local/share/doc/qt3/html/tutorial1-05.html
x ./opt/local/share/doc/qt3/html/tutorial1-06.html
x ./opt/local/share/doc/qt3/html/tutorial1-07.html
x ./opt/local/share/doc/qt3/html/tutorial1-08.html

x ./opt/local/share/doc/qt3/html/tutorial1-09.html
x ./opt/local/share/doc/qt3/html/tutorial1-10.html
x ./opt/local/share/doc/qt3/html/tutorial1-11.html
x ./opt/local/share/doc/qt3/html/tutorial1-12.html
x ./opt/local/share/doc/qt3/html/tutorial1-13.html
x ./opt/local/share/doc/qt3/html/tutorial1-14.html
x ./opt/local/share/doc/qt3/html/tutorial2-01.html
x ./opt/local/share/doc/qt3/html/tutorial2-02.html
x ./opt/local/share/doc/qt3/html/tutorial2-03.html
x ./opt/local/share/doc/qt3/html/tutorial2-04.html
x ./opt/local/share/doc/qt3/html/tutorial2-05.html
x ./opt/local/share/doc/qt3/html/tutorial2-06.html
x ./opt/local/share/doc/qt3/html/tutorial2-07.html
x ./opt/local/share/doc/qt3/html/tutorial2-08.html
x ./opt/local/share/doc/qt3/html/tutorial2-09.html
x ./opt/local/share/doc/qt3/html/tutorial2-10.html
x ./opt/local/share/doc/qt3/html/tutorial2-11.html
x ./opt/local/share/doc/qt3/html/tutorial2.html
x ./opt/local/share/doc/qt3/html/uic.html
x ./opt/local/share/doc/qt3/html/unicode.html
x ./opt/local/share/doc/qt3/html/unsmooth.png
x ./opt/local/share/doc/qt3/html/validateaccelerators.png
x ./opt/local/share/doc/qt3/html/validatephrases.png
x ./opt/local/share/doc/qt3/html/validatepunctuation.png

- x ./opt/local/share/doc/qt3/html/web.png
- x ./opt/local/share/doc/qt3/html/whatsthis
- x ./opt/local/share/doc/qt3/html/whatsthis.png
- x ./opt/local/share/doc/qt3/html/widgets-example.html
- x ./opt/local/share/doc/qt3/html/win-objexplor1.png
- x ./opt/local/share/doc/qt3/html/win-objexplor2.png
- x ./opt/local/share/doc/qt3/html/win-projoverview.png
- x ./opt/local/share/doc/qt3/html/win-propedit1.png
- x ./opt/local/share/doc/qt3/html/win-propedit2.png
- x ./opt/local/share/doc/qt3/html/winsystem.html
- x ./opt/local/share/doc/qt3/html/wizard-example.html
- x ./opt/local/share/doc/qt3/html/wizard-wizard-cpp.html
- x ./opt/local/share/doc/qt3/html/wizard-wizard-h.html
- x ./opt/local/share/doc/qt3/html/workspace.html
- x ./opt/local/share/doc/qt3/html/xform-example.html
- x ./opt/local/share/doc/qt3/html/xform.png
- x ./opt/local/share/doc/qt3/html/xml-examples.html
- x ./opt/local/share/doc/qt3/html/xml-sax-features-walkthrough.html
- x ./opt/local/share/doc/qt3/html/xml-sax-walkthrough.html
- x ./opt/local/share/doc/qt3/html/xml-tools.html
- x ./opt/local/share/doc/qt3/html/xml.html
- x ./opt/local/share/doc/qt3/html/y2k.html
- x ./opt/local/share/doc/qt3/examples/aclock/
- x ./opt/local/share/doc/qt3/examples/action/

- x ./opt/local/share/doc/qt3/examples/addressbook/
- x ./opt/local/share/doc/qt3/examples/application/
- x ./opt/local/share/doc/qt3/examples/biff/
- x ./opt/local/share/doc/qt3/examples/buttongroups/
- x ./opt/local/share/doc/qt3/examples/canvas/
- x ./opt/local/share/doc/qt3/examples/chart/
- x ./opt/local/share/doc/qt3/examples/checklists/
- x ./opt/local/share/doc/qt3/examples/cursor/
- x ./opt/local/share/doc/qt3/examples/customlayout/
- x ./opt/local/share/doc/qt3/examples/dclock/
- x ./opt/local/share/doc/qt3/examples/demo/
- x ./opt/local/share/doc/qt3/examples/desktop/
- x ./opt/local/share/doc/qt3/examples/dirview/
- x ./opt/local/share/doc/qt3/examples/distributor/
- x ./opt/local/share/doc/qt3/examples/dragdrop/
- x ./opt/local/share/doc/qt3/examples/drawdemo/
- x ./opt/local/share/doc/qt3/examples/drawlines/
- x ./opt/local/share/doc/qt3/examples/examples.pro
- x ./opt/local/share/doc/qt3/examples/extension/
- x ./opt/local/share/doc/qt3/examples/fileiconview/
- x ./opt/local/share/doc/qt3/examples/fonts/
- x ./opt/local/share/doc/qt3/examples/forever/
- x ./opt/local/share/doc/qt3/examples/gridview/
- x ./opt/local/share/doc/qt3/examples/hello/

- x ./opt/local/share/doc/qt3/examples/helpdemo/
- x ./opt/local/share/doc/qt3/examples/helpsystem/
- x ./opt/local/share/doc/qt3/examples/helpviewer/
- x ./opt/local/share/doc/qt3/examples/i18n/
- x ./opt/local/share/doc/qt3/examples/iconview/
- x ./opt/local/share/doc/qt3/examples/layout/
- x ./opt/local/share/doc/qt3/examples/life/
- x ./opt/local/share/doc/qt3/examples/lineedits/
- x ./opt/local/share/doc/qt3/examples/listbox/
- x ./opt/local/share/doc/qt3/examples/listboxcombo/
- x ./opt/local/share/doc/qt3/examples/listviews/
- x ./opt/local/share/doc/qt3/examples/mdl/
- x ./opt/local/share/doc/qt3/examples/menu/
- x ./opt/local/share/doc/qt3/examples/movies/
- x ./opt/local/share/doc/qt3/examples/network/
- x ./opt/local/share/doc/qt3/examples/opengl/
- x ./opt/local/share/doc/qt3/examples/picture/
- x ./opt/local/share/doc/qt3/examples/popup/
- x ./opt/local/share/doc/qt3/examples/process/
- x ./opt/local/share/doc/qt3/examples/progress/
- x ./opt/local/share/doc/qt3/examples/progressbar/
- x ./opt/local/share/doc/qt3/examples/qdir/
- x ./opt/local/share/doc/qt3/examples/qfd/
- x ./opt/local/share/doc/qt3/examples/qmag/

- x ./opt/local/share/doc/qt3/examples/qt1/
- x ./opt/local/share/doc/qt3/examples/qwerty/
- x ./opt/local/share/doc/qt3/examples/rangecontrols/
- x ./opt/local/share/doc/qt3/examples/README
- x ./opt/local/share/doc/qt3/examples/regexptester/
- x ./opt/local/share/doc/qt3/examples/richtext/
- x ./opt/local/share/doc/qt3/examples/rot13/
- x ./opt/local/share/doc/qt3/examples/scribble/
- x ./opt/local/share/doc/qt3/examples/scrollview/
- x ./opt/local/share/doc/qt3/examples/showimg/
- x ./opt/local/share/doc/qt3/examples/sound/
- x ./opt/local/share/doc/qt3/examples/splitter/
- x ./opt/local/share/doc/qt3/examples/sql/
- x ./opt/local/share/doc/qt3/examples/tabdialog/
- x ./opt/local/share/doc/qt3/examples/table/
- x ./opt/local/share/doc/qt3/examples/tablet/
- x ./opt/local/share/doc/qt3/examples/tetrix/
- x ./opt/local/share/doc/qt3/examples/textedit/
- x ./opt/local/share/doc/qt3/examples/themes/
- x ./opt/local/share/doc/qt3/examples/thread/
- x ./opt/local/share/doc/qt3/examples/tictac/
- x ./opt/local/share/doc/qt3/examples/tooltip/
- x ./opt/local/share/doc/qt3/examples/toplevel/
- x ./opt/local/share/doc/qt3/examples/tux/

- x ./opt/local/share/doc/qt3/examples/widgets/
- x ./opt/local/share/doc/qt3/examples/wizard/
- x ./opt/local/share/doc/qt3/examples/xform/
- x ./opt/local/share/doc/qt3/examples/xml/
- x ./opt/local/share/doc/qt3/examples/xml/outliner/
- x ./opt/local/share/doc/qt3/examples/xml/tagreader/
- x ./opt/local/share/doc/qt3/examples/xml/tagreader-with-features/
- x ./opt/local/share/doc/qt3/examples/xml/tagreader-with-features/fnord.xml
- x ./opt/local/share/doc/qt3/examples/xml/tagreader-with-features/structureparser.cpp
- x ./opt/local/share/doc/qt3/examples/xml/tagreader-with-features/structureparser.h
- x ./opt/local/share/doc/qt3/examples/xml/tagreader-with-features/tagreader-with-features.pro
- x ./opt/local/share/doc/qt3/examples/xml/tagreader-with-features/tagreader.cpp
- x ./opt/local/share/doc/qt3/examples/xml/tagreader-with-features/tagreader.doc
- x ./opt/local/share/doc/qt3/examples/xml/tagreader/animals.xml
- x ./opt/local/share/doc/qt3/examples/xml/tagreader/structureparser.cpp
- x ./opt/local/share/doc/qt3/examples/xml/tagreader/structureparser.h
- x ./opt/local/share/doc/qt3/examples/xml/tagreader/tagreader.cpp
- x ./opt/local/share/doc/qt3/examples/xml/tagreader/tagreader.doc
- x ./opt/local/share/doc/qt3/examples/xml/tagreader/tagreader.pro
- x ./opt/local/share/doc/qt3/examples/xml/outliner/main.cpp
- x ./opt/local/share/doc/qt3/examples/xml/outliner/outliner.doc

x ./opt/local/share/doc/qt3/examples/xml/outliner/outliner.pro
x ./opt/local/share/doc/qt3/examples/xml/outliner/outlinetree.cpp
x ./opt/local/share/doc/qt3/examples/xml/outliner/outlinetree.h
x ./opt/local/share/doc/qt3/examples/xml/outliner/todos.opml
x ./opt/local/share/doc/qt3/examples/xform/aticatac.cpp
x ./opt/local/share/doc/qt3/examples/xform/image.any
x ./opt/local/share/doc/qt3/examples/xform/picture.any
x ./opt/local/share/doc/qt3/examples/xform/README
x ./opt/local/share/doc/qt3/examples/xform/xform.cpp
x ./opt/local/share/doc/qt3/examples/xform/xform.doc
x ./opt/local/share/doc/qt3/examples/xform/xform.pro
x ./opt/local/share/doc/qt3/examples/wizard/main.cpp
x ./opt/local/share/doc/qt3/examples/wizard/wizard.cpp
x ./opt/local/share/doc/qt3/examples/wizard/wizard.doc
x ./opt/local/share/doc/qt3/examples/wizard/wizard.h
x ./opt/local/share/doc/qt3/examples/wizard/wizard.pro
x ./opt/local/share/doc/qt3/examples/widgets/main.cpp
x ./opt/local/share/doc/qt3/examples/widgets/qt.png
x ./opt/local/share/doc/qt3/examples/widgets/README
x ./opt/local/share/doc/qt3/examples/widgets/trolltech.gif
x ./opt/local/share/doc/qt3/examples/widgets/tt-logo.png
x ./opt/local/share/doc/qt3/examples/widgets/widgets.cpp
x ./opt/local/share/doc/qt3/examples/widgets/widgets.doc
x ./opt/local/share/doc/qt3/examples/widgets/widgets.h

x ./opt/local/share/doc/qt3/examples/widgets/widgets.pro
x ./opt/local/share/doc/qt3/examples/tux/tux.cpp
x ./opt/local/share/doc/qt3/examples/tux/tux.png
x ./opt/local/share/doc/qt3/examples/tux/tux.pro
x ./opt/local/share/doc/qt3/examples/toplevel/main.cpp
x ./opt/local/share/doc/qt3/examples/toplevel/options.ui
x ./opt/local/share/doc/qt3/examples/toplevel/options.ui.h
x ./opt/local/share/doc/qt3/examples/toplevel/toplevel.doc
x ./opt/local/share/doc/qt3/examples/toplevel/toplevel.pro
x ./opt/local/share/doc/qt3/examples/tooltip/main.cpp
x ./opt/local/share/doc/qt3/examples/tooltip/README
x ./opt/local/share/doc/qt3/examples/tooltip/tooltip.cpp
x ./opt/local/share/doc/qt3/examples/tooltip/tooltip.doc
x ./opt/local/share/doc/qt3/examples/tooltip/tooltip.h
x ./opt/local/share/doc/qt3/examples/tooltip/tooltip.pro
x ./opt/local/share/doc/qt3/examples/tictac/main.cpp
x ./opt/local/share/doc/qt3/examples/tictac/README
x ./opt/local/share/doc/qt3/examples/tictac/tictac.cpp
x ./opt/local/share/doc/qt3/examples/tictac/tictac.doc
x ./opt/local/share/doc/qt3/examples/tictac/tictac.h
x ./opt/local/share/doc/qt3/examples/tictac/tictac.pro
x ./opt/local/share/doc/qt3/examples/thread/prodcons/
x ./opt/local/share/doc/qt3/examples/thread/semaphores/
x ./opt/local/share/doc/qt3/examples/thread/semaphores/main.cpp

- x ./opt/local/share/doc/qt3/examples/thread/semaphores/semaphores.pro
- x ./opt/local/share/doc/qt3/examples/thread/prodcons/prodcons.cpp
- x ./opt/local/share/doc/qt3/examples/thread/prodcons/prodcons.pro
- x ./opt/local/share/doc/qt3/examples/themes/fileopen.xpm
- x ./opt/local/share/doc/qt3/examples/themes/main.cpp
- x ./opt/local/share/doc/qt3/examples/themes/marble.xpm
- x ./opt/local/share/doc/qt3/examples/themes/metal.cpp
- x ./opt/local/share/doc/qt3/examples/themes/metal.h
- x ./opt/local/share/doc/qt3/examples/themes/metal.xpm
- x ./opt/local/share/doc/qt3/examples/themes/qtlogo.png
- x ./opt/local/share/doc/qt3/examples/themes/stone1.xpm
- x ./opt/local/share/doc/qt3/examples/themes/stonebright.xpm
- x ./opt/local/share/doc/qt3/examples/themes/stonedark.xpm
- x ./opt/local/share/doc/qt3/examples/themes/themes.cpp
- x ./opt/local/share/doc/qt3/examples/themes/themes.doc
- x ./opt/local/share/doc/qt3/examples/themes/themes.h
- x ./opt/local/share/doc/qt3/examples/themes/themes.pro
- x ./opt/local/share/doc/qt3/examples/themes/trolltech.gif
- x ./opt/local/share/doc/qt3/examples/themes/wood.cpp
- x ./opt/local/share/doc/qt3/examples/themes/wood.h
- x ./opt/local/share/doc/qt3/examples/textedit/editcopy.xpm
- x ./opt/local/share/doc/qt3/examples/textedit/editcut.xpm
- x ./opt/local/share/doc/qt3/examples/textedit/editpaste.xpm
- x ./opt/local/share/doc/qt3/examples/textedit/editredo.xpm

x ./opt/local/share/doc/qt3/examples/textedit/editundo.xpm
x ./opt/local/share/doc/qt3/examples/textedit/example.html
x ./opt/local/share/doc/qt3/examples/textedit/filenew.xpm
x ./opt/local/share/doc/qt3/examples/textedit/fileopen.xpm
x ./opt/local/share/doc/qt3/examples/textedit/fileprint.xpm
x ./opt/local/share/doc/qt3/examples/textedit/filesave.xpm
x ./opt/local/share/doc/qt3/examples/textedit/main.cpp
x ./opt/local/share/doc/qt3/examples/textedit/textbold.xpm
x ./opt/local/share/doc/qt3/examples/textedit/textcenter.xpm
x ./opt/local/share/doc/qt3/examples/textedit/textedit.cpp
x ./opt/local/share/doc/qt3/examples/textedit/textedit.doc
x ./opt/local/share/doc/qt3/examples/textedit/textedit.h
x ./opt/local/share/doc/qt3/examples/textedit/textedit.pro
x ./opt/local/share/doc/qt3/examples/textedit/textitalic.xpm
x ./opt/local/share/doc/qt3/examples/textedit/textjustify.xpm
x ./opt/local/share/doc/qt3/examples/textedit/textleft.xpm
x ./opt/local/share/doc/qt3/examples/textedit/textright.xpm
x ./opt/local/share/doc/qt3/examples/textedit/textunder.xpm
x ./opt/local/share/doc/qt3/examples/tetrix/gtetrix.cpp
x ./opt/local/share/doc/qt3/examples/tetrix/gtetrix.h
x ./opt/local/share/doc/qt3/examples/tetrix/qdragapp.cpp
x ./opt/local/share/doc/qt3/examples/tetrix/qdragapp.h
x ./opt/local/share/doc/qt3/examples/tetrix/qtetrix.cpp
x ./opt/local/share/doc/qt3/examples/tetrix/qtetrix.h


```
x ./opt/local/share/doc/qt3/examples/tetrix/qtetrixb.cpp
x ./opt/local/share/doc/qt3/examples/tetrix/qtetrixb.h
x ./opt/local/share/doc/qt3/examples/tetrix/README
x ./opt/local/share/doc/qt3/examples/tetrix/tetrix.cpp
x ./opt/local/share/doc/qt3/examples/tetrix/tetrix.doc
x ./opt/local/share/doc/qt3/examples/tetrix/tetrix.pro
x ./opt/local/share/doc/qt3/examples/tetrix/tpiece.cpp
x ./opt/local/share/doc/qt3/examples/tetrix/tpiece.h
x ./opt/local/share/doc/qt3/examples/tablet/canvas.cpp
x ./opt/local/share/doc/qt3/examples/tablet/canvas.h
x ./opt/local/share/doc/qt3/examples/tablet/main.cpp
x ./opt/local/share/doc/qt3/examples/tablet/scribble.cpp
x ./opt/local/share/doc/qt3/examples/tablet/scribble.h
x ./opt/local/share/doc/qt3/examples/tablet/tablet.doc
x ./opt/local/share/doc/qt3/examples/tablet/tablet.pro
x ./opt/local/share/doc/qt3/examples/tablet/tabletstats.cpp
x ./opt/local/share/doc/qt3/examples/tablet/tabletstats.h
x ./opt/local/share/doc/qt3/examples/tablet/tabletstatsbase.ui
x ./opt/local/share/doc/qt3/examples/table/bigtable/
x ./opt/local/share/doc/qt3/examples/table/small-table-demo/
x ./opt/local/share/doc/qt3/examples/table/statistics/
x ./opt/local/share/doc/qt3/examples/table/statistics/main.cpp
x ./opt/local/share/doc/qt3/examples/table/statistics/statistics.cpp
x ./opt/local/share/doc/qt3/examples/table/statistics/statistics.doc
```

x ./opt/local/share/doc/qt3/examples/table/statistics/statistics.h
x ./opt/local/share/doc/qt3/examples/table/statistics/statistics.pro
x ./opt/local/share/doc/qt3/examples/table/small-table-demo/main.cpp
x ./opt/local/share/doc/qt3/examples/table/small-table-demo/qtlogo.xpm
x ./opt/local/share/doc/qt3/examples/table/small-table-demo/small-table-demo.doc
x ./opt/local/share/doc/qt3/examples/table/small-table-demo/small-table-demo.pro
x ./opt/local/share/doc/qt3/examples/table/bigtable/bigtable.doc
x ./opt/local/share/doc/qt3/examples/table/bigtable/bigtable.pro
x ./opt/local/share/doc/qt3/examples/table/bigtable/main.cpp
x ./opt/local/share/doc/qt3/examples/tabdialog/main.cpp
x ./opt/local/share/doc/qt3/examples/tabdialog/tabdialog.cpp
x ./opt/local/share/doc/qt3/examples/tabdialog/tabdialog.doc
x ./opt/local/share/doc/qt3/examples/tabdialog/tabdialog.h
x ./opt/local/share/doc/qt3/examples/tabdialog/tabdialog.pro
x ./opt/local/share/doc/qt3/examples/sql/blob/
x ./opt/local/share/doc/qt3/examples/sql/overview/
x ./opt/local/share/doc/qt3/examples/sql/sql.pro
x ./opt/local/share/doc/qt3/examples/sql/sqltable/
x ./opt/local/share/doc/qt3/examples/sql/sqltable/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/sqltable/README
x ./opt/local/share/doc/qt3/examples/sql/sqltable/sqltable.doc
x ./opt/local/share/doc/qt3/examples/sql/sqltable/sqltable.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/basicbrowsing/
x ./opt/local/share/doc/qt3/examples/sql/overview/basicbrowsing2/

- x ./opt/local/share/doc/qt3/examples/sql/overview/basicdatamanip/
- x ./opt/local/share/doc/qt3/examples/sql/overview/connect1/
- x ./opt/local/share/doc/qt3/examples/sql/overview/connection.cpp
- x ./opt/local/share/doc/qt3/examples/sql/overview/connection.h
- x ./opt/local/share/doc/qt3/examples/sql/overview/create_connections/
- x ./opt/local/share/doc/qt3/examples/sql/overview/custom1/
- x ./opt/local/share/doc/qt3/examples/sql/overview/delete/
- x ./opt/local/share/doc/qt3/examples/sql/overview/extract/
- x ./opt/local/share/doc/qt3/examples/sql/overview/form1/
- x ./opt/local/share/doc/qt3/examples/sql/overview/form2/
- x ./opt/local/share/doc/qt3/examples/sql/overview/insert/
- x ./opt/local/share/doc/qt3/examples/sql/overview/insert2/
- x ./opt/local/share/doc/qt3/examples/sql/overview/navigating/
- x ./opt/local/share/doc/qt3/examples/sql/overview/order1/
- x ./opt/local/share/doc/qt3/examples/sql/overview/order2/
- x ./opt/local/share/doc/qt3/examples/sql/overview/overview.pro
- x ./opt/local/share/doc/qt3/examples/sql/overview/retrieve1/
- x ./opt/local/share/doc/qt3/examples/sql/overview/retrieve2/
- x ./opt/local/share/doc/qt3/examples/sql/overview/subclass1/
- x ./opt/local/share/doc/qt3/examples/sql/overview/subclass2/
- x ./opt/local/share/doc/qt3/examples/sql/overview/subclass3/
- x ./opt/local/share/doc/qt3/examples/sql/overview/subclass4/
- x ./opt/local/share/doc/qt3/examples/sql/overview/subclass5/
- x ./opt/local/share/doc/qt3/examples/sql/overview/table1/

x ./opt/local/share/doc/qt3/examples/sql/overview/table2/
x ./opt/local/share/doc/qt3/examples/sql/overview/table3/
x ./opt/local/share/doc/qt3/examples/sql/overview/table4/
x ./opt/local/share/doc/qt3/examples/sql/overview/update/
x ./opt/local/share/doc/qt3/examples/sql/overview/update/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/update/README
x ./opt/local/share/doc/qt3/examples/sql/overview/update/update.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/table4/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/table4/main.h
x ./opt/local/share/doc/qt3/examples/sql/overview/table4/table4.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/table3/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/table3/main.h
x ./opt/local/share/doc/qt3/examples/sql/overview/table3/table3.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/table2/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/table2/table2.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/table1/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/table1/table1.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass5/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass5/main.h
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass5/subclass5.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass4/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass4/main.h
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass4/subclass4.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass3/main.cpp

x ./opt/local/share/doc/qt3/examples/sql/overview/subclass3/main.h
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass3/subclass3.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass2/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass2/main.h
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass2/subclass2.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass1/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/subclass1/subclass1.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/retrieve2/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/retrieve2/README
x ./opt/local/share/doc/qt3/examples/sql/overview/retrieve2/retrieve2.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/retrieve1/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/retrieve1/README
x ./opt/local/share/doc/qt3/examples/sql/overview/retrieve1/retrieve1.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/order2/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/order2/order2.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/order2/README
x ./opt/local/share/doc/qt3/examples/sql/overview/order1/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/order1/order1.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/order1/README
x ./opt/local/share/doc/qt3/examples/sql/overview/navigating/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/navigating/navigating.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/navigating/README
x ./opt/local/share/doc/qt3/examples/sql/overview/insert2/insert2.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/insert2/main.cpp

```
x ./opt/local/share/doc/qt3/examples/sql/overview/insert/insert.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/insert/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/insert/README
x ./opt/local/share/doc/qt3/examples/sql/overview/form2/form2.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/form2/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/form2/main.h
x ./opt/local/share/doc/qt3/examples/sql/overview/form1/form1.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/form1/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/extract/extract.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/extract/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/extract/README
x ./opt/local/share/doc/qt3/examples/sql/overview/delete/delete.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/delete/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/delete/README
x ./opt/local/share/doc/qt3/examples/sql/overview/custom1/custom1.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/custom1/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/custom1/main.h
x ./opt/local/share/doc/qt3/examples/sql/overview/create_connections/create_connections.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/create_connections/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/create_connections/README
x ./opt/local/share/doc/qt3/examples/sql/overview/connect1/connect1.pro
x ./opt/local/share/doc/qt3/examples/sql/overview/connect1/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/connect1/README
```

```
x ./opt/local/share/doc/qt3/examples/sql/overview/basicdatamanip/basicdatamanip.
pro
x ./opt/local/share/doc/qt3/examples/sql/overview/basicdatamanip/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/basicdatamanip/README
x ./opt/local/share/doc/qt3/examples/sql/overview/basicbrowsing2/basicbrowsing2.
pro
x ./opt/local/share/doc/qt3/examples/sql/overview/basicbrowsing2/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/basicbrowsing2/README
x ./opt/local/share/doc/qt3/examples/sql/overview/basicbrowsing/basicbrowsing.pr
o
x ./opt/local/share/doc/qt3/examples/sql/overview/basicbrowsing/main.cpp
x ./opt/local/share/doc/qt3/examples/sql/overview/basicbrowsing/README
x ./opt/local/share/doc/qt3/examples/sql/blob/blob.pro
x ./opt/local/share/doc/qt3/examples/sql/blob/main.cpp
x ./opt/local/share/doc/qt3/examples/splitter/splitter.cpp
x ./opt/local/share/doc/qt3/examples/splitter/splitter.doc
x ./opt/local/share/doc/qt3/examples/splitter/splitter.pro
x ./opt/local/share/doc/qt3/examples/sound/sound.cpp
x ./opt/local/share/doc/qt3/examples/sound/sound.doc
x ./opt/local/share/doc/qt3/examples/sound/sound.h
x ./opt/local/share/doc/qt3/examples/sound/sound.pro
x ./opt/local/share/doc/qt3/examples/sound/sounds/
x ./opt/local/share/doc/qt3/examples/sound/sounds/1.wav
x ./opt/local/share/doc/qt3/examples/sound/sounds/2.wav
```

x ./opt/local/share/doc/qt3/examples/sound/sounds/3.wav
x ./opt/local/share/doc/qt3/examples/sound/sounds/4.wav
x ./opt/local/share/doc/qt3/examples/showimg/imagefip.cpp
x ./opt/local/share/doc/qt3/examples/showimg/imagefip.h
x ./opt/local/share/doc/qt3/examples/showimg/imagetexteditor.cpp
x ./opt/local/share/doc/qt3/examples/showimg/imagetexteditor.h
x ./opt/local/share/doc/qt3/examples/showimg/main.cpp
x ./opt/local/share/doc/qt3/examples/showimg/README
x ./opt/local/share/doc/qt3/examples/showimg/showimg.cpp
x ./opt/local/share/doc/qt3/examples/showimg/showimg.doc
x ./opt/local/share/doc/qt3/examples/showimg/showimg.h
x ./opt/local/share/doc/qt3/examples/showimg/showimg.pro
x ./opt/local/share/doc/qt3/examples/scrollview/bg.ppm
x ./opt/local/share/doc/qt3/examples/scrollview/README
x ./opt/local/share/doc/qt3/examples/scrollview/scrollview.cpp
x ./opt/local/share/doc/qt3/examples/scrollview/scrollview.doc
x ./opt/local/share/doc/qt3/examples/scrollview/scrollview.pro
x ./opt/local/share/doc/qt3/examples/scribble/main.cpp
x ./opt/local/share/doc/qt3/examples/scribble/scribble.cpp
x ./opt/local/share/doc/qt3/examples/scribble/scribble.doc
x ./opt/local/share/doc/qt3/examples/scribble/scribble.h
x ./opt/local/share/doc/qt3/examples/scribble/scribble.pro
x ./opt/local/share/doc/qt3/examples/rot13/rot13.cpp
x ./opt/local/share/doc/qt3/examples/rot13/rot13.doc

x ./opt/local/share/doc/qt3/examples/rot13/rot13.h
x ./opt/local/share/doc/qt3/examples/rot13/rot13.pro
x ./opt/local/share/doc/qt3/examples/richtext/main.cpp
x ./opt/local/share/doc/qt3/examples/richtext/marble.png
x ./opt/local/share/doc/qt3/examples/richtext/richtext.cpp
x ./opt/local/share/doc/qt3/examples/richtext/richtext.doc
x ./opt/local/share/doc/qt3/examples/richtext/richtext.h
x ./opt/local/share/doc/qt3/examples/richtext/richtext.pro
x ./opt/local/share/doc/qt3/examples/regexptester/main.cpp
x ./opt/local/share/doc/qt3/examples/regexptester/regexptester.cpp
x ./opt/local/share/doc/qt3/examples/regexptester/regexptester.doc
x ./opt/local/share/doc/qt3/examples/regexptester/regexptester.h
x ./opt/local/share/doc/qt3/examples/regexptester/regexptester.pro
x ./opt/local/share/doc/qt3/examples/rangecontrols/main.cpp
x ./opt/local/share/doc/qt3/examples/rangecontrols/rangecontrols.cpp
x ./opt/local/share/doc/qt3/examples/rangecontrols/rangecontrols.doc
x ./opt/local/share/doc/qt3/examples/rangecontrols/rangecontrols.h
x ./opt/local/share/doc/qt3/examples/rangecontrols/rangecontrols.pro
x ./opt/local/share/doc/qt3/examples/qwerty/ANSI_X3.110-1983.map
x ./opt/local/share/doc/qt3/examples/qwerty/ANSI_X3.110-1983.txt
x ./opt/local/share/doc/qt3/examples/qwerty/eucJP.txt
x ./opt/local/share/doc/qt3/examples/qwerty/IBM277.map
x ./opt/local/share/doc/qt3/examples/qwerty/IBM277.txt
x ./opt/local/share/doc/qt3/examples/qwerty/koi8.txt

x ./opt/local/share/doc/qt3/examples/qwerty/latin1.txt
x ./opt/local/share/doc/qt3/examples/qwerty/main.cpp
x ./opt/local/share/doc/qt3/examples/qwerty/msunicode.txt
x ./opt/local/share/doc/qt3/examples/qwerty/qwerty.cpp
x ./opt/local/share/doc/qt3/examples/qwerty/qwerty.doc
x ./opt/local/share/doc/qt3/examples/qwerty/qwerty.h
x ./opt/local/share/doc/qt3/examples/qwerty/qwerty.pro
x ./opt/local/share/doc/qt3/examples/qwerty/unicode.txt
x ./opt/local/share/doc/qt3/examples/qt1/qt1-qvaluelist.doc
x ./opt/local/share/doc/qt3/examples/qt1/qt1.pro
x ./opt/local/share/doc/qt3/examples/qt1/qvaluelistiterator.cpp
x ./opt/local/share/doc/qt3/examples/qmag/qmag.cpp
x ./opt/local/share/doc/qt3/examples/qmag/qmag.doc
x ./opt/local/share/doc/qt3/examples/qmag/qmag.pro
x ./opt/local/share/doc/qt3/examples/qmag/README
x ./opt/local/share/doc/qt3/examples/qfd/fontdisplayer.cpp
x ./opt/local/share/doc/qt3/examples/qfd/fontdisplayer.h
x ./opt/local/share/doc/qt3/examples/qfd/qfd.cpp
x ./opt/local/share/doc/qt3/examples/qfd/qfd.doc
x ./opt/local/share/doc/qt3/examples/qfd/qfd.pro
x ./opt/local/share/doc/qt3/examples/qdir/qdir.cpp
x ./opt/local/share/doc/qt3/examples/qdir/qdir.doc
x ./opt/local/share/doc/qt3/examples/qdir/qdir.h
x ./opt/local/share/doc/qt3/examples/qdir/qdir.pro

x ./opt/local/share/doc/qt3/examples/progressbar/main.cpp
x ./opt/local/share/doc/qt3/examples/progressbar/progressbar.cpp
x ./opt/local/share/doc/qt3/examples/progressbar/progressbar.doc
x ./opt/local/share/doc/qt3/examples/progressbar/progressbar.h
x ./opt/local/share/doc/qt3/examples/progressbar/progressbar.pro
x ./opt/local/share/doc/qt3/examples/progress/progress.cpp
x ./opt/local/share/doc/qt3/examples/progress/progress.doc
x ./opt/local/share/doc/qt3/examples/progress/progress.pro
x ./opt/local/share/doc/qt3/examples/progress/README
x ./opt/local/share/doc/qt3/examples/process/process.cpp
x ./opt/local/share/doc/qt3/examples/process/process.doc
x ./opt/local/share/doc/qt3/examples/process/process.pro
x ./opt/local/share/doc/qt3/examples/process/README
x ./opt/local/share/doc/qt3/examples/process/small_dialog.ui
x ./opt/local/share/doc/qt3/examples/popup/popup.cpp
x ./opt/local/share/doc/qt3/examples/popup/popup.doc
x ./opt/local/share/doc/qt3/examples/popup/popup.h
x ./opt/local/share/doc/qt3/examples/popup/popup.pro
x ./opt/local/share/doc/qt3/examples/popup/README
x ./opt/local/share/doc/qt3/examples/picture/car_orig.pic
x ./opt/local/share/doc/qt3/examples/picture/flag.bmp
x ./opt/local/share/doc/qt3/examples/picture/picture.cpp
x ./opt/local/share/doc/qt3/examples/picture/picture.doc
x ./opt/local/share/doc/qt3/examples/picture/picture.pro

x ./opt/local/share/doc/qt3/examples/picture/README
x ./opt/local/share/doc/qt3/examples/opengl/box/
x ./opt/local/share/doc/qt3/examples/opengl/gear/
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/
x ./opt/local/share/doc/qt3/examples/opengl/overlay/
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/
x ./opt/local/share/doc/qt3/examples/opengl/texture/
x ./opt/local/share/doc/qt3/examples/opengl/texture/gllogo.bmp
x ./opt/local/share/doc/qt3/examples/opengl/texture/globjwin.cpp
x ./opt/local/share/doc/qt3/examples/opengl/texture/globjwin.h
x ./opt/local/share/doc/qt3/examples/opengl/texture/gltexobj.cpp
x ./opt/local/share/doc/qt3/examples/opengl/texture/gltexobj.h
x ./opt/local/share/doc/qt3/examples/opengl/texture/main.cpp
x ./opt/local/share/doc/qt3/examples/opengl/texture/qtlogo.bmp
x ./opt/local/share/doc/qt3/examples/opengl/texture/README
x ./opt/local/share/doc/qt3/examples/opengl/texture/texture.doc
x ./opt/local/share/doc/qt3/examples/opengl/texture/texture.pro
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/glbox.cpp
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/glbox.h
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/globjwin.cpp
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/globjwin.h
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/main.cpp
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/README

```
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/sharedbox.doc
x ./opt/local/share/doc/qt3/examples/opengl/sharedbox/sharedbox.pro
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/gearwidget.cpp
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/gearwidget.h
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/main.cpp
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/overlay_x11.doc
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/overlayrubber.pro
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/README
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/README.X11-OVERLAYS
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/rubberbandwidget.cpp
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/rubberbandwidget.h
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/glxvisuals/
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/NOTICE
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/README
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/sovinfo/
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/sovinf
o.c
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/sovinfo/sovlay
erutil.c
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/sovinfo/sovLay
erUtil.h
x ./opt/local/share/doc/qt3/examples/opengl/overlay_x11/utilities/glxvisuals/glx
visuals.c
```

```
x ./opt/local/share/doc/qt3/examples/opengl/overlay/globjwin.cpp
x ./opt/local/share/doc/qt3/examples/opengl/overlay/globjwin.h
x ./opt/local/share/doc/qt3/examples/opengl/overlay/glteapots.cpp
x ./opt/local/share/doc/qt3/examples/opengl/overlay/glteapots.h
x ./opt/local/share/doc/qt3/examples/opengl/overlay/main.cpp
x ./opt/local/share/doc/qt3/examples/opengl/overlay/overlay.doc
x ./opt/local/share/doc/qt3/examples/opengl/overlay/overlay.pro
x ./opt/local/share/doc/qt3/examples/opengl/overlay/README
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/glbox.cpp
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/glbox.h
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/globjwin.cpp
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/globjwin.h
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/glpixmap.doc
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/glpixmap.pro
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/main.cpp
x ./opt/local/share/doc/qt3/examples/opengl/glpixmap/README
x ./opt/local/share/doc/qt3/examples/opengl/gear/gear.cpp
x ./opt/local/share/doc/qt3/examples/opengl/gear/gear.doc
x ./opt/local/share/doc/qt3/examples/opengl/gear/gear.pro
x ./opt/local/share/doc/qt3/examples/opengl/gear/README
x ./opt/local/share/doc/qt3/examples/opengl/box/box.doc
x ./opt/local/share/doc/qt3/examples/opengl/box/box.pro
x ./opt/local/share/doc/qt3/examples/opengl/box/glbox.cpp
x ./opt/local/share/doc/qt3/examples/opengl/box/glbox.h
```

```
x ./opt/local/share/doc/qt3/examples/opengl/box/globjwin.cpp
x ./opt/local/share/doc/qt3/examples/opengl/box/globjwin.h
x ./opt/local/share/doc/qt3/examples/opengl/box/main.cpp
x ./opt/local/share/doc/qt3/examples/opengl/box/README
x ./opt/local/share/doc/qt3/examples/network/archivesearch/
x ./opt/local/share/doc/qt3/examples/network/clientserver/
x ./opt/local/share/doc/qt3/examples/network/ftpclient/
x ./opt/local/share/doc/qt3/examples/network/httpd/
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/
x ./opt/local/share/doc/qt3/examples/network/mail/
x ./opt/local/share/doc/qt3/examples/network/networkprotocol/
x ./opt/local/share/doc/qt3/examples/network/remotectl/
x ./opt/local/share/doc/qt3/examples/network/remotectl/ipcserver.cpp
x ./opt/local/share/doc/qt3/examples/network/remotectl/ipcserver.h
x ./opt/local/share/doc/qt3/examples/network/remotectl/main.cpp
x ./opt/local/share/doc/qt3/examples/network/remotectl/maindialog.ui
x ./opt/local/share/doc/qt3/examples/network/remotectl/remotectl.pro
x ./opt/local/share/doc/qt3/examples/network/remotectl/remotectl.ui
x ./opt/local/share/doc/qt3/examples/network/remotectl/remotectlimpl.cpp
x ./opt/local/share/doc/qt3/examples/network/remotectl/remotectlimpl.h
x ./opt/local/share/doc/qt3/examples/network/remotectl/startup.cpp
x ./opt/local/share/doc/qt3/examples/network/remotectl/startup.h
x ./opt/local/share/doc/qt3/examples/network/networkprotocol/main.cpp
x ./opt/local/share/doc/qt3/examples/network/networkprotocol/networkprotocol.doc
```

- x ./opt/local/share/doc/qt3/examples/network/networkprotocol/networkprotocol.pro
- x ./opt/local/share/doc/qt3/examples/network/networkprotocol/nntp.cpp
- x ./opt/local/share/doc/qt3/examples/network/networkprotocol/nntp.h
- x ./opt/local/share/doc/qt3/examples/network/networkprotocol/README
- x ./opt/local/share/doc/qt3/examples/network/networkprotocol/view.cpp
- x ./opt/local/share/doc/qt3/examples/network/networkprotocol/view.h
- x ./opt/local/share/doc/qt3/examples/network/mail/composer.cpp
- x ./opt/local/share/doc/qt3/examples/network/mail/composer.h
- x ./opt/local/share/doc/qt3/examples/network/mail/mail.doc
- x ./opt/local/share/doc/qt3/examples/network/mail/mail.pro
- x ./opt/local/share/doc/qt3/examples/network/mail/main.cpp
- x ./opt/local/share/doc/qt3/examples/network/mail/smtp.cpp
- x ./opt/local/share/doc/qt3/examples/network/mail/smtp.h
- x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoclient/
- x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoserver/
- x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infourlclient/
- x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infourlclient/client.c
pp
- x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infourlclient/client.h
- x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infourlclient/clientba
se.ui
- x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infourlclient/infourlc
lient.pro
- x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infourlclient/main.cpp


```
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infourlclient/qip.cpp
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infourlclient/qip.h
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoserver/infodata.cpp
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoserver/infodata.h
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoserver/infoserver.pro
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoserver/main.cpp
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoserver/server.cpp
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoserver/server.h
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoserver/serverbase.ui
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoclient/client.cpp
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoclient/client.h
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoclient/clientbase.ui
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoclient/infoclient.pro
x ./opt/local/share/doc/qt3/examples/network/infoprotocol/infoclient/main.cpp
x ./opt/local/share/doc/qt3/examples/network/httpd/httpd.cpp
x ./opt/local/share/doc/qt3/examples/network/httpd/httpd.doc
x ./opt/local/share/doc/qt3/examples/network/httpd/httpd.pro
x ./opt/local/share/doc/qt3/examples/network/httpd/README
x ./opt/local/share/doc/qt3/examples/network/ftpclient/connectdialog.ui
```

x ./opt/local/share/doc/qt3/examples/network/ftpclient/ftpclient.doc
x ./opt/local/share/doc/qt3/examples/network/ftpclient/ftpclient.pro
x ./opt/local/share/doc/qt3/examples/network/ftpclient/ftpmainwindow.ui
x ./opt/local/share/doc/qt3/examples/network/ftpclient/ftpmainwindow.ui.h
x ./opt/local/share/doc/qt3/examples/network/ftpclient/ftpviewitem.cpp
x ./opt/local/share/doc/qt3/examples/network/ftpclient/ftpviewitem.h
x ./opt/local/share/doc/qt3/examples/network/ftpclient/images/
x ./opt/local/share/doc/qt3/examples/network/ftpclient/main.cpp
x ./opt/local/share/doc/qt3/examples/network/ftpclient/README
x ./opt/local/share/doc/qt3/examples/network/ftpclient/images/file.png
x ./opt/local/share/doc/qt3/examples/network/ftpclient/images/folder.png
x ./opt/local/share/doc/qt3/examples/network/clientserver/client/
x ./opt/local/share/doc/qt3/examples/network/clientserver/clientserver.doc
x ./opt/local/share/doc/qt3/examples/network/clientserver/server/
x ./opt/local/share/doc/qt3/examples/network/clientserver/server/server.cpp
x ./opt/local/share/doc/qt3/examples/network/clientserver/server/server.pro
x ./opt/local/share/doc/qt3/examples/network/clientserver/client/client.cpp
x ./opt/local/share/doc/qt3/examples/network/clientserver/client/client.pro
x ./opt/local/share/doc/qt3/examples/network/archivesearch/archivedialog.ui
x ./opt/local/share/doc/qt3/examples/network/archivesearch/archivedialog.ui.h
x ./opt/local/share/doc/qt3/examples/network/archivesearch/archivesearch.doc
x ./opt/local/share/doc/qt3/examples/network/archivesearch/archivesearch.pro
x ./opt/local/share/doc/qt3/examples/network/archivesearch/main.cpp
x ./opt/local/share/doc/qt3/examples/movies/fire.mng

```
x ./opt/local/share/doc/qt3/examples/movies/main.cpp
x ./opt/local/share/doc/qt3/examples/movies/movies.doc
x ./opt/local/share/doc/qt3/examples/movies/movies.pro
x ./opt/local/share/doc/qt3/examples/movies/trolltech.gif
x ./opt/local/share/doc/qt3/examples/menu/menu.cpp
x ./opt/local/share/doc/qt3/examples/menu/menu.doc
x ./opt/local/share/doc/qt3/examples/menu/menu.h
x ./opt/local/share/doc/qt3/examples/menu/menu.pro
x ./opt/local/share/doc/qt3/examples/mdi/application.cpp
x ./opt/local/share/doc/qt3/examples/mdi/application.h
x ./opt/local/share/doc/qt3/examples/mdi/document.xpm
x ./opt/local/share/doc/qt3/examples/mdi/fileopen.xpm
x ./opt/local/share/doc/qt3/examples/mdi/fileprint.xpm
x ./opt/local/share/doc/qt3/examples/mdi/filesave.xpm
x ./opt/local/share/doc/qt3/examples/mdi/main.cpp
x ./opt/local/share/doc/qt3/examples/mdi/mdi.doc
x ./opt/local/share/doc/qt3/examples/mdi/mdi.pro
x ./opt/local/share/doc/qt3/examples/listviews/listviews.cpp
x ./opt/local/share/doc/qt3/examples/listviews/listviews.doc
x ./opt/local/share/doc/qt3/examples/listviews/listviews.h
x ./opt/local/share/doc/qt3/examples/listviews/listviews.pro
x ./opt/local/share/doc/qt3/examples/listviews/main.cpp
x ./opt/local/share/doc/qt3/examples/listboxcombo/fileopen.xpm
x ./opt/local/share/doc/qt3/examples/listboxcombo/listboxcombo.cpp
```

x ./opt/local/share/doc/qt3/examples/listboxcombo/listboxcombo.doc
x ./opt/local/share/doc/qt3/examples/listboxcombo/listboxcombo.h
x ./opt/local/share/doc/qt3/examples/listboxcombo/listboxcombo.pro
x ./opt/local/share/doc/qt3/examples/listboxcombo/main.cpp
x ./opt/local/share/doc/qt3/examples/listboxcombo/qtlogo.png
x ./opt/local/share/doc/qt3/examples/listbox/listbox.cpp
x ./opt/local/share/doc/qt3/examples/listbox/listbox.doc
x ./opt/local/share/doc/qt3/examples/listbox/listbox.h
x ./opt/local/share/doc/qt3/examples/listbox/listbox.pro
x ./opt/local/share/doc/qt3/examples/listbox/main.cpp
x ./opt/local/share/doc/qt3/examples/lineedit/lineedit.cpp
x ./opt/local/share/doc/qt3/examples/lineedit/lineedit.doc
x ./opt/local/share/doc/qt3/examples/lineedit/lineedit.h
x ./opt/local/share/doc/qt3/examples/lineedit/lineedit.pro
x ./opt/local/share/doc/qt3/examples/lineedit/main.cpp
x ./opt/local/share/doc/qt3/examples/life/life.cpp
x ./opt/local/share/doc/qt3/examples/life/life.doc
x ./opt/local/share/doc/qt3/examples/life/life.h
x ./opt/local/share/doc/qt3/examples/life/life.pro
x ./opt/local/share/doc/qt3/examples/life/lifedlg.cpp
x ./opt/local/share/doc/qt3/examples/life/lifedlg.h
x ./opt/local/share/doc/qt3/examples/life/main.cpp
x ./opt/local/share/doc/qt3/examples/life/patterns.cpp
x ./opt/local/share/doc/qt3/examples/layout/layout.cpp

```
x ./opt/local/share/doc/qt3/examples/layout/layout.doc
x ./opt/local/share/doc/qt3/examples/layout/layout.pro
x ./opt/local/share/doc/qt3/examples/iconview/iconview.doc
x ./opt/local/share/doc/qt3/examples/iconview/iconview.pro
x ./opt/local/share/doc/qt3/examples/iconview/main.cpp
x ./opt/local/share/doc/qt3/examples/iconview/simple_dd/
x ./opt/local/share/doc/qt3/examples/iconview/simple_dd/main.cpp
x ./opt/local/share/doc/qt3/examples/iconview/simple_dd/main.h
x ./opt/local/share/doc/qt3/examples/iconview/simple_dd/simple_dd.doc
x ./opt/local/share/doc/qt3/examples/iconview/simple_dd/simple_dd.pro
x ./opt/local/share/doc/qt3/examples/i18n/i18n.doc
x ./opt/local/share/doc/qt3/examples/i18n/i18n.pro
x ./opt/local/share/doc/qt3/examples/i18n/main.cpp
x ./opt/local/share/doc/qt3/examples/i18n/mywidget.cpp
x ./opt/local/share/doc/qt3/examples/i18n/mywidget.h
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_ar.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_ar.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_cs.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_cs.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_de.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_de.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_el.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_el.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_en.qm
```

x ./opt/local/share/doc/qt3/examples/i18n/mywidget_en.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_eo.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_eo.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_fr.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_fr.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_it.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_it.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_jp.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_jp.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_ko.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_ko.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_no.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_no.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_ru.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_ru.ts
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_zh.qm
x ./opt/local/share/doc/qt3/examples/i18n/mywidget_zh.ts
x ./opt/local/share/doc/qt3/examples/i18n/README
x ./opt/local/share/doc/qt3/examples/helpviewer/back.xpm
x ./opt/local/share/doc/qt3/examples/helpviewer/forward.xpm
x ./opt/local/share/doc/qt3/examples/helpviewer/helpviewer.doc
x ./opt/local/share/doc/qt3/examples/helpviewer/helpviewer.pro
x ./opt/local/share/doc/qt3/examples/helpviewer/helpwindow.cpp
x ./opt/local/share/doc/qt3/examples/helpviewer/helpwindow.h

x ./opt/local/share/doc/qt3/examples/helpviewer/home.xpm
x ./opt/local/share/doc/qt3/examples/helpviewer/main.cpp
x ./opt/local/share/doc/qt3/examples/helpsystem/appicon.png
x ./opt/local/share/doc/qt3/examples/helpsystem/helpsystem.doc
x ./opt/local/share/doc/qt3/examples/helpsystem/helpsystem.pro
x ./opt/local/share/doc/qt3/examples/helpsystem/main.cpp
x ./opt/local/share/doc/qt3/examples/helpsystem/mainwindow.cpp
x ./opt/local/share/doc/qt3/examples/helpsystem/mainwindow.h
x ./opt/local/share/doc/qt3/examples/helpsystem/tooltip.cpp
x ./opt/local/share/doc/qt3/examples/helpsystem/tooltip.h
x ./opt/local/share/doc/qt3/examples/helpsystem/whatsthis.cpp
x ./opt/local/share/doc/qt3/examples/helpsystem/whatsthis.h
x ./opt/local/share/doc/qt3/examples/helpdemo/about.txt
x ./opt/local/share/doc/qt3/examples/helpdemo/doc/
x ./opt/local/share/doc/qt3/examples/helpdemo/helpdemo.cpp
x ./opt/local/share/doc/qt3/examples/helpdemo/helpdemo.h
x ./opt/local/share/doc/qt3/examples/helpdemo/helpdemo.pro
x ./opt/local/share/doc/qt3/examples/helpdemo/helpdemobase.ui
x ./opt/local/share/doc/qt3/examples/helpdemo/main.cpp
x ./opt/local/share/doc/qt3/examples/helpdemo/doc/handbook.png
x ./opt/local/share/doc/qt3/examples/helpdemo/doc/helpdemo.adp
x ./opt/local/share/doc/qt3/examples/helpdemo/doc/index.html
x ./opt/local/share/doc/qt3/examples/helpdemo/doc/logo.png
x ./opt/local/share/doc/qt3/examples/helpdemo/doc/manual.html

```
x ./opt/local/share/doc/qt3/examples/hello/hello.cpp
x ./opt/local/share/doc/qt3/examples/hello/hello.doc
x ./opt/local/share/doc/qt3/examples/hello/hello.h
x ./opt/local/share/doc/qt3/examples/hello/hello.pro
x ./opt/local/share/doc/qt3/examples/hello/main.cpp
x ./opt/local/share/doc/qt3/examples/hello/README
x ./opt/local/share/doc/qt3/examples/gridview/gridview.cpp
x ./opt/local/share/doc/qt3/examples/gridview/gridview.pro
x ./opt/local/share/doc/qt3/examples/forever/forever.cpp
x ./opt/local/share/doc/qt3/examples/forever/forever.doc
x ./opt/local/share/doc/qt3/examples/forever/forever.h
x ./opt/local/share/doc/qt3/examples/forever/forever.pro
x ./opt/local/share/doc/qt3/examples/forever/README
x ./opt/local/share/doc/qt3/examples/fonts/fonts.pro
x ./opt/local/share/doc/qt3/examples/fonts/simple-qfont-demo/
x ./opt/local/share/doc/qt3/examples/fonts/simple-qfont-demo/simple-qfont-demo.c
pp
x ./opt/local/share/doc/qt3/examples/fonts/simple-qfont-demo/simple-qfont-demo.d
oc
x ./opt/local/share/doc/qt3/examples/fonts/simple-qfont-demo/simple-qfont-demo.p
ro
x ./opt/local/share/doc/qt3/examples/fonts/simple-qfont-demo/viewer.cpp
x ./opt/local/share/doc/qt3/examples/fonts/simple-qfont-demo/viewer.h
x ./opt/local/share/doc/qt3/examples/fileiconview/fileiconview.doc
```


x ./opt/local/share/doc/qt3/examples/fileiconview/fileiconview.pro
x ./opt/local/share/doc/qt3/examples/fileiconview/main.cpp
x ./opt/local/share/doc/qt3/examples/fileiconview/mainwindow.cpp
x ./opt/local/share/doc/qt3/examples/fileiconview/mainwindow.h
x ./opt/local/share/doc/qt3/examples/fileiconview/qfileiconview.cpp
x ./opt/local/share/doc/qt3/examples/fileiconview/qfileiconview.h
x ./opt/local/share/doc/qt3/examples/extension/dialogform.ui
x ./opt/local/share/doc/qt3/examples/extension/dialogform.ui.h
x ./opt/local/share/doc/qt3/examples/extension/extension.doc
x ./opt/local/share/doc/qt3/examples/extension/extension.pro
x ./opt/local/share/doc/qt3/examples/extension/extension.ui
x ./opt/local/share/doc/qt3/examples/extension/extension.ui.h
x ./opt/local/share/doc/qt3/examples/extension/main.cpp
x ./opt/local/share/doc/qt3/examples/extension/mainform.ui
x ./opt/local/share/doc/qt3/examples/extension/mainform.ui.h
x ./opt/local/share/doc/qt3/examples/drawlines/connect.cpp
x ./opt/local/share/doc/qt3/examples/drawlines/drawlines.doc
x ./opt/local/share/doc/qt3/examples/drawlines/drawlines.pro
x ./opt/local/share/doc/qt3/examples/drawlines/README
x ./opt/local/share/doc/qt3/examples/drawdemo/drawdemo.cpp
x ./opt/local/share/doc/qt3/examples/drawdemo/drawdemo.doc
x ./opt/local/share/doc/qt3/examples/drawdemo/drawdemo.pro
x ./opt/local/share/doc/qt3/examples/drawdemo/README
x ./opt/local/share/doc/qt3/examples/dragdrop/dragdrop.doc

x ./opt/local/share/doc/qt3/examples/dragdrop/dragdrop.pro
x ./opt/local/share/doc/qt3/examples/dragdrop/dropsite.cpp
x ./opt/local/share/doc/qt3/examples/dragdrop/dropsite.h
x ./opt/local/share/doc/qt3/examples/dragdrop/main.cpp
x ./opt/local/share/doc/qt3/examples/dragdrop/secret.cpp
x ./opt/local/share/doc/qt3/examples/dragdrop/secret.h
x ./opt/local/share/doc/qt3/examples/dragdrop/trolltech.bmp
x ./opt/local/share/doc/qt3/examples/dragdrop/trolltech.gif
x ./opt/local/share/doc/qt3/examples/distributor/distributor.doc
x ./opt/local/share/doc/qt3/examples/distributor/distributor.pro
x ./opt/local/share/doc/qt3/examples/distributor/distributor.ui
x ./opt/local/share/doc/qt3/examples/distributor/distributor.ui.h
x ./opt/local/share/doc/qt3/examples/distributor/main.cpp
x ./opt/local/share/doc/qt3/examples/dirview/dirview.cpp
x ./opt/local/share/doc/qt3/examples/dirview/dirview.doc
x ./opt/local/share/doc/qt3/examples/dirview/dirview.h
x ./opt/local/share/doc/qt3/examples/dirview/dirview.pro
x ./opt/local/share/doc/qt3/examples/dirview/main.cpp
x ./opt/local/share/doc/qt3/examples/desktop/desktop.cpp
x ./opt/local/share/doc/qt3/examples/desktop/desktop.doc
x ./opt/local/share/doc/qt3/examples/desktop/desktop.pro
x ./opt/local/share/doc/qt3/examples/desktop/README
x ./opt/local/share/doc/qt3/examples/demo/categoryinterface.h
x ./opt/local/share/doc/qt3/examples/demo/demo.doc

```
x ./opt/local/share/doc/qt3/examples/demo/demo.pro
x ./opt/local/share/doc/qt3/examples/demo/demo_pch.h
x ./opt/local/share/doc/qt3/examples/demo/display.cpp
x ./opt/local/share/doc/qt3/examples/demo/display.h
x ./opt/local/share/doc/qt3/examples/demo/dnd/
x ./opt/local/share/doc/qt3/examples/demo/frame.cpp
x ./opt/local/share/doc/qt3/examples/demo/frame.h
x ./opt/local/share/doc/qt3/examples/demo/graph.cpp
x ./opt/local/share/doc/qt3/examples/demo/graph.h
x ./opt/local/share/doc/qt3/examples/demo/i18n/
x ./opt/local/share/doc/qt3/examples/demo/icons.h
x ./opt/local/share/doc/qt3/examples/demo/main.cpp
x ./opt/local/share/doc/qt3/examples/demo/opengl/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/
x ./opt/local/share/doc/qt3/examples/demo/qthumbwheel.cpp
x ./opt/local/share/doc/qt3/examples/demo/qthumbwheel.h
x ./opt/local/share/doc/qt3/examples/demo/sql/
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/
x ./opt/local/share/doc/qt3/examples/demo/translations/
x ./opt/local/share/doc/qt3/examples/demo/widgets/
x ./opt/local/share/doc/qt3/examples/demo/widgets/widgetsbase.ui
x ./opt/local/share/doc/qt3/examples/demo/widgets/widgetsbase.ui.h
x ./opt/local/share/doc/qt3/examples/demo/widgets/widgetsbase_pro.ui
x ./opt/local/share/doc/qt3/examples/demo/widgets/widgetsbase_pro.ui.h
```

x ./opt/local/share/doc/qt3/examples/demo/translations/demo_ar.qm
x ./opt/local/share/doc/qt3/examples/demo/translations/demo_ar.ts
x ./opt/local/share/doc/qt3/examples/demo/translations/demo_de.qm
x ./opt/local/share/doc/qt3/examples/demo/translations/demo_de.ts
x ./opt/local/share/doc/qt3/examples/demo/translations/demo_fr.qm
x ./opt/local/share/doc/qt3/examples/demo/translations/demo_fr.ts
x ./opt/local/share/doc/qt3/examples/demo/translations/demo_he.qm
x ./opt/local/share/doc/qt3/examples/demo/translations/demo_he.ts
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/bidi.txt
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/editcopy.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/editcut.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/editdelete.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/editlower.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/editpaste.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/editraise.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/example.html
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/filenew.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/fileopen.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/filesave.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/help.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/helpwindow.cpp
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/helpwindow.h
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/home.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/next.png

x ./opt/local/share/doc/qt3/examples/demo/textdrawing/previous.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/print.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/redo.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textbold.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textcenter.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textedit.cpp
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textedit.h
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textitalic.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textjustify.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textleft.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textright.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/textunderline.png
x ./opt/local/share/doc/qt3/examples/demo/textdrawing/undo.png
x ./opt/local/share/doc/qt3/examples/demo/sql/book.sql
x ./opt/local/share/doc/qt3/examples/demo/sql/connect.ui
x ./opt/local/share/doc/qt3/examples/demo/sql/connect.ui.h
x ./opt/local/share/doc/qt3/examples/demo/sql/sqlcx.ui
x ./opt/local/share/doc/qt3/examples/demo/sql/sqlcx.ui.h
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/bg.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/ledmeter.cpp
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/ledmeter.h
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sounds/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites.h

x ./opt/local/share/doc/qt3/examples/demo/qasteroids/toplevel.cpp
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/toplevel.h
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/view.cpp
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/view.h
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/.pbm
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/exhaust/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/missile/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/powerups/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/shield/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship.ini
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship.pov
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0000.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0001.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0002.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0003.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0004.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0005.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0006.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0007.png

x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0008.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0009.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0010.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0011.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0012.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0013.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0014.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0015.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0016.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0017.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0018.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0019.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0020.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0021.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0022.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0023.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0024.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0025.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0026.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0027.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0028.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0029.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0030.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/ship/ship0031.png

x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/shield/shield0000.p
ng
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/shield/shield0001.p
ng
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/shield/shield0002.p
ng
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/shield/shield0003.p
ng
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/shield/shield0004.p
ng
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/shield/shield0005.p
ng
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/shield/shield0006.p
ng
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock3.ini
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock3.pov
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30000.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30001.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30002.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30003.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30004.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30005.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30006.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30007.png

x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30008.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30009.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30010.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30011.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30012.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30013.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30014.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30015.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30016.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30017.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30018.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30019.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30020.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30021.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30022.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30023.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30024.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30025.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30026.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30027.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30028.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30029.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30030.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock3/rock30031.png

x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock2.ini
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock2.pov
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20000.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20001.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20002.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20003.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20004.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20005.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20006.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20007.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20008.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20009.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20010.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20011.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20012.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20013.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20014.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20015.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20016.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20017.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20018.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20019.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20020.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20021.png

x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20022.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20023.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20024.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20025.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20026.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20027.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20028.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20029.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20030.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock2/rock20031.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock1.ini
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock1.pov
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10000.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10001.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10002.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10003.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10004.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10005.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10006.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10007.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10008.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10009.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10010.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10011.png

x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10012.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10013.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10014.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10015.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10016.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10017.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10018.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10019.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10020.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10021.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10022.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10023.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10024.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10025.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10026.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10027.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10028.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10029.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10030.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/rock1/rock10031.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/powerups/brake.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/powerups/energy.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/powerups/shield.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/powerups/shoot.png

x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/powerups/teleport.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/missile/missile.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/exhaust/exhaust.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits.ini
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits.pov
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0000.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0001.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0002.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0003.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0004.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0005.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0006.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0007.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0008.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0009.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0010.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0011.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0012.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0013.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0014.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sprites/bits/bits0015.png
x ./opt/local/share/doc/qt3/examples/demo/qasteroids/sounds/Explosion.wav
x ./opt/local/share/doc/qt3/examples/demo/opengl/fbm.c

x ./opt/local/share/doc/qt3/examples/demo/opengl/fbm.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/gear.xpm
x ./opt/local/share/doc/qt3/examples/demo/opengl/glbox.cpp
x ./opt/local/share/doc/qt3/examples/demo/opengl/glbox.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/glcontrolwidget.cpp
x ./opt/local/share/doc/qt3/examples/demo/opengl/glcontrolwidget.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/glgear.cpp
x ./opt/local/share/doc/qt3/examples/demo/opengl/glgear.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/glinfo.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/glinfo_x11.cpp
x ./opt/local/share/doc/qt3/examples/demo/opengl/glinfotext.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/gllandscape.cpp
x ./opt/local/share/doc/qt3/examples/demo/opengl/gllandscape.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/gllandscapeviewer.ui
x ./opt/local/share/doc/qt3/examples/demo/opengl/gllandscapeviewer.ui.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/gllogo.bmp
x ./opt/local/share/doc/qt3/examples/demo/opengl/rltexobj.cpp
x ./opt/local/share/doc/qt3/examples/demo/opengl/rltexobj.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/glworkspace.cpp
x ./opt/local/share/doc/qt3/examples/demo/opengl/glworkspace.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/nurbs.xpm
x ./opt/local/share/doc/qt3/examples/demo/opengl/printpreview.ui
x ./opt/local/share/doc/qt3/examples/demo/opengl/printpreview.ui.h
x ./opt/local/share/doc/qt3/examples/demo/opengl/qtlogo.bmp

```
x ./opt/local/share/doc/qt3/examples/demo/opengl/qtlogo.png
x ./opt/local/share/doc/qt3/examples/demo/opengl/snapshot.xpm
x ./opt/local/share/doc/qt3/examples/demo/opengl/texture.xpm
x ./opt/local/share/doc/qt3/examples/demo/opengl/wirebox.xpm
x ./opt/local/share/doc/qt3/examples/demo/i18n/en.po
x ./opt/local/share/doc/qt3/examples/demo/i18n/en.qm
x ./opt/local/share/doc/qt3/examples/demo/i18n/i18n.cpp
x ./opt/local/share/doc/qt3/examples/demo/i18n/i18n.h
x ./opt/local/share/doc/qt3/examples/demo/i18n/ja.po
x ./opt/local/share/doc/qt3/examples/demo/i18n/ja.qm
x ./opt/local/share/doc/qt3/examples/demo/i18n/ko.po
x ./opt/local/share/doc/qt3/examples/demo/i18n/ko.qm
x ./opt/local/share/doc/qt3/examples/demo/i18n/no.po
x ./opt/local/share/doc/qt3/examples/demo/i18n/no.qm
x ./opt/local/share/doc/qt3/examples/demo/i18n/wrapper.h
x ./opt/local/share/doc/qt3/examples/demo/dnd/dnd.cpp
x ./opt/local/share/doc/qt3/examples/demo/dnd/dnd.h
x ./opt/local/share/doc/qt3/examples/demo/dnd/dndbase.ui
x ./opt/local/share/doc/qt3/examples/demo/dnd/iconview.cpp
x ./opt/local/share/doc/qt3/examples/demo/dnd/iconview.h
x ./opt/local/share/doc/qt3/examples/demo/dnd/listview.cpp
x ./opt/local/share/doc/qt3/examples/demo/dnd/listview.h
x ./opt/local/share/doc/qt3/examples/demo/dnd/styledbutton.cpp
x ./opt/local/share/doc/qt3/examples/demo/dnd/styledbutton.h
```

x ./opt/local/share/doc/qt3/examples/dclock/dclock.cpp
x ./opt/local/share/doc/qt3/examples/dclock/dclock.doc
x ./opt/local/share/doc/qt3/examples/dclock/dclock.h
x ./opt/local/share/doc/qt3/examples/dclock/dclock.pro
x ./opt/local/share/doc/qt3/examples/dclock/main.cpp
x ./opt/local/share/doc/qt3/examples/dclock/README
x ./opt/local/share/doc/qt3/examples/customlayout/border.cpp
x ./opt/local/share/doc/qt3/examples/customlayout/border.h
x ./opt/local/share/doc/qt3/examples/customlayout/card.cpp
x ./opt/local/share/doc/qt3/examples/customlayout/card.h
x ./opt/local/share/doc/qt3/examples/customlayout/customlayout.doc
x ./opt/local/share/doc/qt3/examples/customlayout/customlayout.pro
x ./opt/local/share/doc/qt3/examples/customlayout/flow.cpp
x ./opt/local/share/doc/qt3/examples/customlayout/flow.h
x ./opt/local/share/doc/qt3/examples/customlayout/main.cpp
x ./opt/local/share/doc/qt3/examples/cursor/cursor.cpp
x ./opt/local/share/doc/qt3/examples/cursor/cursor.doc
x ./opt/local/share/doc/qt3/examples/cursor/cursor.pro
x ./opt/local/share/doc/qt3/examples/cursor/README
x ./opt/local/share/doc/qt3/examples/checklists/checklists.cpp
x ./opt/local/share/doc/qt3/examples/checklists/checklists.doc
x ./opt/local/share/doc/qt3/examples/checklists/checklists.h
x ./opt/local/share/doc/qt3/examples/checklists/checklists.pro
x ./opt/local/share/doc/qt3/examples/checklists/main.cpp

x ./opt/local/share/doc/qt3/examples/chart/canvastext.h
x ./opt/local/share/doc/qt3/examples/chart/canvasview.cpp
x ./opt/local/share/doc/qt3/examples/chart/canvasview.h
x ./opt/local/share/doc/qt3/examples/chart/chart.doc
x ./opt/local/share/doc/qt3/examples/chart/chart.pro
x ./opt/local/share/doc/qt3/examples/chart/chartform.cpp
x ./opt/local/share/doc/qt3/examples/chart/chartform.h
x ./opt/local/share/doc/qt3/examples/chart/chartform_canvas.cpp
x ./opt/local/share/doc/qt3/examples/chart/chartform_files.cpp
x ./opt/local/share/doc/qt3/examples/chart/element.cpp
x ./opt/local/share/doc/qt3/examples/chart/element.h
x ./opt/local/share/doc/qt3/examples/chart/images/
x ./opt/local/share/doc/qt3/examples/chart/main.cpp
x ./opt/local/share/doc/qt3/examples/chart/optionsform.cpp
x ./opt/local/share/doc/qt3/examples/chart/optionsform.h
x ./opt/local/share/doc/qt3/examples/chart/setdataform.cpp
x ./opt/local/share/doc/qt3/examples/chart/setdataform.h
x ./opt/local/share/doc/qt3/examples/chart/images/chart-forms.sk
x ./opt/local/share/doc/qt3/examples/chart/images/file_new.xpm
x ./opt/local/share/doc/qt3/examples/chart/images/file_open.xpm
x ./opt/local/share/doc/qt3/examples/chart/images/file_print.xpm
x ./opt/local/share/doc/qt3/examples/chart/images/file_save.xpm
x ./opt/local/share/doc/qt3/examples/chart/images/file_saveaspostscript.xpm
x ./opt/local/share/doc/qt3/examples/chart/images/options_horizontalbarchart.xpm

- x ./opt/local/share/doc/qt3/examples/chart/images/options_piechart.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/options_setdata.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/options_setfont.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/options_setoptions.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/options_verticalbarchart.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern01.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern02.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern03.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern04.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern05.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern06.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern07.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern08.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern09.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern10.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern11.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern12.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern13.xpm
- x ./opt/local/share/doc/qt3/examples/chart/images/pattern14.xpm
- x ./opt/local/share/doc/qt3/examples/canvas/blendshadow.cpp
- x ./opt/local/share/doc/qt3/examples/canvas/butterfly.png
- x ./opt/local/share/doc/qt3/examples/canvas/canvas.cpp
- x ./opt/local/share/doc/qt3/examples/canvas/canvas.doc
- x ./opt/local/share/doc/qt3/examples/canvas/canvas.h

- x ./opt/local/share/doc/qt3/examples/canvas/canvas.pro
- x ./opt/local/share/doc/qt3/examples/canvas/main.cpp
- x ./opt/local/share/doc/qt3/examples/canvas/makeimg.cpp
- x ./opt/local/share/doc/qt3/examples/canvas/qt-trans.xpm
- x ./opt/local/share/doc/qt3/examples/canvas/qtlogo.png
- x ./opt/local/share/doc/qt3/examples/buttongroups/buttongroups.cpp
- x ./opt/local/share/doc/qt3/examples/buttongroups/buttongroups.doc
- x ./opt/local/share/doc/qt3/examples/buttongroups/buttongroups.h
- x ./opt/local/share/doc/qt3/examples/buttongroups/buttongroups.pro
- x ./opt/local/share/doc/qt3/examples/buttongroups/main.cpp
- x ./opt/local/share/doc/qt3/examples/buttongroups/README
- x ./opt/local/share/doc/qt3/examples/biff/biff.cpp
- x ./opt/local/share/doc/qt3/examples/biff/biff.doc
- x ./opt/local/share/doc/qt3/examples/biff/biff.h
- x ./opt/local/share/doc/qt3/examples/biff/biff.pro
- x ./opt/local/share/doc/qt3/examples/biff/bmp.cpp
- x ./opt/local/share/doc/qt3/examples/biff/main.cpp
- x ./opt/local/share/doc/qt3/examples/application/application.cpp
- x ./opt/local/share/doc/qt3/examples/application/application.doc
- x ./opt/local/share/doc/qt3/examples/application/application.h
- x ./opt/local/share/doc/qt3/examples/application/application.pro
- x ./opt/local/share/doc/qt3/examples/application/fileopen.xpm
- x ./opt/local/share/doc/qt3/examples/application/fileprint.xpm
- x ./opt/local/share/doc/qt3/examples/application/filesave.xpm

x ./opt/local/share/doc/qt3/examples/application/main.cpp
x ./opt/local/share/doc/qt3/examples/addressbook/addressbook.doc
x ./opt/local/share/doc/qt3/examples/addressbook/addressbook.pro
x ./opt/local/share/doc/qt3/examples/addressbook/centralwidget.cpp
x ./opt/local/share/doc/qt3/examples/addressbook/centralwidget.h
x ./opt/local/share/doc/qt3/examples/addressbook/fileopen.xpm
x ./opt/local/share/doc/qt3/examples/addressbook/fileprint.xpm
x ./opt/local/share/doc/qt3/examples/addressbook/filesave.xpm
x ./opt/local/share/doc/qt3/examples/addressbook/main.cpp
x ./opt/local/share/doc/qt3/examples/addressbook/mainwindow.cpp
x ./opt/local/share/doc/qt3/examples/addressbook/mainwindow.h
x ./opt/local/share/doc/qt3/examples/action/action.pro
x ./opt/local/share/doc/qt3/examples/action/application.cpp
x ./opt/local/share/doc/qt3/examples/action/application.doc
x ./opt/local/share/doc/qt3/examples/action/application.h
x ./opt/local/share/doc/qt3/examples/action/fileopen.xpm
x ./opt/local/share/doc/qt3/examples/action/fileprint.xpm
x ./opt/local/share/doc/qt3/examples/action/filesave.xpm
x ./opt/local/share/doc/qt3/examples/action/main.cpp
x ./opt/local/share/doc/qt3/examples/action/toggleaction/
x ./opt/local/share/doc/qt3/examples/action/toggleaction/labelonoff.xpm
x ./opt/local/share/doc/qt3/examples/action/toggleaction/toggleaction.cpp
x ./opt/local/share/doc/qt3/examples/action/toggleaction/toggleaction.doc
x ./opt/local/share/doc/qt3/examples/action/toggleaction/toggleaction.pro

- x ./opt/local/share/doc/qt3/examples/aclock/aclock.cpp
- x ./opt/local/share/doc/qt3/examples/aclock/aclock.doc
- x ./opt/local/share/doc/qt3/examples/aclock/aclock.h
- x ./opt/local/share/doc/qt3/examples/aclock/aclock.pro
- x ./opt/local/share/doc/qt3/examples/aclock/main.cpp
- x ./opt/local/share/doc/qt3/examples/aclock/README
- x ./opt/local/share/doc/installed-packages/qt3
- x ./opt/local/share/applnk/Development/
- x ./opt/local/share/applnk/Development/designer.desktop
- x ./opt/local/share/applnk/Development/linguist.desktop
- x ./opt/local/lib/libdesignercore.1.0.0.dylib
- x ./opt/local/lib/libdesignercore.1.0.dylib
- x ./opt/local/lib/libdesignercore.1.dylib
- x ./opt/local/lib/libdesignercore.dylib
- x ./opt/local/lib/libeditor.1.0.0.dylib
- x ./opt/local/lib/libeditor.1.0.dylib
- x ./opt/local/lib/libeditor.1.dylib
- x ./opt/local/lib/libeditor.dylib
- x ./opt/local/lib/libqassistantclient.a
- x ./opt/local/lib/libqt-mt.3.3.8.dylib
- x ./opt/local/lib/libqt-mt.3.3.dylib
- x ./opt/local/lib/libqt-mt.3.dylib
- x ./opt/local/lib/libqt-mt.dylib
- x ./opt/local/lib/libqt-mt.la

- x ./opt/local/lib/libqui.1.0.0.dylib
- x ./opt/local/lib/libqui.1.0.dylib
- x ./opt/local/lib/libqui.1.dylib
- x ./opt/local/lib/libqui.dylib
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/qt3/
- x ./opt/local/lib/qt3/bin/
- x ./opt/local/lib/qt3/doc
- x ./opt/local/lib/qt3/include/
- x ./opt/local/lib/qt3/lib/
- x ./opt/local/lib/qt3/mkspecs/
- x ./opt/local/lib/qt3/phrasebooks/
- x ./opt/local/lib/qt3/plugins/
- x ./opt/local/lib/qt3/templates/
- x ./opt/local/lib/qt3/translations/
- x ./opt/local/lib/qt3/translations/assistant_de.qm
- x ./opt/local/lib/qt3/translations/qt_ar.qm
- x ./opt/local/lib/qt3/translations/qt_ca.qm
- x ./opt/local/lib/qt3/translations/qt_cs.qm
- x ./opt/local/lib/qt3/translations/qt_de.qm
- x ./opt/local/lib/qt3/translations/qt_es.qm
- x ./opt/local/lib/qt3/translations/qt_fr.qm
- x ./opt/local/lib/qt3/translations/qt_he.qm
- x ./opt/local/lib/qt3/translations/qt_it.qm

```
x ./opt/local/lib/qt3/translations/qt_ja.qm
x ./opt/local/lib/qt3/translations/qt_nb.qm
x ./opt/local/lib/qt3/translations/qt_pt-br.qm
x ./opt/local/lib/qt3/translations/qt_ru.qm
x ./opt/local/lib/qt3/translations/qt_sk.qm
x ./opt/local/lib/qt3/translations/qt_zh-cn.qm
x ./opt/local/lib/qt3/translations/qt_zh-tw.qm
x ./opt/local/lib/qt3/templates/Configuration_Dialog.ui
x ./opt/local/lib/qt3/templates/Dialog_with_Buttons_(Bottom).ui
x ./opt/local/lib/qt3/templates/Dialog_with_Buttons_(Right).ui
x ./opt/local/lib/qt3/templates/Tab_Dialog.ui
x ./opt/local/lib/qt3/plugins/designer/
x ./opt/local/lib/qt3/plugins/imageformats/
x ./opt/local/lib/qt3/plugins/sqldrivers/
x ./opt/local/lib/qt3/plugins/sqldrivers/libqsqlite.so
x ./opt/local/lib/qt3/plugins/imageformats/libqjpeg.so
x ./opt/local/lib/qt3/plugins/imageformats/libqpng.so
x ./opt/local/lib/qt3/plugins/imageformats/libqmng.so
x ./opt/local/lib/qt3/plugins/designer/libcppeditor.so
x ./opt/local/lib/qt3/plugins/designer/libdlgplugin.so
x ./opt/local/lib/qt3/plugins/designer/libgladepugin.so
x ./opt/local/lib/qt3/plugins/designer/libkdevdlgplugin.so
x ./opt/local/lib/qt3/plugins/designer/librcplugin.so
x ./opt/local/lib/qt3/plugins/designer/libwizards.so
```

x ./opt/local/lib/qt3/phrasebooks/danish.qph
x ./opt/local/lib/qt3/phrasebooks/dutch.qph
x ./opt/local/lib/qt3/phrasebooks/finnish.qph
x ./opt/local/lib/qt3/phrasebooks/french.qph
x ./opt/local/lib/qt3/phrasebooks/german.qph
x ./opt/local/lib/qt3/phrasebooks/italian.qph
x ./opt/local/lib/qt3/phrasebooks/norwegian.qph
x ./opt/local/lib/qt3/phrasebooks/russian.qph
x ./opt/local/lib/qt3/phrasebooks/spanish.qph
x ./opt/local/lib/qt3/phrasebooks/swedish.qph
x ./opt/local/lib/qt3/mkspecs/aix-g++/
x ./opt/local/lib/qt3/mkspecs/aix-g++-64/
x ./opt/local/lib/qt3/mkspecs/aix-xlc/
x ./opt/local/lib/qt3/mkspecs/aix-xlc-64/
x ./opt/local/lib/qt3/mkspecs/bsdi-g++/
x ./opt/local/lib/qt3/mkspecs/cygwin-g++/
x ./opt/local/lib/qt3/mkspecs/darwin-g++/
x ./opt/local/lib/qt3/mkspecs/default
x ./opt/local/lib/qt3/mkspecs/dgux-g++/
x ./opt/local/lib/qt3/mkspecs/freebsd-g++/
x ./opt/local/lib/qt3/mkspecs/freebsd-g++34/
x ./opt/local/lib/qt3/mkspecs/freebsd-icc/
x ./opt/local/lib/qt3/mkspecs/hpux-acc/
x ./opt/local/lib/qt3/mkspecs/hpux-acc-64/

x ./opt/local/lib/qt3/mkspecs/hpux-acc-o64/
x ./opt/local/lib/qt3/mkspecs/hpux-cc/
x ./opt/local/lib/qt3/mkspecs/hpux-g++/
x ./opt/local/lib/qt3/mkspecs/hpux-g++-64/
x ./opt/local/lib/qt3/mkspecs/hpuxi-acc-32/
x ./opt/local/lib/qt3/mkspecs/hpuxi-acc-64/
x ./opt/local/lib/qt3/mkspecs/hurd-g++/
x ./opt/local/lib/qt3/mkspecs/irix-cc/
x ./opt/local/lib/qt3/mkspecs/irix-cc-64/
x ./opt/local/lib/qt3/mkspecs/irix-cc-o32/
x ./opt/local/lib/qt3/mkspecs/irix-g++/
x ./opt/local/lib/qt3/mkspecs/linux-cxx/
x ./opt/local/lib/qt3/mkspecs/linux-ecc-64/
x ./opt/local/lib/qt3/mkspecs/linux-g++/
x ./opt/local/lib/qt3/mkspecs/linux-g++-32/
x ./opt/local/lib/qt3/mkspecs/linux-g++-64/
x ./opt/local/lib/qt3/mkspecs/linux-icc/
x ./opt/local/lib/qt3/mkspecs/linux-kcc/
x ./opt/local/lib/qt3/mkspecs/linux-kylix/
x ./opt/local/lib/qt3/mkspecs/linux-pgcc/
x ./opt/local/lib/qt3/mkspecs/lynxos-g++/
x ./opt/local/lib/qt3/mkspecs/macx-g++/
x ./opt/local/lib/qt3/mkspecs/macx-mwerks/
x ./opt/local/lib/qt3/mkspecs/macx-pbuilder/

```
x ./opt/local/lib/qt3/mkspecs/macx-xlc/  
x ./opt/local/lib/qt3/mkspecs/netbsd-g++/  
x ./opt/local/lib/qt3/mkspecs/openbsd-g++/  
x ./opt/local/lib/qt3/mkspecs/qnx-g++/  
x ./opt/local/lib/qt3/mkspecs/reliant-cds/  
x ./opt/local/lib/qt3/mkspecs/reliant-cds-64/  
x ./opt/local/lib/qt3/mkspecs/sco-cc/  
x ./opt/local/lib/qt3/mkspecs/sco-g++/  
x ./opt/local/lib/qt3/mkspecs/solaris-cc/  
x ./opt/local/lib/qt3/mkspecs/solaris-cc-64/  
x ./opt/local/lib/qt3/mkspecs/solaris-g++/  
x ./opt/local/lib/qt3/mkspecs/solaris-g++-64/  
x ./opt/local/lib/qt3/mkspecs/tru64-cxx/  
x ./opt/local/lib/qt3/mkspecs/tru64-g++/  
x ./opt/local/lib/qt3/mkspecs/unixware-cc/  
x ./opt/local/lib/qt3/mkspecs/unixware-g++/  
x ./opt/local/lib/qt3/mkspecs/win32-borland/  
x ./opt/local/lib/qt3/mkspecs/win32-g++/  
x ./opt/local/lib/qt3/mkspecs/win32-icc/  
x ./opt/local/lib/qt3/mkspecs/win32-msvc/  
x ./opt/local/lib/qt3/mkspecs/win32-msvc.net/  
x ./opt/local/lib/qt3/mkspecs/win32-msvc2005/  
x ./opt/local/lib/qt3/mkspecs/win32-watcom/  
x ./opt/local/lib/qt3/mkspecs/win32-watcom/qmake.conf
```

```
x ./opt/local/lib/qt3/mkspecs/win32-msvc2005/qmake.conf
x ./opt/local/lib/qt3/mkspecs/win32-msvc2005/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/win32-msvc.net/qmake.conf
x ./opt/local/lib/qt3/mkspecs/win32-msvc.net/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/win32-msvc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/win32-msvc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/win32-msvc/win32app.dsp
x ./opt/local/lib/qt3/mkspecs/win32-msvc/win32dll.dsp
x ./opt/local/lib/qt3/mkspecs/win32-msvc/win32lib.dsp
x ./opt/local/lib/qt3/mkspecs/win32-icc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/win32-icc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/win32-icc/win32app.dsp
x ./opt/local/lib/qt3/mkspecs/win32-icc/win32dll.dsp
x ./opt/local/lib/qt3/mkspecs/win32-icc/win32lib.dsp
x ./opt/local/lib/qt3/mkspecs/win32-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/win32-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/win32-g++/qtcrtentrypoint.cpp
x ./opt/local/lib/qt3/mkspecs/win32-borland/qmake.conf
x ./opt/local/lib/qt3/mkspecs/win32-borland/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/unixware-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/unixware-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/unixware-cc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/unixware-cc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/tru64-g++/qmake.conf
```

```
x ./opt/local/lib/qt3/mkspecs/tru64-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/tru64-cxx/qmake.conf
x ./opt/local/lib/qt3/mkspecs/tru64-cxx/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/solaris-g++-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/solaris-g++-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/solaris-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/solaris-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/solaris-cc-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/solaris-cc-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/solaris-cc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/solaris-cc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/sco-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/sco-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/sco-cc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/sco-cc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/reliant-cds-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/reliant-cds-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/reliant-cds/qmake.conf
x ./opt/local/lib/qt3/mkspecs/reliant-cds/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/qnx-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/qnx-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/openbsd-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/openbsd-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/netbsd-g++/qmake.conf
```

```
x ./opt/local/lib/qt3/mkspecs/netbsd-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/macx-xlc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/macx-xlc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/macx-pbuilder/Info.plist.app
x ./opt/local/lib/qt3/mkspecs/macx-pbuilder/qmake.conf
x ./opt/local/lib/qt3/mkspecs/macx-pbuilder/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/macx-mwerks/mwerkstmpl.xml
x ./opt/local/lib/qt3/mkspecs/macx-mwerks/qmake.conf
x ./opt/local/lib/qt3/mkspecs/macx-mwerks/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/macx-mwerks/README
x ./opt/local/lib/qt3/mkspecs/macx-g++/Info.plist.app
x ./opt/local/lib/qt3/mkspecs/macx-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/macx-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/lynxos-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/lynxos-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-pgcc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/linux-pgcc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-kylix/qmake.conf
x ./opt/local/lib/qt3/mkspecs/linux-kylix/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-kcc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/linux-kcc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-icc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/linux-icc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-g++-64/qmake.conf
```

```
x ./opt/local/lib/qt3/mkspecs/linux-g++-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-g++-32/qmake.conf
x ./opt/local/lib/qt3/mkspecs/linux-g++-32/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/linux-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-ecc-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/linux-ecc-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/linux-cxx/qmake.conf
x ./opt/local/lib/qt3/mkspecs/linux-cxx/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/irix-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/irix-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/irix-cc-o32/qmake.conf
x ./opt/local/lib/qt3/mkspecs/irix-cc-o32/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/irix-cc-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/irix-cc-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/irix-cc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/irix-cc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hurd-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/hurd-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hpuxi-acc-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/hpuxi-acc-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hpuxi-acc-32/qmake.conf
x ./opt/local/lib/qt3/mkspecs/hpuxi-acc-32/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hpux-g++-64/qmake.conf
```

```
x ./opt/local/lib/qt3/mkspecs/hpux-g++-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hpux-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/hpux-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hpux-cc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/hpux-cc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hpux-acc-o64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/hpux-acc-o64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hpux-acc-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/hpux-acc-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/hpux-acc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/hpux-acc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/freebsd-icc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/freebsd-icc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/freebsd-g++34/qmake.conf
x ./opt/local/lib/qt3/mkspecs/freebsd-g++34/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/freebsd-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/freebsd-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/dgux-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/dgux-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/darwin-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/darwin-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/cygwin-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/cygwin-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/bsdi-g++/qmake.conf
```

```
x ./opt/local/lib/qt3/mkspecs/bsdi-g++/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/aix-xlc-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/aix-xlc-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/aix-xlc/qmake.conf
x ./opt/local/lib/qt3/mkspecs/aix-xlc/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/aix-g++-64/qmake.conf
x ./opt/local/lib/qt3/mkspecs/aix-g++-64/qplatformdefs.h
x ./opt/local/lib/qt3/mkspecs/aix-g++/qmake.conf
x ./opt/local/lib/qt3/mkspecs/aix-g++/qplatformdefs.h
x ./opt/local/lib/qt3/lib/libdesignercore.1.0.0.dylib
x ./opt/local/lib/qt3/lib/libdesignercore.1.0.dylib
x ./opt/local/lib/qt3/lib/libdesignercore.1.dylib
x ./opt/local/lib/qt3/lib/libdesignercore.dylib
x ./opt/local/lib/qt3/lib/libeditor.1.0.0.dylib
x ./opt/local/lib/qt3/lib/libeditor.1.0.dylib
x ./opt/local/lib/qt3/lib/libeditor.1.dylib
x ./opt/local/lib/qt3/lib/libeditor.dylib
x ./opt/local/lib/qt3/lib/libqassistantclient.a
x ./opt/local/lib/qt3/lib/libqt-mt.3.3.8.dylib
x ./opt/local/lib/qt3/lib/libqt-mt.3.3.dylib
x ./opt/local/lib/qt3/lib/libqt-mt.3.dylib
x ./opt/local/lib/qt3/lib/libqt-mt.dylib
x ./opt/local/lib/qt3/lib/libqt-mt.la
x ./opt/local/lib/qt3/lib/libqui.1.0.0.dylib
```


x ./opt/local/lib/qt3/lib/libqui.1.0.dylib
x ./opt/local/lib/qt3/lib/libqui.1.dylib
x ./opt/local/lib/qt3/lib/libqui.dylib
x ./opt/local/lib/qt3/include/jri.h
x ./opt/local/lib/qt3/include/jri_md.h
x ./opt/local/lib/qt3/include/jritypes.h
x ./opt/local/lib/qt3/include/npapi.h
x ./opt/local/lib/qt3/include/npupp.h
x ./opt/local/lib/qt3/include/private/
x ./opt/local/lib/qt3/include/q1xcompatibility.h
x ./opt/local/lib/qt3/include/qabstractlayout.h
x ./opt/local/lib/qt3/include/qaccel.h
x ./opt/local/lib/qt3/include/qaccessible.h
x ./opt/local/lib/qt3/include/qaction.h
x ./opt/local/lib/qt3/include/qapp.h
x ./opt/local/lib/qt3/include/qapplication.h
x ./opt/local/lib/qt3/include/qarray.h
x ./opt/local/lib/qt3/include/qasciicache.h
x ./opt/local/lib/qt3/include/qasciidict.h
x ./opt/local/lib/qt3/include/qassistantclient.h
x ./opt/local/lib/qt3/include/qasyncimageio.h
x ./opt/local/lib/qt3/include/qasyncio.h
x ./opt/local/lib/qt3/include/qbig5codec.h
x ./opt/local/lib/qt3/include/qbitarray.h

```
x ./opt/local/lib/qt3/include/qbitarray.h
x ./opt/local/lib/qt3/include/qbitmap.h
x ./opt/local/lib/qt3/include/qbrush.h
x ./opt/local/lib/qt3/include/qbttngrp.h
x ./opt/local/lib/qt3/include/qbuffer.h
x ./opt/local/lib/qt3/include/qbutton.h
x ./opt/local/lib/qt3/include/qbuttongroup.h
x ./opt/local/lib/qt3/include/qcache.h
x ./opt/local/lib/qt3/include/qcanvas.h
x ./opt/local/lib/qt3/include/qcdestyle.h
x ./opt/local/lib/qt3/include/qcheckbox.h
x ./opt/local/lib/qt3/include/qchkbox.h
x ./opt/local/lib/qt3/include/qcleanuphandler.h
x ./opt/local/lib/qt3/include/qclipboard.h
x ./opt/local/lib/qt3/include/qclipbrd.h
x ./opt/local/lib/qt3/include/qcollect.h
x ./opt/local/lib/qt3/include/qcollection.h
x ./opt/local/lib/qt3/include/qcolor.h
x ./opt/local/lib/qt3/include/qcolordialog.h
x ./opt/local/lib/qt3/include/qcombo.h
x ./opt/local/lib/qt3/include/qcombobox.h
x ./opt/local/lib/qt3/include/qcommonstyle.h
x ./opt/local/lib/qt3/include/qcompactstyle.h
x ./opt/local/lib/qt3/include/qconfig-dist.h
```

```
x ./opt/local/lib/qt3/include/qconfig-large.h
x ./opt/local/lib/qt3/include/qconfig-medium.h
x ./opt/local/lib/qt3/include/qconfig-minimal.h
x ./opt/local/lib/qt3/include/qconfig-small.h
x ./opt/local/lib/qt3/include/qconfig.h
x ./opt/local/lib/qt3/include/qconnect.h
x ./opt/local/lib/qt3/include/qconnection.h
x ./opt/local/lib/qt3/include/qcstring.h
x ./opt/local/lib/qt3/include/qcursor.h
x ./opt/local/lib/qt3/include/qdatabrowser.h
x ./opt/local/lib/qt3/include/qdatastream.h
x ./opt/local/lib/qt3/include/qdatatable.h
x ./opt/local/lib/qt3/include/qdataview.h
x ./opt/local/lib/qt3/include/qdatettime.h
x ./opt/local/lib/qt3/include/qdatettimeedit.h
x ./opt/local/lib/qt3/include/qdatetm.h
x ./opt/local/lib/qt3/include/qdeepcopy.h
x ./opt/local/lib/qt3/include/qdesktopwidget.h
x ./opt/local/lib/qt3/include/qdial.h
x ./opt/local/lib/qt3/include/qdialog.h
x ./opt/local/lib/qt3/include/qdict.h
x ./opt/local/lib/qt3/include/qdir.h
x ./opt/local/lib/qt3/include/qdns.h
x ./opt/local/lib/qt3/include/qdockarea.h
```

```
x ./opt/local/lib/qt3/include/qdockwindow.h
x ./opt/local/lib/qt3/include/qdom.h
x ./opt/local/lib/qt3/include/qdragobject.h
x ./opt/local/lib/qt3/include/qdrawutil.h
x ./opt/local/lib/qt3/include/qdrawutl.h
x ./opt/local/lib/qt3/include/qdropsite.h
x ./opt/local/lib/qt3/include/qdstream.h
x ./opt/local/lib/qt3/include/qeditorfactory.h
x ./opt/local/lib/qt3/include/qerrormessage.h
x ./opt/local/lib/qt3/include/qeucjpcodec.h
x ./opt/local/lib/qt3/include/qeuckrcodec.h
x ./opt/local/lib/qt3/include/qevent.h
x ./opt/local/lib/qt3/include/qeventloop.h
x ./opt/local/lib/qt3/include/qfeatures.h
x ./opt/local/lib/qt3/include/qfile.h
x ./opt/local/lib/qt3/include/qfiledef.h
x ./opt/local/lib/qt3/include/qfiledialog.h
x ./opt/local/lib/qt3/include/qfiledlg.h
x ./opt/local/lib/qt3/include/qfileinf.h
x ./opt/local/lib/qt3/include/qfileinfo.h
x ./opt/local/lib/qt3/include/qfocusdata.h
x ./opt/local/lib/qt3/include/qfont.h
x ./opt/local/lib/qt3/include/qfontdatabase.h
x ./opt/local/lib/qt3/include/qfontdialog.h
```

```
x ./opt/local/lib/qt3/include/qfontinf.h
x ./opt/local/lib/qt3/include/qfontinfo.h
x ./opt/local/lib/qt3/include/qfontmet.h
x ./opt/local/lib/qt3/include/qfontmetrics.h
x ./opt/local/lib/qt3/include/qframe.h
x ./opt/local/lib/qt3/include/qftp.h
x ./opt/local/lib/qt3/include/qgarray.h
x ./opt/local/lib/qt3/include/qgb18030codec.h
x ./opt/local/lib/qt3/include/qgbkcodec.h
x ./opt/local/lib/qt3/include/qgcache.h
x ./opt/local/lib/qt3/include/qgdict.h
x ./opt/local/lib/qt3/include/qgeneric.h
x ./opt/local/lib/qt3/include/qgif.h
x ./opt/local/lib/qt3/include/qgl.h
x ./opt/local/lib/qt3/include/qglcolormap.h
x ./opt/local/lib/qt3/include/qglist.h
x ./opt/local/lib/qt3/include/qglobal.h
x ./opt/local/lib/qt3/include/qgplugin.h
x ./opt/local/lib/qt3/include/qgrid.h
x ./opt/local/lib/qt3/include/qgridview.h
x ./opt/local/lib/qt3/include/qgroupbox.h
x ./opt/local/lib/qt3/include/qgrpbox.h
x ./opt/local/lib/qt3/include/qguardedptr.h
x ./opt/local/lib/qt3/include/qgvector.h
```

- x ./opt/local/lib/qt3/include/qhbox.h
- x ./opt/local/lib/qt3/include/qhbuttongroup.h
- x ./opt/local/lib/qt3/include/qheader.h
- x ./opt/local/lib/qt3/include/qhgroupbox.h
- x ./opt/local/lib/qt3/include/qhostaddress.h
- x ./opt/local/lib/qt3/include/qhttp.h
- x ./opt/local/lib/qt3/include/qiconset.h
- x ./opt/local/lib/qt3/include/qiconview.h
- x ./opt/local/lib/qt3/include/qimage.h
- x ./opt/local/lib/qt3/include/qimageformatplugin.h
- x ./opt/local/lib/qt3/include/qinputdialog.h
- x ./opt/local/lib/qt3/include/qintcach.h
- x ./opt/local/lib/qt3/include/qintcache.h
- x ./opt/local/lib/qt3/include/qintdict.h
- x ./opt/local/lib/qt3/include/qinterlacestyle.h
- x ./opt/local/lib/qt3/include/qiodev.h
- x ./opt/local/lib/qt3/include/qiodevice.h
- x ./opt/local/lib/qt3/include/qjiscodec.h
- x ./opt/local/lib/qt3/include/qjpegio.h
- x ./opt/local/lib/qt3/include/qjpunicode.h
- x ./opt/local/lib/qt3/include/qkeycode.h
- x ./opt/local/lib/qt3/include/qkeysequence.h
- x ./opt/local/lib/qt3/include/qlabel.h
- x ./opt/local/lib/qt3/include/qlayout.h

```
x ./opt/local/lib/qt3/include/qlcdnum.h
x ./opt/local/lib/qt3/include/qlcdnumber.h
x ./opt/local/lib/qt3/include/qlibrary.h
x ./opt/local/lib/qt3/include/qlined.h
x ./opt/local/lib/qt3/include/qlineedit.h
x ./opt/local/lib/qt3/include/qlist.h
x ./opt/local/lib/qt3/include/qlistbox.h
x ./opt/local/lib/qt3/include/qlistview.h
x ./opt/local/lib/qt3/include/qlocale.h
x ./opt/local/lib/qt3/include/qlocalfs.h
x ./opt/local/lib/qt3/include/qmainwindow.h
x ./opt/local/lib/qt3/include/qmap.h
x ./opt/local/lib/qt3/include/qmemarray.h
x ./opt/local/lib/qt3/include/qmenubar.h
x ./opt/local/lib/qt3/include/qmenudata.h
x ./opt/local/lib/qt3/include/qmenudta.h
x ./opt/local/lib/qt3/include/qmessagebox.h
x ./opt/local/lib/qt3/include/qmetaobj.h
x ./opt/local/lib/qt3/include/qmetaobject.h
x ./opt/local/lib/qt3/include/qmime.h
x ./opt/local/lib/qt3/include/qmlined.h
x ./opt/local/lib/qt3/include/qmngio.h
x ./opt/local/lib/qt3/include/qmodules.h
x ./opt/local/lib/qt3/include/qmotifplusstyle.h
```

```
x ./opt/local/lib/qt3/include/qmotifstyle.h
x ./opt/local/lib/qt3/include/qmovie.h
x ./opt/local/lib/qt3/include/qmsgbox.h
x ./opt/local/lib/qt3/include/qmultilineedit.h
x ./opt/local/lib/qt3/include/qmultilineedit.h
x ./opt/local/lib/qt3/include/qmutex.h
x ./opt/local/lib/qt3/include/qnamespace.h
x ./opt/local/lib/qt3/include/qnetwork.h
x ./opt/local/lib/qt3/include/qnetworkprotocol.h
x ./opt/local/lib/qt3/include/qnp.h
x ./opt/local/lib/qt3/include/qobjcoll.h
x ./opt/local/lib/qt3/include/qobjdefs.h
x ./opt/local/lib/qt3/include/qobject.h
x ./opt/local/lib/qt3/include/qobjectcleanuphandler.h
x ./opt/local/lib/qt3/include/qobjectdefs.h
x ./opt/local/lib/qt3/include/qobjectdict.h
x ./opt/local/lib/qt3/include/qobjectlist.h
x ./opt/local/lib/qt3/include/qpaintd.h
x ./opt/local/lib/qt3/include/qpaintdc.h
x ./opt/local/lib/qt3/include/qpaintdevice.h
x ./opt/local/lib/qt3/include/qpaintdevicedefs.h
x ./opt/local/lib/qt3/include/qpaintdevicemetrics.h
x ./opt/local/lib/qt3/include/qpainter.h
x ./opt/local/lib/qt3/include/qpair.h
```



```
x ./opt/local/lib/qt3/include/qpalette.h
x ./opt/local/lib/qt3/include/qpdevmet.h
x ./opt/local/lib/qt3/include/qpen.h
x ./opt/local/lib/qt3/include/qpicture.h
x ./opt/local/lib/qt3/include/qpixmap.h
x ./opt/local/lib/qt3/include/qpixmapcache.h
x ./opt/local/lib/qt3/include/qplatinumstyle.h
x ./opt/local/lib/qt3/include/qpmcache.h
x ./opt/local/lib/qt3/include/qpngio.h
x ./opt/local/lib/qt3/include/qpntarray.h
x ./opt/local/lib/qt3/include/qpoint.h
x ./opt/local/lib/qt3/include/qpointarray.h
x ./opt/local/lib/qt3/include/qpolygonscanner.h
x ./opt/local/lib/qt3/include/qpopupmenu.h
x ./opt/local/lib/qt3/include/qpopupmenu.h
x ./opt/local/lib/qt3/include/qprintdialog.h
x ./opt/local/lib/qt3/include/qprinter.h
x ./opt/local/lib/qt3/include/qprndl.h
x ./opt/local/lib/qt3/include/qprocess.h
x ./opt/local/lib/qt3/include/qprogbar.h
x ./opt/local/lib/qt3/include/qprogdlg.h
x ./opt/local/lib/qt3/include/qprogressbar.h
x ./opt/local/lib/qt3/include/qprogressdialog.h
x ./opt/local/lib/qt3/include/qpsprn.h
```

```
x ./opt/local/lib/qt3/include/qptrcollection.h
x ./opt/local/lib/qt3/include/qptrdict.h
x ./opt/local/lib/qt3/include/qptrlist.h
x ./opt/local/lib/qt3/include/qptrqueue.h
x ./opt/local/lib/qt3/include/qptrstack.h
x ./opt/local/lib/qt3/include/qptrvector.h
x ./opt/local/lib/qt3/include/qpushbt.h
x ./opt/local/lib/qt3/include/qpushbutton.h
x ./opt/local/lib/qt3/include/qqueue.h
x ./opt/local/lib/qt3/include/qradiobt.h
x ./opt/local/lib/qt3/include/qradiobutton.h
x ./opt/local/lib/qt3/include/qrangecontrol.h
x ./opt/local/lib/qt3/include/qrangect.h
x ./opt/local/lib/qt3/include/qrect.h
x ./opt/local/lib/qt3/include/qregexp.h
x ./opt/local/lib/qt3/include/qregion.h
x ./opt/local/lib/qt3/include/qrtlcodec.h
x ./opt/local/lib/qt3/include/qscrbar.h
x ./opt/local/lib/qt3/include/qscrollbar.h
x ./opt/local/lib/qt3/include/qscrollview.h
x ./opt/local/lib/qt3/include/qsemaphore.h
x ./opt/local/lib/qt3/include/qsemimodal.h
x ./opt/local/lib/qt3/include/qserversocket.h
x ./opt/local/lib/qt3/include/qsession.h
```

```
x ./opt/local/lib/qt3/include/qsessionmanager.h
x ./opt/local/lib/qt3/include/qsettings.h
x ./opt/local/lib/qt3/include/qsgistyle.h
x ./opt/local/lib/qt3/include/qshared.h
x ./opt/local/lib/qt3/include/qsignal.h
x ./opt/local/lib/qt3/include/qsignalmapper.h
x ./opt/local/lib/qt3/include/qsignalslotimp.h
x ./opt/local/lib/qt3/include/qsimplerichtext.h
x ./opt/local/lib/qt3/include/qsize.h
x ./opt/local/lib/qt3/include/qsizegrip.h
x ./opt/local/lib/qt3/include/qsizepolicy.h
x ./opt/local/lib/qt3/include/qsjiscodec.h
x ./opt/local/lib/qt3/include/qslider.h
x ./opt/local/lib/qt3/include/qsocket.h
x ./opt/local/lib/qt3/include/qsocketdevice.h
x ./opt/local/lib/qt3/include/qsocketnotifier.h
x ./opt/local/lib/qt3/include/qsocknot.h
x ./opt/local/lib/qt3/include/qsortedlist.h
x ./opt/local/lib/qt3/include/qsound.h
x ./opt/local/lib/qt3/include/qspinbox.h
x ./opt/local/lib/qt3/include/qsplashscreen.h
x ./opt/local/lib/qt3/include/qsplitter.h
x ./opt/local/lib/qt3/include/qsq1.h
x ./opt/local/lib/qt3/include/qsq1cursor.h
```

```
x ./opt/local/lib/qt3/include/qsqldatabase.h
x ./opt/local/lib/qt3/include/qsqldriver.h
x ./opt/local/lib/qt3/include/qsqldriverplugin.h
x ./opt/local/lib/qt3/include/qsqleditorfactory.h
x ./opt/local/lib/qt3/include/qsqLError.h
x ./opt/local/lib/qt3/include/qsqLfield.h
x ./opt/local/lib/qt3/include/qsqLform.h
x ./opt/local/lib/qt3/include/qsqLindex.h
x ./opt/local/lib/qt3/include/qsqLpropertymap.h
x ./opt/local/lib/qt3/include/qsqLquery.h
x ./opt/local/lib/qt3/include/qsqLrecord.h
x ./opt/local/lib/qt3/include/qsqLresult.h
x ./opt/local/lib/qt3/include/qsqLselectcursor.h
x ./opt/local/lib/qt3/include/qstack.h
x ./opt/local/lib/qt3/include/qstatusbar.h
x ./opt/local/lib/qt3/include/qstring.h
x ./opt/local/lib/qt3/include/qstringlist.h
x ./opt/local/lib/qt3/include/qstrlist.h
x ./opt/local/lib/qt3/include/qstrvec.h
x ./opt/local/lib/qt3/include/qstyle.h
x ./opt/local/lib/qt3/include/qstylefactory.h
x ./opt/local/lib/qt3/include/qstyleplugin.h
x ./opt/local/lib/qt3/include/qstylesheet.h
x ./opt/local/lib/qt3/include/qsyntaxhighlighter.h
```

```
x ./opt/local/lib/qt3/include/qt.h
x ./opt/local/lib/qt3/include/qtabbar.h
x ./opt/local/lib/qt3/include/qtabdialog.h
x ./opt/local/lib/qt3/include/qtabdlg.h
x ./opt/local/lib/qt3/include/qtable.h
x ./opt/local/lib/qt3/include/qtabwidget.h
x ./opt/local/lib/qt3/include/qtextbrowser.h
x ./opt/local/lib/qt3/include/qtextcodec.h
x ./opt/local/lib/qt3/include/qtextcodecfactory.h
x ./opt/local/lib/qt3/include/qtextcodecplugin.h
x ./opt/local/lib/qt3/include/qtextedit.h
x ./opt/local/lib/qt3/include/qtextstream.h
x ./opt/local/lib/qt3/include/qtextview.h
x ./opt/local/lib/qt3/include/qthread.h
x ./opt/local/lib/qt3/include/qthreadstorage.h
x ./opt/local/lib/qt3/include/qtimer.h
x ./opt/local/lib/qt3/include/ctl.h
x ./opt/local/lib/qt3/include/qtoolbar.h
x ./opt/local/lib/qt3/include/qtoolbox.h
x ./opt/local/lib/qt3/include/qtoolbutton.h
x ./opt/local/lib/qt3/include/qtooltip.h
x ./opt/local/lib/qt3/include/qtranslator.h
x ./opt/local/lib/qt3/include/qtsciicodec.h
x ./opt/local/lib/qt3/include/qtstream.h
```

```
x ./opt/local/lib/qt3/include/qurl.h
x ./opt/local/lib/qt3/include/qurlinfo.h
x ./opt/local/lib/qt3/include/qurloperator.h
x ./opt/local/lib/qt3/include/qutfcodec.h
x ./opt/local/lib/qt3/include/quuid.h
x ./opt/local/lib/qt3/include/qvalidator.h
x ./opt/local/lib/qt3/include/qvaluelist.h
x ./opt/local/lib/qt3/include/qvaluestack.h
x ./opt/local/lib/qt3/include/qvaluevector.h
x ./opt/local/lib/qt3/include/qvariant.h
x ./opt/local/lib/qt3/include/qvbox.h
x ./opt/local/lib/qt3/include/qvbuttongroup.h
x ./opt/local/lib/qt3/include/qvector.h
x ./opt/local/lib/qt3/include/qvfbhdr.h
x ./opt/local/lib/qt3/include/qvgroupbox.h
x ./opt/local/lib/qt3/include/qwaitcondition.h
x ./opt/local/lib/qt3/include/qwhatsthis.h
x ./opt/local/lib/qt3/include/qwidcoll.h
x ./opt/local/lib/qt3/include/qwidget.h
x ./opt/local/lib/qt3/include/qwidgetfactory.h
x ./opt/local/lib/qt3/include/qwidgetintdict.h
x ./opt/local/lib/qt3/include/qwidgetlist.h
x ./opt/local/lib/qt3/include/qwidgetplugin.h
x ./opt/local/lib/qt3/include/qwidgetstack.h
```

```
x ./opt/local/lib/qt3/include/qwindefs.h
x ./opt/local/lib/qt3/include/qwindow.h
x ./opt/local/lib/qt3/include/qwindowdefs.h
x ./opt/local/lib/qt3/include/qwindowsstyle.h
x ./opt/local/lib/qt3/include/qwinexport.h
x ./opt/local/lib/qt3/include/qwizard.h
x ./opt/local/lib/qt3/include/qwmatrix.h
x ./opt/local/lib/qt3/include/qworkspace.h
x ./opt/local/lib/qt3/include/qxml.h
x ./opt/local/lib/qt3/include/private/qapplication_p.h
x ./opt/local/lib/qt3/include/private/qcolor_p.h
x ./opt/local/lib/qt3/include/private/qcom_p.h
x ./opt/local/lib/qt3/include/private/qcomlibrary_p.h
x ./opt/local/lib/qt3/include/private/qcomponentfactory_p.h
x ./opt/local/lib/qt3/include/private/qcriticalsection_p.h
x ./opt/local/lib/qt3/include/private/qdialogbuttons_p.h
x ./opt/local/lib/qt3/include/private/qdir_p.h
x ./opt/local/lib/qt3/include/private/qeffects_p.h
x ./opt/local/lib/qt3/include/private/qeventloop_p.h
x ./opt/local/lib/qt3/include/private/qfiledefs_p.h
x ./opt/local/lib/qt3/include/private/qfontcodecs_p.h
x ./opt/local/lib/qt3/include/private/qfontdata_p.h
x ./opt/local/lib/qt3/include/private/qfontengine_p.h
x ./opt/local/lib/qt3/include/private/qgfxdriverinterface_p.h
```

x ./opt/local/lib/qt3/include/private/qgl_x11_p.h
x ./opt/local/lib/qt3/include/private/qgpluginmanager_p.h
x ./opt/local/lib/qt3/include/private/qimageformatinterface_p.h
x ./opt/local/lib/qt3/include/private/qinputcontext_p.h
x ./opt/local/lib/qt3/include/private/qinternal_p.h
x ./opt/local/lib/qt3/include/private/qiscicodec_p.h
x ./opt/local/lib/qt3/include/private/qkbddriverinterface_p.h
x ./opt/local/lib/qt3/include/private/qlayoutengine_p.h
x ./opt/local/lib/qt3/include/private/qlibrary_p.h
x ./opt/local/lib/qt3/include/private/qlocale_p.h
x ./opt/local/lib/qt3/include/private/qlock_p.h
x ./opt/local/lib/qt3/include/private/qmousedriverinterface_p.h
x ./opt/local/lib/qt3/include/private/qmutex_p.h
x ./opt/local/lib/qt3/include/private/qmutexpool_p.h
x ./opt/local/lib/qt3/include/private/qpainter_p.h
x ./opt/local/lib/qt3/include/private/qpluginmanager_p.h
x ./opt/local/lib/qt3/include/private/qprinter_p.h
x ./opt/local/lib/qt3/include/private/qpsprinter_p.h
x ./opt/local/lib/qt3/include/private/qrichtext_p.h
x ./opt/local/lib/qt3/include/private/qscriptengine_p.h
x ./opt/local/lib/qt3/include/private/qsettings_p.h
x ./opt/local/lib/qt3/include/private/qsharedmemory_p.h
x ./opt/local/lib/qt3/include/private/qsqldriverinterface_p.h
x ./opt/local/lib/qt3/include/private/qsqlextension_p.h


```
x ./opt/local/lib/qt3/include/private/qsqldbmanager_p.h
x ./opt/local/lib/qt3/include/private/qstyleinterface_p.h
x ./opt/local/lib/qt3/include/private/qsvgdevice_p.h
x ./opt/local/lib/qt3/include/private/qsyntaxhighlighter_p.h
x ./opt/local/lib/qt3/include/private/qt_x11_p.h
x ./opt/local/lib/qt3/include/private/qttextcodecinterface_p.h
x ./opt/local/lib/qt3/include/private/qttextengine_p.h
x ./opt/local/lib/qt3/include/private/qttextlayout_p.h
x ./opt/local/lib/qt3/include/private/qthreadinstance_p.h
x ./opt/local/lib/qt3/include/private/qttitlebar_p.h
x ./opt/local/lib/qt3/include/private/qucom_p.h
x ./opt/local/lib/qt3/include/private/qucomextra_p.h
x ./opt/local/lib/qt3/include/private/qunicodetables_p.h
x ./opt/local/lib/qt3/include/private/qwidget_p.h
x ./opt/local/lib/qt3/include/private/qwidgetinterface_p.h
x ./opt/local/lib/qt3/include/private/qwidgetresizeshandler_p.h
x ./opt/local/lib/qt3/bin/assistant
x ./opt/local/lib/qt3/bin/designer
x ./opt/local/lib/qt3/bin/linguist
x ./opt/local/lib/qt3/bin/lrelease
x ./opt/local/lib/qt3/bin/lupdate
x ./opt/local/lib/qt3/bin/moc
x ./opt/local/lib/qt3/bin/qm2ts
x ./opt/local/lib/qt3/bin/qmake
```

```
x ./opt/local/lib/qt3/bin/qtconfig
x ./opt/local/lib/qt3/bin/uic
x ./opt/local/lib/pkgconfig/qt-mt.pc
x ./opt/local/include/qt3/
x ./opt/local/include/qt3/jri.h
x ./opt/local/include/qt3/jri_md.h
x ./opt/local/include/qt3/jritypes.h
x ./opt/local/include/qt3/npapi.h
x ./opt/local/include/qt3/npupp.h
x ./opt/local/include/qt3/private/
x ./opt/local/include/qt3/q1xcompatibility.h
x ./opt/local/include/qt3/qabstractlayout.h
x ./opt/local/include/qt3/qaccel.h
x ./opt/local/include/qt3/qaccessible.h
x ./opt/local/include/qt3/qaction.h
x ./opt/local/include/qt3/qapp.h
x ./opt/local/include/qt3/qapplication.h
x ./opt/local/include/qt3/qarray.h
x ./opt/local/include/qt3/qasciicache.h
x ./opt/local/include/qt3/qasciidict.h
x ./opt/local/include/qt3/qassistantclient.h
x ./opt/local/include/qt3/qasyncimageio.h
x ./opt/local/include/qt3/qasyncio.h
x ./opt/local/include/qt3/qbig5codec.h
```

x ./opt/local/include/qt3/qbitarray.h
x ./opt/local/include/qt3/qbitarry.h
x ./opt/local/include/qt3/qbitmap.h
x ./opt/local/include/qt3/qbrush.h
x ./opt/local/include/qt3/qbttnggrp.h
x ./opt/local/include/qt3/qbuffer.h
x ./opt/local/include/qt3/qbutton.h
x ./opt/local/include/qt3/qbuttongroup.h
x ./opt/local/include/qt3/qcache.h
x ./opt/local/include/qt3/qcanvas.h
x ./opt/local/include/qt3/qcdestyle.h
x ./opt/local/include/qt3/qcheckbox.h
x ./opt/local/include/qt3/qchkbox.h
x ./opt/local/include/qt3/qcleanuphandler.h
x ./opt/local/include/qt3/qclipboard.h
x ./opt/local/include/qt3/qclipbrd.h
x ./opt/local/include/qt3/qcollect.h
x ./opt/local/include/qt3/qcollection.h
x ./opt/local/include/qt3/qcolor.h
x ./opt/local/include/qt3/qcolordialog.h
x ./opt/local/include/qt3/qcombo.h
x ./opt/local/include/qt3/qcombobox.h
x ./opt/local/include/qt3/qcommonstyle.h
x ./opt/local/include/qt3/qcompactstyle.h

- x ./opt/local/include/qt3/qconfig-dist.h
- x ./opt/local/include/qt3/qconfig-large.h
- x ./opt/local/include/qt3/qconfig-medium.h
- x ./opt/local/include/qt3/qconfig-minimal.h
- x ./opt/local/include/qt3/qconfig-small.h
- x ./opt/local/include/qt3/qconfig.h
- x ./opt/local/include/qt3/qconnect.h
- x ./opt/local/include/qt3/qconnection.h
- x ./opt/local/include/qt3/qcstring.h
- x ./opt/local/include/qt3/qcursor.h
- x ./opt/local/include/qt3/qdatabrowser.h
- x ./opt/local/include/qt3/qdatastream.h
- x ./opt/local/include/qt3/qdatatable.h
- x ./opt/local/include/qt3/qdataview.h
- x ./opt/local/include/qt3/qdatetime.h
- x ./opt/local/include/qt3/qdatetimedit.h
- x ./opt/local/include/qt3/qdatetm.h
- x ./opt/local/include/qt3/qdeepcopy.h
- x ./opt/local/include/qt3/qdesktopwidget.h
- x ./opt/local/include/qt3/qdial.h
- x ./opt/local/include/qt3/qdialog.h
- x ./opt/local/include/qt3/qdict.h
- x ./opt/local/include/qt3/qdir.h
- x ./opt/local/include/qt3/qdns.h

x ./opt/local/include/qt3/qdockarea.h
x ./opt/local/include/qt3/qdockwindow.h
x ./opt/local/include/qt3/qdom.h
x ./opt/local/include/qt3/qdragobject.h
x ./opt/local/include/qt3/qdrawutil.h
x ./opt/local/include/qt3/qdrawutl.h
x ./opt/local/include/qt3/qdropsite.h
x ./opt/local/include/qt3/qdstream.h
x ./opt/local/include/qt3/qeditorfactory.h
x ./opt/local/include/qt3/qerrormessage.h
x ./opt/local/include/qt3/qeucjpcodec.h
x ./opt/local/include/qt3/qeuckrcodec.h
x ./opt/local/include/qt3/qevent.h
x ./opt/local/include/qt3/qeventloop.h
x ./opt/local/include/qt3/qfeatures.h
x ./opt/local/include/qt3/qfile.h
x ./opt/local/include/qt3/qfiledef.h
x ./opt/local/include/qt3/qfiledialog.h
x ./opt/local/include/qt3/qfiledlg.h
x ./opt/local/include/qt3/qfileinf.h
x ./opt/local/include/qt3/qfileinfo.h
x ./opt/local/include/qt3/qfocusdata.h
x ./opt/local/include/qt3/qfont.h
x ./opt/local/include/qt3/qfontdatabase.h

```
x ./opt/local/include/qt3/qfontdialog.h
x ./opt/local/include/qt3/qfontinf.h
x ./opt/local/include/qt3/qfontinfo.h
x ./opt/local/include/qt3/qfontmet.h
x ./opt/local/include/qt3/qfontmetrics.h
x ./opt/local/include/qt3/qframe.h
x ./opt/local/include/qt3/qftp.h
x ./opt/local/include/qt3/qgarray.h
x ./opt/local/include/qt3/qgb18030codec.h
x ./opt/local/include/qt3/qgbkcodec.h
x ./opt/local/include/qt3/qgcache.h
x ./opt/local/include/qt3/qgdict.h
x ./opt/local/include/qt3/qgeneric.h
x ./opt/local/include/qt3/qgif.h
x ./opt/local/include/qt3/qgl.h
x ./opt/local/include/qt3/qglcolormap.h
x ./opt/local/include/qt3/qglist.h
x ./opt/local/include/qt3/qglobal.h
x ./opt/local/include/qt3/qgplugin.h
x ./opt/local/include/qt3/qgrid.h
x ./opt/local/include/qt3/qgridview.h
x ./opt/local/include/qt3/qgroupbox.h
x ./opt/local/include/qt3/qgrpbox.h
x ./opt/local/include/qt3/qguardedptr.h
```

- x ./opt/local/include/qt3/qgvector.h
- x ./opt/local/include/qt3/qhbox.h
- x ./opt/local/include/qt3/qhbuttongroup.h
- x ./opt/local/include/qt3/qheader.h
- x ./opt/local/include/qt3/qhgroupbox.h
- x ./opt/local/include/qt3/qhostaddress.h
- x ./opt/local/include/qt3/qhttp.h
- x ./opt/local/include/qt3/qiconset.h
- x ./opt/local/include/qt3/qiconview.h
- x ./opt/local/include/qt3/qimage.h
- x ./opt/local/include/qt3/qimageformatplugin.h
- x ./opt/local/include/qt3/qinputdialog.h
- x ./opt/local/include/qt3/qintcach.h
- x ./opt/local/include/qt3/qintcache.h
- x ./opt/local/include/qt3/qintdict.h
- x ./opt/local/include/qt3/qinterlacestyle.h
- x ./opt/local/include/qt3/qiodev.h
- x ./opt/local/include/qt3/qiodevice.h
- x ./opt/local/include/qt3/qjiscodec.h
- x ./opt/local/include/qt3/qjpegio.h
- x ./opt/local/include/qt3/qjpunicode.h
- x ./opt/local/include/qt3/qkeycode.h
- x ./opt/local/include/qt3/qkeysequence.h
- x ./opt/local/include/qt3/qlabel.h

- x ./opt/local/include/qt3/qlayout.h
- x ./opt/local/include/qt3/qlcdnum.h
- x ./opt/local/include/qt3/qlcdnumber.h
- x ./opt/local/include/qt3/qlibrary.h
- x ./opt/local/include/qt3/qlined.h
- x ./opt/local/include/qt3/qlineedit.h
- x ./opt/local/include/qt3/qlist.h
- x ./opt/local/include/qt3/qlistbox.h
- x ./opt/local/include/qt3/qlistview.h
- x ./opt/local/include/qt3/qlocale.h
- x ./opt/local/include/qt3/qlocalfs.h
- x ./opt/local/include/qt3/qmainwindow.h
- x ./opt/local/include/qt3/qmap.h
- x ./opt/local/include/qt3/qmemarray.h
- x ./opt/local/include/qt3/qmenubar.h
- x ./opt/local/include/qt3/qmenudata.h
- x ./opt/local/include/qt3/qmenudta.h
- x ./opt/local/include/qt3/qmessagebox.h
- x ./opt/local/include/qt3/qmetaobj.h
- x ./opt/local/include/qt3/qmetaobject.h
- x ./opt/local/include/qt3/qmime.h
- x ./opt/local/include/qt3/qmlined.h
- x ./opt/local/include/qt3/qmngio.h
- x ./opt/local/include/qt3/qmodules.h

x ./opt/local/include/qt3/qmotifplusstyle.h
x ./opt/local/include/qt3/qmotifstyle.h
x ./opt/local/include/qt3/qmovie.h
x ./opt/local/include/qt3/qmsgbox.h
x ./opt/local/include/qt3/qmultilinedit.h
x ./opt/local/include/qt3/qmultilineedit.h
x ./opt/local/include/qt3/qmutex.h
x ./opt/local/include/qt3/qnamespace.h
x ./opt/local/include/qt3/qnetwork.h
x ./opt/local/include/qt3/qnetworkprotocol.h
x ./opt/local/include/qt3/qnp.h
x ./opt/local/include/qt3/qobjcoll.h
x ./opt/local/include/qt3/qobjdefs.h
x ./opt/local/include/qt3/qobject.h
x ./opt/local/include/qt3/qobjectcleanuphandler.h
x ./opt/local/include/qt3/qobjectdefs.h
x ./opt/local/include/qt3/qobjectdict.h
x ./opt/local/include/qt3/qobjectlist.h
x ./opt/local/include/qt3/qpaintd.h
x ./opt/local/include/qt3/qpaintdc.h
x ./opt/local/include/qt3/qpaintdevice.h
x ./opt/local/include/qt3/qpaintdevicedefs.h
x ./opt/local/include/qt3/qpaintdevicemetrics.h
x ./opt/local/include/qt3/qpainter.h

- x ./opt/local/include/qt3/qpair.h
- x ./opt/local/include/qt3/qpalette.h
- x ./opt/local/include/qt3/qpdevmet.h
- x ./opt/local/include/qt3/qpen.h
- x ./opt/local/include/qt3/qpicture.h
- x ./opt/local/include/qt3/qpixmap.h
- x ./opt/local/include/qt3/qpixmapcache.h
- x ./opt/local/include/qt3/qplatinumstyle.h
- x ./opt/local/include/qt3/qpmcache.h
- x ./opt/local/include/qt3/qpngio.h
- x ./opt/local/include/qt3/qpntarray.h
- x ./opt/local/include/qt3/qpoint.h
- x ./opt/local/include/qt3/qpointarray.h
- x ./opt/local/include/qt3/qpolygonscanner.h
- x ./opt/local/include/qt3/qpopupmenu.h
- x ./opt/local/include/qt3/qpopupmenu.h
- x ./opt/local/include/qt3/qprintdialog.h
- x ./opt/local/include/qt3/qprinter.h
- x ./opt/local/include/qt3/qprndlq.h
- x ./opt/local/include/qt3/qprocess.h
- x ./opt/local/include/qt3/qprogbar.h
- x ./opt/local/include/qt3/qprogdlg.h
- x ./opt/local/include/qt3/qprogressbar.h
- x ./opt/local/include/qt3/qprogressdialog.h

- x ./opt/local/include/qt3/qpsprn.h
- x ./opt/local/include/qt3/qptrcollection.h
- x ./opt/local/include/qt3/qptrdict.h
- x ./opt/local/include/qt3/qptrlist.h
- x ./opt/local/include/qt3/qptrqueue.h
- x ./opt/local/include/qt3/qptrstack.h
- x ./opt/local/include/qt3/qptrvector.h
- x ./opt/local/include/qt3/qpushbt.h
- x ./opt/local/include/qt3/qpushbutton.h
- x ./opt/local/include/qt3/qqueue.h
- x ./opt/local/include/qt3/qradiobt.h
- x ./opt/local/include/qt3/qradiobutton.h
- x ./opt/local/include/qt3/qrangecontrol.h
- x ./opt/local/include/qt3/qrangecontrol.h
- x ./opt/local/include/qt3/qrangecontrol.h
- x ./opt/local/include/qt3/qrect.h
- x ./opt/local/include/qt3/qregexp.h
- x ./opt/local/include/qt3/qregion.h
- x ./opt/local/include/qt3/qrtlcodec.h
- x ./opt/local/include/qt3/qscrbar.h
- x ./opt/local/include/qt3/qscrollbar.h
- x ./opt/local/include/qt3/qscrollview.h
- x ./opt/local/include/qt3/qsemaphore.h
- x ./opt/local/include/qt3/qsemimodal.h
- x ./opt/local/include/qt3/qserversocket.h

- x ./opt/local/include/qt3/qsession.h
- x ./opt/local/include/qt3/qsessionmanager.h
- x ./opt/local/include/qt3/qsettings.h
- x ./opt/local/include/qt3/qsgistyle.h
- x ./opt/local/include/qt3/qshared.h
- x ./opt/local/include/qt3/qsignal.h
- x ./opt/local/include/qt3/qsignalmapper.h
- x ./opt/local/include/qt3/qsignalslotimp.h
- x ./opt/local/include/qt3/qsimplerichtext.h
- x ./opt/local/include/qt3/qsize.h
- x ./opt/local/include/qt3/qsizegrip.h
- x ./opt/local/include/qt3/qsizepolicy.h
- x ./opt/local/include/qt3/qsjiscodec.h
- x ./opt/local/include/qt3/qslider.h
- x ./opt/local/include/qt3/qsocket.h
- x ./opt/local/include/qt3/qsocketdevice.h
- x ./opt/local/include/qt3/qsocketnotifier.h
- x ./opt/local/include/qt3/qsocknot.h
- x ./opt/local/include/qt3/qsortedlist.h
- x ./opt/local/include/qt3/qsound.h
- x ./opt/local/include/qt3/qspinbox.h
- x ./opt/local/include/qt3/qsplashscreen.h
- x ./opt/local/include/qt3/qsplitter.h
- x ./opt/local/include/qt3/qsq1.h

```
x ./opt/local/include/qt3/qsqldatacursor.h
x ./opt/local/include/qt3/qsqldatabase.h
x ./opt/local/include/qt3/qsqldrivers.h
x ./opt/local/include/qt3/qsqldriversplugin.h
x ./opt/local/include/qt3/qsqleditorfactory.h
x ./opt/local/include/qt3/qsqleerror.h
x ./opt/local/include/qt3/qsqldatafield.h
x ./opt/local/include/qt3/qsqldataform.h
x ./opt/local/include/qt3/qsqldataindex.h
x ./opt/local/include/qt3/qsqldatapropertymap.h
x ./opt/local/include/qt3/qsqldataquery.h
x ./opt/local/include/qt3/qsqldatarecord.h
x ./opt/local/include/qt3/qsqldataresult.h
x ./opt/local/include/qt3/qsqldataselectcursor.h
x ./opt/local/include/qt3/qstack.h
x ./opt/local/include/qt3/qstatusbar.h
x ./opt/local/include/qt3/qstring.h
x ./opt/local/include/qt3/qstringlist.h
x ./opt/local/include/qt3/qstringlist.h
x ./opt/local/include/qt3/qstringvec.h
x ./opt/local/include/qt3/qstyle.h
x ./opt/local/include/qt3/qstylefactory.h
x ./opt/local/include/qt3/qstyleplugin.h
x ./opt/local/include/qt3/qstylesheet.h
```

x ./opt/local/include/qt3/qsyntaxhighlighter.h
x ./opt/local/include/qt3/qt.h
x ./opt/local/include/qt3/qtabbar.h
x ./opt/local/include/qt3/qtabdialog.h
x ./opt/local/include/qt3/qtabdlg.h
x ./opt/local/include/qt3/qtable.h
x ./opt/local/include/qt3/qtabwidget.h
x ./opt/local/include/qt3/qttextbrowser.h
x ./opt/local/include/qt3/qttextcodec.h
x ./opt/local/include/qt3/qttextcodecfactory.h
x ./opt/local/include/qt3/qttextcodecplugin.h
x ./opt/local/include/qt3/qttextedit.h
x ./opt/local/include/qt3/qttextstream.h
x ./opt/local/include/qt3/qttextview.h
x ./opt/local/include/qt3/qthread.h
x ./opt/local/include/qt3/qthreadstorage.h
x ./opt/local/include/qt3/qtimer.h
x ./opt/local/include/qt3/ctl.h
x ./opt/local/include/qt3/qtoolbar.h
x ./opt/local/include/qt3/qtoolbox.h
x ./opt/local/include/qt3/qtoolbutton.h
x ./opt/local/include/qt3/qtooltip.h
x ./opt/local/include/qt3/qtranslator.h
x ./opt/local/include/qt3/qtsciicodec.h

- x ./opt/local/include/qt3/qtstream.h
- x ./opt/local/include/qt3/qurl.h
- x ./opt/local/include/qt3/qurlinfo.h
- x ./opt/local/include/qt3/qurloperator.h
- x ./opt/local/include/qt3/qutfcodec.h
- x ./opt/local/include/qt3/quuid.h
- x ./opt/local/include/qt3/qvalidator.h
- x ./opt/local/include/qt3/qvaluelist.h
- x ./opt/local/include/qt3/qvaluestack.h
- x ./opt/local/include/qt3/qvaluevector.h
- x ./opt/local/include/qt3/qvariant.h
- x ./opt/local/include/qt3/qvbox.h
- x ./opt/local/include/qt3/qvbuttongroup.h
- x ./opt/local/include/qt3/qvector.h
- x ./opt/local/include/qt3/qvfbhdr.h
- x ./opt/local/include/qt3/qvgroupbox.h
- x ./opt/local/include/qt3/qwaitcondition.h
- x ./opt/local/include/qt3/qwhatsthis.h
- x ./opt/local/include/qt3/qwidcoll.h
- x ./opt/local/include/qt3/qwidget.h
- x ./opt/local/include/qt3/qwidgetfactory.h
- x ./opt/local/include/qt3/qwidgetintdict.h
- x ./opt/local/include/qt3/qwidgetlist.h
- x ./opt/local/include/qt3/qwidgetplugin.h

```
x ./opt/local/include/qt3/qwidgetstack.h
x ./opt/local/include/qt3/qwindefs.h
x ./opt/local/include/qt3/qwindow.h
x ./opt/local/include/qt3/qwindowdefs.h
x ./opt/local/include/qt3/qwindowsstyle.h
x ./opt/local/include/qt3/qwinexport.h
x ./opt/local/include/qt3/qwizard.h
x ./opt/local/include/qt3/qwmatrix.h
x ./opt/local/include/qt3/qworkspace.h
x ./opt/local/include/qt3/qxml.h
x ./opt/local/include/qt3/private/qapplication_p.h
x ./opt/local/include/qt3/private/qcolor_p.h
x ./opt/local/include/qt3/private/qcom_p.h
x ./opt/local/include/qt3/private/qcomlibrary_p.h
x ./opt/local/include/qt3/private/qcomponentfactory_p.h
x ./opt/local/include/qt3/private/qcriticalsection_p.h
x ./opt/local/include/qt3/private/qdialogbuttons_p.h
x ./opt/local/include/qt3/private/qdir_p.h
x ./opt/local/include/qt3/private/qeffects_p.h
x ./opt/local/include/qt3/private/qeventloop_p.h
x ./opt/local/include/qt3/private/qfiledefs_p.h
x ./opt/local/include/qt3/private/qfontcodecs_p.h
x ./opt/local/include/qt3/private/qfontdata_p.h
x ./opt/local/include/qt3/private/qfontengine_p.h
```


x ./opt/local/include/qt3/private/qgfxdriverinterface_p.h
x ./opt/local/include/qt3/private/qgl_x11_p.h
x ./opt/local/include/qt3/private/qgpluginmanager_p.h
x ./opt/local/include/qt3/private/qimageformatinterface_p.h
x ./opt/local/include/qt3/private/qinputcontext_p.h
x ./opt/local/include/qt3/private/qinternal_p.h
x ./opt/local/include/qt3/private/qiscii_codec_p.h
x ./opt/local/include/qt3/private/qkbddriverinterface_p.h
x ./opt/local/include/qt3/private/qlayoutengine_p.h
x ./opt/local/include/qt3/private/qlibrary_p.h
x ./opt/local/include/qt3/private/qlocale_p.h
x ./opt/local/include/qt3/private/qlock_p.h
x ./opt/local/include/qt3/private/qmousedriverinterface_p.h
x ./opt/local/include/qt3/private/qmutex_p.h
x ./opt/local/include/qt3/private/qmutexpool_p.h
x ./opt/local/include/qt3/private/qpainter_p.h
x ./opt/local/include/qt3/private/qpluginmanager_p.h
x ./opt/local/include/qt3/private/qprinter_p.h
x ./opt/local/include/qt3/private/qpsprinter_p.h
x ./opt/local/include/qt3/private/qrichtext_p.h
x ./opt/local/include/qt3/private/qscriptengine_p.h
x ./opt/local/include/qt3/private/qsettings_p.h
x ./opt/local/include/qt3/private/qsharedmemory_p.h
x ./opt/local/include/qt3/private/qsqldriverinterface_p.h

- x ./opt/local/include/qt3/private/qsqlextension_p.h
- x ./opt/local/include/qt3/private/qsqmanager_p.h
- x ./opt/local/include/qt3/private/qstyleinterface_p.h
- x ./opt/local/include/qt3/private/qsvgdevice_p.h
- x ./opt/local/include/qt3/private/qsyntaxhighlighter_p.h
- x ./opt/local/include/qt3/private/qt_x11_p.h
- x ./opt/local/include/qt3/private/qttextcodecinterface_p.h
- x ./opt/local/include/qt3/private/qttextengine_p.h
- x ./opt/local/include/qt3/private/qttextlayout_p.h
- x ./opt/local/include/qt3/private/qthreadinstance_p.h
- x ./opt/local/include/qt3/private/qttitlebar_p.h
- x ./opt/local/include/qt3/private/qucom_p.h
- x ./opt/local/include/qt3/private/qucomextra_p.h
- x ./opt/local/include/qt3/private/qunicodetables_p.h
- x ./opt/local/include/qt3/private/qwidget_p.h
- x ./opt/local/include/qt3/private/qwidgetinterface_p.h
- x ./opt/local/include/qt3/private/qwidgetresizhandler_p.h
- x ./opt/local/bin/assistant
- x ./opt/local/bin/designer
- x ./opt/local/bin/linguist
- x ./opt/local/bin/lrelease
- x ./opt/local/bin/lupdate
- x ./opt/local/bin/moc
- x ./opt/local/bin/qm2ts

```
x ./opt/local/bin/qmake
x ./opt/local/bin/qtconfig
x ./opt/local/bin/uic
```

Before using qt3 (qmake),
please make sure to set environment variable QTDIR.

```
QTDIR=/opt/local/lib/qt3; export QTDIR
```

```
---> Cleaning qt3
---> Removing work directory for qt3
---> Fetching archive for tiff
---> tiff-4.0.3_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var
/macports/incoming/verified
---> Attempting to fetch tiff-4.0.3_1.darwin_10.x86_64.tbz2 from http://package
s.macports.org/tiff
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current		
			Dload Upload	Total	Spent	Left	Speed		
100	100	100	1001k 0	341k	0	0:00:02	0:00:02	--:--:--	359k

```
---> Attempting to fetch tiff-4.0.3_1.darwin_10.x86_64.tbz2.rmd160 from http://
packages.macports.org/tiff
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current		
			Dload Upload	Total	Spent	Left	Speed		
102	512	102	512 0	1708	0	--:--:--	--:--:--	--:--:--	3346

```
---> Installing tiff @4.0.3_1
---> Activating tiff @4.0.3_1
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/man/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man3/
x ./opt/local/share/man/man3/libtiff.3tiff.gz
x ./opt/local/share/man/man3/TIFFbuffer.3tiff.gz
x ./opt/local/share/man/man3/TIFFClose.3tiff.gz
x ./opt/local/share/man/man3/TIFFcodec.3tiff.gz
x ./opt/local/share/man/man3/TIFFcolor.3tiff.gz
x ./opt/local/share/man/man3/TIFFDataWidth.3tiff.gz
```

x ./opt/local/share/man/man3/TIFFError.3tiff.gz
x ./opt/local/share/man/man3/TIFFFieldDataType.3tiff.gz
x ./opt/local/share/man/man3/TIFFFieldName.3tiff.gz
x ./opt/local/share/man/man3/TIFFFieldPassCount.3tiff.gz
x ./opt/local/share/man/man3/TIFFFieldReadCount.3tiff.gz
x ./opt/local/share/man/man3/TIFFFieldTag.3tiff.gz
x ./opt/local/share/man/man3/TIFFFieldWriteCount.3tiff.gz
x ./opt/local/share/man/man3/TIFFFlush.3tiff.gz
x ./opt/local/share/man/man3/TIFFGetField.3tiff.gz
x ./opt/local/share/man/man3/TIFFmemory.3tiff.gz
x ./opt/local/share/man/man3/TIFFOpen.3tiff.gz
x ./opt/local/share/man/man3/TIFFPrintDirectory.3tiff.gz
x ./opt/local/share/man/man3/TIFFquery.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadDirectory.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadEncodedStrip.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadEncodedTile.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadRawStrip.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadRawTile.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadRGBAImage.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadRGBAStrip.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadRGBATile.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadScanline.3tiff.gz
x ./opt/local/share/man/man3/TIFFReadTile.3tiff.gz
x ./opt/local/share/man/man3/TIFFRGBAImage.3tiff.gz

x ./opt/local/share/man/man3/TIFFSetDirectory.3tiff.gz
x ./opt/local/share/man/man3/TIFFSetField.3tiff.gz
x ./opt/local/share/man/man3/TIFFsize.3tiff.gz
x ./opt/local/share/man/man3/TIFFstrip.3tiff.gz
x ./opt/local/share/man/man3/TIFFswab.3tiff.gz
x ./opt/local/share/man/man3/TIFFtile.3tiff.gz
x ./opt/local/share/man/man3/TIFFWarning.3tiff.gz
x ./opt/local/share/man/man3/TIFFWriteDirectory.3tiff.gz
x ./opt/local/share/man/man3/TIFFWriteEncodedStrip.3tiff.gz
x ./opt/local/share/man/man3/TIFFWriteEncodedTile.3tiff.gz
x ./opt/local/share/man/man3/TIFFWriteRawStrip.3tiff.gz
x ./opt/local/share/man/man3/TIFFWriteRawTile.3tiff.gz
x ./opt/local/share/man/man3/TIFFWriteScanline.3tiff.gz
x ./opt/local/share/man/man3/TIFFWriteTile.3tiff.gz
x ./opt/local/share/man/man1/bmp2tiff.1.gz
x ./opt/local/share/man/man1/fax2ps.1.gz
x ./opt/local/share/man/man1/fax2tiff.1.gz
x ./opt/local/share/man/man1/gif2tiff.1.gz
x ./opt/local/share/man/man1/pal2rgb.1.gz
x ./opt/local/share/man/man1/ppm2tiff.1.gz
x ./opt/local/share/man/man1/ras2tiff.1.gz
x ./opt/local/share/man/man1/raw2tiff.1.gz
x ./opt/local/share/man/man1/rgb2ycbcr.1.gz
x ./opt/local/share/man/man1/sgi2tiff.1.gz

- x ./opt/local/share/man/man1/thumbnail.1.gz
- x ./opt/local/share/man/man1/tiff2bw.1.gz
- x ./opt/local/share/man/man1/tiff2pdf.1.gz
- x ./opt/local/share/man/man1/tiff2ps.1.gz
- x ./opt/local/share/man/man1/tiff2rgba.1.gz
- x ./opt/local/share/man/man1/tiffcmp.1.gz
- x ./opt/local/share/man/man1/tiffcp.1.gz
- x ./opt/local/share/man/man1/tiffcrop.1.gz
- x ./opt/local/share/man/man1/tiffdither.1.gz
- x ./opt/local/share/man/man1/tiffdump.1.gz
- x ./opt/local/share/man/man1/tiffgt.1.gz
- x ./opt/local/share/man/man1/tiffinfo.1.gz
- x ./opt/local/share/man/man1/tiffmedian.1.gz
- x ./opt/local/share/man/man1/tiffset.1.gz
- x ./opt/local/share/man/man1/tiffsplit.1.gz
- x ./opt/local/share/man/man1/tiffsv.1.gz
- x ./opt/local/share/doc/tiff/
- x ./opt/local/share/doc/tiff/ChangeLog
- x ./opt/local/share/doc/tiff/COPYRIGHT
- x ./opt/local/share/doc/tiff/html/
- x ./opt/local/share/doc/tiff/README
- x ./opt/local/share/doc/tiff/README.vms
- x ./opt/local/share/doc/tiff/RELEASE-DATE
- x ./opt/local/share/doc/tiff/TODO

- x [./opt/local/share/doc/tiff/VERSION](#)
- x [./opt/local/share/doc/tiff/html/addingtags.html](#)
- x [./opt/local/share/doc/tiff/html/bugs.html](#)
- x [./opt/local/share/doc/tiff/html/build.html](#)
- x [./opt/local/share/doc/tiff/html/contrib.html](#)
- x [./opt/local/share/doc/tiff/html/document.html](#)
- x [./opt/local/share/doc/tiff/html/images/](#)
- x [./opt/local/share/doc/tiff/html/images.html](#)
- x [./opt/local/share/doc/tiff/html/index.html](#)
- x [./opt/local/share/doc/tiff/html/internals.html](#)
- x [./opt/local/share/doc/tiff/html/intro.html](#)
- x [./opt/local/share/doc/tiff/html/libtiff.html](#)
- x [./opt/local/share/doc/tiff/html/man/](#)
- x [./opt/local/share/doc/tiff/html/misc.html](#)
- x [./opt/local/share/doc/tiff/html/support.html](#)
- x [./opt/local/share/doc/tiff/html/TIFFTechNote2.html](#)
- x [./opt/local/share/doc/tiff/html/tools.html](#)
- x [./opt/local/share/doc/tiff/html/v3.4beta007.html](#)
- x [./opt/local/share/doc/tiff/html/v3.4beta016.html](#)
- x [./opt/local/share/doc/tiff/html/v3.4beta018.html](#)
- x [./opt/local/share/doc/tiff/html/v3.4beta024.html](#)
- x [./opt/local/share/doc/tiff/html/v3.4beta028.html](#)
- x [./opt/local/share/doc/tiff/html/v3.4beta029.html](#)
- x [./opt/local/share/doc/tiff/html/v3.4beta031.html](#)

x ./opt/local/share/doc/tiff/html/v3.4beta032.html
x ./opt/local/share/doc/tiff/html/v3.4beta033.html
x ./opt/local/share/doc/tiff/html/v3.4beta034.html
x ./opt/local/share/doc/tiff/html/v3.4beta035.html
x ./opt/local/share/doc/tiff/html/v3.4beta036.html
x ./opt/local/share/doc/tiff/html/v3.5.1.html
x ./opt/local/share/doc/tiff/html/v3.5.2.html
x ./opt/local/share/doc/tiff/html/v3.5.3.html
x ./opt/local/share/doc/tiff/html/v3.5.4.html
x ./opt/local/share/doc/tiff/html/v3.5.5.html
x ./opt/local/share/doc/tiff/html/v3.5.6-beta.html
x ./opt/local/share/doc/tiff/html/v3.5.7.html
x ./opt/local/share/doc/tiff/html/v3.6.0.html
x ./opt/local/share/doc/tiff/html/v3.6.1.html
x ./opt/local/share/doc/tiff/html/v3.7.0.html
x ./opt/local/share/doc/tiff/html/v3.7.0alpha.html
x ./opt/local/share/doc/tiff/html/v3.7.0beta.html
x ./opt/local/share/doc/tiff/html/v3.7.0beta2.html
x ./opt/local/share/doc/tiff/html/v3.7.1.html
x ./opt/local/share/doc/tiff/html/v3.7.2.html
x ./opt/local/share/doc/tiff/html/v3.7.3.html
x ./opt/local/share/doc/tiff/html/v3.7.4.html
x ./opt/local/share/doc/tiff/html/v3.8.0.html
x ./opt/local/share/doc/tiff/html/v3.8.1.html

- x [./opt/local/share/doc/tiff/html/v3.8.2.html](#)
- x [./opt/local/share/doc/tiff/html/v3.9.0beta.html](#)
- x [./opt/local/share/doc/tiff/html/v3.9.1.html](#)
- x [./opt/local/share/doc/tiff/html/v3.9.2.html](#)
- x [./opt/local/share/doc/tiff/html/v4.0.0.html](#)
- x [./opt/local/share/doc/tiff/html/v4.0.1.html](#)
- x [./opt/local/share/doc/tiff/html/v4.0.2.html](#)
- x [./opt/local/share/doc/tiff/html/man/bmp2tiff.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/fax2ps.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/fax2tiff.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/gif2tiff.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/index.html](#)
- x [./opt/local/share/doc/tiff/html/man/libtiff.3tiff.html](#)
- x [./opt/local/share/doc/tiff/html/man/pal2rgb.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/ppm2tiff.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/ras2tiff.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/raw2tiff.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/rgb2ycbcr.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/sgi2tiff.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/thumbnail.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/tiff2bw.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/tiff2pdf.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/tiff2ps.1.html](#)
- x [./opt/local/share/doc/tiff/html/man/tiff2rgba.1.html](#)

x ./opt/local/share/doc/tiff/html/man/TIFFbuffer.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFClose.3tiff.html
x ./opt/local/share/doc/tiff/html/man/tiffcmp.1.html
x ./opt/local/share/doc/tiff/html/man/TIFFcodec.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFcolor.3tiff.html
x ./opt/local/share/doc/tiff/html/man/tiffcp.1.html
x ./opt/local/share/doc/tiff/html/man/tiffcrop.1.html
x ./opt/local/share/doc/tiff/html/man/TIFFDataWidth.3tiff.html
x ./opt/local/share/doc/tiff/html/man/tiffdither.1.html
x ./opt/local/share/doc/tiff/html/man/tiffdump.1.html
x ./opt/local/share/doc/tiff/html/man/TIFFError.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFFieldType.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFFieldName.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFFieldPassCount.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFFieldReadCount.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFFieldTag.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFFieldWriteCount.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFFlush.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFGetField.3tiff.html
x ./opt/local/share/doc/tiff/html/man/tiffgt.1.html
x ./opt/local/share/doc/tiff/html/man/tiffinfo.1.html
x ./opt/local/share/doc/tiff/html/man/tiffmedian.1.html
x ./opt/local/share/doc/tiff/html/man/TIFFmemory.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFOpen.3tiff.html

- x ./opt/local/share/doc/tiff/html/man/TIFFPrintDirectory.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFQuery.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadDirectory.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadEncodedStrip.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadEncodedTile.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadRawStrip.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadRawTile.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadRGBAImage.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadRGBAStrip.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadRGBATile.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadScanline.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFReadTile.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFRGBAImage.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/tiffset.1.html
- x ./opt/local/share/doc/tiff/html/man/TIFFSetDirectory.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFSetField.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFsize.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/tiffsplit.1.html
- x ./opt/local/share/doc/tiff/html/man/TIFFstrip.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/tiffsv.1.html
- x ./opt/local/share/doc/tiff/html/man/TIFFswab.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFtile.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFWarning.3tiff.html
- x ./opt/local/share/doc/tiff/html/man/TIFFWriteDirectory.3tiff.html

x ./opt/local/share/doc/tiff/html/man/TIFFWriteEncodedStrip.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFWriteEncodedTile.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFWriteRawStrip.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFWriteRawTile.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFWriteScanline.3tiff.html
x ./opt/local/share/doc/tiff/html/man/TIFFWriteTile.3tiff.html
x ./opt/local/share/doc/tiff/html/images/back.gif
x ./opt/local/share/doc/tiff/html/images/bali.jpg
x ./opt/local/share/doc/tiff/html/images/cat.gif
x ./opt/local/share/doc/tiff/html/images/cover.jpg
x ./opt/local/share/doc/tiff/html/images/cramps.gif
x ./opt/local/share/doc/tiff/html/images/dave.gif
x ./opt/local/share/doc/tiff/html/images/info.gif
x ./opt/local/share/doc/tiff/html/images/jello.jpg
x ./opt/local/share/doc/tiff/html/images/jim.gif
x ./opt/local/share/doc/tiff/html/images/note.gif
x ./opt/local/share/doc/tiff/html/images/oxford.gif
x ./opt/local/share/doc/tiff/html/images/quad.jpg
x ./opt/local/share/doc/tiff/html/images/ring.gif
x ./opt/local/share/doc/tiff/html/images/smallliz.jpg
x ./opt/local/share/doc/tiff/html/images/strike.gif
x ./opt/local/share/doc/tiff/html/images/warning.gif
x ./opt/local/lib/libtiff.5.dylib
x ./opt/local/lib/libtiff.a

- x ./opt/local/lib/libtiff.dylib
- x ./opt/local/lib/libtiff.la
- x ./opt/local/lib/libtiffxx.5.dylib
- x ./opt/local/lib/libtiffxx.a
- x ./opt/local/lib/libtiffxx.dylib
- x ./opt/local/lib/libtiffxx.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/libtiff-4.pc
- x ./opt/local/include/tiff.h
- x ./opt/local/include/tiffconf.h
- x ./opt/local/include/tiffio.h
- x ./opt/local/include/tiffio.hxx
- x ./opt/local/include/tiffvers.h
- x ./opt/local/bin/bmp2tiff
- x ./opt/local/bin/fax2ps
- x ./opt/local/bin/fax2tiff
- x ./opt/local/bin/gif2tiff
- x ./opt/local/bin/pal2rgb
- x ./opt/local/bin/ppm2tiff
- x ./opt/local/bin/ras2tiff
- x ./opt/local/bin/raw2tiff
- x ./opt/local/bin/rgb2ycbcr
- x ./opt/local/bin/thumbnail
- x ./opt/local/bin/tiff2bw

```

x ./opt/local/bin/tiff2pdf
x ./opt/local/bin/tiff2ps
x ./opt/local/bin/tiff2rgba
x ./opt/local/bin/tiffcmp
x ./opt/local/bin/tiffcp
x ./opt/local/bin/tiffcrop
x ./opt/local/bin/tiffdither
x ./opt/local/bin/tiffdump
x ./opt/local/bin/tiffgt
x ./opt/local/bin/tiffinfo
x ./opt/local/bin/tiffmedian
x ./opt/local/bin/tiffset
x ./opt/local/bin/tiffsplit
---> Cleaning tiff
---> Removing work directory for tiff
---> Fetching archive for python26
---> python26-2.6.8_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local
/var/macports/incoming/verified
---> Attempting to fetch python26-2.6.8_0.darwin_10.x86_64.tbz2 from http://pac
kages.macports.org/python26
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
100 10.2M  100 10.2M    0     0   526k      0  0:00:20  0:00:20 --:--:--  559k
---> Attempting to fetch python26-2.6.8_0.darwin_10.x86_64.tbz2.rmd160 from htt

```

p://packages.macports.org/python26

% Total	% Received	% Xferd	Average Dload	Speed Upload	Time Total	Time Spent	Time Left	Current Speed			
102	512	102	512	0	0	1677	0	--:--:--	--:--:--	--:--:--	3390

---> Installing python26 @2.6.8_0

---> Activating python26 @2.6.8_0

x ./

x ./+COMMENT

x ./+CONTENTS

x ./+DESC

x ./+PORTFILE

x ./+STATE

x ./Applications/

x ./opt/

x ./opt/local/

x ./opt/local/Library/

x ./opt/local/bin/

x ./opt/local/etc/

x ./opt/local/lib/

x ./opt/local/share/

x ./opt/local/share/man/

x ./opt/local/share/man/man1/

x ./opt/local/share/man/man1/python2.6.1

x ./opt/local/lib/libpython2.6.dylib

- x ./opt/local/etc/select/
- x ./opt/local/etc/select/python/
- x ./opt/local/etc/select/python/python26
- x ./opt/local/bin/2to3-2.6
- x ./opt/local/bin/idle2.6
- x ./opt/local/bin/pydoc2.6
- x ./opt/local/bin/python2.6
- x ./opt/local/bin/python2.6-config
- x ./opt/local/bin/pythonw2.6
- x ./opt/local/bin/smtplib2.6.py
- x ./opt/local/Library/Frameworks/
- x ./opt/local/Library/Frameworks/Python.framework/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Headers
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Python
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/share/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/share/man/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/share/man/man1/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/share/man/man1/py

thon.1

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Bas  
eHTTPServer.py  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Bas  
eHTTPServer.pyc  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Bas  
eHTTPServer.pyo  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Bas  
tation.py  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Bas  
tation.pyc  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Bas  
tation.pyo  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/CGI  
HTTPServer.py  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/CGI  
HTTPServer.pyc  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/CGI  
HTTPServer.pyo  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Con  
figParser.py  
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Con  
figParser.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ConfigParser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Cookie.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Cookie.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Cookie.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/DocXMLRPCServer.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/DocXMLRPCServer.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/DocXMLRPCServer.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/HTMLParser.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/HTMLParser.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/HTMLParser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/LICENSE.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/MimeWriter.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/MimeWriter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/MimeWriter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Queue.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Queue.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Queue.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SimpleHTTPServer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SimpleHTTPServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SimpleHTTPServer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SimpleXMLRPCServer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SimpleXMLRPCServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SimpleXMLRPCServer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SocketServer.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SocketServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/SocketServer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/StringIO.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/StringIO.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/StringIO.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/UserDict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/UserDict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/UserDict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/UserList.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/UserList.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/UserList.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/UserString.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Use
rString.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/Use
rString.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_LW
PCookieJar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_LW
PCookieJar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_LW
PCookieJar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_Mo
zillaCookieJar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_Mo
zillaCookieJar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_Mo
zillaCookieJar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/__f
uture__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/__f
uture__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/__f
uture__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/__p
hello__.foo.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/__p
hello__.foo.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/__p
hello__.foo.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_ab
coll.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_ab
coll.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_ab
coll.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_st
rptime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_st
rptime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_st
rptime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_th
reading_local.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_th
reading_local.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/_th
reading_local.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/abc
.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/abc.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/abc.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/aifc.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/aifc.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/aifc.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/anydbm.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/anydbm.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/anydbm.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ast.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ast.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ast.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncchat.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncchat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncchat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncnrcore.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncnrcore.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncnrcore.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncxit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncxit.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/asyncxit.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/audiodev.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/audiodev.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/audiodev.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/base64.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/base64.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/base64.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bin/hex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bin/hex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bin/hex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bisect.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bisect.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bisect.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd/db/
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cProfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cProfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cProfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/calendar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/calendar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/calendar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cgi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cgi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cgi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cgi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cgi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cgi.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/chunk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/chunk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/chunk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cmd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cmd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cmd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/code.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/code.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/code.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/codecs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/codecs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/codecs.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/codeop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/codeop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/codeop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/collections.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/collections.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/collections.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/colrorsys.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/colrorsys.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/colrorsys.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/commands.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/commands.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/commands.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compileall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compileall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compileall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/contextlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/contextlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/contextlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cookiecutter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cookiecutter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cookiecutter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/copy.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/copy.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/copy.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/copy_reg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/copy_reg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/copy_reg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/csv.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/csv.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/csv.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/curses/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dbhash.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dbhash.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dbhash.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/decimal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/decimal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/decimal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/difflib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/difflib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/difflib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dircache.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dircache.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dircache.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis.pyc


```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/doc
test.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/doc
test.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/doc
test.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dum
bdbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dum
bdbm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dum
bdbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dum
my_thread.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dum
my_thread.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dum
my_thread.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dum
my_threading.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dummy_threading.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dummy_threading.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/filecmp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/filecmp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/filecmp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fileinput.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fileinput.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fileinput.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fnmatch.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fnmatch.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/functools.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/formatter.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/formatter.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/formatter.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/format.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/format.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/format.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fractions.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fractions.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fractions.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ftplib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ftplib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ftp
lib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fun
ctools.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fun
ctools.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/fun
ctools.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/gen
ericpath.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/gen
ericpath.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/gen
ericpath.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
opt.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
opt.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
opt.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
pass.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
pass.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
pass.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
text.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
text.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/get
text.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/glo
b.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/glo
b.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/glo
b.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/gzi
p.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/gzi
p.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/gzi
p.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/has
hlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/has
hlib.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/h
hlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hea
pq.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hea
pq.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hea
pq.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hma
c.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hma
c.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hma
c.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hot
shot/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/htm
lentitydefs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/htm
lentitydefs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/htm
lentitydefs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/htm
llib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/html
lib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/html
lib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ht
tplib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ht
tplib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ht
tplib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/iho
oks.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/iho
oks.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/iho
oks.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ima
plib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ima
plib.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ima
plib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/img
hdr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/img
hdr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/img
hdr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/imp
util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/imp
util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/imp
util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ins
pect.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ins
pect.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ins
pect.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/io.
py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/io.
pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/io.
pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/keyword.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/keyword.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/keyword.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/linecache.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/linecache.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/linecache.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/locale.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/locale.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/local.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/macpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/macpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/macpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/macurl2path.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/macurl2path.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/macurl2path.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mailbox.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mailbox.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mailbox.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mailcap.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mailcap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mailcap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/markupbase.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/markupbase.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/markupbase.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/md5.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/md5.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/md5.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mimetools.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mim
etools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mim
etools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mim
etypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mim
etypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mim
etypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mim
ify.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mim
ify.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mim
ify.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mod
ulefinder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mod
ulefinder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mod
ulefinder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mul
tifile.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multifile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multifile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mutex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mutex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/mutex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/netrc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/netrc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/netrc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/new.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/new.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/new.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/nnt
plib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/nnt
plib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/nnt
plib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ntp
ath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ntp
ath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ntp
ath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ntu
rl2path.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ntu
rl2path.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ntu
rl2path.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/num
bers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/num
bers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/num
bers.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/opcode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/opcode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/opcode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/optparse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/optparse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/optparse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/os.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/os.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/os.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/os2emxpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/os2emxpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/os2emxpath.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pdb.doc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pdb.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pdb.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pdb.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pickle.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pickle.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pickle.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pickletools.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pickletools.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pickletools.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pipes.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pipes.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pipes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pkgutil.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pkgutil.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pkgutil.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/platform-darwin/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/platform-mac/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/platform.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/platform.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/platform.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/platformlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/platformlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/platformlib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pop
en2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pop
en2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pop
en2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pop
lib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pop
lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pop
lib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pos
ixfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pos
ixfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pos
ixfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pos
ixpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pos
ixpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pos
ixpath.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pprint.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pprint.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pprint.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/profile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/profile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/profile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pstats.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pstats.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pstats.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pty.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pty.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pty.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/py_compile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/py_compile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/py_compile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pyc_lbr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pyc_lbr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pyc_lbr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pydoc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pydoc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pydoc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pydoc_topics.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pydoc_topics.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pydoc_topics.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/quote.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/quote.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/quote.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/random.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/random.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/random.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/re.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/re.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/re.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/repr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/repr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/repr.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rexec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rexec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rexec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rfc822.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rfc822.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rfc822.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rlcompleter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rlcompleter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/rlcompleter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/robotparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/robotparser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/robotparser.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/run
py.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/run
py.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/run
py.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sch
ed.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sch
ed.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sch
ed.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/set
s.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/set
s.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/set
s.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sgm
llib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sgm
llib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sgm
llib.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sha.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sha.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sha.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shelve.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shelve.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shelve.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shlex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shlex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shlex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shutil.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shutil.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/shutil.pyo


```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/site-packages/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/site.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/site.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/site.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/smt
pd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/smt
pd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/smt
pd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/smt
plib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/smt
plib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/smt
plib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/snd
hdr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/snd
hdr.pyc
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/snd
hdr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/soc
ket.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/soc
ket.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/soc
ket.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sql
ite3/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre
.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre
.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre
.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre
_compile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre
_compile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre
_compile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre
_constants.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre_constants.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre_constants.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre_parse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre_parse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sre_parse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ssl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ssl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ssl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/statvfs.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/statvfs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/statvfs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/string.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/string.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/string.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stringold.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stringold.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stringold.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stringprep.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stringprep.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/stringprep.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/struct.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/struct.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/struct.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/subprocess.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/subprocess.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/subprocess.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sunau.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sunau.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sunau.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sunaudio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sunaudio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sunaudio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/symbol.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/symbol.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/symbol.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/symtable.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/symtable.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/symtable.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tabnanny.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tabnanny.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tabnanny.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tarfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tarfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tarfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/telnetlib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/telnetlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/telnetlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/template.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/template.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/template.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/textrwrap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/textrwrap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/textrwrap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/this.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/this.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/this.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/threading.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/threading.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/threading.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/timeit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/timeit.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/timeit.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/toastiff.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/toastiff.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/toastiff.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/token.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/token.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/token.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tokenize.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tokenize.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tokenize.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/trace.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/trace.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/trace.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/traceback.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/traceback.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/traceback.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tty.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tty.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tty.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/types.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/types.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/types.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/unittest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/unittest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/unittest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/urllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/urllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/urllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/urllib2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/urllib2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/urllib2.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/url
parse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/url
parse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/url
parse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/use
r.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/use
r.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/use
r.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/uu.
py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/uu.
pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/uu.
pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/uu
id.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/uu
id.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/uu
id.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/warnings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/warnings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/warnings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wave.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wave.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wave.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/weakref.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/weakref.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/weakref.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/webbrowser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/webbrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/webbrowser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/whi
chdb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/whi
chdb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/whi
chdb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref.egg-info
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xdr
lib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xdr
lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xdr
lib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
lib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
lib.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
rpclib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
rpclib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
rpclib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/zip
file.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/zip
file.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/zip
file.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/etree/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/parsers/
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/_exceptions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/_exceptions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/_exceptions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/expatreader.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/expatreader.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/expatreader.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/handler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/handler.pyc
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/handler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/saxutils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/saxutils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/saxutils.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/xmlreader.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/xmlreader.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/sax/xmlreader.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/parsers/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/parsers/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/parsers/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/parsers/expat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/parsers/expat.pyc
```



```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/etree/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/etree/cElementTree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/etree/cElementTree.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/etree/cElementTree.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/NodeFilter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/NodeFilter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/NodeFilter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/domreg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/domreg.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/domreg.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/expatbuilder.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/expatbuilder.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/expatbuilder.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/minicompat.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/minicompat.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/minicompat.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/minidom.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/minidom.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/minidom.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/pulldom.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/pulldom.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/pulldom.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/xmlbuilder.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/xmlbuilder.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/xml
/dom/xmlbuilder.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/__init__.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/__init__.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/__init__.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/handlers.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/handlers.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/handlers.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/headers.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/headers.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/headers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/simple_server.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/simple_server.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/simple_server.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/validate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/validate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/wsg
iref/validate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/185test.db
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/README

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/Sine-1000Hz-300ms.aif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/audiotest.au
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/autotest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/autotest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/autotest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/bad_coding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/bad_coding2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badcrt.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badkey.pem

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badsyntax_future3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badsyntax_future4.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badsyntax_future5.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badsyntax_future6.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badsyntax_future7.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badsyntax_future8.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badsyntax_future9.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/badsyntax_nocaret.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/buffer_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/buffer_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/buffer_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/cfgparser.1

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/check_soundcard.vbs
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/cjkencodings_test.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/cjkencodings_test.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/cjkencodings_test.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/cmath_testcases.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/curses_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/curses_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/curses_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/doctest_aliases.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/doctest_aliases.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/doctest_aliases.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/double_const.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/double_const.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/double_const.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/empty.vbs
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/exception_hierarchy.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/floating_points.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/fork_wait.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/fork_wait.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/fork_wait.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/greyrgb.uue
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/https_svn_python_org_root.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/ieee754.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/infinite_reload.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/infinite_reload.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/infinite_reload.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/inspect_fodder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/inspect_fodder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/inspect_fodder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/inspect_fodder2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/inspect_fodder2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/inspect_fodder2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/keycert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/list_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/list_tests.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/list_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/lock_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/lock_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/lock_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/mapping_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/mapping_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/mapping_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/nullcert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/outstanding_bugs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/outstanding_bugs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/outstanding_bugs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/pickletester.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pickletester.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pickletester.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/profilee.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/profilee.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/profilee.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pyclbr_input.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pyclbr_input.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pyclbr_input.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pydoc_mod.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pydoc_mod.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pydoc_mod.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pydocfodder.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pydocfodder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pydocfodder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pystone.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pystone.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/pystone.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/randv2_32.pck
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/randv2_64.pck
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/randv3.pck
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/re_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/re_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/re_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/regex_tests.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/regex_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/regex_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/regrtest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/regrtest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/regrtest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/reimport.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/reimport.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/reimport.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/reperf.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/reperf.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/reperf.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/sample_doctest.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/sample_doctest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/sample_doctest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/seq_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/seq_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/seq_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/sgml_input.html
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/sha256.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/sortperf.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/sortperf.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/sortperf.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/ssl_cert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/ssl_key.pem

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/string_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/string_tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/string_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/svn_python_org_https_cert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test.xml
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test.xml.out
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_MimeWriter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_MimeWriter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_MimeWriter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_SimpleHTTPServer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_SimpleHTTPServer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_SimpleHTTPServer.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_StringIO.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_StringIO.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_StringIO.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test___all__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test___all__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test___all__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test___future__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test___future__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test___future__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test__locale.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test__locale.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test__locale.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_abc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_abc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_abc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_abstract_numbers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_abstract_numbers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_abstract_numbers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_aepack.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_aepack.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_aepack.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_aifc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_aifc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_aifc.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_al.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_al.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_al.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_anydbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_anydbm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_anydbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_applesingle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_applesingle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_applesingle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_array.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_array.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_array.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ast.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ast.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ast.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_asynchat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_asynchat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_asynchat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_asyncore.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_asyncore.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_asyncore.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_atexit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_atexit.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_atexit.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_audioop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_audioop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_audioop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_augassign.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_augassign.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_augassign.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_base64.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_base64.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_base64.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bastion.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bastion.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bastion.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bigaddrspace.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bigaddrspace.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bigaddrspace.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bigmem.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bigmem.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bigmem.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binascii.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binascii.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binascii.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binhex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binhex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binhex.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_binop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bisect.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bisect.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bisect.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bool.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bool.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bool.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bsddb.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bsddb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bsddb.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bsddb185.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bsddb185.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bsddb185.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bsddb3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bsddb3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bsddb3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_buffer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_buffer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_buffer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bufio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bufio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_bufio.pyo
```


x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_builtin.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_builtin.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_builtin.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bytes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bytes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bytes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bz2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bz2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_bz2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_calendar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_calendar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_calendar.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_call.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_call.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_call.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_capi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_capi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_capi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cfgparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cfgparser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cfgparser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test CGI.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test CGI.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test CGI.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test charmapcodec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test charmapcodec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test charmapcodec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test cl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test cl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test cl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test class.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test class.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test class.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd_line.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd_line.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd_line.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd_line_script.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd_line_script.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cmd_line_script.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_code.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_code.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_code.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecallbacks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecallbacks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecallbacks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_cn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_cn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_cn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_hk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_hk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_hk.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_jp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_jp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_jp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_kr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_kr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_kr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_tw.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_tw.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecencodings_tw.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_cn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_cn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_cn.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_hk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_hk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_hk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_jp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_jp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_jp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_kr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_kr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_kr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_tw.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_tw.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecmaps_tw.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codecs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codeop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codeop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_codeop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_coding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_coding.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_coding.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_coercion.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_coercion.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_coercion.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_collections.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_collections.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_collections.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_colors.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_colors.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_colors.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_commands.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_commands.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_commands.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compare.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compare.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compare.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_compiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_complex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_complex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_complex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_complex_args.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_complex_args.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_complex_args.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_contains.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_contains.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_contains.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_contextlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_contextlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_contextlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cookie.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cookie.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cookie.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cookieslib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cookieslib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cookieslib.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_copy.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_copy.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_copy.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_copy_reg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_copy_reg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_copy_reg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cpickle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cpickle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cpickle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cprofile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cprofile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_cprofile.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_crypt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_crypt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_crypt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_csv.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_csv.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_csv.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ctypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ctypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ctypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_curses.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_curses.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_curses.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_datetime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_datetime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_datetime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_dbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_dbm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_dbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_decimal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_decimal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_decimal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_decorators.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_decorators.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_decorators.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_defaultdict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_defaultdict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_defaultdict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_deque.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_deque.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_deque.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_descr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_descr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_descr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_descrtut.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_descrtut.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_descrtut.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_difflib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_difflib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_difflib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_difflib_expect.html
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dircache.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dircache.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dircache.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dis.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dis.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dis.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_distutils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_distutils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_distutils.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest2.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest2.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest3.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_doctest4.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_docxmlrpc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_docxmlrpc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_docxmlrpc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dumbdbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dumbdbm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dumbdbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dummy_thread.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dummy_thread.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dummy_thread.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dummy_threading.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dummy_threading.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_dummy_threading.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email_codecs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email_codecs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email_codecs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email_renamed.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email_renamed.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_email_renamed.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_enumerate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_enumerate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_enumerate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_eof.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_eof.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_eof.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_epoll.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_epoll.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_epoll.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_errno.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_errno.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_errno.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_exception_variations.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_exception_variations.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_exception_variations.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_exceptions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_exceptions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_exceptions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_extcall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_extcall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_extcall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fcntl.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fcntl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fcntl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_file.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_file.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_file.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_filecmp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_filecmp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_filecmp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fileinput.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fileinput.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fileinput.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fileio.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fileio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fileio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_float.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_float.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_float.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fnmatch.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fnmatch.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fnmatch.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fork1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fork1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fork1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_format.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_format.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_format.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fpformat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fpformat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fpformat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fractions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fractions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_fractions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_frozen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_frozen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_frozen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ftplib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ftplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ftplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_funcattrs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_funcattrs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_funcattrs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_functools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_functools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_functools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future1.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future4.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future4.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future4.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future5.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future5.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future5.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future_builtins.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future_builtins.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_future_builtins.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gdbm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gdbm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gdbm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_generators.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_generators.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_generators.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_genericpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_genericpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_genericpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_genexps.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_genexps.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_genexps.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getargs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getargs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getargs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getargs2.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getargs2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getargs2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getopt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getopt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_getopt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gettext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gettext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gettext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_gl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_glob.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_glob.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_glob.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_global.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_global.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_global.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_grammar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_grammar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_grammar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_grp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_grp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_grp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_gzip.py
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_gzip.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_gzip.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_hash.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_hash.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_hash.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_hashlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_hashlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_hashlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_heapq.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_heapq.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_heapq.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_hmac.py
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_hmac.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_hmac.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_hotshot.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_hotshot.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_hotshot.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_htmllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_htmllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_htmllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_htmlparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_htmlparser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_htmlparser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_httplib.py
```


x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_httplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_httplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_httpservers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_httpservers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_httpservers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imageop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imageop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imageop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imaplib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imaplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imaplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imgfile.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imgfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imgfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_imp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_import.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_import.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_import.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_importhooks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_importhooks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_importhooks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_index.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_index.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_index.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_inspect.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_inspect.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_inspect.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_int.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_int.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_int.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_int_literal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_int_literal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_int_literal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_io.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_io.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_io.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ioctl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ioctl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ioctl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_isinstance.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_isinstance.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_isinstance.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_iter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_iter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_iter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_iterlen.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_iterlen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_iterlen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_itertools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_itertools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_itertools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_json.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_json.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_json.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_kqueue.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_kqueue.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_kqueue.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_largefile.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_largefile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_largefile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_lib2to3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_lib2to3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_lib2to3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_linecache.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_linecache.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_linecache.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_linuxaudiodev.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_linuxaudiodev.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_linuxaudiodev.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_list.py
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_list.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_list.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_locale.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_locale.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_locale.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_logging.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_logging.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_logging.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_long.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_long.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_long.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_long_future.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_long_future.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_long_future.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_longexp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_longexp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_longexp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macos.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macos.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macos.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macostools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macostools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macostools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macpath.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_macpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mailbox.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mailbox.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mailbox.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_marshall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_marshall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_marshall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_math.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_math.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_math.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_md5.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_md5.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_md5.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_memoryio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_memoryio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_memoryio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mhlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mhlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mhlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mimetools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mimetools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mimetools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mimetypes.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mimetypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mimetypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_minidom.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_minidom.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_minidom.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mmap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mmap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mmap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_module.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_module.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_module.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_modulefinder.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_modulefinder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_modulefinder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multibytecodec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multibytecodec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multibytecodec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multibytecodec_support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multibytecodec_support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multibytecodec_support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multifile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multifile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multifile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multiprocessing.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multiprocessing.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_multiprocessing.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mutants.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mutants.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mutants.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mutex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mutex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_mutex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_netrc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_netrc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_netrc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_new.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_new.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_new.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_nis.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_nis.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_nis.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_normalization.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_normalization.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_normalization.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ntpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ntpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ntpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_old_mailbox.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_old_mailbox.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_old_mailbox.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_opcodes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_opcodes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_opcodes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_openpty.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_openpty.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_openpty.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_operator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_operator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_operator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_optparse.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_optparse.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_optparse.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_os.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_os.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_os.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ossaudiodev.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ossaudiodev.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ossaudiodev.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_parser.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_parser.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_parser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_peepholer.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_peepholer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_peepholer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep247.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep247.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep247.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep263.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep263.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep263.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep277.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep277.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep277.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep292.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep292.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep292.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep352.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep352.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pep352.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pickle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pickle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pickle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pickletools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pickletools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pickletools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pipes.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pipes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pipes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkgimport.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkgimport.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkgimport.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkgutil.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkgutil.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pkgutil.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_platform.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_platform.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_platform.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_plistlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_plistlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_plistlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_poll.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_poll.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_poll.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_popen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_popen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_popen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_popen2.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_popen2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_popen2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_poplib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_poplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_poplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_posix.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_posix.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_posix.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_posixpath.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_posixpath.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_posixpath.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pow.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pprint.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pprint.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pprint.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_print.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_print.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_print.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_profile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_profile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_profile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_profilehooks.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_profilehooks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_profilehooks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_property.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_property.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_property.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pstats.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pstats.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pstats.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pty.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pty.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pty.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pwd.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pwd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pwd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_py3kwarn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_py3kwarn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_py3kwarn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pyclbr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pyclbr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pyclbr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pydoc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pydoc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pydoc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pyexpat.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pyexpat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_pyexpat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_queue.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_queue.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_queue.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_quopri.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_quopri.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_quopri.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_random.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_random.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_random.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_re.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_re.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_re.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_readline.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_readline.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_readline.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_repr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_repr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_repr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_resource.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_resource.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_resource.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_rfc822.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_rfc822.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_rfc822.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_richcmp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_richcmp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_richcmp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_robotparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_robotparser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_robotparser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_runpy.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_runpy.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_runpy.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sax.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sax.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sax.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_scope.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_scope.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_scope.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_scriptpackages.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_scriptpackages.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_scriptpackages.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_select.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_select.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_select.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_set.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_set.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_set.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sets.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sets.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sets.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sgmlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sgmlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sgmlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sha.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sha.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sha.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shelve.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shelve.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shelve.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shlex.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shlex.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shlex.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shutil.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shutil.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_shutil.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_signal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_signal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_signal.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_site.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_site.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_site.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_slice.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_slice.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_slice.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_smtplib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_smtplib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_smtplib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_smtpnet.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_smtpnet.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_smtpnet.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_socket.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_socket.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_socket.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_socketserver.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_socketserver.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_socketserver.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_softspace.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_softspace.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_softspace.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sort.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sort.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sort.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sqlite.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sqlite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sqlite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ssl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ssl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ssl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_startfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_startfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_startfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_str.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_str.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_str.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strftime.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strftime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strftime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_string.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_string.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_string.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_stringprep.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_stringprep.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_stringprep.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strop.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strop.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strop.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strptime.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strptime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_strptime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_struct.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_struct.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_struct.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_structmembers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_structmembers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_structmembers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_structseq.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_structseq.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_structseq.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_subprocess.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_subprocess.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_subprocess.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sunaudiodev.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sunaudiodev.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sunaudiodev.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sundry.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sundry.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sundry.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_symtable.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_symtable.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_symtable.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_syntax.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_syntax.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_syntax.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sys.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sys.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_sys.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tarfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tarfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tarfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tcl.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tcl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tcl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_telnetlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_telnetlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_telnetlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tempfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tempfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tempfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_textwrap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_textwrap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_textwrap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_thread.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_thread.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_thread.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threaded_import.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threaded_import.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threaded_import.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threadedtempfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threadedtempfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threadedtempfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threading.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threading.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threading.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threading_local.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threading_local.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threading_local.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threadsignals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threadsignals.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_threadsignals.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_time.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_time.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_time.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_timeout.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_timeout.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_timeout.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tokenize.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tokenize.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tokenize.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_trace.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_trace.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_trace.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_traceback.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_traceback.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_traceback.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_transformer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_transformer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_transformer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tuple.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tuple.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_tuple.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_typechecks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_typechecks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_typechecks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_types.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_types.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_types.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ucn.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ucn.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_ucn.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unary.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unary.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unary.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_undocumented_details.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_undocumented_details.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_undocumented_details.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicode_file.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicode_file.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicode_file.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicodedata.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicodedata.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unicodedata.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unittest.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unittest.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unittest.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_univnewlines.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_univnewlines.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_univnewlines.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unpack.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unpack.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_unpack.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2_localnet.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2_localnet.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2_localnet.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2net.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2net.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllib2net.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllibnet.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllibnet.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urllibnet.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urlparse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urlparse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_urlparse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userdict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userdict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userdict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userlist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userlist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userlist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userstring.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userstring.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_userstring.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_uu.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_uu.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_uu.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_uuid.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_uuid.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_uuid.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wait3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wait3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wait3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wait4.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wait4.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wait4.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_warnings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_warnings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_warnings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wave.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wave.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wave.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_weakref.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_weakref.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_weakref.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_whichdb.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_whichdb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_whichdb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_winreg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_winreg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_winreg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_winsound.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_winsound.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_winsound.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_with.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_with.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_with.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wsgiref.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wsgiref.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_wsgiref.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xdrlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xdrlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xdrlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xml_etree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xml_etree.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xml_etree.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xml_etree_c.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xml_etree_c.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xml_etree_c.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_xmllib.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xmllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xmllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xmlrpc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xmlrpc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xmlrpc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xpickle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xpickle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xpickle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xrange.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xrange.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_xrange.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_zipfile.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipfile64.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipfile64.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipfile64.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipimport.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipimport.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipimport.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipimport_support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipimport_support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zipimport_support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/test_zlib.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_zlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/test_zlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testcodec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testcodec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testcodec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testimg.uue
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testimgr.uue
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testrgb.uue
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/tes
t/testtar.tar
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/tf_inherit_check.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/tf_inherit_check.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/tf_inherit_check.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/threaded_import_hangers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/threaded_import_hangers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/threaded_import_hangers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/time_hashlib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/time_hashlib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/time_hashlib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/tokenize_tests.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/warning_tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/warning_tests.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/warning_tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/wrongcert.pem
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/xmltests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/xmltests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/xmltests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/zipdir.zip
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/abs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/add.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/and.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/base.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/clamp.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/class.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/compare.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/comparetotal.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/comparetotmag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/copy.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/copyabs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/copynegate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/copysign.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddAbs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddAdd.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddAnd.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddBase.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCanonical.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddClass.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCompare.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCompareSig.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCompareTotal.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCompareTotalMag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCopy.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCopyAbs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCopyNegate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddCopySign.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddDivide.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddDivideInt.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddEncode.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddFMA.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddInvert.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddLogB.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddMax.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddMaxMag.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddMin.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddMinMag.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddMinus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddMultiply.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddNextMinus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddNextPlus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddNextToward.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddOr.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddPlus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddQuantize.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddReduce.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddRemainder.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddRemainderNear.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddRotate.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddSameQuantum.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddScaleB.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddShift.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddSubtract.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddToIntegral.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ddXor.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/decDouble.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/decQuad.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/decSingle.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/divide.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/divideint.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqAbs.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqAdd.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqAnd.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqBase.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCanonical.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqClass.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCompare.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCompareSig.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCompareTotal.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCompareTotalMag.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCopy.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCopyAbs.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCopyNegate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqCopySign.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqDivide.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqDivideInt.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqEncode.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqFMA.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqInvert.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqLogB.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqMax.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqMaxMag.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqMin.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqMinMag.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqMinus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqMultiply.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqNextMinus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqNextPlus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqNextToward.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqOr.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqPlus.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqQuantize.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqReduce.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqRemainder.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqRemainderNear.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqRotate.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqSameQuantum.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqScaleB.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqShift.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqSubtract.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqToIntegral.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dqXor.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dsBase.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/dsEncode.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/exp.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/extra.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/fma.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/inexact.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/invert.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/ln.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/log10.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/logb.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/max.decTest
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/maxmag.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/min.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/minmag.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/minus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/multiply.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/nextminus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/nextplus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/nexttoward.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/or.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/plus.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/power.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/powersqrt.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/quantize.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/randomBound32.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/randoms.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/reduce.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/remainder.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/remainderNear.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/rescale.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/rotate.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/rounding.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/samequantum.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/scaleb.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/shift.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/squareroot.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/subtract.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/testall.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/tointegral.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/tointegralx.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/test/decimaltestdata/xor.decTest

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/__init__.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/__init__.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/__init__.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/dbapi2.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/dbapi2.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/dbapi2.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/dump.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/dump.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/dump.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/dbapi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/dbapi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/dbapi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/dump.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/dump.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/dump.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/factory.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/factory.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/factory.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/hooks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/hooks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/hooks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/py25tests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/py25tests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/py25tests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/regression.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/regression.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/regression.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/transactions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/transactions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/transactions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/types.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/types.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/types.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/userfunctions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/userfunctions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/sqlite3/test/userfunctions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/site-packages/README
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Audio_mac.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Audio_mac.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Audio_mac.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/EasyDialogs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/EasyDialogs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/EasyDialogs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/FrameWork.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/FrameWork.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/FrameWork.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/MiniAEFrame.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/MiniAEFrame.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/MiniAEFrame.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/PixMapWrapper.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/PixMapWrapper.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/PixMapWrapper.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aepack.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aepack.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aepack.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aetools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aetools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aetools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aetypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aetypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/aetypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/applesingle.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/applesingle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/applesingle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/appletrawmain.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/appletrawmain.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/appletrawmain.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/appletrunner.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/appletrunner.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/appletrunner.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/argvemulator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/argvemulator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/argvemulator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/bgenlocations.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/bgenlocations.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/bgenlocations.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/buildtools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/buildtools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/buildtools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/bundlebuilder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/bundlebuilder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/bundlebuilder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/cfmfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/cfmfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/cfmfile.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/dialogs.rsrc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/dialogs.rsrc.df.rsrc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/errors.rsrc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/errors.rsrc.df.rsrc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/findertools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/findertools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/findertools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/gensuitemodule.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/gensuitemodule.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/gensuitemodule.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/ic.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/ic.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/ic.pyo
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/icopen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/icopen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/icopen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/macerrors.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/macerrors.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/macerrors.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/macostools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/macostools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/macostools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/macresource.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/macresource.pyc
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/macresource.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/pimp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/pimp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/pimp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/terminalcommand.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/terminalcommand.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/terminalcommand.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/videoreader.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/videoreader.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/videoreader.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/CodeWarrior/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/SystemEvents/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Terminal/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/_builtinSuites/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/_builtinSuites/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/_builtinSuites/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/_builtinSuites/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/_builtinSuites/builtin_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/_builtinSuites/builtin_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/_builtinSuites/builtin_Suite.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Terminal_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Terminal_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Terminal_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Text_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Text_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/Text_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Terminal/__init__.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Disk_Folder_File_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Disk_Folder_File_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Disk_Folder_File_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Folder_Actions_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Folder_Actions_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Folder_Actions_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Hidden_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Hidden_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Hidden_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Login_Items_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Login_Items_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Login_Items_Suite.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Power_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Power_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Power_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Processes_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Processes_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Processes_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/System_Events_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/System_Events_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/System_Events_Suite.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Text_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Text_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/Text_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/SystemEvents/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/AppleScript_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/AppleScript_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/AppleScript_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Macintosh_Connectivity_Clas.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Macintosh_Connectivity_Clas.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Macintosh_Connectivity_Clas.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suppleme.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suppleme.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/QuickDraw_Graphics_Suppleme.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Required_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Required_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Required_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/StdSuites/Standard_Suite.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Table_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Table_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Table_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Text_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Text_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Text_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Type_Names_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Type_Names_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/Type_Names_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/StdSuites/__init__.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Mozilla_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Mozilla_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Mozilla_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/PowerPlant.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/PowerPlant.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/PowerPlant.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Required_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Required_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Required_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Netscape/Standard_Suite.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/Standard_URL_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/Standard_URL_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/Standard_URL_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/Text.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/Text.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/Text.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/WorldWideWeb_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/WorldWideWeb_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/WorldWideWeb_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Netscape/__init__.pyo
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Containers_and_folders.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Containers_and_folders.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Containers_and_folders.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Enumerations.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Enumerations.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Enumerations.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Files.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Files.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Files.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Finder_Basics.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Finder_Basics.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Finder_Basics.pyo
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Finder_items.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Finder_items.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Finder_items.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Legacy_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Legacy_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Legacy_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Type_Definitions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Type_Definitions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Finder/Type_Definitions.pyo
```


x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Finder/Window_classes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Finder/Window_classes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Finder/Window_classes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Finder/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Finder/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Finder/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Microsoft_Internet_Explorer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Microsoft_Internet_Explorer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Microsoft_Internet_Explorer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Netscape_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Netscape_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Netscape_Suite.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Required_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Required_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Required_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/URL_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/URL_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/URL_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Web_Browser_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Web_Browser_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/lib-scriptpackages/Explorer/Web_Browser_Suite.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Explorer/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Explorer/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/Explorer/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/CodeWarrior_suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/CodeWarrior_suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/CodeWarrior_suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Metrowerks_Shell_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Metrowerks_Shell_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Metrowerks_Shell_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Required.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Required.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Required.pyo
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Standard_Suite.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Standard_Suite.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/Standard_Suite.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/lib-scriptpackages/CodeWarrior/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/Carbon/AE.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/Carbon/AE.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/Carbon/AE.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/Carbon/AH.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/Carbon/AH.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/pla
t-mac/Carbon/AH.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Alias.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Alias.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Alias.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Aliases.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Aliases.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Aliases.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/App.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/App.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/App.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Appearance.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Appearance.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Appearance.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/AppleEvents.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/AppleEvents.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/AppleEvents.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/AppleHelp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/AppleHelp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/AppleHelp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CF.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CF.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CF.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CG.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CG.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CG.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CarbonEvents.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CarbonEvents.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CarbonEvents.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CarbonEvt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CarbonEvt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CarbonEvt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Cm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Cm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Cm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Components.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Components.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Components.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/ControlAccessor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/ControlAccessor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/ControlAccessor.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Controls.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Controls.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Controls.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CoreFoundation.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CoreFoundation.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CoreFoundation.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CoreGraphics.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CoreGraphics.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/CoreGraphics.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Ctl.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Ctl.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Ctl.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dialogs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dialogs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dialogs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dlg.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dlg.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dlg.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Drag.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Drag.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Drag.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dragconst.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dragconst.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Dragconst.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Events.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Events.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Events.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Evt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Evt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Evt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/File.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/File.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/File.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Files.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Files.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Files.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Fm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Fm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Fm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Folder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Folder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Folder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Folders.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Folders.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Folders.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Fonts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Fonts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Fonts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Help.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Help.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Help.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/IBCarbon.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/IBCarbon.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/IBCarbon.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/IBCarbonRuntime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/IBCarbonRuntime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/IBCarbonRuntime.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Icon.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Icon.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Icon.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Icons.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Icons.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Icons.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Launch.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Launch.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Launch.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/LaunchServices.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/LaunchServices.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/LaunchServices.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/List.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/List.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/List.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Lists.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Lists.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Lists.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MacHelp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MacHelp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MacHelp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MacTextEditor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MacTextEditor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MacTextEditor.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MediaDescr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MediaDescr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/MediaDescr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Menu.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Menu.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Menu.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Menus.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Menus.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Menus.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Mlte.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Mlte.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Mlte.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/OSA.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/OSA.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/OSA.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/OSAconst.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/OSAconst.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/OSAconst.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QDOffscreen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QDOffscreen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QDOffscreen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qd.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qdoffs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qdoffs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qdoffs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Qt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QuickDraw.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QuickDraw.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QuickDraw.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QuickTime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QuickTime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/QuickTime.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Res.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Res.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Res.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Resources.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Resources.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Resources.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Scrap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Scrap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Scrap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Snd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Snd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Snd.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Sndihooks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Sndihooks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Sndihooks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Sound.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Sound.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Sound.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/TE.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/TE.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/TE.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/TextEdit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/TextEdit.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/TextEdit.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Win.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Win.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Win.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Windows.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Windows.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/Windows.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-mac/Carbon/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-darwin/IN.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-darwin/IN.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-darwin/IN.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/plat-darwin/regen

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/__init__.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/__init__.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/__init__.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/connection.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/connection.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/connection.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/dummy/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/forking.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/forking.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/forking.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/heap.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/heap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/heap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/managers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/managers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/managers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/pool.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/pool.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/pool.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/process.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/process.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/process.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/queues.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/queues.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/queues.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/reduction.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/reduction.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/reduction.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/sharedctypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/sharedctypes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/sharedctypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/synchronize.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/synchronize.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/synchronize.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/util.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/dummy/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/dummy/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/dummy/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/dummy/connection.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/dummy/connection.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/multiprocessing/dummy/connection.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/config.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/config.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/config.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/handlers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/handlers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/logging/handlers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/Grammar.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/Grammar2.6.8.final.0.pickle
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/PatternGrammar.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/PatternGrammar2.6.8.final.0.pickle
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/__init__.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixer_base.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixer_base.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixer_base.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixer_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixer_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixer_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/main.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/main.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/main.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/patcomp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/patcomp.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/patcomp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pygram.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pygram.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pygram.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pytree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pytree.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pytree.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/refactor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/refactor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/refactor.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/pytree_idempotency.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/pytree_idempotency.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/pytree_idempotency.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/test_all_fixers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/test_all_fixers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/tests/test_all_fixers.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_fixers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_fixers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_fixers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_main.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_main.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_main.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_parser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_parser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_parser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_pytree.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_pytree.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_pytree.pyo
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_refactor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_refactor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_refactor.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/tests/test_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/pgen2/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/pgen2/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/pgen2/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/pgen2/conv.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/pgen2/conv.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/pgen2/conv.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/driver.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/driver.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/driver.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/grammar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/grammar.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/grammar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/literals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/literals.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/literals.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/parse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/parse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/parse.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/pgen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/pgen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/pgen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/token.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/token.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/token.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/tokenize.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/tokenize.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/pgen2/tokenize.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/__init__.pyo


```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_apply.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_apply.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_apply.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_basestring.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_basestring.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_basestring.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_buffer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_buffer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_buffer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_callable.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_callable.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_callable.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_dict.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_dict.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_dict.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_except.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_except.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_except.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_exec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_exec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_exec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_execfile.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_execfile.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_execfile.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_exitfunc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_exitfunc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_exitfunc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_filter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_filter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_filter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_funcattrs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_funcattrs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_funcattrs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_future.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_future.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_future.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_getcwd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_getcwd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_getcwd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_has_key.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_has_key.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_has_key.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_idioms.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_idioms.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_idioms.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_import.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_import.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_import.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_imports.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_imports.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_imports.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_imports2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_imports2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_imports2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_input.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_input.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_input.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_intern.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_intern.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_intern.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_isinstance.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_isinstance.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_isinstance.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_itertools.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_itertools.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_itertools.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_itertools_imports.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_itertools_imports.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_itertools_imports.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_long.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_long.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_long.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_map.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_map.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_map.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_metaclass.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_metaclass.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_metaclass.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_methodattrs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_methodattrs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_methodattrs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_ne.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_ne.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_ne.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_next.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_next.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_next.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_nonzero.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_nonzero.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_nonzero.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_numliterals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_numliterals.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_numliterals.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_operator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_operator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_operator.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_paren.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_paren.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_paren.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_print.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_print.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_print.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_raise.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_raise.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_raise.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_raw_input.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_raw_input.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_raw_input.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_reduce.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_reduce.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_reduce.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_renames.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_renames.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_renames.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_repr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_repr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_repr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_set_literal.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_set_literal.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_set_literal.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_standarderror.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_standarderror.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_standarderror.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_sys_exc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_sys_exc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_sys_exc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_throw.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_throw.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_throw.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_tuple_params.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_tuple_params.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_tuple_params.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_types.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_types.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_types.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_unicode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_unicode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_urllib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_urllib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_urllib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_ws_comma.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_ws_comma.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib2to3/fixes/fix_ws_comma.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_xrange.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_xrange.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_xrange.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_xreadlines.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_xreadlines.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_xreadlines.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_zip.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_zip.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
2to3/fixes/fix_zip.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Canvas.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Canvas.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Canvas.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/Dialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/Dialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/Dialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/FileDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/FileDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/FileDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/FixTk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/FixTk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/FixTk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/ScrolledText.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/ScrolledText.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-tk/ScrolledText.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/SimpleDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/SimpleDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/SimpleDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tix.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tix.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tix.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkconstants.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkconstants.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkconstants.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkdnd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkdnd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkdnd.pyo
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkinter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkinter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/Tkinter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkColorChooser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkColorChooser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkColorChooser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkCommonDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkCommonDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkCommonDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkFileDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkFileDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkFileDialog.pyo
```



```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkFont.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkFont.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkFont.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkMessageBox.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkMessageBox.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkMessageBox.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkSimpleDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkSimpleDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/tkSimpleDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/turtle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/turtle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-tk/turtle.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/ColorPicker.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/MacOS.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/Nav.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/OSATerminology.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/Python-2.6.8-py2.6.egg-info
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_AE.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_AH.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_App.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_CF.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_CG.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_CarbonEvt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Cm.so

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Ctl.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Dlg.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Drag.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Evt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_File.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Fm.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Folder.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Help.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_IBCarbon.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Icn.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Launch.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_List.so

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Menu.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Mlte.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_OSA.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Qd.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Qdoffs.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Qt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Res.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Scrap.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Snd.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_TE.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_Win.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib-dynload/_bisect.so

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_bsddb.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_bytesio.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_codecs_cn.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_codecs_hk.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_codecs_iso2022.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_codecs_jp.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_codecs_kr.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_codecs_tw.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_collections.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_csv.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_ctypes.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_ctypes_test.so
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_curses.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_curses_panel.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_elementtree.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_fileio.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_functools.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_hashlib.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_heapq.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_hotshot.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_json.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_locale.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_lsprof.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_multibytecodec.so
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_multiprocessing.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_random.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_scproxy.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_socket.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_sqlite3.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_ssl.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_struct.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_testcapi.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/_weakref.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/array.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/audioop.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/autoGIL.so
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/binascii.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/bz2.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/cPickle.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/cStringIO.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/cmath.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/crypt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/datetime.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/dbm.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/fcntl.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/future_builtins.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/gestalt.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/grp.so
```



```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/icglue.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/itertools.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/math.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/mmap.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/nis.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/operator.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/parser.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/pyexpat.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/readline.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/resource.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/select.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/strop.so
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/syslog.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/termios.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/time.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/unicodedata.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/lib
-dynload/zlib.so
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/jso
n/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/jso
n/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/jso
n/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/jso
n/decoder.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/jso
n/decoder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/jso
n/decoder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/jso
n/encoder.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/encoder.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/encoder.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/scanner.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/scanner.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/scanner.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tool.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tool.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tool.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/__init__.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_decode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_decode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_decode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_default.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_default.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_default.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_dump.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_dump.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_dump.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_encode_basestring_ascii.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_encode_basestring_ascii.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_encode_basestring_ascii.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_fail.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_fail.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_fail.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_float.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_float.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_float.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_indent.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_indent.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_indent.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass1.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_pass3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_recursion.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_recursion.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_recursion.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_scanstring.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_scanstring.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_scanstring.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_separators.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_separators.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_separators.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_speedups.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_speedups.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_speedups.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_unicode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_unicode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/json/tests/test_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlib/.AutoComplete.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlib/.AutoComplete.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlib/.AutoComplete.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/AutoCompleteWindow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/AutoCompleteWindow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/AutoCompleteWindow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/AutoExpand.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/AutoExpand.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/AutoExpand.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Bindings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Bindings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Bindings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CREDITS.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CallTipWindow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CallTipWindow.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CallTipWindow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CallTips.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CallTips.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CallTips.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ChangeLog
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ClassBrowser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ClassBrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ClassBrowser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CodeContext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CodeContext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/CodeContext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ColorDelegator.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ColorDelegator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ColorDelegator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Debugger.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Debugger.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Debugger.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Delegator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Delegator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Delegator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/EditorWindow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/EditorWindow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/EditorWindow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/FileList.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/FileList.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/FileList.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/FormatParagraph.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/FormatParagraph.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/FormatParagraph.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/GrepDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/GrepDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/GrepDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/HISTORY.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/HyperParser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/HyperParser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/HyperParser.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/IOBinding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/IOBinding.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/IOBinding.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Icons/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/IdleHistory.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/IdleHistory.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/IdleHistory.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/MultiCall.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/MultiCall.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/MultiCall.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/MultiStatusBar.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/MultiStatusBar.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/MultiStatusBar.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/NEWS.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ObjectBrowser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ObjectBrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ObjectBrowser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/OutputWindow.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/OutputWindow.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/OutputWindow.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ParenMatch.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ParenMatch.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ParenMatch.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/PathBrowser.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/PathBrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/PathBrowser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/Percolator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/Percolator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/Percolator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/PyParse.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/PyParse.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/PyParse.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/PyShell.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/PyShell.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/PyShell.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idl
elib/README.txt
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/RemoteDebugger.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/RemoteDebugger.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/RemoteDebugger.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/RemoteObjectBrowser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/RemoteObjectBrowser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/RemoteObjectBrowser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ReplaceDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ReplaceDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ReplaceDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ScriptBinding.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ScriptBinding.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ScriptBinding.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ScrolledList.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ScrolledList.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ScrolledList.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchDialogBase.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchDialogBase.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchDialogBase.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchEngine.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchEngine.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/SearchEngine.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/StackViewer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/StackViewer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/StackViewer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/TODO.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ToolTip.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ToolTip.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ToolTip.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/TreeWidget.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/TreeWidget.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/TreeWidget.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/UndoDelegator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/UndoDelegator.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/UndoDelegator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/WidgetRedirector.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/WidgetRedirector.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/WidgetRedirector.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/WindowList.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/WindowList.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/WindowList.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ZoomHeight.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ZoomHeight.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/ZoomHeight.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/__init__.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/aboutDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/aboutDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/aboutDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/config-extensions.def
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/config-highlight.def
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/config-keys.def
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/config-main.def
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configHandler.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configHandler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configHandler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configHelpSourceEdit.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configHelpSourceEdit.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configHelpSourceEdit.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configSectionNameDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configSectionNameDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/configSectionNameDialog.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/dynOptionMenuWidget.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/dynOptionMenuWidget.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/dynOptionMenuWidget.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/extend.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/help.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/idle.bat
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/idle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/idle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/idle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/idle.pyw
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/idlelever.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/idlelever.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/idlelever.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/keybindingDialog.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/keybindingDialog.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/keybindingDialog.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/macosxSupport.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/macosxSupport.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/macosxSupport.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/rpc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/rpc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/rpc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/run.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/run.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/run.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/tabbedpages.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/tabbedpages.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/tabbedpages.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/testcode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/testcode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/testcode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/textview.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/textview.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/textview.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Icons/folder.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Icons/idle.icns
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Icons/minusnode.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Icons/openfolder.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Icons/plusnode.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Icons/python.gif

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/idlelib/Icons/tk.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/log.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/log.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/log.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/stats.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/stats.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/stats.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/stones.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/stones.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/hotshot/stones.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/aliases.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/aliases.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/aliases.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/ascii.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/ascii.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/ascii.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/base64_codec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/base64_codec.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/base64_codec.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/big5.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/big5.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/big5.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/big5hkscs.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/big5hkscs.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/big5hkscs.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/bz2_codec.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/bz2_codec.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/bz2_codec.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/charmap.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/charmap.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/charmap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp037.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp037.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp037.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1006.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1006.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1006.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1026.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1026.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1026.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1140.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1140.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1140.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1250.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1250.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1250.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1251.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1251.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1251.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1252.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1252.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1252.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1253.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1253.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1253.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1254.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1254.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1254.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1255.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1255.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1255.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1256.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1256.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1256.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1257.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1257.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1257.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1258.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1258.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp1258.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp424.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp424.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp424.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp437.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp437.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp437.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp500.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp500.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp500.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp737.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp737.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp737.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp775.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp775.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp775.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp850.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp850.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp850.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp852.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp852.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp852.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp855.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp855.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp855.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp856.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp856.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp856.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp857.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp857.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp857.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp860.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp860.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp860.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp861.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp861.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp861.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp862.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp862.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp862.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp863.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp863.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp863.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp864.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp864.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp864.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp865.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp865.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp865.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp866.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp866.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp866.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp869.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp869.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp869.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp874.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp874.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp874.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp875.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp875.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp875.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp932.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp932.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp932.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp949.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp949.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp949.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp950.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp950.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/cp950.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jis_2004.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jis_2004.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jis_2004.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jisx0213.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jisx0213.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jisx0213.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jp.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_jp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_kr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_kr.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/euc_kr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gb18030.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gb18030.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gb18030.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gb2312.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gb2312.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gb2312.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gbk.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gbk.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/gbk.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hex_codec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hex_codec.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hex_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hp_roman8.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hp_roman8.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hp_roman8.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hz.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hz.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/hz.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/idna.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/idna.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/idna.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_2004.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_2004.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_2004.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_3.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_ext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_ext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_jp_ext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_kr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_kr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso2022_kr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_10.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_10.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_10.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_11.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_11.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_11.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_13.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_13.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_13.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_14.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_14.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_14.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_15.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_15.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_15.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_16.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_16.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_16.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_3.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_3.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_3.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_4.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_4.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_4.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_5.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_5.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_5.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_6.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_6.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_6.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_7.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_7.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_7.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_8.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_8.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_8.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_9.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_9.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/iso8859_9.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/johab.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/johab.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/johab.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/koi8_r.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/koi8_r.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/koi8_r.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/koi8_u.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/koi8_u.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/koi8_u.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/latin_1.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/latin_1.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/latin_1.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_arabic.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_arabic.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_arabic.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_centeuro.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_centeuro.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_centeuro.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_croatian.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_croatian.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_croatian.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_cyrillic.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_cyrillic.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_cyrillic.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_farsi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_farsi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_farsi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_greek.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_greek.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_greek.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_iceland.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_iceland.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_iceland.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_latin2.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_latin2.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_latin2.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_roman.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_roman.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_roman.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_romanian.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_romanian.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_romanian.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_turkish.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_turkish.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mac_turkish.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mbcs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mbcs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/mbcs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/palmos.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/palmos.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/palmos.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/ptcp154.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/ptcp154.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/ptcp154.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/punycode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/punycode.pyc
```


x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/punycode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/quopri_codec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/quopri_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/quopri_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/raw_unicode_escape.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/raw_unicode_escape.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/raw_unicode_escape.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/rot_13.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/rot_13.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/rot_13.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jis.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jis.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jis.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jis_2004.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jis_2004.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jis_2004.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jisx0213.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jisx0213.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/shift_jisx0213.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/string_escape.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/string_escape.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/string_escape.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/tis_620.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/tis_620.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/tis_620.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/undefined.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/undefined.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/undefined.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/unicode_escape.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/unicode_escape.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/unicode_escape.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/unicode_internal.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/unicode_internal.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/unicode_internal.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16_be.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16_be.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16_be.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16_le.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16_le.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_16_le.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32_be.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32_be.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32_be.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32_le.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32_le.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_32_le.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_7.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_7.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_7.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_8.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_8.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_8.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_8_sig.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_8_sig.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/utf_8_sig.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/uu_codec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/uu_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/uu_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/zlib_codec.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/zlib_codec.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/encodings/zlib_codec.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/_parseaddr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/_parseaddr.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/_parseaddr.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/base64mime.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/base64mime.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/base64mime.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/charset.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/charset.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/charset.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/encoders.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/encoders.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/encoders.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/errors.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/errors.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/errors.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/feedparser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/feedparser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/feedparser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/generator.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/generator.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/generator.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/header.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/header.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/header.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/iterators.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/iterators.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/iterators.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/message.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/message.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/message.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/parser.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/parser.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/parser.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/quoprimime.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/quoprimime.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/quoprimime.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/utils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/utils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/utils.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_codecs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_codecs.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_codecs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_codecs_renamed.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_codecs_renamed.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_codecs_renamed.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_renamed.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_renamed.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_renamed.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_torture.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_torture.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/test_email_torture.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/PyBanner048.gif
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/audiotest.au

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_01.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_02.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_03.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_04.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_05.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_06.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_07.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_08.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_09.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_10.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_11.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_12.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_12a.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_13.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_14.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_15.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_16.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_17.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_18.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_19.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_20.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_21.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_22.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_23.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_24.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_25.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_26.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_27.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_28.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_29.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_30.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_31.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_32.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_33.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_34.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_35.txt

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_36.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_37.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_38.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_39.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_40.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_41.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_42.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_43.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_44.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_45.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/test/data/msg_46.txt
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/__init__.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/application.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/application.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/application.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/audio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/audio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/audio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/base.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/base.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/base.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/image.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/image.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/image.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/message.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/message.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/message.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/multipart.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/multipart.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/multipart.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/nonmultipart.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/nonmultipart.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/nonmultipart.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/text.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/text.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/email/mime/text.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/README
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/archive_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/archive_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/archive_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/bcppcompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/bcppcompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/bcppcompiler.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/ccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/ccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/ccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/cmd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/cmd.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/cmd.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/config.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/config.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/config.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/core.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/core.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/core.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/cygwinccompiler.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/cygwinccompiler.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/cygwinccompiler.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/debug.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/debug.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/debug.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/dep_util.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/dep_util.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/dep_util.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/dir_util.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/dir_util.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/dir_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/dist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/dist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/dist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/emxccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/emxccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/emxccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/errors.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/errors.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/errors.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/extension.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/extension.pyc
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/extension.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/fancy_getopt.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/fancy_getopt.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/fancy_getopt.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/file_util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/file_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/file_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/filelist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/filelist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/filelist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/log.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/log.pyc
```


x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/spawn.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/sysconfig.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/sysconfig.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/sysconfig.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/text_file.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/text_file.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/text_file.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/unixccompiler.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/unixccompiler.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/unixccompiler.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/util.py


```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/version.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/version.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/version.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/versionpredicate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/versionpredicate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/versionpredicate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/setuptools_build_ext.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/setuptools_build_ext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/setuptools_build_ext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/setuptools_extension.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/setuptools_extension.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/setuptools_extension.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/support.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/support.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/support.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_bdist_wininst.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_bdist_wininst.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_bdist_wininst.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_ext.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_ext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_ext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_py.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_py.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_py.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_scripts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_scripts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_build_scripts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_config.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_config.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_config.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_core.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_core.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_core.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_dist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_dist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_dist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_filelist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_filelist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_filelist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_install.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_install.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_install.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/tests/test_install_lib.py
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_install_lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_install_lib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_install_scripts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_install_scripts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_install_scripts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_msvc9compiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_msvc9compiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_msvc9compiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_register.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_register.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_register.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_sdist.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_sdist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_sdist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_sysconfig.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_sysconfig.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_sysconfig.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_unixccompiler.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_unixccompiler.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_unixccompiler.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_upload.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_upload.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_upload.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_util.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_versionpredicate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_versionpredicate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/tests/test_versionpredicate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_dumb.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_dumb.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_dumb.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_msi.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_msi.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_msi.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_rpm.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_rpm.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_rpm.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_wininst.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_wininst.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/bdist_wininst.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_clib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_clib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_clib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_ext.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_ext.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_ext.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_py.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_py.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_py.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/build_scripts.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/build_scripts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/build_scripts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/clean.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/clean.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/clean.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/command_template
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/config.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/config.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/config.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install.pyo
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_data.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_data.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_data.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_egg_info.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_egg_info.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_egg_info.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_headers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_headers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_headers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_lib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_lib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_lib.pyo
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_scripts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_scripts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/install_scripts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/register.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/register.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/register.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/sdist.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/sdist.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/sdist.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/upload.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/upload.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/dis
tutils/command/upload.pyo
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/wininst-6.0.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/wininst-7.1.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/wininst-8.0.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/wininst-9.0-amd64.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/distutils/command/wininst-9.0.exe
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/curses/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/curses/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/curses/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/curses/ascii.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/curses/ascii.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/curses/ascii.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/curses/has_key.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/has_key.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/has_key.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/panel.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/panel.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/panel.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/textpad.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/textpad.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/textpad.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/wrapper.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/wrapper.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cur
ses/wrapper.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/cty
pes/__init__.py
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/_endian.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/_endian.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/_endian.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/util.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/util.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/util.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/wintypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/wintypes.pyc
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/wintypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/runtests.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/runtests.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/runtests.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_anon.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_anon.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_anon.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_array_in_pointer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_array_in_pointer.pyc
```



```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_array_in_pointer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_arrays.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_arrays.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_arrays.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_as_parameter.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_as_parameter.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_as_parameter.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_bitfields.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_bitfields.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_bitfields.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_buffers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_buffers.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_buffers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_byteswap.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_byteswap.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_byteswap.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_callbacks.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_callbacks.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_callbacks.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_cast.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_cast.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_cast.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_cfuncs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_cfuncs.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_cfuncs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_checkretval.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_checkretval.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_checkretval.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_delattr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_delattr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_delattr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_errcheck.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_errcheck.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_errcheck.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_errno.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_errno.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_errno.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_find.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_find.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_find.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_frombuffer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_frombuffer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_frombuffer.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_funcptr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_funcptr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_funcptr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_functions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_functions.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_functions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_incomplete.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_incomplete.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_incomplete.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_init.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_init.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_init.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_integers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_integers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_integers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_internals.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_internals.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_internals.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_keeprefs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_keeprefs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_keeprefs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_libc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_libc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_libc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_loading.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_loading.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_loading.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_macholib.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_macholib.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_macholib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_memfunctions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_memfunctions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_memfunctions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_numbers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_numbers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_numbers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_objects.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_objects.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_objects.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_parameters.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_parameters.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_parameters.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pep3118.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pep3118.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pep3118.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pickling.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pickling.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pickling.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pointers.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pointers.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_pointers.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_prototypes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_prototypes.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_prototypes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_python_api.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_python_api.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_python_api.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_random_things.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_random_things.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_random_things.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_refcounts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_refcounts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_refcounts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_repr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_repr.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_repr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_returnfuncptrs.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_returnfuncptrs.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_returnfuncptrs.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_simplesubclasses.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_simplesubclasses.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_simplesubclasses.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_sizes.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_sizes.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_sizes.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_slicing.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_slicing.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_slicing.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_stringptr.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_stringptr.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_stringptr.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_strings.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_strings.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_strings.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_struct_fields.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_struct_fields.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_struct_fields.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_structures.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_structures.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_structures.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_unaligned_structures.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_unaligned_structures.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_unaligned_structures.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_unicode.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_unicode.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_unicode.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_values.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_values.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_values.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_varsize_struct.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_varsize_struct.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_varsize_struct.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_win32.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_win32.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/test/test_win32.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/README.ctypes
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/dyld.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/dyld.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/dyld.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/dylib.py

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/dylib.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/dylib.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/fetch_macholib
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/fetch_macholib.bat
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/framework.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/framework.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/ctypes/macholib/framework.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/Makefile
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/Setup
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/Setup.config
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/Setup.local
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/config.c
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/config.c.in

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/install-sh

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/libpython2.6.a

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/libpython2.6.dylib

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/makesetup

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/config/python.o

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/__init__.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/__init__.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/__init__.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/ast.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/ast.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/ast.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/consts.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/consts.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/consts.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/future.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/future.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/future.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/misc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/misc.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/misc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/pyassem.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/pyassem.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/pyassem.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/pycodegen.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/pycodegen.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/pycodegen.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/symbols.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/symbols.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/symbols.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/syntax.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/syntax.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/syntax.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/transformer.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/transformer.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/transformer.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/visitor.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/visitor.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/compiler/visitor.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/db.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/db.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/db.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/dbobj.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/dbobj.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bdb/dbobj.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbrecio.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbrecio.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbrecio.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbshelve.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbshelve.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbshelve.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbtables.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbtables.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbtables.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbutils.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbutils.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/dbutils.pyo

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/__init__.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/__init__.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/__init__.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_all.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_all.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_all.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_associate.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_associate.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_associate.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_basics.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_basics.pyc
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_basics.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_compare.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_compare.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_compare.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_compat.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_compat.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_compat.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_cursor_pget_bug.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_cursor_pget_bug.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_cursor_pget_bug.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbobj.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbobj.pyc
```

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbobj.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbshelve.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbshelve.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbshelve.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbtables.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbtables.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_dbtables.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_distributed_transactions.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_distributed_transactions.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_distributed_transactions.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_early_close.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_early_close.pyc
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_early_close.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_get_none.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_get_none.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_get_none.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_join.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_join.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_join.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_lock.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_lock.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_lock.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_misc.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_misc.pyc

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_misc.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_pickle.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_pickle.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_pickle.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_queue.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_queue.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_queue.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_recno.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_recno.pyc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_recno.pyo
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_replication.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_replication.pyc
```


x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_replication.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_sequence.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_sequence.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_sequence.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_thread.py

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_thread.pyc

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/lib/python2.6/bsd
db/test/test_thread.pyo

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/
/Python-ast.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/Python.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/abstract.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/asdl.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/ast.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/bitset.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/boolobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/bufferobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/bytearrayobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/bytes_methods.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/bytesobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/cStringIO.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/cellobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/ceval.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/classobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/cobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/code.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/codecs.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/compile.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/complexobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/datetime.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/descrobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/dictobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/enumobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/errcode.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/eval.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/fileobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/floatobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/frameobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/funcobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/genobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/graminit.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/grammar.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/import.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/intobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/intrcheck.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/iterobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/listobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/longintrepr.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/longobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/marshal.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/metagrammar.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/methodobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/modsupport.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/moduleobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/node.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/object.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/objimpl.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/opcode.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/osdefs.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/parsetok.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/patchlevel.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pgen.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pgenheaders.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/py_curses.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pyarena.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pyconfig.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pydebug.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pyerrors.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pyexpat.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pyfpe.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pygetopt.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pymacconfig.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/pymactoolbox.h

```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/pymath.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/pymem.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/pyport.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/pystate.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/pystrcmp.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/pystrtod.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/pythonrun.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/pythread.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/rangeobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/setobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/sliceobject.h
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6
/stringobject.h
```

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/structmember.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/structseq.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/symtable.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/sysmodule.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/timefuncs.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/token.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/traceback.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/tupleobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/ucnhash.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/unicodeobject.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/warnings.h

x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/include/python2.6/weakrefobject.h


```
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/2to3
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/idle
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/idle2.6
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/pydoc
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/pydoc2.6
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/python
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/python-config
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/python2.6
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/python2.6-con
fig
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/pythonw
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/pythonw2.6
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/smtpd.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/bin/smtpd2.6.py
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Info.pl
ist
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.
app/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.
app/Contents/
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.
app/Contents/Info.plist
x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.
app/Contents/MacOS/
```

- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/PkgInfo
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/PythonApplet.icns
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/PythonInterpreter.icns
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/PackageManager.gif
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/community.html
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/doc/
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/finder.html
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/gui.html
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/index.html

- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/intro.html
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/packman.html
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/python.gif
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/pythonsmall.gif
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/scripting.html
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/shell.html
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/Resources/English.lproj/Documentation/doc/index.html
- x ./opt/local/Library/Frameworks/Python.framework/Versions/2.6/Resources/Python.app/Contents/MacOS/Python
- x ./Applications/MacPorts/
- x ./Applications/MacPorts/Python 2.6/
- x ./Applications/MacPorts/Python 2.6/Build Applet.app/
- x ./Applications/MacPorts/Python 2.6/IDLE.app/
- x ./Applications/MacPorts/Python 2.6/Python Launcher.app/
- x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/
- x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Info.plist
- x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/MacOS/

x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/PkgInfo
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Engl
ish.lproj/
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Pyth
onCompiled.icns
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Pyth
onLauncher.icns
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Pyth
onSource.icns
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/fact
orySettings.plist
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Engl
ish.lproj/Credits.rtf
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Engl
ish.lproj/MainMenu.nib/
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Engl
ish.lproj/MyDocument.nib/
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Engl
ish.lproj/PreferenceWindow.nib/
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Engl
ish.lproj/PreferenceWindow.nib/classes.nib
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/Engl
ish.lproj/PreferenceWindow.nib/info.nib

```
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/English.lproj/PreferenceWindow.nib/objects.nib
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/English.lproj/MyDocument.nib/classes.nib
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/English.lproj/MyDocument.nib/info.nib
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/English.lproj/MyDocument.nib/objects.nib
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/English.lproj/MainMenu.nib/classes.nib
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/English.lproj/MainMenu.nib/info.nib
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/Resources/English.lproj/MainMenu.nib/objects.nib
x ./Applications/MacPorts/Python 2.6/Python Launcher.app/Contents/MacOS/Python Launcher
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/Info.plist
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/MacOS/
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/PkgInfo
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/Resources/
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/Resources/IDLE.icns
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/Resources/PythonCompiled.icns
```

```
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/Resources/PythonSource.ic
ns
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/Resources/idlemain.py
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/MacOS/IDLE
x ./Applications/MacPorts/Python 2.6/IDLE.app/Contents/MacOS/Python
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/Info.plist
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/MacOS/
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/PkgInfo
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/Resources/
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/Resources/BuildAp
plet.icns
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/Resources/BuildAp
plet.py
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/Resources/BuildAp
plet.rsrc
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/Resources/__argve
mulator_BuildApplet.py
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/MacOS/Build Apple
t
x ./Applications/MacPorts/Python 2.6/Build Applet.app/Contents/MacOS/Python
```

To make python 2.6 the default (i.e. the version you get when you run 'python'), please run:

```
sudo port select --set python python26
```

```
---> Cleaning python26
```

```
---> Removing work directory for python26
```

```
---> Fetching archive for unsermake
```

```
---> unsermake-0.4-20070824_2.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
```

```
---> Attempting to fetch unsermake-0.4-20070824_2.darwin_10.x86_64.tbz2 from http://packages.macports.org/unsermake
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
100	52396	100	52396	0	0	48428	0	0:00:01	0:00:01	--:--:--	56705

```
---> Attempting to fetch unsermake-0.4-20070824_2.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/unsermake
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
102	512	102	512	0	0	1560	0	--:--:--	--:--:--	--:--:--	3065

```
---> Installing unsermake @0.4-20070824_2
```

```
---> Activating unsermake @0.4-20070824_2
```

```
x ./
```

```
x ./+COMMENT
```

```
x ./+CONTENTS
```

```
x ./+DESC
```

```
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/share/
x ./opt/local/share/doc/
x ./opt/local/share/unsermake/
x ./opt/local/share/unsermake/__init__.py
x ./opt/local/share/unsermake/amfile.py
x ./opt/local/share/unsermake/assembler.um
x ./opt/local/share/unsermake/autodeps.um
x ./opt/local/share/unsermake/autodirs.um
x ./opt/local/share/unsermake/check.um
x ./opt/local/share/unsermake/checkrcs.um
x ./opt/local/share/unsermake/dcopidl.um
x ./opt/local/share/unsermake/designer.um
x ./opt/local/share/unsermake/destdir.um
x ./opt/local/share/unsermake/dist.um
x ./opt/local/share/unsermake/docs.um
x ./opt/local/share/unsermake/flex.um
x ./opt/local/share/unsermake/handlerbase.py
x ./opt/local/share/unsermake/icons.um
x ./opt/local/share/unsermake/kcfg.um
```



```
x ./opt/local/share/unsermake/kdeinit.um
x ./opt/local/share/unsermake/manpages.um
x ./opt/local/share/unsermake/mocs.um
x ./opt/local/share/unsermake/pch.um
x ./opt/local/share/unsermake/pofiles.um
x ./opt/local/share/unsermake/program.py
x ./opt/local/share/unsermake/rcc.um
x ./opt/local/share/unsermake/sourcehash.py
x ./opt/local/share/unsermake/target.py
x ./opt/local/share/unsermake/texinfo.um
x ./opt/local/share/unsermake/unsermake
x ./opt/local/share/unsermake/utilities.py
x ./opt/local/share/unsermake/yacc.um
x ./opt/local/share/doc/unsermake/
x ./opt/local/share/doc/unsermake/COPYING
x ./opt/local/share/doc/unsermake/README
x ./opt/local/share/doc/unsermake/TODO
x ./opt/local/bin/unsermake
---> Cleaning unsermake
---> Removing work directory for unsermake
---> Fetching archive for kdelibs3
---> kdelibs3-3.5.10_16.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch kdelibs3-3.5.10_16.darwin_10.x86_64.tbz2 from http://p
```

ackages.macports.org/kdelibs3

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current
			Dload	Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	--:--:--	0

---> Attempting to fetch kdelibs3-3.5.10_16.darwin_10.x86_64.tbz2 from http://mse.uk.packages.macports.org/sites/packages.macports.org/kdelibs3

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current
			Dload	Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	--:--:--	0

---> Attempting to fetch kdelibs3-3.5.10_16.darwin_10.x86_64.tbz2 from http://lil.fr.packages.macports.org/kdelibs3

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current
			Dload	Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	--:--:--	0

---> Fetching distfiles for kdelibs3
---> kdelibs-3.5.10.tar.bz2 doesn't seem to exist in /opt/local/var/macports/distfiles/kde3
---> Attempting to fetch kdelibs-3.5.10.tar.bz2 from http://mirrors.mit.edu/kde/stable/3.5.10/src/

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
100	14.8M	100	14.8M	0	0	576k	0	0:00:26	0:00:26	--:--:--	600k

---> kde-adminidir-1502.tar.bz2 doesn't seem to exist in /opt/local/var/macports/distfiles/kde3

---> Attempting to fetch kde-admin-dir-1502.tar.bz2 from http://ranger.befunk.com/fink/kde-admin-dir/

% Total	% Received	% Xferd	Average Dload	Average Upload	Speed	Time Total	Time Spent	Time Left	Current Speed		
100	192k	100	192k	0	0	86829	0	0:00:02	0:00:02	--:--:--	119k

---> Verifying checksums for kdelibs3

---> Checksumming kdelibs-3.5.10.tar.bz2

---> Checksumming kde-admin-dir-1502.tar.bz2

---> Extracting kdelibs3

---> Extracting kdelibs-3.5.10.tar.bz2

patching file darwin/kcmartsrc

patching file darwin/kdeglobals

patching file darwin/knotifyrc

patching file darwin/konsolerc

patching file dcop/dcopc.c

patching file dcop/dcopclient.cpp

patching file dcop/dcopserver_shutdown.c

patching file kdecop/Makefile.am

patching file kdecop/kglobalsettings.cpp

patching file kdecop/ksocks.cpp

patching file kdecop/kstandarddirs.cpp

patching file kdecop/kuniqueapplication.cpp

patching file kdecop/network/ksocketdevice.cpp

patching file kdecop/network/syssocket.h

```
patching file kded/Makefile.am
patching file kded/kbuildsycoca.cpp
patching file kdeprint/configure.in.in
patching file kdeprint/cups/Makefile.am
patching file kdeprint/cups/cupsdconf2/Makefile.am
patching file kdeui/Makefile.am
patching file kimgio/Makefile.am
patching file kinit/Makefile.am
patching file kinit/kinit.cpp
patching file kinit/start_kdeinit_wrapper.c
patching file kio/kssl/kopenssl.cc
patching file kio/misc/kpac/Makefile.am
patching file environment-helper.sh
patching file kio/misc/kpac/configure.in.in
patching file kio/misc/kpac/discovery.cpp
patching file kinit/lnusertemp.c
patching file khtml/ecma/xmlhttprequest.cpp
patching file kio/kssl/kopenssl.cc
Hunk #2 succeeded at 411 (offset -24 lines).
Hunk #3 succeeded at 580 (offset -24 lines).
Hunk #4 succeeded at 968 (offset -24 lines).
Hunk #5 succeeded at 986 (offset -24 lines).
patching file kio/kssl/kopenssl.h
patching file kio/kssl/ksmimecrypto.cc
```

```
patching file kio/kssl/ksslcertificate.cc
patching file kio/misc/kssld/Makefile.am
patching file kdeprint/cups/cupsdconf2/cups-util.c
patching file admin/cvs.sh
patching file environment-helper.sh
---> Configuring kdelibs3
---> Building kdelibs3
#!/bin/sh -ev

        export PREFIX="/opt/local" USE_UNSERMAKE=1
        . ./environment-helper.sh
#!/bin/sh

[ -n "$EH_PREFIX" ] && export PREFIX="$EH_PREFIX"
if [ -z "$PREFIX" ]; then
    echo "ERROR: set \$PREFIX before sourcing this script!"
    exit 1
fi

export LDFLAGS=""

# set some basic OS stuff
SW_VERSION=`sw_vers -productVersion | cut -d. -f1-2`
sw_vers -productVersion | cut -d. -f1-2
```

2013-10-24 22:11:29.468 sw_vers[7877:903] CFPReferences: user home directory at file:///localhost/opt/local/var/macports/home/ is unavailable. User domains will be volatile.

```
case $SW_VERSION in
    10.[01])
        echo "unsupported OS version: $SW_VERSION"
        exit 1
        ;;
    10.2)
        export MACOSX_DEPLOYMENT_TARGET=10.2
        FREETYPE_CONFIG=$PREFIX/bin/freetype-config
        ;;
    10.3)
        export MACOSX_DEPLOYMENT_TARGET="$SW_VERSION"
        export LD_TWOLEVEL_NAMESPACE=true
        FREETYPE_CONFIG=$PREFIX/bin/freetype-config
        ;;
    10.4)
        export MACOSX_DEPLOYMENT_TARGET="$SW_VERSION"
        export LD_TWOLEVEL_NAMESPACE=true
        FREETYPE_CONFIG=$PREFIX/bin/freetype-config

        GCCCMD="gcc"
        [ -n "$CC" ] && GCCCMD="$CC"
```

```
        if [ ` $GCCCMD --version 2>&1 | grep -c ' 4.0.0 '` -gt 0 ]; then
            cat <<END
==== ERROR ==== ERROR ==== ERROR ==== ERROR ==== ERROR ====
```

You are using GCC 4.0.0, which is known to compile KDE, but produce bad code. Please update to XCode 2.2 or higher.

```
==== ERROR ==== ERROR ==== ERROR ==== ERROR ==== ERROR ====
END
```

```
        exit 1
```

```
    fi
    ;;
```

10.5)

```
    export MACOSX_DEPLOYMENT_TARGET="$SW_VERSION"
    export LD_TWOLEVEL_NAMESPACE=true
    export LDFLAGS="-Wl,-dylib_file,/System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/libGL.dylib:/System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/libGL.dylib -Wl,-dead_strip_dylibs"
    FREETYPE_CONFIG=$PREFIX/bin/freetype-config
    ;;
```

*)

```
    export MACOSX_DEPLOYMENT_TARGET="$SW_VERSION"
    export LD_TWOLEVEL_NAMESPACE=true
```

```

        export LDFLAGS="-Wl,-dead_strip_dylibs"
        FREETYPE_CONFIG=$PREFIX/bin/freetype-config
        ;;
esac

if [ -n "$USE_UNSERMAKE" ] && [ "$USE_UNSERMAKE" -gt 0 ]; then
    UNSERMAKEFLAGS=`perl -e '$ENV{MAKEFLAGS} =~ s/^..*?-j(\d+).*$/-j1 --comp
ile-jobs=$1/; print $ENV{MAKEFLAGS}`
    UNSERMAKEFLAGS="$UNSERMAKEFLAGS -p"
    MAKEFLAGS=""
fi

perl -e '$ENV{MAKEFLAGS} =~ s/^..*?-j(\d+).*$/-j1 --compile-jobs=$1/; print $ENV
{MAKEFLAGS}'

SEARCHDIRS="$PREFIX/lib/system-openssl $PREFIX $PREFIX/lib/flex $PREFIX/lib/doxy
gen1.3"

for dir in $SEARCHDIRS; do
    if [ -d "$dir" ]; then
        for incdir in "$dir/include/freetype2" "$dir/include"; do
            if [ -d "$incdir" ]; then
                export CPPFLAGS="$CPPFLAGS -I$incdir"
            fi
        done
    done

```



```

done
[ -d "$dir/lib" ]          && export LDFLAGS="-L$dir/lib $LDFLA
GS"
[ -d "$dir/bin" ]          && export PATH="$dir/bin:$PATH"
[ -d "$dir/lib/pkgconfig" ] && export PKG_CONFIG_PATH="$dir/lib/
pkgconfig:$PKG_CONFIG_PATH"
fi
done

# -fast, minus the unsafe bits
if [ -d "libltdl" ]; then
    export ACLOCALFLAGS="$ACLOCALFLAGS -I libltdl"
fi
export CFLAGS="-Os -fPIC"
export CXXFLAGS="$CFLAGS"
export CPPFLAGS="$CPPFLAGS -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM
-I$PREFIX/include"
export FREETYPE_CONFIG
export LIBS="$LIBS -L$PREFIX/lib"
export SED="sed"
export CONFIGURE_PARAMS="--includedir=$PREFIX/include --libdir=$PREFIX/lib --pre
fix=$PREFIX --with-extra-libs=$PREFIX/lib --with-extra-includes=$PREFIX/include
--enable-mt --with-pic --enable-rpath --enable-shared=yes --enable-static=no --m
andir=$PREFIX/share/man --with-xinerama --with-pam --disable-final --with-ssl-di

```

```
r=$PREFIX --with-ssl --disable-dependency-tracking --enable-gcc-hidden-visibility"
```

```
export ac_cv_have_x="have_x=yes ac_x_includes=$PREFIX/include ac_x_libraries=$PREFIX/lib"
```

```
export kde_cv_have_x="have_x=yes kde_x_includes=$PREFIX/include kde_x_libraries=$PREFIX/lib"
```

```
export x_includes="$PREFIX/include" x_libraries="$PREFIX/lib"
```

```
export XMKMF="$PREFIX/bin/xmkmf" IMAKE="$PREFIX/bin/imake"
```

```
# miscellaneous stuff that packages use
```

```
export lt_cv_sys_max_cmd_len=65536
```

```
export HOME=/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
```

```
export QTDOCDIR="$PREFIX/share/doc/qt3/html"
```

```
[ -x "$PREFIX/lib/flex/bin/flex" ] && export LEX="$PREFIX/lib/flex/bin/flex"
```

```
if [ -e "$PREFIX/lib/qt3/include" ]; then
```

```
    CONFIGURE_PARAMS="$CONFIGURE_PARAMS --with-qt-dir=$PREFIX/lib/qt3"
```

```
else
```

```
    CONFIGURE_PARAMS="$CONFIGURE_PARAMS --with-qt-dir=$PREFIX --with-qt-includes=$PREFIX/include/qt"
```

```
fi
```

```
PATH=`echo $PATH | perl -p -e 'for my $entry (split(/:/, $_)) { next if ($entry =~ m,^/usr/local,); push(@path, $entry) }; $_ = join(":", @path)`  
echo $PATH | perl -p -e 'for my $entry (split(/:/, $_)) { next if ($entry =~ m,^/usr/local,); push(@path, $entry) }; $_ = join(":", @path)'
```

```
if [ -x "$PREFIX/lib/xmkmf/bin" ]; then  
    export PATH="$PREFIX/lib/xmkmf/bin:$PATH"  
    export IMAKEINCLUDE="-I$PREFIX/lib/X11/config"  
fi
```

```
if [ `grep -r /usr/X11R6 admin 2>/dev/null | wc -l` -gt 0 ]; then  
    echo "*** replacing /usr/X11R6 with $PREFIX in the admin/ directory ***"  
    find admin -type f | xargs perl -pi -e "s,/usr/X11R6,$PREFIX,g"
```

```
fi  
grep -r /usr/X11R6 admin 2>/dev/null | wc -l  
*** replacing /usr/X11R6 with /opt/local in the admin/ directory ***
```

```
export ALL_LIBRARIES="$LD_FLAGS $LIBS"
```

```
cat <<END
```

```
the following environment is being used:
```

```
ACLOCALFLAGS:          $ACLOCALFLAGS  
CFLAGS:                $CFLAGS
```

```
CPPFLAGS:          $CPPFLAGS
CXXFLAGS:          $CXXFLAGS
CC:                $CC
CXX:               $CXX
FREETYPE_CONFIG:   $FREETYPE_CONFIG
LDFLAGS:           $LDFLAGS
LIBS:              $LIBS
MACOSX_DEPLOYMENT_TARGET: $MACOSX_DEPLOYMENT_TARGET
PATH:              $PATH
PKG_CONFIG_PATH:   $PKG_CONFIG_PATH
CONFIGURE_PARAMS:  $CONFIGURE_PARAMS
UNSERMAKEFLAGS:    $UNSERMAKEFLAGS
MAKEFLAGS:         $MAKEFLAGS
```

END

the following environment is being used:

```
ACLOCALFLAGS:      -I libltdl
CFLAGS:             -Os -fPIC
CPPFLAGS:           -I/opt/local/include/freetype2 -I/opt/local/include
-fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include
CXXFLAGS:           -Os -fPIC
CC:                 /usr/bin/gcc-4.2
CXX:                /usr/bin/g++-4.2
```

```
FREETYPE_CONFIG:      /opt/local/bin/freetype-config
LD_FLAGS:             -L/opt/local/lib -Wl,-dead_strip_dylibs
LIBS:                 -L/opt/local/lib
MACOSX_DEPLOYMENT_TARGET: 10.6
PATH:                 /opt/local/bin:/opt/local/bin:/opt/local/sbin:/bin:/
sbin:/usr/bin:/usr/sbin
PKG_CONFIG_PATH:      /opt/local/lib/pkgconfig:
CONFIGURE_PARAMS:     --includedir=/opt/local/include --libdir=/opt/local/
lib --prefix=/opt/local --with-extra-libs=/opt/local/lib --with-extra-includes=/
opt/local/include --enable-mt --with-pic --enable-rpath --enable-shared=yes --en
able-static=no --mandir=/opt/local/share/man --with-xinerama --with-pam --disabl
e-final --with-ssl-dir=/opt/local --with-ssl --disable-dependency-tracking --ena
ble-gcc-hidden-visibility --with-qt-dir=/opt/local/lib/qt3
UNSERMAKEFLAGS:      -j1 --compile-jobs=2 -p
MAKEFLAGS:
```

```
case $SW_VERSION in
    6*|7*)
        export CPPFLAGS="$CPPFLAGS -DHAVE_SYS_EXEC_H=1"
        ;;
    10.8)
        export CPPFLAGS="$CPPFLAGS -D_IPP_PRIVATE_STRUCTURES=1"
        ;;
```

```
esac
```

```
export CPPFLAGS="-I/usr/include/gssapi $CPPFLAGS"
```

```
./build-helper.sh cvs kdelibs3 3.5.10 16 make -f admin/Makefile.co
```

```
mmon cvs
```

```
*** YOU'RE USING UNSERMAKE.
```

```
*** GOOD LUCK!! :)
```

```
*** Creating acinclude.m4
```

```
make[1]: Nothing to be done for `acinclude.m4'.
```

```
*** Creating list of subdirectories
```

```
*** Creating Makefile.am
```

```
*** Creating configure.files
```

```
*** Creating configure.in
```

```
*** Creating aclocal.m4
```

```
*** Creating configure
```

```
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works, ...): suspicious cache-id, must contain _cv_ to be cached
```

```
../../lib/autoconf/general.m4:1974: AC_CACHE_VAL is expanded from...
```

```
../../lib/autoconf/general.m4:1994: AC_CACHE_CHECK is expanded from...
```

```
aclocal.m4:6617: AC_LIBTOOL_COMPILER_OPTION is expanded from...
```

```
aclocal.m4:10805: AC_LIBTOOL_PROG_COMPILER_PIC is expanded from...
```

```
aclocal.m4:8653: _LT_AC_LANG_C_CONFIG is expanded from...
```

```
aclocal.m4:8652: AC_LIBTOOL_LANG_C_CONFIG is expanded from...
```

aclocal.m4:6082: AC_LIBTOOL_SETUP is expanded from...
aclocal.m4:6062: _AC_PROG_LIBTOOL is expanded from...
aclocal.m4:6027: AC_PROG_LIBTOOL is expanded from...
aclocal.m4:12305: AM_PROG_LIBTOOL is expanded from...
aclocal.m4:3509: KDE_PROG_LIBTOOL is expanded from...
configure.in:37: the top level
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works, ...): suspicious cache-id, must contain _cv_ to be cached
aclocal.m4:6662: AC_LIBTOOL_LINKER_OPTION is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_CXX, ...): suspicious cache-id, must contain _cv_ to be cached
aclocal.m4:8730: _LT_AC_LANG_CXX_CONFIG is expanded from...
aclocal.m4:8729: AC_LIBTOOL_LANG_CXX_CONFIG is expanded from...
aclocal.m4:7789: _LT_AC_TAGCONFIG is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_CXX, ...): suspicious cache-id, must contain _cv_ to be cached
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_F77, ...): suspicious cache-id, must contain _cv_ to be cached
aclocal.m4:9893: _LT_AC_LANG_F77_CONFIG is expanded from...
aclocal.m4:9892: AC_LIBTOOL_LANG_F77_CONFIG is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_F77, ...): suspicious cache-id, must contain _cv_ to be cached
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_GCJ, ...): suspicious cache-id, must contain _cv_ to be cached

aclocal.m4:9995: _LT_AC_LANG_GCJ_CONFIG is expanded from...
aclocal.m4:9994: AC_LIBTOOL_LANG_GCJ_CONFIG is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_GCJ, ...):
suspicious cache-id, must contain _cv_ to be cached
configure.in:1473: warning: AC_CACHE_VAL(kde_link_libthai, ...): suspicious cache-id,
must contain _cv_ to be cached
configure.in:1421: KDE_CHECK_LIBTHAI is expanded from...
configure.in:1473: the top level
*** Creating config.h template
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works, ...): suspicious
cache-id, must contain _cv_ to be cached
../..../lib/autoconf/general.m4:1974: AC_CACHE_VAL is expanded from...
../..../lib/autoconf/general.m4:1994: AC_CACHE_CHECK is expanded from...
aclocal.m4:6617: AC_LIBTOOL_COMPILER_OPTION is expanded from...
aclocal.m4:10805: AC_LIBTOOL_PROG_COMPILER_PIC is expanded from...
aclocal.m4:8653: _LT_AC_LANG_C_CONFIG is expanded from...
aclocal.m4:8652: AC_LIBTOOL_LANG_C_CONFIG is expanded from...
aclocal.m4:6082: AC_LIBTOOL_SETUP is expanded from...
aclocal.m4:6062: _AC_PROG_LIBTOOL is expanded from...
aclocal.m4:6027: AC_PROG_LIBTOOL is expanded from...
aclocal.m4:12305: AM_PROG_LIBTOOL is expanded from...
aclocal.m4:3509: KDE_PROG_LIBTOOL is expanded from...
configure.in:37: the top level
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works, ...): susp

icious cache-id, must contain _cv_ to be cached
aclocal.m4:6662: AC_LIBTOOL_LINKER_OPTION is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_CXX, ...): sus-
picious cache-id, must contain _cv_ to be cached
aclocal.m4:8730: _LT_AC_LANG_CXX_CONFIG is expanded from...
aclocal.m4:8729: AC_LIBTOOL_LANG_CXX_CONFIG is expanded from...
aclocal.m4:7789: _LT_AC_TAGCONFIG is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_CXX, ...):
suspicious cache-id, must contain _cv_ to be cached
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_F77, ...): sus-
picious cache-id, must contain _cv_ to be cached
aclocal.m4:9893: _LT_AC_LANG_F77_CONFIG is expanded from...
aclocal.m4:9892: AC_LIBTOOL_LANG_F77_CONFIG is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_F77, ...):
suspicious cache-id, must contain _cv_ to be cached
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_GCJ, ...): sus-
picious cache-id, must contain _cv_ to be cached
aclocal.m4:9995: _LT_AC_LANG_GCJ_CONFIG is expanded from...
aclocal.m4:9994: AC_LIBTOOL_LANG_GCJ_CONFIG is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_GCJ, ...):
suspicious cache-id, must contain _cv_ to be cached
configure.in:1473: warning: AC_CACHE_VAL(kde_link_libthai, ...): suspicious cach-
e-id, must contain _cv_ to be cached
configure.in:1421: KDE_CHECK_LIBTHAI is expanded from...

```
configure.in:1473: the top level
*** Creating Makefile templates
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works, ...): suspicious cache-id, must contain _cv_ to be cached
../..../lib/autoconf/general.m4:1974: AC_CACHE_VAL is expanded from...
../..../lib/autoconf/general.m4:1994: AC_CACHE_CHECK is expanded from...
aclocal.m4:6617: AC_LIBTOOL_COMPILER_OPTION is expanded from...
aclocal.m4:10805: AC_LIBTOOL_PROG_COMPILER_PIC is expanded from...
aclocal.m4:8653: _LT_AC_LANG_C_CONFIG is expanded from...
aclocal.m4:8652: AC_LIBTOOL_LANG_C_CONFIG is expanded from...
aclocal.m4:6082: AC_LIBTOOL_SETUP is expanded from...
aclocal.m4:6062: _AC_PROG_LIBTOOL is expanded from...
aclocal.m4:6027: AC_PROG_LIBTOOL is expanded from...
aclocal.m4:12305: AM_PROG_LIBTOOL is expanded from...
aclocal.m4:3509: KDE_PROG_LIBTOOL is expanded from...
configure.in:37: the top level
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works, ...): suspicious cache-id, must contain _cv_ to be cached
aclocal.m4:6662: AC_LIBTOOL_LINKER_OPTION is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_CXX, ...): suspicious cache-id, must contain _cv_ to be cached
aclocal.m4:8730: _LT_AC_LANG_CXX_CONFIG is expanded from...
aclocal.m4:8729: AC_LIBTOOL_LANG_CXX_CONFIG is expanded from...
aclocal.m4:7789: _LT_AC_TAGCONFIG is expanded from...
```

```
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_CXX, ...):
suspicious cache-id, must contain _cv_ to be cached
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_F77, ...): sus
picious cache-id, must contain _cv_ to be cached
aclocal.m4:9893: _LT_AC_LANG_F77_CONFIG is expanded from...
aclocal.m4:9892: AC_LIBTOOL_LANG_F77_CONFIG is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_F77, ...):
suspicious cache-id, must contain _cv_ to be cached
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_pic_works_GCJ, ...): sus
picious cache-id, must contain _cv_ to be cached
aclocal.m4:9995: _LT_AC_LANG_GCJ_CONFIG is expanded from...
aclocal.m4:9994: AC_LIBTOOL_LANG_GCJ_CONFIG is expanded from...
configure.in:37: warning: AC_CACHE_VAL(lt_prog_compiler_static_works_GCJ, ...):
suspicious cache-id, must contain _cv_ to be cached
configure.in:1473: warning: AC_CACHE_VAL(kde_link_libthai, ...): suspicious cach
e-id, must contain _cv_ to be cached
configure.in:1421: KDE_CHECK_LIBTHAI is expanded from...
configure.in:1473: the top level
pics/crystalsvg/Makefile.am: unknown icon format (cr32-key_enter.png)
*** Creating date/time stamp
*** Finished
    Don't forget to run ./configure
    If you haven't done so in a while, run ./configure --help
        ./build-helper.sh configure kdelibs3 3.5.10 16 ./configure --without-lua
```

```
--enable-cups --with-ldap=framework --with-gssapi=framework --with-distribution
='MacPorts/Mac OS X' --without-arts $CONFIGURE_PARAMS
configure: WARNING: unrecognized options: --with-ldap, --with-xinerama, --with-p
am
checking build system type... i686-apple-darwin10.8.0
checking host system type... i686-apple-darwin10.8.0
checking target system type... i686-apple-darwin10.8.0
checking for a BSD-compatible install... /usr/bin/install -c
checking for -p flag to install... yes
checking whether build environment is sane... yes
checking for gawk... no
checking for mawk... no
checking for nawk... no
checking for awk... awk
checking whether make sets $(MAKE)... yes
checking for a BSD-compatible install... /usr/bin/install -c -p
checking for style of include used by make... GNU
checking for gcc... /usr/bin/gcc-4.2
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
```

checking whether /usr/bin/gcc-4.2 accepts -g... yes
checking for /usr/bin/gcc-4.2 option to accept ISO C89... none needed
checking dependency style of /usr/bin/gcc-4.2... none
checking how to run the C preprocessor... /usr/bin/gcc-4.2 -E
checking whether we are using the GNU C++ compiler... yes
checking whether /usr/bin/g++-4.2 accepts -g... yes
checking dependency style of /usr/bin/g++-4.2... none
checking whether /usr/bin/gcc-4.2 is blacklisted... no
checking whether /usr/bin/g++-4.2 supports -Wundef... yes
checking whether /usr/bin/g++-4.2 supports -Wno-long-long... yes
checking whether /usr/bin/g++-4.2 supports -Wno-non-virtual-dtor... yes
checking whether /usr/bin/g++-4.2 supports -fno-reorder-blocks... yes
checking whether /usr/bin/g++-4.2 supports -fno-exceptions... yes
checking whether /usr/bin/g++-4.2 supports -fno-check-new... yes
checking whether /usr/bin/g++-4.2 supports -fno-common... yes
checking whether /usr/bin/g++-4.2 supports -fexceptions... yes
checking whether system headers can cope with -Os -fno-inline... irrelevant
checking how to run the C++ preprocessor... /usr/bin/g++-4.2 -E
checking whether /usr/bin/g++-4.2 supports -O0... yes
./configure: line 8055: ldd: command not found
not using lib directory suffix
checking for a sed that does not truncate output... /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E

checking for ld used by /usr/bin/gcc-4.2... /usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) is GNU ld
... no
checking for /usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld option to reload object files... -r
checking for BSD-compatible nm... /usr/bin/nm
checking whether ln -s works... yes
checking how to recognise dependent libraries... pass_all
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking dlfcn.h usability... yes
checking dlfcn.h presence... yes
checking for dlfcn.h... yes
checking how to run the C++ preprocessor... /usr/bin/g++-4.2 -E
checking for g77... no

checking for xlf... no
checking for f77... no
checking for frt... no
checking for pgf77... no
checking for cf77... no
checking for fort77... no
checking for fl32... no
checking for af77... no
checking for xlf90... no
checking for f90... no
checking for pgf90... no
checking for pghpf... no
checking for epcf90... no
checking for gfortran... no
checking for g95... no
checking for xlf95... no
checking for f95... no
checking for fort... no
checking for ifort... no
checking for ifc... no
checking for efc... no
checking for pgf95... no
checking for lf95... no
checking for ftn... no

checking whether we are using the GNU Fortran 77 compiler... no
checking whether accepts -g... no
checking the maximum length of command line arguments... (cached) 65536
checking command to parse /usr/bin/nm output from /usr/bin/gcc-4.2 object... ok
checking for objdir... .libs
checking for ar... ar
checking for ranlib... ranlib
checking for strip... strip
checking if /usr/bin/gcc-4.2 supports -fno-rtti -fno-exceptions... no
checking for /usr/bin/gcc-4.2 option to produce PIC... -fno-common
checking if /usr/bin/gcc-4.2 PIC flag -fno-common works... yes
checking if /usr/bin/gcc-4.2 static flag -static works... no
checking if /usr/bin/gcc-4.2 supports -c -o file.o... yes
checking whether the /usr/bin/gcc-4.2 linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin10.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking whether stripping libraries is possible... yes
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... no


```
configure: creating libtool
appending configuration tag "CXX" to libtool
checking for ld used by /usr/bin/g++-4.2... /usr/libexec/gcc/i686-apple-darwin10
/4.2.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) is GNU ld
... no
checking whether the /usr/bin/g++-4.2 linker (/usr/libexec/gcc/i686-apple-darwin
10/4.2.1/ld) supports shared libraries... yes
checking for /usr/bin/g++-4.2 option to produce PIC... -fno-common
checking if /usr/bin/g++-4.2 PIC flag -fno-common works... yes
checking if /usr/bin/g++-4.2 static flag -static works... no
checking if /usr/bin/g++-4.2 supports -c -o file.o... yes
checking whether the /usr/bin/g++-4.2 linker (/usr/libexec/gcc/i686-apple-darwin
10/4.2.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin10.8.0 dyld
checking how to hardcode library paths into programs... immediate
appending configuration tag "F77" to libtool
checking which extension is used for shared libraries...
checking which variable specifies run-time library path... DYLD_LIBRARY_PATH
checking for the default library search path... /usr/local/lib /lib /usr/lib
checking for objdir... .libs
checking command to parse /usr/bin/nm output... yes
checking whether libtool supports -dlopen/-dlpreopen... yes
checking for dlopen in -ldl... (cached) yes
```

checking for shl_load... no
checking for shl_load in -ldld... no
checking for dld_link in -ldld... no
checking for dlerror... yes
checking for _ prefix in compiled symbols... (cached) yes
checking whether we have to add an underscore for dlsym... no
checking whether deplibs are loaded by dlopen... yes
checking malloc.h usability... no
checking malloc.h presence... no
checking for malloc.h... no
checking for memory.h... (cached) yes
checking for stdlib.h... (cached) yes
checking stdio.h usability... yes
checking stdio.h presence... yes
checking for stdio.h... yes
checking ctype.h usability... yes
checking ctype.h presence... yes
checking for ctype.h... yes
checking for dlfcn.h... (cached) yes
checking dl.h usability... no
checking dl.h presence... no
checking for dl.h... no
checking dld.h usability... no
checking dld.h presence... no

checking for dld.h... no
checking for string.h... (cached) yes
checking for strchr... yes
checking for strrchr... yes
checking for memcpy... yes
checking for strcmp... yes
checking for msgfmt... /opt/local/bin/msgfmt
checking for gmsgfmt... /opt/local/bin/msgfmt
checking for xgettext... /opt/local/bin/xgettext
checking for ranlib... (cached) ranlib
checking for off_t... yes
checking for size_t... yes
checking for working alloca.h... yes
checking for alloca... yes
checking for stdlib.h... (cached) yes
checking for unistd.h... (cached) yes
checking for getpagesize... yes
checking for working mmap... yes
checking limits.h usability... yes
checking limits.h presence... yes
checking for limits.h... yes
checking locale.h usability... yes
checking locale.h presence... yes
checking for locale.h... yes

checking nl_types.h usability... yes
checking nl_types.h presence... yes
checking for nl_types.h... yes
checking for string.h... (cached) yes
checking values.h usability... no
checking values.h presence... no
checking for values.h... no
checking alloca.h usability... yes
checking alloca.h presence... yes
checking for alloca.h... yes
checking for getcwd... yes
checking for munmap... yes
checking for putenv... yes
checking for setlocale... yes
checking for strchr... (cached) yes
checking for strcasecmp... yes
checking for __argz_count... no
checking for __argz_stringify... no
checking for __argz_next... no
checking for stpcpy... yes
checking for LC_MESSAGES... yes
checking if C++ programs can be compiled... yes
checking for dirent.h that defines DIR... yes
checking for library containing opendir... none required

checking for ANSI C header files... (cached) yes
checking sys/param.h usability... yes
checking sys/param.h presence... yes
checking for sys/param.h... yes
checking sys/mman.h usability... yes
checking sys/mman.h presence... yes
checking for sys/mman.h... yes
checking sys/time.h usability... yes
checking sys/time.h presence... yes
checking for sys/time.h... yes
checking sysent.h usability... no
checking sysent.h presence... no
checking for sysent.h... no
checking for strings.h... (cached) yes
checking for sys/stat.h... (cached) yes
checking sys/select.h usability... yes
checking sys/select.h presence... yes
checking for sys/select.h... yes
checking paths.h usability... yes
checking paths.h presence... yes
checking for paths.h... yes
checking for malloc.h... (cached) no
checking for limits.h... (cached) yes
checking sys/soundcard.h usability... no

checking sys/soundcard.h presence... no
checking for sys/soundcard.h... no
checking for dlfcn.h... (cached) yes
checking termios.h usability... yes
checking termios.h presence... yes
checking for termios.h... yes
checking sys/acl.h usability... yes
checking sys/acl.h presence... yes
checking for sys/acl.h... yes
checking sys/xattr.h usability... yes
checking sys/xattr.h presence... yes
checking for sys/xattr.h... yes
checking attr/libattr.h usability... no
checking attr/libattr.h presence... no
checking for attr/libattr.h... no
checking for acl_init in -lacl... no
checking acl/libacl.h usability... no
checking acl/libacl.h presence... no
checking for acl/libacl.h... no
checking for strlcat... yes
checking if strlcat needs custom prototype... no
checking for strlcpy... yes
checking if strlcpy needs custom prototype... no
checking for main in -lutil... yes

checking for main in -lcompat... no
checking for crypt in -lcrypt... no
checking for crypt in -lc... yes
checking for socklen_t... yes
checking for dnet_ntoa in -ldnet... no
checking for dnet_ntoa in -ldnet_stub... no
checking for inet_ntoa... yes
checking for connect... yes
checking for remove... yes
checking for shmat... yes
checking for sys/types.h... (cached) yes
checking for stdint.h... (cached) yes
checking sys/bitypes.h usability... no
checking sys/bitypes.h presence... no
checking for sys/bitypes.h... no
checking for poll in -lpoll... yes
checking Carbon/Carbon.h usability... yes
checking Carbon/Carbon.h presence... yes
checking for Carbon/Carbon.h... yes
checking CoreAudio/CoreAudio.h usability... yes
checking CoreAudio/CoreAudio.h presence... yes
checking for CoreAudio/CoreAudio.h... yes
checking if res_init needs -lresolv... yes
checking for res_init... yes

checking if res_init needs custom prototype... no
checking for killpg in -lucb... no
checking size of int... 4
checking size of short... 2
checking size of long... 8
checking size of char *... 8
checking for dlopen in -ldl... (cached) yes
checking for shl_unload in -ldld... no
checking size of size_t... 8
checking size of unsigned long... 8
checking sizeof size_t == sizeof unsigned long... yes
checking for PIE support... yes
checking if enabling -pie/fPIE support... yes
checking crt_externs.h usability... yes
checking crt_externs.h presence... yes
checking for crt_externs.h... yes
checking for _NSGetEnviron... yes
checking for vsnprintf... yes
checking for snprintf... yes
checking for X... (cached) libraries /opt/local/lib, headers /opt/local/include
checking for IceConnectionNumber in -lICE... yes
checking for libXext... yes
checking for pkg-config... /opt/local/bin/pkg-config
checking for pthread_create in -lpthread... yes

checking for extra includes... added
checking for extra libs... added
checking for libz... -lz
checking for libpng... -lpng -lz -lm
checking for libjpeg6b... no
checking for libjpeg... -ljpeg
checking for perl... /opt/local/bin/perl
checking for Qt... libraries /opt/local/lib/qt3/lib, headers /opt/local/lib/qt3/
include using -mt
checking for moc... /opt/local/lib/qt3/bin/moc
checking for uic... /opt/local/lib/qt3/bin/uic
checking whether uic supports -L ... yes
checking whether uic supports -nounload ... yes
checking if Qt needs -ljpeg... no
checking for rpath... yes
checking for KDE... will be installed in /opt/local
checking grepping for visibility push/pop in headers... yes
checking whether /usr/bin/g++-4.2 supports -fvisibility=hidden... yes
checking if Qt is patched for -fvisibility... yes
checking for gcc -fvisibility-inlines-hidden bug... no
checking for KDE paths... defaults
checking for dcopidl... compiled
checking for dcopidl2cpp... compiled
checking for meinproc... compiled

checking for kconfig_compiler... compiled
checking for dcopyln... compiled
checking for makekdewidgets... compiled
checking for xmllint... /opt/local/bin/xmllint
checking for X11/extensions/shape.h... yes
checking for X11/extensions/XShm.h... yes
checking X11/ICE/ICElib.h usability... yes
checking X11/ICE/ICElib.h presence... yes
checking for X11/ICE/ICElib.h... yes
checking sys/sendfile.h usability... no
checking sys/sendfile.h presence... no
checking for sys/sendfile.h... no
checking whether time.h and sys/time.h may both be included... yes
checking whether byte ordering is bigendian... no
checking for setenv... yes
checking if setenv needs custom prototype... no
checking for unsetenv... yes
checking if unsetenv needs custom prototype... no
checking for random... yes
checking if random needs custom prototype... no
checking for srand... yes
checking if srand needs custom prototype... no
checking for mkstemp... yes
checking if mkstemp needs custom prototype... no

checking for mkstemp... yes
checking if mkstemp needs custom prototype... no
checking for mkdtemp... yes
checking if mkdtemp needs custom prototype... no
checking for strtoll... yes
checking for socket... yes
checking for seteuid... yes
checking for setegid... yes
checking for strfmon... yes
checking for stpcpy... yes
checking for gettimeofday... yes
checking for readdir_r... yes
checking for setpriority... yes
checking for usleep... yes
checking if usleep needs custom prototype... no
checking for gethostname... yes
checking if gethostname needs custom prototype... no
checking for random... (cached) yes
checking if random needs custom prototype... (cached) no
checking for srandom... (cached) yes
checking if srandom needs custom prototype... (cached) no
checking for S_ISSOCK... yes
checking for initgroups... yes
checking if initgroups needs custom prototype... no

checking for mount tab file... no
checking if getmntinfo() uses struct statvfs... no
checking if sendfile() is wanted... no
checking if MIT-SHM support is wanted... yes
checking for posix_fadvise... no
checking for _IceTransNoListen... yes
checking for Compiler version... Target: i686-apple-darwin10
checking for uname... Darwin 10.8.0 i386
checking for distribution channel... MacPorts/Mac OS X
checking for addToUtmp in -lutempter... no
checking for Qt docs... /opt/local/lib/qt3/doc/html
checking for dot... not found
checking for doxygen... not found
checking if ld supports unversioned version maps... no
checking for aRts-1.1... disabled
checking for md5sum... no
checking for gmd5sum... no
checking for DNS-SD support... yes
Not using Lua
checking whether we can use openpty... no
checking idna.h usability... yes
checking idna.h presence... yes
checking for idna.h... yes
checking punycode.h usability... yes

checking punycode.h presence... yes
checking for punycode.h... yes
checking stringprep.h usability... yes
checking stringprep.h presence... yes
checking for stringprep.h... yes
checking for idna_to_ascii_4i in -lidn... yes
checking for inet_ntop... yes
checking for inet_pton... yes
checking for getpeername... yes
checking for getsockname... yes
checking for getsockopt... yes
checking for gethostbyname2_r... no
checking for gethostbyname_r... no
checking for gethostbyname2... yes
checking for if_nametoindex... yes
checking for getprotobyname_r... no
checking for getservbyname_r... no
checking for getservbyport_r... no
checking for netinet/in.h... yes
checking for net/if.h... yes
checking sys/filio.h usability... yes
checking sys/filio.h presence... yes
checking for sys/filio.h... yes
checking for usleep... yes

checking for poll... yes
checking for madvise... yes
checking for struct addrinfo... yes
checking for getaddrinfo... yes
checking for freeaddrinfo... yes
checking for getnameinfo... yes
checking for gai_strerror... yes
checking if getaddrinfo works using numeric service with null host... yes
checking for struct sockaddr.sa_len... yes
checking for struct sockaddr_in6... yes
checking for struct sockaddr_in6.sin6_scope_id... yes
checking for GLIBC function backtrace... yes
checking sys/mount.h usability... yes
checking sys/mount.h presence... yes
checking for sys/mount.h... yes
checking for libart2-config... /opt/local/bin/libart2-config
checking sys/stropts.h usability... no
checking sys/stropts.h presence... no
checking for sys/stropts.h... no
checking for sys/select.h... (cached) yes
checking libutil.h usability... no
checking libutil.h presence... no
checking for libutil.h... no
checking util.h usability... yes

checking util.h presence... yes
checking for util.h... yes
checking for termios.h... (cached) yes
checking pty.h usability... no
checking pty.h presence... no
checking for pty.h... no
checking termio.h usability... no
checking termio.h presence... no
checking for termio.h... no
checking for revoke(tty) in unistd.h... yes
checking whether to enable fast malloc... no
checking whether /usr/bin/g++-4.2 supports -finline-limit=100000... yes
checking X11/extensions/Xrender.h usability... yes
checking X11/extensions/Xrender.h presence... yes
checking for X11/extensions/Xrender.h... yes
checking for XRenderComposite in -lXrender... yes
checking for assembler support for IA32 extensions... MMX yes, SSE yes, SSE2 yes
, 3DNOW yes
checking for cups-config... /usr/bin/cups-config
checking for cupsServer in -lcups... yes
checking cups/cups.h usability... yes
checking cups/cups.h presence... yes
checking for cups/cups.h... yes
checking CUPS version >= 1.0109... yes

checking CUPS version >= 1.0121... yes
checking installation of PS driver needed... yes
checking for su... /usr/bin/su
checking for sudo... /usr/bin/sudo
checking POSIX.1b scheduling... no
checking for initgroups... yes
checking for libutil.h... (cached) no
checking for util.h... (cached) yes
checking for pty.h... (cached) no
checking for openpty in -lutil... yes
checking for openpty... yes
checking for initgroups... (cached) yes
checking for setgroups... yes
checking for getgroups... yes
checking for grantpt... yes
checking for setpriority... (cached) yes
checking for getpt... no
checking for unlockpt... yes
checking for ptsname... yes
checking for _getpty... no
checking for struct ucred... no
checking for getpeereid... yes
checking for xml2-config... /opt/local/bin/xml2-config
checking for xmllint... /opt/local/bin/xmllint

checking for xslt-config... /opt/local/bin/xslt-config
checking for bzDecompress in libbz2... no
checking whether /usr/bin/g++-4.2 supports -shared... yes
checking whether /usr/bin/g++-4.2 supports -fPIC... yes
checking for BZ2_bzDecompress in (shared) libbz2... -lbz2
checking for present bzip2 support... ok
checking if libthai should be compiled in... no
checking valgrind/memcheck.h usability... no
checking valgrind/memcheck.h presence... no
checking for valgrind/memcheck.h... no
checking for libtiff tiff... yes
checking for libjpeg6b... (cached) no
checking for libjpeg... (cached) -ljpeg
checking for libpng... (cached) -lpng -lz -lm
checking for jasper... -ljasper -ljpeg -lm
checking for OpenEXR libraries... -L/opt/local/lib -lIlmImf -lz -lImath -lHalf -
lIex -lIlmThread -lpthread
checking for XftInit in -lqt-mt... no
checking for fontconfig-config... not found
checking for pkg-config... /opt/local/bin/pkg-config
checking for freetype-config... /opt/local/bin/freetype-config
checking X11/Xft/Xft.h usability... yes
checking X11/Xft/Xft.h presence... yes
checking for X11/Xft/Xft.h... yes

checking whether to make kdeinit setuid root in order to protect it from bad Linux OOM-killer... no
checking for FAMOpen in -lfam... no
checking for libz... (cached) -lz
checking sys/mnttab.h usability... no
checking sys/mnttab.h presence... no
checking for sys/mnttab.h... no
checking sys/mntent.h usability... no
checking sys/mntent.h presence... no
checking for sys/mntent.h... no
checking mntent.h usability... no
checking mntent.h presence... no
checking for mntent.h... no
checking fstab.h usability... yes
checking fstab.h presence... yes
checking for fstab.h... yes
checking sys/ucred.h usability... yes
checking sys/ucred.h presence... yes
checking for sys/ucred.h... yes
checking for sys/mount.h... (cached) yes
checking for setmntent... no
checking for getmntinfo... yes
checking for volmgt_running in -lvolmgt... no
checking if you need GNU extensions... no

checking if you need GNU extensions... (cached) no
checking for Linux Inotify Notification... no
checking for OpenSSL... libraries /opt/local/lib, headers /opt/local/include
checking whether OpenSSL uses rsaref... no
checking for easter eggs... none found
checking for OpenSSL version... ok
checking for setgroups with short argument... no
checking arpa/nameser8_compat.h usability... no
checking arpa/nameser8_compat.h presence... no
checking for arpa/nameser8_compat.h... no
checking arpa/nameser_compat.h usability... yes
checking arpa/nameser_compat.h presence... yes
checking for arpa/nameser_compat.h... yes
checking for sys/param.h... (cached) yes
checking for setfsent... yes
checking whether to enable GSSAPI support... Apple framework
checking ieee754.h usability... no
checking ieee754.h presence... no
checking for ieee754.h... no
checking float.h usability... yes
checking float.h presence... yes
checking for float.h... yes
checking for finite in -lm... yes
checking for _finite in -lm... no

checking for isnan with <math.h>... yes
checking for isinf with <math.h>... yes
checking for pcre-config... /opt/local/bin/pcre-config
checking for new_aspell_config in -laspell... yes
checking aspell.h usability... yes
checking aspell.h presence... yes
checking for aspell.h... yes
checking for hspell_check_word in -lhspell... no
checking hspell.h usability... no
checking hspell.h presence... no
checking for hspell.h... no
checking for sys/soundcard.h... (cached) no
checking machine/soundcard.h usability... no
checking machine/soundcard.h presence... no
checking for machine/soundcard.h... no
checking linux/awe_voice.h usability... no
checking linux/awe_voice.h presence... no
checking for linux/awe_voice.h... no
checking awe_voice.h usability... no
checking awe_voice.h presence... no
checking for awe_voice.h... no
checking /usr/src/sys/i386/isa/sound/awe_voice.h usability... no
checking /usr/src/sys/i386/isa/sound/awe_voice.h presence... no
checking for /usr/src/sys/i386/isa/sound/awe_voice.h... no

checking /usr/src/sys/gnu/i386/isa/sound/awe_voice.h usability... no
checking /usr/src/sys/gnu/i386/isa/sound/awe_voice.h presence... no
checking for /usr/src/sys/gnu/i386/isa/sound/awe_voice.h... no
checking sys/asoundlib.h usability... no
checking sys/asoundlib.h presence... no
checking for sys/asoundlib.h... no
checking alsa/asoundlib.h usability... no
checking alsa/asoundlib.h presence... no
checking for alsa/asoundlib.h... no
checking if dcop should be compiled... yes
checking if libltdl should be compiled... yes
checking if kdefx should be compiled... yes
checking if kdecop should be compiled... yes
checking if kunittest should be compiled... yes
checking if kdeui should be compiled... yes
checking if kdesu should be compiled... yes
checking if kjs should be compiled... yes
checking if kwallet should be compiled... yes
checking if kio should be compiled... yes
checking if pics should be compiled... yes
checking if mimetypes should be compiled... yes
checking if licenses should be compiled... yes
checking if libkscreensaver should be compiled... yes
checking if libkmid should be compiled... yes

checking if kstyles should be compiled... yes
checking if kparts should be compiled... yes
checking if knewstuff should be compiled... yes
checking if kioslave should be compiled... yes
checking if kinit should be compiled... yes
checking if kimgio should be compiled... yes
checking if kdeprint should be compiled... yes
checking if kded should be compiled... yes
checking if kconf_update should be compiled... yes
checking if kcert should be compiled... yes
checking if kutils should be compiled... yes
checking if kresources should be compiled... yes
checking if kab should be compiled... yes
checking if kabc should be compiled... yes
checking if kdoctools should be compiled... yes
checking if dnssd should be compiled... yes
checking if arts should be compiled... yes
checking if kspell2 should be compiled... yes
checking if kmdi should be compiled... yes
checking if khtml should be compiled... yes
checking if kcmshell should be compiled... yes
checking if interfaces should be compiled... yes
checking if doc should be compiled... yes
checking if kdewidgets should be compiled... yes

```
checking if kate should be compiled... yes
configure: creating ./config.status
wrong input (flag != 4) at admin/conf.change.pl line 117, <> line 1949.
config.status: creating Makefile
config.status: creating arts/Makefile
config.status: creating arts/kde/Makefile
config.status: creating arts/kde/mcop-dcop/Makefile
config.status: creating arts/knotify/Makefile
config.status: creating arts/message/Makefile
config.status: creating dcop/Makefile
config.status: creating dcop/KDE-ICE/Makefile
config.status: creating dcop/client/Makefile
config.status: creating dcop/dcopidl/Makefile
config.status: creating dcop/dcopidl2cpp/Makefile
config.status: creating dcop/dcopidlng/Makefile
config.status: creating dcop/tests/Makefile
config.status: creating dnssd/Makefile
config.status: creating doc/Makefile
config.status: creating doc/common/Makefile
config.status: creating doc/kdelibs/Makefile
config.status: creating doc/kspell/Makefile
config.status: creating interfaces/Makefile
config.status: creating interfaces/khexedit/Makefile
config.status: creating interfaces/kimproxy/Makefile
```

config.status: creating interfaces/kimproxy/interface/Makefile
config.status: creating interfaces/kimproxy/library/Makefile
config.status: creating interfaces/kimproxy/library/icons/Makefile
config.status: creating interfaces/kio/Makefile
config.status: creating interfaces/kmediaplayer/Makefile
config.status: creating interfaces/kmediaplayer/kfileaudiopreview/Makefile
config.status: creating interfaces/kregexpeditor/Makefile
config.status: creating interfaces/kscript/Makefile
config.status: creating interfaces/kscript/sample/Makefile
config.status: creating interfaces/kspeech/Makefile
config.status: creating interfaces/ktexteditor/Makefile
config.status: creating interfaces/terminal/Makefile
config.status: creating interfaces/terminal/test/Makefile
config.status: creating kab/Makefile
config.status: creating kabc/Makefile
config.status: creating kabc/formats/Makefile
config.status: creating kabc/plugins/Makefile
config.status: creating kabc/plugins/dir/Makefile
config.status: creating kabc/plugins/evolution/Makefile
config.status: creating kabc/plugins/file/Makefile
config.status: creating kabc/plugins/ldapkio/Makefile
config.status: creating kabc/plugins/net/Makefile
config.status: creating kabc/plugins/sql/Makefile
config.status: creating kabc/scripts/Makefile

config.status: creating kabc/tests/Makefile
config.status: creating kabc/vcard/Makefile
config.status: creating kabc/vcardparser/Makefile
config.status: creating kate/Makefile
config.status: creating kate/data/Makefile
config.status: creating kate/interfaces/Makefile
config.status: creating kate/part/Makefile
config.status: creating kate/plugins/Makefile
config.status: creating kate/plugins/autobookmarker/Makefile
config.status: creating kate/plugins/insertfile/Makefile
config.status: creating kate/plugins/isearch/Makefile
config.status: creating kate/plugins/kdatatool/Makefile
config.status: creating kate/plugins/wordcompletion/Makefile
config.status: creating kate/scripts/Makefile
config.status: creating kcert/Makefile
config.status: creating kcmshell/Makefile
config.status: creating kconf_update/Makefile
config.status: creating kdecore/Makefile
config.status: creating kdecore/kconfig_compiler/Makefile
config.status: creating kdecore/kconfig_compiler/example/Makefile
config.status: creating kdecore/kconfig_compiler/tests/Makefile
config.status: creating kdecore/malloc/Makefile
config.status: creating kdecore/network/Makefile
config.status: creating kdecore/svgicons/Makefile

config.status: creating kdec core/tests/Makefile
config.status: creating kded/Makefile
config.status: creating kded/test/Makefile
config.status: creating kdefx/Makefile
config.status: creating kdeprint/Makefile
config.status: creating kdeprint/cups/Makefile
config.status: creating kdeprint/cups/cupsdconf2/Makefile
config.status: creating kdeprint/ext/Makefile
config.status: creating kdeprint/filters/Makefile
config.status: creating kdeprint/foomatic/Makefile
config.status: creating kdeprint/lpd/Makefile
config.status: creating kdeprint/lpdunix/Makefile
config.status: creating kdeprint/lpr/Makefile
config.status: creating kdeprint/management/Makefile
config.status: creating kdeprint/pics/Makefile
config.status: creating kdeprint/rlpr/Makefile
config.status: creating kdeprint/tests/Makefile
config.status: creating kdeprint/tools/Makefile
config.status: creating kdeprint/tools/escputil/Makefile
config.status: creating kdesu/Makefile
config.status: creating kdeui/Makefile
config.status: creating kdeui/about/Makefile
config.status: creating kdeui/colors/Makefile
config.status: creating kdeui/kdetrayproxy/Makefile

config.status: creating kdeui/tests/Makefile
config.status: creating kdewidgets/Makefile
config.status: creating kdewidgets/pics/Makefile
config.status: creating kdewidgets/tests/Makefile
config.status: creating kdoctools/Makefile
config.status: creating khtml/Makefile
config.status: creating khtml/css/Makefile
config.status: creating khtml/dom/Makefile
config.status: creating khtml/ecma/Makefile
config.status: creating khtml/html/Makefile
config.status: creating khtml/java/Makefile
config.status: creating khtml/java/dummy/Makefile
config.status: creating khtml/java/tests/Makefile
config.status: creating khtml/kmultipart/Makefile
config.status: creating khtml/misc/Makefile
config.status: creating khtml/pics/Makefile
config.status: creating khtml/rendering/Makefile
config.status: creating khtml/xml/Makefile
config.status: creating kimgio/Makefile
config.status: creating kinit/Makefile
config.status: creating kinit/tests/Makefile
config.status: creating kio/Makefile
config.status: creating kio/bookmarks/Makefile
config.status: creating kio/httpfilter/Makefile

config.status: creating kio/kfile/Makefile
config.status: creating kio/kfile/tests/Makefile
config.status: creating kio/kio/Makefile
config.status: creating kio/kioexec/Makefile
config.status: creating kio/kpasswdserver/Makefile
config.status: creating kio/kssl/Makefile
config.status: creating kio/kssl/kssl/Makefile
config.status: creating kio/kssl/kssl/caroot/Makefile
config.status: creating kio/misc/Makefile
config.status: creating kio/misc/kdesasl/Makefile
config.status: creating kio/misc/kfile/Makefile
config.status: creating kio/misc/kntlm/Makefile
config.status: creating kio/misc/kpac/Makefile
config.status: creating kio/misc/ksendbugmail/Makefile
config.status: creating kio/misc/kssld/Makefile
config.status: creating kio/misc/kwalletd/Makefile
config.status: creating kio/pics/Makefile
config.status: creating kio/tests/Makefile
config.status: creating kioslave/Makefile
config.status: creating kioslave/bzip2/Makefile
config.status: creating kioslave/file/Makefile
config.status: creating kioslave/ftp/Makefile
config.status: creating kioslave/gzip/Makefile
config.status: creating kioslave/http/Makefile

config.status: creating kioslave/http/kcookiejar/Makefile
config.status: creating kioslave/http/kcookiejar/tests/Makefile
config.status: creating kioslave/metainfo/Makefile
config.status: creating kjs/Makefile
config.status: creating kmdi/Makefile
config.status: creating kmdi/kmdi/Makefile
config.status: creating kmdi/test/Makefile
config.status: creating knewstuff/Makefile
config.status: creating kparts/Makefile
config.status: creating kparts/tests/Makefile
config.status: creating kresources/Makefile
config.status: creating kspell2/Makefile
config.status: creating kspell2/plugins/Makefile
config.status: creating kspell2/plugins/aspell/Makefile
config.status: creating kspell2/plugins/hspell/Makefile
config.status: creating kspell2/plugins/ispell/Makefile
config.status: creating kspell2/tests/Makefile
config.status: creating kspell2/ui/Makefile
config.status: creating kstyles/Makefile
config.status: creating kstyles/highcolor/Makefile
config.status: creating kstyles/highcontrast/Makefile
config.status: creating kstyles/highcontrast/config/Makefile
config.status: creating kstyles/keramik/Makefile
config.status: creating kstyles/klegacy/Makefile

config.status: creating kstyles/kthemestyle/Makefile
config.status: creating kstyles/light/Makefile
config.status: creating kstyles/plastik/Makefile
config.status: creating kstyles/plastik/config/Makefile
config.status: creating kstyles/riscos/Makefile
config.status: creating kstyles/themes/Makefile
config.status: creating kstyles/utils/Makefile
config.status: creating kstyles/utils/installtheme/Makefile
config.status: creating kstyles/web/Makefile
config.status: creating kunittest/Makefile
config.status: creating kutils/Makefile
config.status: creating kutils/ksettings/Makefile
config.status: creating kutils/tests/Makefile
config.status: creating kwallet/Makefile
config.status: creating kwallet/backend/Makefile
config.status: creating kwallet/backend/tests/Makefile
config.status: creating kwallet/client/Makefile
config.status: creating kwallet/tests/Makefile
config.status: creating libkmid/Makefile
config.status: creating libkmid/tests/Makefile
config.status: creating libkscreensaver/Makefile
config.status: creating libltdl/Makefile
config.status: creating licenses/Makefile
config.status: creating mimetypes/Makefile

```
config.status: creating mimetypes/application/Makefile
config.status: creating mimetypes/audio/Makefile
config.status: creating mimetypes/image/Makefile
config.status: creating mimetypes/inode/Makefile
config.status: creating mimetypes/message/Makefile
config.status: creating mimetypes/model/Makefile
config.status: creating mimetypes/multipart/Makefile
config.status: creating mimetypes/text/Makefile
config.status: creating mimetypes/uri/Makefile
config.status: creating mimetypes/video/Makefile
config.status: creating pics/Makefile
config.status: creating pics/crystalsvg/Makefile
config.status: creating pics/emoticons/Makefile
config.status: creating pics/hicolor/Makefile
config.status: creating kdecop/kde-config.cpp
config.status: WARNING: 'kdecop/kde-config.cpp.in' seems to ignore the --datarootdir setting
config.status: creating kdoc/tools/checkXML
config.status: creating khtml/java/kjava.policy
config.status: creating config.h
config.status: creating dcop/dcop-path.h
config.status: creating kdecop/kdemacros.h
config.status: creating kio/kssl/ksslconfig.h
config.status: creating kjs/global.h
```

config.status: executing depfiles commands

configure: WARNING: unrecognized options: --with-ldap, --with-xinerama, --with-pam

The development package of Hspell is not installed, I couldn't find hspell.h.

Spell-checking Hebrew with libhspell will not be available.

If you need it, install hspell >= 0.9 from sources

see <http://www.ivrix.org.il/projects/spell-checker/>

or from packages your distribution provides.

Your ld doesn't support unversioned version scripts.

KDE will continue to build and run just fine, but you might experience a small performance penalty.

If you're running Linux, your binutils are probably too old.

If you're running non-linux your platform might simply not support it.

libacl was not found. Without that library, you will not be able to manage access control lists on file systems that support them, such as ext3 or reiserfs.

You can download it from ftp://oss.sgi.com/projects/xfstools/cmd_tars/
(you will need attr too)


```
perl -pi -e 's/-Xlinker -framework -Xlinker /-Wl,-framework,/g' Makefile
perl -pi -e 's/-framework /-Wl,-framework,/g' Makefile
perl -pi -e 's/-weak_framework /-Wl,-weak_framework,/g' Makefile
```

```
./build-helper.sh make          kdelibs3 3.5.10 16 unermake $UNSERMAKEFLAGS
01% 01% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/dcop/dcopidl/main.cpp
01% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/dcopidl/yacc.cc
creating ./dcop/dcopclient.moc
01% creating ./kdefx/kstyle.moc
01% creating ./kdecore/network/kresolver.moc
01% creating ./kdecore/network/kreverseresolver.moc
01% creating ./kdecore/network/kclientsocketbase.moc
01% creating ./kdecore/network/kstreamssocket.moc
01% creating ./kdecore/network/kserversocket.moc
01% creating ./kdecore/network/kdatagramsocket.moc
01% creating ./kdecore/network/kbufferedssocket.moc
01% creating ./kdecore/network/ksrvresolverworker_p.moc
01% creating ./kdeui/kshortcutdialog_simple.h
```

```
01% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/dcopidl/scanner.cc
01% creating ./kdeui/kshortcutdialog_advanced.h
01% creating ./kdeui/kspellui.h
01% creating ./kdecore/kapplication.moc
01% creating ./kdecore/kconfigbase.moc
01% creating ./kdecore/kconfig.moc
01% creating ./kdecore/ksimpleconfig.moc
01% creating ./kdecore/kmanagerselection.moc
01% creating ./kdecore/kdesktopfile.moc
02% creating ./kdecore/ksock.moc
02% creating ./kdecore/kprocess.moc
02% creating ./kdecore/kprocctrl.moc
02% creating ./kdecore/kiconloader_p.moc
02% creating ./kdecore/kwinmodule.moc
02% creating ./kdecore/kshortcutmenu.moc
02% creating ./kdecore/kaccel.moc
02% creating ./kdecore/kaccelprivate.moc
02% creating ./kdecore/kglobalaccel_x11.moc
02% creating ./kdecore/kglobalaccel.moc
02% creating ./kdecore/klibloader.moc
02% creating ./kdecore/kuniqueapplication.moc
02% creating ./kdecore/kaccelmanager_private.moc
```

```
02% creating ./kdecore/kcompletion.moc
02% creating ./kdecore/kaudioplayer.moc
02% creating ./kdecore/ksockaddr.moc
02% creating ./kdecore/kextsock.moc
02% creating ./kdecore/kprocio.moc
02% creating ./kdecore/kbufferedio.moc
02% creating ./kdecore/ksycoca.moc
02% creating ./kdecore/kxmessages.moc
02% creating ./kdecore/kstartupinfo.moc
03% creating ./kdecore/kasyncio.moc
03% creating ./kdecore/kmultipledrag.moc
03% creating ./kdecore/kclipboard.moc
03% creating ./kdecore/kcheckaccelerators.moc
03% creating ./kdecore/kconfigdialogmanager.moc
03% creating ./kio/kssl/keygenwizard.h
03% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/dcopidl2cpp/main.cpp
scanner.cc:966:5: warning: "YY_STACK_USED" is not defined
scanner.cc:2200:5: warning: "YY_ALWAYS_INTERACTIVE" is not defined
scanner.cc:2494:5: warning: "YY_MAIN" is not defined
scanner.cc:2467: warning: 'void* yy_flex_realloc(void*, yy_size_t)' defined but
not used
03% 03% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
```

```
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/dcop/dcopidl2cpp/skel.cpp
linking ./dcop/dcopidl/dcopidl
03% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/dcopidl2cpp/stub.cpp
03% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/dcopidl2cpp/stubimpl.cpp
mkdir ./dcop/dcopidl/.libs
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DYYDEBUG -DQT_THREAD_SUPPORT -I/usr/incl
ude/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-c
pp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs
-o ./dcop/dcopidl/dcopidl ./dcop/dcopidl/main.o ./dcop/dcopidl/yacc.o ./dcop/dco
pidl/scanner.o -Wl,-bind_at_load -L/opt/local/lib/qt3/lib -L/opt/local/lib /opt
/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt
/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcu
rsor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/loc
al/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/
libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib
/opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.
```

```
dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread
03% creating ./kdecore/ksycoca.kidl
03% creating ./kdecore/kappdcopiface.kidl
03% creating ./kdecore/kdebugdcopiface.kidl
03% creating ./kio/kio/observer.kidl
03% creating ./kio/kio/uiserver.kidl
03% creating ./kio/kssl/keygenwizard2.h
03% creating ./kio/kfile/kpropertiesdesktopbase.h
03% creating ./kio/kfile/kpropertiesdesktopadvbase.h
03% creating ./kio/kfile/kpropertiesmimetypebase.h
03% creating ./kio/kfile/knotifywidgetbase.h
03% creating ./kdeui/kmainwindowiface.kidl
04% creating ./kwallet/client/kwallet.kidl
04% creating ./kio/kio/kdirnotify.kidl
04% creating ./kio/bookmarks/kbookmarkmanager.kidl
04% creating ./kio/bookmarks/kbookmarknotifier.kidl
04% creating ./kdeui/qxembed.moc
04% creating ./kdeui/ksharedpixmap.moc
04% creating ./kdeui/kpopupmenu.moc
04% creating ./kdeui/ktoolbar.moc
04% 04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/dcop/KDE-ICE/accept.c
creating ./kdeui/kaction.moc
```

```
04% creating ./kdeui/kactioncollection.moc
04% 04% creating ./kdeui/kactionclasses.moc
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop
/KDE-ICE/authutil.c
04% linking ./dcop/dcopidl2cpp/dcopidl2cpp
04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/connect.c
04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/error.c
04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/getauth.c
04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/iceauth.c
04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/listen.c
04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/listenwk.c
```

04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/locking.c

04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/misc.c

04% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/ping.c

05% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/process.c

05% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/protosetup.c

05% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/register.c

05% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/replywait.c

05% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/setauth.c

```
mkdir ./dcop/dcopidl2cpp/.libs
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/
dcopidl2cpp/dcopidl2cpp ./dcop/dcopidl2cpp/main.o ./dcop/dcopidl2cpp/skel.o ./dc
op/dcopidl2cpp/stub.o ./dcop/dcopidl2cpp/stubimpl.o -Wl,-bind_at_load -L/opt/lo
cal/lib/qt3/lib -L/opt/local/lib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv
-lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/
libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib
/opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/lib
fontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lz -lm /opt/local/lib/libXe
xt.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/
libXdmcp.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local
/lib/libICE.dylib -lpthread
05% creating ./kdecore/ksycoca_skel.cpp
05% creating ./kdecore/kappdcopiface_skel.cpp
05% creating ./kdecore/kdebugdcopiface_skel.cpp
05% creating ./kio/kio/observer_stub.h
05% creating ./kio/kio/uiserver_stub.h
05% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```



```
dcop/KDE-ICE/shutdown.c
05% creating ./kdeui/kurllabel.moc
05% creating ./kdeui/kmenubar.moc
05% creating ./kdeui/kinputdialog.moc
05% creating ./kdeui/knuminput.moc
05% creating ./kdeui/klineedit.moc
05% creating ./kdeui/klistviewlineedit.moc
05% creating ./kdeui/klistview.moc
05% creating ./kdeui/kprogress.moc
05% creating ./kdeui/kcolordialog.moc
05% creating ./kdeui/kselect.moc
05% creating ./kdeui/kdatepicker.moc
06% 06% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/dcop/KDE-ICE/watch.c
creating ./kdeui/kdatetbl.moc
06% creating ./kdeui/kfontrequester.moc
06% creating ./kdeui/kfontdialog.moc
06% creating ./kdeui/ktabctl.moc
06% creating ./kdeui/kstatusbar.moc
06% creating ./kdeui/kmainwindow.moc
06% creating ./kdeui/keditlistbox.moc
06% creating ./kdeui/kscrollview.moc
06% creating ./kdeui/kseparator.moc
```

```
06% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/transport.c
06% creating ./kdeui/krestrictedline.moc
06% creating ./kdeui/kcolorbutton.moc
06% creating ./kdeui/kdockwindow.moc
06% creating ./kdeui/kssystemtray.moc
06% creating ./kdeui/kbuttonbox.moc
06% creating ./kdeui/keditcl.moc
06% creating ./kdeui/kled.moc
06% creating ./kdeui/kshortcutdialog.moc
06% creating ./kdeui/kkeybutton.moc
06% creating ./kdeui/kkeydialog.moc
06% creating ./kdeui/kruler.moc
07% creating ./kdeui/kcursor_private.moc
07% creating ./kdeui/klineeditdlg.moc
07% creating ./kdeui/kcharselect.moc
07% creating ./kdeui/kcolordrag.moc
07% creating ./kdeui/knumvalidator.moc
07% creating ./kdeui/kdialog.moc
07% creating ./kdeui/kdialogbase_priv.moc
07% creating ./kdeui/kdialogbase.moc
07% creating ./kdeui/kjanuswidget.moc
07% creating ./kdeui/kaboutdialog_private.moc
```

07% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/KDE-ICE/globals.c

07% creating ./kdeui/kaboutdialog.moc

07% creating ./kdeui/kauthicon.moc

07% creating ./kdeui/kdualcolorbutton.moc

07% creating ./kdeui/ktoolbarradiogroup.moc

07% creating ./kdeui/ktoolbarbutton.moc

07% creating ./kdeui/ktextbrowser.moc

07% creating ./kdeui/khelpmenu.moc

07% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/dcopstub.cpp

07% creating ./kdeui/kswitchlanguagedialog.moc

07% creating ./kdeui/kcmenumngr.moc

07% creating ./kdeui/kpanelmenu.moc

07% creating ./kdeui/kiconview.moc

08% creating ./kdeui/klistbox.moc

08% creating ./kdeui/kbugreport.moc

08% creating ./kdeui/kcombobox.moc

08% creating ./kdeui/kpassdlg.moc

08% creating ./kdeui/kxmlguifactory.moc

08% creating ./kdeui/kedittoolbar.moc

08% creating ./kdeui/kpanelappmenu.moc

```
08% creating ./kdeui/kdockwidget.moc
08% creating ./kdeui/kdockwidget_private.moc
08% creating ./kdeui/kanimwidget.moc
08% creating ./kdeui/krootpixmap.moc
08% creating ./kdeui/kpanelapplet.moc
08% creating ./kdeui/kcolorcombo.moc
08% creating ./kdeui/kpushbutton.moc
08% creating ./kdeui/kpanelextension.moc
08% creating ./kdeui/kcompletionbox.moc
08% creating ./kdeui/ksqueezedtextlabel.moc
```

```
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/transport.c:65:
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtranssock.c: In function 'set_sun_path':
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtranssock.c:730: warning: incompatible implicit declaration of built-in function 'strlen'
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtranssock.c:734: warning: incompatible implicit declaration of built-in function 'strlen'
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c: In function ‘_kde_IceTransSocketUNIXCreateListener’:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c:949: warning: incompatible implicit declaration of built-in function
‘strlen’
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c:985: warning: incompatible implicit declaration of built-in function
‘memcpy’
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c: In function ‘_kde_IceTransSocketUNIXAccept’:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c:1197: warning: incompatible implicit declaration of built-in functio
n ‘memcpy’
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c: In function ‘_kde_IceTransSocketUNIXConnect’:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c:1579: warning: incompatible implicit declaration of built-in functio
```

n 'strlen'

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c:1665: warning: incompatible implicit declaration of built-in function
n 'memcpy'

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c: In function '_kde_IceTransSocketUNIXClose':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
transsock.c:1795: warning: incompatible implicit declaration of built-in function
n 'strncpy'

In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/dcop/KDE-ICE/transport.c:67:

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
trans.c: In function '_kde_IceTransSelectTransport':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X
trans.c:178: warning: incompatible implicit declaration of built-in function 'st
rncpy'

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X

```
trans.c: In function ‘_kde_IceTransParseAddress’:  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c:224: warning: incompatible implicit declaration of built-in function ‘st  
rlen’  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c:225: warning: incompatible implicit declaration of built-in function ‘st  
rcpy’  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c:234: warning: incompatible implicit declaration of built-in function ‘st  
rchr’  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c:235: warning: incompatible implicit declaration of built-in function ‘st  
rrchr’  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c: In function ‘_kde_IceTransGetMyAddr’:  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c:929: warning: incompatible implicit declaration of built-in function ‘me  
mcpy’
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c: In function ‘_kde_IceTransGetPeerAddr’:
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c:949: warning: incompatible implicit declaration of built-in function ‘me  
mcpy’
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c: In function ‘_kde_IceTransGetHostname’:
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
trans.c:1340: warning: incompatible implicit declaration of built-in function ‘s  
trlen’
```

```
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour  
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs  
-3.5.10/dcop/KDE-ICE/transport.c:68:
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
transutil.c: In function ‘_kde_IceTransGetMyNetworkId’:
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/X  
transutil.c:238: warning: incompatible implicit declaration of built-in function  
‘strlen’
```



```
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/transport.c:68:  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtransutil.c: In function ‘_kde_IceTransGetPeerNetworkId’:  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtransutil.c:409: warning: incompatible implicit declaration of built-in function ‘strlen’  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtransutil.c:411: warning: incompatible implicit declaration of built-in function ‘strcpy’  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtransutil.c:412: warning: incompatible implicit declaration of built-in function ‘strcat’  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtransutil.c: In function ‘is_numeric’:  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/KDE-ICE/Xtransutil.c:443: warning: incompatible implicit declaration of built-in function
```

```
'strlen'  
08% creating ./kdeui/kcmodule.moc  
08% creating ./kdeui/kcommand.moc  
08% 08% creating ./kdeui/kwindowlistmenu.moc  
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop  
/dcopref.cpp  
08% linking ./dcop/KDE-ICE/libkICE.la  
09% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
dcop/dcopobject.cpp  
ar cru ./dcop/KDE-ICE/.libs/libkICE.a ./dcop/KDE-ICE/.libs/accept.o ./dcop/KDE-I  
CE/.libs/authutil.o ./dcop/KDE-ICE/.libs/connect.o ./dcop/KDE-ICE/.libs/error.o  
./dcop/KDE-ICE/.libs/getauth.o ./dcop/KDE-ICE/.libs/iceauth.o ./dcop/KDE-ICE/.li  
bs/listen.o ./dcop/KDE-ICE/.libs/listenwk.o ./dcop/KDE-ICE/.libs/locking.o ./dco  
p/KDE-ICE/.libs/misc.o ./dcop/KDE-ICE/.libs/ping.o ./dcop/KDE-ICE/.libs/process.  
o ./dcop/KDE-ICE/.libs/protosetup.o ./dcop/KDE-ICE/.libs/register.o ./dcop/KDE-I  
CE/.libs/replywait.o ./dcop/KDE-ICE/.libs/setauth.o ./dcop/KDE-ICE/.libs/shutdow  
n.o ./dcop/KDE-ICE/.libs/watch.o ./dcop/KDE-ICE/.libs/transport.o ./dcop/KDE-ICE  
/.libs/globals.o  
ranlib ./dcop/KDE-ICE/.libs/libkICE.a  
creating ./dcop/KDE-ICE/libkICE.la  
(cd ./dcop/KDE-ICE/.libs && rm -f libkICE.la && ln -s ../libkICE.la libkICE.la)  
09% 09% creating ./kdeui/kfontcombo.moc
```

compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libl
tdl/ltdl.c

09% creating ./kdeui/ktip.moc
09% creating ./kdeui/kdatewidget.moc
09% creating ./kdeui/karrowbutton.moc
09% creating ./kdeui/kstringvalidator.moc
09% creating ./kdeui/kactivelabel.moc
09% creating ./kdeui/kwindowinfo.moc
09% creating ./kdeui/ktextedit.moc
09% creating ./kdeui/kwizard.moc
09% creating ./kdeui/kpassivepopup.moc
09% creating ./kdeui/ktoolbarhandler.moc
09% creating ./kdeui/kdatetimewidget.moc
09% creating ./kdeui/ktimewidget.moc
09% creating ./kdeui/ktimezonewidget.moc
09% creating ./kdeui/ksconfig.moc
09% creating ./kdeui/kspelldlg.moc
09% creating ./kdeui/kspell.moc
09% creating ./kdeui/ksyntaxhighlighter.moc
09% creating ./kdeui/ktabbar.moc
09% creating ./kdeui/ktabwidget.moc
10% creating ./kdeui/ksplashscreen.moc
10% creating ./kdeui/kconfigdialog.moc

10% creating ./kdeui/kactionselector.moc
10% creating ./kdeui/klanguagebutton.moc
10% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdefx/kpixmap.cpp
10% creating ./kdeui/klistviewsearchline.moc
10% creating ./kdeui/kpixmapregionselectorwidget.moc
10% creating ./kdeui/kwhatsthismanager_p.moc
10% creating ./kdeui/kiconviewsearchline.moc
10% creating ./kwallet/client/kwallet.moc
10% creating ./kio/kssl/ksslinfoDlg.moc
10% creating ./kio/kssl/ksslcertdlg.moc
10% creating ./kio/kssl/ksslkeygen.moc
10% creating ./kio/kio/kshred.moc
10% creating ./kio/kio/slave.moc
10% creating ./kio/kio/slaveinterface.moc
10% creating ./kio/kio/sessiondata.moc
10% creating ./kio/kio/scheduler.moc
10% creating ./kio/kio/connection.moc
10% creating ./kio/kio/jobclasses.moc
10% creating ./kio/kio/slaveconfig.moc
10% creating ./kio/kio/netaccess.moc
10% creating ./kio/kio/pastedialog.moc
11% creating ./kio/kio/passdlg.moc

11% creating ./kio/kio/forwardingslavebase.moc
11% creating ./kio/kio/progressbase.moc
11% creating ./kio/kio/defaultprogress.moc
11% creating ./kio/kio/statusbarprogress.moc
11% creating ./kio/kio/observer.moc
11% creating ./kio/kio/renamedlg.moc
11% 11% creating ./kio/kio/skipdlg.moc
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdef
x/kpixmapsplitter.cpp
11% creating ./kio/kio/kmimetypechooser.moc
11% creating ./kio/kio/kdirwatch_p.moc
11% creating ./kio/kio/kdirwatch.moc
11% creating ./kio/kio/kfileshare.moc
11% creating ./kio/kio/ksambashare.moc
11% creating ./kio/kio/knfsshare.moc
11% creating ./kio/kio/ktrader.moc
11% creating ./kio/kio/kmimetyperesolver.moc
11% creating ./kio/kio/kservice_p.moc
11% creating ./kio/kio/kurifilter.moc
11% creating ./kio/kio/kfilterbase.moc
11% creating ./kio/kio/kshellcompletion.moc
11% creating ./kio/kio/kurlcompletion.moc
12% creating ./kio/kio/kautomount.moc

12% creating ./kio/kio/krun.moc
12% 12% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_ rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5 .10/kdefx/kpixmapeffect.cpp
creating ./kio/kio/kdirliester.moc
12% creating ./kio/kio/kdirliester_p.moc
12% creating ./kio/kio/chmodjob.moc
12% 12% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_ rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5 .10/kdefx/kimageeffect.cpp
creating ./kio/kio/kscan.moc
12% creating ./kio/kio/previewjob.moc
12% creating ./kio/kio/metainfojob.moc
12% creating ./kio/kio/davjob.moc
12% creating ./kio/kio/kdatatool.moc
12% creating ./kio/kio/kfilemetainfo.moc
12% creating ./kio/kio/dataslave.moc
12% creating ./kio/bookmarks/kbookmarkbar.moc
12% creating ./kio/bookmarks/kbookmarkimporter.moc
12% creating ./kio/bookmarks/kbookmarkmanager.moc
12% creating ./kio/bookmarks/kbookmarkmenu.moc
12% creating ./kio/bookmarks/kbookmarkmenu_p.moc
12% creating ./kio/bookmarks/kbookmarkimporter_crash.moc
12% creating ./kio/bookmarks/kbookmarkimporter_opera.moc

12% creating ./kio/bookmarks/kbookmarkimporter_ie.moc
13% creating ./kio/bookmarks/kbookmarkimporter_ns.moc
13% creating ./kio/bookmarks/kbookmarkdombuilder.moc
13% creating ./kio/kfile/kfilefiltercombo.moc
13% creating ./kio/kfile/kfileview.moc
13% creating ./kio/kfile/kfileiconview.moc
13% creating ./kio/kfile/kfiledialog.moc
13% creating ./kio/kfile/kdiroperator.moc
13% creating ./kio/kfile/kfiledetailview.moc
13% creating ./kio/kfile/kcombiview.moc
13% creating ./kio/kfile/kurlrequester.moc
13% creating ./kio/kfile/kfilepreview.moc
13% creating ./kio/kfile/kurlcombobox.moc
13% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kdrawutil.cpp
13% creating ./kio/kfile/kurlrequesterdlg.moc
13% creating ./kio/kfile/kopenwith.moc
13% creating ./kio/kfile/kopenwith_p.moc
13% creating ./kio/kfile/kpropertiesdialog.moc
13% creating ./kio/kfile/kicondialog.moc
13% creating ./kio/kfile/kdirsizen.moc
13% creating ./kio/kfile/kdiskfreesp.moc
13% creating ./kio/kfile/kimagefilepreview.moc

13% creating ./kio/kfile/kfilesharedlg.moc
13% creating ./kio/kfile/kurlbar.moc
14% creating ./kio/kfile/kmetaprops.moc
14% creating ./kio/kfile/kpreviewprops.moc
14% creating ./kio/kfile/kfiletreeview.moc
14% creating ./kio/kfile/kfiletreebranch.moc
14% creating ./kio/kfile/kdirselectdialog.moc
14% creating ./kio/kfile/kfilebookmarkhandler.moc
14% creating ./kio/kfile/kfilemetainfowidget.moc
14% creating ./kio/kfile/kcustommenueditor.moc
14% creating ./kio/kfile/knotifydialog.moc
14% creating ./kio/kfile/kfilespeedbar.moc
14% creating ./kio/kfile/kpreviewwidgetbase.moc
14% creating ./kio/kfile/kfilemetapreview.moc
14% creating ./kio/kfile/kencodingfiledialog.moc
14% creating ./kio/kfile/kacleditwidget.moc
14% creating ./kio/kfile/kacleditwidget_p.moc
14% creating ./kdeui/kshortcutdialog_simple.moc
14% creating ./kdeui/kshortcutdialog_simple.cpp
14% creating ./kdeui/kshortcutdialog_advanced.moc
14% creating ./kdeui/kshortcutdialog_advanced.cpp
14% creating ./kdeui/kspellui.moc
14% creating ./kdeui/kspellui.cpp
14% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn


```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdefx/kcpuinfo.cpp  
15% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/malloc/malloc.c  
15% creating ./kio/kssl/keygenwizard.moc  
15% creating ./kio/kssl/keygenwizard.cpp  
15% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/network/kresolvermanager.cpp  
15% creating ./kresources/manageriface.kidl  
15% creating ./kio/kssl/keygenwizard2.moc  
15% creating ./kio/kssl/keygenwizard2.cpp  
15% creating ./kio/kfile/kpropertiesdesktopbase.moc  
15% creating ./kio/kfile/kpropertiesdesktopbase.cpp  
15% creating ./kio/kfile/kpropertiesdesktopadvbase.moc  
15% creating ./kio/kfile/kpropertiesdesktopadvbase.cpp  
15% creating ./kio/kfile/kpropertiesmimetypebase.moc  
15% creating ./kio/kfile/kpropertiesmimetypebase.cpp  
15% creating ./kio/kfile/knotifywidgetbase.moc  
15% creating ./kio/kfile/knotifywidgetbase.cpp  
15% creating ./kdeui/kmainwindowiface_skel.cpp  
15% creating ./kwallet/client/kwallet_skel.cpp  
15% creating ./kio/kio/kdirnotify_skel.cpp
```

```
15% creating ./kio/kio/observer_skel.cpp
15% creating ./kio/bookmarks/kbookmarkmanager_skel.cpp
15% 15% creating ./kio/bookmarks/kbookmarknotifier_skel.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdec
ore/network/kresolverworkerbase.cpp
16% linking ./libltdl/libltdlc.la
ar cru ./libltdl/.libs/libltdlc.a ./libltdl/.libs/ltdl.o
ranlib ./libltdl/.libs/libltdlc.a
creating ./libltdl/libltdlc.la
(cd ./libltdl/.libs && rm -f libltdlc.la && ln -s ../libltdlc.la libltdlc.la)
16% linking ./kdecore/malloc/libklmalloc.la
16% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/network/ksocketaddress.cpp
ar cru ./kdecore/malloc/.libs/libklmalloc.a ./kdecore/malloc/.libs/malloc.o
ranlib ./kdecore/malloc/.libs/libklmalloc.a
creating ./kdecore/malloc/libklmalloc.la
(cd ./kdecore/malloc/.libs && rm -f libklmalloc.la && ln -s ../libklmalloc.la li
bklmalloc.la)
16% 16% 16% creating ./kresources/manageriface_stub.h
16% creating ./kparts/part.moc
16% creating ./kparts/plugin.moc
16% creating ./kparts/partmanager.moc
```

16% creating ./kparts/mainwindow.moc
16% creating ./kparts/dockmainwindow.moc
16% creating ./kparts/browserextension.moc
16% creating ./kparts/factory.moc
16% creating ./kparts/historyprovider.moc
16% creating ./kparts/browserinterface.moc
16% creating ./kparts/browserrun.moc
16% creating ./kparts/statusbarextension.moc
16% creating ./kresources/resource.moc
16% creating ./kresources/configwidget.moc
16% creating ./kresources/configdialog.moc
17% creating ./kresources/configpage.moc
17% creating ./kutils/ksettings/dispatcher.moc
17% creating ./kutils/ksettings/dialog.moc
17% creating ./kutils/ksettings/pluginpage.moc
17% creating ./kutils/ksettings/componentsdialog.moc
17% creating ./kdeprint/kmfactory.kidl
17% creating ./kutils/kcmoduleproxyIface.kidl
17% creating ./kabc/adresseehelper.kidl
17% creating ./kresources/manageriface_skel.cpp
17% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/kjs/date_object.cpp
17% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports

_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/keywords.table
17% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/string_object.cpp
17% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/number_object.cpp
17% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/array_object.cpp
17% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/math_object.cpp
17% creating ./kdeprint/kmfactory.moc
17% creating ./kdeprint/kmjobmanager.moc
17% creating ./kdeprint/kmmanager.moc
17% creating ./kdeprint/kmuimanager.moc
17% creating ./kdeprint/droptionview.moc
17% creating ./kdeprint/driverview.moc
18% creating ./kdeprint/kprintpreview.moc
18% creating ./kdeprint/kprintdialog.moc
18% creating ./kdeprint/kprinterimpl.moc
18% creating ./kdeprint/kprintdialogpage.moc

18% creating ./kdeprint/kpcopiespage.moc
18% creating ./kdeprint/kprinterpropertydialog.moc
18% creating ./kdeprint/kpgeneralpage.moc
18% creating ./kdeprint/kpqtpage.moc
18% creating ./kdeprint/kpfilterpage.moc
18% creating ./kdeprint/plugincombobox.moc
18% creating ./kdeprint/kfilelist.moc
18% creating ./kdeprint/kprintaction.moc
18% creating ./kdeprint/marginpreview.moc
18% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/network/kresolverstandardworkers.cpp
18% creating ./kdeprint/marginvaluwidget.moc
18% creating ./kdeprint/marginwidget.moc
18% creating ./kdeprint/messagewindow.moc
18% creating ./kdeprint/posterpreview.moc
18% creating ./kdeprint/kpposterpage.moc
18% creating ./kutils/kfind.moc
18% creating ./kutils/kfinddialog.moc
18% creating ./kutils/kreplace.moc
19% creating ./kutils/kreplacdialog.moc
19% creating ./kutils/kcmultidialog.moc
19% creating ./kutils/kmultitabbar_p.moc
19% creating ./kutils/kmultitabbar.moc

```
19% creating ./kutils/kcmoduleproxy.moc
19% creating ./kutils/kpluginselector_p.moc
19% creating ./kutils/kpluginselector.moc
19% creating ./kutils/kcmodulecontainer.moc
19% creating ./kutils/kcmoduleproxyIfaceImpl.moc
19% creating ./kabc/addressbook.moc
19% creating ./kabc/addresseedialog.moc
19% creating ./kabc/distributionlist.moc
19% creating ./kabc/distributionlistdialog.moc
19% creating ./kabc/distributionlisteditor.moc
19% creating ./kabc/resource.moc
19% creating ./kabc/resourceselectdialog.moc
19% creating ./kabc/addresslineedit.moc
19% creating ./kabc/ldapclient.moc
19% creating ./kabc/lock.moc
19% creating ./kabc/ldapconfigwidget.moc
19% creating ./kspell2/ui/kspell2ui.h
19% /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports
.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kimageef
fect.cpp:4753: warning: unused parameter 'bpp'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kimageef
fect.cpp:4753: warning: unused parameter 'has_alpha'
creating ./kspell2/ui/configui.h
```

```
20% creating ./interfaces/ktexteditor/editorchooser_ui.h
20% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/network/ksocketdevice.cpp
20% creating ./kio/misc/observer.kidl
20% creating ./interfaces/ktexteditor/editdcopinterface.kidl
20% creating ./interfaces/ktexteditor/clipboarddcopinterface.kidl
20% creating ./interfaces/ktexteditor/selectiondcopinterface.kidl
20% creating ./interfaces/ktexteditor/searchdcopinterface.kidl
20% creating ./interfaces/ktexteditor/blockselectiondcopinterface.kidl
20% creating ./interfaces/ktexteditor/documentdcopinfo.kidl
20% creating ./interfaces/ktexteditor/encodingdcopinterface.kidl
20% creating ./interfaces/ktexteditor/printdcopinterface.kidl
20% creating ./interfaces/ktexteditor/undodcopinterface.kidl
20% creating ./interfaces/ktexteditor/viewcursordcopinterface.kidl
20% creating ./interfaces/ktexteditor/viewstatusmsgdcopinterface.kidl
20% creating ./interfaces/ktexteditor/selectionextdcopinterface.kidl
20% creating ./kdeprint/kmfactory_skel.cpp
20% creating ./kutils/kcmoduleproxyIface_skel.cpp
20% creating ./kabc/adresseehelper_skel.cpp
20% creating ./kdeprint/management/kmdbcreator.moc
20% creating ./kdeprint/management/kmdriverdb.moc
20% creating ./kdeprint/management/kmdriverdbwidget.moc
20% creating ./kdeprint/management/kmiconview.moc
```

21% creating ./kdeprint/management/kmmainview.moc
21% creating ./kdeprint/management/kmprinterview.moc
21% creating ./kdeprint/management/kmjobviewer.moc
21% creating ./kdeprint/management/kmpropwidget.moc
21% creating ./kdeprint/management/kmpropcontainer.moc
21% creating ./kdeprint/management/kmpropertypage.moc
21% creating ./kdeprint/management/cjanuswidget.moc
21% creating ./kdeprint/management/kmlistview.moc
21% creating ./kdeprint/management/kminstancepage.moc
21% creating ./kdeprint/management/kmtimer.moc
21% creating ./kdeprint/management/kmwizard.moc
21% creating ./kdeprint/management/kmwizardpage.moc
21% creating ./kdeprint/management/kmwsocketutil.moc
21% creating ./kdeprint/management/kmwsocket.moc
21% creating ./kdeprint/management/kmwdriverselect.moc
21% creating ./kdeprint/management/kmwdrivertest.moc
21% creating ./kdeprint/management/kmwclass.moc
21% creating ./kdeprint/management/kmdriverdialog.moc
21% creating ./kdeprint/management/kmwsmb.moc
21% creating ./kdeprint/management/smbview.moc
21% creating ./kdeprint/management/kmconfigdialog.moc
21% creating ./kdeprint/management/kmconfigpage.moc
22% 22% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5


```
.10/kdecore/network/ksocketbase.cpp
creating ./kdeprint/management/kmconfiggeneral.moc
22% creating ./kdeprint/management/kmspecialprinterdlg.moc
22% creating ./kdeprint/management/kmwlocal.moc
22% creating ./kdeprint/management/kiconselectaction.moc
22% creating ./kdeprint/management/pluginaction.moc
22% creating ./kdeprint/management/kxmlcommanddlg.moc
22% creating ./kdeprint/management/kxmlcommandselector.moc
22% creating ./kdeprint/management/kmconfigfilter.moc
22% creating ./kdeprint/management/kmconfigfonts.moc
22% 22% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/kdecore/network/khttpproxysocketdevice.cpp
creating ./kdeprint/management/kmconfigjobs.moc
22% creating ./kdeprint/management/networkscanner.moc
22% creating ./kspell2/broker.moc
22% creating ./kspell2/client.moc
22% creating ./kspell2/backgroundchecker.moc
22% creating ./kspell2/backgroundengine.moc
22% creating ./kspell2/defaultdictionary.moc
22% creating ./kspell2/ui/configwidget.moc
22% creating ./kspell2/ui/configdialog.moc
22% creating ./khtml/kjserrordlg.h
22% creating ./khtml/htmlpageinfo.h
```

```
23% creating ./interfaces/ktexteditor/editor.moc
23% creating ./interfaces/ktexteditor/document.moc
23% creating ./interfaces/ktexteditor/view.moc
23% creating ./interfaces/ktexteditor/plugin.moc
23% creating ./interfaces/ktexteditor/configinterfaceextension.moc
23% creating ./interfaces/ktexteditor/editorchooser.moc
23% 23% creating ./khtml/xml/dom_docimpl.moc
23% creating ./khtml/xml/xml_tokenizer.moc
23% creating ./khtml/html/html_documentimpl.moc
23% creating ./khtml/html/html_objectimpl.moc
23% creating ./khtml/rendering/render_layer.moc
23% creating ./khtml/rendering/render_replaced.moc
23% creating ./khtml/rendering/render_form.moc
23% creating ./khtml/rendering/render_frames.moc
23% creating ./khtml/misc/loader.moc
23% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/khtml/ecma/kjs_dom.cpp
23% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/network/ksockssocketdevice.cpp
23% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/network/ksocketbuffer.cpp
```

```
23% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/khtml/ecma/kjs_html.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/networ
k/ksocketbuffer.cpp: In member function 'virtual Q_LONG KNetwork::Internal::KSoc
ketBuffer::consumeBuffer(char*, Q_LONG, bool)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/networ
k/ksocketbuffer.cpp:186: warning: comparison between signed and unsigned integer
expressions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/networ
k/ksocketbuffer.cpp: In member function 'virtual Q_LONG KNetwork::Internal::KSoc
ketBuffer::sendTo(KNetwork::KActiveSocketBase*, Q_LONG)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/networ
k/ksocketbuffer.cpp:252: warning: comparison between signed and unsigned integer
expressions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/networ
k/ksocketbuffer.cpp:266: warning: comparison between signed and unsigned integer
expressions
23% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/svgicons/ksvgiconengine.cpp
23% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/svgicons/ksvgiconpainter.cpp
23% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/khtml/ecma/kjs_window.cpp
24% creating ./khtml/ecma/kjs_window.moc
24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/khtml/ecma/kjs_navigator.cpp
24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/khtml/ecma/kjs_css.cpp
24% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/dcopclient.cpp
24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/khtml/ecma/kjs_range.cpp
24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/khtml/ecma/kjs_traversal.cpp

24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs_events.cpp

24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs_views.cpp

24% creating ./khtml/ecma/kjs_debugwin.moc

24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs_mozilla.cpp

24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/xmlhttprequest.cpp

24% creating ./khtml/ecma/xmlhttprequest.moc

24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/xmlserializer.cpp

24% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/domparser.cpp

24% creating ./kio/misc/uiserver.kidl

24% creating ./khtml/khtml_iface.kidl

24% creating ./kcmshell/main.kidl

24% creating ./interfaces/kimproxy/library/kimiface.kidl

24% creating ./kate/part/katedocument.kidl
24% creating ./kspell2/ui/kspell2ui.moc
24% creating ./kspell2/ui/kspell2ui.cpp
24% creating ./kspell2/ui/configui.moc
25% creating ./kspell2/ui/configui.cpp
25% creating ./interfaces/ktexteditor/editorchooser_ui.moc
25% creating ./interfaces/ktexteditor/editorchooser_ui.cpp
25% creating ./kio/misc/observer_stub.h
25% creating ./interfaces/ktexteditor/editdcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/clipboarddcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/selectiondcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/searchdcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/blockselectiondcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/documentdcopinfo_skel.cpp
25% creating ./interfaces/ktexteditor/encodingdcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/printdcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/undodcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/viewcursordcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/viewstatusmsgdcopinterface_skel.cpp
25% creating ./interfaces/ktexteditor/selectionextdcopinterface_skel.cpp
25% creating ./kunittest/runner.moc
25% creating ./kunittest/tester.moc
25% creating ./kabc/plugins/file/resourcefile.moc
25% creating ./kabc/plugins/file/resourcefileconfig.moc

25% creating ./kabc/plugins/dir/resourcedir.moc
25% creating ./kabc/plugins/dir/resourcedirconfig.moc
26% creating ./kabc/plugins/ldapkio/resourceldapkio.moc
26% creating ./kabc/plugins/ldapkio/resourceldapkioconfig.moc
26% creating ./kcmshell/main.moc
26% creating ./kate/part/katesearch.moc
26% creating ./kate/part/katebuffer.moc
26% creating ./kate/part/katedialogs.moc
26% creating ./kate/part/katedocument.moc
26% creating ./kate/part/katehighlight.moc
26% creating ./kate/part/kateview.moc
26% creating ./kate/part/kateviewhelpers.moc
26% creating ./kate/part/katecodecompletion.moc
26% creating ./kate/part/katedocumenthelpers.moc
26% creating ./kate/part/katecodefoldinghelpers.moc
26% creating ./kate/part/kateviewinternal.moc
26% creating ./kate/part/katebookmarks.moc
26% creating ./kate/part/kateprinter.moc
26% creating ./kate/part/katesupercursor.moc
26% creating ./kate/part/katearbitraryhighlight.moc
26% creating ./kate/part/kateautoindent.moc
26% creating ./kate/part/katefiletype.moc
26% creating ./kate/part/kateschema.moc
26% creating ./kate/part/katetemplatehandler.moc

26% Creating hashtable for /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/kate/part/katejscript.cpp
27% creating ./kate/part/katespell.moc
27% 27% creating ./dcop/dcopserver.moc
27% creating ./kio/misc/uisever.moc
27% creating ./kio/misc/kwalletd/kbetterthankdialogbase.h
27% creating ./kio/misc/kwalletd/kwalletwizard.h
27% creating ./kio/httpfilter/httpfilter.moc
27% creating ./knewstuff/engine.moc
27% creating ./knewstuff/downloaddialog.moc
27% creating ./knewstuff/uploaddialog.moc
27% creating ./knewstuff/providerdialog.moc
27% creating ./knewstuff/provider.moc
27% creating ./knewstuff/knewstuffbutton.moc
27% creating ./knewstuff/knewstuffsecure.moc
27% creating ./knewstuff/security.moc
27% creating ./kinit/klauncher.moc
27% creating ./kdeprint/cups/cupsdconf2/cupsddialog.moc
27% creating ./kdeprint/cups/cupsdconf2/cupsdpage.moc
27% creating ./kdeprint/cups/cupsdconf2/cupsdserverpage.moc
27% creating ./kdeprint/cups/cupsdconf2/cupsdjobpage.moc
27% creating ./kdeprint/cups/cupsdconf2/qdirlineedit.moc
27% creating ./kdeprint/cups/cupsdconf2/cupsdnetworkpage.moc

28% creating ./kdeprint/cups/cupsdconf2/editlist.moc
28% creating ./kdeprint/cups/cupsdconf2/cupsdbrowsingpage.moc
28% creating ./kdeprint/cups/cupsdconf2/browsedialog.moc
28% creating ./kdeprint/cups/cupsdconf2/cupsdsecuritypage.moc
28% creating ./kdeprint/cups/cupsdconf2/locationdialog.moc
28% creating ./kdeprint/cups/cupsdconf2/qdirmultilineedit.moc
28% creating ./kded/kded.moc
28% creating ./kded/kdedmodule.moc
28% creating ./kded/kbuildsycoca.moc
28% creating ./kded/vfolder_menu.moc
28% creating ./kab/kabapi.moc
28% creating ./kab/addressbook.moc
28% creating ./kab/qconfigDB.moc
28% creating ./kspell2/ui/dialog.moc
28% creating ./khtml/khtmlview.moc
28% creating ./khtml/khtml_part.moc
28% creating ./khtml/khtmlpart_p.moc
28% creating ./khtml/khtml_run.moc
28% creating ./khtml/khtml_factory.moc
28% creating ./khtml/khtml_ext.moc
28% creating ./khtml/khtml_pagecache.moc
28% creating ./khtml/khtml_printsettings.moc
29% creating ./khtml/khtmlimage.moc
29% creating ./interfaces/kscript/scriptmanager.moc

```
29% creating ./interfaces/kscript/scriptinterface.moc
29% creating ./interfaces/kscript/scriptclientinterface.moc.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ksc
ript/scriptclientinterface.h:0: Warning: No relevant classes found. No output ge
nerated.
29% creating ./kate/interfaces/view.moc
29% creating ./kate/interfaces/document.moc
29% creating ./kdeui/kdetrayproxy/module.kidl
29% creating ./kio/kpasswdserver/kpasswdserver.kidl
29% creating ./kio/misc/kpac/proxyscout.kidl
29% creating ./kio/misc/kssld/kssld.kidl
29% creating ./kio/misc/kwalletd/kwalletd.kidl
29% creating ./kioslave/http/kcookiejar/kcookieserver.kidl
29% creating ./kdeprint/kdeprintd.kidl
29% creating ./arts/knotify/knotify.kidl
29% creating ./interfaces/kmediaplayer/playerdcopobject.kidl
29% creating ./interfaces/kimproxy/library/kimproxyiface.kidl
29% creating ./khtml/kjserrordlg.moc
29% creating ./khtml/kjserrordlg.cpp
29% creating ./khtml/htmlpageinfo.moc
29% creating ./khtml/htmlpageinfo.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/svgico
```

```
ns/ksvgiconpainter.cpp: In member function 'ArtVpath* KSVGIconPainterHelper::art
_bez_path_to_vec(const ArtBpath*, double)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/svgico
ns/ksvgiconpainter.cpp:934: warning: case value '10' not in enumerated type 'con
st ArtPathcode'
29% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdefx/kstyle.cpp
29% linking ./kdecore/svgicons/libkdesvgicons.la
ar cru ./kdecore/svgicons/.libs/libkdesvgicons.a ./kdecore/svgicons/.libs/ksvgic
onengine.o ./kdecore/svgicons/.libs/ksvgiconpainter.o
ranlib ./kdecore/svgicons/.libs/libkdesvgicons.a
creating ./kdecore/svgicons/libkdesvgicons.la
(cd ./kdecore/svgicons/.libs && rm -f libkdesvgicons.la && ln -s ../libkdesvgico
ns.la libkdesvgicons.la)
30% creating ./kio/misc/uiserver_skel.cpp
30% creating ./khtml/khtml_iface_skel.cpp
30% creating ./kcmshell/main_skel.cpp
30% creating ./interfaces/kimproxy/library/kimiface_stub.h
30% creating ./kate/part/katedocument_skel.cpp
30% 30% 30% 30% 30% 30% creating ./kdeui/kdetrayproxy/kdetrayproxy.moc
30% creating ./kdeui/kdetrayproxy/module.moc
30% creating ./kio/kpasswdserver/kpasswdserver.moc
```

30% 30% 30% creating ./kio/misc/ksendbugmail/main.moc
30% creating ./kio/misc/ksendbugmail/smtp.moc
30% creating ./kio/misc/kpac/proxyscout.moc
30% creating ./kio/misc/kpac/downloader.moc
30% creating ./kio/misc/kpac/discovery.moc
30% creating ./kio/misc/kssld/kssld.moc
30% creating ./kio/misc/kwalletd/kwalletd.moc
31% creating ./kio/misc/kwalletd/ktimeout.moc
31% creating ./kio/kioexec/main.moc
31% creating ./libkscreensaver/kscreensaver.moc
31% creating ./kstyles/plastik/plastik.moc
31% creating ./kstyles/plastik/config/plastikconf.moc
31% creating ./kstyles/highcolor/highcolor.moc
31% creating ./kstyles/highcontrast/highcontrast.moc
31% creating ./kstyles/highcontrast/config/highcontrastconfig.moc
31% creating ./kstyles/light/lightstyle-v2.moc
31% creating ./kstyles/light/lightstyle-v3.moc
31% creating ./kstyles/kthemestyle/kthemebase.moc
31% creating ./kstyles/kthemestyle/kthemestyle.moc
31% creating ./kstyles/keramik/keramik.moc
31% creating ./kioslave/file/file.moc
31% 31% 31% creating ./kioslave/http/http.moc
31% creating ./kioslave/http/kcookiejar/kcookieserver.moc
31% creating ./kioslave/http/kcookiejar/kcookiewin.moc

```
31% 31% 31% 32% 32% creating ./kdeprint/kdeprintd.moc
32% creating ./kdeprint/kprintprocess.moc
32% 32% 32% creating ./kdeprint/cups/kmcupsjobmanager.moc
32% creating ./kdeprint/cups/kmcupsmanager.moc
32% creating ./kdeprint/cups/kmwippprinter.moc
32% creating ./kdeprint/cups/kmwquota.moc
32% creating ./kdeprint/cups/kmwusers.moc
32% creating ./kdeprint/cups/kpschedulepage.moc
32% creating ./kdeprint/cups/kpimagepage.moc
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/dcop/dcopclient.cpp:2284:
./dcop/dcopglobal.h:69: warning: 'DCOPServerAuthProcs' defined but not used
32% creating ./kdeprint/cups/kptextpage.moc
32% creating ./kdeprint/cups/cupsaddsmb2.moc
32% creating ./kdeprint/cups/kmwother.moc
32% creating ./kdeprint/cups/ippreportdlg.moc
32% 32% 32% compiling /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kdecore/network/kresolver.cpp
linking ./dcop/libDCOP.la
32% compiling /opt/local/var/macports/build/_opt_local_var_macports_sourc
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/network/kreverseresolver.cpp
```

```
rm -fr ./dcop/.libs/libDCOP.lax
mkdir ./dcop/.libs/libDCOP.lax
rm -fr ./dcop/.libs/libDCOP.lax/libkICE.a
mkdir ./dcop/.libs/libDCOP.lax/libkICE.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./d
cop/KDE-ICE/.libs/libkICE.a
(cd ./dcop/.libs/libDCOP.lax/libkICE.a && ar x /opt/local/var/macports/build/_op
t_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdeli
bs3/kdelibs3/work/kdelibs-3.5.10/./dcop/KDE-ICE/.libs/libkICE.a)
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./dcop/.libs/libDCOP.4.2.0.dylib
./dcop/.libs/dcopstub.o ./dcop/.libs/dcopref.o ./dcop/.libs/dcopobject.o ./dco
p/.libs/dcopclient.o ./dcop/.libs/libDCOP.lax/libkICE.a/accept.o ./dcop/.libs/li
bDCOP.lax/libkICE.a/authutil.o ./dcop/.libs/libDCOP.lax/libkICE.a/connect.o ./d
cop/.libs/libDCOP.lax/libkICE.a/error.o ./dcop/.libs/libDCOP.lax/libkICE.a/getau
th.o ./dcop/.libs/libDCOP.lax/libkICE.a/globals.o ./dcop/.libs/libDCOP.lax/libkI
CE.a/iceauth.o ./dcop/.libs/libDCOP.lax/libkICE.a/listen.o ./dcop/.libs/libDCOP.
lax/libkICE.a/listenwk.o ./dcop/.libs/libDCOP.lax/libkICE.a/locking.o ./dcop/.li
bs/libDCOP.lax/libkICE.a/misc.o ./dcop/.libs/libDCOP.lax/libkICE.a/ping.o ./dcop
/.libs/libDCOP.lax/libkICE.a/process.o ./dcop/.libs/libDCOP.lax/libkICE.a/protos
etup.o ./dcop/.libs/libDCOP.lax/libkICE.a/register.o ./dcop/.libs/libDCOP.lax/li
bkICE.a/replywait.o ./dcop/.libs/libDCOP.lax/libkICE.a/setauth.o ./dcop/.libs/li
bDCOP.lax/libkICE.a/shutdown.o ./dcop/.libs/libDCOP.lax/libkICE.a/transport.o ./
dcop/.libs/libDCOP.lax/libkICE.a/watch.o -L/opt/local/lib -L/opt/local/lib/qt3
```

```
/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libDCOP.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0
```

```
(cd ./dcop/.libs && rm -f libDCOP.4.dylib && ln -s libDCOP.4.2.0.dylib libDCOP.4.dylib)
```

```
(cd ./dcop/.libs && rm -f libDCOP.dylib && ln -s libDCOP.4.2.0.dylib libDCOP.dylib)
```

```
rm -fr ./dcop/.libs/libDCOP.lax
```

```
creating ./dcop/libDCOP.la
```

```
(cd ./dcop/.libs && rm -f libDCOP.la && ln -s ../libDCOP.la libDCOP.la)
```

```
32% linking ./kdefx/libkdefx.la
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kresolver.cpp:65:2: warning: #warning "mutex"
```

```
32% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kclientsocketbase.cpp
```

```
33% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/network/kstreamssocket.cpp
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdefx/.libs/libkdefx.4.2.0.dyl
ib ./kdefx/.libs/kpixmap.o ./kdefx/.libs/kpixmapsplitter.o ./kdefx/.libs/kpixma
peffect.o ./kdefx/.libs/kimageeffect.o ./kdefx/.libs/kdrawutil.o ./kdefx/.libs/k
style.o ./kdefx/.libs/kcpuinfo.o -L/opt/local/lib -L/opt/local/lib/qt3/lib /opt
/local/lib/qt3/lib/libqt-mt.dylib /opt/local/lib/libz.dylib /opt/local/lib/libGL
.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib
/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /
opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/li
b/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dyli
b /opt/local/lib/libXau.dylib /opt/local/lib/libXdmpc.dylib /opt/local/lib/libX1
1.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/lo
cal/lib/libXrender.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/l
ibkdefx.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0
(cd ./kdefx/.libs && rm -f libkdefx.4.dylib && ln -s libkdefx.4.2.0.dylib libkde
fx.4.dylib)
(cd ./kdefx/.libs && rm -f libkdefx.dylib && ln -s libkdefx.4.2.0.dylib libkdefx
.dylib)
creating ./kdefx/libkdefx.la
(cd ./kdefx/.libs && rm -f libkdefx.la && ln -s ../libkdefx.la libkdefx.la)
33% 33% creating ./kdeprint/lpr/kmlprmanager.moc
33% creating ./kdeprint/lpr/editentrydialog.moc
```


33% creating ./kdeprint/rlpr/kmwr1pr.moc
33% creating ./kdeprint/tools/escputil/escpwidget.moc
33% 33% 33% 33% 33% 33% 33% creating ./kcert/kcertpart.moc
33% creating ./kresources/kcmkresources.moc
33% creating ./dnssd/remoteservice.moc
33% creating ./dnssd/responder.moc
33% creating ./dnssd/publicservice.moc
33% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdec core/network/kserversocket.cpp
33% creating ./dnssd/query.moc
33% creating ./dnssd/domainbrowser.moc
33% creating ./dnssd/servicebrowser.moc
33% creating ./arts/knotify/knotify.moc
33% creating ./kspell2/plugins/aspell/kspell_aspellclient.moc
34% creating ./kspell2/plugins/ispell/kspell_ispellclient.moc
34% creating ./kmdi/kmdichildarea.moc
34% creating ./kmdi/kmdichildfrm.moc
34% creating ./kmdi/kmdichildfrmcaption.moc
34% creating ./kmdi/kmdichildview.moc
34% 34% creating ./kmdi/kmdimainfrm.moc
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdec
ore/network/kdatagramsocket.cpp

34% creating ./kmdi/kmditaskbar.moc
34% creating ./kmdi/kmdidockcontainer.moc
34% creating ./kmdi/kmditoolviewaccessor.moc
34% creating ./kmdi/kmdiguiclient.moc
34% creating ./kmdi/kmdidocumentviewtabwidget.moc
34% creating ./kmdi/kmdifocuslist.moc
34% creating ./kmdi/kmdi/mainwindow.moc
34% creating ./kmdi/kmdi/dockcontainer.moc
34% creating ./kmdi/kmdi/toolviewaccessor.moc
34% creating ./kmdi/kmdi/guiclient.moc
34% creating ./kmdi/kmdi/tabwidget.moc
34% 34% 34% creating ./khtml/java/kjavaapplet.moc
34% creating ./khtml/java/kjavaappletcontext.moc
35% creating ./khtml/java/kjavaappletserver.moc
35% creating ./khtml/java/kjavaappletwidget.moc
35% creating ./khtml/java/kjavaprocess.moc
35% creating ./khtml/java/kjavadownloader.moc
35% creating ./khtml/java/kjavaappletviewer.moc
35% 35% creating ./khtml/kmultipart/kmultipart.moc
35% 35% 35% creating ./interfaces/kscript/sample/shellscript.moc
35% creating ./interfaces/kmediaplayer/player.moc
35% creating ./interfaces/kmediaplayer/view.moc
35% creating ./interfaces/kimproxy/library/kimproxy.moc
35% 35% creating ./kate/plugins/isearch/ISearchPlugin.moc

35% creating ./kate/plugins/insertfile/insertfileplugin.moc
35% creating ./kate/plugins/kdatatool/kate_kdatatool.moc
35% creating ./kate/plugins/wordcompletion/docwordcompletion.moc
35% 35% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kbufferedsocket.cpp
35% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/ksrvresolverworker.cpp
35% creating ./kio/misc/kwalletd/kbetterthankdialogbase.moc
36% creating ./kio/misc/kwalletd/kbetterthankdialogbase.cpp
36% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libintl.cpp
36% creating ./kio/misc/kwalletd/kwalletwizard.moc
36% creating ./kio/misc/kwalletd/kwalletwizard.cpp
36% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdebug.cpp
36% creating ./kdeui/kdetrayproxy/module_skel.cpp
36% creating ./kio/kpasswdserver/kpasswdserver_skel.cpp
36% creating ./kio/misc/kpac/proxyscout_skel.cpp
36% creating ./kio/misc/kssld/kssld_skel.cpp
36% creating ./kio/misc/kwalletd/kwalletd_skel.cpp

```
36% creating ./kioslave/http/kcookiejar/kcookieserver_skel.cpp
36% 36% creating ./kdeprint/kdeprintd_skel.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdec
ore/netwm.cpp
36% linking ./kdecore/network/libkdecorenetwork.la
ar cru ./kdecore/network/.libs/libkdecorenetwork.a ./kdecore/network/.libs/kreso
lver.o ./kdecore/network/.libs/kresolvermanager.o ./kdecore/network/.libs/kresol
verworkerbase.o ./kdecore/network/.libs/ksocketaddress.o ./kdecore/network/.libs
/kresolverstandardworkers.o ./kdecore/network/.libs/kreverseresolver.o ./kdecore
/network/.libs/ksocketdevice.o ./kdecore/network/.libs/ksocketbase.o ./kdecore/n
etwork/.libs/kclientsocketbase.o ./kdecore/network/.libs/kstreamsocket.o ./kdeco
re/network/.libs/kserversocket.o ./kdecore/network/.libs/kdatagramsocket.o ./kde
core/network/.libs/khttpproxysocketdevice.o ./kdecore/network/.libs/ksockssocket
device.o ./kdecore/network/.libs/kbufferedsocket.o ./kdecore/network/.libs/ksock
etbuffer.o ./kdecore/network/.libs/ksrvresolverworker.o
ranlib ./kdecore/network/.libs/libkdecorenetwork.a
creating ./kdecore/network/libkdecorenetwork.la
(cd ./kdecore/network/.libs && rm -f libkdecorenetwork.la && ln -s ../libkdecore
network.la libkdecorenetwork.la)
36% creating ./arts/knotify/knotify_skel.cpp
36% creating ./interfaces/kmediaplayer/playerdcopobject_skel.cpp
36% creating ./interfaces/kimproxy/library/kimproxyiface_skel.cpp
36% 36% 36% 36% 36% 37% compiling /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdecore/kconfigbackend.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kstandarddirs.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kconfi
gbackend.cpp: In member function 'void KConfigINIBackEnd::parseSingleConfigFile(
QFile&, KEntryMap*, bool, bool)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kconfi
gbackend.cpp:464: warning: variable 'll' might be clobbered by 'longjmp' or 'vfo
rk'

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kpty.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c
pp: In member function 'void KPty::login(const char*, const char*)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c
pp:415: warning: 'utmp' is deprecated (declared at /usr/include/utmp.h:96)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c

```
pp:416: warning: 'utmp' is deprecated (declared at /usr/include/utmp.h:96)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c
pp:416: warning: 'utmp' is deprecated (declared at /usr/include/utmp.h:96)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c
pp:440: warning: 'login' is deprecated (declared at /usr/include/util.h:89)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c
pp:440: warning: 'login' is deprecated (declared at /usr/include/util.h:89)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c
pp: In member function 'void KQty::logout()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c
pp:465: warning: 'logout' is deprecated (declared at /usr/include/util.h:91)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.c
pp:465: warning: 'logout' is deprecated (declared at /usr/include/util.h:91)
37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/klocale.cpp
37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kdecore/krfcdate.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kiconeffect.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kicontheme.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kwin.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/krootprop.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/klocale.cpp: In member function 'double KLocale::readMoney(const QString&, bool*) const':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/klocale.cpp:1475: warning: comparison between signed and unsigned integer expressions

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/klocale.cpp:1513: warning: comparison between signed and unsigned integer expressions

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kcharset.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kckey.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kshortcut.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kkeynative_x11.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyna
tive_x11.cpp: In member function 'bool KKeyNative::init(const KKey&):

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyna
tive_x11.cpp:114: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/lo
cal/include/X11/Xlib.h:1707)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyna
tive_x11.cpp:114: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/lo
cal/include/X11/Xlib.h:1707)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyna

tive_x11.cpp:117: warning: 'XKeyCodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeynative_x11.cpp:117: warning: 'XKeyCodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyserver_x11.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaccelaction.cpp

37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaccelbase.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyserver_x11.cpp: In function 'bool KKeyServer::initializeMods()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyserver_x11.cpp:349: warning: 'XKeyCodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse

```
rver_x11.cpp:349: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
rver_x11.cpp: In member function 'uint KKeyServer::Sym::getModsRequired() const'
:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
rver_x11.cpp:554: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
rver_x11.cpp:554: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
rver_x11.cpp:556: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
rver_x11.cpp:556: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
```

```
rver_x11.cpp:558: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
rver_x11.cpp:558: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
rver_x11.cpp:560: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeyse
rver_x11.cpp:560: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/local/include/X11/Xlib.h:1707)
37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kstdaccel.cpp
37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kshortcutlist.cpp
37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcrash.cpp
37% 37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
```

rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kurl.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kregexp.cpp
37% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kglobal.cpp
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kglobalsettings.cpp
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kallocator.cpp
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kvmallocator.cpp
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmimesourcefactory.cpp
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kinstance.cpp
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kpalette.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kipc.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/ktempfile.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/ksavefile.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/krandomsequence.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kstringhandler.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kcmdlineargs.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kaboutdata.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kcompletionbase.cpp  
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/knotifyclient.cpp  
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kdcpopertyproxy.cpp  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/knotif  
yclient.cpp: In function 'void KNotifyClient::beep(const QString&)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/knotif  
yclient.cpp:263: warning: 'event' is deprecated (declared at /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/knotifyclient.cpp:107)  
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/netsupp.cpp  
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kpixmapprovider.cpp  
38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kdecore/kurldrag.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kmdcodec.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/ksocks.cpp

38% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/ksycocadict.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/ksycocafactory.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kcatalogue.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kstaticdeleter.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kappdcopiface.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kdeversion.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kdebugdcopiface.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kcalendarsystem.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kcalendarsystemgregorian.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kcalendarsystemhijri.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kcalendarsystemhebrew.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kcalendarsystemfactory.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kmacroexpander.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kidna.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/ktempdir.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kshell.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kmountpoint.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdecore/kcalendarsystemjalali.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacro_expander.cpp: In member function 'virtual int KMacroMapExpander<QString, VT>::expandPlainMacro(const QString&, uint, QStringList&)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacro_expander.cpp:389: warning: suggest a space before ';' or explicit braces around empty body in 'for' statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacro_expander.cpp: In member function 'virtual int KMacroMapExpander<QString, VT>::ex

```
pandEscapedMacro(const QString&, uint, QStringList&):  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacro  
expander.cpp:418: warning: suggest a space before ';' or explicit braces around  
empty body in 'for' statement  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacro  
expander.cpp: In member function 'virtual int KWordMacroExpander::expandPlainMac  
ro(const QString&, uint, QStringList&):  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacro  
expander.cpp:460: warning: suggest a space before ';' or explicit braces around  
empty body in 'for' statement  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacro  
expander.cpp: In member function 'virtual int KWordMacroExpander::expandEscapedM  
acro(const QString&, uint, QStringList&):  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacro  
expander.cpp:484: warning: suggest a space before ';' or explicit braces around  
empty body in 'for' statement  
39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kprotocolinfo_kdecore.cpp
```

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kprotocolinfofactory.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kxerrorhandler.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kuser.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kconfigskelton.cpp

39% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/klockfile.cpp

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kqiodevicegzip_p.cpp

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/ktimezones.cpp

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/fakes.c

```
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/vsnprintf.c
```

```
40% linking ./kdecore/libkdefakes.la
```

```
/usr/bin/gcc-4.2 -dynamiclib ${wl}-undefined ${wl}dynamic_lookup -o ./kdecore/.l
ibs/libkdefakes.4.2.0.dylib ./kdecore/.libs/fakes.o ./kdecore/.libs/vsnprintf.o
-L/opt/local/lib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdef
akes.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0
```

```
(cd ./kdecore/.libs && rm -f libkdefakes.4.dylib && ln -s libkdefakes.4.2.0.dyli
b libkdefakes.4.dylib)
```

```
(cd ./kdecore/.libs && rm -f libkdefakes.dylib && ln -s libkdefakes.4.2.0.dylib
libkdefakes.dylib)
```

```
creating ./kdecore/libkdefakes.la
```

```
(cd ./kdecore/.libs && rm -f libkdefakes.la && ln -s ../libkdefakes.la libkdefak
es.la)
```

```
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kapplication.cpp
```

```
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kconfigbase.cpp
```

```
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kconfig.cpp
```

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksimpleconfig.cpp

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmanagerselection.cpp

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdesktopfile.cpp

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksock.cpp

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kprocess.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksock.cpp: In member function 'virtual void KServerSocket::slotAccept(int)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksock.cpp:420: warning: ' __comp_ctor ' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksock.cpp:105)

40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kprocctrl.cpp  
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kiconloader.cpp  
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kwinmodule.cpp  
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kshortcutmenu.cpp  
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kaccel.cpp  
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kglobalaccel_x11.cpp  
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kglobalaccel.cpp  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kgloba  
laccel_x11.cpp: In member function 'bool KGlobalAccelPrivate::grabKey(const KKey  
Server::Key&, bool, KAccelAction*)':
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kgloba  
laccel_x11.cpp:174: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/  
local/include/X11/Xlib.h:1707)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kgloba  
laccel_x11.cpp:174: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/  
local/include/X11/Xlib.h:1707)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kgloba  
laccel_x11.cpp: In member function 'bool KGlobalAccelPrivate::x11KeyPress(const  
XEvent*)':
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kgloba  
laccel_x11.cpp:291: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/  
local/include/X11/Xlib.h:1707)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kgloba  
laccel_x11.cpp:291: warning: 'XKeycodeToKeysym' is deprecated (declared at /opt/  
local/include/X11/Xlib.h:1707)
```

```
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/klibloader.cpp
```

```
40% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kuniqueapplication.cpp

41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaccelmanager.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kuniqueapplication.cpp: In static member function 'static bool KUniqueApplication::start()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kuniqueapplication.cpp:149: warning: deprecated conversion from string constant to 'char*'

41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcompletion.cpp

41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaudioplayer.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaudioplayer.cpp: In member function 'void KAudioPlayer::play()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaudio


```
player.cpp:53: warning: 'userEvent' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/knotifyclient.h:210)
41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksockaddr.cpp
41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp
41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kprocio.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcompletion.cpp: In member function 'void KCompletion::doBeep(KCompletion::BeepMode) const':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcompletion.cpp:650: warning: 'event' is deprecated (declared at ./kdecore/knotifyclient.h:188)
41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kbufferedio.cpp
41% 41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
```

```
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksycoca.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kxmessages.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp: In member function 'bool KExtendedSocket::setAddressReusable(bool)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp:508: warning: 'setAddressReusable' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.h:1005)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp: In member function 'const KSocketAddress* KExtendedSocket::localAddress()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp:723: warning: 'localAddress' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.h:977)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso
```

```
ck.cpp: In member function 'const KSocketAddress* KExtendedSocket::peerAddress()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso
ck.cpp:738: warning: 'peerAddress' is deprecated (declared at /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.h:986)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso
ck.cpp: In member function 'virtual int KExtendedSocket::listen(int)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso
ck.cpp:864: warning: 'setAddressReusable' is deprecated (declared at /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp:516)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso
ck.cpp: In member function 'virtual int KExtendedSocket::connect()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso
ck.cpp:1046: warning: 'setAddressReusable' is deprecated (declared at /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp:516
)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso  
ck.cpp:1068: warning: 'setAddressReusable' is deprecated (declared at /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp:516  
)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso  
ck.cpp: In member function 'void KExtendedSocket::connectionEvent()':
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso  
ck.cpp:1866: warning: 'setAddressReusable' is deprecated (declared at /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp:516  
)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextso  
ck.cpp:1890: warning: 'setAddressReusable' is deprecated (declared at /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.cpp:516  
)
```

```
41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/kstartupinfo.cpp
```

41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kasyncio.cpp

41% 41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kclipboard.cpp

compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmultipldrag.cpp

41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcheckaccelerators.cpp

41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kconfigdialogmanager.cpp

41% compiling ./kdecore/ksycoca_skel.cpp

41% compiling ./kdecore/kappdcopiface_skel.cpp

41% compiling ./kdecore/kdebugdcopiface_skel.cpp

41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpixmapio.cpp

41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kstdaction.cpp

```
41% linking ./kdecore/libkdecore.la
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpixmapi
o.cpp: In function 'int lowest_bit(uint)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpixmapi
o.cpp:76: warning: suggest a space before ';' or explicit braces around empty bo
dy in 'for' statement
41% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/keditcl2.cpp
42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kmessagebox.cpp
42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kwordwrap.cpp
42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kxmlguiclient.cpp
42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kxmlguifactory_p.cpp
libtool: link: warning: `/opt/local/lib/libqmt.la' seems to be moved
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
rm -fr ./kdecore/.libs/libkdecore.lax
mkdir ./kdecore/.libs/libkdecore.lax
rm -fr ./kdecore/.libs/libkdecore.lax/libkldmalloc.a
mkdir ./kdecore/.libs/libkdecore.lax/libkldmalloc.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
decore/malloc/.libs/libkldmalloc.a
(cd ./kdecore/.libs/libkdecore.lax/libkldmalloc.a && ar x /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kdecore/malloc/.libs/libkldmalloc.a)
rm -fr ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a
mkdir ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
decore/network/.libs/libkdecorenetwork.a
(cd ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a && ar x /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kdecore/network/.libs/libkdec
orenetwork.a)
rm -fr ./kdecore/.libs/libkdecore.lax/libkdesvgicons.a
mkdir ./kdecore/.libs/libkdecore.lax/libkdesvgicons.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
```

```
decore/svgicons/.libs/libkdesvgicons.a
(cd ./kdecore/.libs/libkdecore.lax/libkdesvgicons.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kdecore/svgicons/.libs/libkdesvgicons.a)
rm -fr ./kdecore/.libs/libkdecore.lax/libltdlc.a
mkdir ./kdecore/.libs/libkdecore.lax/libltdlc.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./libltdl/.libs/libltdlc.a
(cd ./kdecore/.libs/libkdecore.lax/libltdlc.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./libltdl/.libs/libltdlc.a)
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdecore/.libs/libkdecore.4.2.0.dylib ./kdecore/.libs/libintl.o ./kdecore/.libs/kapplication.o ./kdecore/.libs/kdebug.o ./kdecore/.libs/netwm.o ./kdecore/.libs/kconfigbase.o ./kdecore/.libs/kconfig.o ./kdecore/.libs/ksimpleconfig.o ./kdecore/.libs/kconfigbackend.o ./kdecore/.libs/kmanagerselection.o ./kdecore/.libs/kdesktopfile.o ./kdecore/.libs/kstandardsdirs.o ./kdecore/.libs/ksock.o ./kdecore/.libs/kpty.o ./kdecore/.libs/kprocess.o ./kdecore/.libs/kprocctrl.o ./kdecore/.libs/klocale.o ./kdecore/.libs/krfcdate.o ./kdecore/.libs/kiconeffect.o ./kdecore/.libs/kicontheme.o ./kdecore/.libs/kiconloader.o ./kdecore/.libs/kwin.o ./kdecore/.libs/kwinmodule.o ./kdecore/.libs/krootprop.o ./kdecore/.libs/kcharsets.o ./kdecore/.libs/kckey.o ./kdecore/.libs/kshortcut.o ./kdecore/.libs/kkeynative_x11.o ./kdecore/.libs/kkeyserver_x11
```


1.o ./kdecore/.libs/kaccelaction.o ./kdecore/.libs/kshortcutmenu.o ./kdecore/.libs/kaccelbase.o ./kdecore/.libs/kaccel.o ./kdecore/.libs/kglobalaccel_x11.o ./kdecore/.libs/kglobalaccel.o ./kdecore/.libs/kstdaccel.o ./kdecore/.libs/kshortcutlist.o ./kdecore/.libs/kcrash.o ./kdecore/.libs/kurl.o ./kdecore/.libs/kregexp.o ./kdecore/.libs/kglobal.o ./kdecore/.libs/kglobalsettings.o ./kdecore/.libs/kallocator.o ./kdecore/.libs/kvmallocator.o ./kdecore/.libs/kmimesourcefactory.o ./kdecore/.libs/kinstance.o ./kdecore/.libs/kpalette.o ./kdecore/.libs/kipc.o ./kdecore/.libs/klibloader.o ./kdecore/.libs/ktempfile.o ./kdecore/.libs/kuniqueapplication.o ./kdecore/.libs/kaccelmanager.o ./kdecore/.libs/ksavefile.o ./kdecore/.libs/krandomsequence.o ./kdecore/.libs/kstringhandler.o ./kdecore/.libs/kcompletion.o ./kdecore/.libs/kcmdlineargs.o ./kdecore/.libs/kaboutdata.o ./kdecore/.libs/kcompletionbase.o ./kdecore/.libs/knotifyclient.o ./kdecore/.libs/kaudioplayer.o ./kdecore/.libs/kdcopropertyproxy.o ./kdecore/.libs/ksockaddr.o ./kdecore/.libs/kextsock.o ./kdecore/.libs/netsupp.o ./kdecore/.libs/kprocio.o ./kdecore/.libs/kbufferedio.o ./kdecore/.libs/kpixmapprovider.o ./kdecore/.libs/kurldrag.o ./kdecore/.libs/kmdcodec.o ./kdecore/.libs/ksocks.o ./kdecore/.libs/ksycoca.o ./kdecore/.libs/ksycocadict.o ./kdecore/.libs/ksycocafactory.o ./kdecore/.libs/ksycoca_skel.o ./kdecore/.libs/kxmessages.o ./kdecore/.libs/kstartupinfo.o ./kdecore/.libs/kcatalogue.o ./kdecore/.libs/kasyncio.o ./kdecore/.libs/kmultiplerdrag.o ./kdecore/.libs/kstaticdeleter.o ./kdecore/.libs/kappdcopiface.o ./kdecore/.libs/kappdcopiface_skel.o ./kdecore/.libs/kclipboard.o ./kdecore/.libs/kcheckaccelerators.o ./kdecore/.libs/kdeversion.o ./kdecore/.libs/kdebugdcopiface.o ./kdecore/.libs/kdebugdcopiface_skel.o ./kdecore/.libs/kcalendarsystem.o ./kdecore/.libs/kcalendarsystemgregorian.o ./kdecore/.libs/kcalendarsystemhijri.o ./kdecore/.libs

/kcalendarsystemhebrew.o ./kdecore/.libs/kcalendarsystemfactory.o ./kdecore/.libs/kmacroexpander.o ./kdecore/.libs/kidna.o ./kdecore/.libs/ktempdir.o ./kdecore/.libs/kshell.o ./kdecore/.libs/kmountpoint.o ./kdecore/.libs/kcalendarsystemjalali.o ./kdecore/.libs/kprotocolinfo_kdecore.o ./kdecore/.libs/kprotocolinfofactory.o ./kdecore/.libs/kxerrorhandler.o ./kdecore/.libs/kuser.o ./kdecore/.libs/kconfignfigskeleton.o ./kdecore/.libs/kconfigdialogmanager.o ./kdecore/.libs/klockfile.o ./kdecore/.libs/kqiodevicegzip_p.o ./kdecore/.libs/ktimezones.o ./kdecore/.libs/fakes.o ./kdecore/.libs/vsnprintf.o ./kdecore/.libs/libkdecore.lax/libkldmalloc.a/malloc.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kbufferedsocket.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kclientsocketbase.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kdatagramsocket.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/khttpproxysocketdevice.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kresolver.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kresolvermanager.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kresolverstandardworkers.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kresolverworkerbase.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kreverseresolver.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kserversocket.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/ksocketaddress.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/ksocketbase.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/ksocketbuffer.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/ksocketdevice.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/ksockssocketdevice.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/ksrvresolverworker.o ./kdecore/.libs/libkdecore.lax/libkdecorenetwork.a/kstreamssocket.o ./kdecore/.libs/libkdecore.lax/libkdesvgicons.a/ksvgiconengine.o ./kdecore/.libs/

```
libkdecore.lax/libkdesvgicons.a/ksvgiconpainter.o ./kdecore/.libs/libkdecore.lax/libltdlc.a/ltdl.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./dcop/.libs/libDCOP.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libz.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -ldl /opt/local/lib/libXext.dylib -lresolv -lutil /opt/local/lib/libart_lgpl_2.dylib -lm /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib ./kdefx/.libs/libkdefx.dylib -lz -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdecore.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0
```

```
(cd ./kdecore/.libs && rm -f libkdecore.4.dylib && ln -s libkdecore.4.2.0.dylib libkdecore.4.dylib)
```

```
(cd ./kdecore/.libs && rm -f libkdecore.dylib && ln -s libkdecore.4.2.0.dylib libkdecore.dylib)
```

```
rm -fr ./kdecore/.libs/libkdecore.lax  
creating ./kdecore/libkdecore.la
```

```
(cd ./kdecore/.libs && rm -f libkdecore.la && ln -s ../libkdecore.la libkdecore.la)
```

```
42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kdeui/kxmlguibuilder.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kaboutkde.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kaboutapplication.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kdcopactionproxy.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kmainwindowiface.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kguiitem.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kstdguiitem.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kpixmapregionselectordialog.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/ktoolbarlabelaction.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/client.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/process.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/kcookie.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/su.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/ssh.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/stub.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/kdesu_pty.cpp

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/kssl.cc

42% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/ksslcertificatehome.cc

42% linking ./kdesu/libkdesu.la

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/ksslsettings.cc

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdesu/.libs/libkdesu.4.2.0.dylib ./kdesu/.libs/client.o ./kdesu/.libs/process.o ./kdesu/.libs/kcookie.o ./kdesu/.libs/su.o ./kdesu/.libs/ssh.o ./kdesu/.libs/stub.o ./kdesu/.libs/kdesu_pty.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dy

```
lib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -lutil -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdesu.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0
(cd ./kdesu/.libs && rm -f libkdesu.4.dylib && ln -s libkdesu.4.2.0.dylib libkdesu.4.dylib)
(cd ./kdesu/.libs && rm -f libkdesu.dylib && ln -s libkdesu.4.2.0.dylib libkdesu.dylib)
creating ./kdesu/libkdesu.la
(cd ./kdesu/.libs && rm -f libkdesu.la && ln -s ../libkdesu.la libkdesu.la)
43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/ksslcertificate.cc
43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/ksslconnectioninfo.cc
43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/ksslcertificatefactory.cc
43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/ksslcertificatecache.cc
43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kio/kssl/ksslpeerinfo.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslutils.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/kopenssl.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslpkcs12.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslcertchain.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslx509v3.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslsigners.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslpkcs7.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslpemcallback.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslx509map.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslsession.cc

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksmimecrypto.cc

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/kopenssl.cc: In destructor 'KOpenSSLProxy::~KOpenSSLProxy()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/kopenssl.cc:637: warning: 'setObject' is deprecated (declared at ./kdecore/kstaticdeleter.h:85)

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kssl/ksslcsessioncache.cc

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/ksslcsessioncache.cc: In static member function 'static void KSSLCSessionCache::putSessionForURL(const KURL&, const QString&)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kssl/ksslc
sessioncache.cc:108: warning: suggest a space before ';' or explicit braces around
empty body in 'for' statement

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/authinfo.cpp

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/kprotocolmanager.cpp

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/global.cpp

43% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/kurlpixmapprovider.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/paste.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/kmimemagic.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/tcpslavebase.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/kdirnotify.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/kdirnotify_stub.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/kemailsettings.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/kprotocolinfo.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/kremoteencoding.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/ktraderparse.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/ktraderparsetree.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kserVICetypefactory.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kserVICetype.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kserVICegroup.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kserVICefactory.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kuserprofile.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kserVICegroupfactory.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilterdev.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfileitem.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kimageio.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kar.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/ktar.cpp

44% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kzip.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/karchive.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kfilefilter.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kdcop servicestarter.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/dataprotocol.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kio/kacl.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kio/posixacladdons.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kio/yacc.c

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kio/lex.c

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/bookmarks/kbookmark.cc

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/bookmarks/kbookmarkdrag.cc

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/bookmarks/kbookmarkexporter.cc

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/bookmarks/kbookmarkimporter_kde1.cc

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kfile/krecentdocument.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/krecentdirs.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfiletreeviewitem.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/qxembed.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ksharedpixmap.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpopupmenu.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ktoolbar.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kaction.cpp

45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

```
kdeui/kactioncollection.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kaction.
cpp: In destructor 'virtual KAction::~KAction()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kaction.
cpp:217: warning: 'unplugAccel' is deprecated (declared at /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kaction.h:387)
45% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kactionclasses.cpp
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/slavebase.cpp
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kdeui/ktoolbar.cpp:59:
./kdeui/kedittoolbar.h:271: warning: 'KEditToolBarWidget' has a field 'KEditTool
barWidget::m_inactiveList' whose type uses the anonymous namespace
./kdeui/kedittoolbar.h:271: warning: 'KEditToolBarWidget' has a field 'KEditTool
barWidget::m_activeList' whose type uses the anonymous namespace
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```


kdeui/kurllabel.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kmenubar.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/slavebase.cpp: In member function 'void KIO::SlaveBase::connectSlave(const QString&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/slavebase.cpp:343: warning: '__comp_ctor' is deprecated (declared at ./kdecore/ksock.h:108)

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kinputdialog.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/knuminput.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/klineedit.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/klistview.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kprogress.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kcolordialog.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kselect.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kdatepicker.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/klistvie
w.cpp: In member function 'QListViewItem* KListView::lastChild() const':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/klistvie
w.cpp:1131: warning: suggest a space before ';' or explicit braces around empty
body in 'for' statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/klistvie
w.cpp: In member function 'int KListView::itemIndex(const QListViewItem*) const'

:

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/klistvie

```
w.cpp:1868: warning: suggest a space before ';' or explicit braces around empty
body in 'for' statement
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kdatetbl.cpp
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kfontrequester.cpp
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kfontdialog.cpp
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ktabctl.cpp
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kstatusbar.cpp
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kmainwindow.cpp
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/keditlistbox.cpp
46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kscrollview.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kseparator.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/krestrictedline.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kcolorbutton.cpp

46% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ksystemtray.cpp

In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kdeui/kmainwindow.cpp:46:

./kdeui/kedittoolbar.h:271: warning: 'KEditToolBarWidget' has a field 'KEditTool
barWidget::m_inactiveList' whose type uses the anonymous namespace

./kdeui/kedittoolbar.h:271: warning: 'KEditToolBarWidget' has a field 'KEditTool
barWidget::m_activeList' whose type uses the anonymous namespace

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kbuttonbox.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/keditcl1.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kled.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kshortcutdialog.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kkeybutton.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/keditcl1.cpp: In member function 'void KEdit::computePosition()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/keditcl1.cpp:339: warning: suggest a space before ';' or explicit braces around empty body in 'while' statement

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kkeydialog.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kruler.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kcursor.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/klineeditdlg.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kcharselect.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kcolordrag.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/knumvalidator.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kdialog.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcharselect.cpp: In member function 'virtual void KCharSelect::setFont(const QString&)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcharselect.cpp: In member function 'virtual void KCharSelect::setFont(const QString&)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcharselect.cpp: In member function 'virtual void KCharSelect::setFont(const QString&)':

ect.cpp:467: warning: suggest a space before ';' or explicit braces around empty body in 'for' statement

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdialogbase.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kjanuswidget.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kaboutdialog.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdialogbase.cpp: In member function 'QSize KDialogBase::calculateSize(int, int) const':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdialogbase.cpp:1531: warning: 'getBorderWidths' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdialogbase.cpp:1510)

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kauthicon.cpp

47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/kdualcolorbutton.cpp  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kjanuswi  
dget.cpp: In member function 'void KJanusWidget::InsertTreeListItem(const QStrin  
gList&, const QPixmap&, QFrame*)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kjanuswi  
dget.cpp:372: warning: suggest a space before ';' or explicit braces around empt  
y body in 'for' statement  
47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/ktoolbarradiogroup.cpp  
47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/ktoolbarbutton.cpp  
47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/ktextbrowser.cpp  
47% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/khelpmenu.cpp  
48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```


kdeui/kswitchlanguagedialog.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kcmenumngr.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kpanelmenu.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kiconview.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/klistbox.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kbugreport.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kcombobox.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kpassdlg.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kxmlgui/factory.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kedittoolbar.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpasswdlg.cpp: In static member function 'static int KPasswordDialog::getPassword(QCString&, QString, int*)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpasswdlg.cpp:559: warning: '__comp_ctor' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpasswdlg.cpp:325)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpasswdlg.cpp: In static member function 'static int KPasswordDialog::getNewPassword(QCString&, QString)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpasswdlg.cpp:574: warning: '__comp_ctor' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpasswdlg.cpp:325)

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kpanelappmenu.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kdockwidget.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kdockwidget_private.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kanimwidget.cpp

In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kedittoolbar.cpp:19:

./kdeui/kedittoolbar.h:271: warning: 'KEditToolBarWidget' has a field 'KEditToolBarWidget::m_inactiveList' whose type uses the anonymous namespace

./kdeui/kedittoolbar.h:271: warning: 'KEditToolBarWidget' has a field 'KEditToolBarWidget::m_activeList' whose type uses the anonymous namespace

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/krootpixmap.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeui/kpanelapplet.cpp

48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kcolorcombo.cpp
48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kpushbutton.cpp
48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kpanelextension.cpp
48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kcompletionbox.cpp
48% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ksqueezedtextlabel.cpp
48% 49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/kdeui/kcmodule.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeu
i/kcommand.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kwindowlistmenu.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kfontcombo.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ktip.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kdatewidget.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/karrowbutton.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kstringvalidator.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kactivelabel.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kwindowinfo.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ktextedit.cpp
49% 49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_

```
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/kdeui/kwizard.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeu
i/kpassivepopup.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ktoolbarhandler.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kdatetimewidget.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ktimewidget.cpp
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kdeui/ktoolbarhandler.cpp:243:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ktoolba
rhandler.cpp:42: warning: '<unnamed>::resourceFileName' defined but not used
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ktimezonewidget.cpp
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/ksconfig.cpp  
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/kspelldlg.cpp  
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/kspell.cpp  
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/ksyntaxhighlighter.cpp  
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/ktabbar.cpp  
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeui/ktabwidget.cpp  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kspell.c  
pp: In member function 'virtual bool KSpell::checkWord(const QString&, bool)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kspell.c  
pp:503: warning: suggest a space before ';' or explicit braces around empty body  
in 'while' statement
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kspell.c
pp: In member function 'bool KSpell::checkWord(const QString&, bool, bool)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kspell.c
pp:547: warning: suggest a space before ';' or explicit braces around empty body
in 'while' statement
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kspell.c
pp: In member function 'void KSpell::checkWord2(KProcIO*)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kspell.c
pp:574: warning: suggest a space before ';' or explicit braces around empty body
in 'while' statement
49% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/ksplashscreen.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kconfigdialog.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kactionselector.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```


c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/klanguagebutton.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/klistviewsearchline.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kpixmapregionselectorwidget.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kwhatsthismanager.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kiconviewsearchline.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kwallet/client/kwallet.cc
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kssl/ksslinfodlg.cc
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kssl/ksslcertdlg.cc
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kssl/ksslkeygen.cc
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/kshred.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/slave.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/slaveinterface.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/sessiondata.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/scheduler.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/connection.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/job.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/slaveconfig.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/schedu
ler.cpp: In member function 'void KI0::Scheduler::slotCleanIdleSlaves()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/schedu
ler.cpp:645: warning: 'connection' is deprecated (declared at /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/./kio/slave.h:207)
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/netaccess.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/pastdialog.cpp
50% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/passdlg.cpp
51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kio/forwardingslavebase.cpp
51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

gio/gio/progressbase.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/defaultprogress.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/statusbarprogress.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/observer.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/renamedlg.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/skipdlg.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/kmimetypechooser.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/gio/kdirwatch.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kfileshare.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/ksmbashare.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/knfsshare.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/ktrader.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kmimetype.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kservice.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kurifilter.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

gio/kio/kfilterbase.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/kio/kshellcompletion.cpp

In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kmimetype.cpp:1173:

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kmimetype.cpp: In static member function 'static KMimeType::Format KMimeType::findFormatByFileContent(const QString&)':

51% /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kmimetype.cpp:332: warning: 'result.KMimeType::Format::dummy' is used uninitialized in this function

compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kurlcompletion.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kautomount.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/krun.cpp

51% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kdirliester.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/chmodjob.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kscan.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/previewjob.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/metainfojob.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/davjob.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kdatatool.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilemetainfo.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/dataslave.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkbar.cc

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkimporter.cc

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkmanager.cc

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilemetainfo.cpp: In static member function 'static KFileMetaInfoItem::Data* KFileMetaInfoItem::Data::makeNull()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilemetainfo.cpp:91: warning: 'setObject' is deprecated (declared at ./kdecore/kstatichdeleter.h:85)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilemetainfo.cpp: In static member function 'static KFileMetaInfo::Data* KFileMetaInfo::Data::makeNull()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilemetainfo.cpp:774: warning: 'setObject' is deprecated (declared at ./kdecore/kstat


```
icdeleter.h:85)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilem
etainfo.cpp: In destructor 'virtual KFileMetaInfoProvider::~KFileMetaInfoProvide
r()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilem
etainfo.cpp:927: warning: 'setObject' is deprecated (declared at ./kdecore/kstat
icdeleter.h:85)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilem
etainfo.cpp: In static member function 'static KFileMetaInfoGroup::Data* KFileMe
taInfoGroup::Data::makeNull()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilem
etainfo.cpp:1464: warning: 'setObject' is deprecated (declared at ./kdecore/ksta
ticdeleter.h:85)
52% linking ./kio/kio/libksycoca.la
52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/bookmarks/kbookmarkmenu.cc
ar cru ./kio/kio/.libs/libksycoca.a ./kio/kio/.libs/kdirwatch.o ./kio/kio/.libs/
kfileshare.o ./kio/kio/.libs/ksambashare.o ./kio/kio/.libs/knfsshare.o ./kio/kio
/.libs/ktrader.o ./kio/kio/.libs/ktraderparse.o ./kio/kio/.libs/ktraderparsetree
```

```
.o ./kio/kio/.libs/kservicetypefactory.o ./kio/kio/.libs/kservicetype.o ./kio/kio/.libs/kmimetype.o ./kio/kio/.libs/kservicegroup.o ./kio/kio/.libs/kservice.o ./kio/kio/.libs/kservicefactory.o ./kio/kio/.libs/kuserprofile.o ./kio/kio/.libs/kservicegroupfactory.o ./kio/kio/.libs/kurifilter.o ./kio/kio/.libs/kfilterbase.o ./kio/kio/.libs/kfilterdev.o ./kio/kio/.libs/kshellcompletion.o ./kio/kio/.libs/kurlcompletion.o ./kio/kio/.libs/kautomount.o ./kio/kio/.libs/krun.o ./kio/kio/.libs/kfileitem.o ./kio/kio/.libs/kdirliester.o ./kio/kio/.libs/kimageio.o ./kio/kio/.libs/chmodjob.o ./kio/kio/.libs/kscan.o ./kio/kio/.libs/kar.o ./kio/kio/.libs/ktar.o ./kio/kio/.libs/kzip.o ./kio/kio/.libs/previewjob.o ./kio/kio/.libs/metainfojob.o ./kio/kio/.libs/davjob.o ./kio/kio/.libs/kdatatool.o ./kio/kio/.libs/karchive.o ./kio/kio/.libs/kfilefilter.o ./kio/kio/.libs/kfilemetainfo.o ./kio/kio/.libs/kdcopserVICestarter.o ./kio/kio/.libs/dataslave.o ./kio/kio/.libs/dataprotocol.o ./kio/kio/.libs/kacl.o ./kio/kio/.libs/posixacladdons.o ./kio/kio/.libs/yacc.o ./kio/kio/.libs/lex.o
/usr/bin/ranlib: file: ./kio/kio/.libs/libksycoca.a(posixacladdons.o) has no symbols
ranlib ./kio/kio/.libs/libksycoca.a
ranlib: file: ./kio/kio/.libs/libksycoca.a(posixacladdons.o) has no symbols
creating ./kio/kio/libksycoca.la
(cd ./kio/kio/.libs && rm -f libksycoca.la && ln -s ../libksycoca.la libksycoca.la)
52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkimporter_crash.cc
```

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkimporter_opera.cc

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkimporter_ie.cc

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkimporter_ns.cc

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkdombuilder.cc

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfilefiltercombo.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfileview.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkimporter_ns.cc: In member function 'virtual void KNSBookmarkImporterImpl::parse()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/

kbookmarkimporter_ns.cc:53: warning: suggest a space before ';' or explicit braces around empty body in 'while' statement

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfileiconview.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfiledialog.cpp

52% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kdiroperator.cpp

53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfiledetailview.cpp

53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kcombiview.cpp

53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kurlrequester.cpp

53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfilepreview.cpp

53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kurlcombobox.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kurlrequesterdlg.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kopenwith.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kpropertiesdialog.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kicondialog.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kfilesize.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kdiskfreesp.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kimagefilepreview.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kfilesharedlg.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kurlbar.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kmetaprops.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kpreviewprops.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kfiletreeview.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kfiletreebranch.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kdirselectdialog.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kfilebookmarkhandler.cpp
53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kfilemetainfowidget.cpp

53% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kcustommenueditor.cpp

54% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/knotifydialog.cpp

54% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kfilespeedbar.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfil
emetainfowidget.cpp: In member function 'QWidget* KFileMetaInfoWidget::makeDoubl
eWidget()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile/kfil
emetainfowidget.cpp:219: warning: '__comp_ctor' is deprecated (declared at /opt
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_re
lease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/knuminput.h:
460)

54% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kpreviewwidgetbase.cpp

54% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kfilemetapreview.cpp
54% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kencodingfiledialog.cpp
54% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kfile/kacleditwidget.cpp
54% compiling ./kdeui/kshortcutdialog_simple.cpp
54% compiling ./kdeui/kshortcutdialog_advanced.cpp
54% compiling ./kdeui/kspellui.cpp
54% compiling ./kio/kssl/keygenwizard.cpp
54% compiling ./kio/kssl/keygenwizard2.cpp
54% compiling ./kio/kfile/kpropertiesdesktopbase.cpp
54% compiling ./kio/kfile/kpropertiesdesktopadvbase.cpp
54% linking ./kio/kssl/libkssl.la
54% compiling ./kio/kfile/kpropertiesmimetypebase.cpp
54% compiling ./kio/kfile/knotifywidgetbase.cpp
ar cru ./kio/kssl/.libs/libkssl.a ./kio/kssl/.libs/kssl.o ./kio/kssl/.libs/ksslc
ertificatehome.o ./kio/kssl/.libs/ksslsettings.o ./kio/kssl/.libs/ksslcertificat
e.o ./kio/kssl/.libs/ksslconnectioninfo.o ./kio/kssl/.libs/ksslcertificatefactor
y.o ./kio/kssl/.libs/ksslcertificatecache.o ./kio/kssl/.libs/ksslpeerinfo.o ./ki
o/kssl/.libs/ksslinfo.o ./kio/kssl/.libs/ksslcertdlg.o ./kio/kssl/.libs/ksslu


```
tils.o ./kio/kssl/.libs/kopenssl.o ./kio/kssl/.libs/ksslpkcs12.o ./kio/kssl/.libs/ksslcertchain.o ./kio/kssl/.libs/ksslkeygen.o ./kio/kssl/.libs/ksslx509v3.o ./kio/kssl/.libs/ksslsigners.o ./kio/kssl/.libs/ksslpkcs7.o ./kio/kssl/.libs/ksslpemcallback.o ./kio/kssl/.libs/ksslx509map.o ./kio/kssl/.libs/ksslsession.o ./kio/kssl/.libs/keygenwizard.o ./kio/kssl/.libs/keygenwizard2.o ./kio/kssl/.libs/kstimecrypto.o ./kio/kssl/.libs/ksslcsessioncache.o
ranlib ./kio/kssl/.libs/libkssl.a
creating ./kio/kssl/libkssl.la
(cd ./kio/kssl/.libs && rm -f libkssl.la && ln -s ../libkssl.la libkssl.la)
54% compiling ./kdeui/kmainwindowiface_skel.cpp
54% compiling ./kwallet/client/kwallet_skel.cpp
54% 54% linking ./kdeui/libkdeui.la
compiling ./kio/kio/kdirnotify_skel.cpp
54% compiling ./kio/kio/observer_skel.cpp
54% compiling ./kio/bookmarks/kbookmarkmanager_skel.cpp
55% compiling ./kio/bookmarks/kbookmarknotifier_skel.cpp
55% compiling ./kio/kio/observer_stub.cpp
55% compiling ./kio/kio/uisever_stub.cpp
55% compiling ./kio/dummy.cpp
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kconfig_compiler/kconfig_compiler.cpp
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kparts/event.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

```
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdeui/.libs/libkdeui.4.2.0.dyl  
ib ./kdeui/.libs/qxembed.o ./kdeui/.libs/ksharedpixmap.o ./kdeui/.libs/kpixmapi  
o.o ./kdeui/.libs/kpopupmenu.o ./kdeui/.libs/ktoolbar.o ./kdeui/.libs/kaction.o  
./kdeui/.libs/kstdaction.o ./kdeui/.libs/kactioncollection.o ./kdeui/.libs/kacti  
onclasses.o ./kdeui/.libs/kurllabel.o ./kdeui/.libs/kmenubar.o ./kdeui/.libs/kin  
putdialog.o ./kdeui/.libs/knuminput.o ./kdeui/.libs/klineedit.o ./kdeui/.libs/kl  
istview.o ./kdeui/.libs/kprogress.o ./kdeui/.libs/kcolordialog.o ./kdeui/.libs/k  
select.o ./kdeui/.libs/kdatepicker.o ./kdeui/.libs/kdatetbl.o ./kdeui/.libs/kfon  
trequester.o ./kdeui/.libs/kfontdialog.o ./kdeui/.libs/ktabctl.o ./kdeui/.libs/k  
statusbar.o ./kdeui/.libs/kmainwindow.o ./kdeui/.libs/keditlistbox.o ./kdeui/.li  
bs/kscrollview.o ./kdeui/.libs/kseparator.o ./kdeui/.libs/krestrictedline.o ./kd  
eui/.libs/kcolorbutton.o ./kdeui/.libs/kssystemtray.o ./kdeui/.libs/kbuttonbox.o  
./kdeui/.libs/keditcl1.o ./kdeui/.libs/keditcl2.o ./kdeui/.libs/kled.o ./kdeui/.  
libs/kshortcutdialog_simple.o ./kdeui/.libs/kshortcutdialog_advanced.o ./kdeui/.  
libs/kshortcutdialog.o ./kdeui/.libs/kkeybutton.o ./kdeui/.libs/kkeydialog.o ./k  
deui/.libs/kruler.o ./kdeui/.libs/kcursor.o ./kdeui/.libs/klineeditdlg.o ./kdeui  
/.libs/kcharselect.o ./kdeui/.libs/kcolordrag.o ./kdeui/.libs/knumvalidator.o ./  
kdeui/.libs/kdialog.o ./kdeui/.libs/kdialogbase.o ./kdeui/.libs/kjanuswidget.o .  
/kdeui/.libs/kaboutdialog.o ./kdeui/.libs/kauthicon.o ./kdeui/.libs/kmessagebox.  
o ./kdeui/.libs/kdualcolorbutton.o ./kdeui/.libs/ktoolbarradiogroup.o ./kdeui/.l  
ibs/ktoolbarbutton.o ./kdeui/.libs/ktextbrowser.o ./kdeui/.libs/khelpmenu.o ./kd  
eui/.libs/kswitchlanguagedialog.o ./kdeui/.libs/kcmenumngr.o ./kdeui/.libs/kpane
```

lmenu.o ./kdeui/.libs/kiconview.o ./kdeui/.libs/klistbox.o ./kdeui/.libs/kwordwr
ap.o ./kdeui/.libs/kbugreport.o ./kdeui/.libs/kcombobox.o ./kdeui/.libs/kpasswdlg
.o ./kdeui/.libs/kxmlguiclient.o ./kdeui/.libs/kxmlguifactory.o ./kdeui/.libs/kx
mlguifactory_p.o ./kdeui/.libs/kxmlguibuilder.o ./kdeui/.libs/kedittoolbar.o ./k
deui/.libs/kpanelappmenu.o ./kdeui/.libs/kdockwidget.o ./kdeui/.libs/kdockwidget
_private.o ./kdeui/.libs/kanimwidget.o ./kdeui/.libs/krootpixmap.o ./kdeui/.libs
/kaboutkde.o ./kdeui/.libs/kaboutapplication.o ./kdeui/.libs/kpanelapplet.o ./kd
eui/.libs/kdcopactionproxy.o ./kdeui/.libs/kcolorcombo.o ./kdeui/.libs/kpushbutt
on.o ./kdeui/.libs/kpanelextension.o ./kdeui/.libs/kcompletionbox.o ./kdeui/.lib
s/ksqueezedtextlabel.o ./kdeui/.libs/kcmodule.o ./kdeui/.libs/kcommand.o ./kdeui
/.libs/kwindowlistmenu.o ./kdeui/.libs/kfontcombo.o ./kdeui/.libs/ktip.o ./kdeui
/.libs/kdatewidget.o ./kdeui/.libs/karrowbutton.o ./kdeui/.libs/kmainwindowiface
.o ./kdeui/.libs/kmainwindowiface_skel.o ./kdeui/.libs/kguiitem.o ./kdeui/.libs/
kstdguiitem.o ./kdeui/.libs/kstringvalidator.o ./kdeui/.libs/kactivelabel.o ./kd
eui/.libs/kwindowinfo.o ./kdeui/.libs/ktextedit.o ./kdeui/.libs/kwizard.o ./kdeu
i/.libs/kpassivepopup.o ./kdeui/.libs/ktoolbarhandler.o ./kdeui/.libs/kdatetimew
idget.o ./kdeui/.libs/ktimewidget.o ./kdeui/.libs/ktimezonewidget.o ./kdeui/.lib
s/ksconfig.o ./kdeui/.libs/kspelldlg.o ./kdeui/.libs/kspell.o ./kdeui/.libs/ksyn
taxhighlighter.o ./kdeui/.libs/ktabbar.o ./kdeui/.libs/ktabwidget.o ./kdeui/.lib
s/ksplashscreen.o ./kdeui/.libs/kspellui.o ./kdeui/.libs/kconfigdialog.o ./kdeui
/.libs/kactionselector.o ./kdeui/.libs/klanguagebutton.o ./kdeui/.libs/klistview
searchline.o ./kdeui/.libs/kpixmapregionselectorwidget.o ./kdeui/.libs/kpixmapre
gionselectordialog.o ./kdeui/.libs/kwhatsthismanager.o ./kdeui/.libs/kiconviewse
archline.o ./kdeui/.libs/ktoolbarlabelaction.o -L/opt/local/lib -L/opt/local/li

```
b/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_lo
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/
kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl
_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib
/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rs
ync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.1
0/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.
dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib
/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dyli
b /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/li
bfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/
local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib
/opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.
dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/loca
l/lib/libkdeui.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl
,7.0
(cd ./kdeui/.libs && rm -f libkdeui.4.dylib && ln -s libkdeui.4.2.0.dylib libkde
ui.4.dylib)
(cd ./kdeui/.libs && rm -f libkdeui.dylib && ln -s libkdeui.4.2.0.dylib libkdeui
.dylib)
creating ./kdeui/libkdeui.la
(cd ./kdeui/.libs && rm -f libkdeui.la && ln -s ../libkdeui.la libkdeui.la)
55% linking ./kio/kfile/libkfile.la
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kresources/factory.cpp

```
ar cru ./kio/kfile/.libs/libkfile.a ./kio/kfile/.libs/kfilefiltercombo.o ./kio/kfile/.libs/kfileview.o ./kio/kfile/.libs/kfileiconview.o ./kio/kfile/.libs/krecentdocument.o ./kio/kfile/.libs/kfiledialog.o ./kio/kfile/.libs/kdiroperator.o ./kio/kfile/.libs/kfiledetailview.o ./kio/kfile/.libs/kcombiview.o ./kio/kfile/.libs/kurlrequester.o ./kio/kfile/.libs/kfilepreview.o ./kio/kfile/.libs/kurlcombobox.o ./kio/kfile/.libs/kurlrequesterdlg.o ./kio/kfile/.libs/kopenwith.o ./kio/kfile/.libs/kpropertiesdialog.o ./kio/kfile/.libs/kicondialog.o ./kio/kfile/.libs/kdirsizer.o ./kio/kfile/.libs/krecentdirs.o ./kio/kfile/.libs/kdiskfreespace.o ./kio/kfile/.libs/kimagefilepreview.o ./kio/kfile/.libs/kfilesharedlg.o ./kio/kfile/.libs/kurlbar.o ./kio/kfile/.libs/kmetaprops.o ./kio/kfile/.libs/kpreviewprops.o ./kio/kfile/.libs/kfiletreeview.o ./kio/kfile/.libs/kfiletreeviewitem.o ./kio/kfile/.libs/kfiletreebranch.o ./kio/kfile/.libs/kdirselectdialog.o ./kio/kfile/.libs/kfilebookmarkhandler.o ./kio/kfile/.libs/kfilemetainfowidget.o ./kio/kfile/.libs/kcustommenueditor.o ./kio/kfile/.libs/knotifywidgetbase.o ./kio/kfile/.libs/knotifydialog.o ./kio/kfile/.libs/kfilespeedbar.o ./kio/kfile/.libs/kpreviewwidgetbase.o ./kio/kfile/.libs/kfilemetapreview.o ./kio/kfile/.libs/kpropertiesdesktopbase.o ./kio/kfile/.libs/kpropertiesdesktopadvbase.o ./kio/kfile/.libs/kpropertiesmimetypebase.o ./kio/kfile/.libs/kencodingfiledialog.o ./kio/kfile/.libs/kacleditwidget.o
```

/usr/bin/ranlib: file: ./kio/kfile/.libs/libkfile.a(kacleditwidget.o) has no symbols

```
ranlib ./kio/kfile/.libs/libkfile.a
```

```
ranlib: file: ./kio/kfile/.libs/libkfile.a(kacleditwidget.o) has no symbols
creating ./kio/kfile/libkfile.la
(cd ./kio/kfile/.libs && rm -f libkfile.la && ln -s ../libkfile.la libkfile.la)
55% linking ./kwallet/client/libkwalletclient.la
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kresources/selectdialog.cpp
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/vcard/vCard-all.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kwallet/client/.libs/libkwalle
tclient.1.0.1.dylib ./kwallet/client/.libs/kwallet_skel.o ./kwallet/client/.lib
s/kwallet.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecor
e.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.
libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dyli
b /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/l
ocal/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /
opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/lib
Xcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/
local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/li
```

```
bXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcpc.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkwalletclient.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.1
(cd ./kwallet/client/.libs && rm -f libkwalletclient.1.dylib && ln -s libkwalletclient.1.0.1.dylib libkwalletclient.1.dylib)
(cd ./kwallet/client/.libs && rm -f libkwalletclient.dylib && ln -s libkwalletclient.1.0.1.dylib libkwalletclient.dylib)
creating ./kwallet/client/libkwalletclient.la
(cd ./kwallet/client/.libs && rm -f libkwalletclient.la && ln -s ../libkwalletclient.la libkwalletclient.la)
55% linking ./kio/bookmarks/libkbookmarks.la
ar cru ./kio/bookmarks/.libs/libkbookmarks.a ./kio/bookmarks/.libs/kbookmark.o ./kio/bookmarks/.libs/kbookmarkbar.o ./kio/bookmarks/.libs/kbookmarkdrag.o ./kio/bookmarks/.libs/kbookmarkexporter.o ./kio/bookmarks/.libs/kbookmarkimporter.o ./kio/bookmarks/.libs/kbookmarkmanager.o ./kio/bookmarks/.libs/kbookmarkmenu.o ./kio/bookmarks/.libs/kbookmarkimporter_crash.o ./kio/bookmarks/.libs/kbookmarkimporter_opera.o ./kio/bookmarks/.libs/kbookmarkimporter_ie.o ./kio/bookmarks/.libs/kbookmarkimporter_ns.o ./kio/bookmarks/.libs/kbookmarkimporter_kde1.o ./kio/bookmarks/.libs/kbookmarkdombuilder.o ./kio/bookmarks/.libs/kbookmarkmanager_skel.o ./kio/bookmarks/.libs/kbookmarknotifier_skel.o
ranlib ./kio/bookmarks/.libs/libkbookmarks.a
creating ./kio/bookmarks/libkbookmarks.la
```

```
(cd ./kio/bookmarks/.libs && rm -f libkbookmarks.la && ln -s ../libkbookmarks.la
libkbookmarks.la)
55% linking ./kio/kio/libkiocore.la
ar cru ./kio/kio/.libs/libkiocore.a ./kio/kio/.libs/authinfo.o ./kio/kio/.libs/k
shred.o ./kio/kio/.libs/kprotocolmanager.o ./kio/kio/.libs/slave.o ./kio/kio/.li
bs/slaveinterface.o ./kio/kio/.libs/observer_stub.o ./kio/kio/.libs/sessiondata.
o ./kio/kio/.libs/scheduler.o ./kio/kio/.libs/connection.o ./kio/kio/.libs/job.o
./kio/kio/.libs/global.o ./kio/kio/.libs/slaveconfig.o ./kio/kio/.libs/kurlpixm
aprovider.o ./kio/kio/.libs/netaccess.o ./kio/kio/.libs/paste.o ./kio/kio/.libs
/pastedialog.o ./kio/kio/.libs/kmimemagic.o ./kio/kio/.libs/tcpslavebase.o ./kio
/kio/.libs/slavebase.o ./kio/kio/.libs/passdlg.o ./kio/kio/.libs/forwardingslave
base.o ./kio/kio/.libs/progressbase.o ./kio/kio/.libs/defaultprogress.o ./kio/ki
o/.libs/statusbarprogress.o ./kio/kio/.libs/kdirnotify.o ./kio/kio/.libs/kdirnot
ify_skel.o ./kio/kio/.libs/kdirnotify_stub.o ./kio/kio/.libs/observer.o ./kio/ki
o/.libs/uiserver_stub.o ./kio/kio/.libs/observer_skel.o ./kio/kio/.libs/kemailse
ttings.o ./kio/kio/.libs/kprotocolinfo.o ./kio/kio/.libs/renamedlg.o ./kio/kio/.
libs/skipdlg.o ./kio/kio/.libs/kremoteencoding.o ./kio/kio/.libs/kmimetypechoose
r.o
ranlib ./kio/kio/.libs/libkiocore.a
creating ./kio/kio/libkiocore.la
(cd ./kio/kio/.libs && rm -f libkiocore.la && ln -s ../libkiocore.la libkiocore.
la)
55% linking ./kio/libkio.la
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```



```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kabc/vcardparser/vcard.cpp  
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kabc/vcardparser/vcardline.cpp  
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kabc/vcardparser/vcardparser.cpp  
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kresources/managerimpl.cpp  
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kparts/part.cpp  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
rm -fr ./kio/.libs/libkio.lax  
mkdir ./kio/.libs/libkio.lax  
rm -fr ./kio/.libs/libkio.lax/libkssl.a  
mkdir ./kio/.libs/libkio.lax/libkssl.a  
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m  
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k  
io/kssl/.libs/libkssl.a
```

```
(cd ./kio/.libs/libkio.lax/libkssl.a && ar x /opt/local/var/macports/build/_opt_
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs
3/kdelibs3/work/kdelibs-3.5.10/./kio/kssl/.libs/libkssl.a)
rm -fr ./kio/.libs/libkio.lax/libkiocore.a
mkdir ./kio/.libs/libkio.lax/libkiocore.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
io/kio/.libs/libkiocore.a
(cd ./kio/.libs/libkio.lax/libkiocore.a && ar x /opt/local/var/macports/build/_o
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdel
ibs3/kdelibs3/work/kdelibs-3.5.10/./kio/kio/.libs/libkiocore.a)
rm -fr ./kio/.libs/libkio.lax/libksycoca.a
mkdir ./kio/.libs/libkio.lax/libksycoca.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
io/kio/.libs/libksycoca.a
(cd ./kio/.libs/libkio.lax/libksycoca.a && ar x /opt/local/var/macports/build/_o
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdel
ibs3/kdelibs3/work/kdelibs-3.5.10/./kio/kio/.libs/libksycoca.a)
rm -fr ./kio/.libs/libkio.lax/libkbookmarks.a
mkdir ./kio/.libs/libkio.lax/libkbookmarks.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
io/bookmarks/.libs/libkbookmarks.a
```

```
(cd ./kio/.libs/libkio.lax/libkbookmarks.a && ar x /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
delibs3/kdelibs3/work/kdelibs-3.5.10/./kio/bookmarks/.libs/libkbookmarks.a)
rm -fr ./kio/.libs/libkio.lax/libkfile.a
mkdir ./kio/.libs/libkio.lax/libkfile.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
io/kfile/.libs/libkfile.a
(cd ./kio/.libs/libkio.lax/libkfile.a && ar x /opt/local/var/macports/build/_opt
_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelib
s3/kdelibs3/work/kdelibs-3.5.10/./kio/kfile/.libs/libkfile.a)
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kio/.libs/libkio.4.2.0.dylib
./kio/.libs/dummy.o ./kio/.libs/libkio.lax/libkssl.a/keygenwizard.o ./kio/.libs
/libkio.lax/libkssl.a/keygenwizard2.o ./kio/.libs/libkio.lax/libkssl.a/kopenssl.
o ./kio/.libs/libkio.lax/libkssl.a/kmimecrypto.o ./kio/.libs/libkio.lax/libkssl
.a/kssl.o ./kio/.libs/libkio.lax/libkssl.a/ksslcertchain.o ./kio/.libs/libkio.la
x/libkssl.a/ksslcertdlg.o ./kio/.libs/libkio.lax/libkssl.a/ksslcertificate.o ./k
io/.libs/libkio.lax/libkssl.a/ksslcertificatecache.o ./kio/.libs/libkio.lax/libk
ssl.a/ksslcertificatefactory.o ./kio/.libs/libkio.lax/libkssl.a/ksslcertificateh
ome.o ./kio/.libs/libkio.lax/libkssl.a/ksslconnectioninfo.o ./kio/.libs/libkio.l
ax/libkssl.a/ksslcsessioncache.o ./kio/.libs/libkio.lax/libkssl.a/ksslinfodlg.o
./kio/.libs/libkio.lax/libkssl.a/ksslkeygen.o ./kio/.libs/libkio.lax/libkssl.a/k
sslpeerinfo.o ./kio/.libs/libkio.lax/libkssl.a/ksslpemcallback.o ./kio/.libs/lib
kio.lax/libkssl.a/ksslpkcs12.o ./kio/.libs/libkio.lax/libkssl.a/ksslpkcs7.o ./ki
```

o/.libs/libkio.lax/libkssl.a/ksslsession.o ./kio/.libs/libkio.lax/libkssl.a/kssl
settings.o ./kio/.libs/libkio.lax/libkssl.a/ksslsigners.o ./kio/.libs/libkio.lax
/libkssl.a/ksslutils.o ./kio/.libs/libkio.lax/libkssl.a/ksslx509map.o ./kio/.lib
s/libkio.lax/libkssl.a/ksslx509v3.o ./kio/.libs/libkio.lax/libkiocore.a/authinf
o.o ./kio/.libs/libkio.lax/libkiocore.a/connection.o ./kio/.libs/libkio.lax/libk
iocore.a/defaultprogress.o ./kio/.libs/libkio.lax/libkiocore.a/forwardingslaveba
se.o ./kio/.libs/libkio.lax/libkiocore.a/global.o ./kio/.libs/libkio.lax/libkioc
ore.a/job.o ./kio/.libs/libkio.lax/libkiocore.a/kdirnotify.o ./kio/.libs/libkio.
lax/libkiocore.a/kdirnotify_skel.o ./kio/.libs/libkio.lax/libkiocore.a/kdirnotif
y_stub.o ./kio/.libs/libkio.lax/libkiocore.a/kemailsettings.o ./kio/.libs/libkio
.lax/libkiocore.a/kmimemagic.o ./kio/.libs/libkio.lax/libkiocore.a/kmimetypechoo
ser.o ./kio/.libs/libkio.lax/libkiocore.a/kprotocolinfo.o ./kio/.libs/libkio.lax
/libkiocore.a/kprotocolmanager.o ./kio/.libs/libkio.lax/libkiocore.a/kremoteenco
ding.o ./kio/.libs/libkio.lax/libkiocore.a/kshred.o ./kio/.libs/libkio.lax/libki
ocore.a/kurlpixmapprovider.o ./kio/.libs/libkio.lax/libkiocore.a/netaccess.o ./k
io/.libs/libkio.lax/libkiocore.a/observer.o ./kio/.libs/libkio.lax/libkiocore.a/
observer_skel.o ./kio/.libs/libkio.lax/libkiocore.a/observer_stub.o ./kio/.libs/
libkio.lax/libkiocore.a/passdlg.o ./kio/.libs/libkio.lax/libkiocore.a/paste.o ./
kio/.libs/libkio.lax/libkiocore.a/pastedialog.o ./kio/.libs/libkio.lax/libkiocor
e.a/progressbase.o ./kio/.libs/libkio.lax/libkiocore.a/renamedlg.o ./kio/.libs/l
ibkio.lax/libkiocore.a/scheduler.o ./kio/.libs/libkio.lax/libkiocore.a/sessionda
ta.o ./kio/.libs/libkio.lax/libkiocore.a/skipdlg.o ./kio/.libs/libkio.lax/libkioc
ore.a/slave.o ./kio/.libs/libkio.lax/libkiocore.a/slavebase.o ./kio/.libs/libki
o.lax/libkiocore.a/slaveconfig.o ./kio/.libs/libkio.lax/libkiocore.a/slaveinterf

ace.o ./kio/.libs/libkio.lax/libkiocore.a/statusbarprogress.o ./kio/.libs/libkio.lax/libkiocore.a/tcpslavebase.o ./kio/.libs/libkio.lax/libkiocore.a/uisever_stub.o ./kio/.libs/libkio.lax/libksycoca.a/chmodjob.o ./kio/.libs/libkio.lax/libksycoca.a/dataprotocol.o ./kio/.libs/libkio.lax/libksycoca.a/dataslave.o ./kio/.libs/libkio.lax/libksycoca.a/davjob.o ./kio/.libs/libkio.lax/libksycoca.a/kacl.o ./kio/.libs/libkio.lax/libksycoca.a/kar.o ./kio/.libs/libkio.lax/libksycoca.a/karchive.o ./kio/.libs/libkio.lax/libksycoca.a/kautomount.o ./kio/.libs/libkio.lax/libksycoca.a/kdatatool.o ./kio/.libs/libkio.lax/libksycoca.a/kdcopservicestarter.o ./kio/.libs/libkio.lax/libksycoca.a/kdirliester.o ./kio/.libs/libkio.lax/libksycoca.a/kdirwatch.o ./kio/.libs/libkio.lax/libksycoca.a/kfilefilter.o ./kio/.libs/libkio.lax/libksycoca.a/kfileitem.o ./kio/.libs/libkio.lax/libksycoca.a/kfilemetainfo.o ./kio/.libs/libkio.lax/libksycoca.a/kfileshare.o ./kio/.libs/libkio.lax/libksycoca.a/kfilterbase.o ./kio/.libs/libkio.lax/libksycoca.a/kfilterdev.o ./kio/.libs/libkio.lax/libksycoca.a/kimageio.o ./kio/.libs/libkio.lax/libksycoca.a/kmime.o ./kio/.libs/libkio.lax/libksycoca.a/knfsshare.o ./kio/.libs/libkio.lax/libksycoca.a/krun.o ./kio/.libs/libkio.lax/libksycoca.a/ksambashare.o ./kio/.libs/libkio.lax/libksycoca.a/kscan.o ./kio/.libs/libkio.lax/libksycoca.a/kservice.o ./kio/.libs/libkio.lax/libksycoca.a/kservicefactory.o ./kio/.libs/libkio.lax/libksycoca.a/kservicegroup.o ./kio/.libs/libkio.lax/libksycoca.a/kservicegroupfactory.o ./kio/.libs/libkio.lax/libksycoca.a/kservicetype.o ./kio/.libs/libkio.lax/libksycoca.a/kservicetypefactory.o ./kio/.libs/libkio.lax/libksycoca.a/kshellcompletion.o ./kio/.libs/libkio.lax/libksycoca.a/ktar.o ./kio/.libs/libkio.lax/libksycoca.a/ktrader.o ./kio/.libs/libkio.lax/libksycoca.a/ktraderparse.o ./kio/.libs/libkio.lax/libksycoca.a/ktraderparsetree.o ./kio/.libs/libkio.lax/libksyc

oca.a/kurifilter.o ./kio/.libs/libkio.lax/libksycoca.a/kurlcompletion.o ./kio/.libs/libkio.lax/libksycoca.a/kuserprofile.o ./kio/.libs/libkio.lax/libksycoca.a/kzip.o ./kio/.libs/libkio.lax/libksycoca.a/lex.o ./kio/.libs/libkio.lax/libksycoca.a/metainfojob.o ./kio/.libs/libkio.lax/libksycoca.a/posixacladdons.o ./kio/.libs/libkio.lax/libksycoca.a/previewjob.o ./kio/.libs/libkio.lax/libksycoca.a/yacc.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmark.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkbar.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkdbuilder.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkdrag.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkexporter.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkimporter.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkimporter_crash.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkimporter_ie.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkimporter_kde1.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkimporter_ns.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkimporter_opera.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkmanager.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkmanager_skel.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarkmenu.o ./kio/.libs/libkio.lax/libkbookmarks.a/kbookmarknotifier_skel.o ./kio/.libs/libkio.lax/libkfile.a/kacleditwidget.o ./kio/.libs/libkio.lax/libkfile.a/kcombiview.o ./kio/.libs/libkio.lax/libkfile.a/kcusto mmenueditor.o ./kio/.libs/libkio.lax/libkfile.a/kdiroperator.o ./kio/.libs/libkio.lax/libkfile.a/kdirselectdialog.o ./kio/.libs/libkio.lax/libkfile.a/kdirsize.o ./kio/.libs/libkio.lax/libkfile.a/kdiskfreesp.o ./kio/.libs/libkio.lax/libkfile.a/kencodingfiledialog.o ./kio/.libs/libkio.lax/libkfile.a/kfilebookmarkhandler.o ./kio/.libs/libkio.lax/libkfile.a/kfiledetailview.o ./kio/.libs/libkio.lax/libkfile.a/kfiledialog.o ./kio/.libs/libkio.lax/libkfile.a/kfilefiltercombo.o ./kio

```
./libs/libkio.lax/libkfile.a/kfileiconview.o ./kio/.libs/libkio.lax/libkfile.a/kfilemetainfowidget.o ./kio/.libs/libkio.lax/libkfile.a/kfilemetapreview.o ./kio/.libs/libkio.lax/libkfile.a/kfilepreview.o ./kio/.libs/libkio.lax/libkfile.a/kfilesharedlg.o ./kio/.libs/libkio.lax/libkfile.a/kfilespeedbar.o ./kio/.libs/libkio.lax/libkfile.a/kfiletreebranch.o ./kio/.libs/libkio.lax/libkfile.a/kfiletreeview.o ./kio/.libs/libkio.lax/libkfile.a/kfiletreeviewitem.o ./kio/.libs/libkio.lax/libkfile.a/kfileview.o ./kio/.libs/libkio.lax/libkfile.a/kicondialog.o ./kio/.libs/libkio.lax/libkfile.a/kimagefilepreview.o ./kio/.libs/libkio.lax/libkfile.a/kmetaprops.o ./kio/.libs/libkio.lax/libkfile.a/knotifydialog.o ./kio/.libs/libkio.lax/libkfile.a/knotifywidgetbase.o ./kio/.libs/libkio.lax/libkfile.a/kopenwith.o ./kio/.libs/libkio.lax/libkfile.a/kpreviewprops.o ./kio/.libs/libkio.lax/libkfile.a/kpreviewwidgetbase.o ./kio/.libs/libkio.lax/libkfile.a/kpropertiesdesktopbase.o ./kio/.libs/libkio.lax/libkfile.a/kpropertiesdesktopbase.o ./kio/.libs/libkio.lax/libkfile.a/kpropertiesdialog.o ./kio/.libs/libkio.lax/libkfile.a/kpropertiesmimetypebase.o ./kio/.libs/libkio.lax/libkfile.a/krecentdirs.o ./kio/.libs/libkio.lax/libkfile.a/krecentdocument.o ./kio/.libs/libkio.lax/libkfile.a/kurlbar.o ./kio/.libs/libkio.lax/libkfile.a/kurlcombobox.o ./kio/.libs/libkio.lax/libkfile.a/kurlrequester.o ./kio/.libs/libkio.lax/libkfile.a/kurlrequesterdlg.o  
-L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dy
```

```
lib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib ./kdesu/.libs/libkdesu.dylib ./kwallet/client/.libs/libkwalletclient.dylib -lz -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkio.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0
(cd ./kio/.libs && rm -f libkio.4.dylib && ln -s libkio.4.2.0.dylib libkio.4.dylib)
(cd ./kio/.libs && rm -f libkio.dylib && ln -s libkio.4.2.0.dylib libkio.dylib)
rm -fr ./kio/.libs/libkio.lax
creating ./kio/libkio.la
(cd ./kio/.libs && rm -f libkio.la && ln -s ../libkio.la libkio.la)
55% linking ./kdecore/kconfig_compiler/kconfig_compiler
55% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/plugin.cpp
55% mkdir ./kdecore/kconfig_compiler/.libs
```



```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10 -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libltdl -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx -I./kdecore -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.o
```

```
rg_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile -I
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10 -I/opt/local/l
ib/qt3/include -I/opt/local/include -I/opt/local/include -DQT_THREAD_SUPPORT -I/
usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-comm
on -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip
_dylibs -o ./kdecore/kconfig_compiler/.libs/kconfig_compiler ./kdecore/kconfig_c
ompiler/kconfig_compiler.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/
qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_loca
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kd
elibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart
_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/
local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
ibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lre
solv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/
lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dyli
b /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/
local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.d
ylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/
local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /
opt/local/lib/libXdmcp.dylib -lz
creating ./kdecore/kconfig_compiler/kconfig_compiler
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
```

```
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/partmanager.cpp
55% 56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/mainwindow.cpp
linking ./kabc/vcardparser/libvcards.la
ar cru ./kabc/vcardparser/.libs/libvcards.a ./kabc/vcardparser/.libs/vcard.o ./kabc/vcardparser/.libs/vcardline.o ./kabc/vcardparser/.libs/vcardparser.o
ranlib ./kabc/vcardparser/.libs/libvcards.a
creating ./kabc/vcardparser/libvcards.la
(cd ./kabc/vcardparser/.libs && rm -f libvcards.la && ln -s ../libvcards.la libvcards.la)
56% linking ./kabc/vcard/libvcard.la
56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/dockmainwindow.cpp
56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/browserextension.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module ${wl}-undefined ${wl}dynamic_lookup -o ./kabc/vcard/.libs/libvcard.0.0.0.dylib ./kabc/vcard/.libs/vCard-all.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
```

```
tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib
/opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/
libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_l
ocal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3
/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt
.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/lib
Xrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /op
t/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfree
type.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/
local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /o
pt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dy
lib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dyl
ibs -install_name /opt/local/lib/libvcard.0.dylib -Wl,-compatibility_version -W
l,1 -Wl,-current_version -Wl,1.0
(cd ./kabc/vcard/.libs && rm -f libvcard.0.dylib && ln -s libvcard.0.0.0.dylib l
ibvcard.0.dylib)
(cd ./kabc/vcard/.libs && rm -f libvcard.dylib && ln -s libvcard.0.0.0.dylib lib
vcard.dylib)
creating ./kabc/vcard/libvcard.la
(cd ./kabc/vcard/.libs && rm -f libvcard.la && ln -s ../libvcard.la libvcard.la)
56% creating ./dnssd/settings.h
creating ./dnssd/settings.cpp
56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kparts/factory.cpp

56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kparts/historyprovider.cpp

56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kparts/browserinterface.cpp

56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kparts/browserrun.cpp

56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kparts/statusbarextension.cpp

56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kresources/resource.cpp

56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kresources/configwidget.cpp

56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kresources/configdialog.cpp

56% 56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5

```
.10/kresources/configpage.cpp
linking ./kparts/libkparts.la
56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kutils/ksettings/dispatcher.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kparts/.libs/libkparts.2.1.0.d
ylib ./kparts/.libs/part.o ./kparts/.libs/plugin.o ./kparts/.libs/partmanager.o
./kparts/.libs/mainwindow.o ./kparts/.libs/dockmainwindow.o ./kparts/.libs/even
t.o ./kparts/.libs/browserextension.o ./kparts/.libs/factory.o ./kparts/.libs/hi
storyprovider.o ./kparts/.libs/browserinterface.o ./kparts/.libs/browserrun.o ./
kparts/.libs/statusbarextension.o -L/opt/local/lib ./kio/.libs/libkio.dylib -L/
opt/local/lib/qt3/lib /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_
macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3
/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_o
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdel
ibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /o
pt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_r
elease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/li
bkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libi
```

```
dn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib
/opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.
dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/
lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dyli
b /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local
/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/l
ocal/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib
/opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dy
lib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkparts.2.dylib -Wl,
-compatibility_version -Wl,4 -Wl,-current_version -Wl,4.0
(cd ./kparts/.libs && rm -f libkparts.2.dylib && ln -s libkparts.2.1.0.dylib lib
kparts.2.dylib)
(cd ./kparts/.libs && rm -f libkparts.dylib && ln -s libkparts.2.1.0.dylib libkp
arts.dylib)
creating ./kparts/libkparts.la
(cd ./kparts/.libs && rm -f libkparts.la && ln -s ../libkparts.la libkparts.la)
56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kutils/ksettings/dialog.cpp
56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kutils/ksettings/pluginpage.cpp
```

```
56% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kutils/ksettings/componentsdialog.cpp
56% compiling ./kresources/manageriface_skel.cpp
56% compiling ./kresources/manageriface_stub.cpp
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdewidgets/makekdewidgets.cpp
57% linking ./kutils/ksettings/libksettings.la
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kjs/ustring.cpp
ar cru ./kutils/ksettings/.libs/libksettings.a ./kutils/ksettings/.libs/dispatch
er.o ./kutils/ksettings/.libs/dialog.o ./kutils/ksettings/.libs/pluginpage.o ./k
utils/ksettings/.libs/componentsdialog.o
ranlib ./kutils/ksettings/.libs/libksettings.a
creating ./kutils/ksettings/libksettings.la
(cd ./kutils/ksettings/.libs && rm -f libksettings.la && ln -s ../libksettings.l
a libksettings.la)
57% linking ./kresources/libkresources.la
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kjs/collector.cpp
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```



```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kjs/nodes.cpp
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kjs/grammar.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kresources/.libs/libkresources
.1.2.0.dylib ./kresources/.libs/resource.o ./kresources/.libs/factory.o ./kreso
urces/.libs/manageriface_skel.o ./kresources/.libs/manageriface_stub.o ./kresour
ces/.libs/managerimpl.o ./kresources/.libs/configwidget.o ./kresources/.libs/con
figdialog.o ./kresources/.libs/selectdialog.o ./kresources/.libs/configpage.o -
L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeui/.libs/libkdeui.dylib /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore
.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpo
rts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.l
ibs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib
/opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/lo
cal/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /o
pt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libX
cursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/l
```

```
ocal/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/lib
Xext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib
/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/loc
al/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib ./ki
o/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sourc
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-
3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_op
t_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdeli
bs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib -W
l,-dead_strip_dylibs -install_name /opt/local/lib/libkresources.1.dylib -Wl,-co
mpatibility_version -Wl,4 -Wl,-current_version -Wl,4.0
(cd ./kresources/.libs && rm -f libkresources.1.dylib && ln -s libkresources.1.2
.0.dylib libkresources.1.dylib)
(cd ./kresources/.libs && rm -f libkresources.dylib && ln -s libkresources.1.2.0
.dylib libkresources.dylib)
creating ./kresources/libkresources.la
(cd ./kresources/.libs && rm -f libkresources.la && ln -s ../libkresources.la li
bkresources.la)
57% linking ./kdewidgets/makekdewidgets
grammar.tab.c:339:6: warning: "YYENABLE_NLS" is not defined
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kjs/lookup.cpp

57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/operations.cpp

57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/regexp.cpp

57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/function_object.cpp

57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/bool_object.cpp

mkdir ./kdewidgets/.libs

/usr/bin/g++-4.2 -DQT_PLUGIN -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kdewidgets/.libs/makekdewidgets ./kdewidgets/makekdewidgets.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/

```
libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib  
lib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib  
/opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib  
/opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/li  
bXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /op  
t/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/loca  
l/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpth  
read /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/  
libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz  
creating ./kdewidgets/makekdewidgets  
57% 57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_  
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5  
.10/kjs/internal.cpp  
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/object_object.cpp  
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/regexp_object.cpp  
57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/error_object.cpp
```

57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/function.cpp

57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/debugger.cpp

57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/value.cpp

57% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/list.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/object.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/interpreter.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/property_map.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/nodes2string.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/identifier.cpp

58% 58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/reference.cpp

compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/reference_list.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/scope_chain.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/dtoa.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/keramik/genembed.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kmjob.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kmprinter.cpp

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/dtoa.cpp:
In function 'Bigint* Balloc(int)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/dtoa.cpp:5
28: warning: comparison between signed and unsigned integer expressions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/dtoa.cpp:
In function 'char* kjs_dtoa(double, int, int, int*, int*, char**)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/dtoa.cpp:2
969: warning: suggest a space before ';' or explicit braces around empty body in
'while' statement
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/dtoa.cpp:3
288: warning: suggest a space before ';' or explicit braces around empty body in
'while' statement
58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/kmvirtualmanager.cpp
58% linking ./kstyles/keramik/genembed
58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/driver.cpp
```

```
58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/driveritem.cpp
mkdir ./kstyles/keramik/.libs
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -UQT_NO_ASCII_CAST -DQT_PLUGIN -DQT_THREA
D_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/incl
ude -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -W
l,-dead_strip_dylibs -o ./kstyles/keramik/.libs/genembed ./kstyles/keramik/genem
bed.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdefx/.libs
/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/l
ib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /
opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfr
eetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dyl
ib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/li
b/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.d
ylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libX
dmcp.dylib
creating ./kstyles/keramik/genembed
58% checkbox_off:221/272(0)
checkbox_on:221/272(0)
checkbox_tri:221/272(0)
```


combobox_list_bc:144/216(0)
combobox_list_bl:21/36(0)
combobox_list_br:13/36(0)
combobox_list_cl:216/216(1)
combobox_list_cr:144/216(0)
combobox_list_tc:0/192(0)
combobox_list_tl:6/36(0)
combobox_list_tr:4/36(0)
frame_shadow_cl:0/84(0)
frame_shadow_tc:0/84(0)
frame_shadow_tl:0/9(0)
listview_bc:198/198(1)
listview_bl:2/2(1)
listview_br:2/2(1)
listview_cc:1782/1782(1)
listview_cl:18/18(1)
listview_cr:18/18(1)
listview_pressed_bc:64/64(1)
listview_pressed_bl:16/16(1)
listview_pressed_br:15/16(0)
listview_pressed_cc:224/224(1)
listview_pressed_cl:56/56(1)
listview_pressed_cr:56/56(1)
listview_pressed_tc:64/64(1)

listview_pressed_tl:16/16(1)
listview_pressed_tr:15/16(0)
listview_tc:198/198(1)
listview_tl:2/2(1)
listview_tr:2/2(1)
menuitem_cc:1782/1782(1)
menuitem_cl:18/18(1)
menuitem_cr:18/18(1)
progressbar_cc:616/616(1)
progressbar_cl:108/110(0)
progressbar_cr:110/110(1)
pushbutton_bc:388/582(0)
pushbutton_bl:31/60(0)
pushbutton_br:27/66(0)
pushbutton_cc:102/102(1)
pushbutton_cl:168/170(0)
pushbutton_cr:151/187(0)
pushbutton_default_bc:582/582(1)
pushbutton_default_bl:41/60(0)
pushbutton_default_br:47/66(0)
pushbutton_default_cc:133/133(1)
pushbutton_default_cl:186/190(0)
pushbutton_default_cr:205/209(0)
pushbutton_default_hov_bc:582/582(1)

pushbutton_default_hov_bl:41/60(0)
pushbutton_default_hov_br:47/66(0)
pushbutton_default_hov_cc:133/133(1)
pushbutton_default_hov_cl:186/190(0)
pushbutton_default_hov_cr:205/209(0)
pushbutton_default_hov_tc:582/582(1)
pushbutton_default_hov_tl:41/60(0)
pushbutton_default_hov_tr:47/66(0)
pushbutton_default_pressed_bc:582/582(1)
pushbutton_default_pressed_bl:41/60(0)
pushbutton_default_pressed_br:47/66(0)
pushbutton_default_pressed_cc:133/133(1)
pushbutton_default_pressed_cl:186/190(0)
pushbutton_default_pressed_cr:205/209(0)
pushbutton_default_pressed_tc:582/582(1)
pushbutton_default_pressed_tl:41/60(0)
pushbutton_default_pressed_tr:47/66(0)
pushbutton_default_tc:582/582(1)
pushbutton_default_tl:41/60(0)
pushbutton_default_tr:47/66(0)
pushbutton_hov_bc:388/582(0)
pushbutton_hov_bl:31/60(0)
pushbutton_hov_br:27/66(0)
pushbutton_hov_cc:102/102(1)

pushbutton_hov_cl:168/170(0)
pushbutton_hov_cr:151/187(0)
pushbutton_hov_tc:388/582(0)
pushbutton_hov_tl:31/60(0)
pushbutton_hov_tr:27/66(0)
pushbutton_pressed_bc:388/582(0)
pushbutton_pressed_bl:31/60(0)
pushbutton_pressed_br:27/66(0)
pushbutton_pressed_cc:102/102(1)
pushbutton_pressed_cl:168/170(0)
pushbutton_pressed_cr:151/187(0)
pushbutton_pressed_tc:388/582(0)
pushbutton_pressed_tl:31/60(0)
pushbutton_pressed_tr:27/66(0)
pushbutton_small_bc:18/18(1)
pushbutton_small_bl:15/18(0)
pushbutton_small_br:15/18(0)
pushbutton_small_cc:114/114(1)
pushbutton_small_cl:114/114(1)
pushbutton_small_cr:114/114(1)
pushbutton_small_pressed_bc:18/18(1)
pushbutton_small_pressed_bl:18/21(0)
pushbutton_small_pressed_br:15/18(0)
pushbutton_small_pressed_cc:114/114(1)

pushbutton_small_pressed_cl:114/114(1)
pushbutton_small_pressed_cr:114/114(1)
pushbutton_small_pressed_tc:18/18(1)
pushbutton_small_pressed_tl:15/18(0)
pushbutton_small_pressed_tr:15/18(0)
pushbutton_small_tc:18/18(1)
pushbutton_small_tl:15/18(0)
pushbutton_small_tr:15/18(0)
pushbutton_tc:388/582(0)
pushbutton_tl:31/60(0)
pushbutton_tr:27/66(0)
radiobutton_off:152/272(0)
radiobutton_on:152/272(0)
ripple:54/90(0)
scrollbar_hbar_arrow1:272/272(1)
scrollbar_hbar_arrow2:512/512(1)
scrollbar_hbar_groove1:64/64(1)
scrollbar_hbar_groove2:1824/1824(1)
scrollbar_hbar_slider1:128/128(1)
scrollbar_hbar_slider2:672/672(1)
scrollbar_hbar_slider3:112/112(1)
scrollbar_hbar_slider4:320/320(1)
scrollbar_vbar_arrow1:272/272(1)
scrollbar_vbar_arrow2:512/512(1)

scrollbar_vbar_groove1:64/64(1)
scrollbar_vbar_groove2:1824/1824(1)
scrollbar_vbar_slider1:128/128(1)
scrollbar_vbar_slider2:672/672(1)
scrollbar_vbar_slider3:112/112(1)
scrollbar_vbar_slider4:320/320(1)
slider_hgroove_bc:78/130(0)
slider_hgroove_bl:12/35(0)
slider_hgroove_br:12/35(0)
slider_hgroove_cc:182/182(1)
slider_hgroove_cl:35/49(0)
slider_hgroove_cr:35/49(0)
slider_hgroove_tc:78/130(0)
slider_hgroove_tl:12/35(0)
slider_hgroove_tr:12/35(0)
slider_vgroove_bc:35/49(0)
slider_vgroove_bl:12/35(0)
slider_vgroove_br:12/35(0)
slider_vgroove_cc:182/182(1)
slider_vgroove_cl:78/130(0)
slider_vgroove_cr:78/130(0)
slider_vgroove_tc:35/49(0)
slider_vgroove_tl:12/35(0)
slider_vgroove_tr:12/35(0)

slider:154/228(0)
spinbox_1:63/63(1)
spinbox_2:189/189(1)
spinbox_3:63/63(1)
spinbox_arrow_down:16/49(0)
spinbox_arrow_up:16/49(0)
spinbox_pressed_arrow_down:16/99(0)
spinbox_pressed_arrow_up:16/99(0)
spinbox_pressed_down:357/357(1)
spinbox_pressed_up:357/357(1)
tab_bottom_active_bc:48/48(1)
tab_bottom_active_bl:21/24(0)
tab_bottom_active_br:21/24(0)
tab_bottom_active_cc:252/252(1)
tab_bottom_active_cl:126/126(1)
tab_bottom_active_cr:126/126(1)
tab_bottom_inactive_bc:18/18(1)
tab_bottom_inactive_bl:11/12(0)
tab_bottom_inactive_br:8/12(0)
tab_bottom_inactive_cc:108/108(1)
tab_bottom_inactive_cl:72/72(1)
tab_bottom_inactive_cr:72/72(1)
tab_bottom_inactive_separator:3/3(1)
tab_top_active_cc:252/252(1)

tab_top_active_cl:126/126(1)
tab_top_active_cr:126/126(1)
tab_top_active_tc:48/48(1)
tab_top_active_tl:21/24(0)
tab_top_active_tr:21/24(0)
tab_top_inactive_cc:216/216(1)
tab_top_inactive_cl:72/72(1)
tab_top_inactive_cr:72/72(1)
tab_top_inactive_separator:3/3(1)
tab_top_inactive_tc:36/36(1)
tab_top_inactive_tl:11/12(0)
tab_top_inactive_tr:8/12(0)
title_close_tiny:17/81(0)
title_close:40/289(0)
title_iconify:16/289(0)
title_maximize:44/289(0)
title_restore:44/289(0)
titlebutton_pressed:221/225(0)
titlebutton:221/225(0)
toolbar_clk_bc:34/34(1)
toolbar_clk_bl:4/4(1)
toolbar_clk_br:4/4(1)
toolbar_clk_cc:238/238(1)
toolbar_clk_cl:28/28(1)

toolbar_clk_cr:28/28(1)

toolbar_clk_tc:34/34(1)

toolbar_clk_tl:4/4(1)

toolbar_clk_tr:4/4(1)

vslider:154/228(0)

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kmdbentry.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kprinter.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kpdriverpage.cpp

58% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kmthreadjob.cpp

59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kpipeprocess.cpp

59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kmspecialmanager.cpp

59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/kdeprintcheck.cpp
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/kpreloadobject.cpp
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/kpfileselectpage.cpp
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/treecombobox.cpp
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/kxmlcommand.cpp
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/util.cpp
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/printerfilter.cpp
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/kpmarginpage.cpp
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/foomatic2loader.cpp  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/fooparser.cpp  
/usr/lib/bison.simple:164:5: warning: "YYMAXDEPTH" is not defined  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/fooscaner.cpp  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/ppdparser.cpp  
./fooscaner.cpp:501:5: warning: "YY_STACK_USED" is not defined  
./fooscaner.cpp:1395:5: warning: "YY_ALWAYS_INTERACTIVE" is not defined  
./fooscaner.cpp:1398:5: warning: "YY_NEVER_INTERACTIVE" is not defined  
./fooscaner.cpp:1689:5: warning: "YY_MAIN" is not defined  
./fooscaner.cpp:1153: warning: 'void yyunput(int, char*)' defined but not used  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/ppdscanner.cpp  
./ppdparser.cpp:169:6: warning: "YYSTACK_USE_ALLOCA" is not defined  
./ppdparser.cpp:199:7: warning: "YYSTYPE_IS_TRIVIAL" is not defined  
./ppdparser.cpp:681:5: warning: "YYMAXDEPTH" is not defined  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/ppdloader.cpp  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kutils/kcmoduleinfo.cpp  
./ppdscanner.cpp:609:5: warning: "YY_STACK_USED" is not defined  
./ppdscanner.cpp:1594:5: warning: "YY_ALWAYS_INTERACTIVE" is not defined  
./ppdscanner.cpp:1597:5: warning: "YY_NEVER_INTERACTIVE" is not defined  
./ppdscanner.cpp:1888:5: warning: "YY_MAIN" is not defined  
./ppdscanner.cpp:1353: warning: 'void yyunput(int, char*)' defined but not used  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kutils/kcmoduleloader.cpp  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kutils/kplugininfo.cpp  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kabc/address.cpp  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kabc/agent.cpp  
59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kabc/errorhandler.cpp

59% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/formatfactory.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/geo.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/key.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/phonenumbers.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/picture.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/plugin.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/secrecy.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/sound.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/stdaddressbook.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/timezone.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/vcard21parser.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/vcardconverter.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/vcardformat.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/vcardformatimpl.cpp

60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/vcardformatplugin.cpp

60% 60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5

```
.10/kabc/ldifconverter.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc
/adresseelist.cpp
60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/vcardtool.cpp
60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/adresseehelper.cpp
60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/locknull.cpp
60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/ldif.cpp
60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/ldapurl.cpp
60% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/sortmode.cpp
61% compiling ./kabc/addressee.cpp
61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/date_object.cpp  
61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/lexer.cpp  
61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/string_object.cpp  
61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/number_object.cpp  
61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/array_object.cpp  
61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kjs/math_object.cpp  
61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/kmfactory.cpp  
61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/kmjobmanager.cpp  
61% linking ./kjs/libkjs.la
```


61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kmmanager.cpp

```
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kjs/.libs/libkjs.1.2.0.dylib
./kjs/.libs/uststring.o ./kjs/.libs/date_object.o ./kjs/.libs/collector.o ./kjs/.l
ibs/nodes.o ./kjs/.libs/grammar.o ./kjs/.libs/lexer.o ./kjs/.libs/lookup.o ./kjs
/.libs/operations.o ./kjs/.libs/regexp.o ./kjs/.libs/function_object.o ./kjs/.li
bs/string_object.o ./kjs/.libs/bool_object.o ./kjs/.libs/number_object.o ./kjs/.
libs/internal.o ./kjs/.libs/array_object.o ./kjs/.libs/math_object.o ./kjs/.libs
/object_object.o ./kjs/.libs/regexp_object.o ./kjs/.libs/error_object.o ./kjs/.l
ibs/function.o ./kjs/.libs/debugger.o ./kjs/.libs/value.o ./kjs/.libs/list.o ./k
js/.libs/object.o ./kjs/.libs/interpreter.o ./kjs/.libs/property_map.o ./kjs/.li
bs/nodes2string.o ./kjs/.libs/identifier.o ./kjs/.libs/reference.o ./kjs/.libs/r
eference_list.o ./kjs/.libs/scope_chain.o ./kjs/.libs/dtoa.o -L/opt/local/lib -
L/opt/local/lib/qt3/lib -lm /opt/local/lib/libpcreposix.dylib /opt/local/lib/lib
pcre.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkjs.1.dylib
-Wl,-compatibility_version -Wl,4 -Wl,-current_version -Wl,4.0
```

```
(cd ./kjs/.libs && rm -f libkjs.1.dylib && ln -s libkjs.1.2.0.dylib libkjs.1.dyl
ib)
```

```
(cd ./kjs/.libs && rm -f libkjs.dylib && ln -s libkjs.1.2.0.dylib libkjs.dylib)
creating ./kjs/libkjs.la
```

```
(cd ./kjs/.libs && rm -f libkjs.la && ln -s ../libkjs.la libkjs.la)
```

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kmuimanager.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/droptionview.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/driverview.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kprintpreview.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kprintdialog.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kprinterimpl.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kprintdialogpage.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kpcopiespage.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kprinterpropertydialog.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kpgeneralpage.cpp

61% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kpqtpage.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kpfilterpage.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/plugincombobox.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kfilelist.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kprintaction.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/marginpreview.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/marginvaluewidget.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/marginwidget.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/messagewindow.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org

_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/marginvaluewidget.cpp: In constructor 'MarginValueWidget::MarginValueWidget(KNumInput*, double, QWidget*, const char*)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org

_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/marginvaluewidget.cpp:25: warning: '__base_ctor' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/knuminput.h:493)

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/posterpreview.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/kpposterpage.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kfind.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kfinddialog.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kreplace.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kreplacdialog.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kcmultidialog.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kmultitabbar.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kcmoduleproxy.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kpluginselector.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kcmodulecontainer.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kutils/kcmoduleproxyIfaceImpl.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/addressbook.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/addresseedialog.cpp

62% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/distributionlist.cpp

63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/distributionlistdialog.cpp

63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/distributionlisteditor.cpp

63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kabc/resource.cpp

63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

```
kabc/resourceselectdialog.cpp
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/addresslineedit.cpp
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/ldapclient.cpp
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/lock.cpp
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/ldapconfigwidget.cpp
63% compiling ./kdeprint/kmfactory_skel.cpp
63% compiling ./kutils/kcmoduleproxyIface_skel.cpp
63% linking ./kdeprint/libkdeprint.la
63% compiling ./kabc/adresseehelper_skel.cpp
63% compiling ./kabc/field.cpp
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/management/kminfopage.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdeprint/.libs/libkdeprint.4.2
.0.dylib ./kdeprint/.libs/kmfactory.o ./kdeprint/.libs/kmjob.o ./kdeprint/.libs
```

/kmjobmanager.o ./kdeprint/.libs/kmmanager.o ./kdeprint/.libs/kmprinter.o ./kdeprint/.libs/kmuimanager.o ./kdeprint/.libs/kmvirtualmanager.o ./kdeprint/.libs/driver.o ./kdeprint/.libs/driveritem.o ./kdeprint/.libs/droptionview.o ./kdeprint/.libs/driverview.o ./kdeprint/.libs/kmdbentry.o ./kdeprint/.libs/kprintpreview.o ./kdeprint/.libs/kprintdialog.o ./kdeprint/.libs/kprinter.o ./kdeprint/.libs/kprinterimpl.o ./kdeprint/.libs/kprintdialogpage.o ./kdeprint/.libs/kpcopiespage.o ./kdeprint/.libs/kpdriverpage.o ./kdeprint/.libs/kprinterpropertydialog.o ./kdeprint/.libs/kpgeneralpage.o ./kdeprint/.libs/kpqtpage.o ./kdeprint/.libs/kmthreadjob.o ./kdeprint/.libs/kpipeprocess.o ./kdeprint/.libs/kpfilterpage.o ./kdeprint/.libs/kmspecialmanager.o ./kdeprint/.libs/kdeprintcheck.o ./kdeprint/.libs/plugincombobox.o ./kdeprint/.libs/kpreloadobject.o ./kdeprint/.libs/kfilelist.o ./kdeprint/.libs/kprintaction.o ./kdeprint/.libs/kpfileselectpage.o ./kdeprint/.libs/treecombobox.o ./kdeprint/.libs/kmfactory_skel.o ./kdeprint/.libs/kxmlcommand.o ./kdeprint/.libs/util.o ./kdeprint/.libs/printerfilter.o ./kdeprint/.libs/marginpreview.o ./kdeprint/.libs/marginvaluwidget.o ./kdeprint/.libs/marginwidget.o ./kdeprint/.libs/kpmarginpage.o ./kdeprint/.libs/messagewindow.o ./kdeprint/.libs/posterpreview.o ./kdeprint/.libs/kpposterpage.o ./kdeprint/.libs/foomatic2loader.o ./kdeprint/.libs/fooparser.o ./kdeprint/.libs/fooscanner.o ./kdeprint/.libs/ppdparser.o ./kdeprint/.libs/ppdscanner.o ./kdeprint/.libs/ppdloader.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkde


```
ui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -lz -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdeprint.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0 (cd ./kdeprint/.libs && rm -f libkdeprint.4.dylib && ln -s libkdeprint.4.2.0.dylib libkdeprint.4.dylib)
```

```
(cd ./kdeprint/.libs && rm -f libkdeprint.dylib && ln -s libkdeprint.4.2.0.dylib
libkdeprint.dylib)
creating ./kdeprint/libkdeprint.la
(cd ./kdeprint/.libs && rm -f libkdeprint.la && ln -s ../libkdeprint.la libkdepr
int.la)
63% linking ./kutils/libkutils.la
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/management/kmpages.cpp
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/management/jobitem.cpp
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/management/kmpropgeneral.cpp
63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/management/kmpropmembers.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
rm -fr ./kutils/.libs/libkutils.lax
mkdir ./kutils/.libs/libkutils.lax
rm -fr ./kutils/.libs/libkutils.lax/libksettings.a
mkdir ./kutils/.libs/libkutils.lax/libksettings.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```

```
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k  
utils/ksettings/.libs/libksettings.a
```

```
(cd ./kutils/.libs/libkutils.lax/libksettings.a && ar x /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kutils/ksettings/.libs/libksettings.  
a)
```

```
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kutils/.libs/libkutils.1.2.0.d  
ylib ./kutils/.libs/kfind.o ./kutils/.libs/kfinddialog.o ./kutils/.libs/kreplac  
e.o ./kutils/.libs/kreplacedialog.o ./kutils/.libs/kcmoduleinfo.o ./kutils/.libs  
/kcmoduleloader.o ./kutils/.libs/kcmultidialog.o ./kutils/.libs/kmultitabbar.o .  
/kutils/.libs/kplugininfo.o ./kutils/.libs/kcmoduleproxy.o ./kutils/.libs/kplugi  
nselector.o ./kutils/.libs/kcmodulecontainer.o ./kutils/.libs/kcmoduleproxyIface  
_skel.o ./kutils/.libs/kcmoduleproxyIfaceImpl.o ./kutils/.libs/libkutils.lax/li  
bksettings.a/componentsdialog.o ./kutils/.libs/libkutils.lax/libksettings.a/dial  
og.o ./kutils/.libs/libkutils.lax/libksettings.a/dispatcher.o ./kutils/.libs/lib  
kutils.lax/libksettings.a/pluginpage.o -L/opt/local/lib -L/opt/local/lib/qt3/li  
b ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k  
delibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_loca  
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kd  
elibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dy  
lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports
```

```
.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkutils.1.dylib -Wl,-compatibility_version -Wl,4 -Wl,-current_version -Wl,4.0
(cd ./kutils/.libs && rm -f libkutils.1.dylib && ln -s libkutils.1.2.0.dylib libkutils.1.dylib)
(cd ./kutils/.libs && rm -f libkutils.dylib && ln -s libkutils.1.2.0.dylib libkutils.dylib)
rm -fr ./kutils/.libs/libkutils.lax
creating ./kutils/libkutils.la
(cd ./kutils/.libs && rm -f libkutils.la && ln -s ../libkutils.la libkutils.la)
63% linking ./kabc/libkabc.la
```

63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmpropbackend.cpp

63% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmpropdriver.cpp

64% 64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwinfopage.cpp

compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwpasword.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwbackend.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwdriver.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwinfobase.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

```
rm -fr ./kabc/.libs/libkabc.lax
mkdir ./kabc/.libs/libkabc.lax
rm -fr ./kabc/.libs/libkabc.lax/libvcards.a
mkdir ./kabc/.libs/libkabc.lax/libvcards.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
abc/vcardparser/.libs/libvcards.a
(cd ./kabc/.libs/libkabc.lax/libvcards.a && ar x /opt/local/var/macports/build/_
opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kde
libs3/kdelibs3/work/kdelibs-3.5.10/./kabc/vcardparser/.libs/libvcards.a)
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kabc/.libs/libkabc.1.2.0.dylib
./kabc/.libs/address.o ./kabc/.libs/addressbook.o ./kabc/.libs/addressee.o ./k
abc/.libs/addresseedialog.o ./kabc/.libs/agent.o ./kabc/.libs/distributionlist.o
./kabc/.libs/distributionlistdialog.o ./kabc/.libs/distributionlisteditor.o ./k
abc/.libs/errorhandler.o ./kabc/.libs/field.o ./kabc/.libs/formatfactory.o ./kab
c/.libs/geo.o ./kabc/.libs/key.o ./kabc/.libs/phonenumbers.o ./kabc/.libs/picture
.o ./kabc/.libs/plugin.o ./kabc/.libs/resource.o ./kabc/.libs/resourceselectdial
og.o ./kabc/.libs/secret.o ./kabc/.libs/sound.o ./kabc/.libs/stdaddressbook.o .
/kabc/.libs/timezone.o ./kabc/.libs/vcard21parser.o ./kabc/.libs/vcardconverter.
o ./kabc/.libs/vcardformat.o ./kabc/.libs/vcardformatimpl.o ./kabc/.libs/vcardfo
rmatplugin.o ./kabc/.libs/ldifconverter.o ./kabc/.libs/addresslineedit.o ./kabc/
.libs/ldapclient.o ./kabc/.libs/addresseelist.o ./kabc/.libs/vcardtool.o ./kabc/
.libs/addresseehelper.o ./kabc/.libs/addresseehelper_skel.o ./kabc/.libs/lock.o
./kabc/.libs/locknull.o ./kabc/.libs/ldif.o ./kabc/.libs/ldapurl.o ./kabc/.libs/
```

```
ldapconfigwidget.o ./kabc/.libs/sortmode.o ./kabc/.libs/libkabc.lax/libvcards.a
/vcard.o ./kabc/.libs/libkabc.lax/libvcards.a/vcardline.o ./kabc/.libs/libkabc.l
ax/libvcards.a/vcardparser.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kabc/
vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_l
ocal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3
/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgp
l_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/li
b/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_r
sync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.
10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL
.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/li
b/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dyl
ib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/l
ibfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt
/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib
/opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp
.dylib /opt/local/lib/libz.dylib ./kio/.libs/libkio.dylib /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dy
lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports
```

```
.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib ./kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkabc.1.dylib -Wl,-compatibility_version -Wl,4 -Wl,-current_version -Wl,4.0
(cd ./kabc/.libs && rm -f libkabc.1.dylib && ln -s libkabc.1.2.0.dylib libkabc.1.dylib)
(cd ./kabc/.libs && rm -f libkabc.dylib && ln -s libkabc.1.2.0.dylib libkabc.dylib)
rm -fr ./kabc/.libs/libkabc.lax
creating ./kabc/libkabc.la
(cd ./kabc/.libs && rm -f libkabc.la && ln -s ../libkabc.la libkabc.la)
64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwname.cpp
64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwend.cpp
64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwlpd.cpp
64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```


kdeprint/management/kmwfile.cpp

64% 64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmconfigpreview.cpp

compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/sidepixmap.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmconfigcommand.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/settings.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/filter.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/backgroundthread.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/ui/highlighter.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/editinterface.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/clipboardinterface.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/selectioninterface.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/searchinterface.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/codecompletioninterface.cpp

64% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/wordwrapinterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/blockselectioninterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/configinterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/cursorinterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/dynwordwrapinterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/printinterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/highlightinginterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/markinterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/popupmenuinterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/undointerface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/viewcursorinterface.cpp

65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/editdcopinterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/clipboarddcopinterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/selectiondcopinterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/searchdcopinterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/markinterfaceextension.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/encodinginterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/sessionconfiginterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/viewstatusmsginterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

interfaces/ktexteditor/blockselectiondcopinterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/documentinfo.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/documentdcopinfo.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/encodingdcopinterface.cpp
65% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/printdcopinterface.cpp
66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/undodcopinterface.cpp
66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/viewcursordcopinterface.cpp
66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/viewstatusmsgdcopinterface.cpp
66% 66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5

```
.10/interfaces/ktexteditor/selectioninterfaceext.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/inte
rfaces/ktexteditor/texthintinterface.cpp
66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
interfaces/ktexteditor/editinterfaceext.cpp
66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
interfaces/ktexteditor/variableinterface.cpp
66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/xml/dom_nodeimpl.cpp
66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/xml/dom_textimpl.cpp
66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/xml/dom_elementimpl.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom_
textimpl.cpp:246:2: warning: #warning FIXME
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom_
```

textimpl.cpp:415: warning: unused parameter 'style'

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom_stringimpl.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom2_rangeimpl.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom2_traversalimpl.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom_xmlimpl.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom2_eventsimpl.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom2_viewsimpl.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom_restyler.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/htmlparser.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/htmltokenizer.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/dtd.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/html/dtd

.cpp:48: warning: 'visibility' attribute ignored

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_headimpl.cpp

66% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_blockimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_elementimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_inlineimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_baseimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_imageimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_listimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_miscimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_formimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/html/html_tableimpl.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/rendering/bidi.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/rendering/break_lines.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/rendering/render_block.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_inline.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_style.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/html/html_formimpl.cpp: In member function 'int DOM::HTMLSelectElementImpl::optionToListIndex(int) const':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/html/html_formimpl.cpp:2349: warning: comparison between signed and unsigned integer expressions

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_object.cpp

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_container.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_style.cpp: In member function 'void khtml::BackgroundLayer::fillUnsetPr

operties()’:

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin  
g/render_style.cpp:183: warning: suggest a space before ‘;’ or explicit braces a  
round empty body in ‘for’ statement
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin  
g/render_style.cpp:194: warning: suggest a space before ‘;’ or explicit braces a  
round empty body in ‘for’ statement
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin  
g/render_style.cpp:205: warning: suggest a space before ‘;’ or explicit braces a  
round empty body in ‘for’ statement
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin  
g/render_style.cpp:216: warning: suggest a space before ‘;’ or explicit braces a  
round empty body in ‘for’ statement
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin  
g/render_style.cpp:227: warning: suggest a space before ‘;’ or explicit braces a  
round empty body in ‘for’ statement
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin  
g/render_style.cpp:238: warning: suggest a space before ‘;’ or explicit braces a
```

```
round empty body in 'for' statement
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_style.cpp:249: warning: suggest a space before ';' or explicit braces a
round empty body in 'for' statement
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_style.cpp:260: warning: suggest a space before ';' or explicit braces a
round empty body in 'for' statement
67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_box.cpp
67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_flow.cpp
67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_text.cpp
67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_arena.cpp
67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_image.cpp
```

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_table.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_text.cpp: In member function 'bool khtml::RenderText::containsOnlyWhiteSpace(unsigned int, unsigned int) const':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_text.cpp:1376: warning: suggest a space before ';' or explicit braces a round empty body in 'for' statement

67% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/table_layout.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_list.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_canvas.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_br.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_body.cpp
68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/font.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_canvas.cpp: In function 'QRect enclosingPositionedRect(khtml::RenderObj
ect*)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_canvas.cpp:411: warning: unused variable 'off'
68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_line.cpp
68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_generated.cpp
68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/enumerate.cpp
68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/counter_tree.cpp
```

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/css_stylesheetimpl.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/css_ruleimpl.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/css_valueimpl.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/css_stylesheetimpl.cpp:223: warning: unused parameter 'p'

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/css_base.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/cssparser.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/cssstyleselector.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/csshelper.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/parser.cpp

In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/cssparser.cpp:2598:

tok: In member function 'int DOM::CSSParser::lex()':

tok:1023: warning: label 'yy_match' defined but not used

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/css_renderstyledeclarationimpl.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/decoder.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/loader_jpeg.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/guess_ja.cpp

68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/htmlhashes.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org


```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/decoder.cpp:604: warning: unused parameter '_language'  
68% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/helper.cpp  
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/htmlhashes.cpp:25:  
htmltags.gperf:160: warning: 'visibility' attribute ignored on non-class types  
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/htmlhashes.cpp:26:  
htmlattrs.gperf:323: warning: 'visibility' attribute ignored on non-class types  
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/arena.cpp  
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/misc/stringit.cpp  
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs_binding.cpp  
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

```
khtml/ecma/kjs_proxy.cpp
69% linking ./khtml/css/libkhtmlcss.la
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/dom_misc.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_block.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_inline.cpp
ar cru ./khtml/css/.libs/libkhtmlcss.a ./khtml/css/.libs/css_stylesheetimpl.o ./
khtml/css/.libs/css_ruleimpl.o ./khtml/css/.libs/css_valueimpl.o ./khtml/css/.li
bs/css_base.o ./khtml/css/.libs/cssparser.o ./khtml/css/.libs/cssstyleselector.o
./khtml/css/.libs/csshelper.o ./khtml/css/.libs/parser.o ./khtml/css/.libs/css_
renderstyledeclarationimpl.o
ranlib ./khtml/css/.libs/libkhtmlcss.a
creating ./khtml/css/libkhtmlcss.la
(cd ./khtml/css/.libs && rm -f libkhtmlcss.la && ln -s ../libkhtmlcss.la libkhtm
lcss.la)
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/css_rule.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/dom_node.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_document.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_list.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/css_stylesheet.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/dom_string.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_element.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_misc.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/css_value.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/dom_text.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_object.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/dom_doc.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/dom_xml.cpp
69% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_head.cpp
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/dom_element.cpp
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_base.cpp
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/dom/html_image.cpp
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/dom/html_form.cpp  
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/dom/dom2_range.cpp  
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/dom/html_table.cpp  
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/dom/dom2_traversal.cpp  
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/dom/dom2_events.cpp  
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/dom/dom2_views.cpp  
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
interfaces/ktexteditor/templateinterface.cpp  
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/management/kmdbcreeator.cpp  
70% linking ./khtml/dom/libkhtmldom.la
```

```
ar cru ./khtml/dom/.libs/libkhtmldom.a ./khtml/dom/.libs/dom_misc.o ./khtml/dom/.libs/html_block.o ./khtml/dom/.libs/html_inline.o ./khtml/dom/.libs/css_rule.o ./khtml/dom/.libs/dom_node.o ./khtml/dom/.libs/html_document.o ./khtml/dom/.libs/html_list.o ./khtml/dom/.libs/css_stylesheet.o ./khtml/dom/.libs/dom_string.o ./khtml/dom/.libs/html_element.o ./khtml/dom/.libs/html_misc.o ./khtml/dom/.libs/css_value.o ./khtml/dom/.libs/dom_text.o ./khtml/dom/.libs/html_object.o ./khtml/dom/.libs/dom_doc.o ./khtml/dom/.libs/dom_xml.o ./khtml/dom/.libs/html_head.o ./khtml/dom/.libs/dom_element.o ./khtml/dom/.libs/html_base.o ./khtml/dom/.libs/html_image.o ./khtml/dom/.libs/html_form.o ./khtml/dom/.libs/dom2_range.o ./khtml/dom/.libs/html_table.o ./khtml/dom/.libs/dom2_traversal.o ./khtml/dom/.libs/dom2_events.o ./khtml/dom/.libs/dom2_views.o
ranlib ./khtml/dom/.libs/libkhtmldom.a
creating ./khtml/dom/libkhtmldom.la
(cd ./khtml/dom/.libs && rm -f libkhtmldom.la && ln -s ../libkhtmldom.la libkhtmldom.la)
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmdriverdb.cpp
70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmdriverdbwidget.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/templateinterface.cpp:52: warning: unused parameter 'suffix'
```

70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmiconview.cpp

70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmmainview.cpp

70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmprinterview.cpp

70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmjobviewer.cpp

70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmpropwidget.cpp

70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmpropcontainer.cpp

70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmpropertypage.cpp

70% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/cjanuswidget.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmlistview.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kminstancepage.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmtimer.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwizard.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwizardpage.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwsocketutil.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwsocket.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kmwdriverselect.cpp


```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/manag
ement/kmwsocketutil.cpp: In member function 'bool KMWSocketUtil::checkPrinter(co
nst QString&, int, QString*)':
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/manag
ement/kmwsocketutil.cpp:151: warning: 'resolve' is deprecated (declared at ./kde
core/kextsock.h:947)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/manag
ement/kmwsocketutil.cpp: In function 'QString localRootIP()':
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/manag
ement/kmwsocketutil.cpp:207: warning: 'lookup' is deprecated (declared at ./kdec
ore/kextsock.h:969)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/manag
ement/kmwsocketutil.cpp:211: warning: 'address' is deprecated (declared at ./kde
core/kextsock.h:1063)
```

```
71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/management/kmwdrivertest.cpp
```

```
71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kdeprint/management/kmwclass.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmdriverdialog.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmwsmb.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/smbview.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmconfigdialog.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmconfigpage.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmconfiggeneral.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmspecialprinterdlg.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmwlocal.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kiconselectaction.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/pluginaction.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kxmlcommanddlg.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kxmlcommandselector.cpp

71% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmconfigfilter.cpp

72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmconfigfonts.cpp

72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/kmconfigjobs.cpp

72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/management/networkscanner.cpp

72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/broker.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/networkscanner.cpp: In member function 'QString NetworkScanner::NetworkScannerPrivate::localPrefix()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/networkscanner.cpp:78: warning: 'lookup' is deprecated (declared at ./kdecore/kextsock.h:969)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/networkscanner.cpp:82: warning: 'address' is deprecated (declared at ./kdecore/kextsock.h:1063)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/networkscanner.cpp: In member function 'void NetworkScanner::slotConnectionSuccess()':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/networkscanner.cpp:244: warning: 'peerAddress' is deprecated (declared at ./kdecore/kextsock.h:986)

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/manag  
ement/networkscanner.cpp:260: warning: 'resolve' is deprecated (declared at ./kd  
ecore/kextsock.h:947)
```

```
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kspell2/client.cpp
```

```
72% 72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_  
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5  
.10/kspell2/backgroundchecker.cpp
```

```
linking ./kdeprint/management/libkdeprint_management.la
```

```
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kspell2/backgroundengine.cpp
```

```
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kspell2/defaultdictionary.cpp
```

```
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kspell2/ui/configwidget.cpp
```

```
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kspell2/ui/configdialog.cpp
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
```

```
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdeprint/management/.libs/libkdeprint_management.4.2.0.dylib ./kdeprint/management/.libs/kmdbcreator.o ./kdeprint/management/.libs/kmdriverdb.o ./kdeprint/management/.libs/kmdriverdbwidget.o ./kdeprint/management/.libs/kmiconview.o ./kdeprint/management/.libs/kminfopage.o ./kdeprint/management/.libs/kmmainview.o ./kdeprint/management/.libs/kmpages.o ./kdeprint/management/.libs/kmprinterview.o ./kdeprint/management/.libs/kmjobviewer.o ./kdeprint/management/.libs/jobitem.o ./kdeprint/management/.libs/kmpropwidget.o ./kdeprint/management/.libs/kmpropcontainer.o ./kdeprint/management/.libs/kmpropertypage.o ./kdeprint/management/.libs/kmpropgeneral.o ./kdeprint/management/.libs/cjanuswidget.o ./kdeprint/management/.libs/kmpropmembers.o ./kdeprint/management/.libs/kmpropbackend.o ./kdeprint/management/.libs/kmpropdriver.o ./kdeprint/management/.libs/kmlistview.o ./kdeprint/management/.libs/kminstancepage.o ./kdeprint/management/.libs/kmtimer.o ./kdeprint/management/.libs/kmwizard.o ./kdeprint/management/.libs/kmwizardpage.o ./kdeprint/management/.libs/kmwinfopage.o ./kdeprint/management/.libs/kmwpassword.o ./kdeprint/management/.libs/kmwsocketutil.o ./kdeprint/management/.libs/kmwbackend.o ./kdeprint/management/.libs/kmwsocket.o ./kdeprint/management/.libs/kmwdriver.o ./kdeprint/management/.libs/kmwdriverselect.o ./kdeprint/management/.libs/kmwdrivertest.o ./kdeprint/management/.libs/kmwinfobase.o ./kdeprint/management/.libs/kmwname.o ./kdeprint/management/.libs/kmwend.o ./kdeprint/management/.libs/kmwclass.o ./kdeprint/management/.libs/kmwlpd.o ./kdeprint/management/.libs/kmwfile.o ./kdeprint/management/.libs/kmdriverdialog.o ./kdeprint/management/.libs/kmwsmb.o ./kdeprint/management/.libs/smbview.o ./kdeprint/management/.libs/kmconfigdialog.o ./kdeprint/management/.libs/kmconfigpage.o ./kdeprint/management/.libs/kmconfiggeneral.o ./kdeprint/
```

management/.libs/kmspecialprinterdlg.o ./kdeprint/management/.libs/kmwlocal.o ./kdeprint/management/.libs/kiconselectaction.o ./kdeprint/management/.libs/kmconfigpreview.o ./kdeprint/management/.libs/sidepixmap.o ./kdeprint/management/.libs/pluginaction.o ./kdeprint/management/.libs/kxmlcommanddlg.o ./kdeprint/management/.libs/kxmlcommandselector.o ./kdeprint/management/.libs/kmconfigcommand.o ./kdeprint/management/.libs/kmconfigfilter.o ./kdeprint/management/.libs/kmconfigfonts.o ./kdeprint/management/.libs/kmconfigjobs.o ./kdeprint/management/.libs/networkscanner.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/

```
local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dyl  
ib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.o  
rg_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/  
libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/loc  
al/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dyl  
ib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/l  
ib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dy  
lib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libS  
M.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib  
/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/loc  
al/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdepr  
int_management.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl  
,7.0  
(cd ./kdeprint/management/.libs && rm -f libkdeprint_management.4.dylib && ln -s  
libkdeprint_management.4.2.0.dylib libkdeprint_management.4.dylib)  
(cd ./kdeprint/management/.libs && rm -f libkdeprint_management.dylib && ln -s l  
ibkdeprint_management.4.2.0.dylib libkdeprint_management.dylib)  
creating ./kdeprint/management/libkdeprint_management.la  
(cd ./kdeprint/management/.libs && rm -f libkdeprint_management.la && ln -s ../l  
ibkdeprint_management.la libkdeprint_management.la)  
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
interfaces/ktexteditor/ktexteditor.cpp  
72% linking ./kspell2/libkspell2base.la
```



```
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
interfaces/ktexteditor/configinterfaceextension.cpp
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
interfaces/ktexteditor/editorchooser.cpp
72% compiling ./kdoctools/kbzip2filter.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
ar cru ./kspell2/.libs/libkspell2base.a ./kspell2/.libs/settings.o ./kspell2/.li
bs/broker.o ./kspell2/.libs/client.o ./kspell2/.libs/filter.o ./kspell2/.libs/ba
ckgroundchecker.o ./kspell2/.libs/backgroundthread.o ./kspell2/.libs/backgrounde
ngine.o ./kspell2/.libs/defaultdictionary.o
ranlib ./kspell2/.libs/libkspell2base.a
creating ./kspell2/libkspell2base.la
(cd ./kspell2/.libs && rm -f libkspell2base.la && ln -s ../libkspell2base.la lib
kspell2base.la)
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/xml/dom_docimpl.cpp
72% linking ./kdoctools/libkbzipfilter_dummy.la
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/xml/xml_tokenizer.cpp
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
ar cru ./kdoctools/.libs/libkbzipfilter_dummy.a ./kdoctools/.libs/kbzip2filter.o
ranlib ./kdoctools/.libs/libkbzipfilter_dummy.a
creating ./kdoctools/libkbzipfilter_dummy.la
(cd ./kdoctools/.libs && rm -f libkbzipfilter_dummy.la && ln -s ../libkbzipfilter_dummy.la libkbzipfilter_dummy.la)
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/html/html_documentimpl.cpp
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/html/html_objectimpl.cpp
72% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_layer.cpp
73% linking ./khtml/html/libkhtmlhtml.la
ar cru ./khtml/html/.libs/libkhtmlhtml.a ./khtml/html/.libs/htmlparser.o ./khtml/html/.libs/htmltokenizer.o ./khtml/html/.libs/dtd.o ./khtml/html/.libs/html_headerimpl.o ./khtml/html/.libs/html_blockimpl.o ./khtml/html/.libs/html_elementimpl.o ./khtml/html/.libs/html_inlineimpl.o ./khtml/html/.libs/html_documentimpl.o ./khtml/html/.libs/html_baseimpl.o ./khtml/html/.libs/html_imageimpl.o ./khtml/html/.libs/html_listimpl.o ./khtml/html/.libs/html_miscimpl.o ./khtml/html/.libs/html_formimpl.o ./khtml/html/.libs/html_objectimpl.o ./khtml/html/.libs/html_tableimpl.o
```

```
ranlib ./khtml/html/.libs/libkhtmlhtml.a
creating ./khtml/html/libkhtmlhtml.la
(cd ./khtml/html/.libs && rm -f libkhtmlhtml.la && ln -s ../libkhtmlhtml.la libkhtmlhtml.la)
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_replaced.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/xml/dom_docimpl.cpp:2463: warning: unused parameter 'charset'
73% linking ./khtml/xml/libkhtmlxml.la
ar cru ./khtml/xml/.libs/libkhtmlxml.a ./khtml/xml/.libs/dom_docimpl.o ./khtml/xml/.libs/dom_nodeimpl.o ./khtml/xml/.libs/dom_textimpl.o ./khtml/xml/.libs/dom_elementimpl.o ./khtml/xml/.libs/dom_stringimpl.o ./khtml/xml/.libs/dom2_rangeimpl.o ./khtml/xml/.libs/dom2_traversalimpl.o ./khtml/xml/.libs/xml_tokenizer.o ./khtml/xml/.libs/dom_xmlimpl.o ./khtml/xml/.libs/dom2_eventsimpl.o ./khtml/xml/.libs/dom2_viewsimpl.o ./khtml/xml/.libs/dom_restyler.o
ranlib ./khtml/xml/.libs/libkhtmlxml.a
creating ./khtml/xml/libkhtmlxml.la
(cd ./khtml/xml/.libs && rm -f libkhtmlxml.la && ln -s ../libkhtmlxml.la libkhtmlxml.la)
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/rendering/render_form.cpp
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_layer.cpp:983:2: warning: #warning HACK
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_layer.cpp: In member function 'khtml::RenderLayer* khtml::RenderLayer::
stackingContext() const':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_layer.cpp:306: warning: suggest a space before ';' or explicit braces a
round empty body in 'for' statement
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_layer.cpp: In member function 'khtml::RenderLayer* khtml::RenderLayer::
enclosingPositionedAncestor() const':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/renderin
g/render_layer.cpp:315: warning: suggest a space before ';' or explicit braces a
round empty body in 'for' statement
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/rendering/render_frames.cpp
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

```
khtml/misc/loader.cpp
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/ecma/kjs_dom.cpp
73% linking ./khtml/misc/libkhtmlmisc.la
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/ecma/kjs_html.cpp
ar cru ./khtml/misc/.libs/libkhtmlmisc.a ./khtml/misc/.libs/decoder.o ./khtml/mi
sc/.libs/loader.o ./khtml/misc/.libs/loader_jpeg.o ./khtml/misc/.libs/guess_ja.o
./khtml/misc/.libs/htmlhashes.o ./khtml/misc/.libs/helper.o ./khtml/misc/.libs/
arena.o ./khtml/misc/.libs/stringit.o
ranlib ./khtml/misc/.libs/libkhtmlmisc.a
creating ./khtml/misc/libkhtmlmisc.la
(cd ./khtml/misc/.libs && rm -f libkhtmlmisc.la && ln -s ../libkhtmlmisc.la libk
htmlmisc.la)
73% linking ./khtml/rendering/libkhtmlrender.la
ar cru ./khtml/rendering/.libs/libkhtmlrender.a ./khtml/rendering/.libs/bidi.o .
./khtml/rendering/.libs/break_lines.o ./khtml/rendering/.libs/render_block.o ./kh
tml/rendering/.libs/render_inline.o ./khtml/rendering/.libs/render_style.o ./kht
ml/rendering/.libs/render_object.o ./khtml/rendering/.libs/render_container.o ./
khtml/rendering/.libs/render_box.o ./khtml/rendering/.libs/render_flow.o ./khtml
/rendering/.libs/render_text.o ./khtml/rendering/.libs/render_arena.o ./khtml/re
ndering/.libs/render_layer.o ./khtml/rendering/.libs/render_image.o ./khtml/rend
```

```
ering/.libs/render_table.o ./khtml/rendering/.libs/table_layout.o ./khtml/rendering/.libs/render_replaced.o ./khtml/rendering/.libs/render_form.o ./khtml/rendering/.libs/render_list.o ./khtml/rendering/.libs/render_canvas.o ./khtml/rendering/.libs/render_frames.o ./khtml/rendering/.libs/render_br.o ./khtml/rendering/.libs/render_body.o ./khtml/rendering/.libs/font.o ./khtml/rendering/.libs/render_line.o ./khtml/rendering/.libs/render_generated.o ./khtml/rendering/.libs/enumerate.o ./khtml/rendering/.libs/counter_tree.o
ranlib ./khtml/rendering/.libs/libkhtmlrender.a
creating ./khtml/rendering/libkhtmlrender.la
(cd ./khtml/rendering/.libs && rm -f libkhtmlrender.la && ln -s ../libkhtmlrender.la libkhtmlrender.la)
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs_window.cpp
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs_navigator.cpp
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs_css.cpp
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs_range.cpp
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/ecma/kjs_traversal.cpp

73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/ecma/kjs_events.cpp

In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/khtml/ecma/kjs_traversal.cpp:22:

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/ecma/kjs
_traversal.lut.h:101: warning: overflow in implicit constant conversion

73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/ecma/kjs_views.cpp

73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/ecma/kjs_debugwin.cpp

73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/ecma/kjs_mozilla.cpp

73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/ecma/xmlhttprequest.cpp

73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/ecma/xmlserializer.cpp  
73% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/ecma/domparser.cpp  
74% compiling ./kspell2/ui/kspell2ui.cpp  
74% compiling ./kspell2/ui/configui.cpp  
74% compiling ./interfaces/ktexteditor/editorchooser_ui.cpp  
74% linking ./khtml/ecma/libkjs_html.la  
74% compiling ./interfaces/ktexteditor/editdcopinterface_skel.cpp  
74% compiling ./interfaces/ktexteditor/clipboarddcopinterface_skel.cpp  
ar cru ./khtml/ecma/.libs/libkjs_html.a ./khtml/ecma/.libs/kjs_binding.o ./khtml  
/ecma/.libs/kjs_dom.o ./khtml/ecma/.libs/kjs_html.o ./khtml/ecma/.libs/kjs_windo  
w.o ./khtml/ecma/.libs/kjs_navigator.o ./khtml/ecma/.libs/kjs_proxy.o ./khtml/ec  
ma/.libs/kjs_css.o ./khtml/ecma/.libs/kjs_range.o ./khtml/ecma/.libs/kjs_travers  
al.o ./khtml/ecma/.libs/kjs_events.o ./khtml/ecma/.libs/kjs_views.o ./khtml/ecma  
/.libs/kjs_debugwin.o ./khtml/ecma/.libs/kjs_mozilla.o ./khtml/ecma/.libs/xmlhtt  
prequest.o ./khtml/ecma/.libs/xmlserializer.o ./khtml/ecma/.libs/domparser.o  
ranlib ./khtml/ecma/.libs/libkjs_html.a  
creating ./khtml/ecma/libkjs_html.la  
(cd ./khtml/ecma/.libs && rm -f libkjs_html.la && ln -s ../libkjs_html.la libkjs  
_html.la)  
74% linking ./kspell2/ui/libkspell2_noinst.la  
74% compiling ./interfaces/ktexteditor/selectiondcopinterface_skel.cpp
```



```
74% compiling ./interfaces/ktexteditor/searchdcopinterface_skel.cpp
ar cru ./kspell2/ui/.libs/libkspell2_noinst.a ./kspell2/ui/.libs/kspell2ui.o ./kspell2/ui/.libs/configwidget.o ./kspell2/ui/.libs/highlighter.o ./kspell2/ui/.libs/configui.o ./kspell2/ui/.libs/configdialog.o
ranlib ./kspell2/ui/.libs/libkspell2_noinst.a
creating ./kspell2/ui/libkspell2_noinst.la
(cd ./kspell2/ui/.libs && rm -f libkspell2_noinst.la && ln -s ../libkspell2_noinst.la libkspell2_noinst.la)
74% compiling ./interfaces/ktexteditor/blockselectiondcopinterface_skel.cpp
74% compiling ./interfaces/ktexteditor/documentdcopinfo_skel.cpp
74% compiling ./interfaces/ktexteditor/encodingdcopinterface_skel.cpp
74% compiling ./interfaces/ktexteditor/printdcopinterface_skel.cpp
74% compiling ./interfaces/ktexteditor/undodcopinterface_skel.cpp
74% compiling ./interfaces/ktexteditor/viewcursordcopinterface_skel.cpp
74% compiling ./interfaces/ktexteditor/viewstatusmsgdcopinterface_skel.cpp
74% compiling ./interfaces/ktexteditor/selectionextdcopinterface_skel.cpp
74% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/http/http_cache_cleaner.cpp
74% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kconf_update/kconf_update.cpp
74% linking ./interfaces/ktexteditor/libktexteditor.la
74% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katecmds.cpp

74% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/kateundo.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -dynamiclib -single_module \${wl}-undefined \${wl}dynamic_lookup
-o ./interfaces/ktexteditor/.libs/libktexteditor.0.0.0.dylib ./interfaces/ktext
editor/.libs/ktexteditor.o ./interfaces/ktexteditor/.libs/editinterface.o ./inte
rfaces/ktexteditor/.libs/clipboardinterface.o ./interfaces/ktexteditor/.libs/sel
ectioninterface.o ./interfaces/ktexteditor/.libs/searchinterface.o ./interfaces/
ktexteditor/.libs/codecompletioninterface.o ./interfaces/ktexteditor/.libs/wordw
rapinterface.o ./interfaces/ktexteditor/.libs/blockselectioninterface.o ./interf
aces/ktexteditor/.libs/configinterface.o ./interfaces/ktexteditor/.libs/cursorin
terface.o ./interfaces/ktexteditor/.libs/dynwordwrapinterface.o ./interfaces/kte
xeditor/.libs/printinterface.o ./interfaces/ktexteditor/.libs/highlightinginter
face.o ./interfaces/ktexteditor/.libs/markinterface.o ./interfaces/ktexteditor/.
libs/popupmenuinterface.o ./interfaces/ktexteditor/.libs/undointerface.o ./inter
faces/ktexteditor/.libs/viewcursorinterface.o ./interfaces/ktexteditor/.libs/edi
tdcopinterface.o ./interfaces/ktexteditor/.libs/editdcopinterface_skel.o ./inter
faces/ktexteditor/.libs/clipboarddcopinterface.o ./interfaces/ktexteditor/.libs/
clipboarddcopinterface_skel.o ./interfaces/ktexteditor/.libs/selectiondcopinterf

ace.o ./interfaces/ktexteditor/.libs/selectiondcopinterface_skel.o ./interfaces/ktexteditor/.libs/searchdcopinterface.o ./interfaces/ktexteditor/.libs/searchdcopinterface_skel.o ./interfaces/ktexteditor/.libs/markinterfaceextension.o ./interfaces/ktexteditor/.libs/configinterfaceextension.o ./interfaces/ktexteditor/.libs/encodinginterface.o ./interfaces/ktexteditor/.libs/sessionconfiginterface.o ./interfaces/ktexteditor/.libs/viewstatusmsginterface.o ./interfaces/ktexteditor/.libs/editorchooser_ui.o ./interfaces/ktexteditor/.libs/editorchooser.o ./interfaces/ktexteditor/.libs/blockselectiondcopinterface.o ./interfaces/ktexteditor/.libs/documentinfo.o ./interfaces/ktexteditor/.libs/documentdcopinfo.o ./interfaces/ktexteditor/.libs/blockselectiondcopinterface_skel.o ./interfaces/ktexteditor/.libs/documentdcopinfo_skel.o ./interfaces/ktexteditor/.libs/encodingdcopinterface.o ./interfaces/ktexteditor/.libs/encodingdcopinterface_skel.o ./interfaces/ktexteditor/.libs/printdcopinterface.o ./interfaces/ktexteditor/.libs/printdcopinterface_skel.o ./interfaces/ktexteditor/.libs/undodcopinterface.o ./interfaces/ktexteditor/.libs/undodcopinterface_skel.o ./interfaces/ktexteditor/.libs/viewcursordcopinterface.o ./interfaces/ktexteditor/.libs/viewcursordcopinterface_skel.o ./interfaces/ktexteditor/.libs/viewstatusmsgdcopinterface.o ./interfaces/ktexteditor/.libs/viewstatusmsgdcopinterface_skel.o ./interfaces/ktexteditor/.libs/selectioninterfaceext.o ./interfaces/ktexteditor/.libs/selectionextdcopinterface_skel.o ./interfaces/ktexteditor/.libs/texthintinterface.o ./interfaces/ktexteditor/.libs/editinterfaceext.o ./interfaces/ktexteditor/.libs/variableinterface.o ./interfaces/ktexteditor/.libs/templateinterface.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kd

elibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib ./dcop/.libs/libDCOP.dylib ./kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libktexteditor.0.dylib -Wl,-compatibility_version -Wl,1 -Wl,-current_version -Wl,1.0
(cd ./interfaces/ktexteditor/.libs && rm -f libktexteditor.0.dylib && ln -s libktexteditor.0.0.0.dylib libktexteditor.0.dylib)
(cd ./interfaces/ktexteditor/.libs && rm -f libktexteditor.dylib && ln -s libktexteditor.0.0.0.dylib libktexteditor.dylib)
creating ./interfaces/ktexteditor/libktexteditor.la
(cd ./interfaces/ktexteditor/.libs && rm -f libktexteditor.la && ln -s ../libktexteditor.la libktexteditor.la)
75% linking ./kioslave/http/libkdeinit_kio_http_cache_cleaner.la
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/katecmds.cpp: In member function 'virtual bool KateCommands::CoreCommands::exec(Kate::View*, const QString&, QString&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/katecmds.cpp:233: warning: 'enable' may be used uninitialized in this function
75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/katecursor.cpp
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kioslave/http/.libs/libkdeinit
_kio_http_cache_cleaner.dylib ./kioslave/http/.libs/http_cache_cleaner.o -L/op
t/local/lib/qt3/lib -L/opt/local/lib ./kio/.libs/libkio.dylib /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/
local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rele
ase_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdes
u.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwalle
t/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_v
ar_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdeli
bs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib
/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /o
pt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/loca
l/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /o
pt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libX
inerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/
local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11
.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/lib
```

```
png15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdeinit_kio_http_cache_cleaner.dylib
creating ./kioslave/http/libkdeinit_kio_http_cache_cleaner.la
(cd ./kioslave/http/.libs && rm -f libkdeinit_kio_http_cache_cleaner.la && ln -s ../libkdeinit_kio_http_cache_cleaner.la libkdeinit_kio_http_cache_cleaner.la)
75% linking ./kconf_update/libkdeinit_kconf_update.la
75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/katefactory.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kconf_update/.libs/libkdeinit_kconf_update.dylib ./kconf_update/.libs/kconf_update.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libbart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dy
```

```
lib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng
15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/
libXdmcpc.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name
/opt/local/lib/libkdeinit_kconf_update.dylib
creating ./kconf_update/libkdeinit_kconf_update.la
(cd ./kconf_update/.libs && rm -f libkdeinit_kconf_update.la && ln -s ../libkdei
nit_kconf_update.la libkdeinit_kconf_update.la)
75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katesyntaxdocument.cpp
75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katetextline.cpp
75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/kateconfig.cpp
75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katefont.cpp
75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katelinerrange.cpp
75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```


kate/part/katerenderer.cpp

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kate/part/kateattribute.cpp

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kate/part/kateindentscriptabstracts.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate

indentscriptabstracts.cpp:28: warning: unused parameter 'internalName'

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kate/part/kateluaindentscript.cpp

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

dcop/dcopsignals.cpp

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kwallet/backend/blockcipher.cc

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kwallet/backend/blowfish.cc

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kwallet/backend/cbc.cc

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kwallet/backend/sha1.cc

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kwallet/backend/kwalletentry.cc

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kwallet/backend/kwalletbackend.cc

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/misc/kntlm/kntlm.cpp

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kio/misc/kntlm/des.cpp

75% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

knewstuff/entry.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kntlm

/kntlm.cpp:123: warning: unused parameter 'forceNTLM'

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kntlm

```
/kntlm.cpp:123: warning: unused parameter 'forceNTLMv2'  
76% linking ./kio/misc/kntlm/libkntlm.la  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kio/misc/kntlm/.libs/libkntlm.  
0.0.0.dylib ./kio/misc/kntlm/.libs/kntlm.o ./kio/misc/kntlm/.libs/des.o -L/opt  
/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/  
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta  
rballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib  
/opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/li  
bintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_loc  
al_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/k  
delibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.d  
ylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXr  
ender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/  
local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreety  
pe.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/lo  
cal/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt  
/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dyli  
b /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylib  
s -install_name /opt/local/lib/libkntlm.0.dylib -Wl,-compatibility_version -Wl,  
1 -Wl,-current_version -Wl,1.0  
(cd ./kio/misc/kntlm/.libs && rm -f libkntlm.0.dylib && ln -s libkntlm.0.0.0.dyl  
ib libkntlm.0.dylib)  
(cd ./kio/misc/kntlm/.libs && rm -f libkntlm.dylib && ln -s libkntlm.0.0.0.dylib
```

```
libkntlm.dylib)
creating ./kio/misc/kntlm/libkntlm.la
(cd ./kio/misc/kntlm/.libs && rm -f libkntlm.la && ln -s ../libkntlm.la libkntlm
.la)
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
knewstuff/knewstuff.cpp
76% linking ./kwallet/backend/libkwalletbackend.la
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
knewstuff/knewstuffgeneric.cpp
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kioslave/http/kcookiejar/main.cpp
76% 76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/kinit/klauncher_main.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kini
t/autostart.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kwallet/backend/.libs/libkwall
etbackend.1.0.0.dylib ./kwallet/backend/.libs/blockcipher.o ./kwallet/backend/.
libs/blowfish.o ./kwallet/backend/.libs/cbc.o ./kwallet/backend/.libs/sha1.o ./k
```

```
wallet/backend/.libs/kwalletentry.o ./kwallet/backend/.libs/kwalletbackend.o -L
/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /o
pt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /
opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/lib
Xcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/
local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/li
bpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /o
pt/local/lib/libXau.dylib /opt/local/lib/libXdmp.dylib /opt/local/lib/libX11.dy
lib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread ./kdecore/.
libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/l
ib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/
local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rele
ase_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdef
x.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs -install_name /op
t/local/lib/libkwalletbackend.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-curr
ent_version -Wl,2.0
(cd ./kwallet/backend/.libs && rm -f libkwalletbackend.1.dylib && ln -s libkwall
etbackend.1.0.0.dylib libkwalletbackend.1.dylib)
(cd ./kwallet/backend/.libs && rm -f libkwalletbackend.dylib && ln -s libkwallet
backend.1.0.0.dylib libkwalletbackend.dylib)
creating ./kwallet/backend/libkwalletbackend.la
(cd ./kwallet/backend/.libs && rm -f libkwalletbackend.la && ln -s ../libkwallet
```

backend.la libkwalletbackend.la)

76% linking ./kioslave/http/kcookiejar/libkdeinit_kcookiejar.la

76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/driverparse.c

76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/kaddprinterwizard.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kioslave/http/kcookiejar/.libs/libkdeinit_kcookiejar.dylib ./kioslave/http/kcookiejar/.libs/main.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /

```
opt/local/lib/libXdmp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -
install_name /opt/local/lib/libkdeinit_kcookiejar.dylib
creating ./kioslave/http/kcookiejar/libkdeinit_kcookiejar.la
(cd ./kioslave/http/kcookiejar/.libs && rm -f libkdeinit_kcookiejar.la && ln -s
../libkdeinit_kcookiejar.la libkdeinit_kcookiejar.la)
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/cupsdconf.cpp
76% linking ./kdeprint/libdriverparse.a
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/cupsdcomment.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/manag
ement/kaddprinterwizard.cpp: In function 'int kdemain(int, char**)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/manag
ement/kaddprinterwizard.cpp:19: warning: 'init' is deprecated (declared at ./kde
core/kcmdlineargs.h:260)
76% linking ./kdeprint/management/libkdeinit_kaddprinterwizard.la
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/cupsdsplash.cpp
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/cupsdconf2/cupsdlogpage.cpp  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdeprint/management/.libs/libk  
deinit_kaddprinterwizard.dylib ./kdeprint/management/.libs/kaddprinterwizard.o  
-L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/management/.libs/libkdepri  
nt_management.dylib /opt/local/var/macports/build/_opt_local_var_macports_source  
s_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3  
.5.10/kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_  
var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdel  
ibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt  
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_re  
lease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkde  
su.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.mac  
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwall  
et/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_  
var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdel  
ibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/li
```



```
b/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /
opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/
kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/loc
al/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /
opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/lib
Xinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt
/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX1
1.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/li
bpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/
lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_na
me /opt/local/lib/libkdeinit_kaddprinterwizard.dylib
creating ./kdeprint/management/libkdeinit_kaddprinterwizard.la
(cd ./kdeprint/management/.libs && rm -f libkdeinit_kaddprinterwizard.la && ln -
s ../libkdeinit_kaddprinterwizard.la libkdeinit_kaddprinterwizard.la)
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/cupsdfilterpage.cpp
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/cupsddirpage.cpp
76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/portdialog.cpp
```

76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/cupsdconf2/addressdialog.cpp

76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/cupsdconf2/sizewidget.cpp

76% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/cupsdconf2/main.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/cupsdconf2/cups-util.c

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/cupsdconf2/cups-util.c: In function 'cups_local_auth':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/cupsdconf2/cups-util.c:516: warning: passing argument 1 of 'httpAddrLocalhost' from incompatible pointer type

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kded/kbuildservicetypefactory.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kded/kbuildservicefactory.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kded/kbuildservicegroupfactory.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kded/kbuildimageiofactory.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kded/kbuildprotocolinfofactory.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kded/kctimefactory.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdoctools/meinproc.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/khtml_settings.cc

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/khtml_events.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

khtml/khtml_iface.cc

77% linking ./kdoctools/meinproc

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/interfaces/katecmd.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_settings.cc: In member function 'void KHTMLSettings::init(KConfig*, bool)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_settings.cc:353: warning: suggest a space before ';' or explicit braces around empty body in 'for' statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_settings.cc:354: warning: suggest a space before ';' or explicit braces around empty body in 'for' statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_settings.cc: In member function 'void KHTMLSettings::addAdFilter(const QString&)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_settings.cc:759: warning: suggest a space before ';' or explicit braces around empty body in 'for' statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org

_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_settings.cc:760: warning: suggest a space before ';' or explicit braces around empty body in 'for' statement

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kunittest/runner.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kunittest/tester.cpp

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-compile -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kdoctools/.libs/meinproc ./kdoctools/xslt_pure.o ./kdoctools/meinproc.o -Wl,-bind_at_load -L/opt/local/lib/qt3/lib -L/opt/local/lib ./kdoctools/.libs/libkzipfilter_dummy.a /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_l
```

```
ocal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3
/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkde
core.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dco
p/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/l
ibidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/var/macports/build/_opt_
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs
3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib
/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXran
dr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/l
ocal/lib/libXft.dylib /opt/local/lib/libexpat.dylib /opt/local/lib/libfreetype.d
ylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib /opt/
local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /
opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb
.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmp.dylib -lbz2 /opt/loca
l/lib/libxslt.dylib /opt/local/lib/libxml2.dylib /opt/local/lib/liblzma.dylib -l
z -lpthread /opt/local/lib/libiconv.dylib -lm
creating ./kdoctools/meinproc
77% ./kdoctools/meinproc --srcdir=/opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdoctools --check --cache ./doc/kspell/index.cache.bz2 /opt/
local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rele
```

ase_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/kspell/index.do
cbook

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/plugins/file/resourcefile.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/plugins/file/resourcefileconfig.cpp

meinproc: bzCompress returned 4

meinproc: bzCompressEnd returned 0

77% linking ./kunittest/libkunittest.la

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/plugins/dir/resourcedir.cpp

77% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/plugins/dir/resourcedirconfig.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -dynamiclib -single_module \${wl}-undefined \${wl}dynamic_lookup
-o ./kunittest/.libs/libkunittest.1.0.0.dylib ./kunittest/.libs/runner.o ./kuni
ttest/.libs/tester.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/
libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_r
sync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.
10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/li

```
bidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dyl
ib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXm
u.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/loca
l/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dy
lib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/loc
al/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt
/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dyli
b /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.
dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkunittest.1.dylib
-Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.0
(cd ./kunittest/.libs && rm -f libkunittest.1.dylib && ln -s libkunittest.1.0.0.
dylib libkunittest.1.dylib)
(cd ./kunittest/.libs && rm -f libkunittest.dylib && ln -s libkunittest.1.0.0.dy
lib libkunittest.dylib)
creating ./kunittest/libkunittest.la
(cd ./kunittest/.libs && rm -f libkunittest.la && ln -s ../libkunittest.la libku
nittest.la)
77% linking ./kabc/plugins/file/libkabc_file.la
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/plugins/ldapkio/resourceldapkio.cpp
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```



```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kabc/plugins/ldapkio/resourceldapkioconfig.cpp  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kabc/plugins/file/.libs/libkabc  
c_file.1.0.0.dylib ./kabc/plugins/file/.libs/resourcefile.o ./kabc/plugins/file  
/.libs/resourcefileconfig.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kabc/.l  
ibs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_  
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5  
.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var  
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs  
3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/v  
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar  
balls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.or  
g_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/l  
ibkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_l  
ocal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3  
/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/loc
```

```
al/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkabc_file.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.0
(cd ./kabc/plugins/file/.libs && rm -f libkabc_file.1.dylib && ln -s libkabc_file.1.0.0.dylib libkabc_file.1.dylib)
(cd ./kabc/plugins/file/.libs && rm -f libkabc_file.dylib && ln -s libkabc_file.1.0.0.dylib libkabc_file.dylib)
creating ./kabc/plugins/file/libkabc_file.la
(cd ./kabc/plugins/file/.libs && rm -f libkabc_file.la && ln -s ../libkabc_file.la libkabc_file.la)
78% linking ./kabc/plugins/dir/libkabc_dir.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kabc/plugins/dir/.libs/libkabc_dir.1.0.0.dylib ./kabc/plugins/dir/.libs/resourcedir.o ./kabc/plugins/dir/.lib
```

```
s/resourcedirconfig.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /o
```

```
pt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkabc_dir.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.0
(cd ./kabc/plugins/dir/.libs && rm -f libkabc_dir.1.dylib && ln -s libkabc_dir.1.0.0.dylib libkabc_dir.1.dylib)
(cd ./kabc/plugins/dir/.libs && rm -f libkabc_dir.dylib && ln -s libkabc_dir.1.0.0.dylib libkabc_dir.dylib)
creating ./kabc/plugins/dir/libkabc_dir.la
(cd ./kabc/plugins/dir/.libs && rm -f libkabc_dir.la && ln -s ../libkabc_dir.la libkabc_dir.la)
78% generating ./doc/kdelibs/artsmessage.1
78% generating ./doc/kdelibs/checkXML.1
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kcmshell/main.cpp
78% generating ./doc/kdelibs/dcop.1
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/katesearch.cpp
```

```
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katebuffer.cpp
78% linking ./kabc/plugins/ldapkio/libkabc_ldapkio.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kabc/plugins/ldapkio/.libs/lib
kabc_ldapkio.1.0.0.dylib ./kabc/plugins/ldapkio/.libs/resourceldapkio.o ./kabc/
plugins/ldapkio/.libs/resourceldapkioconfig.o -L/opt/local/lib -L/opt/local/lib
/qt3/lib ./kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /op
t/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_re
lease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.
dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.l
ibs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sourc
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.
5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_mac
ports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wo
rk/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
```

```
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /
opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_
release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libD
COP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/lo
cal/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/buil
d/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_
kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/
libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local
/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.d
ylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib
/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dyl
ib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.
dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/l
ibXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib ./kio/.libs/
libkio.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkabc_ldapk
io.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.0
(cd ./kabc/plugins/ldapkio/.libs && rm -f libkabc_ldapkio.1.dylib && ln -s libka
bc_ldapkio.1.0.0.dylib libkabc_ldapkio.1.dylib)
(cd ./kabc/plugins/ldapkio/.libs && rm -f libkabc_ldapkio.dylib && ln -s libkabc
_ldapkio.1.0.0.dylib libkabc_ldapkio.dylib)
creating ./kabc/plugins/ldapkio/libkabc_ldapkio.la
(cd ./kabc/plugins/ldapkio/.libs && rm -f libkabc_ldapkio.la && ln -s ../libkabc
_ldapkio.la libkabc_ldapkio.la)
78% generating ./doc/kdelibs/kbuildsycoca.8
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
search.cpp: In member function 'bool KateSearch::doSearch(const QString&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
search.cpp:631: warning: comparison between signed and unsigned integer expressi
ons
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katedialogs.cpp
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katedocument.cpp
78% generating ./doc/kdelibs/kdeoptions.7
78% generating ./doc/kdelibs/qtoptions.7
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katehighlight.cpp
78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/kateview.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
document.cpp:3583:2: warning: #warning "that's a bad idea, can lead to stray end
```

ings, FIXME"

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
document.cpp: In member function 'void KateDocument::setViewVariable(QString, QS
tring)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
document.cpp:4808: warning: 'n' may be used uninitialized in this function

78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/kateviewhelpers.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
highlight.cpp: In member function 'void KateHighlighting::doHighlight(KateTextLi
ne*, KateTextLine*, QMemArray<unsigned int>*, bool*)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
highlight.cpp:1463: warning: comparison between signed and unsigned integer expr
essions

78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katecodecompletion.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate

view.cpp: In member function 'void KateView::selectLine(const KateTextCursor&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
view.cpp:1573: warning: comparison between signed and unsigned integer expressio
ns

78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katedocumenthelpers.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
viewhelpers.cpp:280: warning: unused parameter 'string'

78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katecodefoldinghelpers.cpp

78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/kateviewinternal.cpp

78% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katebookmarks.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
codefoldinghelpers.cpp:830:2: warning: #warning "FIXME: why does this seem to w
ork?"

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
codefoldinghelpers.cpp:1154:2: warning: #warning "FIXME: make this multiple reg
ion changes per line save";
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
codefoldinghelpers.cpp:1179:2: warning: #warning "FIXME: make this multiple reg
ion changes per line save";
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
codefoldinghelpers.cpp: In member function 'void KateCodeFoldingTree::updateLine
(unsigned int, QMemArray<unsigned int>*, bool*, bool, bool)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
codefoldinghelpers.cpp:444: warning: suggest a space before ';' or explicit brac
es around empty body in 'for' statement
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
codefoldinghelpers.cpp: At global scope:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
codefoldinghelpers.cpp:952: warning: unused parameter 'charPos'
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kate/part/kateprinter.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kate/part/katesupercursor.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kate/part/katearbitraryhighlight.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kateviewinternal.cpp: In member function 'void KateViewInternal::updateSelection(const KateTextCursor&, bool)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kateviewinternal.cpp:2087: warning: comparison between signed and unsigned integer expressions

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kateviewinternal.cpp:2101: warning: comparison between signed and unsigned integer expressions

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kateviewinternal.cpp:2119: warning: comparison between signed and unsigned integer expressions

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org

_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
viewinternal.cpp:2134: warning: comparison between signed and unsigned integer e
xpressions

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
viewinternal.cpp: In member function 'virtual void KateViewInternal::mouseDouble
ClickEvent(QMouseEvent*)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
viewinternal.cpp:2837: warning: comparison between signed and unsigned integer e
xpressions

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
viewinternal.cpp:2843: warning: comparison between signed and unsigned integer e
xpressions

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/kateautoindent.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katefiletype.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/kateschema.cpp

```
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katetemplatehandler.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
templatehandler.cpp:205:2: warning: #warning FIXME undo/redo detection
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp:134: warning: unused parameter 'mode'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp:142: warning: unused parameter 'parent'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp:142: warning: unused parameter 'mode'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp: In member function 'virtual void KateCSmartIndent::processChar(Q
Char)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp:764: warning: comparison between signed and unsigned integer expr
essions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp:777: warning: unused variable 'pos'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp: In member function 'bool KateCSAndSIndent::startsWithLabel(int)':
:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp:1717: warning: comparison between signed and unsigned integer exp
ressions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp: In member function 'virtual void KateCSAndSIndent::processChar(Q
Char)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
autoindent.cpp:2141: warning: comparison between signed and unsigned integer exp
ressions
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katejscript.cpp
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/part/katespell.cpp
```

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopserver.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/uiserver.cpp

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopserver.cpp: In constructor 'DCOPServer::DCOPServer(bool)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopserver.cpp:1037: warning: 'dcopServerFileOld' is deprecated (declared at ./dcop/dcopclient.h:728)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopserver.cpp: In function 'int kdemain(int, char**)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopserver.cpp:1696: warning: 'dcopServerFileOld' is deprecated (declared at ./dcop/dcopclient.h:728)

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopserver.cpp:1699: warning: 'dcopServerFileOld' is deprecated (declared at ./dcop/dcopclient.h:728)

```
79% linking ./dcop/libkdeinit_dcopserver.la
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:448: warning: unused parameter 'exec'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:478: warning: unused parameter 'exec'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:478: warning: unused parameter 'token'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:478: warning: unused parameter 'value'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:478: warning: unused parameter 'attr'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:589: warning: unused parameter 'exec'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:616: warning: unused parameter 'exec'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
```



```
jscript.cpp:616: warning: unused parameter 'token'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate  
jscript.cpp:616: warning: unused parameter 'value'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate  
jscript.cpp:616: warning: unused parameter 'attr'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate  
jscript.cpp:837: warning: unused parameter 'args'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate  
jscript.h: In constructor 'KateIndentJScriptImpl::KateIndentJScriptImpl(const QS  
tring&, const QString&, const QString&, const QString&, double)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate  
jscript.h:208: warning: 'KateIndentJScriptImpl::m_interpreter' will be initializ  
ed after  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate  
jscript.h:207: warning: 'KJS::Object* KateIndentJScriptImpl::m_indenter'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate  
jscript.cpp:849: warning: when initialized here
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp: At global scope:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:985: warning: unused parameter 'line'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:992: warning: unused parameter 'begin'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/part/kate
jscript.cpp:992: warning: unused parameter 'needcontinue'
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/httpfilter/httpfilter.cc
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./dcop/.libs/libkdeinit_dcopserv
er.dylib ./dcop/.libs/dcopserv.o ./dcop/.libs/dcopsignals.o -L/opt/local/lib
-L/opt/local/lib/qt3/lib ./dcop/.libs/libDCOP.dylib /opt/local/lib/libqt-mt.dyl
ib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXren
der.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/lo
cal/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype
.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/loca
l/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/l
```

```
ocal/lib/libpng15.dylib /opt/local/lib/libz.dylib /opt/local/lib/libxcb.dylib /o
pt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -Wl,-dead_strip_dylibs
-install_name /opt/local/lib/libkdeinit_dcopserver.dylib
creating ./dcop/libkdeinit_dcopserver.la
(cd ./dcop/.libs && rm -f libkdeinit_dcopserver.la && ln -s ../libkdeinit_dcopse
rver.la libkdeinit_dcopserver.la)
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
knewstuff/engine.cpp
79% linking ./kio/httpfilter/libhttpfilter.la
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
knewstuff/downloaddialog.cpp
ar cru ./kio/httpfilter/.libs/libhttpfilter.a ./kio/httpfilter/.libs/httpfilter.
o
ranlib ./kio/httpfilter/.libs/libhttpfilter.a
creating ./kio/httpfilter/libhttpfilter.la
(cd ./kio/httpfilter/.libs && rm -f libhttpfilter.la && ln -s ../libhttpfilter.l
a libhttpfilter.la)
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
knewstuff/uploaddialog.cpp
79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

knewstuff/providerdialog.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

knewstuff/provider.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

knewstuff/knewstuffbutton.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

knewstuff/knewstuffsecure.cpp

79% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

knewstuff/security.cpp

80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kinit/klauncher.cpp

80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/cups/cupsdconf2/cupsddialog.cpp

80% linking ./knewstuff/libknewstuff.la

80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

kdeprint/cups/cupsdconf2/cupsdpage.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

```
/usr/bin/g++-4.2 -dynamiclib -single_module ${wl}-undefined ${wl}dynamic_lookup
-o ./knewstuff/.libs/libknewstuff.1.0.0.dylib ./knewstuff/.libs/engine.o ./knewstuff/.libs/entry.o ./knewstuff/.libs/downloaddialog.o ./knewstuff/.libs/uploaddialog.o ./knewstuff/.libs/providerdialog.o ./knewstuff/.libs/provider.o ./knewstuff/.libs/knewstuff.o ./knewstuff/.libs/knewstuffgeneric.o ./knewstuff/.libs/knewstuffbutton.o ./knewstuff/.libs/knewstuffsecure.o ./knewstuff/.libs/security.o
-L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/li
```

```
b/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib
/opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/
libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/l
ib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/l
ocal/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -insta
ll_name /opt/local/lib/libknewstuff.1.dylib -Wl,-compatibility_version -Wl,2 -W
l,-current_version -Wl,2.0
(cd ./knewstuff/.libs && rm -f libknewstuff.1.dylib && ln -s libknewstuff.1.0.0.
.dylib libknewstuff.1.dylib)
(cd ./knewstuff/.libs && rm -f libknewstuff.dylib && ln -s libknewstuff.1.0.0.dy
lib libknewstuff.dylib)
creating ./knewstuff/libknewstuff.la
(cd ./knewstuff/.libs && rm -f libknewstuff.la && ln -s ../libknewstuff.la libkn
ewstuff.la)
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/cupsdserverpage.cpp
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/cupsdjobspage.cpp
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/qdirlineedit.cpp
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/cupsdconf2/cupsdnetworkpage.cpp  
80% linking ./kinit/libkdeinit_klauncher.la  
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/cupsdconf2/editlist.cpp  
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/cupsdconf2/cupsdbrowsingpage.cpp  
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/cupsdconf2/browsedialog.cpp  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kinit/.libs/libkdeinit_klaunch  
er.dylib ./kinit/.libs/klauncher.o ./kinit/.libs/klauncher_main.o ./kinit/.libs  
/autostart.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.or  
g_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/l  
ibkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports  
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd  
elibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
```

```
_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dyllibs -install_name /opt/local/lib/libkdeinit_klauncher.dylib  
creating ./kinit/libkdeinit_klauncher.la  
(cd ./kinit/.libs && rm -f libkdeinit_klauncher.la && ln -s ../libkdeinit_klauncher.la libkdeinit_klauncher.la)  
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/cupsdconf2/cupsdsecuritypage.cpp  
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/cupsdconf2/locationdialog.cpp
```


80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdconf2/qdirmultilineedit.cpp

80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kded/kded.cpp

80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kded/kdedmodule.cpp

80% linking ./kdeprint/cups/cupsdconf2/libkdeinit_cupsdconf.la

80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kded/kbuildsycoca.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdeprint/cups/cupsdconf2/.libs
/libkdeinit_cupsdconf.dylib ./kdeprint/cups/cupsdconf2/.libs/cupsdconf.o ./kdep
rint/cups/cupsdconf2/.libs/cupsddialog.o ./kdeprint/cups/cupsdconf2/.libs/cupsdp
age.o ./kdeprint/cups/cupsdconf2/.libs/cupsdcomment.o ./kdeprint/cups/cupsdconf2
/.libs/cupsdsplash.o ./kdeprint/cups/cupsdconf2/.libs/cupsdserverpage.o ./kdepri
nt/cups/cupsdconf2/.libs/cupsdlogpage.o ./kdeprint/cups/cupsdconf2/.libs/cupsdjo
bspage.o ./kdeprint/cups/cupsdconf2/.libs/cupsdfilterpage.o ./kdeprint/cups/cups
dconf2/.libs/qdirlineedit.o ./kdeprint/cups/cupsdconf2/.libs/cupsddirpage.o ./kd
eprint/cups/cupsdconf2/.libs/portdialog.o ./kdeprint/cups/cupsdconf2/.libs/cupsd
networkpage.o ./kdeprint/cups/cupsdconf2/.libs/editlist.o ./kdeprint/cups/cupsdc

```
onf2/.libs/cupsdbrowsingpage.o ./kdeprint/cups/cupsdconf2/.libs/browsedialog.o .  
/kdeprint/cups/cupsdconf2/.libs/cupsdsecuritypage.o ./kdeprint/cups/cupsdconf2/.  
libs/locationdialog.o ./kdeprint/cups/cupsdconf2/.libs/addressdialog.o ./kdeprin  
t/cups/cupsdconf2/.libs/qdirmultilineedit.o ./kdeprint/cups/cupsdconf2/.libs/siz  
ewidget.o ./kdeprint/cups/cupsdconf2/.libs/main.o ./kdeprint/cups/cupsdconf2/.li  
bs/cups-util.o -L/opt/local/lib -L/opt/local/lib/qt3/lib -lcups -lz -lpthread -  
lresolv ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_ma  
cports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/w  
ork/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt  
_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelib  
s3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclie  
nt.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.mac  
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeco  
re/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_  
sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kde  
libs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/loc  
al/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /  
opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_  
release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/lib  
kdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/  
lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib  
/opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/
```

```
libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib
/opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.d
ylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/li
bxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/
lib/libz.dylib -Wl,-dead_strip_dylibs -Wl,-weak_framework -Wl,Kerberos -Wl,-fra
mework -Wl,SystemConfiguration -Wl,-framework -Wl,CoreFoundation -Wl,-framework
-Wl,Security -install_name /opt/local/lib/libkdeinit_cupsdconf.dylib
creating ./kdeprint/cups/cupsdconf2/libkdeinit_cupsdconf.la
(cd ./kdeprint/cups/cupsdconf2/.libs && rm -f libkdeinit_cupsdconf.la && ln -s .
./libkdeinit_cupsdconf.la libkdeinit_cupsdconf.la)
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kded/vfolder_menu.cpp
80% linking ./kded/libkdeinit_kded.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kded/.libs/libkdeinit_kded.dyl
ib ./kded/.libs/kded.o ./kded/.libs/kdedmodule.o -L/opt/local/lib -L/opt/local
/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_v
ar_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdeli
bs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
delibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalle
```

```
tclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macp
orts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wor
k/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /op
t/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dy
lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports
.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.lib
s/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/l
ocal/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.d
ylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local
/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.
dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/li
bSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/l
ib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/l
ocal/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkde
init_kded.dylib
creating ./kded/libkdeinit_kded.la
(cd ./kded/.libs && rm -f libkdeinit_kded.la && ln -s ../libkdeinit_kded.la libk
deinit_kded.la)
80% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kab/kabapi.cc
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kab/addressbook.cc

81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kab/qconfigDB.cc

81% linking ./kded/libkdeinit_kbuildsycoca.la

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kded/.libs/libkdeinit_kbuildsy
coca.dylib ./kded/.libs/kbuildsycoca.o ./kded/.libs/kbuildservicetypefactory.o
./kded/.libs/kbuildservicefactory.o ./kded/.libs/kbuildservicegroupfactory.o ./k
ded/.libs/kbuildimageiofactory.o ./kded/.libs/kbuildprotocolinfofactory.o ./kded
/.libs/kctimefactory.o ./kded/.libs/vfolder_menu.o -L/opt/local/lib -L/opt/loca
l/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_
var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdel
ibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/buil
d/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_
kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwall
etclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_mac
ports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wo
rk/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /o

```
pt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.d
ylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macport
s.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.li
bs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/
local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.
dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/loca
l/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig
.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/l
ibSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/
lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/
local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkd
einit_kbuildsycoca.dylib
creating ./kded/libkdeinit_kbuildsycoca.la
(cd ./kded/.libs && rm -f libkdeinit_kbuildsycoca.la && ln -s ../libkdeinit_kbui
ldsycoca.la libkdeinit_kbuildsycoca.la)
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kspell2/ui/dialog.cpp
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/khtmlview.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.
cc: In member function 'bool KeyValueCollection::insertLine(QCString, bool, bool, bool)
```

’;

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.
cc:568: warning: suggest a space before ‘;’ or explicit braces around empty body
in ‘for’ statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.
cc: In member function ‘bool Section::isEndOfSection(QCString)’:

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.
cc:1712: warning: suggest a space before ‘;’ or explicit braces around empty bod
y in ‘for’ statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.
cc:1713: warning: suggest a space before ‘;’ or explicit braces around empty bod
y in ‘for’ statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.
cc: In member function ‘QString Section::nameOfSection(const QString&)’:

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.
cc:1748: warning: suggest a space before ‘;’ or explicit braces around empty bod
y in ‘for’ statement

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.  
cc:1749: warning: suggest a space before ';' or explicit braces around empty bod  
y in 'for' statement  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.  
cc: In static member function 'static void QConfigDB::CleanLockFiles(int)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.  
cc:2198: warning: format '%i' expects type 'int', but argument 3 has type 'size_  
t'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.  
cc: In member function 'bool Section::readSection(QTextStream&, bool)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab/qconfigDB.  
cc:1600: warning: 'temp' may be used uninitialized in this function  
81% linking ./kab/libkab.la  
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/khtml_part.cpp  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
ar cru ./kab/.libs/libkab.a ./kab/.libs/kabapi.o ./kab/.libs/addressbook.o ./kab  
/.libs/qconfigDB.o  
ranlib ./kab/.libs/libkab.a
```



```
creating ./kab/libkab.la
(cd ./kab/.libs && rm -f libkab.la && ln -s ../libkab.la libkab.la)
81% linking ./kspell2/ui/libkspell2.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
rm -fr ./kspell2/ui/.libs/libkspell2.lax
mkdir ./kspell2/ui/.libs/libkspell2.lax
rm -fr ./kspell2/ui/.libs/libkspell2.lax/libkspell2_noinst.a
mkdir ./kspell2/ui/.libs/libkspell2.lax/libkspell2_noinst.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
spell2/ui/.libs/libkspell2_noinst.a
(cd ./kspell2/ui/.libs/libkspell2.lax/libkspell2_noinst.a && ar x /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kspell2/ui/.libs/libkspell
2_noinst.a)
rm -fr ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a
```

```
mkdir ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kspell2/.libs/libkspell2base.a
(cd ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kspell2/.libs/libkspell2base.a)
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kspell2/ui/.libs/libkspell2.1.0.0.dylib ./kspell2/ui/.libs/dialog.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2_noinst.a/configdialog.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2_noinst.a/configui.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2_noinst.a/configwidget.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2_noinst.a/highlighter.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2_noinst.a/kspell2ui.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a/backgroundchecker.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a/backgroundengine.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a/backgroundthread.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a/broker.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a/client.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a/defaultdictionary.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a/filter.o ./kspell2/ui/.libs/libkspell2.lax/libkspell2base.a/settings.o -L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libz.dy
```

lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/.libs/libkutils.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libexpat.dylib /opt/local/lib/libbz2.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/li

```
b/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread
/opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkspell2.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.0
(cd ./kspell2/ui/.libs && rm -f libkspell2.1.dylib && ln -s libkspell2.1.0.0.dylib libkspell2.1.dylib)
(cd ./kspell2/ui/.libs && rm -f libkspell2.dylib && ln -s libkspell2.1.0.0.dylib libkspell2.dylib)
rm -fr ./kspell2/ui/.libs/libkspell2.lax
creating ./kspell2/ui/libkspell2.la
(cd ./kspell2/ui/.libs && rm -f libkspell2.la && ln -s ../libkspell2.la libkspell2.la)
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_run.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtmlview.cpp: In member function 'bool KHTMLView::dispatchMouseEvent(int, DOM::NodeImpl*, DOM::NodeImpl*, bool, int, QMouseEvent*, bool, int)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtmlview.cpp:3213: warning: suggest a space before ';' or explicit braces around empty body in 'for' statement
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_ca  
ret.cpp: In member function 'void khtml::EditableCaretBoxIterator::advance(bool)  
':
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_ca  
ret.cpp:1516: warning: 'iscuruseable' may be used uninitialized in this function
```

```
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/khtml_factory.cpp
```

```
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/khtml_ext.cpp
```

```
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/khtml_pagecache.cpp
```

```
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/khtml_printsettings.cpp
```

```
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
khtml/khtmlimage.cpp
```

```
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

```
interfaces/kscript/scriptmanager.cpp
81% compiling ./interfaces/kscript/scriptclientinterface.moc.cpp
81% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kate/interfaces/interfaces.cpp
81% linking ./interfaces/kscript/libkscript.la
81% compiling ./khtml/kjserrordlg.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./interfaces/kscript/.libs/libks
cript.0.0.0.dylib ./interfaces/kscript/.libs/scriptmanager.o ./interfaces/kscri
pt/.libs/scriptclientinterface.moc.o -L/opt/local/lib -L/opt/local/lib/qt3/lib
./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
ibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_v
ar_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdeli
bs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
delibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.or
g_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs
/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/l
ibidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/loca
```

```
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dy
lib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libX
mu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/loc
al/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.d
ylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/lo
cal/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /op
t/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dyl
ib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz
.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkscript.0.dylib
-Wl,-compatibility_version -Wl,1 -Wl,-current_version -Wl,1.0
(cd ./interfaces/kscript/.libs && rm -f libkscript.0.dylib && ln -s libkscript.0
.0.0.dylib libkscript.0.dylib)
(cd ./interfaces/kscript/.libs && rm -f libkscript.dylib && ln -s libkscript.0.0
.0.dylib libkscript.dylib)
creating ./interfaces/kscript/libkscript.la
(cd ./interfaces/kscript/.libs && rm -f libkscript.la && ln -s ../libkscript.la
libkscript.la)
81% linking ./kate/interfaces/libkatepartinterfaces.la
81% compiling ./khtml/htmlpageinfo.cpp
81% compiling ./kio/misc/uiserver_skel.cpp
81% compiling ./khtml/khtml_iface_skel.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kate/interfaces/.libs/libkatep
```

```
artinterfaces.0.0.0.dylib ./kate/interfaces/.libs/interfaces.o ./kate/interface
s/.libs/katecmd.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./interfaces/ktex
ditor/.libs/libktexteditor.dylib /opt/local/var/macports/build/_opt_local_var_ma
cports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/w
ork/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_o
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdel
ibs3/kdelibs3/work/kdelibs-3.5.10/kabc/.libs/libkabc.dylib /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /op
t/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_re
lease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/
libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_source
s_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3
.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/
kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_loc
al_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/k
delibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.d
ylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macport
s.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.
libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
```



```
-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkatepartinterfaces.0.dylib -Wl,-compatibility_version -Wl,1 -Wl,-current_version -Wl,1.0 (cd ./kate/interfaces/.libs && rm -f libkatepartinterfaces.0.dylib && ln -s libkatepartinterfaces.0.0.0.dylib libkatepartinterfaces.0.dylib) (cd ./kate/interfaces/.libs && rm -f libkatepartinterfaces.dylib && ln -s libkatepartinterfaces.0.0.0.dylib libkatepartinterfaces.dylib) creating ./kate/interfaces/libkatepartinterfaces.la (cd ./kate/interfaces/.libs && rm -f libkatepartinterfaces.la && ln -s ../libkatepartinterfaces.la libkatepartinterfaces.la) 82% compiling ./kcmshell/main_skel.cpp 82% linking ./kcmshell/libkdeinit_kcmshell.la 82% compiling ./kate/part/katedocument_skel.cpp 82% compiling ./kio/misc/observer_stub.cpp
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kcmshell/.libs/libkdeinit_kcmshell.dylib ./kcmshell/.libs/main.o ./kcmshell/.libs/main_skel.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kutils/.libs/libkutils.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib
```

```
/opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdeinit_kcmshell.dylib
creating ./kcmshell/libkdeinit_kcmshell.la
(cd ./kcmshell/.libs && rm -f libkdeinit_kcmshell.la && ln -s ../libkdeinit_kcmshell.la libkdeinit_kcmshell.la)
82% linking ./khtml/libkhtml.la
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopserver_shutdown.c
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/dcop.cpp
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/dcopfind.cpp
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/dcopfind.cpp:35:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/marshall.cpp: In function 'void marshall(QDataStream&, QStringList, uint&, QStrin
```

```
g)’:  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/ma  
rshall.cpp:276: warning: format ‘%d’ expects type ‘int’, but argument 3 has type  
‘size_t’  
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
dcop/client/dcopclient.c  
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
dcop/client/dcopobject.c  
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
dcop/client/dcopref.c  
libtool: link: warning: ‘/opt/local/lib/libqt-mt.la’ seems to be moved  
libtool: link: warning: ‘/opt/local/lib/libqt-mt.la’ seems to be moved  
libtool: link: warning: ‘/opt/local/lib/libqt-mt.la’ seems to be moved  
libtool: link: warning: ‘/opt/local/lib/libqt-mt.la’ seems to be moved  
rm -fr ./khtml/.libs/libkhtml.lax  
mkdir ./khtml/.libs/libkhtml.lax  
rm -fr ./khtml/.libs/libkhtml.lax/libkhtmlxml.a  
mkdir ./khtml/.libs/libkhtml.lax/libkhtmlxml.a  
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m  
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
```

```
html/xml/.libs/libkhtmlxml.a
(cd ./khtml/.libs/libkhtml.lax/libkhtmlxml.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/xml/.libs/libkhtmlxml.a)
rm -fr ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a
mkdir ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
html/html/.libs/libkhtmlhtml.a
(cd ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a && ar x /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/html/.libs/libkhtmlhtml.a)
rm -fr ./khtml/.libs/libkhtml.lax/libkhtmlrender.a
mkdir ./khtml/.libs/libkhtml.lax/libkhtmlrender.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
html/rendering/.libs/libkhtmlrender.a
(cd ./khtml/.libs/libkhtml.lax/libkhtmlrender.a && ar x /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/rendering/.libs/libkhtmlrender
.a)
rm -fr ./khtml/.libs/libkhtml.lax/libkhtmlcss.a
mkdir ./khtml/.libs/libkhtml.lax/libkhtmlcss.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```

```
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/css/.libs/libkhtmlcss.a
(cd ./khtml/.libs/libkhtml.lax/libkhtmlcss.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/css/.libs/libkhtmlcss.a)
rm -fr ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a
mkdir ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/misc/.libs/libkhtmlmisc.a
(cd ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/misc/.libs/libkhtmlmisc.a)
rm -fr ./khtml/.libs/libkhtml.lax/libkjs_html.a
mkdir ./khtml/.libs/libkhtml.lax/libkjs_html.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/ecma/.libs/libkjs_html.a
(cd ./khtml/.libs/libkhtml.lax/libkjs_html.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/ecma/.libs/libkjs_html.a)
rm -fr ./khtml/.libs/libkhtml.lax/libkhtmldom.a
mkdir ./khtml/.libs/libkhtml.lax/libkhtmldom.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```

```
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/dom/.libs/libkhtmldom.a
(cd ./khtml/.libs/libkhtml.lax/libkhtmldom.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./khtml/dom/.libs/libkhtmldom.a)
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./khtml/.libs/libkhtml.4.2.0.dylib ./khtml/.libs/kjserrordlg.o ./khtml/.libs/khtmlview.o ./khtml/.libs/khtml_part.o ./khtml/.libs/khtml_run.o ./khtml/.libs/khtml_factory.o ./khtml/.libs/khtml_settings.o ./khtml/.libs/khtml_events.o ./khtml/.libs/khtml_ext.o ./khtml/.libs/khtml_pagecache.o ./khtml/.libs/khtml_iface_skel.o ./khtml/.libs/khtml_iface.o ./khtml/.libs/khtml_printsettings.o ./khtml/.libs/htmlpageinfo.o ./khtml/.libs/khtmlimage.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom2_eventsimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom2_rangeimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom2_traversalimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom2_viewsimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom_docimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom_elementimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom_nodeimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom_restyler.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom_stringimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom_textimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/dom_xmlimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlxml.a/xml_tokenizer.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/dtd.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/html_baseimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/html_blockimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/html_documentimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/html_elementimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/html_fo
```

rmimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/html_headimpl.o ./khtml/.libs
/libkhtml.lax/libkhtmlhtml.a/html_imageimpl.o ./khtml/.libs/libkhtml.lax/libkhtm
lhtml.a/html_inlineimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/html_listimp
l.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/html_miscimpl.o ./khtml/.libs/libk
html.lax/libkhtmlhtml.a/html_objectimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlhtm
l.a/html_tableimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlhtml.a/htmlparser.o ./kh
tml/.libs/libkhtml.lax/libkhtmlhtml.a/htmltokenizer.o ./khtml/.libs/libkhtml.la
x/libkhtmlrender.a/bidi.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/break_line
s.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/counter_tree.o ./khtml/.libs/lib
khtml.lax/libkhtmlrender.a/enumerate.o ./khtml/.libs/libkhtml.lax/libkhtmlrender
.a/font.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_arena.o ./khtml/.li
bs/libkhtml.lax/libkhtmlrender.a/render_block.o ./khtml/.libs/libkhtml.lax/libkh
tmlrender.a/render_body.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_box
.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_br.o ./khtml/.libs/libkhtm
l.lax/libkhtmlrender.a/render_canvas.o ./khtml/.libs/libkhtml.lax/libkhtmlrender
.a/render_container.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_flow.o
./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_form.o ./khtml/.libs/libkhtml
.lax/libkhtmlrender.a/render_frames.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.
a/render_generated.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_image.o
./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_inline.o ./khtml/.libs/libkht
ml.lax/libkhtmlrender.a/render_layer.o ./khtml/.libs/libkhtml.lax/libkhtmlrender
.a/render_line.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_list.o ./kht
ml/.libs/libkhtml.lax/libkhtmlrender.a/render_object.o ./khtml/.libs/libkhtml.la
x/libkhtmlrender.a/render_replaced.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a

/render_style.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_table.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/render_text.o ./khtml/.libs/libkhtml.lax/libkhtmlrender.a/table_layout.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/css_base.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/css_renderstyledeclarationimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/css_ruleimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/css_stylesheetimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/css_valueimpl.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/csshelper.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/cssparser.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/cssstyleselector.o ./khtml/.libs/libkhtml.lax/libkhtmlcss.a/parser.o ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a/arena.o ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a/decoder.o ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a/guess_ja.o ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a/helper.o ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a/htmlhashes.o ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a/loader.o ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a/loader_jpeg.o ./khtml/.libs/libkhtml.lax/libkhtmlmisc.a/stringit.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/domparser.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_binding.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_css.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_debugwin.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_dom.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_events.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_html.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_mozilla.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_navigator.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_proxy.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_range.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_traversal.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_views.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/kjs_window.o ./khtml/.libs/libkhtml.lax/libkjs

_html.a/xmlhttprequest.o ./khtml/.libs/libkhtml.lax/libkjs_html.a/xmlserializer.o ./khtml/.libs/libkhtml.lax/libkhtml.a/css_rule.o ./khtml/.libs/libkhtml.lax/libkhtml.a/css_stylesheet.o ./khtml/.libs/libkhtml.lax/libkhtml.a/css_value.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom2_events.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom2_range.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom2_traversal.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom2_views.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom_doc.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom_element.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom_misc.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom_node.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom_string.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom_text.o ./khtml/.libs/libkhtml.lax/libkhtml.a/dom_xml.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_base.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_block.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_document.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_element.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_form.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_head.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_image.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_inline.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_list.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_misc.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_object.o ./khtml/.libs/libkhtml.lax/libkhtml.a/html_table.o -L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/libjpeg.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/.libs/libkjs.dylib -lm /opt/local/lib/libpcreposix.dylib /opt/local/lib/libpcre.dylib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball

s_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib ./kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma

```
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kpar
ts/.libs/libkparts.dylib ./kutils/.libs/libkutils.dylib ./kwallet/client/.libs/l
ibkwalletclient.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libk
html.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0
(cd ./khtml/.libs && rm -f libkhtml.4.dylib && ln -s libkhtml.4.2.0.dylib libkht
ml.4.dylib)
(cd ./khtml/.libs && rm -f libkhtml.dylib && ln -s libkhtml.4.2.0.dylib libkhtml
.dylib)
rm -fr ./khtml/.libs/libkhtml.lax
creating ./khtml/libkhtml.la
(cd ./khtml/.libs && rm -f libkhtml.la && ln -s ../libkhtml.la libkhtml.la)
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dcop/client/dcopstart.cpp
82% linking ./kate/part/libkate.la
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/dcop/client/dcop.cpp:48:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/ma
rshall.cpp: In function 'void marshall(QDataStream&, QStringList, uint&, QStrin
g)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/ma
```

rshall.cpp:276: warning: format '%d' expects type 'int', but argument 3 has type 'size_t'

82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/dcopquit.cpp

82% compiling ./kdecore/kde-config.cpp

ar cru ./kate/part/.libs/libkate.a ./kate/part/.libs/katesearch.o ./kate/part/.libs/katebuffer.o ./kate/part/.libs/katecmds.o ./kate/part/.libs/kateundo.o ./kate/part/.libs/katecursor.o ./kate/part/.libs/katedialogs.o ./kate/part/.libs/katedocument.o ./kate/part/.libs/katefactory.o ./kate/part/.libs/katehighlight.o ./kate/part/.libs/katesyntaxdocument.o ./kate/part/.libs/katetextline.o ./kate/part/.libs/kateview.o ./kate/part/.libs/kateconfig.o ./kate/part/.libs/kateviewhelpers.o ./kate/part/.libs/katecodecompletion.o ./kate/part/.libs/katedocumenthelpers.o ./kate/part/.libs/katecodefoldinghelpers.o ./kate/part/.libs/kateviewinternal.o ./kate/part/.libs/katebookmarks.o ./kate/part/.libs/kateprinter.o ./kate/part/.libs/katefont.o ./kate/part/.libs/katelinrange.o ./kate/part/.libs/katesupercursor.o ./kate/part/.libs/katearbitraryhighlight.o ./kate/part/.libs/katerenderer.o ./kate/part/.libs/kateattribute.o ./kate/part/.libs/kateautoindent.o ./kate/part/.libs/katefiletype.o ./kate/part/.libs/kateschema.o ./kate/part/.libs/katedocument_skel.o ./kate/part/.libs/katetemplatehandler.o ./kate/part/.libs/katejscrip.o ./kate/part/.libs/katespell.o ./kate/part/.libs/kateindentscriptabstracts.o ./kate/part/.libs/kateluaindentscript.o

/usr/bin/ranlib: file: ./kate/part/.libs/libkate.a(kateluaindentscript.o) has no symbols

```
ranlib ./kate/part/.libs/libkate.a
ranlib: file: ./kate/part/.libs/libkate.a(kateluaindentscript.o) has no symbols
creating ./kate/part/libkate.la
(cd ./kate/part/.libs && rm -f libkate.la && ln -s ../libkate.la libkate.la)
82% linking ./kio/misc/libkdeinit_kio_uiserver.la
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdecore/kgrantpty.c
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kunittest/modrunner.cpp
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdesu/kdesu_stub.c
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kio/misc/.libs/libkdeinit_kio_
uiserver.dylib ./kio/misc/.libs/uiserver.o ./kio/misc/.libs/uiserver_skel.o ./k
io/misc/.libs/observer_stub.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.
libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macp
orts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wor
k/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_l
ocal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3
```

```
/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdeinit_kio_uiserver.dylib
creating ./kio/misc/libkdeinit_kio_uiserver.la
(cd ./kio/misc/.libs && rm -f libkdeinit_kio_uiserver.la && ln -s ../libkdeinit_kio_uiserver.la libkdeinit_kio_uiserver.la)
82% linking ./dcop/dcopserver_shutdown
82% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

```
kio/misc/kmailservice.cpp
/usr/bin/gcc-4.2 -O2 -O2 -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/dcopser
ver_shutdown ./dcop/dcopserver_shutdown.o -L/opt/local/lib
82% linking ./dcop/client/dcopfind
83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/misc/ktelnetSERVICE.cpp
83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/misc/kpac/kpac_dhcp_helper.c
83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/misc/kpac/script.cpp
mkdir ./dcop/client/.libs
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -O2 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/
client/.libs/dcopfind ./dcop/client/dcopfind.o -Wl,-bind_at_load -L/opt/local/li
b/qt3/lib -L/opt/local/lib ./dcop/.libs/libDCOP.dylib /opt/local/lib/qt3/lib/li
```



```
bqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender
.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local
/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dy
lib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lz -l
m /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau
.dylib /opt/local/lib/libXdmp.dylib /opt/local/lib/libX11.dylib /opt/local/lib/
libSM.dylib /opt/local/lib/libICE.dylib -lpthread
creating ./dcop/client/dcopfind
83% linking ./dcop/client/dcopclient
/usr/bin/gcc-4.2 -O3 -O3 -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/client/d
copclient ./dcop/client/dcopclient.o -L/opt/local/lib/qt3/lib -L/opt/local/lib
83% linking ./dcop/client/dcopobject
/usr/bin/gcc-4.2 -O3 -O3 -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/client/d
copobject ./dcop/client/dcopobject.o -L/opt/local/lib/qt3/lib -L/opt/local/lib
83% linking ./dcop/client/dcoppref
/usr/bin/gcc-4.2 -O3 -O3 -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/client/d
coppref ./dcop/client/dcoppref.o -L/opt/local/lib/qt3/lib -L/opt/local/lib
83% linking ./dcop/client/dcop
```

83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kdesasl/kdesasl.cpp

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/client/.libs/dcop ./dcop/client/dcop.o -Wl,-bind_at_load -L/opt/local/lib/qt3/lib -L/opt/local/lib ./dcop/.libs/libDCOP.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread
```

creating ./dcop/client/dcop

83% linking ./dcop/client/dcopstart

83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kfile/fileprops.cpp

In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour

```
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/dcop.cpp:48,  
    from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/dcopquit.cpp:2:  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/marshall.cpp: In function 'void marshall(QDataStream&, QStringList, uint&, QString&)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/client/marshall.cpp:276: warning: format '%d' expects type 'int', but argument 3 has type 'size_t'  
83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/tests/ktraderetest.cpp  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/tests/ktraderetest.cpp: In function 'int main(int, char**)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/tests/ktraderetest.cpp:67: warning: format '%d' expects type 'int', but argument 2 has type 'size_t'  
83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
pics/ksvgtopng.cpp

83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkscreensaver/main.cpp

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -  
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid  
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_  
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi  
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp  
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/  
client/.libs/dcopstart ./dcop/client/dcopstart.o -Wl,-bind_at_load -L/opt/local  
/lib/qt3/lib -L/opt/local/lib ./dcop/.libs/libDCOP.dylib /opt/local/lib/qt3/lib/  
libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrend  
er.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/loc  
al/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.  
dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lz  
-lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libX  
au.dylib /opt/local/lib/libXdmp.dylib /opt/local/lib/libX11.dylib /opt/local/li  
b/libSM.dylib /opt/local/lib/libICE.dylib -lpthread
```

creating ./dcop/client/dcopstart

83% linking ./kdecore/kde-config

83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/

libkmid/midiout.cc

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkscreensave
r/main.cpp: In function 'int main(int, char**)':

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkscreensave
r/main.cpp:97: warning: 'init' is deprecated (declared at ./kdecore/kcmdlineargs
.h:260)

83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/player.cc

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midiou
t.cc:63: warning: unused parameter 'sqfd'

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midiou
t.cc:130: warning: unused parameter 'chn'

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midiou
t.cc:130: warning: unused parameter 'note'

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midiou
t.cc:130: warning: unused parameter 'vel'

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midiout.cc:140: warning: unused parameter 'chn'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midiout.cc:140: warning: unused parameter 'note'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midiout.cc:140: warning: unused parameter 'vel'  
83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/track.cc  
83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midimapper.cc  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.cc: In member function 'void MidiPlayer::play(bool, void (*)())':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.cc:588: warning: 'message' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player
```

```
.cc:588: warning: 'message' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player
.cc:588: warning: 'message' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player
.cc:588: warning: 'message' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player
.cc:591: warning: 'message' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player
.cc:591: warning: 'message' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)
83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/midfile.cc

83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/datypes.cc

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -  
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid  
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_  
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi  
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp  
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kdeco  
re/.libs/kde-config ./kdecore/kde-config.o -Wl,-bind_at_load -L/opt/local/lib .  
/kdecore/.libs/libkdecore.dylib -L/opt/local/lib/qt3/lib /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/  
local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl  
.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_loca  
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kd  
elibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/lib  
qt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.d  
ylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local  
/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.  
dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/l  
ocal/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXre
```



```
nder.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kdecore/kde-config
83% 83% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/midistat.cc
linking ./kdecore/kgrantpty
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/deviceman.cc
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/synthout.cc
/usr/bin/gcc-4.2 -O3 -O3 -fPIC -fPIE -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -D_MACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -pie -o ./kdecore/.libs/kgrantpty ./kdecore/kgrantpty.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdefakes.dylib
creating ./kdecore/kgrantpty
84% linking ./kunittest/kunittestmodrunner
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/synthout.cc:151: warning: unused parameter 'chn'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/syntho
ut.cc:151: warning: unused parameter 'note'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/syntho
ut.cc:160: warning: unused parameter 'chn'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/syntho
ut.cc:160: warning: unused parameter 'note'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/syntho
ut.cc:160: warning: unused parameter 'vel'
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/fmout.cc
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/fmout.
cc:72: warning: unused parameter 'sqfd'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/fmout.
cc: In member function 'virtual void FMOut::noteOn(uchar, uchar, uchar)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/fmout.
cc:232: warning: unused variable 'v'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/fmout.  
cc:233: warning: unused variable 'p'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/fmout.  
cc: At global scope:  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/fmout.  
cc:251: warning: unused parameter 'vel'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/fmout.  
cc:266: warning: unused parameter 'vel'  
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
libkmid/gusout.cc  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/device  
man.cc:537: warning: unused parameter 'ticks'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/device  
man.cc:553: warning: unused parameter 'v'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/device  
man.cc:632: warning: unused parameter 'f'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/device
man.cc:718: warning: unused parameter 'i'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/device
man.cc:736: warning: unused parameter 'i'
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/alsaout.cc
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/gusout
.cc: In member function 'virtual void GUSOut::noteOn(uchar, uchar, uchar)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/gusout
.cc:231: warning: unused variable 'v'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/gusout
.cc:232: warning: unused variable 'p'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/gusout
.cc: At global scope:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/gusout
.cc:247: warning: unused parameter 'vel'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/gusout
.cc:262: warning: unused parameter 'vel'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/gusout
.cc:338: warning: unused parameter 'pgm'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/gusout
.cc:525: warning: unused parameter 'patchesused'
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/voiceman.cc
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/mt32togm.cc
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/notearray.cc
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkmid/libkmid.cc
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/plastik/misc.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/libkmi  
d.cc: In static member function 'static int KMidSimpleAPI::kMidInit()':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/libkmi  
d.cc:63: warning: 'message' is deprecated (declared at /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/libkmi  
d.cc:63: warning: 'message' is deprecated (declared at /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/libkmi  
d.cc: In static member function 'static int KMidSimpleAPI::kMidPlay(int)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/libkmi  
d.cc:90: warning: 'message' is deprecated (declared at /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/libkmi  
d.cc:90: warning: 'message' is deprecated (declared at /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
```

```
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmi
d.cc:105: warning: 'message' is deprecated (declared at /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmi
d.cc:105: warning: 'message' is deprecated (declared at /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libkmid/player.h:184)
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/light/light.cpp
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/kthemestyle/kstyledirs.cpp
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/utils/installtheme/main.cpp
84% /usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fP
IC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility
=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT
_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gs
```

```
sapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-pre
comp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./k
unittest/.libs/kunittestmodrunner ./kunittest/modrunner.o -Wl,-bind_at_load -L/
opt/local/lib -L/opt/local/lib/qt3/lib ./kunittest/.libs/libkunittest.dylib /opt
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rel
ease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libk
decore.dylib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt
_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelib
s3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/l
ibart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc
/opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib
-lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/l
ocal/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft
.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl
/opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/li
bSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib
/opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dy
lib /opt/local/lib/libXdmcp.dylib -lz
creating ./kunittest/kunittestmodrunner
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knew
stuff/khotnewstuff.cpp
```



```
84% linking ./kdesu/kdesu_stub
/usr/bin/gcc-4.2 -O2 -O2 -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kdesu/.libs/k
desu_stub ./kdesu/kdesu_stub.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdec
ore/.libs/libkdefakes.dylib
creating ./kdesu/kdesu_stub
84% linking ./kio/misc/kmailservice
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kioslave/http/kcookiejar/kcookiejar.cpp
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kioslave/ftp/ftp.cc
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -O2 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -D_LARGEFILE64_SOURCE -DQT_THREAD_SUPPORT
-I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-
common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_s
trip_dylibs -o ./kio/misc/.libs/kmailservice ./kio/misc/kmailservice.o -Wl,-bind
_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdec core/.libs/libkdec core.d
ylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macport
s.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.lib
```

```
s/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.  
dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/  
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta  
rballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dyli  
b /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dyli  
b /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/  
libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /  
opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/lo  
cal/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lp  
thread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/li  
b/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz  
creating ./kio/misc/kmailservice  
84% linking ./kio/misc/ktelnetSERVICE  
84% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kioslave/gzip/kgzipfilter.cpp  
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -  
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid  
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_  
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -D_LARGEFILE64_SOURCE -DQT_THREAD_SUPPORT  
-I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-  
common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_s  
trip_dylibs -o ./kio/misc/.libs/ktelnetSERVICE ./kio/misc/ktelnetSERVICE.o -Wl,-  
bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeui/.libs/libkdeui.d
```

```
ylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kio/misc/ktelnetSERVICE
84% linking ./kio/misc/kpac/kpac_dhcp_helper
/usr/bin/gcc-4.2 -Os -Os -fPIC -fPIE -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -pie -o ./kio/misc/kpac/kpac_dhcp_helper ./kio/misc/kpac/kpac_dhcp_helper.o -L/opt/local/lib
84% linking ./kio/misc/kdesasl/libkdesasl.la
```

```
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kioslave/bzip2/kbzip2filter.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/ftp/f
tp.cc: In member function 'Ftp::StatusCode Ftp::ftpPut(int&, int, const KURL&, i
nt, bool, bool)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/ftp/f
tp.cc:2339: warning: comparison between signed and unsigned integer expressions
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kioslave/metainfo/metainfo.cpp
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kinit/kinit.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kio/misc/kdesasl/.libs/libkdes
asl.1.2.0.dylib ./kio/misc/kdesasl/.libs/kdesasl.o -L/opt/local/lib -L/opt/loc
al/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_o
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdel
ibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart
_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/loca
l/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sourc
```

```
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdesasl.1.dylib -Wl,-compatibility_version -Wl,4 -Wl,-current_version -Wl,4.0
```

```
(cd ./kio/misc/kdesasl/.libs && rm -f libkdesasl.1.dylib && ln -s libkdesasl.1.2.0.dylib libkdesasl.1.dylib)
```

```
(cd ./kio/misc/kdesasl/.libs && rm -f libkdesasl.dylib && ln -s libkdesasl.1.2.0.dylib libkdesasl.dylib)
```

```
creating ./kio/misc/kdesasl/libkdesasl.la
```

```
(cd ./kio/misc/kdesasl/.libs && rm -f libkdesasl.la && ln -s ../libkdesasl.la libkdesasl.la)
```

```
85% linking ./dcop/client/dcopquit
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/metainfo/metainfo.cpp: In function 'int kdemain(int, char**)':
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/metai
```

nfo/metainfo.cpp:45: warning: ‘__comp_ctor’ is deprecated (declared at ./kdecor
e/kapplication.h:205)

85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kinit/setproctitle.cpp

85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kinit/wrapper.c

85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kinit/shell.c

85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kinit/lnusertemp.c

/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/
client/.libs/dcopquit ./dcop/client/dcopquit.o -Wl,-bind_at_load -L/opt/local/li
b/qt3/lib -L/opt/local/lib ./dcop/.libs/libDCOP.dylib /opt/local/lib/qt3/lib/li
bqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender
.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local

```
/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread
creating ./dcop/client/dcopquit
85% linking ./kio/tests/ktradertest
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kinit/kwrapper.c
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kinit/kioslave.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kinit/kinit.cpp: In function 'pid_t launch(int, const char*, const char*, const char*, int, const char*, bool, const char*, bool, const char*)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kinit/kinit.cpp:559: warning: unused variable 'r'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kinit/kinit.cpp: In function 'void handle_requests(pid_t)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kinit/kinit.cp  
p:1351: warning: suggest a space before ';' or explicit braces around empty body  
in 'while' statement  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kinit/kinit.cp  
p: In function 'int main(int, char**, char**)':  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kinit/kinit.cp  
p:1744: warning: suggest a space before ';' or explicit braces around empty body  
in 'while' statement  
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kinit/kstartupconfig.cpp  
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kinit/kdostartupconfig.cpp  
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kinit/start_kdeinit.c  
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kinit/start_kdeinit_wrapper.c  
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```


kingio/eps.cpp

mkdir ./kio/tests/.libs

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kio/tests/.libs/ktradertest ./kio/tests/ktradertest.o -Wl,-bind_at_load -L/opt/local/lib/qt3/lib -L/opt/local/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wo
```

```
rk/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dyl  
ib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt  
/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libX  
ft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ld  
l /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/  
libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dyli  
b /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.  
dylib /opt/local/lib/libXdmcp.dylib -lz
```

```
creating ./kio/tests/ktradertest
```

```
85% linking ./pics/ksvgtopng
```

```
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kingio/xview.cpp
```

```
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kingio/tiffr.cpp
```

```
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kingio/ico.cpp
```

```
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kingio/jp2.cpp
```

```
In file included from /opt/local/include/jasper/jasper.h:65,
```

```
from /opt/local/var/macports/build/_opt_local_var_macports_sour
```

```
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kimgio/jp2.cpp:24:
/opt/local/include/jasper/jas_config.h:113:1: warning: "PACKAGE_NAME" redefined
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kimgio/jp2.cpp:2:
./config.h:771:1: warning: this is the location of the previous definition
In file included from /opt/local/include/jasper/jasper.h:65,
                from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kimgio/jp2.cpp:24:
/opt/local/include/jasper/jas_config.h:116:1: warning: "PACKAGE_STRING" redefin
e
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kimgio/jp2.cpp:2:
./config.h:774:1: warning: this is the location of the previous definition
In file included from /opt/local/include/jasper/jasper.h:65,
                from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kimgio/jp2.cpp:24:
/opt/local/include/jasper/jas_config.h:119:1: warning: "PACKAGE_TARNAME" redefin
ed
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
```

```
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kimgio/jp2.cpp:2:
./config.h:777:1: warning: this is the location of the previous definition
In file included from /opt/local/include/jasper/jasper.h:65,
                 from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kimgio/jp2.cpp:24:
/opt/local/include/jasper/jas_config.h:122:1: warning: "PACKAGE_VERSION" redefin
ed
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kimgio/jp2.cpp:2:
./config.h:780:1: warning: this is the location of the previous definition
85% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kimgio/pcx.cpp
mkdir ./pics/.libs
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./pics/
.libs/ksvgtopng ./pics/ksvgtopng.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/lo
```

```
cal/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_
opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kde
libs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/li
b/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -
lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_ma
cports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/w
ork/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dy
lib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /op
t/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/lib
Xft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -l
dl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib
/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dyl
ib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau
.dylib /opt/local/lib/libXdmcp.dylib -lz ./kdecore/svgicons/.libs/libkdesvgicons
.a
creating ./pics/ksvgtopng
86% linking ./kio/misc/kfile/kfile
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kingio/tga.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
: In function 'void readImage4(QImage&, QDataStream&, const PCXHEADER&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
:184: warning: comparison between signed and unsigned integer expressions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
:190: warning: comparison between signed and unsigned integer expressions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
: In function 'void readImage24(QImage&, QDataStream&, const PCXHEADER&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
:260: warning: comparison between signed and unsigned integer expressions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
: In function 'void writeImage4(QImage&, QDataStream&, PCXHEADER&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
:411: warning: comparison between signed and unsigned integer expressions
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
: In function 'void writeImage24(QImage&, QDataStream&, PCXHEADER&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/pcx.cpp
:468: warning: comparison between signed and unsigned integer expressions
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kingio/rgb.cpp  
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kingio/xcf.cpp  
mkdir ./kio/misc/kfile/.libs  
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -  
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid  
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_  
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi  
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp  
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kio/m  
isc/kfile/.libs/kfile ./kio/misc/kfile/fileprops.o -Wl,-bind_at_load -L/opt/loc  
al/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dyl  
ib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.  
org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/cli  
ent/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_ma  
cports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/w  
ork/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/  
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kd
```

```
elibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz  
creating ./kio/misc/kfile/kfile  
86% linking ./libkmid/libkmid.la  
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kimgio/dds.cpp  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./libkmid/.libs/libkmid.0.0.95.dylib ./libkmid/.libs/midiout.o ./libkmid/.libs/player.o ./libkmid/.libs/track.o ./libkmid/.libs/midimapper.o ./libkmid/.libs/midfile.o ./libkmid/.libs/dattypes.o ./libkmid/.libs/midistat.o ./libkmid/.libs/deviceman.o ./libkmid/.libs/synthout.o ./libkmid/.libs/fmout.o ./libkmid/.libs/gusout.o ./libkmid/.libs/alsaout.o ./libkmid/.libs/voiceman.o ./libkmid/.libs/mt32togm.o ./libkmid/.libs/notearray.
```



```
o ./libkmid/.libs/libkmid.o -L/opt/local/lib ./kdecore/.libs/libkdecore.dylib -
L/opt/local/lib/qt3/lib /opt/local/var/macports/build/_opt_local_var_macports_so
urces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdeli
bs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local
/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /op
t/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_re
lease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkd
efx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/li
b/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /o
pt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/li
bXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /
opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dyl
ib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libx
cb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/li
b/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkmid.0.dyl
ib -Wl,-compatibility_version -Wl,1 -Wl,-current_version -Wl,1.95
(cd ./libkmid/.libs && rm -f libkmid.0.dylib && ln -s libkmid.0.0.95.dylib libkm
id.0.dylib)
(cd ./libkmid/.libs && rm -f libkmid.dylib && ln -s libkmid.0.0.95.dylib libkmid
.dylib)
creating ./libkmid/libkmid.la
(cd ./libkmid/.libs && rm -f libkmid.la && ln -s ../libkmid.la libkmid.la)
86% linking ./knewstuff/khotnewstuff
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/xcf.cpp
: In member function 'bool XCFImageFormat::loadProperty(QDataStream&, PropType&,
  QByteArray&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kingio/xcf.cpp
:302: warning: 'data' may be used uninitialized in this function
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kingio/exr.cpp
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kingio/psd.cpp
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kingio/hdr.cpp
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/management/kdeprint_management_module.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./knews
```

```
tuff/.libs/khotnewstuff ./knewstuff/khotnewstuff.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./knewstuff/.libs/libknewstuff.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/lo
```

```
cal/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib
/opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./knewstuff/khotnewstuff
86% linking ./kstyles/utils/installtheme/kinstalltheme
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpdunix/kmlpdunixfactory.cpp
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpdunix/kmlpdunixmanager.cpp
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpdunix/klpdunixprinterimpl.cpp
mkdir ./kstyles/utils/installtheme/.libs
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kstyl
es/utils/installtheme/.libs/kinstalltheme ./kstyles/utils/installtheme/main.o -W
l,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeui/.libs/libkdeu
i.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecor
```

```
e/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
ibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /o
pt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libico
nv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.mac
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx
/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/l
ocal/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.d
ylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib
/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng
15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/
lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11
.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/li
bXdmcp.dylib -lz
creating ./kstyles/utils/installtheme/kinstalltheme
86% linking ./kioslave/gzip/kgzipfilter.la
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpdunix/kmlpdunixuimanager.cpp
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsinfos.cpp
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kdeprint/cups/ipprequest.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

```
/usr/bin/g++-4.2 -o ./kioslave/gzip/.libs/kgzipfilter.so -bundle ./kioslave/gzip/.libs/kgzipfilter.o -L/opt/local/lib/qt3/lib -L/opt/local/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/li
```

```
bICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -lz -Wl, -dead_strip_dylibs
creating ./kioslave/gzip/kgzipfilter.la
(cd ./kioslave/gzip/.libs && rm -f kgzipfilter.la && ln -s ../kgzipfilter.la kgzipfilter.la)
86% linking ./kioslave/ftp/kio_ftp.la
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmcupsfactory.cpp
86% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmcupsuimanager.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kioslave/ftp/.libs/kio_ftp.so -bundle ./kioslave/ftp/.libs/ftp.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
```

```
_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib  
 /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/l  
ibintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_lo  
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/  
kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.  
dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libX  
render.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt  
/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreet  
ype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/l  
ocal/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /op  
t/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dyl  
ib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylib  
s
```

```
creating ./kioslave/ftp/kio_ftp.la
```

```
(cd ./kioslave/ftp/.libs && rm -f kio_ftp.la && ln -s ../kio_ftp.la kio_ftp.la)
```

```
87% linking ./kioslave/bzip2/kbzip2filter.la
```

```
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/kmpropbanners.cpp
```

```
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/kmwbanners.cpp
```


87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmwipp.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -o ./kioslave/bzip2/.libs/kbzip2filter.so -bundle ./kioslave/bzip2/.libs/kbzip2filter.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/

```
local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -lbz2 -Wl,-dead_strip_dylibs
creating ./kioslave/bzip2/kbzip2filter.la
(cd ./kioslave/bzip2/.libs && rm -f kbzip2filter.la && ln -s ../kbzip2filter.la kbzip2filter.la)
87% linking ./kioslave/metainfo/kio_metainfo.la
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmwippselect.cpp
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kcupsprinterimpl.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kioslave/metainfo/.libs/kio_metainfo.so -bundle ./kioslave/metainfo/.libs/metainfo.o -L/opt/local/lib/qt3/lib -L/opt/local/lib ./kioslave/metainfo/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/
```

```
kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kioslave/metainfo/kio_metainfo.la
(cd ./kioslave/metainfo/.libs && rm -f kio_metainfo.la && ln -s ../kio_metainfo.la kio_metainfo.la)
87% linking ./kinit/kdeinit_wrapper
/usr/bin/gcc-4.2 -Os -Os -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit/kdeinit
```

```
_wrapper ./kinit/wrapper.o -L/opt/local/lib
87% linking ./kinit/kdeinit_shutdown
87% /usr/bin/gcc-4.2 -Os -Os -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/
opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DM
ACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit/kde
init_shutdown ./kinit/wrapper.o -L/opt/local/lib
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kmcupsconfigwidget.cpp
linking ./kinit/kshell
/usr/bin/gcc-4.2 -Os -Os -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit/kshell
./kinit/shell.o -L/opt/local/lib
87% linking ./kinit/lnusertemp
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kmconfigcups.cpp
/usr/bin/gcc-4.2 -Os -Os -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit/lnusert
emp ./kinit/lnusertemp.o -L/opt/local/lib
87% linking ./kinit/kwrapper
/usr/bin/gcc-4.2 -Os -Os -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
```

```
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit/kwrappe
r ./kinit/kwrapper.o -L/opt/local/lib
87% linking ./kinit/kioslave
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kmconfigcupsdir.cpp
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kmwfax.cpp
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kmpropquota.cpp
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kmpropusers.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit
/.libs/kioslave ./kinit/kioslave.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/lo
cal/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_loca
```

```
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmpc.dylib -lz  
creating ./kinit/kioslave  
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/image.cpp  
87% linking ./kinit/kdeinit  
87% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/imagepreview.cpp  
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/imageposition.cpp  
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/kphpgl2page.cpp  
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/kptagspage.cpp  
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -  
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid  
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_  
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi  
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp  
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit  
/.libs/kdeinit ./kinit/kinit.o ./kinit/setproctitle.o -Wl,-bind_at_load -L/opt/  
local/lib -L/opt/local/lib/qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var  
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
```

```
lls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/  
local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rele  
ase_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeu  
i.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp  
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/  
.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sourc  
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-  
3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build  
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k  
delibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/v  
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar  
balls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -  
lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/  
lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/buil  
d/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_  
kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/  
qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/  
libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib  
/opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/lib  
fontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.d  
ylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local  
/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /o  
pt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz  
creating ./kinit/kdeinit
```



```
88% linking ./kinit/kstartupconfig
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/make_driver_db_cups.c
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/cupsdoprint.c
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/
cupsdoprint.c: In function 'main':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/
cupsdoprint.c:246: warning: passing argument 3 of 'cupsPrintFiles' from incompat
ible pointer type
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/printcapreader.cpp
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/lprhandler.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
```

```
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit
./libs/kstartupconfig ./kinit/kstartupconfig.o -Wl,-bind_at_load -L/opt/local/l
ib ./kdecide/.libs/libkdefakes.dylib
creating ./kinit/kstartupconfig
88% linking ./kinit/start_kdeinit
/usr/bin/gcc-4.2 -Os -Os -fPIC -fPIE -DEXECUTE="/opt/local/bin/kdeinit" -DQT_T
HREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/
include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/includ
e -Wl,-dead_strip_dylibs -pie -o ./kinit/start_kdeinit ./kinit/start_kdeinit.o
-L/opt/local/lib
88% linking ./kinit/start_kdeinit_wrapper
/usr/bin/gcc-4.2 -Os -Os -fPIC -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/
local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOS
X -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit/start_k
deinit_wrapper ./kinit/start_kdeinit_wrapper.o -L/opt/local/lib
88% linking ./kinit/kdostartupconfig
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/matichandler.cpp
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/klprfactory.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -Os -Os -fPIC -
```

```
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit/.libs/kdostartupconfig ./kinit/kdostartupconfig.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kinit/kdostartupconfig
88% linking ./kimgio/kimg_eps.la
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

```
kdeprint/lpr/kmlpruimanager.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_eps.so -bundle ./kimgio/.libs/eps.o -
L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.d
ylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/l
ib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_op
t_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdeli
bs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt
-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/
libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib
/opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libf
reetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /o
pt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib
/opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau
.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_d
ylibs
creating ./kimgio/kimg_eps.la
(cd ./kimgio/.libs && rm -f kimg_eps.la && ln -s ../kimg_eps.la kimg_eps.la)
88% linking ./kimgio/kimg_xview.la
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/lpchelper.cpp
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/lpr/m
atichandler.cpp:449: warning: unused parameter 'prt'
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/lpqhelper.cpp
/usr/bin/g++-4.2 -o ./kingio/.libs/king_xview.so -bundle ./kingio/.libs/xview.
o -L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dyl
ib /opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dy
lib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/li
b/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib
/opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/l
ib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dyl
ib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX
11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread -Wl,-d
ead_strip_dylibs
creating ./kingio/king_xview.la
(cd ./kingio/.libs && rm -f king_xview.la && ln -s ../king_xview.la king_xview.l
a)
88% linking ./kingio/king_tiff.la
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/kmlprjobmanager.cpp
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/lpr/matichelper.cpp  
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/lpr/klprprinterimpl.cpp  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/lpr/k  
mlprjobmanager.cpp:61: warning: unused parameter 'arg'  
88% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/lpr/printcapentry.cpp  
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_tiff.so -bundle ./kimgio/.libs/tiffr.o  
-L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/libtiff.dylib /opt/lo  
cal/lib/liblzma.dylib /opt/local/lib/libz.dylib /opt/local/lib/libjpeg.dylib /op  
t/local/lib/qt3/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/lib  
Xmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/lo  
cal/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.  
dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/l  
ocal/lib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libx  
cb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/li  
b/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread  
-Wl,-dead_strip_dylibs  
creating ./kimgio/kimg_tiff.la  
(cd ./kimgio/.libs && rm -f kimg_tiff.la && ln -s ../kimg_tiff.la kimg_tiff.la)
```

```
89% linking ./kimgio/kimg_jp2.la
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/lprsettings.cpp
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/kmconfiglpr.cpp
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/apshandler.cpp
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/lprngtoolhandler.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_jp2.so -bundle ./kimgio/.libs/jp2.o -
L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /
opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib
/opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/li
bXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt
/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/li
bpng15.dylib -lz /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/
local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.dylib
/opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib
/libjasper.dylib /opt/local/lib/libjpeg.dylib -lm ./kdecore/.libs/libkdecore.dyl
```

```
ib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs
creating ./kimgio/kimg_jp2.la
(cd ./kimgio/.libs && rm -f kimg_jp2.la && ln -s ../kimg_jp2.la kimg_jp2.la)
89% linking ./kimgio/kimg_ico.la
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_ico.so -bundle ./kimgio/.libs/ico.o -L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread -Wl,-dead_strip_dylibs
creating ./kimgio/kimg_ico.la
(cd ./kimgio/.libs && rm -f kimg_ico.la && ln -s ../kimg_ico.la kimg_ico.la)
89% linking ./kimgio/kimg_pcx.la
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```



```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/lpr/a
pshandler.cpp:163: warning: unused parameter 'prt'
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/lpr/a
pshandler.cpp:318: warning: unused parameter 'entry'
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/make_driver_db_lpr.c
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/rlpr/kmrlprfactory.cpp
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/rlpr/kmrlprmanager.cpp
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/rlpr/krlprprinterimpl.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_pcx.so -bundle ./kimgio/.libs/pcx.o -
L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /
opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib
/opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/li
bXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt
/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/l
```

```
ibpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /  
opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.d  
ylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread ./kdecore/  
.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sou  
rces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelib  
s-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/  
lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt  
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rel  
ease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkde  
fx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs  
creating ./kingio/king_pcx.la  
(cd ./kingio/.libs && rm -f king_pcx.la && ln -s ../king_pcx.la king_pcx.la)  
89% linking ./kingio/king_tga.la  
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/rlpr/kmrlpruimanager.cpp  
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/rlpr/kmproprrlpr.cpp  
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/rlpr/kmproxywidget.cpp  
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

```
kdeprint/rlpr/kmconfigproxy.cpp
89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/ext/kmextfactory.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_tga.so -bundle ./kimgio/.libs/tga.o -
L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /
opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib
/opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/li
bXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt
/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/l
ibpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /
opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.d
ylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread ./kdecore/
.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sou
rces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelib
s-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/
lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rel
ease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkde
fx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs
creating ./kimgio/kimg_tga.la
(cd ./kimgio/.libs && rm -f kimg_tga.la && ln -s ../kimg_tga.la kimg_tga.la)
89% linking ./kimgio/kimg_rgb.la
```

89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/ext/kmextmanager.cpp

89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/ext/kextprinterimpl.cpp

89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/ext/kmextuimanager.cpp

89% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kded/khostname.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -o ./kingio/.libs/king_rgb.so -bundle ./kingio/.libs/rgb.o -L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelib

```
s-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs
creating ./kimgio/kimg_rgb.la
(cd ./kimgio/.libs && rm -f kimg_rgb.la && ln -s ../kimg_rgb.la kimg_rgb.la)
90% linking ./kimgio/kimg_dds.la
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kded/kde-menu.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kded/khostname.cpp: In member function 'void KHostName::changeDcop()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kded/khostname.cpp:177: warning: 'dcopServerFileOld' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopclient.h:728)
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kded/khostname.cpp:228: warning: 'dcopServerFileOld' is deprecated (declared at /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopclient.h:728)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kded/khostname
.cpp:284: warning: 'dcopServerFileOld' is deprecated (declared at /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopclient.h:728)
90% 90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/kdoctools/kio_help.cpp
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdoc
tools/main.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kingio/.libs/king_dds.so -bundle ./kingio/.libs/dds.o -
L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /
opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib
/opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/li
bXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt
/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/l
ibpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /
opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.d
ylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread ./kdecore/
.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sou
rces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelib
s-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/
```

```
lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_re
lease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkde
fx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs
creating ./kimgio/kimg_dds.la
(cd ./kimgio/.libs && rm -f kimg_dds.la && ln -s ../kimg_dds.la kimg_dds.la)
90% linking ./kimgio/kimg_xcf.la
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdoctools/xslt.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_xcf.so -bundle ./kimgio/.libs/xcf.o -
L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /
opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib
/opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/li
bXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt
/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/li
bpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /
opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.d
ylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread ./kdecore/
.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sou
rces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelib
s-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/
lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt
```

```
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs
creating ./kimgio/kimg_xcf.la
(cd ./kimgio/.libs && rm -f kimg_xcf.la && ln -s ../kimg_xcf.la kimg_xcf.la)
90% linking ./kimgio/kimg_psd.la
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdoctools/main_ghelp.cpp
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/servicebase.cpp
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugins/aspell/kspell_aspelldict.cpp
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugins/ispell/kspell_ispelldict.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_psd.so -bundle ./kimgio/.libs/psd.o -L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt
```



```
/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs  
creating ./kingio/king_psd.la  
(cd ./kingio/.libs && rm -f king_psd.la && ln -s ../king_psd.la king_psd.la)  
90% linking ./kingio/king_hdr.la  
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugins/ispell/correct.cpp  
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugins/ispell/good.cpp  
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugins/ispell/hash.cpp  
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kspell2/plugins/ispell/lookup.cpp
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kspell2/plugins/ispell/makedent.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugin
s/ispell/lookup.cpp:734: warning: unused parameter 'dotree'
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kspell2/plugins/ispell/tgood.cpp
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kspell2/plugins/ispell/ispell_checker.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kimgio/.libs/kimg_hdr.so -bundle ./kimgio/.libs/hdr.o -
L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /
opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib
/opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/li
bXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt
/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/li
bpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /
opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libX11.d
ylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread ./kdecore/
```

```
.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sou
rces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelib
s-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/
lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rel
ease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkde
fx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs
creating ./kingio/king_hdr.la
(cd ./kingio/.libs && rm -f king_hdr.la && ln -s ../king_hdr.la king_hdr.la)
90% linking ./kingio/king_exr.la
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdewidgets/classpreviews.cpp
90% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/kab2kabc.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugin
s/ispell/ispell_checker.cpp:418: warning: unused parameter 'hashname'
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/formats/binaryformat.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kingio/.libs/king_exr.so -bundle ./kingio/.libs/exr.o -
```

```
L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-mt.dylib /
opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib
/opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/li
bXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt
/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/li
bpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dylib /opt/
local/lib/libXau.dylib /opt/local/lib/libXdmp.dylib /opt/local/lib/libX11.dylib
/opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib ./kdecore/.libs/libkdeco
re.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.mac
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/
.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dyl
ib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/
local/lib/libqt-mt.dylib /opt/local/lib/libImlImf.dylib -lz /opt/local/lib/libIm
ath.dylib /opt/local/lib/libHalf.dylib /opt/local/lib/libIex.dylib /opt/local/li
b/libImlThread.dylib -lpthread -Wl,-dead_strip_dylibs
creating ./kingio/king_exr.la
(cd ./kingio/.libs && rm -f king_exr.la && ln -s ../king_exr.la king_exr.la)
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/plugins/file/resourcefileplugin.cpp
91% linking ./kdeprint/management/libkdeprint_management_module.la
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kabc/plugins/dir/resourcedirplugin.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/kab2kabc.
cpp: In function 'int main(int, char**)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/kab2kabc.
cpp:472: warning: 'save' is deprecated (declared at /opt/local/var/macports/buil
d/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_
kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/stdaddressbook.h:86)
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kdeprint/management/.libs/libkdeprint_management_module.s
o -bundle ./kdeprint/management/.libs/kdeprint_management_module.o -L/opt/loca
l/lib -L/opt/local/lib/qt3/lib ./kdeprint/management/.libs/libkdeprint_managemen
t.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdepri
nt/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_loc
al_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/k
delibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
delibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
```

```
s_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kdeprint/management/libkdeprint_management_module.la
(cd ./kdeprint/management/.libs && rm -f libkdeprint_management_module.la && ln -s ../libkdeprint_management_module.la libkdeprint_management_module.la)
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

```
kabc/plugins/ldapkio/resourceldapkioplugin.cpp
91% linking ./kdeprint/lpdunix/kdeprint_lpdunix.la
91% compiling ./dcop/kdeinit_dcopserver.cpp
91% compiling ./dcop/kdeinit_dcopserver.la.cpp
91% compiling ./kdecore/fakes_nonpic.c
91% compiling ./kdecore/vsnprintf_nonpic.c
91% compiling ./kdeui/dummy.cpp
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kdetrayproxy/kdetrayproxy.cpp
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeui/kdetrayproxy/module.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kdeprint/lpdunix/.libs/kdeprint_lpdunix.so -bundle ./kde
print/lpdunix/.libs/kmlpdunixfactory.o ./kdeprint/lpdunix/.libs/kmlpdunixmanager
.o ./kdeprint/lpdunix/.libs/klpdunixprinterimpl.o ./kdeprint/lpdunix/.libs/kmlpd
unixuimanager.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/management
/.libs/libkdeprint_management.dylib /opt/local/var/macports/build/_opt_local_var
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
```

arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /
opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_
release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/lib
kdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.
macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kd
esu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
ibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dyl
ib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib
/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs
3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-m
t.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/li
bXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /o
pt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfre
etype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt
/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /
opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.d
ylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dyl
ibs


```
creating ./kdeprint/lpdunix/kdeprint_lpdunix.la
(cd ./kdeprint/lpdunix/.libs && rm -f kdeprint_lpdunix.la && ln -s ../kdeprint_lpdunix.la kdeprint_lpdunix.la)
91% linking ./kdeprint/cups/make_driver_db_cups
/usr/bin/gcc-4.2 -O2 -O2 -fPIC -D_KDEPRINT_COMPILE -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kdeprint/cups/.libs/make_driver_db_cups ./kdeprint/cups/make_driver_db_cups.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/libdriverparse.a ./kdeprint/core/.libs/libkdefakes.dylib -ldl -lz
creating ./kdeprint/cups/make_driver_db_cups
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kpasswdserver/kpasswdserver.cpp
91% linking ./kdeprint/cups/cupsdoprint
91% compiling ./kio/misc/kdeinit_kio_uiserver.cpp
91% compiling ./kio/misc/kdeinit_kio_uiserver.la.cpp
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/ksendbugmail/main.cpp
/usr/bin/gcc-4.2 -O2 -O2 -fPIC -D_KDEPRINT_COMPILE -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kdeprint/cups/.libs/cupsdoprint -Wl,-weak_framework -Wl,Kerberos -Wl,-fra
```

```
mework -Wl,SystemConfiguration -Wl,-framework -Wl,CoreFoundation -Wl,-framework
-Wl,Security ./kdeprint/cups/cupsdoprint.o -L/opt/local/lib -L/opt/local/lib/qt
3/lib -lcups -lz -lpthread -lresolv ./kdecore/.libs/libkdefakes.dylib
creating ./kdeprint/cups/cupsdoprint
91% linking ./kdeprint/lpr/make_driver_db_lpr
/usr/bin/gcc-4.2 -Os -Os -fPIC -D_KDEPRINT_COMPILE -DQT_THREAD_SUPPORT -I/usr/in
clude/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no
-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylib
s -o ./kdeprint/lpr/.libs/make_driver_db_lpr ./kdeprint/lpr/make_driver_db_lpr.o
-L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdefakes.dylib ./
kdeprint/libdriverparse.a -ldl
creating ./kdeprint/lpr/make_driver_db_lpr
91% linking ./kdeprint/ext/kdeprint_ext.la
91% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/misc/ksendbugmail/smtp.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kdeprint/ext/.libs/kdeprint_ext.so -bundle ./kdeprint/ex
t/.libs/kmextfactory.o ./kdeprint/ext/.libs/kmextmanager.o ./kdeprint/ext/.libs/
kextprinterimpl.o ./kdeprint/ext/.libs/kmextuimanager.o -L/opt/local/lib -L/opt
/local/lib/qt3/lib ./kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
```

rballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfree_type.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs

```
creating ./kdeprint/ext/kdeprint_ext.la
(cd ./kdeprint/ext/.libs && rm -f kdeprint_ext.la && ln -s ../kdeprint_ext.la kd
eprint_ext.la)
91% linking ./kded/kdontchangethehostname
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/misc/kpac/proxyscout.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kse
ndbugmail/smtp.cpp: In member function 'void SMTP::connectTimerTick()':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kse
ndbugmail/smtp.cpp:161: warning: '__comp_ctor' is deprecated (declared at ./kdeco
re/ksock.h:102)
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/misc/kpac/downloader.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kded/
.libs/kdontchangethehostname ./kded/khostname.o -Wl,-bind_at_load -L/opt/local/
```

```
lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kded/kdontchangethehostname
92% linking ./kded/kde-menu
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kpac/discovery.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kpac/proxyscout.cpp: In member function 'void KPAC::ProxyScout::downloadResult(bool)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kpac/  
proxyscout.cpp:125: warning: 'event' is deprecated (declared at ./kdecore/knotif  
yclient.h:188)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kpac/  
proxyscout.cpp:128: warning: 'event' is deprecated (declared at ./kdecore/knotif  
yclient.h:188)
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kpac/  
proxyscout.cpp: In member function 'QString KPAC::ProxyScout::handleRequest(const  
KURL&):'
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/kpac/  
proxyscout.cpp:185: warning: 'event' is deprecated (declared at ./kdecore/knotif  
yclient.h:188)
```

```
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kio/misc/kssld/kssld.cpp
```

```
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kio/misc/kwalletd/kwalletd.cpp
```

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -  
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid  
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
```

```
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kded/
.libs/kde-menu ./kded/kde-menu.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/loca
l/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_
var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdel
ibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/buil
d/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_
kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwall
etclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_mac
ports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wo
rk/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.d
ylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib
/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rs
ync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.1
0/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL
/opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXc
ursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/lo
cal/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib
/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt
```

```
/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib
/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local
/lib/libXdmp.dylib -lz
creating ./kded/kde-menu
92% linking ./kdoctools/kio_help.la
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/misc/kwalletd/ktimetype.cpp
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kio/kioexec/main.cpp
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
libkscreensaver/kscreensaver.cpp
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/plastik/plastik.cpp
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/plastik/config/plastikconf.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
```



```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
rm -fr ./kdoctools/.libs/kio_help.lax
mkdir ./kdoctools/.libs/kio_help.lax
rm -fr ./kdoctools/.libs/kio_help.lax/libkzipfilter_dummy.a
mkdir ./kdoctools/.libs/kio_help.lax/libkzipfilter_dummy.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
doctools/.libs/libkzipfilter_dummy.a
(cd ./kdoctools/.libs/kio_help.lax/libkzipfilter_dummy.a && ar x /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kdoctools/.libs/libkzipfi
lter_dummy.a)
/usr/bin/g++-4.2 -o ./kdoctools/.libs/kio_help.so -bundle ./kdoctools/.libs/ki
o_help.o ./kdoctools/.libs/main.o ./kdoctools/.libs/xslt.o ./kdoctools/.libs/ki
o_help.lax/libkzipfilter_dummy.a/kzip2filter.o -L/opt/local/lib/qt3/lib -L/o
pt/local/lib /opt/local/lib/libxslt.dylib /opt/local/lib/liblzma.dylib /opt/loca
l/lib/libz.dylib /opt/local/lib/libxml2.dylib /opt/local/var/macports/build/_opt
_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelib
s3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/lib/libqt-mt.d
ylib /opt/local/lib/libGL.dylib /opt/local/var/macports/build/_opt_local_var_mac
ports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wo
rk/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_
```

```
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs
3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclien
t.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecor
e/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
ibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /o
pt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libico
nv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.mac
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx
/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/l
ocal/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.d
ylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib
/libexpat.dylib /opt/local/lib/libbz2.dylib /opt/local/lib/libfreetype.dylib /op
t/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/loca
l/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpth
read /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/
libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz -lbz2
-Wl,-dead_strip_dylibs
rm -fr ./kdoctools/.libs/kio_help.lax
creating ./kdoctools/kio_help.la
(cd ./kdoctools/.libs && rm -f kio_help.la && ln -s ../kio_help.la kio_help.la)
```

```
92% linking ./kdoctools/kio_ghelp.la
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/highcolor/highcolor.cpp
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/highcontrast/highcontrast.cpp
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/highcontrast/config/highcontrastconfig.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
rm -fr ./kdoctools/.libs/kio_ghelp.lax
mkdir ./kdoctools/.libs/kio_ghelp.lax
rm -fr ./kdoctools/.libs/kio_ghelp.lax/libkzipfilter_dummy.a
mkdir ./kdoctools/.libs/kio_ghelp.lax/libkzipfilter_dummy.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
doctools/.libs/libkzipfilter_dummy.a
```

```
(cd ./kdoctools/.libs/kio_ghelp.lax/libkzipfilter_dummy.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kdoctools/.libs/libkzipfilter_dummy.a)
/usr/bin/g++-4.2 -o ./kdoctools/.libs/kio_ghelp.so -bundle ./kdoctools/.libs/kio_help.o ./kdoctools/.libs/main_ghelp.o ./kdoctools/.libs/xslt.o ./kdoctools/.libs/kio_ghelp.lax/libkzipfilter_dummy.a/kzip2filter.o -L/opt/local/lib/qt3/lib -L/opt/local/lib /opt/local/lib/libxslt.dylib /opt/local/lib/liblzma.dylib /opt/local/lib/libz.dylib /opt/local/lib/libxml2.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/lib/libbqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/li
```

```
b/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libexpat.dylib /opt/local/lib/libbz2.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz -lbz2 -Wl,-dead_strip_dylibs
rm -fr ./kdoctools/.libs/kio_ghelp.lax
creating ./kdoctools/kio_ghelp.la
(cd ./kdoctools/.libs && rm -f kio_ghelp.la && ln -s ../kio_ghelp.la kio_ghelp.la)
92% linking ./kabc/formats/kabcformat_binary.la
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/light/lightstyle-v2.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kabc/formats/.libs/kabcformat_binary.so -bundle ./kabc/formats/.libs/binaryformat.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
```

.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/

```
libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kabc/formats/kabcformat_binary.la
(cd ./kabc/formats/.libs && rm -f kabcformat_binary.la && ln -s ../kabcformat_binary.la kabcformat_binary.la)
92% linking ./kabc/plugins/file/kabc_file.la
92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/light/lightstyle-v3.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kabc/plugins/file/.libs/kabc_file.so -bundle ./kabc/plugins/file/.libs/resourcefileplugin.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kabc/plugins/file/.libs/libkabc_file.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
```

```
ibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_v
ar_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdeli
bs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
delibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.or
g_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs
/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/l
ibidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dy
lib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libX
mu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/loc
al/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.d
ylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/lo
cal/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /op
t/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dyl
ib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz
.dylib -Wl,-dead_strip_dylibs
creating ./kabc/plugins/file/kabc_file.la
(cd ./kabc/plugins/file/.libs && rm -f kabc_file.la && ln -s ../kabc_file.la kab
c_file.la)
```


92% linking ./kabc/kab2kabc

92% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/kthemestyle/kthemestyle.cpp

93% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/kthemestyle/kthemestyle.cpp

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kabc/.libs/kab2kabc ./kabc/kab2kabc.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_so
```

```
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdeli
bs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib ./kab/.libs/libkab.a /opt/
local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rele
ase_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeu
i.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecor
e/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
ibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /o
pt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/loc
al/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/loc
al/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXineram
a.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libiconv.dylib /opt/local/lib
/libexpat.dylib /opt/local/lib/libfreetype.dylib -lbz2 /opt/local/lib/libfontcon
fig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /o
pt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/li
bXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/loca
l/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kabc/kab2kabc
93% linking ./kabc/plugins/dir/kabc_dir.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kabc/plugins/dir/.libs/kabc_dir.so -bundle ./kabc/plugin
```

s/dir/.libs/resourcedirplugin.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kabc/plugins/dir/.libs/libkabc_dir.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal

```
ls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kabc/plugins/dir/kabc_dir.la
(cd ./kabc/plugins/dir/.libs && rm -f kabc_dir.la && ln -s ../kabc_dir.la kabc_dir.la)
93% linking ./dcop/dcopserver
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./dcop/.libs/dcopserver ./dcop/kdeinit_dcopserver.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./dcop/.libs/libkdeinit_dcopserver.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /o
```

```
pt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libX
cursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/l
ocal/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/li
b/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxcb.dyli
b /opt/local/lib/libXau.dylib /opt/local/lib/libXdmp.dylib /opt/local/lib/libX1
1.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread
creating ./dcop/dcopserver
93% linking ./dcop/dcopserver.la
93% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kioslave/file/file.cc
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./dcop/.libs/dcopserver.
so -bundle ./dcop/.libs/kdeinit_dcopserver.la.o -L/opt/local/lib -L/opt/local/
lib/qt3/lib ./dcop/.libs/libkdeinit_dcopserver.dylib /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/l
ibqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/
lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dy
lib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/
libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dyli
b /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.d
ylib /opt/local/lib/libpng15.dylib /opt/local/lib/libz.dylib /opt/local/lib/libx
cb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmp.dylib -Wl,-dead_str
```

ip_dylibs

creating ./dcop/dcopserver.la

(cd ./dcop/.libs && rm -f dcopserver.la && ln -s ../dcopserver.la dcopserver.la)

93% linking ./kdecore/libkdefakes_nonpic.a

/usr/bin/ranlib: file: ./kdecore/libkdefakes_nonpic.a(fakes_nonpic.o) has no symbols

/usr/bin/ranlib: file: ./kdecore/libkdefakes_nonpic.a(vsnprintf_nonpic.o) has no symbols

ranlib: file: ./kdecore/libkdefakes_nonpic.a(fakes_nonpic.o) has no symbols

ranlib: file: ./kdecore/libkdefakes_nonpic.a(vsnprintf_nonpic.o) has no symbols

ranlib: warning for library: ./kdecore/libkdefakes_nonpic.a the table of contents is empty (no object file members in the library define global symbols)

93% linking ./kdeui/libkspell.la

93% compiling ./kioslave/http/kdeinit_kio_http_cache_cleaner.la.cpp

93% compiling ./kioslave/http/kdeinit_kio_http_cache_cleaner.cpp

93% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/http/http.cc

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -dynamiclib -single_module -o ./kdeui/.libs/libkspell.4.2.0.dylib ./kdeui/.libs/dummy.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var

```
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dyli
b /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libico
nv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.mac
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx
/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /
opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXra
ndr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/
local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontco
nfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/l
ib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/lo
cal/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /
opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/l
ibkspell.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0
(cd ./kdeui/.libs && rm -f libkspell.4.dylib && ln -s libkspell.4.2.0.dylib libk
spell.4.dylib)
(cd ./kdeui/.libs && rm -f libkspell.dylib && ln -s libkspell.4.2.0.dylib libksp
ell.dylib)
creating ./kdeui/libkspell.la
(cd ./kdeui/.libs && rm -f libkspell.la && ln -s ../libkspell.la libkspell.la)
93% linking ./kabc/plugins/ldapkio/kabc_ldapkio.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kabc/plugins/ldapkio/.libs/kabc_ldapkio.so -bundle ./kab
c/plugins/ldapkio/.libs/resourceldapkioplugin.o -L/opt/local/lib -L/opt/local/l
```

ib/qt3/lib ./kabc/plugins/ldapkio/.libs/libkabc_ldapkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx


```
/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /  
opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXra  
ndr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/  
local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontco  
nfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/l  
ib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/lo  
cal/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /  
opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs  
creating ./kabc/plugins/ldapkio/kabc_ldapkio.la  
(cd ./kabc/plugins/ldapkio/.libs && rm -f kabc_ldapkio.la && ln -s ../kabc_ldapk  
io.la kabc_ldapkio.la)  
93% linking ./kio/misc/kio_uiserver  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/file/  
file.cc:141: warning: unused parameter 'path'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/file/  
file.cc:141: warning: unused parameter 'perm'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/file/  
file.cc:141: warning: unused parameter 'directoryDefault'  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org  
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kioslave/file/  
file.cc:996: warning: unused parameter 'withACL'
```

```
93% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kioslave/http/kcookiejar/kcookieserver.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -D_LARGEFILE64_SOURCE -DQT_THREAD_SUPPORT
-I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-
common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_s
trip_dylibs -o ./kio/misc/.libs/kio_uiserver ./kio/misc/kdeinit_kio_uiserver.o -
Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/misc/.libs/lib
kdeinit_kio_uiserver.dylib /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_
opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kde
libs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwallec
lient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.
macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kd
ecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/
```

```
kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib
/opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/k
defx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /o
pt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local
/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/lo
cal/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/li
b/libXdmcp.dylib -lz
creating ./kio/misc/kio_uiserver
93% linking ./kio/misc/kio_uiserver.la
93% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kioslave/http/kcookiejar/kcookiewin.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kio/misc/.libs/kio_uis
erver.so -bundle ./kio/misc/.libs/kdeinit_kio_uiserver.la.o -L/opt/local/lib -
L/opt/local/lib/qt3/lib ./kio/misc/.libs/libkdeinit_kio_uiserver.dylib /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqtm-t.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs  
creating ./kio/misc/kio_uiserver.la  
(cd ./kio/misc/.libs && rm -f kio_uiserver.la && ln -s ../kio_uiserver.la kio_ui
```

server.la)

93% linking ./kio/misc/ksendbugmail/ksendbugmail

93% compiling ./kioslave/http/kcookiejar/kdeinit_kcookiejar.cpp

93% compiling ./kioslave/http/kcookiejar/kdeinit_kcookiejar.la.cpp

93% compiling ./kinit/kdeinit_klauncher.cpp

93% compiling ./kinit/kdeinit_klauncher.la.cpp

93% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kdeprintd.cpp

mkdir ./kio/misc/ksendbugmail/.libs

/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-compile -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kio/misc/ksendbugmail/.libs/ksendbugmail ./kio/misc/ksendbugmail/main.o ./kio/misc/ksendbugmail/smtp.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kd

```
elibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/
libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_r
sync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.
10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local
/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.or
g_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/l
ibkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib
/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /op
t/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfree
type.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib
-lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libI
CE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /
opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmp.d
ylib -lz
creating ./kio/misc/ksendbugmail/ksendbugmail
93% linking ./kio/kioexec/kioexec
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kdepr
intd.cpp: In member function 'void KDEPrintd::slotPrintError(KPrintProcess*, con
st QString&)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
```

```
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kdepr  
intd.cpp:158: warning: 'event' is deprecated (declared at ./kdecore/knotifyclien  
t.h:188)
```

```
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/kprintprocess.cpp
```

```
mkdir ./kio/kioexec/.libs
```

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -  
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid  
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_  
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -I/opt/local/var/macports/build/_opt_loca  
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kd  
elibs3/work/kdelibs-3.5.10/dcop -I/opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/libltdl -I/opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/kdefx -I./kdecore -I/opt/local/var/macports/build/_opt_local_var  
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs  
3/work/kdelibs-3.5.10/kdecore -I/opt/local/var/macports/build/_opt_local_var_mac  
ports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wo  
rk/kdelibs-3.5.10/kdecore/network -I/opt/local/var/macports/build/_opt_local_var  
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs  
3/work/kdelibs-3.5.10/kdeui -I/opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
```

```
/kdelibs-3.5.10/kio -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10 -I/opt/local/lib/qt3/include -I/opt/local/include -I/opt/local/include -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kio/kioexec/.libs/kioexec ./kio/kioexec/main.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macpor
```



```
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kio/kioexec/kioexec
94% linking ./libkscreensaver/libkscreensaver.la
94% compiling ./kdeprint/management/kdeinit_kaddprinterwizard.cpp
94% compiling ./kdeprint/management/kdeinit_kaddprinterwizard.la.cpp
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmcupsjobmanager.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module ${wl}-undefined ${wl}dynamic_lookup -o ./libkscreensaver/.libs/libkscreensaver.4.2.0.dylib ./libkscreensaver/.libs/main.o ./libkscreensaver/.libs/kscreensaver.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdeli
```

```
bs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkscreensaver.4.dylib -Wl,-compatibility_version -Wl,7 -Wl,-current_version -Wl,7.0 (cd ./libkscreensaver/.libs && rm -f libkscreensaver.4.dylib && ln -s libkscreensaver.4.2.0.dylib libkscreensaver.4.dylib) (cd ./libkscreensaver/.libs && rm -f libkscreensaver.dylib && ln -s libkscreensaver.4.2.0.dylib libkscreensaver.dylib)
```

```
creating ./libkscreensaver/libkscreensaver.la
(cd ./libkscreensaver/.libs && rm -f libkscreensaver.la && ln -s ../libkscreensaver.la libkscreensaver.la)
94% linking ./kstyles/plastik/config/kstyle_plastik_config.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kstyles/plastik/config/.libs/kstyle_plastik_config.so -bundle ./kstyles/plastik/config/.libs/plastikconf.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kstyles/plastik/config/kstyle_plastik_config.la
```

```
(cd ./kstyles/plastik/config/.libs && rm -f kstyle_plastik_config.la && ln -s ../kstyle_plastik_config.la kstyle_plastik_config.la)
94% linking ./kstyles/highcolor/highcolor.la
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmcupsmanager.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kstyles/highcolor/.libs/highcolor.so -bundle ./kstyles/highcolor/.libs/highcolor.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libz.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -Wl,-dead_strip_dylibs
creating ./kstyles/highcolor/highcolor.la
(cd ./kstyles/highcolor/.libs && rm -f highcolor.la && ln -s ../highcolor.la highcolor.la)
94% linking ./kstyles/plastik/plastik.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kstyles/plastik/.libs/plastik.so -bundle ./kstyles/plastik/.libs/plastik.o ./kstyles/plastik/.libs/misc.o -L/opt/local/lib -L/opt/local
```

```
/lib/qt3/lib ./kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libz.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -Wl,-dead_strip_dylibs  
creating ./kstyles/plastik/plastik.la  
(cd ./kstyles/plastik/.libs && rm -f plastik.la && ln -s ../plastik.la plastik.la)  
94% linking ./kstyles/highcontrast/config/kstyle_highcontrast_config.la  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
/usr/bin/g++-4.2 -o ./kstyles/highcontrast/config/.libs/kstyle_highcontrast_config.so -bundle ./kstyles/highcontrast/config/.libs/highcontrastconfig.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/l
```

```
ib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kstyles/highcontrast/config/kstyle_highcontrast_config.la
(cd ./kstyles/highcontrast/config/.libs && rm -f kstyle_highcontrast_config.la && ln -s ../kstyle_highcontrast_config.la kstyle_highcontrast_config.la)
94% linking ./kstyles/highcontrast/highcontrast.la
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmwippprinter.cpp
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmcupsmanager.cpp:1077:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/kmcupsmanager.cpp:1017: warning: 'void extractMaticData(QString&, const QString&)' defined but not used
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kstyles/highcontrast/.libs/highcontrast.so -bundle ./kst
```

```
yles/highcontrast/.libs/highcontrast.o -L/opt/local/lib -L/opt/local/lib/qt3/li
b ./kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libG
L.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/l
ib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dy
lib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/
libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /op
t/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dyli
b /opt/local/lib/libz.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dy
lib /opt/local/lib/libXdmcp.dylib -Wl,-dead_strip_dylibs
creating ./kstyles/highcontrast/highcontrast.la
(cd ./kstyles/highcontrast/.libs && rm -f highcontrast.la && ln -s ../highcontra
st.la highcontrast.la)
94% linking ./kstyles/light/light.la
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kmwquota.cpp
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kmwusers.cpp
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kpschedulepage.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kstyles/light/.libs/light.so -bundle ./kstyles/light/.li
```

```
bs/light.o ./kstyles/light/.libs/lightstyle-v2.o ./kstyles/light/.libs/lightstyl
e-v3.o -L/opt/local/lib -L/opt/local/lib/qt3/lib /opt/local/lib/qt3/lib/libqt-m
t.dylib /opt/local/lib/libz.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libX
mu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/loc
al/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.d
ylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/lo
cal/lib/libpng15.dylib -lz -lm /opt/local/lib/libXext.dylib /opt/local/lib/libxc
b.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib
/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread .
/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib -Wl,-dead_strip_dylibs
creating ./kstyles/light/light.la
(cd ./kstyles/light/.libs && rm -f light.la && ln -s ../light.la light.la)
94% linking ./kstyles/kthemestyle/kthemestyle.la
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kpimagepage.cpp
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/kptextpage.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kstyles/kthemestyle/.libs/kthemestyle.so -bundle ./kstyl
es/kthemestyle/.libs/kthemestyle.o ./kstyles/kthemestyle/.libs/kthemestyle.o ./ks
tyles/kthemestyle/.libs/kstyledirs.o -L/opt/local/lib -L/opt/local/lib/qt3/lib
```



```
./kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.  
dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib  
/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dyli  
b /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/li  
bfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/  
local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib  
/opt/local/lib/libz.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dyli  
b /opt/local/lib/libXdmcp.dylib ./kdecore/.libs/libkdecore.dylib /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt  
/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libint  
l.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_v  
ar_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdeli  
bs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib -Wl,-dead_strip_dylibs  
creating ./kstyles/kthemestyle/kthemestyle.la  
(cd ./kstyles/kthemestyle/.libs && rm -f kthemestyle.la && ln -s ../kthemestyle.  
la kthemestyle.la)  
94% linking ./kioslave/http/kio_http_cache_cleaner.la  
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/cupsaddsmb2.cpp  
94% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdeprint/cups/kmwother.cpp
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kioslave/http/.libs/kio_
http_cache_cleaner.so -bundle ./kioslave/http/.libs/kdeinit_kio_http_cache_cl
eaner.la.o -L/opt/local/lib/qt3/lib -L/opt/local/lib ./kioslave/http/.libs/libk
deinit_kio_http_cache_cleaner.dylib /opt/local/var/macports/build/_opt_local_var
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs
3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/li
bkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sourc
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-
3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_v
ar_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdeli
bs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dy
lib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libi
conv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
fx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib
/opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libX
randr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /op
```

```
t/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfont
config.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local
/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/
local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib
/opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kioslave/http/kio_http_cache_cleaner.la
(cd ./kioslave/http/.libs && rm -f kio_http_cache_cleaner.la && ln -s ../kio_htt
p_cache_cleaner.la kio_http_cache_cleaner.la)
94% linking ./kioslave/http/kio_http_cache_cleaner
95% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/cups/ippreportdlg.cpp
95% compiling ./kdeprint/cups/cupsdconf2/kdeinit_cupsdconf.cpp
95% compiling ./kdeprint/cups/cupsdconf2/kdeinit_cupsdconf.la.cpp
95% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/kmlprmanager.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kiosl
ave/http/.libs/kio_http_cache_cleaner ./kioslave/http/kdeinit_kio_http_cache_cle
```

```
aner.o -Wl,-bind_at_load -L/opt/local/lib/qt3/lib -L/opt/local/lib ./kioslave/h  
ttp/.libs/libkdeinit_kio_http_cache_cleaner.dylib /opt/local/var/macports/build/  
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kd  
elibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/loc  
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release  
_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.d  
ylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macport  
s.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/c  
lient/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_  
macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3  
/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/buil  
d/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_  
kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local  
/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dyli  
b -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_  
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs  
3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt  
.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib  
/opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/  
libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib  
-ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/  
lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.
```

```
dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kioslave/http/kio_http_cache_cleaner
95% linking ./kioslave/file/kio_file.la
95% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/lpr/editentrydialog.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kioslave/file/.libs/kio_file.so -bundle ./kioslave/file/
.libs/file.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.or
g_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/l
ibkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports
_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
elibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.d
ylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/l
ib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_op
t_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdeli
```

```
bs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt
-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/
libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib
/opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libf
reetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /o
pt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib
/opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau
.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_d
ylibs
```

```
creating ./kioslave/file/kio_file.la
```

```
(cd ./kioslave/file/.libs && rm -f kio_file.la && ln -s ../kio_file.la kio_file.
la)
```

```
95% linking ./kioslave/http/kcookiejar/kcookiejar
```

```
95% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/rlpr/kmwrpr.cpp
```

```
95% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdeprint/tools/escputil/escpwidget.cpp
```

```
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
```

```
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kioslave/http/kcookiejar/.libs/kcookiejar ./kioslave/http/kcookiejar/kdeinit_kcookiejar.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kioslave/http/kcookiejar/.libs/libkdeinit_kcookiejar.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmpc.dylib -lz  
creating ./kioslave/http/kcookiejar/kcookiejar  
95% linking ./kioslave/http/kcookiejar/kcookiejar.la  
95% compiling ./kded/kdeinit_kded.cpp  
95% compiling ./kded/kdeinit_kbuildsycoca.cpp  
95% compiling ./kded/kdeinit_kded.la.cpp
```

```
95% compiling ./kded/kdeinit_kbuildsycoca.la.cpp
95% compiling ./kconf_update/kdeinit_kconf_update.la.cpp
95% compiling ./kconf_update/kdeinit_kconf_update.cpp
95% 95% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/kcert/kcertpart.cc
compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kres
ources/kcmkresources.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kioslave/http/kcookiej
ar/.libs/kcookiejar.so -bundle ./kioslave/http/kcookiejar/.libs/kdeinit_kcookie
jar.la.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kioslave/http/kcookiejar/.
libs/libkdeinit_kcookiejar.dylib /opt/local/var/macports/build/_opt_local_var_ma
cports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/w
ork/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kd
elibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/liba
rt_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/lo
cal/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sou
rces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelib
s-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib
/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/lo
cal/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinera
```



```
ma.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local
/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dyli
b /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15
.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/li
bXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kioslave/http/kcookiejar/kcookiejar.la
(cd ./kioslave/http/kcookiejar/.libs && rm -f kcookiejar.la && ln -s ../kcookiej
ar.la kcookiejar.la)
95% linking ./kinit/klauncher
95% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
dnssd/remoteservice.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kinit
/.libs/klauncher ./kinit/kdeinit_klauncher.o -Wl,-bind_at_load -L/opt/local/lib
-L/opt/local/lib/qt3/lib ./kinit/.libs/libkdeinit_klauncher.dylib /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt
/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rel
ease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkde
```

```
ui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz  
creating ./kinit/klauncher  
95% linking ./kinit/klauncher.la  
95% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

dnssd/responder.cpp

96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/query.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 \${wl}-undefined \${wl}dynamic_lookup -o ./kinit/.libs/klauncher.so -bundle ./kinit/.libs/kdeinit_klauncher.la.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kinit/.libs/libkdeinit_klauncher.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k

```
delibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kinit/klauncher.la
(cd ./kinit/.libs && rm -f klauncher.la && ln -s ../klauncher.la klauncher.la)
96% linking ./kdeprint/management/kaddprinterwizard
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/servicebrowser.cpp
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/arts/knotify/knotify.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -D_KDEPRINT_COMPILE -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kdeprint/management/.libs/kaddprinterwizard ./kdeprint/management
```

```
/kdeinit_kaddprinterwizard.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/management/.libs/libkdeinit_kaddprinterwizard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/.libs/libkdeprint_management.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/bu
```

```
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kdeprint/management/kaddprinterwizard
96% linking ./kdeprint/management/kaddprinterwizard.la
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugins/aspell/kspell_aspellclient.cpp
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/plugins/ispell/kspell_ispellclient.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kdeprint/management/.libs/kaddprinterwizard.so -bundle ./kdeprint/management/.libs/kdeinit_kaddprinterwizard.la.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/management/.libs/libkdeinit_kaddprinterwizard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/management/.libs/libkdeprint_management.dylib
```

/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/.libs
/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources
_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.
5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_lo
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/
kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libk
walletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources
_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.
5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dyli
b /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libico
nv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.mac
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx
/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /
opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXra
ndr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/

```
local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontco
nfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/l
ib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/lo
cal/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /
opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kdeprint/management/kaddprinterwizard.la
(cd ./kdeprint/management/.libs && rm -f kaddprinterwizard.la && ln -s ../kaddpr
interwizard.la kaddprinterwizard.la)
96% linking ./kioslave/http/kio_http.la
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kmdi/kmdichildarea.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/arts/knotify/k
notify.cpp:712: warning: unused parameter 'soundFile'
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kmdi/kmdichildfrm.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
rm -fr ./kioslave/http/.libs/kio_http.lax
mkdir ./kioslave/http/.libs/kio_http.lax
rm -fr ./kioslave/http/.libs/kio_http.lax/libhttpfilter.a
mkdir ./kioslave/http/.libs/kio_http.lax/libhttpfilter.a
```



```
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./k
io/httpfilter/.libs/libhttpfilter.a
(cd ./kioslave/http/.libs/kio_http.lax/libhttpfilter.a && ar x /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kio/httpfilter/.libs/libhttpf
ilter.a)
/usr/bin/g++-4.2 -o ./kioslave/http/.libs/kio_http.so -bundle ./kioslave/http/
.libs/http.o ./kioslave/http/.libs/kio_http.lax/libhttpfilter.a/httpfilter.o
-L/opt/local/lib/qt3/lib -L/opt/local/lib ./kio/.libs/libkio.dylib /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/li
bkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/k
wallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_lo
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/
kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/loca
l/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dyl
ib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_ma
cports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/w
```

```
ork/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt
/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dyl
ib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib
/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib
/opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/l
ibX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/li
b/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/lo
cal/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -lz ./kio/misc/kntlm/.libs/libk
ntlm.dylib -Wl,-dead_strip_dylibs -Wl,-framework -Wl,Kerberos
rm -fr ./kioslave/http/.libs/kio_http.lax
creating ./kioslave/http/kio_http.la
(cd ./kioslave/http/.libs && rm -f kio_http.la && ln -s ../kio_http.la kio_http.
la)
96% linking ./kdeprint/cups/cupsdconf2/cupsdconf
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kmdi/kmdichildfrmcaption.cpp
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kmdi/kmdichildview.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi
```

```
-I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp
-DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kdeprint/cups/cupsdconf2/.libs/cupsdconf ./kdeprint/cups/cupsdconf2/kdeinit_cupsdconf
.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/cups/
cupsdconf2/.libs/libkdeinit_cupsdconf.dylib -lcups /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
delibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/lo
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.
dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/
client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/loca
l/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dyl
ib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_va
r_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelib
s3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-m
t.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib
/opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib
```

```
/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dyl  
b -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local  
/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender  
.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/li  
bXau.dylib /opt/local/lib/libXdmp.dylib -lz  
creating ./kdeprint/cups/cupsdconf2/cupsdconf  
96% linking ./kdeprint/cups/cupsdconf2/cupsdconf.la  
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kmdi/kmdimainfrm.cpp  
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kmdi/kmditaskbar.cpp  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kdeprint/cups/cupsdcon  
f2/.libs/cupsdconf.so -bundle ./kdeprint/cups/cupsdconf2/.libs/kdeinit_cupsdcon  
f.la.o -L/opt/local/lib -L/opt/local/lib/qt3/lib -lcups -lz -lpthread -lresolv  
./kdeprint/cups/cupsdconf2/.libs/libkdeinit_cupsdconf.dylib /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/  
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta  
rballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dyli  
b /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.o  
rg_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/
```

```
libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -Wl,-weak_framework -Wl,Kerberos -Wl,-framework -Wl,SystemConfiguration -Wl,-framework -Wl,CoreFoundation -Wl,-framework -Wl,Security  
creating ./kdeprint/cups/cupsdconf2/cupsdconf.la  
(cd ./kdeprint/cups/cupsdconf2/.libs && rm -f cupsdconf.la && ln -s ../cupsdconf.la cupsdconf.la)  
96% linking ./kdeprint/cups/kdeprint_cups.la
```

```
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdidockcontainer.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kdeprint/cups/.libs/kdeprint_cups.so -bundle ./kdeprint/cups/.libs/cupsinfos.o ./kdeprint/cups/.libs/ipprequest.o ./kdeprint/cups/.libs/kmcupsfactory.o ./kdeprint/cups/.libs/kmcupsjobmanager.o ./kdeprint/cups/.libs/kmcupsmanager.o ./kdeprint/cups/.libs/kmcupsuimanager.o ./kdeprint/cups/.libs/kmpropbanners.o ./kdeprint/cups/.libs/kmwibanners.o ./kdeprint/cups/.libs/kmwipp.o ./kdeprint/cups/.libs/kmwippselect.o ./kdeprint/cups/.libs/kcupsprinterimpl.o ./kdeprint/cups/.libs/kmcupsconfigwidget.o ./kdeprint/cups/.libs/kmconfigcups.o ./kdeprint/cups/.libs/kmconfigcupsdir.o ./kdeprint/cups/.libs/kmwippprinter.o ./kdeprint/cups/.libs/kmwifax.o ./kdeprint/cups/.libs/kmwquota.o ./kdeprint/cups/.libs/kmpropquota.o ./kdeprint/cups/.libs/kmwusers.o ./kdeprint/cups/.libs/kmpropusers.o ./kdeprint/cups/.libs/kpschedulepage.o ./kdeprint/cups/.libs/image.o ./kdeprint/cups/.libs/imagepreview.o ./kdeprint/cups/.libs/imageposition.o ./kdeprint/cups/.libs/kpimagepage.o ./kdeprint/cups/.libs/kptextpage.o ./kdeprint/cups/.libs/kphpgl2page.o ./kdeprint/cups/.libs/cupsaddsmb2.o ./kdeprint/cups/.libs/kmwother.o ./kdeprint/cups/.libs/ippreportdlg.o ./kdeprint/cups/.libs/kptagspage.o -L/opt/local/lib -L/opt/local/lib/qt3/lib -lcups -lz -lpthread -lresolv ./kdeprint/management/.libs/libkdeprint_management.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/.libs/libkdeprint.dylib /opt/local/var/
```

macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libI

```
CE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib ./kio/.libs/libkio.dylib ./kdecore/.libs/libkdefakes.dylib -Wl,-dead_strip_dylibs -Wl,-weak_framework -Wl,Kerberos -Wl,-framework -Wl,SystemConfiguration -Wl,-framework -Wl,CoreFoundation -Wl,-framework -Wl,Security
creating ./kdeprint/cups/kdeprint_cups.la
(cd ./kdeprint/cups/.libs && rm -f kdeprint_cups.la && ln -s ../kdeprint_cups.la kdeprint_cups.la)
96% linking ./kdeprint/lpr/kdeprint_lpr.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kdeprint/lpr/.libs/kdeprint_lpr.so -bundle ./kdeprint/lpr/.libs/printcapreader.o ./kdeprint/lpr/.libs/lprhandler.o ./kdeprint/lpr/.libs/matichandler.o ./kdeprint/lpr/.libs/klprfactory.o ./kdeprint/lpr/.libs/kmlprmanager.o ./kdeprint/lpr/.libs/kmlpruimanager.o ./kdeprint/lpr/.libs/lpchelper.o ./kdeprint/lpr/.libs/lpqhelper.o ./kdeprint/lpr/.libs/kmlprjobmanager.o ./kdeprint/lpr/.libs/matichelper.o ./kdeprint/lpr/.libs/klprprinterimpl.o ./kdeprint/lpr/.libs/printcapentry.o ./kdeprint/lpr/.libs/lprsettings.o ./kdeprint/lpr/.libs/kmconfiglpr.o ./kdeprint/lpr/.libs/apshandler.o ./kdeprint/lpr/.libs/lprngtoolhandler.o ./kdeprint/lpr/.libs/editentrydialog.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/management/.libs/libkdeprint_management.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs
```


/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/lib

```
z.dylib ./kdecore/.libs/libkdefakes.dylib -Wl,-dead_strip_dylibs
creating ./kdeprint/lpr/kdeprint_lpr.la
(cd ./kdeprint/lpr/.libs && rm -f kdeprint_lpr.la && ln -s ../kdeprint_lpr.la kd
eprint_lpr.la)
96% linking ./kdeprint/rlpr/kdeprint_rlpr.la
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdimainf
rm.cpp: In member function 'void KMdiMainFrm::setToolviewStyle(int)':
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdimainf
rm.cpp:1773: warning: 'setIDEALModeStyle' is deprecated (declared at /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdimainfrm.cpp:1737
)
In file included from /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs
-3.5.10/kmdi/kmdimainfrm.cpp:2934:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdimainf
rm.moc: In member function 'virtual bool KMdiMainFrm::qt_invoke(int, QUObject*)'
:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdimainf
rm.moc:576: warning: 'setIDEALModeStyle' is deprecated (declared at /opt/local/v
```

```
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdimainfrm.cpp:1737)
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmditoolviewaccessor.cpp
96% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdiguiclient.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kdeprint/rlpr/.libs/kdeprint_rlpr.so -bundle ./kdeprint/rlpr/.libs/kmrlprfactory.o ./kdeprint/rlpr/.libs/kmrlprmanager.o ./kdeprint/rlpr/.libs/krlprprinterimpl.o ./kdeprint/rlpr/.libs/kmrlpruimanager.o ./kdeprint/rlpr/.libs/kmwrlpr.o ./kdeprint/rlpr/.libs/kmprop_rlpr.o ./kdeprint/rlpr/.libs/kmproxywidget.o ./kdeprint/rlpr/.libs/kmconfigproxy.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdeprint/management/.libs/libkdeprint_management.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_
```

```
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs
3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclien
t.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecor
e/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
ibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/loca
l/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /o
pt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_r
elease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libk
defx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/l
ib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /
opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/l
ibXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib
/opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dy
lib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/lib
xcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/l
ib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kdeprint/rlpr/kdeprint_rlpr.la
(cd ./kdeprint/rlpr/.libs && rm -f kdeprint_rlpr.la && ln -s ../kdeprint_rlpr.la
kdeprint_rlpr.la)
97% linking ./kded/kded
```

```
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmidocumentviewtabwidget.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdiguiclient.cpp:51: warning: '<unnamed>::resourceFileName' defined but not used
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdifocuslist.cpp
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdi/mainwindow.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kded/.libs/kded ./kded/kdeinit_kded.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kded/.libs/libkdeinit_kded.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/loca
```

```
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dy
lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports
.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/cl
ient/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
delibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/
lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib
-lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_
macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3
/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.
dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /
opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/l
ibXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib
-ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/l
ib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.d
ylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libX
au.dylib /opt/local/lib/libXdmpc.dylib -lz
creating ./kded/kded
97% linking ./kdeprint/tools/escputil/kdeprint_tool_escputil.la
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```

kmdi/kmdi/dockcontainer.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

```
/usr/bin/g++-4.2 -o ./kdeprint/tools/escputil/.libs/kdeprint_tool_escputil.so -
bundle ./kdeprint/tools/escputil/.libs/escpwidget.o -L/opt/local/lib -L/opt/lo
cal/lib/qt3/lib ./kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs
3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/lo
cal/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.d
ylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_
macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3
/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /o
pt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.d
ylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/l
ib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dyli
b /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib
/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/
lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/
local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kdeprint/tools/escputil/kdeprint_tool_escputil.la
(cd ./kdeprint/tools/escputil/.libs && rm -f kdeprint_tool_escputil.la && ln -s
./kdeprint_tool_escputil.la kdeprint_tool_escputil.la)
97% linking ./kded/kbuildsycoca
```

```
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdi/toolviewaccessor.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kded/.libs/kbuildsycoca ./kded/kdeinit_kbuildsycoca.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kded/.libs/libkdeinit_kbuildsycoca.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.
```



```
dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt
/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/loc
al/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/loc
al/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXineram
a.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/
lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/li
bXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /op
t/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.d
ylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kded/kbuildsycoca
97% linking ./kded/kded.la
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdi/tool
viewaccessor.cpp:143: warning: unused parameter 'o'
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kmdi/kmdi/guiclient.cpp
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kmdi/kmdi/tabwidget.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kded/.libs/kded.so -bu
```

```
ndle ./kded/.libs/kdeinit_kded.la.o -L/opt/local/lib -L/opt/local/lib/qt3/lib
./kded/.libs/libkdeinit_kded.dylib /opt/local/var/macports/build/_opt_local_var_
macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3
/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_l
ocal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3
/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/lib
kwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_source
s_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3
.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_va
r_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelib
s3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dyl
ib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libic
onv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdef
x/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib
/opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXr
andr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt
/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontc
onfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/
lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/l
```

```
ocal/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib
/opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kded/kded.la
(cd ./kded/.libs && rm -f kded.la && ln -s ../kded.la kded.la)
97% linking ./kded/kbuildsycoca.la
97% compiling ./khtml/dummy.cpp
97% compiling ./khtml/imgdummy.cpp
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/java/kjavaapplet.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org
_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdi/guic
lient.cpp:49: warning: 'resourceFileName' defined but not used
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/java/kjavaappletcontext.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kded/.libs/kbuildsycoc
a.so -bundle ./kded/.libs/kdeinit_kbuildsycoca.la.o -L/opt/local/lib -L/opt/lo
cal/lib/qt3/lib ./kded/.libs/libkdeinit_kbuildsycoca.dylib /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib
```

```
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kded/kbuildsycoca.la
(cd ./kded/.libs && rm -f kbuildsycoca.la && ln -s ../kbuildsycoca.la kbuildsycoca.la)
97% linking ./kconf_update/kconf_update.la
```

97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/java/kjavaappletserver.cpp

97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/java/kjavaappletwidget.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 \${wl}-undefined \${wl}dynamic_lookup -o ./kconf_update/.libs/kconf_update.so -bundle ./kconf_update/.libs/kdeinit_kconf_update.la.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kconf_update/.libs/libkdeinit_kconf_update.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.d

```
ylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libbz.dylib -Wl,-dead_strip_dylibs
creating ./kconf_update/kconf_update.la
(cd ./kconf_update/.libs && rm -f kconf_update.la && ln -s ../kconf_update.la kconf_update.la)
97% linking ./kconf_update/kconf_update
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/java/kjavaprocess.cpp
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hidden -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,-dead_strip_dylibs -o ./kconf_update/.libs/kconf_update ./kconf_update/kdeinit_kconf_update.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kconf_update/.libs/libkdeinit_kconf_update.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_
```

```
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -l
GL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/lib
Xcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/
local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/l
ib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /o
pt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/l
ib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/loc
al/lib/libXdmcp.dylib -lz
creating ./kconf_update/kconf_update
97% linking ./kresources/kcm_kresources.la
97% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
khtml/java/kjavadownloader.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kresources/.libs/kcm_kresources.so -bundle ./kresources/
.libs/kcmkresources.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kresources/.l
ibs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_so
urces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdeli
bs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_ma
cports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/w
ork/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt
_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelib
s3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macpor
```

```
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kresources/kcm_kresources.la
(cd ./kresources/.libs && rm -f kcm_kresources.la && ln -s ../kcm_kresources.la kcm_kresources.la)
98% linking ./kcert/libkcertpart.la
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
```


khtml/java/kjavaappletviewer.cpp

98% compiling ./khtml/java/dummy/dummy.cpp

98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/kmultipart/kmultipart.cpp

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 -o ./kcert/.libs/libkcertpart.so -bundle ./kcert/.libs/kcertpart.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_k

```
de_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kcert/libkcertpart.la
(cd ./kcert/.libs && rm -f libkcertpart.la && ln -s ../libkcertpart.la libkcertpart.la)
98% linking ./kspell2/plugins/aspell/kspell_aspell.la
98% compiling ./kcmshell/kdeinit_kcmshell.la.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kspell2/plugins/aspell/.libs/kspell_aspell.so -bundle ./kspell2/plugins/aspell/.libs/kspell_aspellclient.o ./kspell2/plugins/aspell/.libs/kspell_aspelldict.o -L/opt/local/lib ./kspell2/ui/.libs/libkspell2.dylib -L/opt/local/lib/qt3/lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/.libs/libkutils.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
```

delibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libiconv.dylib /opt/local/lib/libexpat.dylib /opt/local/lib/libbz2.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmp.dylib /opt/local/lib/libz.dylib /opt/local/lib/libaspell.dylib -Wl,-dead_strip_dylibs

```
creating ./kspell2/plugins/aspell/kspell_aspell.la
(cd ./kspell2/plugins/aspell/.libs && rm -f kspell_aspell.la && ln -s ../kspell_
aspell.la kspell_aspell.la)
98% linking ./kspell2/plugins/ispell/kspell_ispell.la
98% compiling ./kcmshell/kdeinit_kcmshell.cpp
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
interfaces/kscript/sample/shellscript.cpp
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
interfaces/kmediaplayer/player.cpp
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
interfaces/kmediaplayer/view.cpp
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
interfaces/kimproxy/library/kimproxy.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kspell2/plugins/ispell/.libs/kspell_ispell.so -bundle ./
kspell2/plugins/ispell/.libs/kspell_ispellclient.o ./kspell2/plugins/ispell/.lib
s/kspell_ispelldict.o ./kspell2/plugins/ispell/.libs/correct.o ./kspell2/plugins
/ispell/.libs/good.o ./kspell2/plugins/ispell/.libs/hash.o ./kspell2/plugins/isp
ell/.libs/lookup.o ./kspell2/plugins/ispell/.libs/makedent.o ./kspell2/plugins/i
spell/.libs/tgood.o ./kspell2/plugins/ispell/.libs/ispell_checker.o -L/opt/loca
```

l/lib ./kspell2/ui/.libs/libkspell2.dylib -L/opt/local/lib/qt3/lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/.libs/libkutils.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib

```
/opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libiconv.dylib /opt/local/lib/libexpat.dylib /opt/local/lib/libbz2.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kspell2/plugins/ispell/kspell_ispell.la
(cd ./kspell2/plugins/ispell/.libs && rm -f kspell_ispell.la && ln -s ../kspell_ispell.la kspell_ispell.la)
98% linking ./kmdi/libkmdi.la
98% compiling ./kate/part/dummy.cpp
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/isearch/ISearchPlugin.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module ${wl}-undefined ${wl}dynamic_lookup -o ./kmdi/.libs/libkmdi.1.0.0.dylib ./kmdi/.libs/kmdichildarea.o ./kmdi/.libs/kmdichildfrm.o ./kmdi/.libs/kmdichildfrmcaption.o ./kmdi/.libs/kmdichildview.o ./kmdi/.libs/kmdimainfrm.o ./kmdi/.libs/kmditaskbar.o ./kmdi/.libs/kmdidockcontainer.o ./kmdi/.libs/kmditoolviewaccessor.o ./kmdi/.libs/kmdiguiclient.o ./kmdi/.libs/kmdidocumentviewtabwidget.o ./kmdi/.libs/kmdifocuslist.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/bu
```

ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmpc.dylib /opt/local/lib/libz.dylib ./kutils/.libs/libkutils.dylib -Wl

```
,-dead_strip_dylibs -install_name /opt/local/lib/libkmdi.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.0
(cd ./kmdi/.libs && rm -f libkmdi.1.dylib && ln -s libkmdi.1.0.0.dylib libkmdi.1.dylib)
(cd ./kmdi/.libs && rm -f libkmdi.dylib && ln -s libkmdi.1.0.0.dylib libkmdi.dylib)
creating ./kmdi/libkmdi.la
(cd ./kmdi/.libs && rm -f libkmdi.la && ln -s ../libkmdi.la libkmdi.la)
98% linking ./khtml/libkhtmlpart.la
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/insertfile/insertfileplugin.cpp
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/kimproxy.cpp:576: warning: unused parameter 'uid'
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/kdatatool/kate_kdatatool.cpp
libtool: link: warning: `/opt/local/lib/libqmt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./khtml/.libs/libkhtmlpart.so -bundle ./khtml/.libs/dummy.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./khtml/.libs/libkhtml.dylib /opt/local/lib/libjpeg.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/.libs/libkjs.dylib /opt/local/lib/libpcreposix.dylib /opt/local/lib
```


/libpcres.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/.libs/libkutils.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dyli

```
b /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./khtml/libkhtmlpart.la
(cd ./khtml/.libs && rm -f libkhtmlpart.la && ln -s ../libkhtmlpart.la libkhtmlpart.la)
98% linking ./khtml/khtmlimagepart.la
98% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/wordcompletion/docwordcompletion.cpp
98% compiling ./kio/misc/kwalletd/kbetterthankdialogbase.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./khtml/.libs/khtmlimagepart.so -bundle ./khtml/.libs/imgdummy.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./khtml/.libs/libkhtml.dylib /opt/local/lib/libjpeg.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/.libs/libkjs.dylib /opt/local/lib/libpcreposix.dylib /opt/local/lib/libpcre.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/.libs/libkdeprint.dylib /opt/local/var/macports/build/_opt_local_
```

var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/.libs/libkutils.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfree

```
type.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/
local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /o
pt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dy
lib /opt/local/lib/libXdmpc.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dyli
bs
creating ./khtml/khtmlimagepart.la
(cd ./khtml/.libs && rm -f khtmlimagepart.la && ln -s ../khtmlimagepart.la khtml
imagepart.la)
98% linking ./kmdi/kmdi/libkmdi2.la
99% compiling ./kio/misc/kwallet/kwalletwizard.cpp
99% compiling ./kdeui/kdetrayproxy/module_skel.cpp
99% compiling ./kio/kpasswdserver/kpasswdserver_skel.cpp
99% compiling ./kio/misc/kpac/proxyscout_skel.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module ${wl}-undefined ${wl}dynamic_lookup
-o ./kmdi/kmdi/.libs/libkmdi2.1.0.0.dylib ./kmdi/kmdi/.libs/mainwindow.o ./kmdi
/kmdi/.libs/dockcontainer.o ./kmdi/kmdi/.libs/toolviewaccessor.o ./kmdi/kmdi/.li
bs/guiclient.o ./kmdi/kmdi/.libs/tabwidget.o -L/opt/local/lib -L/opt/local/lib/
qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_
var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdel
ibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_o
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdel
ibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macp
```

```
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs
/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_so
urces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdeli
bs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_loca
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kd
elibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2
.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/l
ibiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dy
lib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/l
ibXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib
/opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libf
ontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/lo
cal/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /o
pt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmpc.dy
lib /opt/local/lib/libz.dylib ./kutils/.libs/libkutils.dylib -Wl,-dead_strip_dy
libs -install_name /opt/local/lib/libkmdi2.1.dylib -Wl,-compatibility_version -
Wl,2 -Wl,-current_version -Wl,2.0
(cd ./kmdi/kmdi/.libs && rm -f libkmdi2.1.dylib && ln -s libkmdi2.1.0.0.dylib li
bkmdi2.1.dylib)
```

```
(cd ./kmdi/kmdi/.libs && rm -f libkmdi2.dylib && ln -s libkmdi2.1.0.0.dylib libkmdi2.dylib)
creating ./kmdi/kmdi/libkmdi2.la
(cd ./kmdi/kmdi/.libs && rm -f libkmdi2.la && ln -s ../libkmdi2.la libkmdi2.la)
99% linking ./khtml/java/libkjava.la
99% compiling ./kio/misc/kssld/kssld_skel.cpp
99% compiling ./kio/misc/kwalletd/kwalletd_skel.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
ar cru ./khtml/java/.libs/libkjava.a ./khtml/java/.libs/kjavaapplet.o ./khtml/java/.libs/kjavaappletcontext.o ./khtml/java/.libs/kjavaappletserver.o ./khtml/java/.libs/kjavaappletwidget.o ./khtml/java/.libs/kjavaprocess.o ./khtml/java/.libs/kjavadownloader.o
ranlib ./khtml/java/.libs/libkjava.a
creating ./khtml/java/libkjava.la
(cd ./khtml/java/.libs && rm -f libkjava.la && ln -s ../libkjava.la libkjava.la)
99% linking ./khtml/java/dummy/libkjava.la
/usr/bin/g++-4.2 -dynamiclib -single_module ${wl}-undefined ${wl}dynamic_lookup -o ./khtml/java/dummy/.libs/libkjava.1.0.0.dylib ./khtml/java/dummy/.libs/dummy.o -L/opt/local/lib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkjava.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.0
(cd ./khtml/java/dummy/.libs && rm -f libkjava.1.dylib && ln -s libkjava.1.0.0.dylib libkjava.1.dylib)
(cd ./khtml/java/dummy/.libs && rm -f libkjava.dylib && ln -s libkjava.1.0.0.dylib libkjava.dylib)
```

```
creating ./khtml/java/dummy/libkjava.la
(cd ./khtml/java/dummy/.libs && rm -f libkjava.la && ln -s ../libkjava.la libkjava.la)
99% linking ./khtml/kmultipart/libkmultipart.la
99% compiling ./kioslave/http/kcookiejar/kcookieserver_skel.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
rm -fr ./khtml/kmultipart/.libs/libkmultipart.lax
mkdir ./khtml/kmultipart/.libs/libkmultipart.lax
rm -fr ./khtml/kmultipart/.libs/libkmultipart.lax/libhttpfilter.a
mkdir ./khtml/kmultipart/.libs/libkmultipart.lax/libhttpfilter.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kio/httpfilter/.libs/libhttpfilter.a
(cd ./khtml/kmultipart/.libs/libkmultipart.lax/libhttpfilter.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kio/httpfilter/.libs/libhttpfilter.a)
/usr/bin/g++-4.2 -o ./khtml/kmultipart/.libs/libkmultipart.so -bundle ./khtml/kmultipart/.libs/kmultipart.o ./khtml/kmultipart/.libs/libkmultipart.lax/libhttpfilter.a/httpfilter.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kd
```

```
elibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local
_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kde
libs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dyl
ib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.
org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.li
bs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_source
s_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3
.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib
/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/lo
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.
dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/li
bXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/l
ocal/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft
.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/
local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /
opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.d
ylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/li
bz.dylib -lz -Wl,-dead_strip_dylibs
rm -fr ./khtml/kmultipart/.libs/libkmultipart.lax
creating ./khtml/kmultipart/libkmultipart.la
(cd ./khtml/kmultipart/.libs && rm -f libkmultipart.la && ln -s ../libkmultipart
```



```
.la libkmultipart.la)
99% linking ./kcmshell/kcmshell.la
99% compiling ./kdeprint/kdeprintd_skel.cpp
99% compiling ./arts/knotify/knotify_skel.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kcmshell/.libs/kcmshell.so -bundle ./kcmshell/.libs/kdeinit_kcmshell.la.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kcmshell/.libs/libkdeinit_kcmshell.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/.libs/libkutils.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local
```

```
/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_  
opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kde  
libs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/lib  
qt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/li  
b/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dyli  
b /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/li  
bfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib  
/opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dyl  
ib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libX  
au.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip  
_dylibs  
creating ./kcmshell/kcmshell.la  
(cd ./kcmshell/.libs && rm -f kcmshell.la && ln -s ../kcmshell.la kcmshell.la)  
99% linking ./kcmshell/kcmshell  
99% compiling ./interfaces/kmediaplayer/playerdcopobject_skel.cpp  
99% compiling ./interfaces/kimproxy/library/kimproxyiface_skel.cpp  
99% compiling ./interfaces/kimproxy/library/kimiface_stub.cpp  
99% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn  
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
dnssd/publicservice.cpp  
/usr/bin/g++-4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O3 -O3 -fPIC -  
Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -fvisibility=hid  
den -fvisibility-inlines-hidden -DQT_CLEAN_NAMESPACE -DQT_NO_ASCII_CAST -DQT_NO_  
STL -DQT_NO_COMPAT -DQT_NO_TRANSLATION -I/opt/local/var/macports/build/_opt_loca
```

```
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/libltdl -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx -I./kdecore -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kfile -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10 -I/opt/local/lib/qt3/include -I/opt/local/include -I/opt/local/include -DQT_THREAD_SUPPORT -I/usr/include/gssapi -I/opt/local/include/freetype2 -I/opt/local/include -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include -Wl,
```

```
-dead_strip_dylibs -o ./kcmshell/.libs/kcmshell ./kcmshell/kdeinit_kcmshell.o -Wl,-bind_at_load -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kcmshell/.libs/libkdeinit_kcmshell.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/.libs/libkutils.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib -lutil /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/qt3/lib/libqt-mt.dylib -lresolv -lGL /opt/local/lib/libXmu.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib
```

```
/opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib -ldl /opt/local/lib/libpng15.dylib -lm /opt/local/lib/libXext.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib -lpthread /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -lz
creating ./kcmshell/kcmshell
99% linking ./interfaces/kscript/sample/libshellscript.la
99% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/domainbrowser.cpp
99% compiling ./dnssd/settings.cpp
99% compiling ./kdewidgets/kdewidgets.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./interfaces/kscript/sample/.libs/libshellscript.so -bundle ./interfaces/kscript/sample/.libs/shellscript.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./interfaces/kscript/.libs/libkscript.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kw
```

```
allet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_loca
al_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/k
delibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local
/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dyli
b /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_mac
ports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wo
rk/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/
local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dyli
b /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/
libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /
opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/li
bX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib
/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/loc
al/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./interfaces/kscript/sample/libshellscript.la
(cd ./interfaces/kscript/sample/.libs && rm -f libshellscript.la && ln -s ../lib
shellscript.la libshellscript.la)
99% linking ./khtml/java/kjavaappletviewer.la
99% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/keramik/keramik.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
```

```
/usr/bin/g++-4.2 -o ./khtml/java/.libs/kjavaappletviewer.so -bundle ./khtml/java/.libs/kjavaapplet.o ./khtml/java/.libs/kjavaappletcontext.o ./khtml/java/.libs/kjavaappletserver.o ./khtml/java/.libs/kjavaappletwidget.o ./khtml/java/.libs/kjavaprocess.o ./khtml/java/.libs/kjavadownloader.o ./khtml/java/.libs/kjavaappletviewer.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libX
```

```
cursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl, -dead_strip_dylibs
creating ./khtml/java/kjavaappletviewer.la
(cd ./khtml/java/.libs && rm -f kjavaappletviewer.la && ln -s ../kjavaappletviewer.la kjavaappletviewer.la)
99% linking ./kate/part/libkatepart.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
rm -fr ./kate/part/.libs/libkatepart.lax
mkdir ./kate/part/.libs/libkatepart.lax
rm -fr ./kate/part/.libs/libkatepart.lax/libkate.a
mkdir ./kate/part/.libs/libkatepart.lax/libkate.a
Extracting /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kate/part/.libs/libkate.a
(cd ./kate/part/.libs/libkatepart.lax/libkate.a && ar x /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/./kate/part/.libs/libkate.a)
/usr/bin/g++-4.2 -o ./kate/part/.libs/libkatepart.so -bundle ./kate/part/.libs
```


/dummy.o ./kate/part/.libs/libkatepart.lax/libkate.a/katearbitraryhighlight.o .
./kate/part/.libs/libkatepart.lax/libkate.a/kateattribute.o ./kate/part/.libs/lib
katepart.lax/libkate.a/kateautoindent.o ./kate/part/.libs/libkatepart.lax/libkat
e.a/katebookmarks.o ./kate/part/.libs/libkatepart.lax/libkate.a/katebuffer.o ./k
ate/part/.libs/libkatepart.lax/libkate.a/katecmds.o ./kate/part/.libs/libkatepar
t.lax/libkate.a/katecodecompletion.o ./kate/part/.libs/libkatepart.lax/libkate.a
/katecodefoldinghelpers.o ./kate/part/.libs/libkatepart.lax/libkate.a/kateconfig
.o ./kate/part/.libs/libkatepart.lax/libkate.a/katecursor.o ./kate/part/.libs/li
bkatepart.lax/libkate.a/katedialogs.o ./kate/part/.libs/libkatepart.lax/libkate.
a/katedocument.o ./kate/part/.libs/libkatepart.lax/libkate.a/katedocument_skel.o
./kate/part/.libs/libkatepart.lax/libkate.a/katedocumenthelpers.o ./kate/part/.
libs/libkatepart.lax/libkate.a/katefactory.o ./kate/part/.libs/libkatepart.lax/li
bkate.a/katefiletype.o ./kate/part/.libs/libkatepart.lax/libkate.a/katefont.o .
./kate/part/.libs/libkatepart.lax/libkate.a/katehighlight.o ./kate/part/.libs/lib
katepart.lax/libkate.a/kateindentscriptabstracts.o ./kate/part/.libs/libkatepart
.lax/libkate.a/katejavascript.o ./kate/part/.libs/libkatepart.lax/libkate.a/katelin
erange.o ./kate/part/.libs/libkatepart.lax/libkate.a/kateluaindentscript.o ./kat
e/part/.libs/libkatepart.lax/libkate.a/kateprinter.o ./kate/part/.libs/libkatepa
rt.lax/libkate.a/katerenderer.o ./kate/part/.libs/libkatepart.lax/libkate.a/kate
schema.o ./kate/part/.libs/libkatepart.lax/libkate.a/katesearch.o ./kate/part/.l
ibs/libkatepart.lax/libkate.a/katespell.o ./kate/part/.libs/libkatepart.lax/libk
ate.a/katesupercursor.o ./kate/part/.libs/libkatepart.lax/libkate.a/katesyntaxdo
cument.o ./kate/part/.libs/libkatepart.lax/libkate.a/katetemplatehandler.o ./kat
e/part/.libs/libkatepart.lax/libkate.a/katetextline.o ./kate/part/.libs/libkatep

```
art.lax/libkate.a/kateundo.o ./kate/part/.libs/libkatepart.lax/libkate.a/katevie  
w.o ./kate/part/.libs/libkatepart.lax/libkate.a/kateviewhelpers.o ./kate/part/.l  
ibs/libkatepart.lax/libkate.a/kateviewinternal.o -L/opt/local/lib -L/opt/local  
/lib/qt3/lib ./kate/interfaces/.libs/libkatepartinterfaces.dylib /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/.libs/  
libktexteditor.dylib /opt/local/var/macports/build/_opt_local_var_macports_sourc  
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-  
3.5.10/kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var  
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs  
3/work/kdelibs-3.5.10/kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_op  
t_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdeli  
bs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresource  
s.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp  
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.l  
ibs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_r  
sync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.  
10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_lo  
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/  
kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/lo
```

```
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdec
ore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop
/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dy
lib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt
/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib
/opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/l
ibXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /op
t/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/
libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/
lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/
local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib .
/kdeprint/.libs/libkdeprint.dylib ./kutils/.libs/libkutils.dylib ./kjs/.libs/lib
kjs.dylib /opt/local/lib/libpcreposix.dylib /opt/local/lib/libpcre.dylib -Wl,-de
ad_strip_dylibs
rm -fr ./kate/part/.libs/libkatepart.lax
creating ./kate/part/libkatepart.la
(cd ./kate/part/.libs && rm -f libkatepart.la && ln -s ../libkatepart.la libkate
part.la)
99% linking ./kate/plugins/isearch/ktexteditor_isearch.la
99% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/keramik/gradients.cpp
99% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/keramik/colorutil.cpp
99% compiling /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/
kstyles/keramik/pixmaploader.cpp
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kate/plugins/isearch/.libs/ktexteditor_isearch.so -bundle
./kate/plugins/isearch/.libs/ISearchPlugin.o -L/opt/local/lib -L/opt/local/li
b/qt3/lib ./interfaces/ktexteditor/.libs/libktexteditor.dylib /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dylib /op
t/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_re
lease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/.libs/libkab
c.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/v
card/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_
sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kde
libs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_
opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kde
libs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
```

```
s_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kate/plugins/isearch/ktexteditor_isearch.la
(cd ./kate/plugins/isearch/.libs && rm -f ktexteditor_isearch.la && ln -s ../ktexteditor_isearch.la ktexteditor_isearch.la)
```

```
99% linking ./kate/plugins/insertfile/ktexteditor_insertfile.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kate/plugins/insertfile/.libs/ktexteditor_insertfile.so -
bundle ./kate/plugins/insertfile/.libs/insertfileplugin.o -L/opt/local/lib -L/
opt/local/lib/qt3/lib ./interfaces/ktexteditor/.libs/libktexteditor.dylib /opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkpar
ts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.mac
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/
.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_source
s_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3
.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_v
ar_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdeli
bs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dyl
ib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.
org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs
/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rs
ync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.1
0/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt
_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelib
```

```
s3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kate/plugins/insertfile/ktexteditor_insertfile.la
(cd ./kate/plugins/insertfile/.libs && rm -f ktexteditor_insertfile.la && ln -s ../ktexteditor_insertfile.la ktexteditor_insertfile.la)
99% linking ./kate/plugins/kdatatool/ktexteditor_kdatatool.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kate/plugins/kdatatool/.libs/ktexteditor_kdatatool.so -bundle ./kate/plugins/kdatatool/.libs/kate_kdatatool.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./interfaces/ktexteditor/.libs/libktexteditor.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kparts/.libs/libkparts.dy
```

lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/l


```
ocal/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib
/opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/l
ibXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /o
pt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/lib
X11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/
libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/loca
l/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kate/plugins/kdatatool/ktexteditor_kdatatool.la
(cd ./kate/plugins/kdatatool/.libs && rm -f ktexteditor_kdatatool.la && ln -s ..
/ktexteditor_kdatatool.la ktexteditor_kdatatool.la)
99% linking ./kate/plugins/wordcompletion/ktexteditor_docwordcompletion.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kate/plugins/wordcompletion/.libs/ktexteditor_docwordcomp
letion.so -bundle ./kate/plugins/wordcompletion/.libs/docwordcompletion.o -L/o
pt/local/lib -L/opt/local/lib/qt3/lib ./interfaces/ktexteditor/.libs/libktextedi
tor.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kpar
ts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_s
ources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdel
ibs-3.5.10/kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_opt_local_var
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresources.dylib /op
```

t/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmpc.dylib /opt/local/lib/libz.dylib -Wl,-dead_st

rip_dylibs

creating ./kate/plugins/wordcompletion/ktexteditor_docwordcompletion.la

(cd ./kate/plugins/wordcompletion/.libs && rm -f ktexteditor_docwordcompletion.la && ln -s ../ktexteditor_docwordcompletion.la ktexteditor_docwordcompletion.la)

99% linking ./kdeui/kdeproxy/kded_kdeproxy.la

libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved

/usr/bin/g++-4.2 \${wl}-undefined \${wl}dynamic_lookup -o ./kdeui/kdeproxy/.libs/kded_kdeproxy.so -bundle ./kdeui/kdeproxy/.libs/kdeproxy.o ./kdeui/kdeproxy/.libs/module.o ./kdeui/kdeproxy/.libs/module_skel.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs

creating ./kdeui/kdeproxy/kded_kdeproxy.la

```
(cd ./kdeui/kdetrayproxy/.libs && rm -f kded_kdetrayproxy.la && ln -s ../kded_kdetrayproxy.la kded_kdetrayproxy.la)
```

```
99% linking ./kio/misc/kpac/kded_proxyscout.la
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
```

```
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kio/misc/kpac/.libs/kded_proxyscout.so -bundle ./kio/misc/kpac/.libs/proxyscout_skel.o ./kio/misc/kpac/.libs/proxyscout.o ./kio/misc/kpac/.libs/script.o ./kio/misc/kpac/.libs/downloader.o ./kio/misc/kpac/.libs/discovery.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/
```

```
libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt
/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libX
ft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /op
t/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib
/opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb
.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/
libz.dylib ./kjs/.libs/libkjs.dylib /opt/local/lib/libpcreposix.dylib /opt/local
/lib/libpcre.dylib -lresolv -Wl,-dead_strip_dylibs
creating ./kio/misc/kpac/kded_proxyscout.la
(cd ./kio/misc/kpac/.libs && rm -f kded_proxyscout.la && ln -s ../kded_proxyscou
t.la kded_proxyscout.la)
99% linking ./kio/kpasswdserver/kded_kpasswdserver.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kio/kpasswdserver/.lib
s/kded_kpasswdserver.so -bundle ./kio/kpasswdserver/.libs/kpasswdserver.o ./kio
/kpasswdserver/.libs/kpasswdserver_skel.o -L/opt/local/lib -L/opt/local/lib/qt3
/lib ./kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
delibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /
opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/lib
intl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_loca
```

```
l_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib -Wl,-dead_strip_dylibs creating ./kio/kpasswdserver/kded_kpasswdserver.la (cd ./kio/kpasswdserver/.libs && rm -f kded_kpasswdserver.la && ln -s ../kded_kpasswdserver.la kded_kpasswdserver.la) 99% linking ./kio/misc/kssld/kded_kssld.la libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved /usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kio/misc/kssld/.libs/kded_kssld.so -bundle ./kio/misc/kssld/.libs/kssld.o ./kio/misc/kssld/.libs/kssld_skel.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /op
```

```
t/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_re  
lease_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkd  
eui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdes  
u/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sou  
rces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelib  
s-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/bui  
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde  
_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib  
 /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/l  
ibintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_lo  
cal_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/  
kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.  
dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libX  
render.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt  
/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreet  
ype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/l  
ocal/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /op  
t/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dyl  
ib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylib  
s  
creating ./kio/misc/kssld/kded_kssld.la
```

```
(cd ./kio/misc/kssld/.libs && rm -f kded_kssld.la && ln -s ../kded_kssld.la kded_kssld.la)
```

```
99% linking ./kio/misc/kwalletd/kded_kwalletd.la
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
```

```
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
```

```
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kio/misc/kwalletd/.libs/kded_kwalletd.so -bundle ./kio/misc/kwalletd/.libs/kwalletd.o ./kio/misc/kwalletd/.libs/kwalletd_skel.o ./kio/misc/kwalletd/.libs/ktimeout.o ./kio/misc/kwalletd/.libs/kwalletwizard.o ./kio/misc/kwalletd/.libs/kbetterthankdialogbase.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macp
```



```
orts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib ./kwallet/backend/.libs/libkwalletbackend.dylib ./kwallet/client/.libs/libkwalletclient.dylib -Wl,-dead_strip_dylibs
creating ./kio/misc/kwalletd/kded_kwalletd.la
(cd ./kio/misc/kwalletd/.libs && rm -f kded_kwalletd.la && ln -s ../kded_kwalletd.la kded_kwalletd.la)
99% linking ./kioslave/http/kcookiejar/kded_kcookiejar.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kioslave/http/kcookiejar/.libs/kded_kcookiejar.so -bundle ./kioslave/http/kcookiejar/.libs/kcookiejar.o ./kioslave/http/kcookiejar/.libs/kcookieserver.o ./kioslave/http/kcookiejar/.libs/kcookieserver_skel.o ./kioslave/http/kcookiejar/.libs/kcookiewin.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
```

```
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.
dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/
client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var
_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs
3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/l
ibart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt
/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_
sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kde
libs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/
lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt
/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXin
erama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/lo
cal/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.d
ylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpn
g15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib
/libXdmpc.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kioslave/http/kcookiejar/kded_kcookiejar.la
(cd ./kioslave/http/kcookiejar/.libs && rm -f kded_kcookiejar.la && ln -s ../kde
d_kcookiejar.la kded_kcookiejar.la)
99% linking ./kdeprint/kded_kdeprintd.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
```

```
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./kdeprint/.libs/kded_kdeprintd.so -bundle ./kdeprint/.libs/kdeprintd_skel.o ./kdeprint/.libs/kdeprintd.o ./kdeprint/.libs/kprintprocess.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libbidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dyli
```

```
b /opt/local/lib/libXau.dylib /opt/local/lib/libXdmp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs
creating ./kdeprint/kded_kdeprintd.la
(cd ./kdeprint/.libs && rm -f kded_kdeprintd.la && ln -s ../kded_kdeprintd.la kded_kdeprintd.la)
99% linking ./arts/knotify/knotify.la
/usr/bin/g++-4.2 ${wl}-undefined ${wl}dynamic_lookup -o ./arts/knotify/.libs/knotify.so -bundle ./arts/knotify/.libs/knotify.o ./arts/knotify/.libs/knotify_skel.o -L/opt/local/lib -L/opt/local/lib/qt3/lib -Wl,-dead_strip_dylibs
creating ./arts/knotify/knotify.la
(cd ./arts/knotify/.libs && rm -f knotify.la && ln -s ../knotify.la knotify.la)
99% linking ./interfaces/kmediaplayer/libkmediaplayer.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./interfaces/kmediaplayer/.libs/libkmediaplayer.0.0.0.dylib ./interfaces/kmediaplayer/.libs/player.o ./interfaces/kmediaplayer/.libs/playerdcopobject_skel.o ./interfaces/kmediaplayer/.libs/view.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kparts/.libs/libkparts.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.or
g_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/li
bDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/
local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/li
b/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/loc
al/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor
.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/l
ib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.d
ylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libIC
E.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib
/libXau.dylib /opt/local/lib/libXdmpc.dylib /opt/local/lib/libz.dylib -Wl,-dead
_strip_dylibs -install_name /opt/local/lib/libkmediaplayer.0.dylib -Wl,-compati
bility_version -Wl,1 -Wl,-current_version -Wl,1.0
(cd ./interfaces/kmediaplayer/.libs && rm -f libkmediaplayer.0.dylib && ln -s li
bkmediaplayer.0.0.0.dylib libkmediaplayer.0.dylib)
(cd ./interfaces/kmediaplayer/.libs && rm -f libkmediaplayer.dylib && ln -s libk
mediaplayer.0.0.0.dylib libkmediaplayer.dylib)
creating ./interfaces/kmediaplayer/libkmediaplayer.la
```

```
(cd ./interfaces/kmediaplayer/.libs && rm -f libkmediaplayer.la && ln -s ../libkmediaplayer.la libkmediaplayer.la)
99% linking ./interfaces/kimproxy/library/libkimproxy.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module -o ./interfaces/kimproxy/library/.libs/libkimproxy.0.0.0.dylib ./interfaces/kimproxy/library/.libs/kimproxy.o ./interfaces/kimproxy/library/.libs/kimiface_stub.o ./interfaces/kimproxy/library/.libs/kimproxyiface_skel.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /op
```

```
t/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkimproxy.0.dylib -Wl,-compatibility_version -Wl,1 -Wl,-current_version -Wl,1.0
(cd ./interfaces/kimproxy/library/.libs && rm -f libkimproxy.0.dylib && ln -s libkimproxy.0.0.0.dylib libkimproxy.0.dylib)
(cd ./interfaces/kimproxy/library/.libs && rm -f libkimproxy.dylib && ln -s libkimproxy.0.0.0.dylib libkimproxy.dylib)
creating ./interfaces/kimproxy/library/libkimproxy.la
(cd ./interfaces/kimproxy/library/.libs && rm -f libkimproxy.la && ln -s ../libkimproxy.la libkimproxy.la)
99% linking ./dnssd/libkdnssd.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -dynamiclib -single_module ${wl}-undefined ${wl}dynamic_lookup -o ./dnssd/.libs/libkdnssd.1.0.0.dylib ./dnssd/.libs/remoteservice.o ./dnssd/.libs/responder.o ./dnssd/.libs/servicebase.o ./dnssd/.libs/settings.o ./dnssd/.libs/publicservice.o ./dnssd/.libs/query.o ./dnssd/.libs/domainbrowser.o ./dnssd/.libs/servicebrowser.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5
```

```
.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /opt/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libz.dylib -Wl,-dead_strip_dylibs -install_name /opt/local/lib/libkdnssd.1.dylib -Wl,-compatibility_version -Wl,2 -Wl,-current_version -Wl,2.0
(cd ./dnssd/.libs && rm -f libkdnssd.1.dylib && ln -s libkdnssd.1.0.0.dylib libkdnssd.1.dylib)
(cd ./dnssd/.libs && rm -f libkdnssd.dylib && ln -s libkdnssd.1.0.0.dylib libkdnssd.dylib)
creating ./dnssd/libkdnssd.la
(cd ./dnssd/.libs && rm -f libkdnssd.la && ln -s ../libkdnssd.la libkdnssd.la)
99% linking ./kstyles/keramik/keramik.la
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved
/usr/bin/g++-4.2 -o ./kstyles/keramik/.libs/keramik.so -bundle ./kstyles/keramik/.libs/keramik.o ./kstyles/keramik/.libs/pixmaploader.o ./kstyles/keramik/.libs/gradients.o ./kstyles/keramik/.libs/colorutil.o -L/opt/local/lib -L/opt/local
```



```
/lib/qt3/lib ./kdefx/.libs/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/local/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/lib/libz.dylib /opt/local/lib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib -Wl,-dead_strip_dylibs  
creating ./kstyles/keramik/keramik.la  
(cd ./kstyles/keramik/.libs && rm -f keramik.la && ln -s ../keramik.la keramik.la)  
99% linking ./kdewidgets/kdewidgets.la  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
libtool: link: warning: `/opt/local/lib/libqt-mt.la' seems to be moved  
/usr/bin/g++-4.2 -o ./kdewidgets/.libs/kdewidgets.so -bundle ./kdewidgets/.libs/classpreviews.o ./kdewidgets/.libs/kdewidgets.o -L/opt/local/lib -L/opt/local/lib/qt3/lib ./kio/.libs/libkio.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/.libs/libkdeui.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/.libs/libkdesu.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/.libs/libkwalletclient.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/  
kdecore/.libs/libkdecore.dylib /opt/local/var/macports/build/_opt_local_var_macp  
orts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/wor  
k/kdelibs-3.5.10/dcop/.libs/libDCOP.dylib /opt/local/lib/libart_lgpl_2.dylib /op  
t/local/lib/libidn.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dy  
lib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports  
.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/.lib  
s/libkdefx.dylib /opt/local/lib/libqt-mt.dylib /opt/local/lib/libGL.dylib /opt/l  
ocal/lib/libXmu.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libXrandr.d  
ylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXinerama.dylib /opt/local  
/lib/libXft.dylib /opt/local/lib/libfreetype.dylib /opt/local/lib/libfontconfig.  
dylib /opt/local/lib/libXext.dylib /opt/local/lib/libX11.dylib /opt/local/lib/li  
bSM.dylib /opt/local/lib/libICE.dylib /opt/local/lib/libpng15.dylib /opt/local/l  
ib/libxcb.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/l  
ocal/lib/libz.dylib ./kabc/.libs/libkabc.dylib /opt/local/var/macports/build/_op  
t_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdeli  
bs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcard/.libs/libvcard.dylib /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/.libs/libkresource  
s.dylib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp  
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/.l  
ibs/libkio.dylib -Wl,-dead_strip_dylibs  
creating ./kdewidgets/kdewidgets.la  
(cd ./kdewidgets/.libs && rm -f kdewidgets.la && ln -s ../kdewidgets.la kdewidge
```

ts.la)

```
#apidox#./build-helper.sh apidox kdelibs3 3.5.10 16 unsermake $UNSERMAKEFLAGS
```

```
apidox all_libraries="$ALL_LIBRARIES"
```

```
---> Staging kdelibs3 into destroot
```

```
. changed
```

```
gid expected 0 found 80 modified
```

```
./usr missing (created)
```

```
. missing (directory not created: File exists)
```

```
./Applications missing (created)
```

```
./Developer missing (created)
```

```
./Library missing (created)
```

```
. changed
```

```
gid expected 80 found 0 modified
```

```
./bin missing (created)
```

```
./etc missing (created)
```

```
./include missing (created)
```

```
./lib missing (created)
```

```
./lib/pkgconfig missing (created)
```

```
./libexec missing (created)
```

```
./sbin missing (created)
```

```
./share missing (created)
```

```
./share/info missing (created)
```

```
./share/man missing (created)
```

```
./share/man/cat1 missing (created)
```

./share/man/cat2 missing (created)
./share/man/cat3 missing (created)
./share/man/cat4 missing (created)
./share/man/cat5 missing (created)
./share/man/cat6 missing (created)
./share/man/cat7 missing (created)
./share/man/cat8 missing (created)
./share/man/cat9 missing (created)
./share/man/cat1 missing (created)
./share/man/catn missing (created)
./share/man/man1 missing (created)
./share/man/man2 missing (created)
./share/man/man3 missing (created)
./share/man/man4 missing (created)
./share/man/man5 missing (created)
./share/man/man6 missing (created)
./share/man/man7 missing (created)
./share/man/man8 missing (created)
./share/man/man9 missing (created)
./share/man/man1 missing (created)
./share/man/mann missing (created)
./share/nls missing (created)
./share/nls/C missing (created)
./share/nls/af_ZA.ISO8859-1 missing (created)

./share/nls/af_ZA.IS08859-15 missing (created)
./share/nls/bg_BG.CP1251 missing (created)
./share/nls/cs_CZ.IS08859-2 missing (created)
./share/nls/da_DK.IS08859-1 missing (created)
./share/nls/da_DK.IS08859-15 missing (created)
./share/nls/de_AT.IS08859-1 missing (created)
./share/nls/de_AT.IS08859-15 missing (created)
./share/nls/de_CH.IS08859-1 missing (created)
./share/nls/de_CH.IS08859-15 missing (created)
./share/nls/de_DE.IS08859-1 missing (created)
./share/nls/de_DE.IS08859-15 missing (created)
./share/nls/el_GR.IS08859-7 missing (created)
./share/nls/en_AU.IS08859-1 missing (created)
./share/nls/en_AU.IS08859-15 missing (created)
./share/nls/en_AU.US-ASCII missing (created)
./share/nls/en_CA.IS08859-1 missing (created)
./share/nls/en_CA.IS08859-15 missing (created)
./share/nls/en_CA.US-ASCII missing (created)
./share/nls/en_GB.IS08859-1 missing (created)
./share/nls/en_GB.IS08859-15 missing (created)
./share/nls/en_GB.US-ASCII missing (created)
./share/nls/en_NZ.IS08859-1 missing (created)
./share/nls/en_NZ.IS08859-15 missing (created)
./share/nls/en_NZ.US-ASCII missing (created)

./share/nls/en_US.ISO8859-1 missing (created)
./share/nls/en_US.ISO8859-15 missing (created)
./share/nls/es_ES.ISO8859-1 missing (created)
./share/nls/es_ES.ISO8859-15 missing (created)
./share/nls/et_EE.ISO8859-15 missing (created)
./share/nls/fi_FI.ISO8859-1 missing (created)
./share/nls/fi_FI.ISO8859-15 missing (created)
./share/nls/fr_BE.ISO8859-1 missing (created)
./share/nls/fr_BE.ISO8859-15 missing (created)
./share/nls/fr_CA.ISO8859-1 missing (created)
./share/nls/fr_CA.ISO8859-15 missing (created)
./share/nls/fr_CH.ISO8859-1 missing (created)
./share/nls/fr_CH.ISO8859-15 missing (created)
./share/nls/fr_FR.ISO8859-1 missing (created)
./share/nls/fr_FR.ISO8859-15 missing (created)
./share/nls/hi_IN.ISCII-DEV missing (created)
./share/nls/hr_HR.ISO8859-2 missing (created)
./share/nls/hu_HU.ISO8859-2 missing (created)
./share/nls/is_IS.ISO8859-1 missing (created)
./share/nls/is_IS.ISO8859-15 missing (created)
./share/nls/it_CH.ISO8859-1 missing (created)
./share/nls/it_CH.ISO8859-15 missing (created)
./share/nls/it_IT.ISO8859-1 missing (created)
./share/nls/it_IT.ISO8859-15 missing (created)

./share/nls/ja_JP.SJIS missing (created)
./share/nls/ja_JP.eucJP missing (created)
./share/nls/ko_KR.eucKR missing (created)
./share/nls/la_LN.IS08859-1 missing (created)
./share/nls/la_LN.IS08859-15 missing (created)
./share/nls/la_LN.IS08859-2 missing (created)
./share/nls/la_LN.IS08859-4 missing (created)
./share/nls/la_LN.US-ASCII missing (created)
./share/nls/lt_LT.IS08859-4 missing (created)
./share/nls/nl_BE.IS08859-1 missing (created)
./share/nls/nl_BE.IS08859-15 missing (created)
./share/nls/nl_NL.IS08859-1 missing (created)
./share/nls/nl_NL.IS08859-15 missing (created)
./share/nls/no_NO.IS08859-1 missing (created)
./share/nls/no_NO.IS08859-15 missing (created)
./share/nls/pl_PL.IS08859-2 missing (created)
./share/nls/pt_BR.IS08859-1 missing (created)
./share/nls/pt_PT.IS08859-1 missing (created)
./share/nls/pt_PT.IS08859-15 missing (created)
./share/nls/ro_RO.IS08859-2 missing (created)
./share/nls/ru_RU.CP866 missing (created)
./share/nls/ru_RU.IS08859-5 missing (created)
./share/nls/ru_RU.KOI8-R missing (created)
./share/nls/sk_SK.IS08859-2 missing (created)

```
./share/nls/sl_SI.ISO8859-2 missing (created)
./share/nls/sv_SE.ISO8859-1 missing (created)
./share/nls/sv_SE.ISO8859-15 missing (created)
./share/nls/tr_TR.ISO8859-9 missing (created)
./share/nls/uk_UA.ISO8859-5 missing (created)
./share/nls/uk_UA.KOI8-U missing (created)
./share/nls/zh_CN.eucCN missing (created)
./share/nls/zh_TW.Big5 missing (created)
./share/skel missing (created)
./src missing (created)
./var missing (created)
./www missing (created)
#!/bin/sh -ev
```

```
export PREFIX="/opt/local" USE_UNSERMAKE=1
. ./environment-helper.sh
```

```
#!/bin/sh
```

```
[ -n "$EH_PREFIX" ] && export PREFIX="$EH_PREFIX"
if [ -z "$PREFIX" ]; then
    echo "ERROR: set \$PREFIX before sourcing this script!"
    exit 1
fi
```



```
export LDFLAGS=""
```

```
# set some basic OS stuff
```

```
SW_VERSION=`sw_vers -productVersion | cut -d. -f1-2`
```

```
sw_vers -productVersion | cut -d. -f1-2
```

```
case $SW_VERSION in
```

```
  10.[01])
```

```
    echo "unsupported OS version: $SW_VERSION"
```

```
    exit 1
```

```
    ;;
```

```
  10.2)
```

```
    export MACOSX_DEPLOYMENT_TARGET=10.2
```

```
    FREETYPE_CONFIG=$PREFIX/bin/freetype-config
```

```
    ;;
```

```
  10.3)
```

```
    export MACOSX_DEPLOYMENT_TARGET="$SW_VERSION"
```

```
    export LD_TWOLEVEL_NAMESPACE=true
```

```
    FREETYPE_CONFIG=$PREFIX/bin/freetype-config
```

```
    ;;
```

```
  10.4)
```

```
    export MACOSX_DEPLOYMENT_TARGET="$SW_VERSION"
```

```
    export LD_TWOLEVEL_NAMESPACE=true
```

```
    FREETYPE_CONFIG=$PREFIX/bin/freetype-config
```

```
GCCCMD="gcc"
[ -n "$CC" ] && GCCCMD="$CC"
```

```
if [ ` $GCCCMD --version 2>&1 | grep -c ' 4.0.0 '` -gt 0 ]; then
    cat <<END
```

```
=== ERROR === ERROR === ERROR === ERROR === ERROR ===
```

You are using GCC 4.0.0, which is known to compile KDE, but produce bad code. Please update to XCode 2.2 or higher.

```
=== ERROR === ERROR === ERROR === ERROR === ERROR ===
END
```

```
    exit 1
```

```
fi
;;
```

10.5)

```
export MACOSX_DEPLOYMENT_TARGET="$SW_VERSION"
```

```
export LD_TWOLEVEL_NAMESPACE=true
```

```
export LDFLAGS="-Wl,-dylib_file,/System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/libGL.dylib:/System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/libGL.dylib -Wl,-dead_strip_dylibs"
```

```
FREETYPE_CONFIG=$PREFIX/bin/freetype-config
```

```
;;
```

*)

```
export MACOSX_DEPLOYMENT_TARGET="$SW_VERSION"  
export LD_TWOLEVEL_NAMESPACE=true  
export LDFLAGS="-Wl,-dead_strip_dylibs"  
FREETYPE_CONFIG=$PREFIX/bin/freetype-config  
;;
```

```
esac
```

```
if [ -n "$USE_UNSERMAKE" ] && [ "$USE_UNSERMAKE" -gt 0 ]; then  
    UNSERMAKEFLAGS=`perl -e '$ENV{MAKEFLAGS} =~ s/^..*?-j(\d+).*$/-j1 --comp  
ile-jobs=$1/; print $ENV{MAKEFLAGS}`  
    UNSERMAKEFLAGS="$UNSERMAKEFLAGS -p"  
    MAKEFLAGS=""
```

```
fi
```

```
perl -e '$ENV{MAKEFLAGS} =~ s/^..*?-j(\d+).*$/-j1 --compile-jobs=$1/; print $ENV  
{MAKEFLAGS}'
```

```
SEARCHDIRS="$PREFIX/lib/system-openssl $PREFIX $PREFIX/lib/flex $PREFIX/lib/doxy  
gen1.3"
```

```
for dir in $SEARCHDIRS; do  
    if [ -d "$dir" ]; then  
        for incdir in "$dir/include/freetype2" "$dir/include"; do  
            if [ -d "$incdir" ]; then
```

```
                export CPPFLAGS="$CPPFLAGS -I$incdir"
            fi
        done
        [ -d "$dir/lib" ]                && export LDFLAGS="-L$dir/lib $LDFLAGS"
        [ -d "$dir/bin" ]                && export PATH="$dir/bin:$PATH"
        [ -d "$dir/lib/pkgconfig" ] && export PKG_CONFIG_PATH="$dir/lib/
pkgconfig:$PKG_CONFIG_PATH"
    fi
done
```

```
# -fast, minus the unsafe bits
```

```
if [ -d "libltdl" ]; then
```

```
    export ACLOCALFLAGS="$ACLOCALFLAGS -I libltdl"
```

```
fi
```

```
export CFLAGS="-Os -fPIC"
```

```
export CXXFLAGS="$CFLAGS"
```

```
export CPPFLAGS="$CPPFLAGS -fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM  
-I$PREFIX/include"
```

```
export FREETYPE_CONFIG
```

```
export LIBS="$LIBS -L$PREFIX/lib"
```

```
export SED="sed"
```

```
export CONFIGURE_PARAMS="--includedir=$PREFIX/include --libdir=$PREFIX/lib --pre  
fix=$PREFIX --with-extra-libs=$PREFIX/lib --with-extra-includes=$PREFIX/include
```

```
--enable-mt --with-pic --enable-rpath --enable-shared=yes --enable-static=no --m
andir=$PREFIX/share/man --with-xinerama --with-pam --disable-final --with-ssl-di
r=$PREFIX --with-ssl --disable-dependency-tracking --enable-gcc-hidden-visibilit
y"
```

```
export ac_cv_have_x="have_x=yes ac_x_includes=$PREFIX/include ac_x_libraries=$PR
EFIX/lib"
```

```
export kde_cv_have_x="have_x=yes kde_x_includes=$PREFIX/include kde_x_libraries=
$PREFIX/lib"
```

```
export x_includes="$PREFIX/include" x_libraries="$PREFIX/lib"
```

```
export XMKMF="$PREFIX/bin/xmkmf" IMAKE="$PREFIX/bin/imake"
```

```
# miscellaneous stuff that packages use
```

```
export lt_cv_sys_max_cmd_len=65536
```

```
export HOME=/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.
macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
```

```
export QTDOCDIR="$PREFIX/share/doc/qt3/html"
```

```
[ -x "$PREFIX/lib/flex/bin/flex" ] && export LEX="$PREFIX/lib/flex/bin/flex"
```

```
if [ -e "$PREFIX/lib/qt3/include" ]; then
```

```
    CONFIGURE_PARAMS="$CONFIGURE_PARAMS --with-qt-dir=$PREFIX/lib/qt3"
```

```
else
```

```
    CONFIGURE_PARAMS="$CONFIGURE_PARAMS --with-qt-dir=$PREFIX --with-qt-incl
udes=$PREFIX/include/qt"
```

```
fi
```

```
PATH=`echo $PATH | perl -p -e 'for my $entry (split(/:/, $_)) { next if ($entry =~ m,^/usr/local,); push(@path, $entry) }; $_ = join(":", @path)`  
echo $PATH | perl -p -e 'for my $entry (split(/:/, $_)) { next if ($entry =~ m,^/usr/local,); push(@path, $entry) }; $_ = join(":", @path)'
```

```
if [ -x "$PREFIX/lib/xmkmf/bin" ]; then  
    export PATH="$PREFIX/lib/xmkmf/bin:$PATH"  
    export IMAKEINCLUDE="-I$PREFIX/lib/X11/config"
```

```
fi
```

```
if [ `grep -r /usr/X11R6 admin 2>/dev/null | wc -l` -gt 0 ]; then  
    echo "*** replacing /usr/X11R6 with $PREFIX in the admin/ directory ***"  
    find admin -type f | xargs perl -pi -e "s,/usr/X11R6,$PREFIX,g"
```

```
fi
```

```
grep -r /usr/X11R6 admin 2>/dev/null | wc -l
```

```
export ALL_LIBRARIES="$LD_FLAGS $LIBS"
```

```
cat <<END
```

```
the following environment is being used:
```

```
ACLOCALFLAGS:          $ACLOCALFLAGS
```

```
CFLAGS:                $CFLAGS
CPPFLAGS:              $CPPFLAGS
CXXFLAGS:              $CXXFLAGS
CC:                    $CC
CXX:                   $CXX
FREETYPE_CONFIG:       $FREETYPE_CONFIG
LDFLAGS:               $LDFLAGS
LIBS:                  $LIBS
MACOSX_DEPLOYMENT_TARGET: $MACOSX_DEPLOYMENT_TARGET
PATH:                  $PATH
PKG_CONFIG_PATH:       $PKG_CONFIG_PATH
CONFIGURE_PARAMS:      $CONFIGURE_PARAMS
UNSERMAKEFLAGS:        $UNSERMAKEFLAGS
MAKEFLAGS:             $MAKEFLAGS
```

END

the following environment is being used:

```
ACLOCALFLAGS:          -I libltdl
CFLAGS:                -Os -fPIC
CPPFLAGS:              -I/opt/local/include/freetype2 -I/opt/local/include
-fno-common -no-cpp-precomp -DMACOSX -DARTS_NO_ALARM -I/opt/local/include
CXXFLAGS:              -Os -fPIC
CC:
```

```
CXX:
FREETYPE_CONFIG: /opt/local/bin/freetype-config
LDFLAGS: -L/opt/local/lib -Wl,-dead_strip_dylibs
LIBS: -L/opt/local/lib
MACOSX_DEPLOYMENT_TARGET: 10.6
PATH: /opt/local/bin:/opt/local/bin:/opt/local/sbin:/bin:/
sbin:/usr/bin:/usr/sbin
PKG_CONFIG_PATH: /opt/local/lib/pkgconfig:
CONFIGURE_PARAMS: --includedir=/opt/local/include --libdir=/opt/local/
lib --prefix=/opt/local --with-extra-libs=/opt/local/lib --with-extra-includes=/
opt/local/include --enable-mt --with-pic --enable-rpath --enable-shared=yes --en
able-static=no --mandir=/opt/local/share/man --with-xinerama --with-pam --disabl
e-final --with-ssl-dir=/opt/local --with-ssl --disable-dependency-tracking --ena
ble-gcc-hidden-visibility --with-qt-dir=/opt/local/lib/qt3
UNSERMAKEFLAGS: -p
MAKEFLAGS:
```

```
./build-helper.sh install kdelibs3 3.5.10 16 untermake -p -j1 ins
tall DESTDIR=/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot
01% 01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc
```



```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/dcop
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/dcop/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdefx
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdefx/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdecore
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdecore/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kunittest
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kunittest/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdeui
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdeui/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdesu
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdesu/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kjs
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kjs/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kwallet
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kwallet/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kssl
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kssl/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kio
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kio/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/bookmarks
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/bookmarks/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kfile
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kfile/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kpasswdserver
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kpasswdserver/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kioexec
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/kioexec/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/httpfilter
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kio/httpfilter/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/libkscreensaver
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/libkscreensaver/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/libkmid
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/libkmid/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kparts
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kparts/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/knewstuff
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/knewstuff/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kioslave
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kioslave/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kioslave/http
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kioslave/http/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kinit
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kinit/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kimgio
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kimgio/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdeprint
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdeprint/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kded
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kded/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kutils
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kutils/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kresources
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kresources/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kabc
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kabc/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdoctools
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kdoctools/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/dnssd
```



```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/dnssd/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/arts
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/arts/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kspell2
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kspell2/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kmdi
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kmdi/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kmdi/kmdi
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kmdi/kmdi/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/khtml
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/khtml/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kcmshell
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/kcmshell/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/ktexteditor
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/ktexteditor/html
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/kimproxy
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/kimproxy/interface
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/kimproxy/interface/html
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/kimproxy/library
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/kimproxy/library/html
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/kspeech
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/interfaces/kspeech/html
```

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/doc/kde/en/kdelibs-apidocs/kate
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/doc/kde/en/kdelibs-apidocs/kate/html
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kde.pot
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/dcop/dcopclient.h
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/dcop/dcopobject.h
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/dcop/dcopstub.h
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/dcop/dcopref.h
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/dcop/dcoptypes.h
```

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/kdatastream.h

01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps

mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/dcopidlng

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopidlng/Ast.pm

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopidlng/Iter.pm

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopidlng/kalyptusCxxToDcopIDL.pm

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopidlng/kdocAstUtil.pm

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopidlng/kdocParseDoc.pm

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/dcopidlg/kdocUtil.pm

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kpixmap.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kpixmapsplitter.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kpixmaeffect.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kimageeffect.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kdrawutil.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kstyle.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/kcpuinfo.h

```
01% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/config
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/config/colors
```

```
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
core/40.colors
```

```
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdecore/Web.colors
```

```
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdecore/Royal.colors
```

```
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdecore/Rainbow.colors
```

```
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdecore/kconfig.h
```

```
01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdecore/kconfigskelton.h
```

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kconfigdata.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksimpleconfig.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kconfigdialogmanager.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kconfigbase.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdesktopfile.h

01% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kurl.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksock.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaboutdata.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcmdlineargs.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kconfigbackend.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kapp.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kapplication.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kuniqueapp.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kuniqueapplication.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcharsets.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdeversion.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpty.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kprocess.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kprocctrl.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/klocale.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kicontheme.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kiconloader.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdebug.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kwinmodule.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kwin.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/krootprop.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kshortcut.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kkeynative.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaccel.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kglobalaccel.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kstdaccel.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kshortcutlist.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcatalogue.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kregexp.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcompletion.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kstringhandler.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kstddirs.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kstandarddirs.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kglobal.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kglobalsettings.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksharedptr.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kallocator.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kvmallocator.h

02% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcrash.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/krfcdate.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kinstance.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpalette.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kipc.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/klibloader.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ktempfile.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksavefile.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/krandomsequence.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/knotifyclient.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kiconeffect.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaudioplayer.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdcopropertyproxy.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/netwm.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kaccelmanager.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/netwm_def.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kpixmapprovider.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kunload.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kstaticdeleter.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextsock.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kextendedsocket.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksockaddr.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kprocio.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kasyncio.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kbufferedio.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kurldrag.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmimesourcefactory.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmdcodec.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksocks.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksycoca.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksycocaentry.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksycocatype.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kxmessages.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kstartupinfo.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/klargefile.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmultipldrag.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kgenericfactory.h

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kgenericfactory.tcc

03% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ktypelist.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ksortablevaluelist.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdebugclasses.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kclipboard.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcalendarsystem.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kcalendarsystemfactory.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmacroexpander.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmanagerselection.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmountpoint.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kuser.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/klockfile.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kidna.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ktempdir.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kshell.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/fixx11h.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kxerrorhandler.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdelibs_export.h

04% installing ./kdecore/kdemacros.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kde_file.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/ktimezones.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdebug_areas

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kdebugrc

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/language.codes

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdecore/network/kresolver.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kreverseresolver.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/ksocketaddress.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/ksocketbase.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/ksocketdevice.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kclientsocketbase.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kstreamsocket.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kserversocket.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdecore/network/kdatagramsocket.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kmulticastsocketdevice.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kmulticastsocket.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/knetworkinterface.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/khttpproxysocketdevice.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/ksockssocketdevice.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kbufferedsocket.h

04% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/network/kiobuffer.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdecore/network/ipv6blacklist

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/svgicons/ksvgiconengine.h

05% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kunittest

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kunittest/runner.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kunittest/tester.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kunittest/module.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kprogress.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcolordlg.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kcolordialog.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kselect.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdatepik.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdatepicker.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdatetbl.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kfontdialog.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpopupmenu.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kfontrequester.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ktabctl.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kstatusbar.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kmainwindow.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kmainwindowiface.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ktoolbar.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kmenubar.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/knuminput.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kseparator.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/klineedit.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/krestrictedline.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcolorbutton.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcolorbtn.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ksystemtray.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdockwindow.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kbuttonbox.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/keditcl.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kled.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/keditlistbox.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kwizard.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kkeydialog.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kkeybutton.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kurllabel.h

05% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kruler.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcursor.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/klineeditdlg.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kinputdialog.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kactivelabel.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kcharselect.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kcolordrag.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/qxembed.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/knumvalidator.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kdialog.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kdialogbase.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kjanuswidget.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kaboutdialog.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kauthicon.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kmessagebox.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ksharedpixmap.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kdualcolorbtn.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kdualcolorbutton.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ktoolbarbutton.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ktoolbarradiogroup.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ktextbrowser.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kaction.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kactioncollection.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kactionclasses.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/khelpmenu.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kswitchlanguagedialog.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kcmodule.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcmenumngr.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpanelmenu.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpanelappmenu.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kactionshortcutlist.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kstdaction.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kcombobox.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kiconview.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/klistview.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/klistbox.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kbugreport.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpassdlg.h

06% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kxmlguiclient.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kxmlgui.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kxmlguibuilder.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kxmlguifactory.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kpixmapio.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kwordwrap.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kedittoolbar.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kdockwidget.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kanimwidget.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/krootpixmap.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kaboutkde.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kaboutapplication.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kpanelapplet.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kpushbutton.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kdcopactionproxy.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kcolorcombo.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kpanelextension.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kcompletionbox.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ksqueezedtextlabel.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kcommand.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kwindowlistmenu.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kfontcombo.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kaccelgen.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ktip.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdatewidget.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/karrowbutton.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kguiitem.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kstdguiitem.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kstringvalidator.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kwindowinfo.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ktextedit.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kpassivepopup.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kdatetimewidget.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ktimewidget.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ktimezonewidget.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/kscrollview.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kspell.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ksconfig.h

07% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kspelledlg.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ksyntaxhighlighter.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ktabbar.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ktabwidget.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ksplashscreen.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kconfigdialog.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kactionselector.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/klanguagebutton.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/klistviewsearchline.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kpixmapregionselectorwidget.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kpixmapregionselectordialog.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kiconviewsearchline.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/ktoolbarlabelaction.h

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/kshortcutdialog.h

08% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/

```
share/apps/kdeui
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/apps/kdeui/pics
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
ui/aboutkde.png
08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeui/ktip-bulb.png
08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeui/ktip-background.png
08% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/config/ui
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
ui/ui_standards.rc
08% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/services
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
```

e/services/kded

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
ui/kdetrayproxy/kdetrayproxy.desktop

08% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeui/about

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
ui/about/bar-bottom-left.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeui/about/bar-top-right.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeui/about/bar-bottom-middle.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeui/about/bottom-left.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeui/about/box-middle-left.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/top-left.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/bar-bottom-right.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/bottom-middle.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/box-middle-right.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/top-middle.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/bar-middle-left.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/bottom-right.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/box-top-left.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/bar-middle-right.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/box-bottom-left.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/box-top-middle.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/bar-top-left.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/box-bottom-middle.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/box-top-right.png

08% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/bar-top-middle.png

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/box-bottom-right.png

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdeui/about/kde_infopage.css

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/about/kde_infopage_rtl.css

09% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kdesu

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/defaults.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/client.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/process.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/kdesu_pty.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/kcookie.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kdesu/su.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/ssh.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/stub.h

09% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kjs

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/value.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/types.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/object.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/interpreter.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kjs/operations.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/ustring.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/lookup.h

09% installing ./kjs/global.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/identifier.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/property_map.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/reference.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/reference_list.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kjs/completion.h

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kjs/scope_chain.h
09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kjs/list.h
09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kjs/simple_number.h
09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kjs/function.h
09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kwallet/client/kwallet.h
09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kwallet/client/kwallettypes.h
09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kpasswdserver.desktop
09% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kconf_update
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```

acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio
/kioslave.upd

09% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/servicetypes

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio
/application.desktop

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kurifilterplugin.desktop

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kcomprfilter.desktop

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kscan.desktop

09% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kdatatool.desktop

10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kfileplugin.desktop

10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kcmodule.desktop
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/renamedlgplugin.desktop
10% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio
/magic
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/data.protocol
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/kssl.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslcertificatehome.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslsettings.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
```


nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslcertificate.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslconnectioninfo.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslcertificatefactory.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslcertificatecache.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslpeerinfo.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslinfodlg.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslcertdlg.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslutils.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/kopenssl.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslall.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslpkcs12.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslcertchain.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslkeygen.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslx509v3.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslsigners.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslpkcs7.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslpemcallback.h
10% installing ./kio/kssl/ksslconfig.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslsession.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksslx509map.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/ksmimecrypto.h
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kssl/kssl/ksslcalist
10% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kssl
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio
/kssl/kssl/caroot/ca-bundle.crt
10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/kio/kservicetype.h
```

10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kmimetype.h

10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kmimemagic.h

10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kservice.h

10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/krun.h

10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kdirwatch.h

10% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kautomount.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kuserprofile.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kshred.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kar.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/ktar.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kzip.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/ktrader.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kurifilter.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kurlcompletion.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kshellcompletion.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfileitem.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfileshare.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/ksambashare.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/knfsshare.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kdirllister.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kservicegroup.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kimageio.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kdirnotify.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kdirnotify_stub.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kurlpixmapprovider.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kprotocolinfo.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kprotocolmanager.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilterbase.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilterdev.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kemailsettings.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kscan.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kdatatool.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/karchive.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilefilter.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kfilemetainfo.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/renamedlgplugin.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kmimetyperesolver.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kdcopsvicestarter.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kremoteencoding.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kmimetypechooser.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kacl.h

11% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kio

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/connection.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/slaveinterface.h

11% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/slave.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/slaveconfig.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/sessiondata.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/global.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/pasdlg.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/netaccess.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/job.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/scheduler.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/jobclasses.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/paste.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/slavebase.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/progressbase.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/defaultprogress.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/statusbarprogress.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/tcpslavebase.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/forwardingslavebase.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/observer.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/chmodjob.h

12% installing ./kio/kio/uiserver_stub.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/kio/kmdbase.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/authinfo.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/ioslave_defaults.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/http_slave_defaults.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/previewjob.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/thumbcreator.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/metainfojob.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/davjob.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/renamedlg.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kio/skipdlg.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmark.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkbar.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkdrag.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkexporter.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkimporter.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkmanager.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/bookmarks/kbookmarkmenu.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/bookmarks/kbookmarknotifier.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/bookmarks/kbookmarkimporter_crash.h

12% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/bookmarks/kbookmarkimporter_opera.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/bookmarks/kbookmarkimporter_ie.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/bookmarks/kbookmarkimporter_ns.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/bookmarks/kbookmarkimporter_kde1.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/bookmarks/kbookmarkdombuilder.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kpropsdlgplugin.desktop

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfiledialog.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kencodingfiledialog.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kdiroperator.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfileview.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfilefiltercombo.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfiledetailview.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kcombiview.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kdiskfreesp.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfileiconview.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/krecentdocument.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kurlrequester.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfilepreview.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfile.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kurlcombobox.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kurlrequesterdlg.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kopenwith.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kpropsdlg.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kicondialog.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kdirsize.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kpreviewwidgetbase.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kimagefilepreview.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfilesharedlg.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfiletreeview.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfiletreeviewitem.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kfiletreebranch.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kdirselectdialog.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kurlbar.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kpropertiesdialog.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/knotifydialog.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/kfile/kcustommenueditor.h

13% installing ./kio/kfile/knotifywidgetbase.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/misc/uiserver.h

13% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kio/misc/kmailservice.protocol

14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/telnet.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/rlogin.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/rtsp.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/ssh.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/mms.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/mmst.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/mmsu.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/pnm.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/rtspt.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/rtspu.protocol
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/kio_uiserver.desktop
14% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/proxyscout
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio
/misc/kpac/eventsrc
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/kpac/proxyscout.desktop
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/kdesasl/kdesasl.h
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/kssld/kssld.desktop
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/kwalletd/kwalletd.desktop
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/misc/kntlm/kntlm.h
14% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/icons/hicolor
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pic
s/hicolor/index.theme
14% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons/crystalsvg
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pic
s/crystalsvg/index.theme
14% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/emoticons
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/emoticons/Default
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/emoticons/angry.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/emoticons/bat.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/emoticons/beer.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/emoticons/biggrin.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/emoticons/cake.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/emoticons/camera.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/emoticons/cat.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/clock.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/cocktail.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/confused.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/cry.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/cup.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/dog.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/email.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/embarassed.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/emoticons.xml
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/film.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/kiss.png
14% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/lightbulb.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/love.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/note.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/oh.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/omg.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/phone.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/present.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/rose.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/sad.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/shade.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/sleep.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/smile.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/star.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/teeth.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/thumbs_down.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/thumbs_up.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/tongue.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/unhappy.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/unlove.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/wilted_rose.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/wink.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/foot_in_mouth.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/innocent.png
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/pics/emoticons/undecided.png
15% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimelnk/all
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/all.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/allfiles.desktop
15% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimelnk/application
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/application/x-dvi.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-gzdvi.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-bz2dvi.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-tex-gf.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-gzip.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-pak.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-object.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-tex-pk.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/pdf.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-tar.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-trash.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-zip.desktop
15% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-zip-compressed.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-core.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-javascript.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/java.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-java.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-java-applet.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-jar.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-arj.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-tarz.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-gzpostscript.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/postscript.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/octet-stream.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-shellscript.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-desktop.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-executable.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-executable-script.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-archive.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-lha.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-tbz.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-tgz.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-awk.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-perl.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-perl-module.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-compress.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-cpio.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-rpm.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/msword.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-sharedlib.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/wordperfect.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-troff.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-troff-man.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-python.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-python-bytecode.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-bzip.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-bzip2.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/mspowerpoint.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.ms-powerpoint.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/msexcel.desktop
16% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/smil.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-rar.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-zoo.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-tzo.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-lzop.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-applixword.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-applixspread.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-applixgraphics.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/xhtml+xml.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.ms-excel.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.ms-word.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-shockwave-flash.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-designer.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-linguist.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-ogg.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/ogg.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-pkcs12.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-x509-ca-cert.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/pkcs7-signature.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/pgp-signature.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/pgp-encrypted.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/pgp-keys.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/pgp.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-msmetafile.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-mswrite.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/illustrator.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-abiword.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-gnumeric.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-graphite.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-karbon.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kchart.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kformula.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kivio.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kontour.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kpresenter.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-krita.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kspread.desktop
17% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kugar.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kword.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-quattropro.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-amipro.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-tgif.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-lyx.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-zerosize.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kpovmodeler.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-cda.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/pkcs7-mime.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/pkcs10.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/sieve.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/mbox.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-hancomword.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-bdf.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-pcf.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-speedo.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-type1.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-ghostscript.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-snf.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-ttf.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.ms-asf.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-msdos-program.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-deb.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-debian-package.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.stardivision.writer.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.stardivision.calc.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.stardivision.impress.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.impress.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.writer.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.base.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-magicpoint.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-vnd.kde.kugar.mixed.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-vnd.kde.kexi.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.palm.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kudesigner.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-vnd.kde.kplato.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.calc.desktop
18% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/mathml+xml.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-bittorrent.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-msaccess.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-gettext.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-ruby.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kcsrc.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-php.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-ttc.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-font-otf.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.mozilla.xul+xml.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.draw.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-kde-wallet.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-cue.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-ica.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-iso.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-ace.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-afm.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-arc.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.rn-realmedia.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-dbase.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.calc.template.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.writer.template.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.impress.template.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.draw.template.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.stardivision.chart.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.stardivision.draw.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.stardivision.math.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.stardivision.writer-global.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.sun.xml.writer.master.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-xliff.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-7z.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/xml.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-webarchive.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-mimearchive.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/xsd.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/relaxng.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.graphics-template.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.graphics.desktop
19% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.formula.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.presentation-template.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.presentation.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.spreadsheet-template.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.spreadsheet.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.text-template.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.text.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.image.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/vnd.oasis.opendocument.chart.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-java-jnlp-file.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/xml-dtd.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/fits.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-rar-compressed.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-sqlite2.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-sqlite3.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/chm.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/application/x-mplayer2.desktop
20% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/text
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/text/x-c++src.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-c++hdr.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-csrc.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-java.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-makefile.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-moc.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-pascal.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-objchdr.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-tcl.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-tex.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/html.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/plain.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/enriched.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-chdr.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/rtf.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/sgml.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/xml.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/css.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-vcard.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-ldif.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-vcalendar.desktop
20% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-diff.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-objcsrc.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-log.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-bibtex.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/rdf.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/rss.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/calendar.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-adarc.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-csv.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-latex.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-xslfo.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-xslt.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/vnd.wap.wml.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-katefilelist.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/docbook.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-mswinurl.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-hex.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/vnd.abc.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/javascript.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/text/x-python.desktop
21% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/audio
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/audio/x-wav.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-mod.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-midi.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-mp3.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-mp2.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/mp4.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/mpeg.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/basic.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-adpcm.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-aiff.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-pn-realaudio.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-pn-realaudio-plugin.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/vnd.rn-realaudio.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-mpegurl.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/mpegurl.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-scpls.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/vorbis.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-vorbis.desktop
21% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-flac.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-oggflac.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-speex.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-matroska.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-musepack.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/ac3.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/aac.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/x-ms-wma.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/audio/prs.sid.desktop
22% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/video
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/video/mpeg.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/quicktime.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/x-flic.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/x-msvideo.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/x-mng.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/x-ms-asf.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
```

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/x-ms-wmv.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/x-theora.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/mp4.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/x-ogm.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/x-matroska.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/vnd.rn-realvideo.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/video/avi.desktop
22% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/image
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```

acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/jpeg.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/jpg.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/tiff.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/x-xpm.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/x-xbm.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/svg+xml.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/svg+xml.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/png.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/gif.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/fax-g3.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/cgm.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-bmp.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-photo-cd.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-eps.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-ico.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-jng.desktop
22% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-xcf-gimp.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-wmf.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-msod.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-xfig.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-portable-bitmap.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-portable-greymap.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-portable-pixmap.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-pcx.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-targa.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/jp2.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-vnd.trolltech.qpicture.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-vnd.adobe.photoshop.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-xcursor.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/pjpeg.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-exr.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-rgb.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy


```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-dds.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-djvu.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-djvu-2.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-hdr.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/fits.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/image/x-raw.desktop
23% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/inode
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/inode/block.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
```

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/inode/chardevice.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/inode/directory-locked.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/inode/directory.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/inode/fifo.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/inode/socket.desktop
23% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/message
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/message/rfc822.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/message/news.desktop
23% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
```

```
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/multipart
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/multipart/mixed.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/multipart/x-mixed-replace.desktop
23% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/model
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/model/vrml.desktop
23% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/mimeInk/uri
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mim
etypes/uri/mms.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/uri/mmst.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
```

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/uri/mmsu.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/uri/pnm.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/uri/rtsp.desktop
23% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/mimetypes/uri/rtspu.desktop
24% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/LICENSES
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/lic
enses/BSD
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/licenses/GPL_V2
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/licenses/LGPL_V2
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
```

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/licenses/QPL_V1.0
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/licenses/ARTISTIC
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkscreensaver/kscreensaver.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkscreensaver/kscreensaver_vroot.h
24% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/libkmid
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/lib
kmid/midiout.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/player.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/track.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/track.h

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/midmapper.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/midfile.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/dattypes.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/midistat.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/deviceman.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/synthout.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/fmout.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/gusout.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/alsaout.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/voiceman.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/notearray.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/mt32togm.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/midispec.h
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/libkmid/libkmid.h
24% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kstyle
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/apps/kstyle/themes
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```

acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/plastik/plastik.themerc

24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/highcontrast/highcontrast.themerc

24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/themes/qtplatinum.themerc

24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/themes/qtcdde.themerc

24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/themes/qtmotif.themerc

24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/themes/qtwindows.themerc

24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/themes/qtsgi.themerc

24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/themes/qtmotifplus.themerc

24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync


```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/themes/highcolor.themerc
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/themes/default.themerc
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/themes/b3.themerc
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/themes/light-v2.themerc
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/themes/light-v3.themerc
24% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/themes/keramik.themerc
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/themes/kthemestylerc
25% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kstyle/pixmaps
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kstyle/pixmaps/riscos
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/riscos/arrowdown.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/riscos/arrowdown_down.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/riscos/arrowleft.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/riscos/arrowleft_down.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/riscos/arrowright.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/riscos/arrowright_down.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kstyles/riscos/arrowup.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/arrowup_down.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/background.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/check.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/check_checked.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/checkmark.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/combo.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/combo_down.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/hscrollback.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/hscrollbar.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/hscrollbar_down.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/hscrollborder.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/hstab.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/menu_back.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/radio.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/radio_down.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/raised_border.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/scrollborder.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/slider.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/sunk_border.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/tab_up.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/vscrollback.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/vscrollbar.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/vscrollbar_down.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/vscrollborder.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/vtab.png
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kstyles/riscos/riscos.themerc
25% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/kparts
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kpa
rts/part.h
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/plugin.h
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/partmanager.h
25% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/mainwindow.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/dockmainwindow.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/event.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/browserextension.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/factory.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/historyprovider.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/browserinterface.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/genericfactory.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/componentfactory.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/browserrun.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/statusbarextension.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/kpart.desktop
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/krop.desktop
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/krwp.desktop
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kparts/browserview.desktop
26% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/knewstuff
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kne
wstuff/types
26% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/knewstuff
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```


acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knewstuff/downloaddialog.h

26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knewstuff/engine.h

26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knewstuff/entry.h

26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knewstuff/knewstuffgeneric.h

26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knewstuff/knewstuff.h

26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knewstuff/providerdialog.h

26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knewstuff/provider.h

26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/knewstuff/uploaddialog.h

26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/knewstuff/knewstuffbutton.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/knewstuff/knewstuffsecure.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/knewstuff/khotnewstuffrc
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/file/file.protocol
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/file/file.h
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/http/http_cache_cleaner.desktop
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/http/http.protocol
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/http/https.protocol
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/http/webdav.protocol
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/http/webdavs.protocol
26% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/khtml
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio
slave/http/kcookiejar/domain_info
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/http/kcookiejar/kcookiejar.desktop
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/http/kcookiejar/kcookiescfg.upd
26% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/ftp/ftp.protocol
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/gzip/kgzipfilter.desktop
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/bzip2/kbzip2filter.desktop
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kioslave/metainfo/metainfo.protocol
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/png.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/xpm.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/bmp.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/pbm.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/pgm.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/ppm.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/xbm.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/jpeg.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/xv.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/eps.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/tiff.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/ico.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/jp2.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/gif.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/pcx.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/tga.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/rgb.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/xcf.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/dds.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/exr.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/mng.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/psd.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kimgio/hdr.kimgio
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kprinter.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kprintaction.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kdeprintrc
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kdeprintd.desktop
27% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/kdeprint
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
print/kprintdialogpage.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kpreloadobject.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
```

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kmmanager.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kmprinter.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kmobject.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kprintdialog.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/driver.h
27% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kmjobmanager.h
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kmjob.h
28% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```


acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
print/testprint.ps

28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/specials.desktop

28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kdeprintrc.upd

28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/kprintpreviewui.rc

28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/management/kmmainview.h

28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/management/kmjobviewer.h

28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/management/kmprinterpage.h

28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/management/kiconselectaction.h

28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/management/kmtimer.h
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/management/tileup.png
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/management/tiledown.png
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/management/side.png
28% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint/plugins
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
print/lpdunix/lpdunix.print
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/cups/cups.print
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/cups/preview.png
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/cups/preview-mini.png
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/cups/cupsdconf2/kde_logo.png
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/cups/cupsdconf2/cups_logo.png
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/cups/cupsdconf2/cupsd.conf.template
28% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/kdeprint/lpr
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
print/lpr/printcapentry.h
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/lpr/lprhandler.h
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/lpr/lprsettings.h
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/lpr/apsdriver1
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/lpr/apsdriver2
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/lpr/lprngtooldriver1
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/lpr/lpr.print
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/rlpr/rlpr.print
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/ext/ext.print
28% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint/filters
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
print/filters/enscript.desktop
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
```

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/enscript.xml
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psnup.desktop
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psnup.xml
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/imagetops.desktop
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/imagetops.xml
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/pdfwrite.desktop
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/pdfwrite.xml
28% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psbook1.desktop
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psbook1.xml
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psbook2.desktop
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psbook2.xml
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psbook.desktop
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psbook.xml
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psselect.desktop
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/psselect.xml
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/ps2pdf.desktop
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/ps2pdf.xml
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/pdf2ps.desktop
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/pdf2ps.xml
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/poster.desktop
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/filters/poster.xml
29% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint/pics
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde
print/pics/kdeprint_collate.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_collate_reverse.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_collate_reverse.png

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_color.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_duplex_none.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_duplex_long.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_duplex_short.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_grayscale.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_landscape.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_nup1.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_nup2.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_nup4.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_portrait.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_revlandscape.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_revportrait.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_uncollate.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_uncollate_reverse.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_nupother.png
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdeprint/pics/kdeprint_prettyprint.png
29% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma

```
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/apps/kdeprint/tools  
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m  
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kde  
print/tools/escputil/escputil.desktop  
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy  
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10  
/kded/kdedmodule.desktop  
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy  
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10  
/kded/kdedmodule.h  
29% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
etc/xdg  
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/etc/  
xdg/menus  
installing ./kded/kde-applications.menu  
29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy  
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10  
/kded/kded.upd  
29% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/apps/kcertpart
```

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kcert/kcertpart.rc

29% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kcert/kcertpart.desktop

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kfind.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kfinddialog.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kreplace.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kreplacdialog.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kcmoduleinfo.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kcmoduleloader.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kcmultidialog.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kmultitabbar.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kplugininfo.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kcmoduleproxy.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kpluginselector.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kcmodulecontainer.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/kplugininfo.desktop

30% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/ksettings

```
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kut
ils/ksettings/dispatcher.h
30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kutils/ksettings/dialog.h
30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kutils/ksettings/pluginpage.h
30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kutils/ksettings/componentsdialog.h
30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kresources/kresources_plugin.desktop
30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kresources/kresources_manager.desktop
30% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/kresources
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kre
sources/resource.h
```

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/configwidget.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/factory.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/manageriface.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/managerimpl.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/manager.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/selectdialog.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/configdialog.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kresources/configpage.h

```
30% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/applications
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/applications/kde
```

```
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kre
sources/kresources.desktop
```

```
30% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/kabc
```

```
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kab
c/address.h
```

```
30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kabc/addressbook.h
```

```
30% installing ./kabc/addressee.h
```

```
30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kabc/addresseedialog.h
```

```
30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
```

/kabc/agent.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/distributionlist.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/distributionlistdialog.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/distributionlisteditor.h

30% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/errorhandler.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/field.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/format.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/formatfactory.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/formatplugin.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/geo.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/key.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/phonenumbers.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/picture.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/plugin.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/resource.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/resourceselectdialog.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/secretcy.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/sound.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/stdaddressbook.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/timezone.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/vcardconverter.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/vcardformat.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/vcardformatplugin.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/ldifconverter.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/addresslineedit.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/ldapclient.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/adresseelist.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/lock.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/locknull.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/ldif.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/ldapurl.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/ldapconfigwidget.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/sortmode.h

31% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/autostart

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/kab2kabc.desktop

31% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/services/kresources

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/kabc_manager.desktop

31% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kabc

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/countrytransl.map

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/vcardparser/vcard.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/vcardparser/vcardline.h

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/vcardparser/vcardparser.h

31% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kabc/formats

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/formats/binary.desktop

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/plugins/file/resourcefile.h

31% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/services/kresources/kabc

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/plugins/file/file.desktop

31% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kabc/plugins/dir/dir.desktop

32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/kabc/plugins/dir/resourcedir.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kabc/plugins/ldapkio/resourceldapkio.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kabc/plugins/ldapkio/ldapkio.desktop
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdoctools/help.protocol
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdoctools/ghelp.protocol
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdoctools/kio_help.upd
32% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/dnssd
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/
domainbrowser.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10

/dnssd/query.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/remoteservice.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/publicservice.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/servicebase.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dnssd/servicebrowser.h
32% installing ./dnssd/settings.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/arts/knotify/knotify.desktop
32% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kspell2
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kspell2/settings.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/filter.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/dictionary.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/broker.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/backgroundchecker.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/defaultdictionary.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/kspellclient.desktop
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/ui/dialog.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/ui/highlighter.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/ui/configdialog.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/ui/configwidget.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/plugins/aspell/kspell_aspell.desktop
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kspell2/plugins/ispell/kspell_ispell.desktop
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdichildarea.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdichildfrm.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdichildfrmcaption.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdidefines.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

```
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdiiterator.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdilistiterator.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdimainfrm.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdinulliterator.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmditaskbar.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmdichildview.h
32% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kmdi/kmditoolviewaccessor.h
33% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/kmdi
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```

acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdi/global.h

33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdi/mainwindow.h

33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdi/toolviewaccessor.h

33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kmdi/kmdi/tabwidget.h

33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml.rc

33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_browser.rc

33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_popupmenu.rc

33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtmlview.h

33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/khtml_part.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/khtml_events.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/khtml_settings.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/khtml_defaults.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/khtml.desktop
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/khtmlimage.desktop
33% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/dom
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/
dom/dom_exception.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/
dom/dom_exception.h

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_base.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_inline.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/css_rule.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_html.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_block.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_list.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/css_stylesheet.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_misc.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_document.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_misc.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/css_value.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_node.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_element.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_object.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_core.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_string.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_form.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_table.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_doc.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_text.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_head.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_element.h
33% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom_xml.h
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/html_image.h
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy

nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom2_range.h
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom2_traversal.h
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom2_events.h
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/dom/dom2_views.h
34% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/khtml/css
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/html4.css
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/khtml/css/quirks.css
34% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kjava
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/css/html4.css

acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/java/kjava.jar
34% installing ./khtml/java/kjava.policy
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/java/pluginsinfo
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/java/kjavaappletviewer.desktop
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/kmultipart/kmultipart.desktop
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/ktexteditor.desktop
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/ktexteditoreditor.desktop
34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/ktexteditorplugin.desktop
34% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kcm_componentchooser

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/int
erfaces/ktexteditor/kcm_ktexteditor.desktop

34% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/ktexteditor

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/int
erfaces/ktexteditor/document.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/interfaces/ktexteditor/view.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/interfaces/ktexteditor/editor.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/interfaces/ktexteditor/plugin.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/interfaces/ktexteditor/editinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/interfaces/ktexteditor/undointerface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/selectioninterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/cursorinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/clipboardinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/popupmenuinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/viewcursorinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/searchinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/highlightinginterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/blockselectioninterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/codecompletioninterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/configinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/markinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/printinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/wordwrapinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/dynwordwrapinterface.h

34% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/markinterfaceextension.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/configinterfaceextension.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/encodinginterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/viewstatusmsginterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/sessionconfiginterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/editorchooser.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/documentinfo.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/selectioninterfaceext.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/selectionextdcopinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/texthintinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/editinterfaceext.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/variableinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/ktexteditor/templateinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kscript/scriptinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kscript/scriptclientinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kscript/scriptmanager.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kscript/scriptinterface.desktop

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kscript/sample/shellscript.desktop

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kregexpeditor/kregexpeditorinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kregexpeditor/kregexpeditor.desktop

35% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kmediaplayer

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kmediaplayer/player.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kmediaplayer/playerdcopobject.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kmediaplayer/view.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kmediaplayer/kmediaplayerengine.desktop

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kmediaplayer/kmediaplayer.desktop

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kio/http.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/terminal/kde_terminal_interface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/khexedit/kbytesedit.desktop

35% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/khexedit

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/khexedit/byteseditinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/khexedit/valuecolumninterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/khexedit/charcolumninterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/khexedit/zoominterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/khexedit/clipboardinterface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/interface/dcopinstantmessenger.desktop

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/interface/kcm_instantmessenger.desktop

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/interface/kimiface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/kimproxy.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/kimproxyiface.h

35% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kspeech/kspeech.h

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kspeech/kspeechsink.h

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kspeech/dcoptexttospeech.desktop

36% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/common

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/artistic-license.html

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/bottom1.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/bottom2.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/bsd-license.html

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/doctop1.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/doctop2.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/fdl-license

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/fdl-license.html

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/gpl-license

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/gpl-license.html

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/kde-common.css

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/kde-default.css

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/kde-web.css

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/kde-localised.css.template

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/lgpl-license

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/lgpl-license.html

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/gpl-license.html

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/shadow.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/web-docbottom.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/x11-license.html

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/xml.dcl

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/web-doctop.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/doctop1a.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/doctop1b.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/1.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/2.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/3.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/4.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/5.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/6.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/7.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/8.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/9.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/10.png

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/doxygen.css

36% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/header.html

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/footer.html

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/mainheader.html

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/appheader.html

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/mainfooter.html

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/fdl-notice.html

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/favicon.ico

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/kde_gear_64.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/docheadergears.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/headerbg.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/grad.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/kmenu.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/kde_logo.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/kde_logo_bg.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/bottom-left.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/bottom-middle.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/bottom-right.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/top-left.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/top-middle.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/common/top-right-konqueror.png

37% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdewidgets

mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdewidgets/pics

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/klineedit.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/ktextbrowser.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kpasswordedit.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kdatewidget.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kfontrequester.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kurlrequester.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kcombobox.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kiconview.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kintspinbox.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kled.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/ksqueezedtextlabel.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kprogress.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kurllabel.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kruler.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kcmodule.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kdoublespinbox.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kdoublenuminput.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/klistbox.png

37% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/klistview.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kactivelabel.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kiconbutton.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kcolorcombo.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/khsselector.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kcolorbutton.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kgradientselector.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kdualcolorbutton.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/ktimewidget.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kpushbutton.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kcharselect.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kdatepicker.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kdialog.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/keditlistbox.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kfontcombo.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/khistorycombo.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kintnuminput.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/krestrictedline.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/ktextedit.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kurlcomborequester.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kkeybutton.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kpalettetable.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kactionselector.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kdatetable.png

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdewidgets/pics/kdatetimewidget.png

38% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kate

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/interfaces/document.h

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/interfaces/view.h

38% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/katepart

mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/katepart/syntax

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/language.dtd

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/syntax.template

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/cpp.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/c.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/html.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/kbasic.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/objectivec.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/changelog.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ada.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/css.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/perl.xml

38% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/php.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/xml.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/java.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/rpmspec.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/sql.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/sql-mysql.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/sql-postgresql.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/vhdl.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/diff.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/bash.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/latex.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/postscript.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ruby.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/rhtml.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/desktop.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/eiffel.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/pascal.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/sather.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/python.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/makefile.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ferite.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/scheme.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/matlab.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/tcl.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ilerpg.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/verilog.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/javascript.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/sml.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/winehq.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/cs.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/sgml.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/idconsole.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/xmldebug.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/fortran.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/haskell.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/literate-haskell.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/r.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/gnuassembler.xml

39% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/mab.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/mason.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/idl.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/prolog.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/rsiidl.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/coldfusion.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/picsrc.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/uscript.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/lpc.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/velocity.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/sci.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ldif.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/inform.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/xharbour.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/yacas.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/component-pascal.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/asm6502.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/gdl.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/bibtex.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/d.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/vrml.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/rexx.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/cue.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/progress.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/e.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/sieve.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/modula-2.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/awk.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/cisco.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/doxygen.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/lua.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/pike.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/debianchangelog.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/debiancontrol.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/fgl-4gl.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/fgl-per.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/alert.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/gettext.xml

40% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/commonlisp.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/clipper.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/povray.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/euphoria.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/mup.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/jsp.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ocaml.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/lex.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/yacc.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/cg.xml

41% installing ./kate/data/html-php.xml

41% installing ./kate/data/css-php.xml

41% installing ./kate/data/javascript-php.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ahdl.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ansic89.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/tibasic.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/purebasic.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/mips.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/logtalk.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/txt2tags.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/xslt.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/stata.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/gls1.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/lilypond.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/abc.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/asp.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/asm-avr.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/rib.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/cmake.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/octave.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/javadoc.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/cgis.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/spice.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/nasm.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/mediawiki.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/apache.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/m3u.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/ini.xml

41% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/fstab.xml

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/actionsript.xml

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/katepart.desktop

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/katesyntaxhighlightingrc

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/katefiletyperc

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/katepartui.rc

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/katepartreadonlyui.rc

42% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/katepart/scripts

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/scripts/jstest.desktop

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/scripts/jstest.js

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/scripts/script-indent-c-newline.js

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/scripts/script-indent-c-char.js

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/scripts/sort.js

42% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/katepart/scripts/indent

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/scripts/script-indent-c-test.js

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/scripts/script-indent-c1-test.lua

42% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ktexteditor_isearch

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/isearch/ktexteditor_isearchui.rc

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/isearch/ktexteditor_isearch.desktop

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/insertfile/ktexteditor_insertfile.desktop

42% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ktexteditor_insertfile

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/insertfile/ktexteditor_insertfileui.rc

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/kdatatool/ktexteditor_kdatatool.desktop

42% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ktexteditor_kdatatool

installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/kdatatool/ktexteditor_kdatatoolui.rc

42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/wordcompletion/ktexteditor_docwordcompletion.desktop

```
42% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/ktexteditor_docwordcompletion
installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kat
e/plugins/wordcompletion/docwordcompletionui.rc
42% installing ./dcop/libDCOP.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
42% installing ./dcop/dcopserver_shutdown
42% installing ./dcop/dcopidl/dcopidl
42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/dcop/dcopidlng/dcopidlng
42% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/dcop/dcopidlng/kalyptus
42% installing ./dcop/dcopidl2cpp/dcopidl2cpp
42% installing ./dcop/client/dcop
libtool: install: warning: `./dcop/libDCOP.la' has not been installed in `/opt/l
ocal/lib'
42% installing ./dcop/client/dcopfind
libtool: install: warning: `./dcop/libDCOP.la' has not been installed in `/opt/l
ocal/lib'
42% installing ./dcop/client/dcopclient
```

```
42% installing ./dcop/client/dcopobject
42% installing ./dcop/client/dcoppref
42% installing ./dcop/client/dcopstart
libtool: install: warning: `./dcop/libDCOP.la' has not been installed in `/opt/local/lib'
42% installing ./dcop/client/dcopquit
libtool: install: warning: `./dcop/libDCOP.la' has not been installed in `/opt/local/lib'
42% installing ./kdefx/libkdefx.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
42% installing ./kdecore/kde-config
libtool: install: warning: `./kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
42% installing ./kdecore/kgrantpty
libtool: install: warning: `./kdecore/libkdefakes.la' has not been installed in `/opt/local/lib'
43% installing ./kdecore/libkdefakes_nonpic.a
ranlib: file: /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
```

```
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/lib/libkdefakes_nonpic.a(fakes_nonpic.o) has no symbols
ranlib: file: /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/lib/libkdefakes_nonpic.a(vsnprintf_nonpic.o) has no symbols
ranlib: warning for library: /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/lib/libkdefakes_nonpic.a the table of contents is empty (no object file members in the library define global symbols)
ranlib /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/lib/libkdefakes_nonpic.a
43% installing ./kdecore/libkdefakes.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kdecore/libkdecore.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kdecore/kconfig_compiler/kconfig_compiler
libtool: install: warning: `./kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
```

```
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'  
43% installing ./kunittest/kunittestmodrunner  
libtool: install: warning: `./kunittest/libkunittest.la' has not been installed  
in `/opt/local/lib'  
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k  
delibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'  
libtool: install: warning: `./kdecore/libkdecore.la' has not been installed in `  
/opt/local/lib'  
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k  
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'  
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k  
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'  
43% installing ./kunittest/libkunittest.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'  
43% installing ./kdeui/libkdeui.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'  
43% installing ./kdeui/libkspell.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'  
43% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy  
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10  
/kdeui/preparetips
```

```
43% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
lib/kde3
installing ./kdeui/kdetrayproxy/kded_kdetrayproxy.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
43% installing ./kdesu/kdesu_stub
libtool: install: warning: `./kdecore/libkdefakes.la' has not been installed in
`/opt/local/lib'
43% installing ./kdesu/libkdesu.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kjs/libkjs.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kwallet/client/libkwalletclient.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kwallet/backend/libkwalletbackend.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/useragent.pl
43% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kio/proxytype.pl
43% installing ./kio/libkio.la
```

```
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kio/kpasswdserver/kded_kpasswdserver.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
43% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/misc/fileshareset
43% installing ./kio/misc/libkdeinit_kio_uiserver.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kio/misc/kmailservice
libtool: install: warning: `./kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
43% installing ./kio/misc/ktelnetSERVICE
libtool: install: warning: `./kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
```

```
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
43% installing ./kio/misc/kio_uiserver
libtool: install: warning: `./kio/misc/libkdeinit_kio_uiserver.la' has not been
installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/op
t/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
```



```
delibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
43% installing ./kio/misc/kio_uiserver.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
43% installing ./kio/misc/ksendbugmail/ksendbugmail
libtool: install: warning: `./kio/libkio.la' has not been installed in `/opt/loc
al/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/op
t/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
```

```
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
43% installing ./kio/misc/kpac/kpac_dhcp_helper
43% installing ./kio/misc/kpac/kded_proxyscout.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
43% installing ./kio/misc/kdesasl/libkdesasl.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kio/misc/kssld/kded_kssld.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
43% installing ./kio/misc/kfile/kfile
libtool: install: warning: `./kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
```

```
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
43% installing ./kio/misc/kwalletd/kded_kwalletd.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
43% installing ./kio/misc/kntlm/libkntlm.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
43% installing ./kio/tests/ktradertest
libtool: install: warning: `./kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
```

```
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
43% installing ./kio/kioexec/kioexec
libtool: install: warning: `./kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
```

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'

43% installing ./pics/ksvgtopng

libtool: install: warning: `./kdecore/libkdecore.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k

```
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'  
43% installing ./libkscreensaver/libkscreensaver.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'  
43% installing ./libkmid/libkmid.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'  
44% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
lib/kde3/plugins  
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/lib/  
kde3/plugins/styles  
installing ./kstyles/plastik/plastik.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3  
/plugins/styles'  
44% installing ./kstyles/plastik/config/kstyle_plastik_config.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3  
,  
44% installing ./kstyles/highcolor/highcolor.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3  
/plugins/styles'  
44% installing ./kstyles/highcontrast/highcontrast.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3  
/plugins/styles'  
44% installing ./kstyles/highcontrast/config/kstyle_highcontrast_config.la
```

```
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
44% installing ./kstyles/light/light.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
/plugins/styles'
44% installing ./kstyles/kthemestyle/kthemestyle.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
/plugins/styles'
44% installing ./kstyles/utils/installtheme/kinstalltheme
libtool: install: warning: `./kdeui/libkdeui.la' has not been installed in `/opt
/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
44% installing ./kstyles/keramik/keramik.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
/plugins/styles'
44% installing ./kparts/libkparts.la
```

```
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
44% installing ./knewstuff/libknewstuff.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
44% installing ./knewstuff/khotnewstuff
libtool: install: warning: `./knewstuff/libknewstuff.la' has not been installed
in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/op
t/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
```



```
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
44% installing ./kioslave/file/kio_file.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
44% installing ./kioslave/http/kio_http_cache_cleaner.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
44% installing ./kioslave/http/kio_http_cache_cleaner
libtool: install: warning: `./kioslave/http/libkdeinit_kio_http_cache_cleaner.la
' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
```

delibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'

44% installing ./kioslave/http/kio_http.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3`

44% installing ./kioslave/http/libkdeinit_kio_http_cache_cleaner.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

44% installing ./kioslave/http/kcookiejar/libkdeinit_kcookiejar.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

44% installing ./kioslave/http/kcookiejar/kded_kcookiejar.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3`

44% installing ./kioslave/http/kcookiejar/kcookiejar

libtool: install: warning: `./kioslave/http/kcookiejar/libkdeinit_kcookiejar.la' has not been installed in `/opt/local/lib'

```
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
44% installing ./kioslave/http/kcookiejar/kcookiejar.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
44% installing ./kioslave/ftp/kio_ftp.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
44% installing ./kioslave/gzip/kgzipfilter.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
44% installing ./kioslave/bzip2/kbzip2filter.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
44% installing ./kioslave/metainfo/kio_metainfo.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
```

44% installing ./kinit/libkdeinit_klauncher.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

44% installing ./kinit/kdeinit

libtool: install: warning: `./kparts/libkparts.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'

```
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
44% installing ./kinit/kdeinit_wrapper
44% installing ./kinit/kshell
44% installing ./kinit/kdeinit_shutdown
44% installing ./kinit/lnusertemp
44% installing ./kinit/kwrapper
44% installing ./kinit/kioslave
libtool: install: warning: `./kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
```

```
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
44% installing ./kinit/kstartupconfig
libtool: install: warning: `./kdecore/libkdefakes.la' has not been installed in
`/opt/local/lib'
44% installing ./kinit/kdostartupconfig
libtool: install: warning: `./kdecore/libkdecore.la' has not been installed in `
/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
44% installing ./kinit/start_kdeinit
44% installing ./kinit/start_kdeinit_wrapper
44% installing ./kinit/klauncher
libtool: install: warning: `./kinit/libkdeinit_klauncher.la' has not been instal
led in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
```

```
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
45% installing ./kinit/klauncher.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
```

```
45% installing ./kingio/king_eps.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_xview.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_tiff.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_ico.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_jp2.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_pcx.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_tga.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_rgb.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
```



```
45% installing ./kingio/king_xcf.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_dds.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_exr.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_psd.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kingio/king_hdr.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kdeprint/libkdeprint.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
45% installing ./kdeprint/kded_kdeprintd.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kdeprint/management/libkdeprint_management.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
45% installing ./kdeprint/management/libkdeinit_kaddprinterwizard.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
```

```
45% installing ./kdeprint/management/libkdeprint_management_module.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kdeprint/management/kaddprinterwizard
libtool: install: warning: `./kdeprint/management/libkdeinit_kaddprinterwizard.l
a' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeprint/management/libkdeprint_management.la' has not been instal
led in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeprint/libkdeprint.la' has not been installed in `/opt/local/lib
`
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kparts/libkparts.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
```

```
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
45% installing ./kdeprint/management/kaddprinterwizard.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kdeprint/lpdunix/kdeprint_lpdunix.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kdeprint/cups/kdeprint_cups.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
```

```
45% installing ./kdeprint/cups/make_driver_db_cups
libtool: install: warning: `./kdecore/libkdefakes.la' has not been installed in
`/opt/local/lib'
45% installing ./kdeprint/cups/cupsdoprint
libtool: install: warning: `./kdecore/libkdefakes.la' has not been installed in
`/opt/local/lib'
45% installing ./kdeprint/cups/cupsdconf2/libkdeinit_cupsdconf.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
45% installing ./kdeprint/cups/cupsdconf2/cupsdconf
libtool: install: warning: `./kdeprint/cups/cupsdconf2/libkdeinit_cupsdconf.la'
has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/op
t/local/lib'
```

```
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
45% installing ./kdeprint/cups/cupsdconf2/cupsdconf.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kdeprint/lpr/kdeprint_lpr.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kdeprint/lpr/make_driver_db_lpr
libtool: install: warning: `./kdecore/libkdefakes.la' has not been installed in
`/opt/local/lib'
45% installing ./kdeprint/rlpr/kdeprint_rlpr.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
45% installing ./kdeprint/ext/kdeprint_ext.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
```

45% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/filters/imagetops

45% installing ./kdeprint/tools/escputil/kdeprint_tool_escputil.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3`

45% installing ./kded/libkdeinit_kded.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib`

45% installing ./kded/libkdeinit_kbuildsycoca.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib`

45% installing ./kded/kdontchangethehostname

libtool: install: warning: `./kdecore/libkdecore.la' has not been installed in `/opt/local/lib`

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib`

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib`

45% installing ./kded/kde-menu

libtool: install: warning: `./kio/libkio.la' has not been installed in `/opt/local/lib`

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k

delibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
46% installing ./kded/kded
libtool: install: warning: `./kded/libkdeinit_kded.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport

s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'

46% installing ./kded/kbuildsycoca

libtool: install: warning: `./kded/libkdeinit_kbuildsycoca.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'

46% installing ./kded/kded.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3`

46% installing ./kded/kbuildsycoca.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3`

```
,  
46% installing ./kconf_update/kconf_update.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3  
,  
46% installing ./kconf_update/kconf_update  
libtool: install: warning: `./kconf_update/libkdeinit_kconf_update.la' has not b  
een installed in `/opt/local/lib'  
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k  
delibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'  
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k  
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'  
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k  
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'  
46% installing ./kconf_update/libkdeinit_kconf_update.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'  
46% installing ./kcert/libkcertpart.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3  
,  
46% installing ./kutils/libkutils.la  
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'  
46% installing ./kresources/libkresources.la
```

```
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./kresources/kcm_kresources.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
46% installing ./kabc/libkabc.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./kabc/kab2kabc
libtool: install: warning: `./kabc/libkabc.la' has not been installed in `/opt/l
ocal/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kabc/vcard/libvcard.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kresources/libkresources.la' has not been installed in `/opt/local
/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
```

delibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'

46% installing ./kabc/vcard/libvcard.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

46% installing ./kabc/formats/kabcformat_binary.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3`

46% installing ./kabc/plugins/file/kabc_file.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3`

46% installing ./kabc/plugins/file/libkabc_file.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

```
46% installing ./kabc/plugins/dir/kabc_dir.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
46% installing ./kabc/plugins/dir/libkabc_dir.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./kabc/plugins/ldapkio/kabc_ldapkio.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
46% installing ./kabc/plugins/ldapkio/libkabc_ldapkio.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./kdoctools/meinproc
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/op
t/local/lib'
```

```
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
46% installing ./kdoctools/checkXML
46% installing ./kdoctools/kio_help.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
46% installing ./kdoctools/kio_ghelp.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
46% installing /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10
/kdoctools/move_kio_help_cache.sh
46% installing ./dnssd/libkdnssd.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./arts/knotify/knotify.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
```

```
46% installing ./kspell2/ui/libkspell2.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./kspell2/plugins/aspell/kspell_aspell.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
46% installing ./kspell2/plugins/ispell/kspell_ispell.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
46% installing ./kmdi/libkmdi.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./kmdi/kmdi/libkmdi2.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./khtml/libkhtml.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
46% installing ./khtml/libkhtmlpart.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
46% installing ./khtml/khtmlimagepart.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
46% installing ./khtml/java/kjavaappletviewer.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
46% installing ./khtml/java/dummy/libkjava.la
```

```
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
47% installing ./khtml/kmultipart/libkmultipart.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
47% installing ./kcmshell/kcmshell.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
47% installing ./kcmshell/kcmshell
libtool: install: warning: `./kcmshell/libkdeinit_kcmshell.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kutils/libkutils.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kio/libkio.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/libkdeui.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdesu/libkdesu.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
```


delibs-3.5.10/kwallet/client/libkwalletclient.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/libkdecore.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'

libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'

47% installing ./kcmshell/libkdeinit_kcmshell.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

47% installing ./interfaces/ktexteditor/libktexteditor.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

47% installing ./interfaces/kscript/libkscript.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

47% installing ./interfaces/kscript/sample/libshellscript.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3

,

47% installing ./interfaces/kmediaplayer/libkmediaplayer.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

47% installing ./interfaces/kimproxy/library/libkimproxy.la

libtool: install: warning: remember to run `libtool --finish /opt/local/lib'

```
47% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
lib/kde3/plugins/designer
installing ./kdewidgets/kdewidgets.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
/plugins/designer'
47% installing ./kdewidgets/makekdewidgets
libtool: install: warning: `./kdecore/libkdecore.la' has not been installed in `
/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/kdefx/libkdefx.la' has not been installed in `/opt/local/lib'
47% installing ./kate/interfaces/libkatepartinterfaces.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
47% installing ./kate/part/libkatepart.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
47% installing ./kate/plugins/isearch/ktexteditor_isearch.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
'
47% installing ./kate/plugins/insertfile/ktexteditor_insertfile.la
```

```
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
47% installing ./kate/plugins/kdatatool/ktexteditor_kdatatool.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
47% installing ./kate/plugins/wordcompletion/ktexteditor_docwordcompletion.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
47% installing ./dcop/libkdeinit_dcopserver.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib'
47% 47% installing ./dcop/dcopserver
libtool: install: warning: `./dcop/libkdeinit_dcopserver.la' has not been instal
led in `/opt/local/lib'
libtool: install: warning: `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/k
delibs-3.5.10/dcop/libDCOP.la' has not been installed in `/opt/local/lib'
47% installing ./dcop/dcopserver.la
libtool: install: warning: remember to run `libtool --finish /opt/local/lib/kde3
`
47% if test -f ./apidocs/qt/qt.tag; then /bin/sh /opt/local/var/macports/build/_
opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kde
libs3/kdelibs3/work/kdelibs-3.5.10/admin/mkinstalldirs /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/qt
```

```
; echo /usr/bin/install -c -p -m 644 ./apidocs/qt/qt.tag /opt/local/var/macports  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs  
/qt; /usr/bin/install -c -p -m 644 ./apidocs/qt/qt.tag /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kdelibs-apidocs/qt  
; fi
```

```
47% rm -f /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/default.kde
```

```
/bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.  
macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/ad  
min/mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sourc  
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/op  
t/local/share/icons
```

```
ln -s crystalsvg /opt/local/var/macports/build/_opt_local_var_macports_sourc  
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot  
/opt/local/share/icons/default.kde
```

```
47% /bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.  
macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/ad  
min/mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sourc  
es_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/op  
t/local/share/mimelnk/application
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/mimetypes/application/uninstall.desktop /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/mimeInk/application/x-ap  
plix.desktop
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/mimetypes/application/uninstall.desktop /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/mimeInk/application/x-oo  
writer.desktop
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/mimetypes/application/uninstall.desktop /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/mimeInk/application/x-oo  
impress.desktop
```

```
47% /bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.  
macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/ad  
min/mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sources_  
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/op  
t/local/share/mimeInk/text
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
```

```
work/kdelibs-3.5.10/mimetypes/text/uninstall.desktop /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/mimeInk/text/x-perl.desktop
```

```
  /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/text/uninstall.desktop /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/mimeInk/text/x-python.desktop
```

```
  /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/text/uninstall.desktop /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/mimeInk/text/x-lyx.desktop
```

```
47% /bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/admin/mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/mimeInk/image
```

```
  /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/mimetypes/image/uninstall.desktop /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/mimeInk/image/wmf.desktop
```

```
47% install: /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
```

```
.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/usr/share/cups/model/postscript.ppd.gz: No such file or directory
if test -n "/usr/share/cups/model"; then /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/cups/postscript.ppd.gz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/usr/share/cups/model/postscript.ppd.gz || true ; fi
47% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kio_uiserver
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kio_uiserver/icons
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kio_uiserver/icons/crystalsvg
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kio_uiserver/icons/crystalsvg/16x16
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kio_uiserver/icons/crystalsvg/16x16/apps
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
```

```
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/kio/pics/cr16-app-kio_uiserver.png /opt/local/var/macports/build  
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k  
delibs3/kdelibs3/work/destroot/opt/local/share/apps/kio_uiserver/icons/crystalstv  
g/16x16/apps/kio_uiserver.png
```

```
47% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/128x128
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/icons/crystalsvg/128x128/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr128-action-fileopen.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/a  
ctions/fileopen.png
```

```
47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-action-launch.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128  
/actions/launch.png
```

```
47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```


acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-action-share.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/actions/share.png

47% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/apps

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-app-kmenu.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/apps/kmenu.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-app-kttsd.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/apps/kttsd.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-app-password.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports

ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/apps/password.png

47% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/devices

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-blockdevice.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/devices/blockdevice.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-camera_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/devices/camera_mount.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-camera_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/devices/camera_unmount.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-chardevice.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128
x128/devices/chardevice.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-compact_flash_mount.png /opt/lo
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cryst
alsvg/128x128/devices/compact_flash_mount.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-compact_flash_unmount.png /opt/
local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rele
ase_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cry
stalsvg/128x128/devices/compact_flash_unmount.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-hdd_mount.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x
128/devices/hdd_mount.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-hdd_unmount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/12
8x128/devices/hdd_unmount.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-ipod_mount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128
x128/devices/ipod_mount.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-ipod_unmount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
28x128/devices/ipod_unmount.png

47% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-memory_stick_mount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/128x128/devices/memory_stick_mount.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-memory_stick_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/devices/memory_stick_unmount.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-mouse.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/devices/mouse.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-print_class.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/devices/print_class.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-printer1.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/devices/printer1.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-sd_mmc_mount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
28x128/devices/sd_mmc_mount.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-sd_mmc_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/128x128/devices/sd_mmc_unmount.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-smart_media_mount.png /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/128x128/devices/smart_media_mount.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-smart_media_unmount.png /opt/lo
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cryst
alsvg/128x128/devices/smart_media_unmount.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-system.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/devices/system.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-usbpendrive_mount.png /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/128x128/devices/usbpendrive_mount.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-device-usbpendrive_unmount.png /opt/lo
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cryst
alsvg/128x128/devices/usbpendrive_unmount.png

48% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons/crystalsvg/128x128/filesystems

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-desktop.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port

s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/desktop.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-exec.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/exec.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-file_broken.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/file_broken.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_crystal.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta

rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/128x128/filesystems/folder_crystal.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_favorite.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/128x128/filesystems/folder_favorite.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_green.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/128x128/filesystems/folder_green.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_green_open.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/128x128/filesystems/folder_green_open.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_grey.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_grey.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_grey_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_grey_open.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_home.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_home.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_home2.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_home2.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_html.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_html.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_image.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_important.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_important.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_locked.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_locked.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_man.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal

```
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_man.png
48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_open.png
48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_orange.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_orange.png
48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_orange_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_orange_open.png
48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_print.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_print.png
```

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
128x128/filesystems/folder_print.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_red.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/12
8x128/filesystems/folder_red.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_red_open.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/128x128/filesystems/folder_red_open.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_sound.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
128x128/filesystems/folder_sound.png

48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_tar.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal

```
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_tar.png
48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_txt.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_txt.png
48% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_video.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_video.png
49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_violet.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/folder_violet.png
49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_violet_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
```

e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
alsvg/128x128/filesystems/folder_violet_open.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_yellow.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/128x128/filesystems/folder_yellow.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-folder_yellow_open.png /opt/lo
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cryst
alsvg/128x128/filesystems/folder_yellow_open.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-link_overlay.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
128x128/filesystems/link_overlay.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-lock_overlay.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
128x128/filesystems/lock_overlay.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-network.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x1
28/filesystems/network.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-network_local.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/128x128/filesystems/network_local.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-pipe.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/
filesystems/pipe.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-trashcan_empty.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta

rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/trashcan_empty.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-trashcan_full.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/trashcan_full.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-www.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/www.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-filesys-zip_overlay.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/filesystems/zip_overlay.png

49% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimetypes

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo

rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-applix.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimet
ypes/applix.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-ascii.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mi
metypes/ascii.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-binary.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/m
imetypes/binary.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-bt.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimet
ypes/bt.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-cdimage.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/
mimetypes/cdimage.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-cdr.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime
types/cdr.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-cdtrack.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/
mimetypes/cdtrack.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-colorscm.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/colorscm.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-core.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mim
etypes/core.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-deb.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime
types/deb.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-document.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/document.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-document2.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12
8/mimetypes/document2.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-dvi.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime
types/dvi.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-empty.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mi
metypes/empty.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-encrypted.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12
8/mimetypes/encrypted.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-exec_wine.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12
8/mimetypes/exec_wine.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-font.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimetypes/font.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-font_bitmap.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimetypes/font_bitmap.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-font_truetype.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimetypes/font_truetype.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-font_type1.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimetypes/font_type1.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-gf.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimet
ypes/gf.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-html.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mim
etypes/html.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-image.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mi
metypes/image.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-info.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mim
etypes/info.png

49% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-karbon_karbon.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/12
8x128/mimetypes/ karbon_karbon.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-kexi_kexi.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12
8/mimetypes/kexi_kexi.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-kmultiple.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12
8/mimetypes/kmultiple.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-koffice.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/
mimetypes/koffice.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m


```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-krita_kra.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12  
8/mimetypes/krita_kra.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-log.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/log.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-make.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mim  
etypes/make.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-man.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/man.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-message.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/
mimetypes/message.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-metafont.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/metafont.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-midi.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mim
etypes/midi.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-misc.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mim
etypes/misc.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-mozilla_doc.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x  
128/mimetypes/mozilla_doc.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-netscape_doc.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128  
x128/mimetypes/netscape_doc.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-pdf.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/pdf.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-pk.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mimet  
ypes/pk.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-postscript.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x1  
28/mimetypes/postscript.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-quicktime.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12  
8/mimetypes/quicktime.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-readme.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/m  
imetypes/readme.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-recycled.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128  
/mimetypes/recycled.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-resource.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128  
/mimetypes/resource.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-rpm.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/rpm.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-shellscript.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x  
128/mimetypes/shellscript.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-soffice.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/  
mimetypes/soffice.png
```

```
50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-sound.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mi
metypes/sound.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/m
imetypes/source.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_c.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/source_c.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_cpp.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x1
28/mimetypes/source_cpp.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_f.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/source_f.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_h.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/source_h.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_j.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/source_j.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_java.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x
128/mimetypes/source_java.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_l.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/source_l.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_moc.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x1
28/mimetypes/source_moc.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_o.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/source_o.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_p.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/source_p.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_php.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x1
28/mimetypes/source_php.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_pl.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12
8/mimetypes/source_pl.png

50% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_py.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12
8/mimetypes/source_py.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_s.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128
/mimetypes/source_s.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-source_y.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128  
/mimetypes/source_y.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-spreadsheet.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x  
128/mimetypes/spreadsheet.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-tar.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/tar.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-template_source.png /opt/local/va  
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb  
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/  
128x128/mimetypes/template_source.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-tex.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/tex.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-tgz.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/tgz.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-txt.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/txt.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-txt2.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mim  
etypes/txt2.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-unknown.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/  
mimetypes/unknown.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-vcalendar.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12  
8/mimetypes/vcalendar.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-vcard.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mi  
metypes/vcard.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-vectorgfx.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x12  
8/mimetypes/vectorgfx.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-video.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mi  
metypes/video.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-widget_doc.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x1  
28/mimetypes/widget_doc.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-wordprocessing.png /opt/local/var  
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba  
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1  
28x128/mimetypes/wordprocessing.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr128-mime-zip.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/128x128/mime  
types/zip.png
```

```
51% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
```

```
ports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/16x16
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/icons/crystalsvg/16x16/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr16-action-1downarrow.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac  
tions/1downarrow.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-1leftarrow.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1  
6/actions/1leftarrow.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-1rightarrow.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x  
16/actions/1rightarrow.png
```

```
51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-1uparrow.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/1uparrow.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-2downarrow.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/2downarrow.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-2leftarrow.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/2leftarrow.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-2rightarrow.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/2rightarrow.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-2uparrow.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/2uparrow.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-about_kde.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/about_kde.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-add.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actio
ns/add.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-airbrush.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/airbrush.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-apply.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/act
ions/apply.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-attach.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/attach.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-back.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/back.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-blend.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/act
ions/blend.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-bookmark.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/bookmark.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-bookmark_add.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/bookmark_add.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-bookmark_folder.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/bookmark_folder.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-bookmark_toolbar.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/16x16/actions/bookmark_toolbar.png

51% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-bookmarks_list_add.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/bookmarks_list_add.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-bottom.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/bottom.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-cancel.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/cancel.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-charset.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/charset.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-clear_left.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/clear_left.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-color_fill.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/color_fill.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-color_line.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/color_line.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-colorize.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/colorize.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-colorpicker.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/colorpicker.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-compfile.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/compfile.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-completion.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/completion.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-configure.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/configure.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-configure_shortcuts.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/configure_shortcuts.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-configure_toolbars.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/configure_toolbars.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-connect_creating.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/connect_creating.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-connect_established.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/connect_established.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-connect_no.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/connect_no.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-contents.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/contents.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-contents2.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/contents2.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-contexthelp.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/contexthelp.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-crop.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/crop.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-decrypt.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/decrypt.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-down.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/down.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-edit.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/edit.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m


```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-editclear.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16  
/actions/editclear.png
```

```
52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-editcopy.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/  
actions/editcopy.png
```

```
52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-editcut.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/a  
ctions/editcut.png
```

```
52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-editdelete.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1  
6/actions/editdelete.png
```

```
52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-editpaste.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/editpaste.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-editshred.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/editshred.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-edittrash.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/edittrash.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-emptytrash.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/emptytrash.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-encrypted.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/encrypted.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-eraser.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/eraser.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-exec.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/exec.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-exit.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/exit.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fileclose.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/fileclose.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fileexport.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/fileexport.png

52% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-filefind.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/filefind.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fileimport.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/fileimport.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-filenew.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/a
ctions/filenew.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fileopen.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/fileopen.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fileprint.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/fileprint.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-filequickprint.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/actions/filequickprint.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-filesave.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/  
actions/filesave.png
```

```
53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-filesaveas.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1  
6/actions/filesaveas.png
```

```
53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fill.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti  
ons/fill.png
```

```
53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-filter.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac  
tions/filter.png
```

```
53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-find.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/find.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-finish.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/finish.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-flag.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/flag.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-folder_new.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/folder_new.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fontsizedown.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/fontsizedown.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fontsizeup.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/fontsizeup.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-fork.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/fork.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-forward.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/a
ctions/forward.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-frame_edit.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/frame_edit.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-frame_formula.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/actions/frame_formula.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-frame_image.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/frame_image.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-frame_query.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/frame_query.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-frame_spreadsheet.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/16x16/actions/frame_spreadsheet.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-frame_text.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/frame_text.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-frameprint.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/frameprint.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-gear.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/gear.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-gohome.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/gohome.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-goto.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/goto.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-halfencrypted.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/actions/halfencrypted.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-help.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/help.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-history.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/history.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-history_clear.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/history_clear.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-idea.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/idea.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-identity.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/identity.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-info.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/info.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-inline_image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/inline_image.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-inline_table.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/inline_table.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-kde.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/kde.png

53% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-kde1.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/kde1.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-kde3.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/kde3.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-kde4.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/kde4.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-kde5.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/kde5.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-kde6.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/kde6.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-key_enter.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/key_enter.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-launch.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/launch.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-locationbar_erase.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/locationbar_erase.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-lock.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/lock.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_find.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/mail_find.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_forward.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/mail_forward.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_generic.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/mail_generic.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_get.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/mail_get.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_new.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/mail_new.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_post_to.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/mail_post_to.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_reply.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/mail_reply.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_replyall.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/actions/mail_replyall.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_replylist.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/actions/mail_replylist.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-mail_send.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/mail_send.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-make_kdevelop.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/actions/make_kdevelop.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_abs.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/math_abs.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_brace.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/math_brace.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_brackets.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/actions/math_brackets.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_frac.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/math_frac.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_int.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/math_int.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_lsub.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/math_lsub.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_lsup.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/math_lsup.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_matrix.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/math_matrix.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_onetwomatrix.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/math_onetwomatrix.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_paren.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/math_paren.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_prod.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/math_prod.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_rsub.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/math_rsub.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_rsup.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/math_rsup.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_sqrt.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/math_sqrt.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-math_sum.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/math_sum.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-misc.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/misc.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-move.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/move.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_32ndnote.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/music_32ndnote.png

54% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_cleficon.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/music_cleficon.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_cross.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/music_cross.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_dottednote.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/16x16/actions/music_dottednote.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_eightnote.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/music_eightnote.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_fermatenote.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/16x16/actions/music_fermatenote.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_flat.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/music_flat.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_fullnote.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/actions/music_fullnote.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_halfnote.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/actions/music_halfnote.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_natur.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/music_natur.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_quarternote.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/16x16/actions/music_quarternote.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-music_sixteenthnote.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/16x16/actions/music_sixteenthnote.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-news_subscribe.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/actions/news_subscribe.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-news_unsubscribe.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/16x16/actions/news_unsubscribe.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-next.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/next.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-no.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/action
s/no.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-ok.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/action
s/ok.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-openterm.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/openterm.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-paintbrush.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/paintbrush.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-pencil.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/pencil.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_eject.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/player_eject.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_end.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/player_end.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_fwd.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/player_fwd.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_pause.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/player_pause.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_play.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/player_play.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_playlist.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/player_playlist.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_rew.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/player_rew.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_start.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/player_start.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_stop.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/player_stop.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_time.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/player_time.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-player_volume.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/actions/player_volume.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-previous.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/previous.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-project_open.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/actions/project_open.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-queue.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/act
ions/queue.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-rebuild.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/a
ctions/rebuild.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-redo.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/red0.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-reload.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/reload.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-reload_all_tabs.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/reload_all_tabs.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-reload_page.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/reload_page.png

55% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-remove.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/remove.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-revert.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/revert.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-rotate.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/rotate.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-rotate_ccw.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/rotate_ccw.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-rotate_cw.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/rotate_cw.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-run.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actio
ns/run.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-save_all.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/save_all.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-services.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/services.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-share.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/act
ions/share.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-show_side_panel.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/show_side_panel.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-signature.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/signature.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-spellcheck.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/spellcheck.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-stamp.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/act
ions/stamp.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-start.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/act
ions/start.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-stop.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti
ons/stop.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-switchuser.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/switchuser.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-tab_breakoff.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/tab_breakoff.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-tab_duplicate.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/tab_duplicate.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-tab_new.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/tab_new.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-tab_new_bg.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/tab_new_bg.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-tab_new_raised.png /opt/local/va  
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb  
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/  
16x16/actions/tab_new_raised.png
```

```
56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-tab_remove.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1  
6/actions/tab_remove.png
```

```
56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-tab_remove_other.png /opt/local/  
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta  
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv  
g/16x16/actions/tab_remove_other.png
```

```
56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/acti  
ons/text.png
```

```
56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_block.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/text_block.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_bold.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/text_bold.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_center.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/text_center.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_italic.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/text_italic.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_left.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/text_left.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_right.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/text_right.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_strike.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/text_strike.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_sub.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/text_sub.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m


```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_super.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1  
6/actions/text_super.png
```

```
56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-text_under.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1  
6/actions/text_under.png
```

```
56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-thumbnail.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16  
/actions/thumbnail.png
```

```
56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-today.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/act  
ions/today.png
```

```
56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-top.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/top.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-transform.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/transform.png

56% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-translate.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/translate.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-undo.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/undo.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-unlock.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/unlock.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-up.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/up.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_bottom.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/view_bottom.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_choose.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/view_choose.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_detailed.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/actions/view_detailed.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_fit_height.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/view_fit_height.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_fit_width.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/actions/view_fit_width.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_fit_window.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/view_fit_window.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_icon.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/view_icon.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_left_right.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/view_left_right.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_multicolumn.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/16x16/actions/view_multicolumn.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_remove.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/actions/view_remove.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_right.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/view_right.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_sidetree.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/actions/view_sidetree.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_text.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/view_text.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_top_bottom.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/actions/view_top_bottom.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-view_tree.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/actions/view_tree.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-viewmag+.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/viewmag+.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-viewmag-.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/viewmag-.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-viewmag.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/a
ctions/viewmag.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-viewmag1.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
actions/viewmag1.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-viewmagfit.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/viewmagfit.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-window_fullscreen.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/16x16/actions/window_fullscreen.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-window_new.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/actions/window_new.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-window_nofullscreen.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/16x16/actions/window_nofullscreen.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-window_suppressed.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/16x16/actions/window_suppressed.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-action-wizard.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/ac
tions/wizard.png

57% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons/crystalsvg/16x16/apps

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/cr16-app-kmenu.png /opt/local/var/macports/build
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k

delibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/apps/kmenu.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-app-kttsd.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/apps/kttsd.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-app-password.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/apps/password.png

57% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/devices

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-3floppy_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/devices/3floppy_mount.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-3floppy_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/devices/3floppy_unmount.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-5floppy_mount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/devices/5floppy_mount.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-5floppy_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/devices/5floppy_unmount.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-blockdevice.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/devices/blockdevice.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-camera_mount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/devices/camera_mount.png

57% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-camera_unmount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/devices/camera_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-cdaudio_mount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/devices/cdaudio_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-cdaudio_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/16x16/devices/cdaudio_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-cdrom_mount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/devices/cdrom_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-cdrom_unmount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/devices/cdrom_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-cdwriter_mount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/devices/cdwriter_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-cdwriter_unmount.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/16x16/devices/cdwriter_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-chardevice.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/devices/chardevice.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-compact_flash_mount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/16x16/devices/compact_flash_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-compact_flash_unmount.png /opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crys
talsvg/16x16/devices/compact_flash_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-dvd_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/devices/dvd_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-dvd_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/devices/dvd_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-hdd_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/devices/hdd_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-hdd_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/devices/hdd_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-ipod_mount.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1
6/devices/ipod_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-ipod_unmount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/devices/ipod_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-joystick.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
devices/joystick.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-memory.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/de
vices/memory.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-memory_stick_mount.png /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/16x16/devices/memory_stick_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-memory_stick_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/devices/memory_stick_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-mo_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/devices/mo_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-mo_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/devices/mo_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-mouse.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/devices/mouse.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-nfs_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/devices/nfs_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-nfs_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/devices/nfs_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-pda_black.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/devices/pda_black.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-pda_blue.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
devices/pda_blue.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-print_class.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/devices/print_class.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-printer1.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
devices/printer1.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-scanner.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/d
evices/scanner.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-sd_mmc_mount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16
x16/devices/sd_mmc_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-sd_mmc_unmount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/devices/sd_mmc_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-smart_media_mount.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/16x16/devices/smart_media_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-smart_media_unmount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/16x16/devices/smart_media_unmount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-system.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/de
vices/system.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-tablet.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/de
vices/tablet.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-tv.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/device
s/tv.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-usbpendrive_mount.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/16x16/devices/usbpendrive_mount.png

58% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-usbpendrive_unmount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/16x16/devices/usbpendrive_unmount.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-zip_mount.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16  
/devices/zip_mount.png
```

```
59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-device-zip_unmount.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x  
16/devices/zip_unmount.png
```

```
59% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/16x16/filesystems
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-desktop.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/file  
systems/desktop.png
```

```
59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-exec.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
```

s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/exec.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-file_broken.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/file_broken.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_crystal.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_crystal.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_favorite.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta

rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_favorite.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_green.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_green.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_green_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_green_open.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_grey.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_grey.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_grey_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t

arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_grey_open.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_home.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_home.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_home2.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_home2.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_html.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_html.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_image.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_important.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_important.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_inbox.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_inbox.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_locked.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_locked.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_man.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball

s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_man.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_open.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_orange.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_orange.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_orange_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_orange_open.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_outbox.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_outbox.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_print.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_print.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_red.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_red.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_red_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_red_open.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_sent_mail.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t

arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_sent_mail.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_sound.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_sound.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_tar.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_tar.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_txt.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_txt.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_video.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_video.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_violet.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_violet.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_violet_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_violet_open.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_yellow.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/filesystems/folder_yellow.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-folder_yellow_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release

_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
lsvg/16x16/filesystems/folder_yellow_open.png

59% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-ftp.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/file
systems/ftp.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-link_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/filesystems/link_overlay.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-lock_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1
6x16/filesystems/lock_overlay.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-network.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p

orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
filesystems/network.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-network_local.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
16x16/filesystems/network_local.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-pipe.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/fil
esystems/pipe.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-server.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/f
ilesystems/server.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-trashcan_empty.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar


```
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg  
/16x16/filesystems/trashcan_empty.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-trashcan_full.png /opt/local/va  
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb  
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/  
16x16/filesystems/trashcan_full.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-www.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/file  
systems/www.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-filesys-zip_overlay.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16  
x16/filesystems/zip_overlay.png
```

```
60% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/16x16/mimetypes
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
```

```
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-applix.png /opt/local/var/macports/bui  
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde  
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetype  
s/applix.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-ascii.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimet  
ypes/ascii.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-binary.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mime  
types/binary.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-bt.png /opt/local/var/macports/bui  
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde  
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetype  
s/bt.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-cdimage.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/cdimage.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-cdr.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/cdr.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-cdtrack.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/cdtrack.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-colorscm.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/colorscm.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-core.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/core.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-deb.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/deb.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-document.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi  
metypes/document.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-document2.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m  
imetypes/document2.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-dvi.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/dvi.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-empty.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimet  
ypes/empty.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-encrypted.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m  
imetypes/encrypted.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-exec_wine.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m  
imetypes/exec_wine.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-font.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/font.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-font_bitmap.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16  
/mimetypes/font_bitmap.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-font_truetype.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x  
16/mimetypes/font_truetype.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-font_type1.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/  
mimetypes/font_type1.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-gettext.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mim  
etypes/gettext.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-gf.png /opt/local/var/macports/bui  
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde  
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetype  
s/gf.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-html.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/html.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-image.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimet  
ypes/image.png
```

```
60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-info.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety
pes/info.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-karbon_karbon.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x
16/mimetypes/karbon_karbon.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kchart_chrt.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/mimetypes/kchart_chrt.png

60% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kexi_kexi.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m
imetypes/kexi_kexi.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m


```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kformula_kfo.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1  
6/mimetypes/kformula_kfo.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kivio_flw.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m  
imetypes/kivio_flw.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kmultiple.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m  
imetypes/kmultiple.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kpresenter_kpr.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16  
x16/mimetypes/kpresenter_kpr.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-krita_kra.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m
imetypes/krita_kra.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kspread_ksp.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16
/mimetypes/kspread_ksp.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kugar_kud.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m
imetypes/kugar_kud.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-kword_kwd.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m
imetypes/kword_kwd.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-log.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/log.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-make.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/make.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-man.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/man.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-message.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/message.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-metafont.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi  
metypes/metafont.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-midi.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/midi.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-misc.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/misc.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-netscape_doc.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x1  
6/mimetypes/netscape_doc.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-news.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety
pes/news.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-pdf.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety
pes/pdf.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-pk.png /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetype
s/pk.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-postscript.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
mimetypes/postscript.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-quicktime.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m  
imetypes/quicktime.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-readme.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mime  
types/readme.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-recycled.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi  
metypes/recycled.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-resource.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi  
metypes/resource.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-rpm.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/rpm.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-shellscript.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/shellscript.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-sound.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/sound.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimetypes/source.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_c.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi
metypes/source_c.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_cpp.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
mimetypes/source_cpp.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_f.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi
metypes/source_f.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_h.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi
metypes/source_h.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m


```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_java.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16  
/mimetypes/source_java.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_l.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi  
metypes/source_l.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_moc.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/  
mimetypes/source_moc.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_o.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi  
metypes/source_o.png
```

```
61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_php.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/
mimetypes/source_php.png

61% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_pl.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m
imetypes/source_pl.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_py.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m
imetypes/source_py.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_s.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi
metypes/source_s.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-source_y.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mi  
metypes/source_y.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-spreadsheet.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16  
/mimetypes/spreadsheet.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-tar.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/tar.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-template_source.png /opt/local/var  
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba  
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/1  
6x16/mimetypes/template_source.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-tex.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety
pes/tex.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-tgz.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety
pes/tgz.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-txt.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety
pes/txt.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-txt2.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety
pes/txt2.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-unknown.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mim
etypes/unknown.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-vcalendar.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m
imetypes/vcalendar.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-vcard.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimet
ypes/vcard.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-vectorgfx.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/m
imetypes/vectorgfx.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-video.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimet  
ypes/video.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-widget_doc.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/  
mimetypes/widget_doc.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-wordprocessing.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16  
x16/mimetypes/wordprocessing.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr16-mime-zip.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/mimety  
pes/zip.png
```

```
62% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
```

```
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/22x22
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/icons/crystalsvg/22x22/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr22-action-1downarrow.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/ac  
tions/1downarrow.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-1leftarrow.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2  
2/actions/1leftarrow.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-1rightarrow.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x  
22/actions/1rightarrow.png
```

```
62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-1uparrow.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/1uparrow.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-2downarrow.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/2downarrow.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-2leftarrow.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/2leftarrow.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-2rightarrow.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/2rightarrow.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-2uparrow.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/2uparrow.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-about_kde.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/about_kde.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-add.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actio
ns/add.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-airbrush.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/airbrush.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-apply.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/act
ions/apply.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-attach.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/ac
tions/attach.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-back.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/back.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-blend.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/act
ions/blend.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-bookmark.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/bookmark.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-bookmark_add.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/bookmark_add.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-bookmark_folder.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/bookmark_folder.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-bookmarks_list_add.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/bookmarks_list_add.png

62% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-bottom.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/bottom.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-button_cancel.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/button_cancel.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-button_ok.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/button_ok.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-cd.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/cd.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-centrejust.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/centrejust.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-charset.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/a
ctions/charset.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-clear_left.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/clear_left.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-color_fill.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/color_fill.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-color_line.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2  
2/actions/color_line.png
```

```
63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-colorize.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/  
actions/colorize.png
```

```
63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-colorpicker.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x  
22/actions/colorpicker.png
```

```
63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-compfile.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/  
actions/compfile.png
```

```
63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-configure.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/configure.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-connect_creating.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/22x22/actions/connect_creating.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-connect_established.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/22x22/actions/connect_established.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-connect_no.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/connect_no.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-contents.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/contents.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-contents2.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/contents2.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-contexthelp.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/contexthelp.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-crop.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/crop.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-decrypte.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/decrypte.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-down.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/down.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-edit.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/edit.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-editclear.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/editclear.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-editcopy.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/editcopy.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-editcut.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/editcut.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-editdelete.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/editdelete.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-editpaste.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/editpaste.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-editshred.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/editshred.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-edittrash.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/edittrash.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-emptytrash.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/emptytrash.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-encrypted.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/encrypted.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-eraser.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/eraser.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-exec.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/exec.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-exit.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/exit.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fileclose.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/fileclose.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fileexport.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/fileexport.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-filefind.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/filefind.png

63% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fileimport.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/fileimport.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-filenew.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/a
ctions/filenew.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fileopen.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/fileopen.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fileprint.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/fileprint.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-filequickprint.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/actions/filequickprint.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-filesave.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/filesave.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-filesaveas.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/filesaveas.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fill.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/fill.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-filter.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/ac
tions/filter.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-find.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/find.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-finish.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/finish.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-folder.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/folder.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-folder_new.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/folder_new.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fontsizedown.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/fontsizedown.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fontsizeup.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/fontsizeup.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-fork.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/fork.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-forward.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/a
ctions/forward.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-frame_chart.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/frame_chart.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-frame_edit.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/frame_edit.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-frame_formula.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/actions/frame_formula.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-frame_image.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/frame_image.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-frame_query.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/frame_query.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-frame_spreadsheet.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/22x22/actions/frame_spreadsheet.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-frame_text.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/frame_text.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-frameprint.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/frameprint.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-gear.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/gear.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-gohome.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/gohome.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-goto.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/goto.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-halfencrypted.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/halfencrypted.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-help.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/help.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-history.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/history.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-idea.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/idea.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-identity.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/identity.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-inline_image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/inline_image.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-inline_table.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/inline_table.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-kde.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/kde.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-key_enter.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/key_enter.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-launch.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/launch.png

64% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-leftjust.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/leftjust.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-locationbar_erase.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/22x22/actions/locationbar_erase.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-lock.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/lock.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_delete.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/mail_delete.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_find.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/mail_find.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_forward.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/actions/mail_forward.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_generic.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/actions/mail_generic.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_get.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/mail_get.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_new.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/mail_new.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_new3.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/mail_new3.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_post_to.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/actions/mail_post_to.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_post_to3.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/actions/mail_post_to3.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_reply.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/mail_reply.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_replyall.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/actions/mail_replyall.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_replylist.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/actions/mail_replylist.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mail_send.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/mail_send.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-make_kdevelop.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/actions/make_kdevelop.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_abs.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/math_abs.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_brace.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/math_brace.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_brackets.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/actions/math_brackets.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_frac.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/math_frac.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_int.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/math_int.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_lsub.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/math_lsub.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_lsup.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/math_lsup.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_matrix.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/math_matrix.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_onetwomatrix.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/22x22/actions/math_onetwomatrix.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_paren.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/math_paren.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_prod.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/math_prod.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_rsub.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22  
/actions/math_rsub.png
```

```
65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_rsup.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22  
/actions/math_rsup.png
```

```
65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_sqrt.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22  
/actions/math_sqrt.png
```

```
65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-math_sum.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/  
actions/math_sum.png
```

```
65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-message_reply.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/actions/message_reply.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-misc.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/misc.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-mouse.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/act
ions/mouse.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-move.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/move.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_32ndnote.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/actions/music_32ndnote.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_cleficon.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/actions/music_cleficon.png

65% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_cross.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/music_cross.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_dottednote.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/22x22/actions/music_dottednote.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_eightnote.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/22x22/actions/music_eightnote.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_fermatenote.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/22x22/actions/music_fermatenote.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_flat.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/music_flat.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_fullnote.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/actions/music_fullnote.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_halfnote.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/actions/music_halfnote.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_natur.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/music_natur.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_quarternote.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/22x22/actions/music_quarternote.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-music_sixteenthnote.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/22x22/actions/music_sixteenthnote.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-news_subscribe.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/actions/news_subscribe.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-news_unsubscribe.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/22x22/actions/news_unsubscribe.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-next.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/next.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-openterm.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/openterm.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-paintbrush.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/paintbrush.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-pencil.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/ac
tions/pencil.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_eject.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/actions/player_eject.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_end.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/player_end.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_fwd.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2  
2/actions/player_fwd.png
```

```
66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_pause.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22  
x22/actions/player_pause.png
```

```
66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_play.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x  
22/actions/player_play.png
```

```
66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_playlist.png /opt/local/v  
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar  
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg  
/22x22/actions/player_playlist.png
```

```
66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_rew.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2  
2/actions/player_rew.png
```

```
66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_start.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22  
x22/actions/player_start.png
```

```
66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-player_stop.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x  
22/actions/player_stop.png
```

```
66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-previous.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/  
actions/previous.png
```

```
66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-project_open.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/actions/project_open.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-queue.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/act
ions/queue.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-rebuild.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/a
ctions/rebuild.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-redo.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/red.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-reload.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/reload.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-reload3.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/reload3.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-reload_all_tabs.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/reload_all_tabs.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-reload_page.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/reload_page.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-remove.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/ac
tions/remove.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-revert.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/ac
tions/revert.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-rightjust.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/rightjust.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-rotate.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/ac
tions/rotate.png

66% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-rotate_ccw.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/rotate_ccw.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-rotate_cw.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/rotate_cw.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-run.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actio
ns/run.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-save_all.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/save_all.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-share.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/share.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-show_side_panel.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/show_side_panel.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-showmenu.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/showmenu.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-signature.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/signature.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-spellcheck.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/spellcheck.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-start.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/act
ions/start.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-stop.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/stop.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-switchuser.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/switchuser.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/acti
ons/text.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_block.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/text_block.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_bold.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/text_bold.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_center.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/text_center.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_italic.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/text_italic.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_left.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/text_left.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_right.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/text_right.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_strike.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/text_strike.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_sub.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/text_sub.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_super.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/text_super.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-text_under.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/text_under.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-thumbnail.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/thumbnail.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-today.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/today.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-toggle_log.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/toggle_log.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-top.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/top.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-translate.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/translate.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-undo.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/undo.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-unlock.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/unlock.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-up.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/up.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_bottom.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/view_bottom.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_choose.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/view_choose.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_detailed.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/actions/view_detailed.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_fit_height.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/22x22/actions/view_fit_height.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_fit_width.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/actions/view_fit_width.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_fit_window.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/view_fit_window.png

67% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_icon.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/view_icon.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_left_right.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/view_left_right.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_multicolumn.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/view_multicolumn.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_remove.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/actions/view_remove.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_right.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/view_right.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_sidetree.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/actions/view_sidetree.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_text.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/view_text.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_top_bottom.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/22x22/actions/view_top_bottom.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-view_tree.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/actions/view_tree.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-viewmag+.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/viewmag+.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-viewmag-.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/viewmag-.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-viewmag.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/a
ctions/viewmag.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-viewmag1.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
actions/viewmag1.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-viewmagfit.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/actions/viewmagfit.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-window_fullscreen.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/22x22/actions/window_fullscreen.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-window_new.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2  
2/actions/window_new.png
```

```
68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-window_nofullscreen.png /opt/loc  
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release  
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta  
lsvg/22x22/actions/window_nofullscreen.png
```

```
68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-action-wizard.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/ac  
tions/wizard.png
```

```
68% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/22x22/apps
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr22-app-kmenu.png /opt/local/var/macports/build  
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
```

delibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/apps/kmenu.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-app-kttsd.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/apps/kttsd.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-app-password.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/apps/password.png

68% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/devices

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-3floppy_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/devices/3floppy_mount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-3floppy_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/22x22/devices/3floppy_unmount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-camera_mount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/devices/camera_mount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-camera_unmount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/devices/camera_unmount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-cdaudio_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/22x22/devices/cdaudio_unmount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-compact_flash_mount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/22x22/devices/compact_flash_mount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-compact_flash_unmount.png /opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crys
talsvg/22x22/devices/compact_flash_unmount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-hdd_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/devices/hdd_mount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-hdd_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/devices/hdd_unmount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-ipod_mount.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2
2/devices/ipod_mount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-ipod_unmount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/devices/ipod_unmount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-joystick.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
devices/joystick.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-memory_stick_mount.png /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/22x22/devices/memory_stick_mount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-memory_stick_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/devices/memory_stick_unmount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-print_class.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/devices/print_class.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-printer1.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/devices/printer1.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-sd_mmc_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/devices/sd_mmc_mount.png

68% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-sd_mmc_unmount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/devices/sd_mmc_unmount.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-smart_media_mount.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/22x22/devices/smart_media_mount.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-smart_media_unmount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/22x22/devices/smart_media_unmount.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-system.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/de
vices/system.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-usbpendrive_mount.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/22x22/devices/usbpendrive_mount.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-device-usbpendrive_unmount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/22x22/devices/usbpendrive_unmount.png

69% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons/crystalsvg/22x22/filesystems

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-desktop.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/file
systems/desktop.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po

rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/filesystems/folder.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_green.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/filesystems/folder_green.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_green_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/filesystems/folder_green_open.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_grey.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/filesystems/folder_grey.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_grey_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t

arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/22x22/filesystems/folder_grey_open.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_home.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/filesystems/folder_home.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_open.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/filesystems/folder_open.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_orange.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/filesystems/folder_orange.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_orange_open.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release

_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
lsvg/22x22/filesystems/folder_orange_open.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_print.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/2
2x22/filesystems/folder_print.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_red.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x
22/filesystems/folder_red.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_red_open.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/22x22/filesystems/folder_red_open.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_violet.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/filesystems/folder_violet.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_violet_open.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/22x22/filesystems/folder_violet_open.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_yellow.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
22x22/filesystems/folder_yellow.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-folder_yellow_open.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/22x22/filesystems/folder_yellow_open.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-link_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/filesystems/link_overlay.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-network.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/filesystems/network.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-trashcan_empty.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/filesystems/trashcan_empty.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-trashcan_full.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/filesystems/trashcan_full.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-www.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports

_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/file
systems/www.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-filesys-zip_overlay.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/filesystems/zip_overlay.png

69% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons/crystalsvg/22x22/mimetypes

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-applix.png /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimetype
s/applix.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-ascii.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimet
ypes/ascii.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-binary.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mime
types/binary.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-bt.png /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimetype
s/bt.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-cdimage.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mim
etypes/cdimage.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-cdtrack.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mim
etypes/cdtrack.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-colorscm.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/colorscm.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-core.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety
pes/core.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-deb.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety
pes/deb.png

69% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-document.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/document.png

70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-document2.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/document2.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-dvi.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimetyp  
es/dvi.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-empty.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimet  
ypes/empty.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-encrypted.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/encrypted.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-exec_wine.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/exec_wine.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-file_locked.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22  
/mimetypes/file_locked.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-file_temporary.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22  
x22/mimetypes/file_temporary.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-font.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/font.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```



```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-font_bitmap.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22  
/mimetypes/font_bitmap.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-font_truetype.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x  
22/mimetypes/font_truetype.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-font_type1.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/  
mimetypes/font_type1.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-gf.png /opt/local/var/macports/bui  
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde  
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimetype  
s/gf.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-html.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/html.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-image.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimet  
ypes/image.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-info.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/info.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-karbon_karbon.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x  
22/mimetypes/karbon_karbon.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kchart_chrt.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22  
/mimetypes/kchart_chrt.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kexi_kexi.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/kexi_kexi.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kformula_kfo.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2  
2/mimetypes/kformula_kfo.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kivio_flw.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/kivio_flw.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kmultiple.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m
imetypes/kmultiple.png

70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-koffice.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mim
etypes/koffice.png

70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kpresenter_kpr.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22
x22/mimetypes/kpresenter_kpr.png

70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-krita_kra.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m
imetypes/krita_kra.png

70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kspread_ksp.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22  
/mimetypes/kspread_ksp.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kugar_kud.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/kugar_kud.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-kword_kwd.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/kword_kwd.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-log.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/log.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-make.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/make.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-man.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/man.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-message.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mim  
etypes/message.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-metafont.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi  
metypes/metafont.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-midi.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/midi.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-mozilla_doc.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22  
/mimetypes/mozilla_doc.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-netscape_doc.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x2  
2/mimetypes/netscape_doc.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-news.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/news.png
```

```
70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-pdf.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimetypes/pdf.png

70% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-pk.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimetypes/pk.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-postscript.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimetypes/postscript.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-quicktime.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimetypes/quicktime.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-readme.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mime
types/readme.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-recycled.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/recycled.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-rpm.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety
pes/rpm.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-shellscript.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/mimetypes/shellscript.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-soffice.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mim
etypes/soffice.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-sound.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimet
ypes/sound.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mime
types/source.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_c.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_c.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_cpp.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
mimetypes/source_cpp.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_f.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_f.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_h.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_h.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_j.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_j.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_java.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/mimetypes/source_java.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_l.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_l.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_moc.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/
mimetypes/source_moc.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_o.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_o.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_p.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_p.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_pl.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m
imetypes/source_pl.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_py.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m
imetypes/source_py.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_s.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_s.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-source_y.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mi
metypes/source_y.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-spreadsheet.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22
/mimetypes/spreadsheet.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-tar.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety
pes/tar.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-tex.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety
pes/tex.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-tgz.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety
pes/tgz.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-txt.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety
pes/txt.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-txt2.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety
pes/txt2.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-unknown.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mim
etypes/unknown.png

71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-vcalendar.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/vcalendar.png
```

```
71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-vcard.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimet  
ypes/vcard.png
```

```
71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-vectorgfx.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/m  
imetypes/vectorgfx.png
```

```
71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-video.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimet  
ypes/video.png
```

```
71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```



```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-widget_doc.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/  
mimetypes/widget_doc.png
```

```
71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-wordprocessing.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22  
x22/mimetypes/wordprocessing.png
```

```
71% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr22-mime-zip.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/mimety  
pes/zip.png
```

```
71% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/32x32
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/icons/crystalsvg/32x32/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
```

rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-about_kde.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/about_kde.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-add.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/add.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-apply.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/apply.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-attach.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/attach.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-back.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/back.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-blend.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/act
ions/blend.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-bookmark.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/bookmark.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-bookmark_add.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/actions/bookmark_add.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-bookmark_folder.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/bookmark_folder.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-bookmark_toolbar.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/32x32/actions/bookmark_toolbar.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-bookmarks_list_add.png /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/32x32/actions/bookmarks_list_add.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-bottom.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac
tions/bottom.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-button_cancel.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/actions/button_cancel.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-button_ok.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/button_ok.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-centrejust.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/centrejust.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-charset.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/a
ctions/charset.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-clear_left.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3  
2/actions/clear_left.png
```

```
72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-colorize.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/  
actions/colorize.png
```

```
72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-colorpicker.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x  
32/actions/colorpicker.png
```

```
72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-compfile.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/  
actions/compfile.png
```

```
72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-configure.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/configure.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-connect_creating.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/32x32/actions/connect_creating.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-connect_established.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/32x32/actions/connect_established.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-connect_no.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/connect_no.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-contents.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/  
actions/contents.png
```

```
72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-contents2.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/actions/contents2.png
```

```
72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-contexthelp.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x  
32/actions/contexthelp.png
```

```
72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-decrypt.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/actions/decrypt.png
```

```
72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```


acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-down.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/down.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-edit.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/edit.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-editclear.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/editclear.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-editcopy.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/editcopy.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-editcut.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/editcut.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-editdelete.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/editdelete.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-editpaste.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/editpaste.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-editshred.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/editshred.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-edittrash.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/edittrash.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-emptytrash.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/emptytrash.png

72% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-encrypted.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/encrypted.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-eraser.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac
tions/eraser.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-exec.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/exec.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-exit.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/exit.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-fileclose.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/fileclose.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-filefind.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/filefind.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-fileimport.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/fileimport.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-filenew.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/a
ctions/filenew.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-fileopen.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/fileopen.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-fileprint.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/fileprint.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-filequickprint.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/actions/filequickprint.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-filesave.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/filesave.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-filesaveas.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/filesaveas.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-filter.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac
tions/filter.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-find.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti  
ons/find.png
```

```
73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-finish.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac  
tions/finish.png
```

```
73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-folder_new.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3  
2/actions/folder_new.png
```

```
73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-fonts.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/act  
ions/fonts.png
```

```
73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-forward.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/forward.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-frameprint.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/frameprint.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-gear.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/gear.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-gohome.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/gohome.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-goto.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/goto.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-halfencrypted.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/actions/halfencrypted.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-help.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/help.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-identity.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/identity.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-indent.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/indent.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-kde.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/kde.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-kdevelop_down.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/kdevelop_down.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-launch.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/launch.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-leftjust.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/  
actions/leftjust.png
```

```
73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-locationbar_erase.png /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal  
svg/32x32/actions/locationbar_erase.png
```

```
73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-lock.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti  
ons/lock.png
```

```
73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_delete.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x  
32/actions/mail_delete.png
```

```
73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_find.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/mail_find.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_forward.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/actions/mail_forward.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_generic.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/actions/mail_generic.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_get.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/mail_get.png

73% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_new.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/mail_new.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_post_to.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/actions/mail_post_to.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_reply.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/mail_reply.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_replyall.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/actions/mail_replyall.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_replylist.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/actions/mail_replylist.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mail_send.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/mail_send.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-make_kdevelop.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/actions/make_kdevelop.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_abs.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/math_abs.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_brace.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/math_brace.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_brackets.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/actions/math_brackets.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_frac.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/math_frac.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_int.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/math_int.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_lsub.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/math_lsub.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_lsup.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/math_lsup.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_matrix.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/actions/math_matrix.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_onetwomatrix.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/32x32/actions/math_onetwomatrix.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_paren.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/math_paren.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_prod.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/math_prod.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_rsub.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/math_rsub.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_rsup.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/math_rsup.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_sqrt.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/math_sqrt.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-math_sum.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/math_sum.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-messagebox_critical.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/32x32/actions/messagebox_critical.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-messagebox_info.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/messagebox_info.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-messagebox_warning.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/messagebox_warning.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-misc.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/misc.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-mouse.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/mouse.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_32ndnote.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/music_32ndnote.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_cleficon.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/actions/music_cleficon.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_cross.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/actions/music_cross.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_dottednote.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/32x32/actions/music_dottednote.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_eightnote.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/music_eightnote.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_fermatenote.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/32x32/actions/music_fermatenote.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_flat.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/music_flat.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_fullnote.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/actions/music_fullnote.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_halfnote.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/actions/music_halfnote.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_natur.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/actions/music_natur.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_quarternote.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/32x32/actions/music_quarternote.png

74% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-music_sixteenthnote.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/32x32/actions/music_sixteenthnote.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-next.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/next.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-openterm.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/openterm.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_eject.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/actions/player_eject.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_end.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/player_end.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_fwd.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/player_fwd.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_pause.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/actions/player_pause.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_play.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/actions/player_play.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_playlist.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/player_playlist.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_rew.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/player_rew.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_start.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/actions/player_start.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-player_stop.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/actions/player_stop.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-previous.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/previous.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-project_open.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/actions/project_open.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-queue.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/act
ions/queue.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-rebuild.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/a
ctions/rebuild.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-redo.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/redo.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-reload.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac
tions/reload.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-reload_all_tabs.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/reload_all_tabs.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-reload_page.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/actions/reload_page.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-remove.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac
tions/remove.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-revert.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac
tions/revert.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-rightjust.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/actions/rightjust.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-rotate.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac  
tions/rotate.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-rotate_ccw.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3  
2/actions/rotate_ccw.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-rotate_cw.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/actions/rotate_cw.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-run.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actio
ns/run.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-save_all.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/save_all.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-share.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/act
ions/share.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-show_side_panel.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/show_side_panel.png

75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-signature.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/actions/signature.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-spellcheck.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3  
2/actions/spellcheck.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-start.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/act  
ions/start.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-stop.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti  
ons/stop.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-switchuser.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3  
2/actions/switchuser.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_block.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3  
2/actions/text_block.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_bold.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/actions/text_bold.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_center.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x  
32/actions/text_center.png
```

```
75% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_italic.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/actions/text_italic.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_left.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/text_left.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_right.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/text_right.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_strike.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/actions/text_strike.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_sub.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/text_sub.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_super.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/text_super.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-text_under.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/text_under.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-today.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/act
ions/today.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-toggle_log.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/toggle_log.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-top.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actio
ns/top.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-undo.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/acti
ons/undo.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-unindent.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/unindent.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-unlock.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/unlock.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-up.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/up.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_bottom.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/view_bottom.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_choose.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/view_choose.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_detailed.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/actions/view_detailed.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_fit_height.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/view_fit_height.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_fit_width.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/actions/view_fit_width.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_fit_window.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/view_fit_window.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_icon.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/actions/view_icon.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_left_right.png /opt/local/v  
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta  
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg  
/32x32/actions/view_left_right.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_multicolumn.png /opt/local/  
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta  
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv  
g/32x32/actions/view_multicolumn.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_remove.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x  
32/actions/view_remove.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_right.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/view_right.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_sidetree.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/actions/view_sidetree.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_text.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/actions/view_text.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_top_bottom.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/actions/view_top_bottom.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-view_tree.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/actions/view_tree.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-viewmag+.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/  
actions/viewmag+.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-viewmag-.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/  
actions/viewmag-.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-viewmag.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/a  
ctions/viewmag.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-viewmag1.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
actions/viewmag1.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-viewmagfit.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/viewmagfit.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-window_fullscreen.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/32x32/actions/window_fullscreen.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-window_new.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/actions/window_new.png

76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m


```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-window_nofullscreen.png /opt/loc  
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release  
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta  
lsvg/32x32/actions/window_nofullscreen.png
```

```
76% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-action-wizard.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/ac  
tions/wizard.png
```

```
77% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/32x32/apps
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr32-app-kmenu.png /opt/local/var/macports/build  
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k  
delibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/apps/kmenu  
.png
```

```
77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-app-kttsd.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
```

de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/apps/k
tttd.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-app-password.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/app
s/password.png

77% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons/crystalsvg/32x32/devices

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/cr32-device-3floppy_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/devices/3floppy_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-3floppy_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/devices/3floppy_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-5floppy_mount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/devices/5floppy_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-5floppy_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/devices/5floppy_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-blockdevice.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/devices/blockdevice.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-camera_mount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/devices/camera_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-camera_unmount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/devices/camera_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-cdaudio_mount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/devices/cdaudio_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-cdaudio_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/devices/cdaudio_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-cdrom_mount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/devices/cdrom_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-cdrom_unmount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/devices/cdrom_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-cdwriter_mount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/devices/cdwriter_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-cdwriter_unmount.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/32x32/devices/cdwriter_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-chardevice.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/devices/chardevice.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-compact_flash_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/devices/compact_flash_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-compact_flash_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/devices/compact_flash_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-dvd_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/devices/dvd_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-dvd_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/devices/dvd_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-hdd_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/devices/hdd_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-hdd_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/devices/hdd_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-ipod_mount.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/devices/ipod_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-ipod_unmount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/devices/ipod_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-joystick.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
devices/joystick.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-memory.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/de
vices/memory.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-memory_stick_mount.png /opt/loca
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/32x32/devices/memory_stick_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-memory_stick_unmount.png /opt/lo
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cryst
alsvg/32x32/devices/memory_stick_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-mo_mount.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
devices/mo_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-mo_unmount.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3
2/devices/mo_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-mouse.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/dev
ices/mouse.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-nfs_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/devices/nfs_mount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-nfs_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/devices/nfs_unmount.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-pda_black.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/devices/pda_black.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-pda_blue.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
devices/pda_blue.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-print_class.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/devices/print_class.png

77% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-printer1.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
devices/printer1.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-scanner.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/d
evices/scanner.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-sd_mmc_mount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/devices/sd_mmc_mount.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-sd_mmc_unmount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/devices/sd_mmc_unmount.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-smart_media_mount.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/32x32/devices/smart_media_mount.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-smart_media_unmount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/32x32/devices/smart_media_unmount.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-system.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/de
vices/system.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-tablet.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/de
vices/tablet.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-tv.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/devices/tv.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-usbpendrive_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/devices/usbpendrive_mount.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-usbpendrive_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/devices/usbpendrive_unmount.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-zip_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/devices/zip_mount.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-device-zip_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/devices/zip_unmount.png

78% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons/crystalsvg/32x32/filesystems

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-desktop.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/file
systems/desktop.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-exec.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/fil
esystems/exec.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-file_broken.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal

```
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/file_broken.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_crystal.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_crystal.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_favorite.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_favorite.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_green.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
```

```
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_green.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_green_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_green_open.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_grey.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_grey.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_grey_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_grey_open.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_home.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_home.png
```



```
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_home.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_home2.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_home2.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_html.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_html.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_image.png
```

```
78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_important.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
```

arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_important.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_locked.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_locked.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_man.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_man.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_open.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_orange.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_orange.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_orange_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_orange_open.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_print.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_print.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_red.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_red.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_red_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta

rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_red_open.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_sound.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_sound.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_tar.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_tar.png

78% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_txt.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_txt.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_video.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_video.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_violet.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_violet.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_violet_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_violet_open.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_yellow.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/folder_yellow.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-folder_yellow_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release

_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
lsvg/32x32/filesystems/folder_yellow_open.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-ftp.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/file
systems/ftp.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-link_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/filesystems/link_overlay.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-lock_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3
2x32/filesystems/lock_overlay.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-network.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p

orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
filesystems/network.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-network_local.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
32x32/filesystems/network_local.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-pipe.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/fil
esystems/pipe.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-trashcan_empty.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/32x32/filesystems/trashcan_empty.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-trashcan_full.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/trashcan_full.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-www.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/www.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-filesys-zip_overlay.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/filesystems/zip_overlay.png

79% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-applix.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/applix.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-ascii.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimet
ypes/ascii.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-binary.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mime
types/binary.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-bt.png /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetype
s/bt.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-cdimage.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mim
etypes/cdimage.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-cdr.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/cdr.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-cdtrack.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/cdtrack.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-colorscm.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/colorscm.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-core.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/core.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-deb.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/deb.png
```

```
79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-document.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi  
metypes/document.png
```

```
79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-document2.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/document2.png
```

```
79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-dvi.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/dvi.png
```

```
79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-empty.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimet
ypes/empty.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-exec_wine.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m
imetypes/exec_wine.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-file_locked.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/mimetypes/file_locked.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-file_temporary.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32
x32/mimetypes/file_temporary.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-font.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety
pes/font.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-font_bitmap.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/mimetypes/font_bitmap.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-font_truetype.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x
32/mimetypes/font_truetype.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-font_type1.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
mimetypes/font_type1.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-gettext.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/gettext.png

79% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-gf.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/gf.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-html.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/html.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/image.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-info.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/info.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-karbon_karbon.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x  
32/mimetypes/karbon_karbon.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kchart_chrt.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/mimetypes/kchart_chrt.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kexi_kexi.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/kexi_kexi.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kformula_kfo.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3  
2/mimetypes/kformula_kfo.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kivio_flw.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/kivio_flw.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kmultiple.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/kmultiple.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kpresenter_kpr.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32  
x32/mimetypes/kpresenter_kpr.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```



```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-krita_kra.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/krita_kra.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kspread_ksp.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/mimetypes/kspread_ksp.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kugar_kud.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/kugar_kud.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-kword_kwd.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/kword_kwd.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-log.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety
pes/log.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-make.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety
pes/make.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-man.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety
pes/man.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-message.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mim
etypes/message.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-metafont.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi  
metypes/metafont.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-midi.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/midi.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-misc.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/misc.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-netscape_doc.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x3  
2/mimetypes/netscape_doc.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-pdf.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/pdf.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-pk.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/pk.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-postscript.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/postscript.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-quicktime.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimetypes/quicktime.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-readme.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mime
types/readme.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-recycled.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi
metypes/recycled.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-resource.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi
metypes/resource.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-rpm.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety
pes/rpm.png

80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-shellscript.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/mimetypes/shellscript.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-soffice.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mim  
etypes/soffice.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-sound.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimet  
ypes/sound.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mime  
types/source.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_c.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi  
metypes/source_c.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_cpp.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/  
mimetypes/source_cpp.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_f.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi  
metypes/source_f.png
```

```
80% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_h.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi  
metypes/source_h.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_j.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi
metypes/source_j.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_java.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32
/mimetypes/source_java.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_l.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi
metypes/source_l.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_moc.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
mimetypes/source_moc.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_o.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi
metypes/source_o.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_p.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi
metypes/source_p.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_php.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
mimetypes/source_php.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_pl.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m
imetypes/source_pl.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_py.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/source_py.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_s.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi  
metypes/source_s.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-source_y.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mi  
metypes/source_y.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-spreadsheet.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32  
/mimetypes/spreadsheet.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-tar.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/tar.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-template_source.png /opt/local/var  
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba  
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/3  
2x32/mimetypes/template_source.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-tex.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/tex.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-tgz.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/tgz.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-txt.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/txt.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-txt2.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/txt2.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-unknown.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mim  
etypes/unknown.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-vcalendar.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m  
imetypes/vcalendar.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-vcard.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimet
ypes/vcard.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-vectorgfx.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/m
imetypes/vectorgfx.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-video.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimet
ypes/video.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-widget_doc.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/
mimetypes/widget_doc.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-wordprocessing.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32  
x32/mimetypes/wordprocessing.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr32-mime-zip.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/mimety  
pes/zip.png
```

```
81% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/48x48
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/icons/crystalsvg/48x48/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr48-action-add.png /opt/local/var/macports/buil  
d/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_  
kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/a  
dd.png
```

```
81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-back.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/acti
ons/back.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-bookmark.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/
actions/bookmark.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-colorpicker.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x
48/actions/colorpicker.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-contents2.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48
/actions/contents2.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-down.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/acti
ons/down.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-eraser.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/ac
tions/eraser.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-exit.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/acti
ons/exit.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-fileclose.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48
/actions/fileclose.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-filenew.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/filenew.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-fileprint.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/fileprint.png

81% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-filequickprint.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/filequickprint.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-forward.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/forward.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-frameprint.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x4  
8/actions/frameprint.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-gear.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/acti  
ons/gear.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-gohome.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/ac  
tions/gohome.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-identity.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/  
actions/identity.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-indent.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/indent.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-kde.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/kde.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-launch.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/launch.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-lock.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/lock.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-mail_new.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/
actions/mail_new.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-mail_post_to.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48
x48/actions/mail_post_to.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-misc.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/acti
ons/misc.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-next.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/acti
ons/next.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-player_playlist.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/player_playlist.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-previous.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/previous.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-reload.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/reload.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-reload_all_tabs.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/reload_all_tabs.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-reload_page.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x
48/actions/reload_page.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-remove.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/ac
tions/remove.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-rotate.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/ac
tions/rotate.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-rotate_ccw.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x4
8/actions/rotate_ccw.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-rotate_cw.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48  
/actions/rotate_cw.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-share.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/act  
ions/share.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-stop.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/acti  
ons/stop.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-switchuser.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x4  
8/actions/switchuser.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-unindent.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/  
actions/unindent.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-up.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/action  
s/up.png
```

```
82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-action-wizard.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/ac  
tions/wizard.png
```

```
82% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/48x48/apps
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr48-app-kmenu.png /opt/local/var/macports/build  
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k
```


delibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/apps/kmenu.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-app-kttsd.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/apps/kttsd.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-app-password.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/apps/password.png

82% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-3floppy_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/3floppy_mount.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-3floppy_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/3floppy_unmount.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-5floppy_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/5floppy_mount.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-5floppy_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/5floppy_unmount.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-blockdevice.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/blockdevice.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-camera_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/camera_mount.png

82% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-camera_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/camera_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-cdaudio_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/cdaudio_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-cdaudio_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/cdaudio_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-cdrom_mount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x
48/devices/cdrom_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-cdrom_unmount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/4
8x48/devices/cdrom_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-cdwriter_mount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
48x48/devices/cdwriter_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-cdwriter_unmount.png /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/48x48/devices/cdwriter_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-chardevice.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x4
8/devices/chardevice.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-compact_flash_mount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/48x48/devices/compact_flash_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-compact_flash_unmount.png /opt/l
ocal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_relea
se_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crys
talsvg/48x48/devices/compact_flash_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-dvd_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48
/devices/dvd_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-dvd_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x
48/devices/dvd_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-hdd_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48
/devices/hdd_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-hdd_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x
48/devices/hdd_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-ipod_mount.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x4
8/devices/ipod_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-ipod_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/ipod_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-joystick.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/joystick.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-memory.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/memory.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-memory_stick_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/memory_stick_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-memory_stick_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/memory_stick_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-mo_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/mo_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-mo_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/mo_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-mouse.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/mouse.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m


```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-nfs_mount.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48  
/devices/nfs_mount.png
```

```
83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-nfs_unmount.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x  
48/devices/nfs_unmount.png
```

```
83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-pda_black.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48  
/devices/pda_black.png
```

```
83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-pda_blue.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/  
devices/pda_blue.png
```

```
83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-print_class.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/print_class.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-printer1.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/printer1.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-scanner.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/scanner.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-sd_mmc_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/sd_mmc_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-sd_mmc_unmount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
48x48/devices/sd_mmc_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-smart_media_mount.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/48x48/devices/smart_media_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-smart_media_unmount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/48x48/devices/smart_media_unmount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-system.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/de
vices/system.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-tablet.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/tablet.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-tv.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/tv.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-usbpendrive_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/usbpendrive_mount.png

83% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-usbpendrive_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/devices/usbpendrive_unmount.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-zip_mount.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48  
/devices/zip_mount.png
```

```
84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-device-zip_unmount.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x  
48/devices/zip_unmount.png
```

```
84% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/48x48/filesystems
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-desktop.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/file  
systems/desktop.png
```

```
84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-exec.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
```

s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/exec.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-file_broken.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/file_broken.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_crystal.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_crystal.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_favorite.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta

rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_favorite.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_green.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_green.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_green_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_green_open.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_grey.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_grey.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_grey_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t

arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_grey_open.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_home.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_home.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_home2.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_home2.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_html.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_html.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_image.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_important.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_important.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_inbox.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_inbox.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_locked.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_locked.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_man.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball

s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_man.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_open.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_orange.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_orange.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_orange_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_orange_open.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_outbox.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_outbox.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_print.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_print.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_red.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_red.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_red_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_red_open.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_sound.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_sound.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_tar.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_tar.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_txt.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_txt.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_video.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_video.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_violet.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/folder_violet.png

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
48x48/filesystems/folder_violet.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_violet_open.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/48x48/filesystems/folder_violet_open.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_yellow.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
48x48/filesystems/folder_yellow.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-folder_yellow_open.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/48x48/filesystems/folder_yellow_open.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-ftp.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports

_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/file
systems/ftp.png

84% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-link_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/4
8x48/filesystems/link_overlay.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-lock_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/4
8x48/filesystems/lock_overlay.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-network.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/
filesystems/network.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-network_local.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/network_local.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-pipe.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/pipe.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-server.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/server.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-trashcan_empty.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/trashcan_empty.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-trashcan_full.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/trashcan_full.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-www.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/www.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-filesys-zip_overlay.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/filesystems/zip_overlay.png

85% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-applix.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/applix.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-ascii.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimet
ypes/ascii.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-binary.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mime
types/binary.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-bt.png /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetype
s/bt.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-cdimage.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mim
etypes/cdimage.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-cdr.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety  
pes/cdr.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-cdtrack.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mim  
etypes/cdtrack.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-colorscm.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi  
metypes/colorscm.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-core.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety  
pes/core.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-deb.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety  
pes/deb.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-document.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi  
metypes/document.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-document2.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m  
imetypes/document2.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-dvi.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety  
pes/dvi.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-empty.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimet
ypes/empty.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-encrypted.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m
imetypes/encrypted.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-exec_wine.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m
imetypes/exec_wine.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-font.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pes/font.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-font_bitmap.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48  
/mimetypes/font_bitmap.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-font_truetype.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x  
48/mimetypes/font_truetype.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-font_type1.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/  
mimetypes/font_type1.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-gettext.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mim  
etypes/gettext.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-gf.png /opt/local/var/macports/bui
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pe/gf.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-html.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pes/html.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-image.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimet
ypes/image.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-info.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pes/info.png

85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-karbon_karbon.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x  
48/mimetypes/karbon_karbon.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kchart_chrt.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48  
/mimetypes/kchart_chrt.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kexi_kexi.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m  
imetypes/kexi_kexi.png
```

```
85% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kformula_kfo.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x4  
8/mimetypes/kformula_kfo.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kivio_flw.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m  
imetypes/kivio_flw.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kmultiple.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m  
imetypes/kmultiple.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-koffice.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mim  
etypes/koffice.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kpresenter_kpr.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48  
x48/mimetypes/kpresenter_kpr.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```


acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-krita_kra.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m
imetypes/krita_kra.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kspread_ksp.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48
/mimetypes/kspread_ksp.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kugar_kud.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m
imetypes/kugar_kud.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-kword_kwd.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m
imetypes/kword_kwd.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-log.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pes/log.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-make.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pes/make.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-man.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pes/man.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-message.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mim
etypes/message.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-metafont.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi  
metypes/metafont.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-midi.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety  
pes/midi.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-misc.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety  
pes/misc.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-mozilla_doc.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48  
/mimetypes/mozilla_doc.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-netscape_doc.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x4  
8/mimetypes/netscape_doc.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-pdf.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety  
pes/pdf.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-pk.png /opt/local/var/macports/bui  
ld/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde  
_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetype  
s/pk.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-postscript.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/  
mimetypes/postscript.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-quicktime.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m  
imetypes/quicktime.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-readme.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mime  
types/readme.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-recycled.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi  
metypes/recycled.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-resource.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi  
metypes/resource.png
```

```
86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-rpm.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/rpm.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-shellscript.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/shellscript.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-soffice.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/soffice.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-sound.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/sound.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mime
types/source.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_c.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_c.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_cpp.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/
mimetypes/source_cpp.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_f.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_f.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_h.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_h.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_j.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_j.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_java.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48
/mimetypes/source_java.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_l.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_l.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_moc.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/
mimetypes/source_moc.png

86% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_o.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_o.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_p.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_p.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_php.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/
mimetypes/source_php.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_pl.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m
imetypes/source_pl.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_py.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m
imetypes/source_py.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_s.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_s.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-source_y.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mi
metypes/source_y.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-spreadsheet.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48
/mimetypes/spreadsheet.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-tar.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pes/tar.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-template_source.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/4
8x48/mimetypes/template_source.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-tex.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety
pes/tex.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-tgz.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/tgz.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-txt.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/txt.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-txt2.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/txt2.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-unknown.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimetypes/unknown.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-vcalendar.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m  
imetypes/vcalendar.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-vcard.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimet  
ypes/vcard.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-vectorgfx.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/m  
imetypes/vectorgfx.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-video.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimet  
ypes/video.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-widget_doc.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/  
mimetypes/widget_doc.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-wordprocessing.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48  
x48/mimetypes/wordprocessing.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr48-mime-zip.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/mimety  
pes/zip.png
```

```
87% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/64x64
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/icons/crystalsvg/64x64/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
```

```
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr64-action-favorites.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/act  
ions/favorites.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-action-fileopen.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/  
actions/fileopen.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-action-player_play.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x  
64/actions/player_play.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-action-share.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/act  
ions/share.png
```

```
87% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
```

```
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/64x64/apps
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/cr64-app-kmenu.png /opt/local/var/macports/build  
/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_k  
delibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/apps/kmenu  
.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-app-kttsd.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/apps/k  
ttsd.png
```

```
87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-app-password.png /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/app  
s/password.png
```

```
87% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/64x64/devices
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
```


rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/cr64-device-3floppy_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/devices/3floppy_mount.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-3floppy_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/64x64/devices/3floppy_unmount.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-5floppy_mount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/6
4x64/devices/5floppy_mount.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-5floppy_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/64x64/devices/5floppy_unmount.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-blockdevice.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x
64/devices/blockdevice.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-camera_mount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64
x64/devices/camera_mount.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-camera_unmount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
64x64/devices/camera_unmount.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-cdaudio_mount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/6
4x64/devices/cdaudio_mount.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-cdaudio_unmount.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/64x64/devices/cdaudio_unmount.png

87% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-cdrom_mount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x
64/devices/cdrom_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-cdrom_unmount.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/6
4x64/devices/cdrom_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-cdwriter_mount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
64x64/devices/cdwriter_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-cdwriter_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/devices/cdwriter_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-chardevice.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/devices/chardevice.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-compact_flash_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/devices/compact_flash_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-compact_flash_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/devices/compact_flash_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-dvd_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/devices/dvd_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-dvd_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x
64/devices/dvd_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-hdd_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/devices/hdd_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-hdd_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x
64/devices/hdd_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-ipod_mount.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x6  
4/devices/ipod_mount.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-ipod_unmount.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64  
x64/devices/ipod_unmount.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-joystick.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/  
devices/joystick.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-memory.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/de  
vices/memory.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-memory_stick_mount.png /opt/loca  
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas  
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal  
svg/64x64/devices/memory_stick_mount.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-memory_stick_unmount.png /opt/lo  
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas  
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cryst  
alsvg/64x64/devices/memory_stick_unmount.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-mo_mount.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/  
devices/mo_mount.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-mo_unmount.png /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x6  
4/devices/mo_unmount.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-mouse.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/dev
ices/mouse.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-nfs_mount.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/devices/nfs_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-nfs_unmount.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x
64/devices/nfs_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-pda_black.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/devices/pda_black.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m


```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-pda_blue.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/  
devices/pda_blue.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-print_class.png /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x  
64/devices/print_class.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-printer1.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/  
devices/printer1.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-scanner.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/d  
evices/scanner.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-sd_mmc_mount.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64
x64/devices/sd_mmc_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-sd_mmc_unmount.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
64x64/devices/sd_mmc_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-smart_media_mount.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/64x64/devices/smart_media_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-smart_media_unmount.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/64x64/devices/smart_media_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-system.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/de  
vices/system.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-tablet.png /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/de  
vices/tablet.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-tv.png /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/device  
s/tv.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-usbpendrive_mount.png /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal  
svg/64x64/devices/usbpendrive_mount.png
```

```
88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-usbpendrive_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/devices/usbpendrive_unmount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-zip_mount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/devices/zip_mount.png

88% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-device-zip_unmount.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/devices/zip_unmount.png

88% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-desktop.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports

_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/file
systems/desktop.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-exec.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/fil
esystems/exec.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-file_broken.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64
x64/filesystems/file_broken.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/f
ilesystems/folder.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_crystal.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar

balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_crystal.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_favorite.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_favorite.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_green.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_green.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_green_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_green_open.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_grey.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal

ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_grey.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_grey_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_grey_open.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_home.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_home.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_home2.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_home2.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_html.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal

ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_html.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_image.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_important.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_important.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_locked.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_locked.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_man.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball

s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_man.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_open.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_orange.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_orange.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_orange_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_orange_open.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_print.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_print.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_red.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_red.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_red_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_red_open.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_sound.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_sound.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_tar.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball

s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_tar.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_txt.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_txt.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_video.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_video.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_violet.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/folder_violet.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_violet_open.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release

_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
lsvg/64x64/filesystems/folder_violet_open.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_yellow.png /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
64x64/filesystems/folder_yellow.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-folder_yellow_open.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/64x64/filesystems/folder_yellow_open.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-link_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/6
4x64/filesystems/link_overlay.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-lock_overlay.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/lock_overlay.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-network.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/network.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-network_local.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/network_local.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-pipe.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/pipe.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-trashcan_empty.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar

balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/trashcan_empty.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-trashcan_full.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/trashcan_full.png

89% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-www.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/www.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-filesys-zip_overlay.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/filesystems/zip_overlay.png

90% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo

rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-applix.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/applix.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-ascii.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/ascii.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-binary.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/binary.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-bt.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/bt.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-cdimage.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mim
etypes/cdimage.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-cdr.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
pes/cdr.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-cdtrack.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mim
etypes/cdtrack.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-colorscm.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/colorscm.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-core.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
pes/core.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-deb.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
pes/deb.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-document.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/document.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-document2.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/m
imetypes/document2.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-dvi.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/dvi.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-empty.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/empty.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-encrypted.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/encrypted.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-exec_wine.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/exec_wine.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-font.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/font.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-font_bitmap.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/font_bitmap.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-font_truetype.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/font_truetype.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-font_type1.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/font_type1.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-gf.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/gf.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-html.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/html.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-image.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/image.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-info.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/info.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-karbon_karbon.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x
64/mimetypes/karbon_karbon.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-kchart_chrt.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/mimetypes/kchart_chrt.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-kformula_kfo.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x6
4/mimetypes/kformula_kfo.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-kivio_flw.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/m
imetypes/kivio_flw.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-kmultiple.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/m
imetypes/kmultiple.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-koffice.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mim
etypes/koffice.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-kpresenter_kpr.png /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64
x64/mimetypes/kpresenter_kpr.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-krita_kra.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/m
imetypes/krita_kra.png

90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-kspread_ksp.png /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64  
/mimetypes/kspread_ksp.png
```

```
90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-kugar_kud.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/m  
imetypes/kugar_kud.png
```

```
90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-kword_kwd.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/m  
imetypes/kword_kwd.png
```

```
90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-log.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety  
pes/log.png
```

```
90% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-make.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/make.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-man.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/man.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-message.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/message.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-metafont.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/metafont.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-midi.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
pes/midi.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-misc.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
pes/misc.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-mozilla_doc.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/mimetypes/mozilla_doc.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-netscape_doc.png /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x6
4/mimetypes/netscape_doc.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-pdf.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/pdf.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-pk.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/pk.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-postscript.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/postscript.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-quicktime.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/quicktime.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-readme.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mime
types/readme.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-recycled.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/recycled.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-resource.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/resource.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-rpm.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
pes/rpm.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-shellscript.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/mimetypes/shellscript.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-soffice.png /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mim
etypes/soffice.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-sound.png /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimet
ypes/sound.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source.png /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mime
types/source.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_c.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_c.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_cpp.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/
mimetypes/source_cpp.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_f.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_f.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_h.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_h.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_j.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_j.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_java.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/mimetypes/source_java.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_l.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_l.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_moc.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/
mimetypes/source_moc.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_o.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_o.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_p.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_p.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_php.png /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/
mimetypes/source_php.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_pl.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/m
imetypes/source_pl.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_py.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/m
imetypes/source_py.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_s.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_s.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-source_y.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mi
metypes/source_y.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-spreadsheet.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64
/mimetypes/spreadsheet.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-tar.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
es/tar.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-template_source.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/6
4x64/mimetypes/template_source.png

91% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-tex.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
es/tex.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-tgz.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety
es/tgz.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-txt.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/txt.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-txt2.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/txt2.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-unknown.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/unknown.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-vcalendar.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/vcalendar.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-vcard.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/vcard.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-vectorgfx.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/vectorgfx.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-video.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/video.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-widget_doc.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimetypes/widget_doc.png

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-wordprocessing.png /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64  
x64/mimetypes/wordprocessing.png
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/cr64-mime-zip.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/mimety  
pes/zip.png
```

```
92% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/scalable
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/icons/crystalsvg/scalable/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/crsc-action-about_kde.svgz /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable  
/actions/about_kde.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-add.svgz /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/a  
ctions/add.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-back.svgz /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/  
actions/back.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-bottom.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/actions/bottom.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-colorpicker.svgz /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc  
alable/actions/colorpicker.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-configure.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/actions/configure.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-contents2.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/actions/contents2.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-down.svgz /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/
actions/down.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-eraser.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/actions/eraser.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-exit.svgz /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/
actions/exit.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-fileclose.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/actions/fileclose.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-filenew.svgz /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab
le/actions/filenew.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-fileopen.svgz /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala
ble/actions/fileopen.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-fileprint.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/actions/fileprint.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-filequickprint.svgz /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/scalable/actions/filequickprint.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-finish.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/actions/finish.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-forward.svgz /opt/local/var/macp
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab
le/actions/forward.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-frameprint.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/actions/frameprint.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-gohome.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/actions/gohome.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-info.svgz /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/
actions/info.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-launch.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/actions/launch.svgz

92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-lock.svgz /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/  
actions/lock.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-mail_generic.svgz /opt/local/var  
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba  
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s  
calable/actions/mail_generic.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-mail_get.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/actions/mail_get.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-mail_new.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/actions/mail_new.svgz
```

```
92% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-mail_post_to.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/actions/mail_post_to.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-next.svgz /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/
actions/next.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-player_eject.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/actions/player_eject.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-player_fwd.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/actions/player_fwd.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-player_next.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/actions/player_next.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-player_pause.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/actions/player_pause.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-player_play.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/actions/player_play.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-player_rew.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/actions/player_rew.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-player_start.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/actions/player_start.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-player_stop.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/actions/player_stop.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-previous.svgz /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala
ble/actions/previous.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-reload.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/actions/reload.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-reload_all_tabs.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/actions/reload_all_tabs.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-reload_page.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/actions/reload_page.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-remove.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/actions/remove.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-rotate.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/actions/rotate.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-rotate_ccw.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/actions/rotate_ccw.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-rotate_cw.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/actions/rotate_cw.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-share.svgz /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable
/actions/share.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-start.svgz /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable
/actions/start.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-stop.svgz /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/  
actions/stop.svgz
```

```
93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-switchuser.svgz /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca  
lable/actions/switchuser.svgz
```

```
93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-text_bild.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/actions/text_bild.svgz
```

```
93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-text_bold.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/actions/text_bold.svgz
```

```
93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```


acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-text_italic.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/actions/text_italic.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-text_strike.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/actions/text_strike.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-text_sub.svgz /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/actions/text_sub.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-text_super.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/actions/text_super.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-text_under.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/actions/text_under.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-top.svgz /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/a
ctions/top.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-up.svgz /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/ac
tions/up.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-view_fit_height.svgz /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/scalable/actions/view_fit_height.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-view_fit_width.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/actions/view_fit_width.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-view_fit_window.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/actions/view_fit_window.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-action-wizard.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/actions/wizard.svgz

93% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/apps

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-app-kmenu.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_

kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/apps/k
menu.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-app-kttsd.svgz /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/ap
ps/kttsd.svgz

93% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/icons/crystalsvg/scalable/devices

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/pics/crystalsvg/crsc-device-3floppy_mount.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/devices/3floppy_mount.svgz

93% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-3floppy_unmount.svgz /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/scalable/devices/3floppy_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-5floppy_mount.svgz /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
scalable/devices/5floppy_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-5floppy_unmount.svgz /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/scalable/devices/5floppy_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-blockdevice.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/devices/blockdevice.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-camera_mount.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/devices/camera_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-camera_unmount.svgz /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/scalable/devices/camera_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-cdaudio_mount.svgz /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
scalable/devices/cdaudio_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-cdaudio_unmount.svgz /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsv
g/scalable/devices/cdaudio_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-cdrom_mount.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/devices/cdrom_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-cdrom_unmount.svgz /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb
alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/
scalable/devices/cdrom_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-cdwriter_mount.svgz /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/scalable/devices/cdwriter_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-cdwriter_unmount.svgz /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
svg/scalable/devices/cdwriter_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-chardevice.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/devices/chardevice.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-compact_flash_mount.svgz /opt/lo
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cryst
alsvg/scalable/devices/compact_flash_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-compact_flash_unmount.svgz /opt/
local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_rele
ase_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cry
stalsvg/scalable/devices/compact_flash_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-dvd_mount.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/devices/dvd_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-dvd_unmount.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/devices/dvd_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-hdd_mount.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/devices/hdd_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-hdd_unmount.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/devices/hdd_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-ipod_mount.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/devices/ipod_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-ipod_unmount.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/devices/ipod_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-joystick.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/devices/joystick.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-memory.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/devices/memory.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-memory_stick_mount.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/devices/memory_stick_mount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-memory_stick_unmount.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/devices/memory_stick_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-mo_mount.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/devices/mo_mount.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-mo_umount.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/devices/mo_umount.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-mo_unmount.svgz /opt/local/var/m  
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball  
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca  
lable/devices/mo_unmount.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-mouse.svgz /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable  
/devices/mouse.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-nfs_mount.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/devices/nfs_mount.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-nfs_unmount.svgz /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc  
alable/devices/nfs_unmount.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-pda_black.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/devices/pda_black.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-pda_blue.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/devices/pda_blue.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-print_class.svgz /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc  
alable/devices/print_class.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-printer1.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/devices/printer1.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-scanner.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/devices/scanner.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-sd_mmc_mount.svgz /opt/local/var  
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba  
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s  
calable/devices/sd_mmc_mount.svgz
```

```
94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-sd_mmc_unmount.svgz /opt/local/
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg
/scalable/devices/sd_mmc_unmount.svgz

94% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-smartmedia_mount.svgz /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
vg/scalable/devices/smartmedia_mount.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-smartmedia_unmount.svgz /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crysta
lsvg/scalable/devices/smartmedia_unmount.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-system.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/devices/system.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-tablet.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/devices/tablet.svgz
```

```
95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-tv.svgz /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/de  
vices/tv.svgz
```

```
95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-usbpendrive_mount.svgz /opt/loca  
l/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_  
tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal  
svg/scalable/devices/usbpendrive_mount.svgz
```

```
95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-usbpendrive_unmount.svgz /opt/lo  
cal/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_releas  
e_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/cryst  
alsvg/scalable/devices/usbpendrive_unmount.svgz
```

```
95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-zip_mount.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/devices/zip_mount.svgz
```

```
95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-device-zip_unmount.svgz /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc  
alable/devices/zip_unmount.svgz
```

```
95% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/icons/crystalsvg/scalable/filesystems
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-desktop.svgz /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/  
filesystems/desktop.svgz
```

```
95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-exec.svgz /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
```


ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/exec.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-exec_wine.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/exec_wine.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-file_broken.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/file_broken.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-file_important.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/file_important.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-file_locked.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/file_locked.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_blue.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_blue.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_blue_open.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_blue_open.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_cyan.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_cyan.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_cyan_open.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_cyan_open.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_favorite.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_favorite.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_green.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_green.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_green_open.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release

_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystal
lsvg/scalable/filesystems/folder_green_open.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_grey.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/filesystems/folder_grey.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_home.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/filesystems/folder_home.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_html.svgz /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s
calable/filesystems/folder_html.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_image.svgz /opt/local/va
r/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_image.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_important.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_important.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_locked.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_locked.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_man.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_man.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_man2.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_man2.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_open.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_open.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_orange.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_orange.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_orange_open.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_orange_open.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_print.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_print.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_red.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_red.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_red_open.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_red_open.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_sound.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_sound.svgz

95% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_tar.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal

```
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_tar.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_txt.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_txt.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_violet.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_violet.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_violet_open.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_violet_open.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_yellow.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
```


balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_yellow.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-folder_yellow_open.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/folder_yellow_open.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-home_blue.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/home_blue.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-home_white.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/home_white.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-link_overlay.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarb

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/link_overlay.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-lock_overlay.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/lock_overlay.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-network.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/network.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-network_local.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/network_local.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-pipe.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por

ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/pipe.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-services.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/services.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-temporary.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/temporary.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-trashcan_empty.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/trashcan_empty.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-trashcan_full.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar

balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/trashcan_full.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-www.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/www.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-filesys-zip_overlay.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/filesystems/zip_overlay.svgz

96% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mimetypes

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-applix.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mimetypes/applix.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-ascii.svgz /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/m  
imetypes/ascii.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-binary.svgz /opt/local/var/macport  
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port  
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/  
mimetypes/binary.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-cdimage.svgz /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable  
/mimetypes/cdimage.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-cdr.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/cdr.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-cdtrack.svgz /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable  
/mimetypes/cdtrack.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-colorscm.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/mimetypes/colorscm.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-core.svgz /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mi  
metypes/core.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-deb.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/deb.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-document.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/mimetypes/document.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-document2.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/document2.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-dvi.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/dvi.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-empty.svgz /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/m  
imetypes/empty.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-encrypted.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/encrypted.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-exec_wine.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/exec_wine.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-file_locked.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/mimetypes/file_locked.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-file_temporary.svgz /opt/local/var  
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba  
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s  
calable/mimetypes/file_temporary.svgz
```

```
96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```


acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-font.svgz /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mi
metypes/font.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-font_bitmap.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/mimetypes/font_bitmap.svgz

96% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-font_truetype.svgz /opt/local/var/
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc
alable/mimetypes/font_truetype.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-font_type1.svgz /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala
ble/mimetypes/font_type1.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-gf.svgz /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mime
types/gf.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-html.svgz /opt/local/var/macports/
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mi
metypes/html.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-image.svgz /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/m
imetypes/image.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-image2.svgz /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/
mimetypes/image2.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-karbon_karbon.svgz /opt/local/var/  
macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarbal  
ls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sc  
alable/mimetypes/ karbon_karbon.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-kexi_kexi.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/kexi_kexi.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-kmultiple.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/kmultiple.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-koffice.svgz /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable  
/mimetypes/koffice.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-kugardata.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/kugardata.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-log.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/log.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-make.svgz /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mi  
metypes/make.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-man.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/man.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-message.svgz /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable
/mimetypes/message.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-metafont.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/mimetypes/metafont.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-mozilla_doc.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/mimetypes/mozilla_doc.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-netscape_doc.svgz /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/sca
lable/mimetypes/netscape_doc.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-pdf.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/pdf.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-pk.svgz /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd  
e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mime  
types/pk.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-postscript.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/mimetypes/postscript.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-quicktime.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/quicktime.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-readme.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mimetypes/readme.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-recycled.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mimetypes/recycled.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-resource.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mimetypes/resource.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-rpm.svgz /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mimetypes/rpm.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-shellscript.svgz /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal
able/mimetypes/shellscript.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-soffice.svgz /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable
/mimetypes/soffice.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-sound.svgz /opt/local/var/macports
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/m
imetypes/sound.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source.svgz /opt/local/var/macport
s/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_port
s_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/
mimetypes/source.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_c.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/mimetypes/source_c.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_cpp.svgz /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala
ble/mimetypes/source_cpp.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_f.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/mimetypes/source_f.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_h.svgz /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl
e/mimetypes/source_h.svgz

97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_j.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/mimetypes/source_j.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_java.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/mimetypes/source_java.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_l.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/mimetypes/source_l.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_moc.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/mimetypes/source_moc.svgz
```

```
97% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_o.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/mimetypes/source_o.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_p.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/mimetypes/source_p.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_php.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/mimetypes/source_php.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_pl.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/source_pl.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_py.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/source_py.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_s.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/mimetypes/source_s.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-source_y.svgz /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalabl  
e/mimetypes/source_y.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-spreadsheet.svgz /opt/local/var/ma  
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs  
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scal  
able/mimetypes/spreadsheet.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-tar.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/tar.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-tex.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/tex.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-tgz.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/tgz.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-txt.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/txt.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-txt2.svgz /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mi  
metypes/txt2.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-unknown.svgz /opt/local/var/macpor  
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por  
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable  
/mimetypes/unknown.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-vcalendar.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/vcalendar.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-vcard.svgz /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/m  
imetypes/vcard.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-vectorgfx.svgz /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalab  
le/mimetypes/vectorgfx.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-video.svgz /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/m  
imetypes/video.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-widget_doc.svgz /opt/local/var/mac  
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_  
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scala  
ble/mimetypes/widget_doc.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-wordprocessing.svgz /opt/local/var  
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba  
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/s  
calable/mimetypes/wordprocessing.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/pics/crystalsvg/crsc-mime-zip.svgz /opt/local/var/macports/b  
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k  
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/scalable/mim  
etypes/zip.svgz
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/knewstuff/cr16-action-knewstuff.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actio  
ns/knewstuff.png
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/knewstuff/cr32-action-knewstuff.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actio  
ns/knewstuff.png
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/knewstuff/cr64-action-knewstuff.png /opt/local/var/macports/  
build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_  
kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/64x64/actio  
ns/knewstuff.png
```

```
98% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
```



```
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/apps/kdeprint/icons
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/kdeprint/icons/crystalsvg
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/kdeprint/icons/crystalsvg/16x16
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/kdeprint/icons/crystalsvg/16x16/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/kdeprint/pics/cr16-action-filterstop.png /opt/local/var/macports  
/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports  
_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystal  
svg/16x16/actions/filterstop.png
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/kdeprint/pics/cr16-action-kdeprint_restartsrv.png /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t  
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/  
icons/crystalsvg/16x16/actions/kdeprint_restartsrv.png
```

```
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
```

```
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/kdeprint/pics/cr16-action-kdeprint_uploadsmb.png /opt/local/  
var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta  
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/i  
cons/crystalsvg/16x16/actions/kdeprint_uploadsmb.png  
98% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/apps/kdeprint/icons/crystalsvg/16x16/apps  
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_computer.png /opt/local/var/macp  
orts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_p  
orts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/cry  
stalsvg/16x16/apps/kdeprint_computer.png  
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_job.png /opt/local/var/macpo  
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po  
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crys  
talsvg/16x16/apps/kdeprint_job.png  
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_job_cancelled.png /opt/local  
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
```

```
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/
icons/crystalsvg/16x16/apps/kdeprint_job_cancelled.png
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_job_completed.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/
icons/crystalsvg/16x16/apps/kdeprint_job_completed.png
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_job_error.png /opt/local/var
/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba
lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icon
s/crystalsvg/16x16/apps/kdeprint_job_error.png
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_job_process.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/ic
ons/crystalsvg/16x16/apps/kdeprint_job_process.png
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_job_stopped.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
```

balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_stopped.png

98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer.png

98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_class.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class.png

98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_class_process.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class_process.png

98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_class_stopped.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_r

release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class_stopped.png
98% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_defect.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_defect.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_process.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_process.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_remote.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_remote.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_remote_process.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_

```
release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/  
kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_remote_process.png  
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_remote_stopped.png /  
opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_  
release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/  
kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_remote_stopped.png  
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m  
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/  
work/kdelibs-3.5.10/kdeprint/pics/cr16-app-kdeprint_printer_stopped.png /opt/loc  
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release  
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprin  
t/icons/crystalsvg/16x16/apps/kdeprint_printer_stopped.png  
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/apps/kdeprint/icons/crystalsvg/22x22  
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor  
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/kdeprint/icons/crystalsvg/22x22/actions  
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo  
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work  
/kdelibs-3.5.10/kdeprint/pics/cr22-action-history.png /opt/local/var/macports/bu  
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
```

e_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/history.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_addprinter.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_addprinter.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_addpseudo.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_addpseudo.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_configmgr.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_configmgr.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_configsrv.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta

rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_configsrv.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_defaulthard.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_defaulthard.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_defaultsoft.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_defaultsoft.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_enableprinter.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_enableprinter.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_printer.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printer.png

alls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printer.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_printer_infos.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printer_infos.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_printstate.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printstate.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_queuestate.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_queuestate.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_report.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarba

lls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_report.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_restartsrv.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_restartsrv.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_stopprinter.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_stopprinter.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_testprinter.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_testprinter.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr22-action-kdeprint_uploadsmb.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_ta

```
rballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/i
cons/crystalsvg/22x22/actions/kdeprint_uploadsmb.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr22-action-package_utilities.png /opt/local/v
ar/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tar
balls_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/ic
ons/crystalsvg/22x22/actions/package_utilities.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint/icons/crystalsvg/22x22/apps
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/kdeprint/pics/cr22-app-kdeprint_printer.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crys
talsvg/22x22/apps/kdeprint_printer.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint/icons/crystalsvg/32x32
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/apps/kdeprint/icons/crystalsvg/32x32/actions
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
```

```
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/kdeprint/pics/cr32-action-kdeprint_inklevel.png /opt/local/var/m
acports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarball
s_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/
crystalsvg/32x32/actions/kdeprint_inklevel.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint/icons/crystalsvg/32x32/apps
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crys
talsvg/32x32/apps/kdeprint_printer.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_class.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/
icons/crystalsvg/32x32/apps/kdeprint_printer_class.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_class_process.png /o
pt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_r
```

```
release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_class_process.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_class_stopped.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_class_stopped.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_defect.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_defect.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_process.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_process.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_remote.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_
```

```
tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint
/icons/crystalsvg/32x32/apps/kdeprint_printer_remote.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_remote_process.png /
opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_
release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/
kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_remote_process.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_remote_stopped.png /
opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_
release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/
kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_remote_stopped.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_stopped.png /opt/loc
al/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release
_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprin
t/icons/crystalsvg/32x32/apps/kdeprint_printer_stopped.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr32-app-kdeprint_printer_users.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
```

```
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/
icons/crystalsvg/32x32/apps/kdeprint_printer_users.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint/icons/crystalsvg/48x48
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/apps/kdeprint/icons/crystalsvg/48x48/apps
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/kdeprint/pics/cr48-app-kdeprint_printer.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crys
talsvg/48x48/apps/kdeprint_printer.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr48-app-kdeprint_printer_class.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/
icons/crystalsvg/48x48/apps/kdeprint_printer_class.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/kdeprint/icons/crystalsvg/64x64
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crystalsvg/64x64/apps
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/kdeprint/pics/cr64-app-kdeprint_printer.png /opt/local/var/macpo
rts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_po
rts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/icons/crys
talsvg/64x64/apps/kdeprint_printer.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/kdeprint/pics/cr64-app-kdeprint_printer_class.png /opt/local
/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_t
arballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kdeprint/
icons/crystalsvg/64x64/apps/kdeprint_printer_class.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/khtml/pics/cr22-action-dbgnext.png /opt/local/var/macports/b
uild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_k
de_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/action
s/dbgnext.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/khtml/pics/cr22-action-dbgrun.png /opt/local/var/macports/bu
ild/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kd
```


e_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/dbgrun.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr22-action-dbgrunto.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/dbgrunto.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr22-action-dbgstep.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/22x22/actions/dbgstep.png

99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons

mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg

mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/128x128

mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/128x128/actions
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr128-action-bug.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/128x128/actions/bug.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/16x16
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr16-action-bug.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions/bug.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr16-action-images_display.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_
```

ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystal
alsvg/16x16/actions/images_display.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/khtml/pics/cr16-action-wallet_open.png /opt/local/var/macpor
ts/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_por
ts_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystal
svg/16x16/actions/wallet_open.png

99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
share/apps/khtml/icons/crystalsvg/22x22

mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/apps/khtml/icons/crystalsvg/22x22/actions

/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/khtml/pics/cr22-action-bug.png /opt/local/var/macports/build/_op
t_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdeli
bs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/22x22/act
ions/bug.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/khtml/pics/cr22-action-images_display.png /opt/local/var/mac
ports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_

```
ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/22x22/actions/images_display.png
```

```
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/32x32
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr32-action-bug.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions/bug.png
```

```
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr32-action-images_display.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions/images_display.png
```

```
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/48x48
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/48x48/actions
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr48-action-bug.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/48x48/actions/bug.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/64x64
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/64x64/actions
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/pics/cr64-action-bug.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/khtml/icons/crystalsvg/64x64/actions/bug.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kjava/icons
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kjava/icons/crystalsvg
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kjava/icons/crystalsvg/16x16
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/kjava/icons/crystalsvg/16x16/actions
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macpo
rts_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work
/kdelibs-3.5.10/khtml/java/cr16-action-java.png /opt/local/var/macports/build/_o
pt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdel
ibs3/kdelibs3/work/destroot/opt/local/share/apps/kjava/icons/crystalsvg/16x16/ac
tions/java.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr16-action-presence_away.
png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports
.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/
icons/crystalsvg/16x16/actions/presence_away.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr16-action-presence_offli
ne.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpo
```

```
rts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/presence_offline.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr16-action-presence_online.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/presence_online.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr16-action-presence_unknown.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/16x16/actions/presence_unknown.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr32-action-presence_away.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/presence_away.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr32-action-presence_offline.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpo
```

rts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/presence_offline.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr32-action-presence_online.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/presence_online.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr32-action-presence_unknown.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/32x32/actions/presence_unknown.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr48-action-presence_away.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/presence_away.png

99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr48-action-presence_offline.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpo


```
rts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/presence_offline.png
99% /usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/interfaces/kimproxy/library/icons/cr48-action-presence_online.png /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/icons/crystalsvg/48x48/actions/presence_online.png
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kspell
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/doc/kspell/index.docbook /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kspell/index.docbook
/bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/admin/mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kspell
99% rm -f /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kspell/common
```

```
ln -s /opt/local/share/doc/kde/en/common /opt/local/var/macports/build/_opt_
local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs
3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kspell/common
99% /usr/bin/install -c -p -m 644 ./doc/kspell/index.cache.bz2 /opt/local/var/ma
cports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs
_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kde/en/kspell/
/bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/admin/
mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc/kde/en/kspell
99% 99% 99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/op
t/local/share/locale
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar
e/apps/knotify
/bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macp
orts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/admin/
mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/locale
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_m
acports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/
```

```
work/kdelibs-3.5.10/kdecore/all_languages.desktop /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/locale/all_languages
```

```
/bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/admin/mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kio
```

```
/bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/admin/mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/knotify
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/eventsrc /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/knotify/eventsrc
```

```
/usr/bin/install -c -p -m 644 /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdecore/kmdcodec_compat.h /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/include/kio/kmdcodec.h
```

```
rm -f "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.m
```

```
acports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local  
/share/config/colors/40 Colors"
```

```
rm -f /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/config/colors/Web
```

```
rm -f /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/config/colors/Royal
```

```
99% mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/  
share/apps/ksgmltools2
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/ksgmltools2/customization
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/ksgmltools2/customization/./af
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/ksgmltools2/customization/./af/entities
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/ksgmltools2/customization/./bg
```

```
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma  
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/shar  
e/apps/ksgmltools2/customization/./bg/entities
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./bg/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ca
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ca/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./cs
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./cs/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./da
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./da/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./de
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./de/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./dtd
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./el
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./el/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./en
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./en/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./en-GB
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./en-GB/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./es
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./es/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./et
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./et/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./fi
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./fi/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./fo
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./fo/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./fr
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./fr/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./he
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./he/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./hu
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./hu/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./id
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```



```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./id/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./it
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./it/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ja
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ja/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ko
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ko/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./lt
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./lt/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./nl
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./nl/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./nn
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./nn/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./no
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./no/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./obsolete
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./pl
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./pl/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./pt
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./pt/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./pt-BR
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./pt-BR/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ro
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ro/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ru
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./ru/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./sk
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./sk/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./sl
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./sl/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./sr
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./sr/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./sv
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./sv/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./tr
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./tr/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./uk
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./uk/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./wa
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./wa/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./xh
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./xh/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./xsl
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./xx
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./xx/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./zh-CN
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./zh-CN/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./zh-TW
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/customization/./zh-TW/entities
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xml-dtd-4.1.2
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xml-dtd-4.1.2/ent
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xml-dtd-4.2
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xml-dtd-4.2/ent
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xsl
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xsl/common
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macpor
```

```
ts.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xsl/html
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xsl/images
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xsl/images/callouts
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xsl/lib
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xsl/manpages
mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/apps/ksgmltools2/docbook/./xsl/params
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeui/ui_standards.rc
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kdeprint/kprintpreviewui.rc
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
```


.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kcert/kcertpart.rc
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml.rc
checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_browser.rc
checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/khtml/khtml_popupmenu.rc
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/katepartui.rc
checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/data/katepartreadonlyui.rc
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/isearch/ktexteditor_isearchui.rc
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/kate/plugins/insertfile/ktexteditor_insertfileui.rc
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync

```
.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/k
ate/plugins/kdatatool/ktexteditor_kdatatoolui.rc
99% checking /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync
.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.10/k
ate/plugins/wordcompletion/docwordcompletionui.rc
99% installing artsmessage.1
99% installing checkXML.1
99% installing dcop.1
99% installing kbuildsycoca.8
99% installing kdeoptions.7
99% installing qtoptions.7
99% 99% /bin/sh /opt/local/var/macports/build/_opt_local_var_macports_sources_rs
ync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.1
0/admin/mkinstalldirs /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroo
t/opt/local/include/kdesu
    rm -f /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/
include/kdesu/pty.h
    ln -s kdesu_pty.h /opt/local/var/macports/build/_opt_local_var_macports_sour
ces_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroo
t/opt/local/include/kdesu/pty.h
cd ./kdesu/ && /opt/local/share/unsermake/unsermake install-data-hook
99%
```

kgrantpty is by default installed with a set SETUID root bit!
This is needed for konsole, etc. to ensure that they can't be eavesdropped.

```
cd ./kdecore/ && /opt/local/share/unsermake/unsermake install-exec-hook
99% cd ./kinit/ && /opt/local/share/unsermake/unsermake install-exec-hook
#apidox#./build-helper.sh install-apidox kdelibs3 3.5.10 16 unsermake -p -j1 ins
tall-apidox DESTDIR=/opt/local/var/macports/build/_opt_local_var_macports_source
s_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot
```

```
#fink
```

```
#      cat <<END >/opt/local/var/macports/build/_opt_local_var_macports_sources
_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/o
pt/local/bin/kde-update-caches.sh
```

```
##!/bin/sh
```

```
#
#      if [ `id -un` != 'root' ]; then
#          echo "you must run this script as root!"
#          echo ""
#          exit 1
#      fi
```

```
#
#      ENV="env KDEDIR= KDEDIRS= HOME=/tmp XDG_CACHE_HOME=/tmp/kb/cache XDG_CON
FIG_HOME=/tmp/kb/config XDG_DATA_HOME=/tmp/kb/share HISTFILE=/tmp/kb/.bash_histo
ry USER=root LOGNAME=root"
```

```
#      \ $ENV /opt/local/bin/update-mime-database /opt/local/share/mime
#      \ $ENV /opt/local/bin/kbuildsycoca --global --noincremental --nosignal
#END
#      chmod 755 /opt/local/var/macports/build/_opt_local_var_macports_sources_
rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/op
t/local/bin/kde-update-caches.sh
#macports
#

      rm -rf /opt/local/var/macports/build/_opt_local_var_macports_sources_rsy
nc.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/l
ocal/share/icons/hicolor/index.theme

      install -c -m 644 darwin/* /opt/local/var/macports/build/_opt_local_var_
macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3
/work/destroot/opt/local/share/config

      mkdir -p /opt/local/var/macports/build/_opt_local_var_macports_sources_r
sync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt
/local/share/doc/installed-packages

      touch /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc/installed-packages/kdelibs3
```

```
touch /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc/installed-packages/kdelibs3
```

```
touch /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc/installed-packages/kdelibs3-shlibs
```

```
touch /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc/installed-packages/kdelibs3-dev
```

```
touch /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc/installed-packages/kdelibs3-ssl
```

```
touch /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc/installed-packages/kdelibs3-ssl-shlibs
```

```
touch /opt/local/var/macports/build/_opt_local_var_macports_sources_rsyn
c.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/lo
cal/share/doc/installed-packages/kdelibs3-ssl-dev
```

```
xinstall: mkdir /opt/local/var/macports/build/_opt_local_var_macports_sources_rs
ync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/
local/share/doc/kdelibs3
```

```
xinstall: chdir(/opt/local/var/macports/build/_opt_local_var_macports_sources_rs
ync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/kdelibs-3.5.1
0)
```

xinstall: COPYING -> /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kdelibs3/COPYING

xinstall: COPYING.LIB -> /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kdelibs3/COPYING.LIB

xinstall: INSTALL -> /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kdelibs3/kdelibs3/work/destroot/opt/local/share/doc/kdelibs3/INSTALL

---> Compressing man pages for kdelibs3

man1/artsmessage.1: 47.8% -- replaced with man1/artsmessage.1.gz

man1/artsmessage.1.gz: changing permissions from 00644 to 00444

man1/checkXML.1: 40.2% -- replaced with man1/checkXML.1.gz

man1/checkXML.1.gz: changing permissions from 00644 to 00444

man1/dcop.1: 54.7% -- replaced with man1/dcop.1.gz

man1/dcop.1.gz: changing permissions from 00644 to 00444

man7/kdeoptions.7: 52.1% -- replaced with man7/kdeoptions.7.gz

man7/kdeoptions.7.gz: changing permissions from 00644 to 00444

man7/qtoptions.7: 56.2% -- replaced with man7/qtoptions.7.gz

man7/qtoptions.7.gz: changing permissions from 00644 to 00444

man8/kbuildsyscoca.8: 52.7% -- replaced with man8/kbuildsyscoca.8.gz

man8/kbuildsyscoca.8.gz: changing permissions from 00644 to 00444

---> Installing kdelibs3 @3.5.10_16

a .

- a ./+COMMENT
- a ./+CONTENTS
- a ./+DESC
- a ./+PORTFILE
- a ./+STATE
- a ./opt
- a ./opt/local
- a ./opt/local/bin
- a ./opt/local/etc
- a ./opt/local/include
- a ./opt/local/lib
- a ./opt/local/share
- a ./opt/local/share/applications
- a ./opt/local/share/apps
- a ./opt/local/share/autostart
- a ./opt/local/share/config
- a ./opt/local/share/doc
- a ./opt/local/share/emoticons
- a ./opt/local/share/icons
- a ./opt/local/share/locale
- a ./opt/local/share/man
- a ./opt/local/share/mimeInk
- a ./opt/local/share/services
- a ./opt/local/share/servicetypes

a ./opt/local/share/servicetypes/application.desktop
a ./opt/local/share/servicetypes/browserview.desktop
a ./opt/local/share/servicetypes/dcopinstantmessenger.desktop
a ./opt/local/share/servicetypes/dcoptexttospeech.desktop
a ./opt/local/share/servicetypes/kbytesedit.desktop
a ./opt/local/share/servicetypes/kcmodule.desktop
a ./opt/local/share/servicetypes/kcomprfilter.desktop
a ./opt/local/share/servicetypes/kdatatool.desktop
a ./opt/local/share/servicetypes/kdedmodule.desktop
a ./opt/local/share/servicetypes/kfileplugin.desktop
a ./opt/local/share/servicetypes/kmediaplayer.desktop
a ./opt/local/share/servicetypes/kmediaplayerengine.desktop
a ./opt/local/share/servicetypes/kpart.desktop
a ./opt/local/share/servicetypes/kplugininfo.desktop
a ./opt/local/share/servicetypes/kpropsdlgplugin.desktop
a ./opt/local/share/servicetypes/kregexpeditor.desktop
a ./opt/local/share/servicetypes/kresources_manager.desktop
a ./opt/local/share/servicetypes/kresources_plugin.desktop
a ./opt/local/share/servicetypes/krop.desktop
a ./opt/local/share/servicetypes/krwp.desktop
a ./opt/local/share/servicetypes/kscan.desktop
a ./opt/local/share/servicetypes/kspellclient.desktop
a ./opt/local/share/servicetypes/ktexteditor.desktop
a ./opt/local/share/servicetypes/ktexteditoreditor.desktop

a ./opt/local/share/servicetypes/ktexteditorplugin.desktop
a ./opt/local/share/servicetypes/kurifilterplugin.desktop
a ./opt/local/share/servicetypes/renamedlgplugin.desktop
a ./opt/local/share/servicetypes/scriptinterface.desktop
a ./opt/local/share/services/bmp.kimgio
a ./opt/local/share/services/data.protocol
a ./opt/local/share/services/dds.kimgio
a ./opt/local/share/services/eps.kimgio
a ./opt/local/share/services/exr.kimgio
a ./opt/local/share/services/file.protocol
a ./opt/local/share/services/ftp.protocol
a ./opt/local/share/services/ghelp.protocol
a ./opt/local/share/services/gif.kimgio
a ./opt/local/share/services/hdr.kimgio
a ./opt/local/share/services/help.protocol
a ./opt/local/share/services/http.protocol
a ./opt/local/share/services/http_cache_cleaner.desktop
a ./opt/local/share/services/https.protocol
a ./opt/local/share/services/ico.kimgio
a ./opt/local/share/services/jp2.kimgio
a ./opt/local/share/services/jpeg.kimgio
a ./opt/local/share/services/katepart.desktop
a ./opt/local/share/services/kbzip2filter.desktop
a ./opt/local/share/services/kcertpart.desktop

- a ./opt/local/share/services/kded
- a ./opt/local/share/services/kgzipfilter.desktop
- a ./opt/local/share/services/khtml.desktop
- a ./opt/local/share/services/khtmlimage.desktop
- a ./opt/local/share/services/kio_uiserver.desktop
- a ./opt/local/share/services/kjavaappletviewer.desktop
- a ./opt/local/share/services/kmailservice.protocol
- a ./opt/local/share/services/kmultipart.desktop
- a ./opt/local/share/services/knotify.desktop
- a ./opt/local/share/services/kresources
- a ./opt/local/share/services/kspell_aspell.desktop
- a ./opt/local/share/services/kspell_ispell.desktop
- a ./opt/local/share/services/ktexteditor_docwordcompletion.desktop
- a ./opt/local/share/services/ktexteditor_insertfile.desktop
- a ./opt/local/share/services/ktexteditor_isearch.desktop
- a ./opt/local/share/services/ktexteditor_kdatatool.desktop
- a ./opt/local/share/services/metainfo.protocol
- a ./opt/local/share/services/mms.protocol
- a ./opt/local/share/services/mmst.protocol
- a ./opt/local/share/services/mmsu.protocol
- a ./opt/local/share/services/mng.kimgio
- a ./opt/local/share/services/pbm.kimgio
- a ./opt/local/share/services/pcx.kimgio
- a ./opt/local/share/services/pgm.kimgio

a ./opt/local/share/services/png.kimgio
a ./opt/local/share/services/pnm.protocol
a ./opt/local/share/services/ppm.kimgio
a ./opt/local/share/services/psd.kimgio
a ./opt/local/share/services/rgb.kimgio
a ./opt/local/share/services/rlogin.protocol
a ./opt/local/share/services/rtsp.protocol
a ./opt/local/share/services/rtspt.protocol
a ./opt/local/share/services/rtspu.protocol
a ./opt/local/share/services/shellscript.desktop
a ./opt/local/share/services/ssh.protocol
a ./opt/local/share/services/telnet.protocol
a ./opt/local/share/services/tga.kimgio
a ./opt/local/share/services/tiff.kimgio
a ./opt/local/share/services/webdav.protocol
a ./opt/local/share/services/webdavs.protocol
a ./opt/local/share/services/xbm.kimgio
a ./opt/local/share/services/xcf.kimgio
a ./opt/local/share/services/xpm.kimgio
a ./opt/local/share/services/xv.kimgio
a ./opt/local/share/services/kresources/kabc
a ./opt/local/share/services/kresources/kabc_manager.desktop
a ./opt/local/share/services/kresources/kabc/dir.desktop
a ./opt/local/share/services/kresources/kabc/file.desktop

- a ./opt/local/share/services/kresources/kabc/ldapkio.desktop
- a ./opt/local/share/services/kded/kcookiejar.desktop
- a ./opt/local/share/services/kded/kdeprintd.desktop
- a ./opt/local/share/services/kded/kdetrayproxy.desktop
- a ./opt/local/share/services/kded/kpasswdserver.desktop
- a ./opt/local/share/services/kded/kssld.desktop
- a ./opt/local/share/services/kded/kwalletd.desktop
- a ./opt/local/share/services/kded/proxyscout.desktop
- a ./opt/local/share/mimelnk/all
- a ./opt/local/share/mimelnk/application
- a ./opt/local/share/mimelnk/audio
- a ./opt/local/share/mimelnk/image
- a ./opt/local/share/mimelnk/inode
- a ./opt/local/share/mimelnk/magic
- a ./opt/local/share/mimelnk/message
- a ./opt/local/share/mimelnk/model
- a ./opt/local/share/mimelnk/multipart
- a ./opt/local/share/mimelnk/text
- a ./opt/local/share/mimelnk/uri
- a ./opt/local/share/mimelnk/video
- a ./opt/local/share/mimelnk/video/avi.desktop
- a ./opt/local/share/mimelnk/video/mp4.desktop
- a ./opt/local/share/mimelnk/video/mpeg.desktop
- a ./opt/local/share/mimelnk/video/quicktime.desktop

a ./opt/local/share/mimeInk/video/vnd.rn-realvideo.desktop
a ./opt/local/share/mimeInk/video/x-flic.desktop
a ./opt/local/share/mimeInk/video/x-matroska.desktop
a ./opt/local/share/mimeInk/video/x-mng.desktop
a ./opt/local/share/mimeInk/video/x-ms-asf.desktop
a ./opt/local/share/mimeInk/video/x-ms-wmv.desktop
a ./opt/local/share/mimeInk/video/x-msvideo.desktop
a ./opt/local/share/mimeInk/video/x-ogm.desktop
a ./opt/local/share/mimeInk/video/x-theora.desktop
a ./opt/local/share/mimeInk/uri/mms.desktop
a ./opt/local/share/mimeInk/uri/mmst.desktop
a ./opt/local/share/mimeInk/uri/mmsu.desktop
a ./opt/local/share/mimeInk/uri/pnm.desktop
a ./opt/local/share/mimeInk/uri/rtsp.desktop
a ./opt/local/share/mimeInk/uri/rtspu.desktop
a ./opt/local/share/mimeInk/text/calendar.desktop
a ./opt/local/share/mimeInk/text/css.desktop
a ./opt/local/share/mimeInk/text/docbook.desktop
a ./opt/local/share/mimeInk/text/enriched.desktop
a ./opt/local/share/mimeInk/text/html.desktop
a ./opt/local/share/mimeInk/text/javascript.desktop
a ./opt/local/share/mimeInk/text/plain.desktop
a ./opt/local/share/mimeInk/text/rdf.desktop
a ./opt/local/share/mimeInk/text/rss.desktop

a ./opt/local/share/mimeInk/text/rtf.desktop
a ./opt/local/share/mimeInk/text/sgml.desktop
a ./opt/local/share/mimeInk/text/vnd.abc.desktop
a ./opt/local/share/mimeInk/text/vnd.wap.wml.desktop
a ./opt/local/share/mimeInk/text/x-adasrc.desktop
a ./opt/local/share/mimeInk/text/x-bibtex.desktop
a ./opt/local/share/mimeInk/text/x-c++hdr.desktop
a ./opt/local/share/mimeInk/text/x-c++src.desktop
a ./opt/local/share/mimeInk/text/x-chdr.desktop
a ./opt/local/share/mimeInk/text/x-csrc.desktop
a ./opt/local/share/mimeInk/text/x-csv.desktop
a ./opt/local/share/mimeInk/text/x-diff.desktop
a ./opt/local/share/mimeInk/text/x-hex.desktop
a ./opt/local/share/mimeInk/text/x-java.desktop
a ./opt/local/share/mimeInk/text/x-katefilelist.desktop
a ./opt/local/share/mimeInk/text/x-latex.desktop
a ./opt/local/share/mimeInk/text/x-ldif.desktop
a ./opt/local/share/mimeInk/text/x-log.desktop
a ./opt/local/share/mimeInk/text/x-lyx.desktop
a ./opt/local/share/mimeInk/text/x-makefile.desktop
a ./opt/local/share/mimeInk/text/x-moc.desktop
a ./opt/local/share/mimeInk/text/x-mswinurl.desktop
a ./opt/local/share/mimeInk/text/x-objchr.desktop
a ./opt/local/share/mimeInk/text/x-objcsrc.desktop

a ./opt/local/share/mimeInk/text/x-pascal.desktop
a ./opt/local/share/mimeInk/text/x-perl.desktop
a ./opt/local/share/mimeInk/text/x-python.desktop
a ./opt/local/share/mimeInk/text/x-tcl.desktop
a ./opt/local/share/mimeInk/text/x-tex.desktop
a ./opt/local/share/mimeInk/text/x-vcalendar.desktop
a ./opt/local/share/mimeInk/text/x-vcard.desktop
a ./opt/local/share/mimeInk/text/x-xslfo.desktop
a ./opt/local/share/mimeInk/text/x-xslt.desktop
a ./opt/local/share/mimeInk/text/xml.desktop
a ./opt/local/share/mimeInk/multipart/mixed.desktop
a ./opt/local/share/mimeInk/multipart/x-mixed-replace.desktop
a ./opt/local/share/mimeInk/model/vrml.desktop
a ./opt/local/share/mimeInk/message/news.desktop
a ./opt/local/share/mimeInk/message/rfc822.desktop
a ./opt/local/share/mimeInk/inode/block.desktop
a ./opt/local/share/mimeInk/inode/chardevice.desktop
a ./opt/local/share/mimeInk/inode/directory-locked.desktop
a ./opt/local/share/mimeInk/inode/directory.desktop
a ./opt/local/share/mimeInk/inode/fifo.desktop
a ./opt/local/share/mimeInk/inode/socket.desktop
a ./opt/local/share/mimeInk/image/cgm.desktop
a ./opt/local/share/mimeInk/image/fax-g3.desktop
a ./opt/local/share/mimeInk/image/fits.desktop

a ./opt/local/share/mimeInk/image/gif.desktop
a ./opt/local/share/mimeInk/image/jp2.desktop
a ./opt/local/share/mimeInk/image/jpeg.desktop
a ./opt/local/share/mimeInk/image/jpg.desktop
a ./opt/local/share/mimeInk/image/pjpeg.desktop
a ./opt/local/share/mimeInk/image/png.desktop
a ./opt/local/share/mimeInk/image/svg+xml.desktop
a ./opt/local/share/mimeInk/image/svg+xml.desktop
a ./opt/local/share/mimeInk/image/tiff.desktop
a ./opt/local/share/mimeInk/image/wmf.desktop
a ./opt/local/share/mimeInk/image/x-bmp.desktop
a ./opt/local/share/mimeInk/image/x-dds.desktop
a ./opt/local/share/mimeInk/image/x-djvu-2.desktop
a ./opt/local/share/mimeInk/image/x-djvu.desktop
a ./opt/local/share/mimeInk/image/x-eps.desktop
a ./opt/local/share/mimeInk/image/x-exr.desktop
a ./opt/local/share/mimeInk/image/x-hdr.desktop
a ./opt/local/share/mimeInk/image/x-ico.desktop
a ./opt/local/share/mimeInk/image/x-jng.desktop
a ./opt/local/share/mimeInk/image/x-msod.desktop
a ./opt/local/share/mimeInk/image/x-pcx.desktop
a ./opt/local/share/mimeInk/image/x-photo-cd.desktop
a ./opt/local/share/mimeInk/image/x-portable-bitmap.desktop
a ./opt/local/share/mimeInk/image/x-portable-greymap.desktop

a ./opt/local/share/mimeInk/image/x-portable-pixmap.desktop
a ./opt/local/share/mimeInk/image/x-raw.desktop
a ./opt/local/share/mimeInk/image/x-rgb.desktop
a ./opt/local/share/mimeInk/image/x-targa.desktop
a ./opt/local/share/mimeInk/image/x-vnd.adobe.photoshop.desktop
a ./opt/local/share/mimeInk/image/x-vnd.trolltech.qpicture.desktop
a ./opt/local/share/mimeInk/image/x-wmf.desktop
a ./opt/local/share/mimeInk/image/x-xbm.desktop
a ./opt/local/share/mimeInk/image/x-xcf-gimp.desktop
a ./opt/local/share/mimeInk/image/x-xcursor.desktop
a ./opt/local/share/mimeInk/image/x-xfig.desktop
a ./opt/local/share/mimeInk/image/x-xpm.desktop
a ./opt/local/share/mimeInk/audio/aac.desktop
a ./opt/local/share/mimeInk/audio/ac3.desktop
a ./opt/local/share/mimeInk/audio/basic.desktop
a ./opt/local/share/mimeInk/audio/mp4.desktop
a ./opt/local/share/mimeInk/audio/mpeg.desktop
a ./opt/local/share/mimeInk/audio/mpegurl.desktop
a ./opt/local/share/mimeInk/audio/prs.sid.desktop
a ./opt/local/share/mimeInk/audio/vnd.rn-realaudio.desktop
a ./opt/local/share/mimeInk/audio/vorbis.desktop
a ./opt/local/share/mimeInk/audio/x-adpcm.desktop
a ./opt/local/share/mimeInk/audio/x-aiff.desktop
a ./opt/local/share/mimeInk/audio/x-flac.desktop

a ./opt/local/share/mimeInk/audio/x-matroska.desktop
a ./opt/local/share/mimeInk/audio/x-midi.desktop
a ./opt/local/share/mimeInk/audio/x-mod.desktop
a ./opt/local/share/mimeInk/audio/x-mp2.desktop
a ./opt/local/share/mimeInk/audio/x-mp3.desktop
a ./opt/local/share/mimeInk/audio/x-mpegurl.desktop
a ./opt/local/share/mimeInk/audio/x-ms-wma.desktop
a ./opt/local/share/mimeInk/audio/x-musepack.desktop
a ./opt/local/share/mimeInk/audio/x-oggflac.desktop
a ./opt/local/share/mimeInk/audio/x-pn-realaudio-plugin.desktop
a ./opt/local/share/mimeInk/audio/x-pn-realaudio.desktop
a ./opt/local/share/mimeInk/audio/x-scpls.desktop
a ./opt/local/share/mimeInk/audio/x-speex.desktop
a ./opt/local/share/mimeInk/audio/x-vorbis.desktop
a ./opt/local/share/mimeInk/audio/x-wav.desktop
a ./opt/local/share/mimeInk/application/chm.desktop
a ./opt/local/share/mimeInk/application/fits.desktop
a ./opt/local/share/mimeInk/application/illustrator.desktop
a ./opt/local/share/mimeInk/application/java.desktop
a ./opt/local/share/mimeInk/application/mathml+xml.desktop
a ./opt/local/share/mimeInk/application/mbox.desktop
a ./opt/local/share/mimeInk/application/msexcel.desktop
a ./opt/local/share/mimeInk/application/mspowerpoint.desktop
a ./opt/local/share/mimeInk/application/msword.desktop

a ./opt/local/share/mimeInk/application/octet-stream.desktop
a ./opt/local/share/mimeInk/application/ogg.desktop
a ./opt/local/share/mimeInk/application/pdf.desktop
a ./opt/local/share/mimeInk/application/pgp-encrypted.desktop
a ./opt/local/share/mimeInk/application/pgp-keys.desktop
a ./opt/local/share/mimeInk/application/pgp-signature.desktop
a ./opt/local/share/mimeInk/application/pgp.desktop
a ./opt/local/share/mimeInk/application/pkcs10.desktop
a ./opt/local/share/mimeInk/application/pkcs7-mime.desktop
a ./opt/local/share/mimeInk/application/pkcs7-signature.desktop
a ./opt/local/share/mimeInk/application/postscript.desktop
a ./opt/local/share/mimeInk/application/relaxng.desktop
a ./opt/local/share/mimeInk/application/sieve.desktop
a ./opt/local/share/mimeInk/application/smil.desktop
a ./opt/local/share/mimeInk/application/vnd.mozilla.xul+xml.desktop
a ./opt/local/share/mimeInk/application/vnd.ms-asf.desktop
a ./opt/local/share/mimeInk/application/vnd.ms-excel.desktop
a ./opt/local/share/mimeInk/application/vnd.ms-powerpoint.desktop
a ./opt/local/share/mimeInk/application/vnd.ms-word.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.chart.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.formula.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.graphics-template
.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.graphics.desktop

a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.image.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.presentation-template.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.presentation.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.spreadsheet-template.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.spreadsheet.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.text-template.desktop
a ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.text.desktop
a ./opt/local/share/mimeInk/application/vnd.palm.desktop
a ./opt/local/share/mimeInk/application/vnd.rn-realmedia.desktop
a ./opt/local/share/mimeInk/application/vnd.stardivision.calc.desktop
a ./opt/local/share/mimeInk/application/vnd.stardivision.chart.desktop
a ./opt/local/share/mimeInk/application/vnd.stardivision.draw.desktop
a ./opt/local/share/mimeInk/application/vnd.stardivision.impress.desktop
a ./opt/local/share/mimeInk/application/vnd.stardivision.math.desktop
a ./opt/local/share/mimeInk/application/vnd.stardivision.writer-global.desktop
a ./opt/local/share/mimeInk/application/vnd.stardivision.writer.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.base.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.calc.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.calc.template.desktop

a ./opt/local/share/mimeInk/application/vnd.sun.xml.draw.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.draw.template.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.impress.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.impress.template.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.writer.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.writer.master.desktop
a ./opt/local/share/mimeInk/application/vnd.sun.xml.writer.template.desktop
a ./opt/local/share/mimeInk/application/wordperfect.desktop
a ./opt/local/share/mimeInk/application/x-7z.desktop
a ./opt/local/share/mimeInk/application/x-abiword.desktop
a ./opt/local/share/mimeInk/application/x-ace.desktop
a ./opt/local/share/mimeInk/application/x-afm.desktop
a ./opt/local/share/mimeInk/application/x-amipro.desktop
a ./opt/local/share/mimeInk/application/x-applix.desktop
a ./opt/local/share/mimeInk/application/x-applixgraphics.desktop
a ./opt/local/share/mimeInk/application/x-applixspread.desktop
a ./opt/local/share/mimeInk/application/x-applixword.desktop
a ./opt/local/share/mimeInk/application/x-arc.desktop
a ./opt/local/share/mimeInk/application/x-archive.desktop
a ./opt/local/share/mimeInk/application/x-arj.desktop
a ./opt/local/share/mimeInk/application/x-awk.desktop
a ./opt/local/share/mimeInk/application/x-bittorrent.desktop
a ./opt/local/share/mimeInk/application/x-bz2dvi.desktop
a ./opt/local/share/mimeInk/application/x-bzip.desktop

a ./opt/local/share/mimeInk/application/x-bzip2.desktop
a ./opt/local/share/mimeInk/application/x-cda.desktop
a ./opt/local/share/mimeInk/application/x-compress.desktop
a ./opt/local/share/mimeInk/application/x-core.desktop
a ./opt/local/share/mimeInk/application/x-cpio.desktop
a ./opt/local/share/mimeInk/application/x-cue.desktop
a ./opt/local/share/mimeInk/application/x-dbase.desktop
a ./opt/local/share/mimeInk/application/x-deb.desktop
a ./opt/local/share/mimeInk/application/x-debian-package.desktop
a ./opt/local/share/mimeInk/application/x-designer.desktop
a ./opt/local/share/mimeInk/application/x-desktop.desktop
a ./opt/local/share/mimeInk/application/x-dvi.desktop
a ./opt/local/share/mimeInk/application/x-executable-script.desktop
a ./opt/local/share/mimeInk/application/x-executable.desktop
a ./opt/local/share/mimeInk/application/x-font-bdf.desktop
a ./opt/local/share/mimeInk/application/x-font-ghostscript.desktop
a ./opt/local/share/mimeInk/application/x-font-otf.desktop
a ./opt/local/share/mimeInk/application/x-font-pcf.desktop
a ./opt/local/share/mimeInk/application/x-font-snf.desktop
a ./opt/local/share/mimeInk/application/x-font-speedo.desktop
a ./opt/local/share/mimeInk/application/x-font-ttc.desktop
a ./opt/local/share/mimeInk/application/x-font-ttf.desktop
a ./opt/local/share/mimeInk/application/x-font-type1.desktop
a ./opt/local/share/mimeInk/application/x-gettext.desktop

a ./opt/local/share/mimelnk/application/x-gnumeric.desktop
a ./opt/local/share/mimelnk/application/x-graphite.desktop
a ./opt/local/share/mimelnk/application/x-gzdvi.desktop
a ./opt/local/share/mimelnk/application/x-gzip.desktop
a ./opt/local/share/mimelnk/application/x-gzpostscript.desktop
a ./opt/local/share/mimelnk/application/x-hancomword.desktop
a ./opt/local/share/mimelnk/application/x-ica.desktop
a ./opt/local/share/mimelnk/application/x-iso.desktop
a ./opt/local/share/mimelnk/application/x-jar.desktop
a ./opt/local/share/mimelnk/application/x-java-applet.desktop
a ./opt/local/share/mimelnk/application/x-java-jnlp-file.desktop
a ./opt/local/share/mimelnk/application/x-java.desktop
a ./opt/local/share/mimelnk/application/x-javascript.desktop
a ./opt/local/share/mimelnk/application/x-karbon.desktop
a ./opt/local/share/mimelnk/application/x-kchart.desktop
a ./opt/local/share/mimelnk/application/x-kcsrc.desktop
a ./opt/local/share/mimelnk/application/x-kde-wallet.desktop
a ./opt/local/share/mimelnk/application/x-kformula.desktop
a ./opt/local/share/mimelnk/application/x-kivio.desktop
a ./opt/local/share/mimelnk/application/x-kontour.desktop
a ./opt/local/share/mimelnk/application/x-kpovmodeler.desktop
a ./opt/local/share/mimelnk/application/x-kpresenter.desktop
a ./opt/local/share/mimelnk/application/x-krita.desktop
a ./opt/local/share/mimelnk/application/x-kspread.desktop

a ./opt/local/share/mimelnk/application/x-kudesigner.desktop
a ./opt/local/share/mimelnk/application/x-kugar.desktop
a ./opt/local/share/mimelnk/application/x-kword.desktop
a ./opt/local/share/mimelnk/application/x-lha.desktop
a ./opt/local/share/mimelnk/application/x-linguist.desktop
a ./opt/local/share/mimelnk/application/x-lyx.desktop
a ./opt/local/share/mimelnk/application/x-lzop.desktop
a ./opt/local/share/mimelnk/application/x-magicpoint.desktop
a ./opt/local/share/mimelnk/application/x-mimearchive.desktop
a ./opt/local/share/mimelnk/application/x-mpplayer2.desktop
a ./opt/local/share/mimelnk/application/x-msaccess.desktop
a ./opt/local/share/mimelnk/application/x-msdos-program.desktop
a ./opt/local/share/mimelnk/application/x-msmetafile.desktop
a ./opt/local/share/mimelnk/application/x-mswrite.desktop
a ./opt/local/share/mimelnk/application/x-object.desktop
a ./opt/local/share/mimelnk/application/x-ogg.desktop
a ./opt/local/share/mimelnk/application/x-ooimpress.desktop
a ./opt/local/share/mimelnk/application/x-oowriter.desktop
a ./opt/local/share/mimelnk/application/x-pak.desktop
a ./opt/local/share/mimelnk/application/x-perl-module.desktop
a ./opt/local/share/mimelnk/application/x-perl.desktop
a ./opt/local/share/mimelnk/application/x-php.desktop
a ./opt/local/share/mimelnk/application/x-pkcs12.desktop
a ./opt/local/share/mimelnk/application/x-python-bytecode.desktop

a ./opt/local/share/mimeInk/application/x-python.desktop
a ./opt/local/share/mimeInk/application/x-quattropro.desktop
a ./opt/local/share/mimeInk/application/x-rar-compressed.desktop
a ./opt/local/share/mimeInk/application/x-rar.desktop
a ./opt/local/share/mimeInk/application/x-rpm.desktop
a ./opt/local/share/mimeInk/application/x-ruby.desktop
a ./opt/local/share/mimeInk/application/x-sharedlib.desktop
a ./opt/local/share/mimeInk/application/x-shellscript.desktop
a ./opt/local/share/mimeInk/application/x-shockwave-flash.desktop
a ./opt/local/share/mimeInk/application/x-sqlite2.desktop
a ./opt/local/share/mimeInk/application/x-sqlite3.desktop
a ./opt/local/share/mimeInk/application/x-tar.desktop
a ./opt/local/share/mimeInk/application/x-tarz.desktop
a ./opt/local/share/mimeInk/application/x-tbz.desktop
a ./opt/local/share/mimeInk/application/x-tex-gf.desktop
a ./opt/local/share/mimeInk/application/x-tex-pk.desktop
a ./opt/local/share/mimeInk/application/x-tgif.desktop
a ./opt/local/share/mimeInk/application/x-tgz.desktop
a ./opt/local/share/mimeInk/application/x-trash.desktop
a ./opt/local/share/mimeInk/application/x-troff-man.desktop
a ./opt/local/share/mimeInk/application/x-troff.desktop
a ./opt/local/share/mimeInk/application/x-tzo.desktop
a ./opt/local/share/mimeInk/application/x-vnd.kde.kexi.desktop
a ./opt/local/share/mimeInk/application/x-vnd.kde.kplato.desktop

a ./opt/local/share/mimelnk/application/x-vnd.kde.kugar.mixed.desktop
a ./opt/local/share/mimelnk/application/x-webarchive.desktop
a ./opt/local/share/mimelnk/application/x-x509-ca-cert.desktop
a ./opt/local/share/mimelnk/application/x-xliff.desktop
a ./opt/local/share/mimelnk/application/x-zerosize.desktop
a ./opt/local/share/mimelnk/application/x-zip-compressed.desktop
a ./opt/local/share/mimelnk/application/x-zip.desktop
a ./opt/local/share/mimelnk/application/x-zoo.desktop
a ./opt/local/share/mimelnk/application/xhtml+xml.desktop
a ./opt/local/share/mimelnk/application/xml-dtd.desktop
a ./opt/local/share/mimelnk/application/xml.desktop
a ./opt/local/share/mimelnk/application/xsd.desktop
a ./opt/local/share/mimelnk/all/all.desktop
a ./opt/local/share/mimelnk/all/allfiles.desktop
a ./opt/local/share/man/man1
a ./opt/local/share/man/man7
a ./opt/local/share/man/man8
a ./opt/local/share/man/man8/kbuildsycoca.8.gz
a ./opt/local/share/man/man7/kdeoptions.7.gz
a ./opt/local/share/man/man7/qtoptions.7.gz
a ./opt/local/share/man/man1/artsmessage.1.gz
a ./opt/local/share/man/man1/checkXML.1.gz
a ./opt/local/share/man/man1/dcop.1.gz
a ./opt/local/share/locale/all_languages

a ./opt/local/share/icons/crystalsvg
a ./opt/local/share/icons/default.kde
a ./opt/local/share/icons/crystalsvg/128x128
a ./opt/local/share/icons/crystalsvg/16x16
a ./opt/local/share/icons/crystalsvg/22x22
a ./opt/local/share/icons/crystalsvg/32x32
a ./opt/local/share/icons/crystalsvg/48x48
a ./opt/local/share/icons/crystalsvg/64x64
a ./opt/local/share/icons/crystalsvg/index.theme
a ./opt/local/share/icons/crystalsvg/scalable
a ./opt/local/share/icons/crystalsvg/scalable/actions
a ./opt/local/share/icons/crystalsvg/scalable/apps
a ./opt/local/share/icons/crystalsvg/scalable/devices
a ./opt/local/share/icons/crystalsvg/scalable/filesystems
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/applix.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/ascii.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/binary.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/cdimage.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/cdr.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/cdtrack.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/colorscm.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/core.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/deb.svgz

a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/document.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/document2.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/dvi.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/empty.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/encrypted.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/exec_wine.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/file_locked.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/file_temporary.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/font.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/font_bitmap.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/font_truetype.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/font_type1.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/gf.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/html.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/image.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/image2.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/karbon_karbon.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/kexi_kexi.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/kmultiple.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/koffice.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/kugardata.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/log.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/make.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/man.svgz

a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/message.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/metafont.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/mozilla_doc.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/netscape_doc.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/pdf.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/pk.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/postscript.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/quicktime.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/readme.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/recycled.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/resource.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/rpm.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/shellscript.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/soffice.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/sound.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_c.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_cpp.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_f.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_h.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_j.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_java.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_l.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_moc.svgz

a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_o.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_p.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_php.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_pl.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_py.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_s.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_y.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/spreadsheet.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/tar.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/tex.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/tgz.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/txt.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/txt2.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/unknown.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/vcalendar.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/vcard.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/vectorgfx.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/video.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/widget_doc.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/wordprocessing.svgz
a ./opt/local/share/icons/crystalsvg/scalable/mimetypes/zip.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/desktop.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/exec.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/exec_wine.svgz

a ./opt/local/share/icons/crystalsvg/scalable/filesystems/file_broken.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/file_important.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/file_locked.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_blue.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_blue_open.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_cyan.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_cyan_open.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_favorite.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_green.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_green_open.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_grey.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_home.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_html.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_image.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_important.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_locked.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_man.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_man2.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_open.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_orange.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_orange_open.svgz
z
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_print.svgz

a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_red.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_red_open.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_sound.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_tar.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_txt.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_violet.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_violet_open.svgz
z
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_yellow.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_yellow_open.svgz
z
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/home_blue.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/home_white.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/link_overlay.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/lock_overlay.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/network.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/network_local.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/pipe.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/services.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/temporary.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/trashcan_empty.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/trashcan_full.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/www.svgz
a ./opt/local/share/icons/crystalsvg/scalable/filesystems/zip_overlay.svgz

a ./opt/local/share/icons/crystalsvg/scalable/devices/3floppy_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/3floppy_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/5floppy_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/5floppy_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/blockdevice.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/camera_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/camera_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/cdaudio_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/cdaudio_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/cdrom_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/cdrom_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/cdwriter_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/cdwriter_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/chardevice.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/compact_flash_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/compact_flash_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/dvd_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/dvd_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/hdd_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/hdd_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/ipod_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/ipod_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/joystick.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/memory.svgz

a ./opt/local/share/icons/crystalsvg/scalable/devices/memory_stick_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/memory_stick_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/mo_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/mo_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/mo_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/mouse.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/nfs_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/nfs_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/pda_black.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/pda_blue.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/print_class.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/printer1.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/scanner.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/sd_mmc_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/sd_mmc_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/smartmedia_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/smartmedia_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/system.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/tablet.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/tv.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/usbpendrive_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/usbpendrive_unmount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/zip_mount.svgz
a ./opt/local/share/icons/crystalsvg/scalable/devices/zip_unmount.svgz

a ./opt/local/share/icons/crystalsvg/scalable/apps/kmenu.svgz
a ./opt/local/share/icons/crystalsvg/scalable/apps/kttsd.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/about_kde.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/add.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/back.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/bottom.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/colorpicker.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/configure.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/contents2.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/down.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/eraser.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/exit.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/fileclose.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/filenew.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/fileopen.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/fileprint.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/filequickprint.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/finish.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/forward.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/frameprint.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/gohome.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/info.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/launch.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/lock.svgz

a ./opt/local/share/icons/crystalsvg/scalable/actions/mail_generic.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/mail_get.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/mail_new.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/mail_post_to.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/next.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/player_eject.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/player_fwd.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/player_next.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/player_pause.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/player_play.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/player_rew.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/player_start.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/player_stop.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/previous.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/reload.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/reload_all_tabs.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/reload_page.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/remove.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/rotate.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/rotate_ccw.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/rotate_cw.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/share.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/start.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/stop.svgz

a ./opt/local/share/icons/crystalsvg/scalable/actions/switchuser.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/text_bild.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/text_bold.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/text_italic.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/text_strike.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/text_sub.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/text_super.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/text_under.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/top.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/up.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/view_fit_height.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/view_fit_width.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/view_fit_window.svgz
a ./opt/local/share/icons/crystalsvg/scalable/actions/wizard.svgz
a ./opt/local/share/icons/crystalsvg/64x64/actions
a ./opt/local/share/icons/crystalsvg/64x64/apps
a ./opt/local/share/icons/crystalsvg/64x64/devices
a ./opt/local/share/icons/crystalsvg/64x64/filesystems
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/applix.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/ascii.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/binary.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/bt.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/cdimage.png

a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/cdr.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/cdtrack.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/colorscm.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/core.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/deb.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/document.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/document2.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/dvi.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/empty.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/encrypted.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/exec_wine.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/font.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/font_bitmap.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/font_truetype.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/font_type1.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/gf.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/html.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/image.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/info.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/karbon_karbon.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kchart_chrt.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kformula_kfo.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kivio_flw.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kmultiple.png

a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/koffice.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kpresenter_kpr.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/krita_kra.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kspread_ksp.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kugar_kud.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kword_kwd.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/log.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/make.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/man.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/message.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/metafont.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/midi.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/misc.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/mozilla_doc.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/netcape_doc.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/pdf.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/pk.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/postscript.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/quicktime.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/readme.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/recycled.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/resource.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/rpm.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/shellscript.png

a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/soffice.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/sound.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_c.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_cpp.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_f.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_h.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_j.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_java.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_l.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_moc.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_o.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_p.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_php.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_pl.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_py.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_s.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_y.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/spreadsheet.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/tar.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/template_source.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/tex.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/tgz.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/txt.png

a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/txt2.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/unknown.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/vcalendar.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/vcard.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/vectorgfx.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/video.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/widget_doc.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/wordprocessing.png
a ./opt/local/share/icons/crystalsvg/64x64/mimetypes/zip.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/desktop.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/exec.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/file_broken.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_crystal.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_favorite.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_green.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_green_open.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_grey.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_grey_open.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_home.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_home2.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_html.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_image.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_important.png

a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_locked.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_man.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_open.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_orange.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_orange_open.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_print.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_red.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_red_open.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_sound.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_tar.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_txt.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_video.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_violet.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_violet_open.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_yellow.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_yellow_open.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/link_overlay.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/lock_overlay.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/network.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/network_local.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/pipe.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/trashcan_empty.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/trashcan_full.png
a ./opt/local/share/icons/crystalsvg/64x64/filesystems/www.png

a ./opt/local/share/icons/crystalsvg/64x64/filesystems/zip_overlay.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/3floppy_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/3floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/5floppy_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/5floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/blockdevice.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/camera_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/camera_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/cdaudio_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/cdaudio_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/cdrom_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/cdrom_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/cdwriter_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/cdwriter_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/chardevice.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/compact_flash_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/compact_flash_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/dvd_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/dvd_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/hdd_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/hdd_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/ipod_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/ipod_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/joystick.png

a ./opt/local/share/icons/crystalsvg/64x64/devices/memory.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/memory_stick_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/memory_stick_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/mo_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/mo_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/mouse.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/nfs_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/nfs_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/pda_black.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/pda_blue.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/print_class.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/printer1.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/scanner.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/sd_mmc_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/sd_mmc_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/smart_media_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/smart_media_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/system.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/tablet.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/tv.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/usbpendrive_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/usbpendrive_unmount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/zip_mount.png
a ./opt/local/share/icons/crystalsvg/64x64/devices/zip_unmount.png

a ./opt/local/share/icons/crystalsvg/64x64/apps/kmenu.png
a ./opt/local/share/icons/crystalsvg/64x64/apps/kttsd.png
a ./opt/local/share/icons/crystalsvg/64x64/apps/password.png
a ./opt/local/share/icons/crystalsvg/64x64/actions/favorites.png
a ./opt/local/share/icons/crystalsvg/64x64/actions/fileopen.png
a ./opt/local/share/icons/crystalsvg/64x64/actions/knewstuff.png
a ./opt/local/share/icons/crystalsvg/64x64/actions/player_play.png
a ./opt/local/share/icons/crystalsvg/64x64/actions/share.png
a ./opt/local/share/icons/crystalsvg/48x48/actions
a ./opt/local/share/icons/crystalsvg/48x48/apps
a ./opt/local/share/icons/crystalsvg/48x48/devices
a ./opt/local/share/icons/crystalsvg/48x48/filesystems
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/applix.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/ascii.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/binary.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/bt.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/cdimage.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/cdr.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/cdtrack.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/colorscm.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/core.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/deb.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/document.png

a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/document2.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/dvi.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/empty.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/encrypted.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/exec_wine.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/font.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/font_bitmap.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/font_truetype.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/font_type1.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/gettext.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/gf.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/html.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/image.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/info.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/karbon_karbon.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kchart_chrt.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kexi_kexi.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kformula_kfo.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kivio_flw.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kmultiple.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/koffice.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kpresenter_kpr.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/krita_kra.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kspread_ksp.png

a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kugar_kud.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kword_kwd.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/log.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/make.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/man.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/message.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/metafont.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/midi.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/misc.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/mozilla_doc.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/netscape_doc.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/pdf.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/pk.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/postscript.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/quicktime.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/readme.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/recycled.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/resource.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/rpm.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/shellscript.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/soffice.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/sound.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_c.png

a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_cpp.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_f.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_h.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_j.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_java.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_l.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_moc.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_o.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_p.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_php.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_pl.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_py.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_s.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_y.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/spreadsheet.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/tar.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/template_source.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/tex.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/tgz.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/txt.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/txt2.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/unknown.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/vcalendar.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/vcard.png

a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/vectorgfx.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/video.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/widget_doc.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/wordprocessing.png
a ./opt/local/share/icons/crystalsvg/48x48/mimetypes/zip.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/desktop.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/exec.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/file_broken.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_crystal.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_favorite.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_green.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_green_open.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_grey.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_grey_open.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_home.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_home2.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_html.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_image.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_important.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_inbox.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_locked.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_man.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_open.png

a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_orange.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_orange_open.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_outbox.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_print.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_red.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_red_open.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_sound.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_tar.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_txt.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_video.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_violet.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_violet_open.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_yellow.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_yellow_open.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/ftp.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/link_overlay.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/lock_overlay.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/network.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/network_local.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/pipe.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/server.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/trashcan_empty.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/trashcan_full.png
a ./opt/local/share/icons/crystalsvg/48x48/filesystems/www.png

a ./opt/local/share/icons/crystalsvg/48x48/filesystems/zip_overlay.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/3floppy_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/3floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/5floppy_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/5floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/blockdevice.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/camera_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/camera_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/cdaudio_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/cdaudio_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/cdrom_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/cdrom_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/cdwriter_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/cdwriter_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/chardevice.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/compact_flash_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/compact_flash_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/dvd_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/dvd_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/hdd_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/hdd_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/ipod_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/ipod_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/joystick.png

a ./opt/local/share/icons/crystalsvg/48x48/devices/memory.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/memory_stick_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/memory_stick_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/mo_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/mo_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/mouse.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/nfs_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/nfs_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/pda_black.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/pda_blue.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/print_class.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/printer1.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/scanner.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/sd_mmc_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/sd_mmc_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/smart_media_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/smart_media_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/system.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/tablet.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/tv.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/usbpendrive_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/usbpendrive_unmount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/zip_mount.png
a ./opt/local/share/icons/crystalsvg/48x48/devices/zip_unmount.png

a ./opt/local/share/icons/crystalsvg/48x48/apps/kmenu.png
a ./opt/local/share/icons/crystalsvg/48x48/apps/kttsd.png
a ./opt/local/share/icons/crystalsvg/48x48/apps/password.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/add.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/back.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/bookmark.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/colorpicker.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/contents2.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/down.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/eraser.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/exit.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/fileclose.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/filenew.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/fileprint.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/filequickprint.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/forward.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/frameprint.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/gear.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/gohome.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/identity.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/indent.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/kde.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/launch.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/lock.png

a ./opt/local/share/icons/crystalsvg/48x48/actions/mail_new.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/mail_post_to.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/misc.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/next.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/player_playlist.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/presence_away.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/presence_offline.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/presence_online.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/previous.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/reload.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/reload_all_tabs.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/reload_page.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/remove.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/rotate.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/rotate_ccw.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/rotate_cw.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/share.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/stop.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/switchuser.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/unindent.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/up.png
a ./opt/local/share/icons/crystalsvg/48x48/actions/wizard.png
a ./opt/local/share/icons/crystalsvg/32x32/actions
a ./opt/local/share/icons/crystalsvg/32x32/apps

a ./opt/local/share/icons/crystalsvg/32x32/devices
a ./opt/local/share/icons/crystalsvg/32x32/filesystems
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/applix.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/ascii.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/binary.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/bt.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/cdimage.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/cdr.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/cdtrack.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/colorscm.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/core.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/deb.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/document.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/document2.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/dvi.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/empty.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/exec_wine.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/file_locked.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/file_temporary.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/font.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/font_bitmap.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/font_truetype.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/font_type1.png

a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/gettext.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/gf.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/html.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/image.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/info.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/karbon_karbon.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kchart_chrt.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kexi_kexi.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kformula_kfo.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kivio_flw.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kmultiple.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kpresenter_kpr.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/krita_kra.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kspread_ksp.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kugar_kud.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kword_kwd.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/log.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/make.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/man.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/message.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/metafont.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/midi.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/misc.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/netscape_doc.png

a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/pdf.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/pk.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/postscript.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/quicktime.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/readme.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/recycled.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/resource.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/rpm.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/shellscript.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/soffice.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/sound.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_c.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_cpp.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_f.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_h.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_j.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_java.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_l.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_moc.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_o.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_p.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_php.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_pl.png

a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_py.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_s.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_y.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/spreadsheet.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/tar.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/template_source.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/tex.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/tgz.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/txt.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/txt2.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/unknown.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/vcalendar.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/vcard.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/vectorgfx.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/video.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/widget_doc.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/wordprocessing.png
a ./opt/local/share/icons/crystalsvg/32x32/mimetypes/zip.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/desktop.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/exec.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/file_broken.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_crystal.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_favorite.png

a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_green.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_green_open.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_grey.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_grey_open.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_home.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_home2.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_html.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_image.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_important.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_locked.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_man.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_open.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_orange.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_orange_open.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_print.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_red.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_red_open.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_sound.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_tar.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_txt.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_video.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_violet.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_violet_open.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_yellow.png

a ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_yellow_open.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/ftp.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/link_overlay.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/lock_overlay.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/network.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/network_local.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/pipe.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/trashcan_empty.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/trashcan_full.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/www.png
a ./opt/local/share/icons/crystalsvg/32x32/filesystems/zip_overlay.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/3floppy_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/3floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/5floppy_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/5floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/blockdevice.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/camera_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/camera_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/cdaudio_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/cdaudio_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/cdrom_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/cdrom_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/cdwriter_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/cdwriter_unmount.png

a ./opt/local/share/icons/crystalsvg/32x32/devices/chardevice.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/compact_flash_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/compact_flash_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/dvd_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/dvd_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/hdd_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/hdd_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/ipod_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/ipod_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/joystick.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/memory.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/memory_stick_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/memory_stick_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/mo_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/mo_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/mouse.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/nfs_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/nfs_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/pda_black.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/pda_blue.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/print_class.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/printer1.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/scanner.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/sd_mmc_mount.png

a ./opt/local/share/icons/crystalsvg/32x32/devices/sd_mmc_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/smart_media_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/smart_media_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/system.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/tablet.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/tv.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/usbpendrive_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/usbpendrive_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/zip_mount.png
a ./opt/local/share/icons/crystalsvg/32x32/devices/zip_unmount.png
a ./opt/local/share/icons/crystalsvg/32x32/apps/kmenu.png
a ./opt/local/share/icons/crystalsvg/32x32/apps/kttsd.png
a ./opt/local/share/icons/crystalsvg/32x32/apps/password.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/about_kde.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/add.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/apply.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/attach.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/back.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/blend.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/bookmark.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/bookmark_add.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/bookmark_folder.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/bookmark_toolbar.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/bookmarks_list_add.png

a ./opt/local/share/icons/crystalsvg/32x32/actions/bottom.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/button_cancel.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/button_ok.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/centrejust.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/charset.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/clear_left.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/colorize.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/colorpicker.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/compfile.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/configure.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/connect_creating.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/connect_established.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/connect_no.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/contents.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/contents2.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/contexthelp.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/decrypted.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/down.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/edit.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/editclear.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/editcopy.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/editcut.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/editdelete.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/editpaste.png

a ./opt/local/share/icons/crystalsvg/32x32/actions/editshred.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/edittrash.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/emptytrash.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/encrypted.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/eraser.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/exec.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/exit.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/fileclose.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/filefind.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/fileimport.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/filenew.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/fileopen.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/fileprint.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/filequickprint.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/filesave.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/filesaveas.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/filter.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/find.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/finish.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/folder_new.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/fonts.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/forward.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/frameprint.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/gear.png

a ./opt/local/share/icons/crystalsvg/32x32/actions/gohome.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/goto.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/halfencrypted.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/help.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/identity.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/indent.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/kde.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/kdevelop_down.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/knewstuff.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/launch.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/leftjust.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/locationbar_erase.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/lock.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_delete.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_find.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_forward.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_generic.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_get.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_new.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_post_to.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_reply.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_replyall.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_replylist.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mail_send.png

a ./opt/local/share/icons/crystalsvg/32x32/actions/make_kdevelop.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_abs.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_brace.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_brackets.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_frac.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_int.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_lsub.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_lsup.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_matrix.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_onetwomatrix.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_paren.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_prod.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_rsub.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_rsup.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_sqrt.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/math_sum.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/messagebox_critical.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/messagebox_info.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/messagebox_warning.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/misc.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/mouse.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_32ndnote.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_cleficon.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_cross.png

a ./opt/local/share/icons/crystalsvg/32x32/actions/music_dottednote.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_eighthnote.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_fermatenote.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_flat.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_fullnote.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_halfnote.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_natur.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_quarternote.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/music_sixteenthnote.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/next.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/openterm.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_eject.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_end.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_fwd.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_pause.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_play.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_playlist.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_rew.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_start.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/player_stop.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/presence_away.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/presence_offline.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/presence_online.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/presence_unknown.png

a ./opt/local/share/icons/crystalsvg/32x32/actions/previous.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/project_open.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/queue.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/rebuild.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/redo.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/reload.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/reload_all_tabs.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/reload_page.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/remove.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/revert.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/rightjust.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/rotate.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/rotate_ccw.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/rotate_cw.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/run.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/save_all.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/share.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/show_side_panel.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/signature.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/spellcheck.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/start.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/stop.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/switchuser.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_block.png

a ./opt/local/share/icons/crystalsvg/32x32/actions/text_bold.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_center.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_italic.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_left.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_right.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_strike.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_sub.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_super.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/text_under.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/today.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/toggle_log.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/top.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/undo.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/unindent.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/unlock.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/up.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_bottom.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_choose.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_detailed.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_fit_height.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_fit_width.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_fit_window.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_icon.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_left_right.png

a ./opt/local/share/icons/crystalsvg/32x32/actions/view_multicolumn.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_remove.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_right.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_sidetree.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_text.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_top_bottom.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/view_tree.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/viewmag+.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/viewmag-.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/viewmag.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/viewmag1.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/viewmagfit.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/window_fullscreen.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/window_new.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/window_nofullscreen.png
a ./opt/local/share/icons/crystalsvg/32x32/actions/wizard.png
a ./opt/local/share/icons/crystalsvg/22x22/actions
a ./opt/local/share/icons/crystalsvg/22x22/apps
a ./opt/local/share/icons/crystalsvg/22x22/devices
a ./opt/local/share/icons/crystalsvg/22x22/filesystems
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/applix.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/ascii.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/binary.png

a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/bt.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/cdimage.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/cdtrack.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/colorscm.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/core.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/deb.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/document.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/document2.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/dvi.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/empty.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/encrypted.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/exec_wine.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/file_locked.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/file_temporary.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/font.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/font_bitmap.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/font_truetype.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/font_type1.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/gf.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/html.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/image.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/info.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/karbon_karbon.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kchart_chrt.png

a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kexi_kexi.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kformula_kfo.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kivio_flw.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kmultiple.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/koffice.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kpresenter_kpr.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/krita_kra.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kspread_ksp.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kugar_kud.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/keyword_kwd.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/log.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/make.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/man.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/message.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/metafont.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/midi.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/mozilla_doc.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/netscape_doc.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/news.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/pdf.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/pk.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/postscript.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/quicktime.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/readme.png

a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/recycled.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/rpm.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/shellscript.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/soffice.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/sound.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_c.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_cpp.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_f.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_h.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_j.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_java.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_l.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_moc.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_o.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_p.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_pl.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_py.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_s.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_y.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/spreadsheet.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/tar.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/tex.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/tgz.png

a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/txt.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/txt2.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/unknown.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/vcalendar.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/vcard.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/vectorgfx.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/video.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/widget_doc.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/wordprocessing.png
a ./opt/local/share/icons/crystalsvg/22x22/mimetypes/zip.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/desktop.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_green.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_green_open.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_grey.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_grey_open.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_home.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_open.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_orange.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_orange_open.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_print.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_red.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_red_open.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_violet.png

a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_violet_open.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_yellow.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_yellow_open.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/link_overlay.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/network.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/trashcan_empty.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/trashcan_full.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/www.png
a ./opt/local/share/icons/crystalsvg/22x22/filesystems/zip_overlay.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/3floppy_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/3floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/camera_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/camera_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/cdaudio_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/compact_flash_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/compact_flash_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/hdd_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/hdd_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/ipod_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/ipod_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/joystick.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/memory_stick_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/memory_stick_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/print_class.png

a ./opt/local/share/icons/crystalsvg/22x22/devices/printer1.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/sd_mmc_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/sd_mmc_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/smart_media_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/smart_media_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/system.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/usbpendrive_mount.png
a ./opt/local/share/icons/crystalsvg/22x22/devices/usbpendrive_unmount.png
a ./opt/local/share/icons/crystalsvg/22x22/apps/kmenu.png
a ./opt/local/share/icons/crystalsvg/22x22/apps/ktttsd.png
a ./opt/local/share/icons/crystalsvg/22x22/apps/password.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/1downarrow.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/1leftarrow.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/1rightarrow.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/1uparrow.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/2downarrow.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/2leftarrow.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/2rightarrow.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/2uparrow.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/about_kde.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/add.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/airbrush.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/apply.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/attach.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/back.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/blend.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/bookmark.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/bookmark_add.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/bookmark_folder.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/bookmarks_list_add.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/bottom.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/button_cancel.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/button_ok.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/cd.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/centrejust.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/charset.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/clear_left.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/color_fill.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/color_line.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/colorize.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/colorpicker.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/compfile.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/configure.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/connect_creating.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/connect_established.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/connect_no.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/contents.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/contents2.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/contexthelp.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/crop.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/dbgnext.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/dbgrun.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/dbgrunto.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/dbgstep.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/decrypted.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/down.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/edit.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/editclear.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/editcopy.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/editcut.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/editdelete.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/editpaste.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/editshred.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/edittrash.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/emptytrash.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/encrypted.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/eraser.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/exec.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/exit.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/fileclose.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/fileexport.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/filefind.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/fileimport.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/filenew.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/fileopen.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/fileprint.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/filequickprint.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/filesave.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/filesaveas.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/fill.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/filter.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/find.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/finish.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/folder.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/folder_new.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/fontsize-down.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/fontsize-up.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/fork.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/forward.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/frame_chart.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/frame_edit.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/frame_formula.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/frame_image.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/frame_query.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/frame_spreadsheet.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/frame_text.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/frameprint.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/gear.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/gohome.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/goto.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/halfencrypted.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/help.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/history.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/idea.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/identity.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/inline_image.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/inline_table.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/kde.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/key_enter.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/launch.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/leftjust.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/locationbar_erase.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/lock.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_delete.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_find.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_forward.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_generic.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_get.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_new.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_new3.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_post_to.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_post_to3.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_reply.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_replyall.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_replylist.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/mail_send.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/make_kdevelop.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_abs.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_brace.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_brackets.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_frac.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_int.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_lsub.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_lsup.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_matrix.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_onetwomatrix.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_paren.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_prod.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_rsub.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_rsup.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_sqrt.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/math_sum.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/message_reply.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/misc.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/mouse.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/move.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_32ndnote.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_cleficon.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_cross.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_dottednote.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_eighthnote.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_fermatenote.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_flat.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_fullnote.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_halfnote.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_natur.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_quarternote.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/music_sixteenthnote.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/news_subscribe.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/news_unsubscribe.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/next.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/openterm.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/paintbrush.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/pencil.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/player_eject.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/player_end.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/player_fwd.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/player_pause.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/player_play.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/player_playlist.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/player_rew.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/player_start.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/player_stop.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/previous.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/project_open.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/queue.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/rebuild.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/redo.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/reload.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/reload3.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/reload_all_tabs.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/reload_page.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/remove.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/revert.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/rightjust.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/rotate.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/rotate_ccw.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/rotate_cw.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/run.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/save_all.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/share.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/show_side_panel.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/showmenu.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/signature.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/spellcheck.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/start.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/stop.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/switchuser.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_block.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_bold.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_center.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_italic.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_left.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_right.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_strike.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_sub.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_super.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/text_under.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/thumbnail.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/today.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/toggle_log.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/top.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/translate.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/undo.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/unlock.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/up.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_bottom.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_choose.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_detailed.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_fit_height.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_fit_width.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_fit_window.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_icon.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_left_right.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_multicolumn.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_remove.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_right.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_sidetree.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_text.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_top_bottom.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/view_tree.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/viewmag+.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/viewmag-.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/viewmag.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/viewmag1.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/viewmagfit.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/window_fullscreen.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/window_new.png
a ./opt/local/share/icons/crystalsvg/22x22/actions/window_nofullscreen.png

a ./opt/local/share/icons/crystalsvg/22x22/actions/wizard.png
a ./opt/local/share/icons/crystalsvg/16x16/actions
a ./opt/local/share/icons/crystalsvg/16x16/apps
a ./opt/local/share/icons/crystalsvg/16x16/devices
a ./opt/local/share/icons/crystalsvg/16x16/filesystems
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/applix.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/ascii.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/binary.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/bt.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/cdimage.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/cdr.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/cdtrack.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/colorscm.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/core.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/deb.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/document.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/document2.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/dvi.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/empty.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/encrypted.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/exec_wine.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/font.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/font_bitmap.png

a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/font_truetype.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/font_type1.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/gettext.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/gf.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/html.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/image.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/info.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/karbon_karbon.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kchart_chrt.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kexi_kexi.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kformula_kfo.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kivio_flw.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kmultiple.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kpresenter_kpr.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/krita_kra.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kspread_ksp.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kugar_kud.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kword_kwd.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/log.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/make.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/man.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/message.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/metafont.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/midi.png

a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/misc.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/netcape_doc.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/news.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/pdf.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/pk.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/postscript.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/quicktime.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/readme.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/recycled.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/resource.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/rpm.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/shellscript.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/sound.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_c.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_cpp.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_f.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_h.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_java.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_l.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_moc.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_o.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_php.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_pl.png

a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_py.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_s.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_y.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/spreadsheet.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/tar.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/template_source.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/tex.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/tgz.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/txt.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/txt2.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/unknown.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/vcalendar.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/vcard.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/vectorgfx.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/video.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/widget_doc.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/wordprocessing.png
a ./opt/local/share/icons/crystalsvg/16x16/mimetypes/zip.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/desktop.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/exec.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/file_broken.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_crystal.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_favorite.png

a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_green.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_green_open.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_grey.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_grey_open.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_home.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_home2.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_html.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_image.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_important.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_inbox.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_locked.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_man.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_open.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_orange.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_orange_open.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_outbox.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_print.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_red.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_red_open.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_sent_mail.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_sound.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_tar.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_txt.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_video.png

a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_violet.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_violet_open.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_yellow.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_yellow_open.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/ftp.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/link_overlay.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/lock_overlay.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/network.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/network_local.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/pipe.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/server.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/trashcan_empty.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/trashcan_full.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/www.png
a ./opt/local/share/icons/crystalsvg/16x16/filesystems/zip_overlay.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/3floppy_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/3floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/5floppy_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/5floppy_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/blockdevice.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/camera_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/camera_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/cdaudio_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/cdaudio_unmount.png

a ./opt/local/share/icons/crystalsvg/16x16/devices/cdrom_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/cdrom_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/cdwriter_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/cdwriter_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/chardevice.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/compact_flash_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/compact_flash_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/dvd_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/dvd_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/hdd_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/hdd_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/ipod_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/ipod_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/joystick.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/memory.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/memory_stick_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/memory_stick_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/mo_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/mo_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/mouse.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/nfs_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/nfs_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/pda_black.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/pda_blue.png

a ./opt/local/share/icons/crystalsvg/16x16/devices/print_class.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/printer1.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/scanner.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/sd_mmc_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/sd_mmc_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/smart_media_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/smart_media_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/system.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/tablet.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/tv.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/usbpendrive_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/usbpendrive_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/zip_mount.png
a ./opt/local/share/icons/crystalsvg/16x16/devices/zip_unmount.png
a ./opt/local/share/icons/crystalsvg/16x16/apps/kmenu.png
a ./opt/local/share/icons/crystalsvg/16x16/apps/kttsd.png
a ./opt/local/share/icons/crystalsvg/16x16/apps/password.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/1downarrow.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/1leftarrow.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/1rightarrow.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/1uparrow.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/2downarrow.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/2leftarrow.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/2rightarrow.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/2uparrow.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/about_kde.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/add.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/airbrush.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/apply.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/attach.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/back.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/blend.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/bookmark.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/bookmark_add.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/bookmark_folder.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/bookmark_toolbar.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/bookmarks_list_add.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/bottom.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/cancel.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/charset.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/clear_left.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/color_fill.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/color_line.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/colorize.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/colorpicker.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/compfile.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/completion.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/configure.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/configure_shortcuts.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/configure_toolbars.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/connect_creating.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/connect_established.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/connect_no.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/contents.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/contents2.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/contexthelp.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/crop.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/decrypted.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/down.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/edit.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/editclear.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/editcopy.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/editcut.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/editdelete.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/editpaste.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/editshred.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/edittrash.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/emptytrash.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/encrypted.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/eraser.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/exec.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/exit.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/fileclose.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/fileexport.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/filefind.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/fileimport.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/filenew.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/fileopen.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/fileprint.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/filequickprint.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/filesave.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/filesaveas.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/fill.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/filter.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/find.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/finish.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/flag.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/folder_new.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/fontsizeup.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/fontsizeup.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/forward.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/frame_edit.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/frame_formula.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/frame_image.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/frame_query.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/frame_spreadsheet.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/frame_text.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/frameprint.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/gear.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/gohome.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/goto.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/halfencrypted.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/help.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/history.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/history_clear.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/idea.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/identity.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/info.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/inline_image.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/inline_table.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/kde.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/kde1.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/kde3.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/kde4.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/kde5.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/kde6.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/key_enter.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/knewstuff.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/launch.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/locationbar_erase.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/lock.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_find.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_forward.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_generic.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_get.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_new.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_post_to.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_reply.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_replyall.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_replylist.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/mail_send.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/make_kdevelop.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_abs.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_brace.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_brackets.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_frac.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_int.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_lsub.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_lsup.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_matrix.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_onetwomatrix.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_paren.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_prod.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/math_rsub.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_rsup.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_sqrt.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/math_sum.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/misc.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/move.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_32ndnote.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_cleficon.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_cross.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_dottednote.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_eighthnote.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_fermatenote.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_flat.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_fullnote.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_halfnote.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_natur.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_quarternote.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/music_sixteenthnote.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/news_subscribe.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/news_unsubscribe.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/next.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/no.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/ok.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/openterm.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/paintbrush.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/pencil.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_eject.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_end.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_fwd.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_pause.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_play.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_playlist.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_rew.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_start.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_stop.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_time.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/player_volume.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/presence_away.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/presence_offline.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/presence_online.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/presence_unknown.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/previous.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/project_open.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/queue.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/rebuild.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/redo.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/reload.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/reload_all_tabs.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/reload_page.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/remove.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/revert.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/rotate.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/rotate_ccw.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/rotate_cw.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/run.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/save_all.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/services.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/share.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/show_side_panel.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/signature.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/spellcheck.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/stamp.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/start.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/stop.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/switchuser.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/tab_breakoff.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/tab_duplicate.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/tab_new.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/tab_new_bg.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/tab_new_raised.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/tab_remove.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/tab_remove_other.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/text.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_block.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_bold.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_center.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_italic.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_left.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_right.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_strike.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_sub.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_super.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/text_under.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/thumbnail.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/today.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/top.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/transform.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/translate.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/undo.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/unlock.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/up.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_bottom.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_choose.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_detailed.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_fit_height.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_fit_width.png

a ./opt/local/share/icons/crystalsvg/16x16/actions/view_fit_window.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_icon.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_left_right.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_multicolumn.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_remove.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_right.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_sidetree.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_text.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_top_bottom.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/view_tree.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/viewmag+.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/viewmag-.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/viewmag.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/viewmag1.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/viewmagfit.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/window_fullscreen.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/window_new.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/window_nofullscreen.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/window_suppressed.png
a ./opt/local/share/icons/crystalsvg/16x16/actions/wizard.png
a ./opt/local/share/icons/crystalsvg/128x128/actions
a ./opt/local/share/icons/crystalsvg/128x128/apps
a ./opt/local/share/icons/crystalsvg/128x128/devices
a ./opt/local/share/icons/crystalsvg/128x128/filesystems

a ./opt/local/share/icons/crystalsvg/128x128/mimetypes
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/applix.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/ascii.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/binary.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/bt.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/cdimage.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/cdr.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/cdtrack.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/colorscm.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/core.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/deb.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/document.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/document2.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/dvi.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/empty.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/encrypted.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/exec_wine.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/font.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/font_bitmap.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/font_truetype.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/font_type1.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/gf.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/html.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/image.png

a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/info.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/karbon_karbon.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/kexi_kexi.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/kmultiple.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/koffice.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/krita_kra.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/log.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/make.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/man.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/message.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/metafont.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/midi.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/misc.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/mozilla_doc.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/netcape_doc.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/pdf.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/pk.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/postscript.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/quicktime.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/readme.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/recycled.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/resource.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/rpm.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/shellscript.png

a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/soffice.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/sound.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_c.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_cpp.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_f.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_h.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_j.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_java.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_l.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_moc.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_o.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_p.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_php.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_pl.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_py.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_s.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_y.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/spreadsheet.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/tar.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/template_source.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/tex.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/tgz.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/txt.png

a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/txt2.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/unknown.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/vcalendar.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/vcard.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/vectorgfx.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/video.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/widget_doc.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/wordprocessing.png
a ./opt/local/share/icons/crystalsvg/128x128/mimetypes/zip.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/desktop.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/exec.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/file_broken.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_crystal.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_favorite.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_green.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_green_open.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_grey.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_grey_open.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_home.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_home2.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_html.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_image.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_important.png

a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_locked.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_man.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_open.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_orange.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_orange_open.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_print.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_red.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_red_open.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_sound.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_tar.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_txt.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_video.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_violet.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_violet_open.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_yellow.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_yellow_open.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/link_overlay.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/lock_overlay.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/network.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/network_local.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/pipe.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/trashcan_empty.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/trashcan_full.png
a ./opt/local/share/icons/crystalsvg/128x128/filesystems/www.png

a ./opt/local/share/icons/crystalsvg/128x128/filesystems/zip_overlay.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/blockdevice.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/camera_mount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/camera_unmount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/chardevice.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/compact_flash_mount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/compact_flash_unmount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/hdd_mount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/hdd_unmount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/ipod_mount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/ipod_unmount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/memory_stick_mount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/memory_stick_unmount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/mouse.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/print_class.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/printer1.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/sd_mmc_mount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/sd_mmc_unmount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/smart_media_mount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/smart_media_unmount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/system.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/usbpendrive_mount.png
a ./opt/local/share/icons/crystalsvg/128x128/devices/usbpendrive_unmount.png
a ./opt/local/share/icons/crystalsvg/128x128/apps/kmenu.png

a ./opt/local/share/icons/crystalsvg/128x128/apps/kttsd.png
a ./opt/local/share/icons/crystalsvg/128x128/apps/password.png
a ./opt/local/share/icons/crystalsvg/128x128/actions/fileopen.png
a ./opt/local/share/icons/crystalsvg/128x128/actions/launch.png
a ./opt/local/share/icons/crystalsvg/128x128/actions/share.png
a ./opt/local/share/emoticons/Default
a ./opt/local/share/emoticons/Default/angry.png
a ./opt/local/share/emoticons/Default/bat.png
a ./opt/local/share/emoticons/Default/beer.png
a ./opt/local/share/emoticons/Default/biggrin.png
a ./opt/local/share/emoticons/Default/cake.png
a ./opt/local/share/emoticons/Default/camera.png
a ./opt/local/share/emoticons/Default/cat.png
a ./opt/local/share/emoticons/Default/clock.png
a ./opt/local/share/emoticons/Default/cocktail.png
a ./opt/local/share/emoticons/Default/confused.png
a ./opt/local/share/emoticons/Default/cry.png
a ./opt/local/share/emoticons/Default/cup.png
a ./opt/local/share/emoticons/Default/dog.png
a ./opt/local/share/emoticons/Default/email.png
a ./opt/local/share/emoticons/Default/embarassed.png
a ./opt/local/share/emoticons/Default/emoticons.xml
a ./opt/local/share/emoticons/Default/film.png
a ./opt/local/share/emoticons/Default/foot_in_mouth.png

a ./opt/local/share/emoticons/Default/innocent.png
a ./opt/local/share/emoticons/Default/kiss.png
a ./opt/local/share/emoticons/Default/lightbulb.png
a ./opt/local/share/emoticons/Default/love.png
a ./opt/local/share/emoticons/Default/note.png
a ./opt/local/share/emoticons/Default/oh.png
a ./opt/local/share/emoticons/Default/omg.png
a ./opt/local/share/emoticons/Default/phone.png
a ./opt/local/share/emoticons/Default/present.png
a ./opt/local/share/emoticons/Default/rose.png
a ./opt/local/share/emoticons/Default/sad.png
a ./opt/local/share/emoticons/Default/shade.png
a ./opt/local/share/emoticons/Default/sleep.png
a ./opt/local/share/emoticons/Default/smile.png
a ./opt/local/share/emoticons/Default/star.png
a ./opt/local/share/emoticons/Default/teeth.png
a ./opt/local/share/emoticons/Default/thumbs_down.png
a ./opt/local/share/emoticons/Default/thumbs_up.png
a ./opt/local/share/emoticons/Default/tongue.png
a ./opt/local/share/emoticons/Default/undecided.png
a ./opt/local/share/emoticons/Default/unhappy.png
a ./opt/local/share/emoticons/Default/unlove.png
a ./opt/local/share/emoticons/Default/wilted_rose.png
a ./opt/local/share/emoticons/Default/wink.png

- a ./opt/local/share/doc/installed-packages
- a ./opt/local/share/doc/kde
- a ./opt/local/share/doc/kdelibs3
- a ./opt/local/share/doc/kdelibs3/COPYING
- a ./opt/local/share/doc/kdelibs3/COPYING.LIB
- a ./opt/local/share/doc/kdelibs3/INSTALL
- a ./opt/local/share/doc/kde/en
- a ./opt/local/share/doc/kde/en/common
- a ./opt/local/share/doc/kde/en/kspell
- a ./opt/local/share/doc/kde/en/kspell/common
- a ./opt/local/share/doc/kde/en/kspell/index.cache.bz2
- a ./opt/local/share/doc/kde/en/kspell/index.docbook
- a ./opt/local/share/doc/kde/en/common/1.png
- a ./opt/local/share/doc/kde/en/common/10.png
- a ./opt/local/share/doc/kde/en/common/2.png
- a ./opt/local/share/doc/kde/en/common/3.png
- a ./opt/local/share/doc/kde/en/common/4.png
- a ./opt/local/share/doc/kde/en/common/5.png
- a ./opt/local/share/doc/kde/en/common/6.png
- a ./opt/local/share/doc/kde/en/common/7.png
- a ./opt/local/share/doc/kde/en/common/8.png
- a ./opt/local/share/doc/kde/en/common/9.png
- a ./opt/local/share/doc/kde/en/common/appheader.html
- a ./opt/local/share/doc/kde/en/common/artistic-license.html

a ./opt/local/share/doc/kde/en/common/bottom-left.png
a ./opt/local/share/doc/kde/en/common/bottom-middle.png
a ./opt/local/share/doc/kde/en/common/bottom-right.png
a ./opt/local/share/doc/kde/en/common/bottom1.png
a ./opt/local/share/doc/kde/en/common/bottom2.png
a ./opt/local/share/doc/kde/en/common/bsd-license.html
a ./opt/local/share/doc/kde/en/common/docheadergears.png
a ./opt/local/share/doc/kde/en/common/doctop1.png
a ./opt/local/share/doc/kde/en/common/doctop1a.png
a ./opt/local/share/doc/kde/en/common/doctop1b.png
a ./opt/local/share/doc/kde/en/common/doctop2.png
a ./opt/local/share/doc/kde/en/common/doxygen.css
a ./opt/local/share/doc/kde/en/common/favicon.ico
a ./opt/local/share/doc/kde/en/common/fdl-license
a ./opt/local/share/doc/kde/en/common/fdl-license.html
a ./opt/local/share/doc/kde/en/common/fdl-notice.html
a ./opt/local/share/doc/kde/en/common/footer.html
a ./opt/local/share/doc/kde/en/common/gpl-license
a ./opt/local/share/doc/kde/en/common/gpl-license.html
a ./opt/local/share/doc/kde/en/common/grad.png
a ./opt/local/share/doc/kde/en/common/header.html
a ./opt/local/share/doc/kde/en/common/headerbg.png
a ./opt/local/share/doc/kde/en/common/kde-common.css
a ./opt/local/share/doc/kde/en/common/kde-default.css

a ./opt/local/share/doc/kde/en/common/kde-localised.css.template
a ./opt/local/share/doc/kde/en/common/kde-web.css
a ./opt/local/share/doc/kde/en/common/kde_gear_64.png
a ./opt/local/share/doc/kde/en/common/kde_logo.png
a ./opt/local/share/doc/kde/en/common/kde_logo_bg.png
a ./opt/local/share/doc/kde/en/common/kmenu.png
a ./opt/local/share/doc/kde/en/common/lgpl-license
a ./opt/local/share/doc/kde/en/common/lgpl-license.html
a ./opt/local/share/doc/kde/en/common/mainfooter.html
a ./opt/local/share/doc/kde/en/common/mainheader.html
a ./opt/local/share/doc/kde/en/common/qpl-license.html
a ./opt/local/share/doc/kde/en/common/shadow.png
a ./opt/local/share/doc/kde/en/common/top-left.png
a ./opt/local/share/doc/kde/en/common/top-middle.png
a ./opt/local/share/doc/kde/en/common/top-right-konqueror.png
a ./opt/local/share/doc/kde/en/common/web-docbottom.png
a ./opt/local/share/doc/kde/en/common/web-doctop.png
a ./opt/local/share/doc/kde/en/common/x11-license.html
a ./opt/local/share/doc/kde/en/common/xml.dcl
a ./opt/local/share/doc/installed-packages/kdelibs3
a ./opt/local/share/doc/installed-packages/kdelibs3-dev
a ./opt/local/share/doc/installed-packages/kdelibs3-shlibs
a ./opt/local/share/doc/installed-packages/kdelibs3-ssl
a ./opt/local/share/doc/installed-packages/kdelibs3-ssl-dev

a ./opt/local/share/doc/installed-packages/kdelibs3-ssl-shlibs
a ./opt/local/share/config/colors
a ./opt/local/share/config/ipv6blacklist
a ./opt/local/share/config/katefiletyperc
a ./opt/local/share/config/katesyntaxhighlightingrc
a ./opt/local/share/config/kcmartsrc
a ./opt/local/share/config/kdebug_areas
a ./opt/local/share/config/kdebugrc
a ./opt/local/share/config/kdeglobals
a ./opt/local/share/config/kdeprintrc
a ./opt/local/share/config/kdesktoprc
a ./opt/local/share/config/khotnewstuffrc
a ./opt/local/share/config/knotifyrc
a ./opt/local/share/config/konsolerc
a ./opt/local/share/config/ksslcalist
a ./opt/local/share/config/kthemestylerc
a ./opt/local/share/config/language.codes
a ./opt/local/share/config/ui
a ./opt/local/share/config/ui/kprintpreviewui.rc
a ./opt/local/share/config/ui/ui_standards.rc
a ./opt/local/share/config/colors/40.colors
a ./opt/local/share/config/colors/Rainbow.colors
a ./opt/local/share/config/colors/Royal.colors
a ./opt/local/share/config/colors/Web.colors

- a ./opt/local/share/autostart/kab2kabc.desktop
- a ./opt/local/share/apps/dcopidlng
- a ./opt/local/share/apps/kabc
- a ./opt/local/share/apps/katepart
- a ./opt/local/share/apps/kcertpart
- a ./opt/local/share/apps/kcm_componentchooser
- a ./opt/local/share/apps/kconf_update
- a ./opt/local/share/apps/kdeprint
- a ./opt/local/share/apps/kdeui
- a ./opt/local/share/apps/kdewidgets
- a ./opt/local/share/apps/khtml
- a ./opt/local/share/apps/kio_uiserver
- a ./opt/local/share/apps/kjava
- a ./opt/local/share/apps/knewstuff
- a ./opt/local/share/apps/knotify
- a ./opt/local/share/apps/ksgmltools2
- a ./opt/local/share/apps/kssl
- a ./opt/local/share/apps/kstyle
- a ./opt/local/share/apps/ktexteditor_docwordcompletion
- a ./opt/local/share/apps/ktexteditor_insertfile
- a ./opt/local/share/apps/ktexteditor_isearch
- a ./opt/local/share/apps/ktexteditor_kdatatool
- a ./opt/local/share/apps/LICENSES
- a ./opt/local/share/apps/proxyscout

a ./opt/local/share/apps/proxyscout/eventsrc
a ./opt/local/share/apps/LICENSES/ARTISTIC
a ./opt/local/share/apps/LICENSES/BSD
a ./opt/local/share/apps/LICENSES/GPL_V2
a ./opt/local/share/apps/LICENSES/LGPL_V2
a ./opt/local/share/apps/LICENSES/QPL_V1.0
a ./opt/local/share/apps/ktexteditor_kdatatool/ktexteditor_kdatatoolui.rc
a ./opt/local/share/apps/ktexteditor_isearch/ktexteditor_isearchui.rc
a ./opt/local/share/apps/ktexteditor_insertfile/ktexteditor_insertfileui.rc
a ./opt/local/share/apps/ktexteditor_docwordcompletion/docwordcompletionui.rc
a ./opt/local/share/apps/kstyle/pixmaps
a ./opt/local/share/apps/kstyle/themes
a ./opt/local/share/apps/kstyle/themes/b3.themerc
a ./opt/local/share/apps/kstyle/themes/default.themerc
a ./opt/local/share/apps/kstyle/themes/highcolor.themerc
a ./opt/local/share/apps/kstyle/themes/highcontrast.themerc
a ./opt/local/share/apps/kstyle/themes/keramik.themerc
a ./opt/local/share/apps/kstyle/themes/light-v2.themerc
a ./opt/local/share/apps/kstyle/themes/light-v3.themerc
a ./opt/local/share/apps/kstyle/themes/plastik.themerc
a ./opt/local/share/apps/kstyle/themes/qtcdde.themerc
a ./opt/local/share/apps/kstyle/themes/qtmotif.themerc
a ./opt/local/share/apps/kstyle/themes/qtmotifplus.themerc
a ./opt/local/share/apps/kstyle/themes/qtplatinum.themerc

a ./opt/local/share/apps/kstyle/themes/qtsgi.themerc
a ./opt/local/share/apps/kstyle/themes/qtwindows.themerc
a ./opt/local/share/apps/kstyle/themes/riscos.themerc
a ./opt/local/share/apps/kstyle/pixmaps/riscos
a ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowdown.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowdown_down.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowleft.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowleft_down.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowright.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowright_down.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowup.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowup_down.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/background.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/check.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/check_checked.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/checkmark.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/combo.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/combo_down.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/hscrollback.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/hscrollbar.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/hscrollbar_down.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/hscrollborder.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/htab.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/menu_back.png

a ./opt/local/share/apps/kstyle/pixmaps/riscos/radio.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/radio_down.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/raised_border.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/scrollborder.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/slider.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/sunk_border.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/tab_up.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/vscrollback.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/vscrollbar.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/vscrollbar_down.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/vscrollborder.png
a ./opt/local/share/apps/kstyle/pixmaps/riscos/vtab.png
a ./opt/local/share/apps/kssl/ca-bundle.crt
a ./opt/local/share/apps/ksgmltools2/customization
a ./opt/local/share/apps/ksgmltools2/docbook
a ./opt/local/share/apps/ksgmltools2/docbook/README.kde
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2
a ./opt/local/share/apps/ksgmltools2/docbook/xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/BUGS
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/ChangeLog
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/README
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/TODO
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/VERSION
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/WhatsNew
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.graphics.extension.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.graphics.path.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.graphics.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.style.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.textlabel.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admonition.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admonition.title.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/alignment.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/annotate.toc.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/appendix.autolabel.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/arbortext.extensions.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/article.appendix.title.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/author.othername.in.middle

le.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/autotoc.label.separator.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/axf.extensions.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/base.dir.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/biblioentry.item.separator.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/bibliography.collection.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/bibliography.numbered.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/blockquote.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.font.family.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.font.master.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.font.size.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.margin.bottom.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.margin.top.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/bridgehead.in.toc.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.defaultcolumn.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.graphics.extension.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.graphics.number.

limit.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.graphics.path.xml
l

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.graphics.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.list.table.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.unicode.font.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.unicode.number.l
imit.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.unicode.start.ch
aracter.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.unicode.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callouts.extension.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ChangeLog

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chapter.autolabel.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.first.sections.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.quietly.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.section.depth.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.sections.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.separate.lots.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.toc.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.tocs.and.lots.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.cdata-sec
tion-elements.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.doctype-p

ublic.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.doctype-system.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.encoding.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.indent.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.media-type.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.method.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.omit-xml-declaration.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.standalone.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/citerefentry.link.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/collect.xref.targets.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.back.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.body.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.front.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.index.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.lot.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.titlepage.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.back.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.body.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.front.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.index.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.lot.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.titlepage.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/compact.list.item.spacing.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/component.label.includes.part.label.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/component.title.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/css.decoration.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/current.docid.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/default.float.class.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/default.image.width.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/default.table.width.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/default.units.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/dingbat.font.family.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/double.sided.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/draft.mode.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/draft.watermark.image.xml
l
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ebnf.assignment.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ebnf.statement.terminator.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ebnf.table.bgcolor.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ebnf.table.border.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/eclipse.autolabel.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/eclipse.plugin.id.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/eclipse.plugin.name.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/eclipse.plugin.provider.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/emphasis.propagates.style.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/entry.propagates.style.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/equation.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/example.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/figure.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/firstterm.only.link.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footer.column.widths.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footer.content.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footer.rule.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footers.on.blank.pages.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footnote.font.size.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footnote.number.format.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footnote.number.symbols.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footnote.sep.leader.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/fop.extensions.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/formal.object.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/formal.procedures.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/formal.title.placement.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/formal.title.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/funcsynopsis.decoration.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/funcsynopsis.style.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/funcsynopsis.tabular.threshold.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/function.parens.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.id.attributes.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.index.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.legalnotice.lin

k.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.manifest.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.meta.abstract.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.section.toc.level.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.toc.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossary.as.blocks.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossary.collection.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossentry.show.acronym.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glosslist.as.blocks.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossterm.auto.link.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossterm.separation.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossterm.width.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/graphic.default.extension.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/graphicsize.extension.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/header.column.widths.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/header.content.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/header.rule.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/headers.on.blank.pages.x

mL

- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.base.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.cellpadding.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.cellspacing.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.cleanup.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.ext.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.extra.head.links.xml
- l
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.longdesc.link.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.longdesc.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.stylesheet.type.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.stylesheet.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.alias.file.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.autolabel.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.back.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.forward.xml
- xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.hideshow.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.home.url.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.home.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump1.title.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump1.url.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump1.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump2.title.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump2.url.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump2.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.locate.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.next.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.options.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.prev.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.print.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.refresh.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.stop.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.zoom.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.chm.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.default.topic.x

m1

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.display.progress.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.encoding.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.enhanced.decompilation.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.enumerate.images.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.force.map.and.alias.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.binary.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.folders.instead.books.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.section.depth.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.show.root.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.width.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhk.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhp.tail.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhp.window.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhp.windows.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhp.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.map.file.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.only.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.remember.window
.position.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.show.advanced.s
earch.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.show.favorites
.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.show.menu.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.show.toolbar.te
xt.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.title.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.use.hhk.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.window.geometry
.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/hyphenate.verbatim.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/hyphenate.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ignore.image.scaling.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/img.src.path.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/index.on.role.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/index.on.type.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/index.prefer.titleabbrev
.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/index.preferred.page.pro

perties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informal.object.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informalequation.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informalexample.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informalfigure.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informaltable.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/inherit.keywords.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/insert.olink.page.number.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/insert.olink.pdf.frag.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/insert.xref.page.number.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/l10n.gentext.default.language.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/l10n.gentext.language.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/l10n.gentext.use.xref.language.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/label.from.part.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/line-height.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/linenumbering.everyNth.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/linenumbering.extension.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/linenumbering.separator.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/linenumbering.width.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/link.mailto.url.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/list.block.spacing.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/list.item.spacing.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.graphic.viewport.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.index.markup.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.single.year.ranges.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.valid.html.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.year.ranges.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/manifest.in.base.dir.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/manifest.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/manual.toc.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/marker.section.level.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/menuchoice.menu.separator

r.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/menuchoice.separator.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/monospace.font.family.xml

l

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/monospace.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/monospace.verbatim.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/navig.graphics.extension.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/navig.graphics.path.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/navig.graphics.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/navig.showtitles.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/nominal.image.depth.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/nominal.image.width.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/nominal.table.width.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/normal.para.spacing.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.base.uri.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.debug.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.doctype.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.fragid.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.lang.fallback.sequence.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.outline.ext.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.pubid.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.resolver.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.sysid.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.height.portrait.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.height.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.margin.bottom.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.margin.inner.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.margin.outer.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.margin.top.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.orientation.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.width.portrait.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.width.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/paper.type.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/para.propagates.style.xml
l
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/part.autolabel.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/passivetex.extensions.xml
l
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/phrase.propagates.style.xml
xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/pixels.per.inch.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/points.per.em.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/preface.autolabel.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/prefer.internal.olink.xml

l

- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/preferred.mediaobject.role.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/procedure.properties.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/process.empty.source.toc.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/process.source.toc.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.arch.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.attribute.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.condition.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.conformance.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.lang.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.os.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.revision.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.revisionflag.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.role.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.security.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.separator.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.userlevel.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.value.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.vendor.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/punct.honorific.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.defaultlabel.xml
- a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.inherit.numeration

.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level1.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level2.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level3.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level4.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level5.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level6.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qandadiv.autolabel.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.generate.name.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.generate.title.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.pagebreak.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.separator.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.title.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.xref.manvolnum.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/region.after.extent.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/region.before.extent.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/root.filename.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/root.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/rootid.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/runinhead.default.title.end.punct.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/runinhead.title.end.punct.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/sans.font.family.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/saxon.callouts.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/saxon.character.representation.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/saxon.linenumbering.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/saxon.tablecolumns.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.autolabel.max.depth.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.autolabel.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.label.includes.component.label.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level1.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level2.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level3.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level4.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level5.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level6.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level1.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level2.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level3.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level4.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level5.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level6.properties.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.properties

.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/segmentedlist.as.table.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/shade.verbatim.style.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/shade.verbatim.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/show.comments.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/show.revisionflag.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/sidebar.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/simplesect.in.toc.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/spacing.paras.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/subscript.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/superscript.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/suppress.footer.navigation.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/suppress.header.navigation.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/suppress.navigation.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/symbol.font.family.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.borders.with.css.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.cell.border.color.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.cell.border.style.

xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.cell.border.thickness.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.cell.padding.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.entry.padding.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.footnote.number.format.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.footnote.number.symbols.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.frame.border.color.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.frame.border.style.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.frame.border.thickness.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.table.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/tablecolumns.extension.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/target.database.document.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/targets.filename.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/template.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/tex.math.delims.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/tex.math.file.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/tex.math.in.alt.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/textdata.default.encoding.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/textinsert.extension.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/title.font.family.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/title.margin.left.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.indent.width.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.list.type.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.margin.properties.xml
l
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.max.depth.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.section.depth.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.footnote.number.format.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.footnotes.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.hyphenate.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.show.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.target.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.embed.for.svg.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.extensions.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.id.as.filename.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.id.function.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.local.olink.style.xml
l
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.role.as.xrefstyle.xml
l
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.role.for.mediaobject.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.svg.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/variablelist.as.blocks.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/variablelist.as.table.xml
l
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/variablelist.max.termlength.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/verbatim.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/wordml.template.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xep.extensions.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xep.index.item.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.label-page.separator.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.label-title.separator.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.properties.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.title-page.separator.xml

r.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.with.number.and.title.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/ChangeLog

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/docbook.xsl

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/lists.xsl

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/README

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/sect23.xsl

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/synop.xsl

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/xref.xsl

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/ChangeLog

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/lib.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/lib.xsl

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/lib.xweb

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/blank.png

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/caution.gif

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/caution.png

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/caution.tif

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/ChangeLog

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/draft.png

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/home.gif

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/home.png

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/important.gif

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/important.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/important.tif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/next.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/next.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/note.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/note.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/note.tif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/prev.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/prev.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/tip.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/tip.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/tip.tif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/toc-blank.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/toc-minus.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/toc-plus.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/up.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/up.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/warning.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/warning.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/warning.tif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/1.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/1.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/10.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/10.png

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/11.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/11.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/12.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/12.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/13.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/13.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/14.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/14.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/15.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/15.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/2.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/2.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/3.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/3.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/4.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/4.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/5.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/5.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/6.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/6.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/7.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/7.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/8.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/8.png

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/9.gif
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/9.png
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/ChangeLog
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/admon.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/autoidx-ng.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/autoidx.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/autotoc.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/biblio.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/block.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/callout.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/changebars.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/ChangeLog
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunk-code.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunk-common.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunk.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunker.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunkfast.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunktoc.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/component.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/division.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/docbook.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/docbookng.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/ebnf.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/footnote.xsl

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/formal.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/glossary.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/graphics.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/html-rtf.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/html.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/htmltbl.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/index.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/info.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/inline.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/keywords.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/lists.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/maketoc.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/manifest.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/math.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/oldchunker.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/onechunk.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/param.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/param.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/param.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/param.xweb
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/pi.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/profile-chunk-code.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/profile-chunk.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/profile-docbook.xsl

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/profile-onechunk.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/qandaset.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/refentry.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/sections.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/synop.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/table.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/task.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/titlepage.templates.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/titlepage.templates.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/titlepage.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/toc.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/verbatim.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/xref.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/af.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ar.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/autoidx-ng.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/bg.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/bn.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/bs.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ca.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ChangeLog
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/common.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/cs.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/da.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/de.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/el.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/en.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/es.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/et.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/eu.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/fi.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/fr.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/gentext.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/he.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/hr.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/hu.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/id.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/it.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ja.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ko.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/l10n.dtd
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/l10n.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/l10n.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/la.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/labels.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/lt.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/nl.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/nn.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/no.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/olink.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/pi.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/pl.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/pt.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/pt_br.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ro.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ru.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sk.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sl.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sr.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sr_Latn.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/subtitles.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sv.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/table.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/targetdatabase.dtd
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/targets.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/th.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/titles.xsl
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/tr.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/uk.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/vi.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/xh.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/zh_cn.xml

a ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/zh_tw.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/calstblx.dtd
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/catalog.xml
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ChangeLog
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbcentx.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbgenent.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbhierx.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbnotnx.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbpoolx.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/docbook.cat
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/docbookx.dtd
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/README
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/soextblx.dtd
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsa.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsb.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsc.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsn.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amso.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsr.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-box.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-cyr1.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-cyr2.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-dia.ent

a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-grk1.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-grk2.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-grk3.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-grk4.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-lat1.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-lat2.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-num.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-pub.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-tech.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/40chg.txt
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/41chg.txt
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/calstblx.dtd
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ChangeLog
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbcentx.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbgenent.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbhierx.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbnotnx.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbpoolx.mod
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/docbook.cat
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/docbookx.dtd
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/readme.txt
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/soextblx.dtd
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsa.ent

a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsb.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsc.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsn.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amso.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsr.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-box.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-cyr1.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-cyr2.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-dia.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-grk1.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-grk2.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-grk3.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-grk4.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-lat1.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-lat2.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-num.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-pub.ent
a ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-tech.ent
a ./opt/local/share/apps/ksgmltools2/customization/af
a ./opt/local/share/apps/ksgmltools2/customization/bg
a ./opt/local/share/apps/ksgmltools2/customization/ca
a ./opt/local/share/apps/ksgmltools2/customization/catalog
a ./opt/local/share/apps/ksgmltools2/customization/cs
a ./opt/local/share/apps/ksgmltools2/customization/da

a ./opt/local/share/apps/ksgmltools2/customization/de
a ./opt/local/share/apps/ksgmltools2/customization/dtd
a ./opt/local/share/apps/ksgmltools2/customization/el
a ./opt/local/share/apps/ksgmltools2/customization/en
a ./opt/local/share/apps/ksgmltools2/customization/en-GB
a ./opt/local/share/apps/ksgmltools2/customization/entities
a ./opt/local/share/apps/ksgmltools2/customization/es
a ./opt/local/share/apps/ksgmltools2/customization/et
a ./opt/local/share/apps/ksgmltools2/customization/fi
a ./opt/local/share/apps/ksgmltools2/customization/fo
a ./opt/local/share/apps/ksgmltools2/customization/fr
a ./opt/local/share/apps/ksgmltools2/customization/he
a ./opt/local/share/apps/ksgmltools2/customization/htdig_index.xml
a ./opt/local/share/apps/ksgmltools2/customization/hu
a ./opt/local/share/apps/ksgmltools2/customization/id
a ./opt/local/share/apps/ksgmltools2/customization/it
a ./opt/local/share/apps/ksgmltools2/customization/ja
a ./opt/local/share/apps/ksgmltools2/customization/kde-chunk-online.xml
a ./opt/local/share/apps/ksgmltools2/customization/kde-chunk.xml
a ./opt/local/share/apps/ksgmltools2/customization/kde-man.xml
a ./opt/local/share/apps/ksgmltools2/customization/kde-navig-online.xml
a ./opt/local/share/apps/ksgmltools2/customization/kde-navig.xml
a ./opt/local/share/apps/ksgmltools2/customization/kde-nochunk.xml
a ./opt/local/share/apps/ksgmltools2/customization/kde-style.xml

a ./opt/local/share/apps/ksgmltools2/customization/kde-ttlpg-online.xsl
a ./opt/local/share/apps/ksgmltools2/customization/kde-ttlpg.xsl
a ./opt/local/share/apps/ksgmltools2/customization/kde-web-navig.xsl
a ./opt/local/share/apps/ksgmltools2/customization/kde-web.xsl
a ./opt/local/share/apps/ksgmltools2/customization/ko
a ./opt/local/share/apps/ksgmltools2/customization/lt
a ./opt/local/share/apps/ksgmltools2/customization/nl
a ./opt/local/share/apps/ksgmltools2/customization/nn
a ./opt/local/share/apps/ksgmltools2/customization/no
a ./opt/local/share/apps/ksgmltools2/customization/obsolete
a ./opt/local/share/apps/ksgmltools2/customization/pl
a ./opt/local/share/apps/ksgmltools2/customization/pt
a ./opt/local/share/apps/ksgmltools2/customization/pt-BR
a ./opt/local/share/apps/ksgmltools2/customization/README
a ./opt/local/share/apps/ksgmltools2/customization/ro
a ./opt/local/share/apps/ksgmltools2/customization/ru
a ./opt/local/share/apps/ksgmltools2/customization/sk
a ./opt/local/share/apps/ksgmltools2/customization/sl
a ./opt/local/share/apps/ksgmltools2/customization/sr
a ./opt/local/share/apps/ksgmltools2/customization/sv
a ./opt/local/share/apps/ksgmltools2/customization/tr
a ./opt/local/share/apps/ksgmltools2/customization/uk
a ./opt/local/share/apps/ksgmltools2/customization/wa
a ./opt/local/share/apps/ksgmltools2/customization/xh

a ./opt/local/share/apps/ksgmltools2/customization/xsl
a ./opt/local/share/apps/ksgmltools2/customization/xx
a ./opt/local/share/apps/ksgmltools2/customization/zh-CN
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/catalog
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/fdl-notice.doc
book
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/gpl-notice.doc
book
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/help-menu.docb
ook
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/install-compil
e.docbook
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/install-intro.
docbook
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/lgpl-notice.do
cbook
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/report-bugs.do
cbook
a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underArtisticL

icense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/catalog

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underLGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/xx/catalog

a ./opt/local/share/apps/ksgmltools2/customization/xx/contributor.entities

a ./opt/local/share/apps/ksgmltools2/customization/xx/entities

a ./opt/local/share/apps/ksgmltools2/customization/xx/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/xx/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/xx/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xx/entities/update-doc.docbook

k

a ./opt/local/share/apps/ksgmltools2/customization/xsl/ca.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/cs.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/da.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/de.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/el.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/en.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/es.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/et.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/fi.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/fr.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/hu.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/it.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/ja.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/ko.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/nl.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/nn.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/no.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/pl.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/pt.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/pt_br.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/README
a ./opt/local/share/apps/ksgmltools2/customization/xsl/ro.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/ru.xml

a ./opt/local/share/apps/ksgmltools2/customization/xsl/sk.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/sl.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/sr.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/sv.xml
a ./opt/local/share/apps/ksgmltools2/customization/xsl/zh_tw.xml
a ./opt/local/share/apps/ksgmltools2/customization/xh/catalog
a ./opt/local/share/apps/ksgmltools2/customization/xh/contributor.entities
a ./opt/local/share/apps/ksgmltools2/customization/xh/entities
a ./opt/local/share/apps/ksgmltools2/customization/xh/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/xh/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/xh/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/xh/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/wa/catalog

a ./opt/local/share/apps/ksgmltools2/customization/wa/contributor.entities

a ./opt/local/share/apps/ksgmltools2/customization/wa/entities

a ./opt/local/share/apps/ksgmltools2/customization/wa/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/wa/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/wa/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/install-intro.doc

book
a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/wa/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/catalog
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities
a ./opt/local/share/apps/ksgmltools2/customization/uk/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/uk/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/uk/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/uk/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/catalog
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities
a ./opt/local/share/apps/ksgmltools2/customization/tr/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/tr/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/tr/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/fdl-notice.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/gpl-notice.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/tr/entities/update-doc.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/sv/catalog

a ./opt/local/share/apps/ksgmltools2/customization/sv/entities
a ./opt/local/share/apps/ksgmltools2/customization/sv/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/sv/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/sv/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underLGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sv/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/catalog

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities

a ./opt/local/share/apps/ksgmltools2/customization/sr/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/sr/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/sr/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sr/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/catalog
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities
a ./opt/local/share/apps/ksgmltools2/customization/sl/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/sl/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/sl/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/report-bugs.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sl/entities/update-doc.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/sk/catalog
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities
a ./opt/local/share/apps/ksgmltools2/customization/sk/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/sk/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/sk/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/fdl-notice.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/gpl-notice.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/sk/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ru/catalog
a ./opt/local/share/apps/ksgmltools2/customization/ru/entities
a ./opt/local/share/apps/ksgmltools2/customization/ru/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/ru/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/ru/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/gpl-notice.docbook

k

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ru/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ro/catalog

a ./opt/local/share/apps/ksgmltools2/customization/ro/entities

a ./opt/local/share/apps/ksgmltools2/customization/ro/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/ro/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/ro/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underLGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ro/entities/update-doc.docbook

k

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/catalog

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underFDL.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underGPL.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underLGPL.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underX11License.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/update-doc.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/pt/catalog
a ./opt/local/share/apps/ksgmltools2/customization/pt/contributor.entities
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities
a ./opt/local/share/apps/ksgmltools2/customization/pt/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/pt/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/pt/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/fdl-notice.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/gpl-notice.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/install-compile.docbook
ok
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/install-intro.doc

book
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pt/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/catalog
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities
a ./opt/local/share/apps/ksgmltools2/customization/pl/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/pl/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/pl/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/pl/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/obsolete/general.entities
a ./opt/local/share/apps/ksgmltools2/customization/obsolete/kdex-412-10.dtd
a ./opt/local/share/apps/ksgmltools2/customization/obsolete/kdex.dtd
a ./opt/local/share/apps/ksgmltools2/customization/obsolete/modifications.elements

a ./opt/local/share/apps/ksgmltools2/customization/obsolete/rdbpool.elements
a ./opt/local/share/apps/ksgmltools2/customization/no/catalog
a ./opt/local/share/apps/ksgmltools2/customization/no/entities
a ./opt/local/share/apps/ksgmltools2/customization/no/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/no/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/no/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/no/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/no/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/nn/catalog
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities
a ./opt/local/share/apps/ksgmltools2/customization/nn/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/nn/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/nn/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/nn/entities/underArtisticLice

nse.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/catalog

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities

a ./opt/local/share/apps/ksgmltools2/customization/nl/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/nl/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/nl/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/lgpl-notice.docbo

ok

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/report-bugs.docbo

ok

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/nl/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/lt/catalog

a ./opt/local/share/apps/ksgmltools2/customization/lt/contributor.entities

a ./opt/local/share/apps/ksgmltools2/customization/lt/entities

a ./opt/local/share/apps/ksgmltools2/customization/lt/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/lt/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/lt/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/lt/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/catalog
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities
a ./opt/local/share/apps/ksgmltools2/customization/ko/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/ko/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/ko/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/fdl-notice.docbook

k
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/gpl-notice.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ko/entities/update-doc.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/ja/catalog
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities
a ./opt/local/share/apps/ksgmltools2/customization/ja/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/ja/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/ja/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ja/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/it/catalog
a ./opt/local/share/apps/ksgmltools2/customization/it/entities
a ./opt/local/share/apps/ksgmltools2/customization/it/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/it/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/it/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/it/entities/underLGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/it/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/id/catalog
a ./opt/local/share/apps/ksgmltools2/customization/id/entities
a ./opt/local/share/apps/ksgmltools2/customization/id/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/id/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/id/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/id/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/id/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/id/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/id/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/id/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/id/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/id/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/id/entities/underArtisticLice

nse.docbook

a ./opt/local/share/apps/ksgmltools2/customization/id/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/id/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/id/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/id/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/id/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/catalog

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities

a ./opt/local/share/apps/ksgmltools2/customization/hu/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/hu/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/hu/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/lgpl-notice.docbo

ok

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/report-bugs.docbo

ok

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/hu/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/catalog

a ./opt/local/share/apps/ksgmltools2/customization/he/entities

a ./opt/local/share/apps/ksgmltools2/customization/he/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/he/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/he/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/install-compile.d

ocbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/he/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fr/catalog

a ./opt/local/share/apps/ksgmltools2/customization/fr/entities

a ./opt/local/share/apps/ksgmltools2/customization/fr/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/fr/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/fr/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underLGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fr/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/catalog
a ./opt/local/share/apps/ksgmltools2/customization/fo/contributor.entities

a ./opt/local/share/apps/ksgmltools2/customization/fo/entities
a ./opt/local/share/apps/ksgmltools2/customization/fo/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/fo/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/fo/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underX11License.docbook

ocbook

a ./opt/local/share/apps/ksgmltools2/customization/fo/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/catalog

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities

a ./opt/local/share/apps/ksgmltools2/customization/fi/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/fi/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/fi/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underBSDLicense.docbook

ocbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underX11License.d

ocbook

a ./opt/local/share/apps/ksgmltools2/customization/fi/entities/update-doc.docboo

k

a ./opt/local/share/apps/ksgmltools2/customization/et/catalog

a ./opt/local/share/apps/ksgmltools2/customization/et/entities

a ./opt/local/share/apps/ksgmltools2/customization/et/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/et/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/et/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/fdl-notice.docboo

k

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/gpl-notice.docboo

k

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/install-compile.d

ocbook

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/install-intro.doc

book

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/lgpl-notice.docbo

ok

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/report-bugs.docbo

ok

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/underLGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/et/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/es/catalog

a ./opt/local/share/apps/ksgmltools2/customization/es/entities

a ./opt/local/share/apps/ksgmltools2/customization/es/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/es/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/es/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/es/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/es/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/es/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/es/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/es/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/es/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/es/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/es/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/es/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/es/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/es/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/es/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/es/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/entities/contributor.entities
a ./opt/local/share/apps/ksgmltools2/customization/entities/general.entities
a ./opt/local/share/apps/ksgmltools2/customization/entities/l10n.entities
a ./opt/local/share/apps/ksgmltools2/customization/en-GB/catalog
a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities
a ./opt/local/share/apps/ksgmltools2/customization/en-GB/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/en-GB/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/en-GB/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/catalog

a ./opt/local/share/apps/ksgmltools2/customization/en/entities

a ./opt/local/share/apps/ksgmltools2/customization/en/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/en/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/en/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/install-intro.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/lgpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/report-bugs.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/en/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/en/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/en/entities/underLGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/en/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/en/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/el/catalog
a ./opt/local/share/apps/ksgmltools2/customization/el/entities
a ./opt/local/share/apps/ksgmltools2/customization/el/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/el/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/el/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/el/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/el/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/el/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/el/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/el/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/el/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/el/entities/report-bugs.docbook

ok

a ./opt/local/share/apps/ksgmltools2/customization/el/entities/underArtisticLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/el/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/el/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/el/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/el/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/el/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/dtd/kdex.dtd

a ./opt/local/share/apps/ksgmltools2/customization/dtd/modifications.elements

a ./opt/local/share/apps/ksgmltools2/customization/dtd/rdbhier2.elements

a ./opt/local/share/apps/ksgmltools2/customization/dtd/rdbpool.elements

a ./opt/local/share/apps/ksgmltools2/customization/de/catalog

a ./opt/local/share/apps/ksgmltools2/customization/de/entities

a ./opt/local/share/apps/ksgmltools2/customization/de/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/de/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/de/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/de/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/de/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/de/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/underLGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/de/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/catalog
a ./opt/local/share/apps/ksgmltools2/customization/da/entities
a ./opt/local/share/apps/ksgmltools2/customization/da/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/da/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/da/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/underLGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/da/entities/update-doc.docbook

k
a ./opt/local/share/apps/ksgmltools2/customization/cs/catalog
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities
a ./opt/local/share/apps/ksgmltools2/customization/cs/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/cs/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/cs/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/fdl-notice.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/gpl-notice.docbook
k
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/cs/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ca/catalog
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities
a ./opt/local/share/apps/ksgmltools2/customization/ca/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/ca/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/ca/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/gpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underArtisticLice

nse.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underBSDLicense.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underFDL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underLGPL.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underX11License.docbook

a ./opt/local/share/apps/ksgmltools2/customization/ca/entities/update-doc.docbook

a ./opt/local/share/apps/ksgmltools2/customization/bg/catalog

a ./opt/local/share/apps/ksgmltools2/customization/bg/contributor.entities

a ./opt/local/share/apps/ksgmltools2/customization/bg/entities

a ./opt/local/share/apps/ksgmltools2/customization/bg/lang.entities

a ./opt/local/share/apps/ksgmltools2/customization/bg/strings.entities

a ./opt/local/share/apps/ksgmltools2/customization/bg/user.entities

a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/fdl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/help-menu.docbook

a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/install-compile.docbook

a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/install-intro.doc

book
a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/bg/entities/update-doc.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/catalog
a ./opt/local/share/apps/ksgmltools2/customization/af/entities
a ./opt/local/share/apps/ksgmltools2/customization/af/lang.entities
a ./opt/local/share/apps/ksgmltools2/customization/af/strings.entities
a ./opt/local/share/apps/ksgmltools2/customization/af/user.entities
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/fdl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/gpl-notice.docbook

a ./opt/local/share/apps/ksgmltools2/customization/af/entities/help-menu.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/install-compile.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/install-intro.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/lgpl-notice.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/report-bugs.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/underArtisticLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/underBSDLicense.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/underFDL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/underGPL.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/underX11License.docbook
a ./opt/local/share/apps/ksgmltools2/customization/af/entities/update-doc.docbook
a ./opt/local/share/apps/knotify/eventsrc
a ./opt/local/share/apps/knewstuff/types
a ./opt/local/share/apps/kjava/icons
a ./opt/local/share/apps/kjava/kjava.jar
a ./opt/local/share/apps/kjava/kjava.policy

- a ./opt/local/share/apps/kjava/pluginsinfo
- a ./opt/local/share/apps/kjava/icons/crystalsvg
- a ./opt/local/share/apps/kjava/icons/crystalsvg/16x16
- a ./opt/local/share/apps/kjava/icons/crystalsvg/16x16/actions
- a ./opt/local/share/apps/kjava/icons/crystalsvg/16x16/actions/java.png
- a ./opt/local/share/apps/kio_uiserver/icons
- a ./opt/local/share/apps/kio_uiserver/icons/crystalsvg
- a ./opt/local/share/apps/kio_uiserver/icons/crystalsvg/16x16
- a ./opt/local/share/apps/kio_uiserver/icons/crystalsvg/16x16/apps
- a ./opt/local/share/apps/kio_uiserver/icons/crystalsvg/16x16/apps/kio_uiserver.png
- a ./opt/local/share/apps/khtml/css
- a ./opt/local/share/apps/khtml/domain_info
- a ./opt/local/share/apps/khtml/icons
- a ./opt/local/share/apps/khtml/khtml.rc
- a ./opt/local/share/apps/khtml/khtml_browser.rc
- a ./opt/local/share/apps/khtml/khtml_popupmenu.rc
- a ./opt/local/share/apps/khtml/icons/crystalsvg
- a ./opt/local/share/apps/khtml/icons/crystalsvg/128x128
- a ./opt/local/share/apps/khtml/icons/crystalsvg/16x16
- a ./opt/local/share/apps/khtml/icons/crystalsvg/22x22
- a ./opt/local/share/apps/khtml/icons/crystalsvg/32x32
- a ./opt/local/share/apps/khtml/icons/crystalsvg/48x48
- a ./opt/local/share/apps/khtml/icons/crystalsvg/64x64

a ./opt/local/share/apps/khtml/icons/crystalsvg/64x64/actions
a ./opt/local/share/apps/khtml/icons/crystalsvg/64x64/actions/bug.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/48x48/actions
a ./opt/local/share/apps/khtml/icons/crystalsvg/48x48/actions/bug.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions
a ./opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions/bug.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions/images_display.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/22x22/actions
a ./opt/local/share/apps/khtml/icons/crystalsvg/22x22/actions/bug.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/22x22/actions/images_display.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions
a ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions/bug.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions/images_display.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions/wallet_open.png
a ./opt/local/share/apps/khtml/icons/crystalsvg/128x128/actions
a ./opt/local/share/apps/khtml/icons/crystalsvg/128x128/actions/bug.png
a ./opt/local/share/apps/khtml/css/html4.css
a ./opt/local/share/apps/khtml/css/quirks.css
a ./opt/local/share/apps/kdewidgets/pics
a ./opt/local/share/apps/kdewidgets/pics/kactionselector.png
a ./opt/local/share/apps/kdewidgets/pics/kactivelabel.png
a ./opt/local/share/apps/kdewidgets/pics/kcharselect.png
a ./opt/local/share/apps/kdewidgets/pics/kcmodule.png
a ./opt/local/share/apps/kdewidgets/pics/kcolorbutton.png

a ./opt/local/share/apps/kdewidgets/pics/kcolorcombo.png
a ./opt/local/share/apps/kdewidgets/pics/kcombobox.png
a ./opt/local/share/apps/kdewidgets/pics/kdatepicker.png
a ./opt/local/share/apps/kdewidgets/pics/kdatetable.png
a ./opt/local/share/apps/kdewidgets/pics/kdatetimewidget.png
a ./opt/local/share/apps/kdewidgets/pics/kdatewidget.png
a ./opt/local/share/apps/kdewidgets/pics/kdialog.png
a ./opt/local/share/apps/kdewidgets/pics/kdoublenuminput.png
a ./opt/local/share/apps/kdewidgets/pics/kdoublespinbox.png
a ./opt/local/share/apps/kdewidgets/pics/kdualcolorbutton.png
a ./opt/local/share/apps/kdewidgets/pics/keditlistbox.png
a ./opt/local/share/apps/kdewidgets/pics/kfontcombo.png
a ./opt/local/share/apps/kdewidgets/pics/kfontrequester.png
a ./opt/local/share/apps/kdewidgets/pics/kgradientselector.png
a ./opt/local/share/apps/kdewidgets/pics/khistorycombo.png
a ./opt/local/share/apps/kdewidgets/pics/khsselector.png
a ./opt/local/share/apps/kdewidgets/pics/kiconbutton.png
a ./opt/local/share/apps/kdewidgets/pics/kiconview.png
a ./opt/local/share/apps/kdewidgets/pics/kintnuminput.png
a ./opt/local/share/apps/kdewidgets/pics/kintspinbox.png
a ./opt/local/share/apps/kdewidgets/pics/kkeybutton.png
a ./opt/local/share/apps/kdewidgets/pics/kled.png
a ./opt/local/share/apps/kdewidgets/pics/klineedit.png
a ./opt/local/share/apps/kdewidgets/pics/klistbox.png

a ./opt/local/share/apps/kdewidgets/pics/klistview.png
a ./opt/local/share/apps/kdewidgets/pics/kpalettetable.png
a ./opt/local/share/apps/kdewidgets/pics/kpasswordedit.png
a ./opt/local/share/apps/kdewidgets/pics/kprogress.png
a ./opt/local/share/apps/kdewidgets/pics/kpushbutton.png
a ./opt/local/share/apps/kdewidgets/pics/krestrictedline.png
a ./opt/local/share/apps/kdewidgets/pics/kruler.png
a ./opt/local/share/apps/kdewidgets/pics/ksqueezedtextlabel.png
a ./opt/local/share/apps/kdewidgets/pics/ktextbrowser.png
a ./opt/local/share/apps/kdewidgets/pics/ktextedit.png
a ./opt/local/share/apps/kdewidgets/pics/ktimewidget.png
a ./opt/local/share/apps/kdewidgets/pics/kurlcomborequester.png
a ./opt/local/share/apps/kdewidgets/pics/kurllabel.png
a ./opt/local/share/apps/kdewidgets/pics/kurlrequester.png
a ./opt/local/share/apps/kdeui/about
a ./opt/local/share/apps/kdeui/pics
a ./opt/local/share/apps/kdeui/pics/aboutkde.png
a ./opt/local/share/apps/kdeui/pics/ktip-background.png
a ./opt/local/share/apps/kdeui/pics/ktip-bulb.png
a ./opt/local/share/apps/kdeui/about/bar-bottom-left.png
a ./opt/local/share/apps/kdeui/about/bar-bottom-middle.png
a ./opt/local/share/apps/kdeui/about/bar-bottom-right.png
a ./opt/local/share/apps/kdeui/about/bar-middle-left.png
a ./opt/local/share/apps/kdeui/about/bar-middle-right.png

a ./opt/local/share/apps/kdeui/about/bar-top-left.png
a ./opt/local/share/apps/kdeui/about/bar-top-middle.png
a ./opt/local/share/apps/kdeui/about/bar-top-right.png
a ./opt/local/share/apps/kdeui/about/bottom-left.png
a ./opt/local/share/apps/kdeui/about/bottom-middle.png
a ./opt/local/share/apps/kdeui/about/bottom-right.png
a ./opt/local/share/apps/kdeui/about/box-bottom-left.png
a ./opt/local/share/apps/kdeui/about/box-bottom-middle.png
a ./opt/local/share/apps/kdeui/about/box-bottom-right.png
a ./opt/local/share/apps/kdeui/about/box-middle-left.png
a ./opt/local/share/apps/kdeui/about/box-middle-right.png
a ./opt/local/share/apps/kdeui/about/box-top-left.png
a ./opt/local/share/apps/kdeui/about/box-top-middle.png
a ./opt/local/share/apps/kdeui/about/box-top-right.png
a ./opt/local/share/apps/kdeui/about/kde_infopage.css
a ./opt/local/share/apps/kdeui/about/kde_infopage_rtl.css
a ./opt/local/share/apps/kdeui/about/top-left.png
a ./opt/local/share/apps/kdeui/about/top-middle.png
a ./opt/local/share/apps/kdeprint/apsdriver1
a ./opt/local/share/apps/kdeprint/apsdriver2
a ./opt/local/share/apps/kdeprint/cups_logo.png
a ./opt/local/share/apps/kdeprint/cupsd.conf.template
a ./opt/local/share/apps/kdeprint/filters
a ./opt/local/share/apps/kdeprint/icons

a ./opt/local/share/apps/kdeprint/kde_logo.png
a ./opt/local/share/apps/kdeprint/lprngtooldriver1
a ./opt/local/share/apps/kdeprint/pics
a ./opt/local/share/apps/kdeprint/plugins
a ./opt/local/share/apps/kdeprint/preview-mini.png
a ./opt/local/share/apps/kdeprint/preview.png
a ./opt/local/share/apps/kdeprint/side.png
a ./opt/local/share/apps/kdeprint/specials.desktop
a ./opt/local/share/apps/kdeprint/testprint.ps
a ./opt/local/share/apps/kdeprint/tiledown.png
a ./opt/local/share/apps/kdeprint/tileup.png
a ./opt/local/share/apps/kdeprint/tools
a ./opt/local/share/apps/kdeprint/tools/escputil.desktop
a ./opt/local/share/apps/kdeprint/plugins/cups.print
a ./opt/local/share/apps/kdeprint/plugins/ext.print
a ./opt/local/share/apps/kdeprint/plugins/lpdunix.print
a ./opt/local/share/apps/kdeprint/plugins/lpr.print
a ./opt/local/share/apps/kdeprint/plugins/rlpr.print
a ./opt/local/share/apps/kdeprint/pics/kdeprint_collate.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_collate_reverse.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_color.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_duplex_long.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_duplex_none.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_duplex_short.png

a ./opt/local/share/apps/kdeprint/pics/kdeprint_grayscale.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_landscape.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_nup1.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_nup2.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_nup4.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_nupother.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_portrait.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_prettyprint.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_revlandscape.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_revportrait.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_uncollate.png
a ./opt/local/share/apps/kdeprint/pics/kdeprint_uncollate_reverse.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/48x48
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/64x64
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/64x64/apps
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/64x64/apps/kdeprint_printer.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/64x64/apps/kdeprint_printer_class.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/48x48/apps

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/48x48/apps/kdeprint_printer.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/48x48/apps/kdeprint_printer_class.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/actions
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_class.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_class_process.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_class_stopped.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_defect.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_process.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_remote.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_remote_process.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_remote_stopped.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_s
topped.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_u
sers.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/actions/kdeprint_inklev
el.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/apps
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/apps/kdeprint_printer.p
ng
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/history.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_addpri
nter.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_addpse
udo.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_config
mgr.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_config
srv.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_defaul
thard.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_defaul
tsoft.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_enable

printer.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printer.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printer_infos.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printstate.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_queues.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_report.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_restartsrv.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_stopprinter.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_testprinter.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_upload.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/package_utilities.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/actions

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_computer.

png

- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_cancelled.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_completed.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_error.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_processing.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_stopped.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class_process.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class_stopped.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_defect.png
- a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_processing.png

a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_r
emote.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_r
emote_process.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_r
emote_stopped.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_s
topped.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/actions/filterstop.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/actions/kdeprint_restar
tsrv.png
a ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/actions/kdeprint_upload
smb.png
a ./opt/local/share/apps/kdeprint/filters/enscript.desktop
a ./opt/local/share/apps/kdeprint/filters/enscript.xml
a ./opt/local/share/apps/kdeprint/filters/imagetops.desktop
a ./opt/local/share/apps/kdeprint/filters/imagetops.xml
a ./opt/local/share/apps/kdeprint/filters/pdf2ps.desktop
a ./opt/local/share/apps/kdeprint/filters/pdf2ps.xml
a ./opt/local/share/apps/kdeprint/filters/pdfwrite.desktop
a ./opt/local/share/apps/kdeprint/filters/pdfwrite.xml
a ./opt/local/share/apps/kdeprint/filters/poster.desktop
a ./opt/local/share/apps/kdeprint/filters/poster.xml
a ./opt/local/share/apps/kdeprint/filters/ps2pdf.desktop

a ./opt/local/share/apps/kdeprint/filters/ps2pdf.xml
a ./opt/local/share/apps/kdeprint/filters/psbook.desktop
a ./opt/local/share/apps/kdeprint/filters/psbook.xml
a ./opt/local/share/apps/kdeprint/filters/psbook1.desktop
a ./opt/local/share/apps/kdeprint/filters/psbook1.xml
a ./opt/local/share/apps/kdeprint/filters/psbook2.desktop
a ./opt/local/share/apps/kdeprint/filters/psbook2.xml
a ./opt/local/share/apps/kdeprint/filters/psnup.desktop
a ./opt/local/share/apps/kdeprint/filters/psnup.xml
a ./opt/local/share/apps/kdeprint/filters/psselect.desktop
a ./opt/local/share/apps/kdeprint/filters/psselect.xml
a ./opt/local/share/apps/kconf_update/kcookiescfg.upd
a ./opt/local/share/apps/kconf_update/kded.upd
a ./opt/local/share/apps/kconf_update/kdeprintrc.upd
a ./opt/local/share/apps/kconf_update/kio_help.upd
a ./opt/local/share/apps/kconf_update/kioslave.upd
a ./opt/local/share/apps/kconf_update/move_kio_help_cache.sh
a ./opt/local/share/apps/kconf_update/proxytype.pl
a ./opt/local/share/apps/kconf_update/useragent.pl
a ./opt/local/share/apps/kcm_componentchooser/kcm_instantmessenger.desktop
a ./opt/local/share/apps/kcm_componentchooser/kcm_ktexteditor.desktop
a ./opt/local/share/apps/kcertpart/kcertpart.rc
a ./opt/local/share/apps/katepart/katepartreadonlyui.rc
a ./opt/local/share/apps/katepart/katepartui.rc

a ./opt/local/share/apps/katepart/scripts
a ./opt/local/share/apps/katepart/syntax
a ./opt/local/share/apps/katepart/syntax/abc.xml
a ./opt/local/share/apps/katepart/syntax/actionscript.xml
a ./opt/local/share/apps/katepart/syntax/ada.xml
a ./opt/local/share/apps/katepart/syntax/ahdl.xml
a ./opt/local/share/apps/katepart/syntax/alert.xml
a ./opt/local/share/apps/katepart/syntax/ansic89.xml
a ./opt/local/share/apps/katepart/syntax/apache.xml
a ./opt/local/share/apps/katepart/syntax/asm-avr.xml
a ./opt/local/share/apps/katepart/syntax/asm6502.xml
a ./opt/local/share/apps/katepart/syntax/asp.xml
a ./opt/local/share/apps/katepart/syntax/awk.xml
a ./opt/local/share/apps/katepart/syntax/bash.xml
a ./opt/local/share/apps/katepart/syntax/bibtex.xml
a ./opt/local/share/apps/katepart/syntax/c.xml
a ./opt/local/share/apps/katepart/syntax/cg.xml
a ./opt/local/share/apps/katepart/syntax/cgis.xml
a ./opt/local/share/apps/katepart/syntax/changelog.xml
a ./opt/local/share/apps/katepart/syntax/cisco.xml
a ./opt/local/share/apps/katepart/syntax/clipper.xml
a ./opt/local/share/apps/katepart/syntax/cmake.xml
a ./opt/local/share/apps/katepart/syntax/coldfusion.xml
a ./opt/local/share/apps/katepart/syntax/commonlisp.xml

a ./opt/local/share/apps/katepart/syntax/component-pascal.xml
a ./opt/local/share/apps/katepart/syntax/cpp.xml
a ./opt/local/share/apps/katepart/syntax/cs.xml
a ./opt/local/share/apps/katepart/syntax/css-php.xml
a ./opt/local/share/apps/katepart/syntax/css.xml
a ./opt/local/share/apps/katepart/syntax/cue.xml
a ./opt/local/share/apps/katepart/syntax/d.xml
a ./opt/local/share/apps/katepart/syntax/debianchangelog.xml
a ./opt/local/share/apps/katepart/syntax/debiancontrol.xml
a ./opt/local/share/apps/katepart/syntax/desktop.xml
a ./opt/local/share/apps/katepart/syntax/diff.xml
a ./opt/local/share/apps/katepart/syntax/doxygen.xml
a ./opt/local/share/apps/katepart/syntax/e.xml
a ./opt/local/share/apps/katepart/syntax/eiffel.xml
a ./opt/local/share/apps/katepart/syntax/euphoria.xml
a ./opt/local/share/apps/katepart/syntax/ferite.xml
a ./opt/local/share/apps/katepart/syntax/fgl-4gl.xml
a ./opt/local/share/apps/katepart/syntax/fgl-per.xml
a ./opt/local/share/apps/katepart/syntax/fortran.xml
a ./opt/local/share/apps/katepart/syntax/fstab.xml
a ./opt/local/share/apps/katepart/syntax/gdl.xml
a ./opt/local/share/apps/katepart/syntax/gettext.xml
a ./opt/local/share/apps/katepart/syntax/gls1.xml
a ./opt/local/share/apps/katepart/syntax/gnuassembler.xml

a ./opt/local/share/apps/katepart/syntax/haskell.xml
a ./opt/local/share/apps/katepart/syntax/html-php.xml
a ./opt/local/share/apps/katepart/syntax/html.xml
a ./opt/local/share/apps/katepart/syntax/idconsole.xml
a ./opt/local/share/apps/katepart/syntax/idl.xml
a ./opt/local/share/apps/katepart/syntax/ilerpg.xml
a ./opt/local/share/apps/katepart/syntax/inform.xml
a ./opt/local/share/apps/katepart/syntax/ini.xml
a ./opt/local/share/apps/katepart/syntax/java.xml
a ./opt/local/share/apps/katepart/syntax/javadoc.xml
a ./opt/local/share/apps/katepart/syntax/javascript-php.xml
a ./opt/local/share/apps/katepart/syntax/javascript.xml
a ./opt/local/share/apps/katepart/syntax/jsp.xml
a ./opt/local/share/apps/katepart/syntax/kbasic.xml
a ./opt/local/share/apps/katepart/syntax/language.dtd
a ./opt/local/share/apps/katepart/syntax/latex.xml
a ./opt/local/share/apps/katepart/syntax/ldif.xml
a ./opt/local/share/apps/katepart/syntax/lex.xml
a ./opt/local/share/apps/katepart/syntax/lilypond.xml
a ./opt/local/share/apps/katepart/syntax/literate-haskell.xml
a ./opt/local/share/apps/katepart/syntax/logtalk.xml
a ./opt/local/share/apps/katepart/syntax/lpc.xml
a ./opt/local/share/apps/katepart/syntax/lua.xml
a ./opt/local/share/apps/katepart/syntax/m3u.xml

a ./opt/local/share/apps/katepart/syntax/mab.xml
a ./opt/local/share/apps/katepart/syntax/makefile.xml
a ./opt/local/share/apps/katepart/syntax/mason.xml
a ./opt/local/share/apps/katepart/syntax/matlab.xml
a ./opt/local/share/apps/katepart/syntax/mediawiki.xml
a ./opt/local/share/apps/katepart/syntax/mips.xml
a ./opt/local/share/apps/katepart/syntax/modula-2.xml
a ./opt/local/share/apps/katepart/syntax/mup.xml
a ./opt/local/share/apps/katepart/syntax/nasm.xml
a ./opt/local/share/apps/katepart/syntax/objectivec.xml
a ./opt/local/share/apps/katepart/syntax/ocaml.xml
a ./opt/local/share/apps/katepart/syntax/octave.xml
a ./opt/local/share/apps/katepart/syntax/pascal.xml
a ./opt/local/share/apps/katepart/syntax/perl.xml
a ./opt/local/share/apps/katepart/syntax/php.xml
a ./opt/local/share/apps/katepart/syntax/picsrc.xml
a ./opt/local/share/apps/katepart/syntax/pike.xml
a ./opt/local/share/apps/katepart/syntax/postscript.xml
a ./opt/local/share/apps/katepart/syntax/povray.xml
a ./opt/local/share/apps/katepart/syntax/progress.xml
a ./opt/local/share/apps/katepart/syntax/prolog.xml
a ./opt/local/share/apps/katepart/syntax/purebasic.xml
a ./opt/local/share/apps/katepart/syntax/python.xml
a ./opt/local/share/apps/katepart/syntax/r.xml

a ./opt/local/share/apps/katepart/syntax/rexx.xml
a ./opt/local/share/apps/katepart/syntax/rhtml.xml
a ./opt/local/share/apps/katepart/syntax/rib.xml
a ./opt/local/share/apps/katepart/syntax/rpmspec.xml
a ./opt/local/share/apps/katepart/syntax/rsiidl.xml
a ./opt/local/share/apps/katepart/syntax/ruby.xml
a ./opt/local/share/apps/katepart/syntax/sather.xml
a ./opt/local/share/apps/katepart/syntax/scheme.xml
a ./opt/local/share/apps/katepart/syntax/sci.xml
a ./opt/local/share/apps/katepart/syntax/sgml.xml
a ./opt/local/share/apps/katepart/syntax/sieve.xml
a ./opt/local/share/apps/katepart/syntax/sml.xml
a ./opt/local/share/apps/katepart/syntax/spice.xml
a ./opt/local/share/apps/katepart/syntax/sql-mysql.xml
a ./opt/local/share/apps/katepart/syntax/sql-postgresql.xml
a ./opt/local/share/apps/katepart/syntax/sql.xml
a ./opt/local/share/apps/katepart/syntax/stata.xml
a ./opt/local/share/apps/katepart/syntax/syntax.template
a ./opt/local/share/apps/katepart/syntax/tcl.xml
a ./opt/local/share/apps/katepart/syntax/tibasic.xml
a ./opt/local/share/apps/katepart/syntax/txt2tags.xml
a ./opt/local/share/apps/katepart/syntax/uscript.xml
a ./opt/local/share/apps/katepart/syntax/velocity.xml
a ./opt/local/share/apps/katepart/syntax/verilog.xml

a ./opt/local/share/apps/katepart/syntax/vhdl.xml
a ./opt/local/share/apps/katepart/syntax/vrml.xml
a ./opt/local/share/apps/katepart/syntax/winehq.xml
a ./opt/local/share/apps/katepart/syntax/xharbour.xml
a ./opt/local/share/apps/katepart/syntax/xml.xml
a ./opt/local/share/apps/katepart/syntax/xmldebug.xml
a ./opt/local/share/apps/katepart/syntax/xslt.xml
a ./opt/local/share/apps/katepart/syntax/yacas.xml
a ./opt/local/share/apps/katepart/syntax/yacc.xml
a ./opt/local/share/apps/katepart/scripts/indent
a ./opt/local/share/apps/katepart/scripts/jstest.desktop
a ./opt/local/share/apps/katepart/scripts/jstest.js
a ./opt/local/share/apps/katepart/scripts/script-indent-c-char.js
a ./opt/local/share/apps/katepart/scripts/script-indent-c-newline.js
a ./opt/local/share/apps/katepart/scripts/sort.js
a ./opt/local/share/apps/katepart/scripts/indent/script-indent-c-test.js
a ./opt/local/share/apps/katepart/scripts/indent/script-indent-c1-test.lua
a ./opt/local/share/apps/kabc/countrytransl.map
a ./opt/local/share/apps/kabc/formats
a ./opt/local/share/apps/kabc/formats/binary.desktop
a ./opt/local/share/apps/dcopidlng/Ast.pm
a ./opt/local/share/apps/dcopidlng/Iter.pm
a ./opt/local/share/apps/dcopidlng/kalyptus
a ./opt/local/share/apps/dcopidlng/kalyptusCxxToDcopIDL.pm

a ./opt/local/share/apps/dcopidlng/kdocAstUtil.pm
a ./opt/local/share/apps/dcopidlng/kdocParseDoc.pm
a ./opt/local/share/apps/dcopidlng/kdocUtil.pm
a ./opt/local/share/applications/kde
a ./opt/local/share/applications/kde/kresources.desktop
a ./opt/local/lib/kde3
a ./opt/local/lib/libDCOP.4.2.0.dylib
a ./opt/local/lib/libDCOP.4.dylib
a ./opt/local/lib/libDCOP.dylib
a ./opt/local/lib/libDCOP.la
a ./opt/local/lib/libkabc.1.2.0.dylib
a ./opt/local/lib/libkabc.1.dylib
a ./opt/local/lib/libkabc.dylib
a ./opt/local/lib/libkabc.la
a ./opt/local/lib/libkabc_dir.1.0.0.dylib
a ./opt/local/lib/libkabc_dir.1.dylib
a ./opt/local/lib/libkabc_dir.dylib
a ./opt/local/lib/libkabc_dir.la
a ./opt/local/lib/libkabc_file.1.0.0.dylib
a ./opt/local/lib/libkabc_file.1.dylib
a ./opt/local/lib/libkabc_file.dylib
a ./opt/local/lib/libkabc_file.la
a ./opt/local/lib/libkabc_ldapkio.1.0.0.dylib
a ./opt/local/lib/libkabc_ldapkio.1.dylib

a ./opt/local/lib/libkabc_ldapkio.dylib
a ./opt/local/lib/libkabc_ldapkio.la
a ./opt/local/lib/libkatepartinterfaces.0.0.0.dylib
a ./opt/local/lib/libkatepartinterfaces.0.dylib
a ./opt/local/lib/libkatepartinterfaces.dylib
a ./opt/local/lib/libkatepartinterfaces.la
a ./opt/local/lib/libkdecore.4.2.0.dylib
a ./opt/local/lib/libkdecore.4.dylib
a ./opt/local/lib/libkdecore.dylib
a ./opt/local/lib/libkdecore.la
a ./opt/local/lib/libkdefakes.4.2.0.dylib
a ./opt/local/lib/libkdefakes.4.dylib
a ./opt/local/lib/libkdefakes.dylib
a ./opt/local/lib/libkdefakes.la
a ./opt/local/lib/libkdefakes_nonpic.a
a ./opt/local/lib/libkdefx.4.2.0.dylib
a ./opt/local/lib/libkdefx.4.dylib
a ./opt/local/lib/libkdefx.dylib
a ./opt/local/lib/libkdefx.la
a ./opt/local/lib/libkdeinit_cupsdconf.dylib
a ./opt/local/lib/libkdeinit_cupsdconf.la
a ./opt/local/lib/libkdeinit_dcopserver.dylib
a ./opt/local/lib/libkdeinit_dcopserver.la
a ./opt/local/lib/libkdeinit_kaddprinterwizard.dylib

a ./opt/local/lib/libkdeinit_kaddprinterwizard.la
a ./opt/local/lib/libkdeinit_kbuildsycoca.dylib
a ./opt/local/lib/libkdeinit_kbuildsycoca.la
a ./opt/local/lib/libkdeinit_kcmshell.dylib
a ./opt/local/lib/libkdeinit_kcmshell.la
a ./opt/local/lib/libkdeinit_kconf_update.dylib
a ./opt/local/lib/libkdeinit_kconf_update.la
a ./opt/local/lib/libkdeinit_kcookiejar.dylib
a ./opt/local/lib/libkdeinit_kcookiejar.la
a ./opt/local/lib/libkdeinit_kded.dylib
a ./opt/local/lib/libkdeinit_kded.la
a ./opt/local/lib/libkdeinit_kio_http_cache_cleaner.dylib
a ./opt/local/lib/libkdeinit_kio_http_cache_cleaner.la
a ./opt/local/lib/libkdeinit_kio_uiserver.dylib
a ./opt/local/lib/libkdeinit_kio_uiserver.la
a ./opt/local/lib/libkdeinit_klauncher.dylib
a ./opt/local/lib/libkdeinit_klauncher.la
a ./opt/local/lib/libkdeprint.4.2.0.dylib
a ./opt/local/lib/libkdeprint.4.dylib
a ./opt/local/lib/libkdeprint.dylib
a ./opt/local/lib/libkdeprint.la
a ./opt/local/lib/libkdeprint_management.4.2.0.dylib
a ./opt/local/lib/libkdeprint_management.4.dylib
a ./opt/local/lib/libkdeprint_management.dylib

a ./opt/local/lib/libkdeprint_management.la
a ./opt/local/lib/libkdesasl.1.2.0.dylib
a ./opt/local/lib/libkdesasl.1.dylib
a ./opt/local/lib/libkdesasl.dylib
a ./opt/local/lib/libkdesasl.la
a ./opt/local/lib/libkdesu.4.2.0.dylib
a ./opt/local/lib/libkdesu.4.dylib
a ./opt/local/lib/libkdesu.dylib
a ./opt/local/lib/libkdesu.la
a ./opt/local/lib/libkdeui.4.2.0.dylib
a ./opt/local/lib/libkdeui.4.dylib
a ./opt/local/lib/libkdeui.dylib
a ./opt/local/lib/libkdeui.la
a ./opt/local/lib/libkdnssd.1.0.0.dylib
a ./opt/local/lib/libkdnssd.1.dylib
a ./opt/local/lib/libkdnssd.dylib
a ./opt/local/lib/libkdnssd.la
a ./opt/local/lib/libkhtml.4.2.0.dylib
a ./opt/local/lib/libkhtml.4.dylib
a ./opt/local/lib/libkhtml.dylib
a ./opt/local/lib/libkhtml.la
a ./opt/local/lib/libkimproxy.0.0.0.dylib
a ./opt/local/lib/libkimproxy.0.dylib
a ./opt/local/lib/libkimproxy.dylib

a ./opt/local/lib/libkimproxy.la
a ./opt/local/lib/libkio.4.2.0.dylib
a ./opt/local/lib/libkio.4.dylib
a ./opt/local/lib/libkio.dylib
a ./opt/local/lib/libkio.la
a ./opt/local/lib/libkjava.1.0.0.dylib
a ./opt/local/lib/libkjava.1.dylib
a ./opt/local/lib/libkjava.dylib
a ./opt/local/lib/libkjava.la
a ./opt/local/lib/libkjs.1.2.0.dylib
a ./opt/local/lib/libkjs.1.dylib
a ./opt/local/lib/libkjs.dylib
a ./opt/local/lib/libkjs.la
a ./opt/local/lib/libkmdi.1.0.0.dylib
a ./opt/local/lib/libkmdi.1.dylib
a ./opt/local/lib/libkmdi.dylib
a ./opt/local/lib/libkmdi.la
a ./opt/local/lib/libkmdi2.1.0.0.dylib
a ./opt/local/lib/libkmdi2.1.dylib
a ./opt/local/lib/libkmdi2.dylib
a ./opt/local/lib/libkmdi2.la
a ./opt/local/lib/libkmediaplayer.0.0.0.dylib
a ./opt/local/lib/libkmediaplayer.0.dylib
a ./opt/local/lib/libkmediaplayer.dylib

a ./opt/local/lib/libkmediaplayer.la
a ./opt/local/lib/libkmid.0.0.95.dylib
a ./opt/local/lib/libkmid.0.dylib
a ./opt/local/lib/libkmid.dylib
a ./opt/local/lib/libkmid.la
a ./opt/local/lib/libknewstuff.1.0.0.dylib
a ./opt/local/lib/libknewstuff.1.dylib
a ./opt/local/lib/libknewstuff.dylib
a ./opt/local/lib/libknewstuff.la
a ./opt/local/lib/libkntlm.0.0.0.dylib
a ./opt/local/lib/libkntlm.0.dylib
a ./opt/local/lib/libkntlm.dylib
a ./opt/local/lib/libkntlm.la
a ./opt/local/lib/libkparts.2.1.0.dylib
a ./opt/local/lib/libkparts.2.dylib
a ./opt/local/lib/libkparts.dylib
a ./opt/local/lib/libkparts.la
a ./opt/local/lib/libkresources.1.2.0.dylib
a ./opt/local/lib/libkresources.1.dylib
a ./opt/local/lib/libkresources.dylib
a ./opt/local/lib/libkresources.la
a ./opt/local/lib/libkscreensaver.4.2.0.dylib
a ./opt/local/lib/libkscreensaver.4.dylib
a ./opt/local/lib/libkscreensaver.dylib

a ./opt/local/lib/libkscreensaver.la
a ./opt/local/lib/libkscript.0.0.0.dylib
a ./opt/local/lib/libkscript.0.dylib
a ./opt/local/lib/libkscript.dylib
a ./opt/local/lib/libkscript.la
a ./opt/local/lib/libkspell.4.2.0.dylib
a ./opt/local/lib/libkspell.4.dylib
a ./opt/local/lib/libkspell.dylib
a ./opt/local/lib/libkspell.la
a ./opt/local/lib/libkspell2.1.0.0.dylib
a ./opt/local/lib/libkspell2.1.dylib
a ./opt/local/lib/libkspell2.dylib
a ./opt/local/lib/libkspell2.la
a ./opt/local/lib/libktexteditor.0.0.0.dylib
a ./opt/local/lib/libktexteditor.0.dylib
a ./opt/local/lib/libktexteditor.dylib
a ./opt/local/lib/libktexteditor.la
a ./opt/local/lib/libkunittest.1.0.0.dylib
a ./opt/local/lib/libkunittest.1.dylib
a ./opt/local/lib/libkunittest.dylib
a ./opt/local/lib/libkunittest.la
a ./opt/local/lib/libkutils.1.2.0.dylib
a ./opt/local/lib/libkutils.1.dylib
a ./opt/local/lib/libkutils.dylib

a ./opt/local/lib/libkutils.la
a ./opt/local/lib/libkwalletbackend.1.0.0.dylib
a ./opt/local/lib/libkwalletbackend.1.dylib
a ./opt/local/lib/libkwalletbackend.dylib
a ./opt/local/lib/libkwalletbackend.la
a ./opt/local/lib/libkwalletclient.1.0.1.dylib
a ./opt/local/lib/libkwalletclient.1.dylib
a ./opt/local/lib/libkwalletclient.dylib
a ./opt/local/lib/libkwalletclient.la
a ./opt/local/lib/libvcard.0.0.0.dylib
a ./opt/local/lib/libvcard.0.dylib
a ./opt/local/lib/libvcard.dylib
a ./opt/local/lib/libvcard.la
a ./opt/local/lib/kde3/cupsdconf.la
a ./opt/local/lib/kde3/cupsdconf.so
a ./opt/local/lib/kde3/dcopserver.la
a ./opt/local/lib/kde3/dcopserver.so
a ./opt/local/lib/kde3/kabc_dir.la
a ./opt/local/lib/kde3/kabc_dir.so
a ./opt/local/lib/kde3/kabc_file.la
a ./opt/local/lib/kde3/kabc_file.so
a ./opt/local/lib/kde3/kabc_ldapkio.la
a ./opt/local/lib/kde3/kabc_ldapkio.so
a ./opt/local/lib/kde3/kabcformat_binary.la

a ./opt/local/lib/kde3/kabcformat_binary.so
a ./opt/local/lib/kde3/kaddprinterwizard.la
a ./opt/local/lib/kde3/kaddprinterwizard.so
a ./opt/local/lib/kde3/kbuildsycoca.la
a ./opt/local/lib/kde3/kbuildsycoca.so
a ./opt/local/lib/kde3/kbzip2filter.la
a ./opt/local/lib/kde3/kbzip2filter.so
a ./opt/local/lib/kde3/kcm_kresources.la
a ./opt/local/lib/kde3/kcm_kresources.so
a ./opt/local/lib/kde3/kcmshell.la
a ./opt/local/lib/kde3/kcmshell.so
a ./opt/local/lib/kde3/kconf_update.la
a ./opt/local/lib/kde3/kconf_update.so
a ./opt/local/lib/kde3/kcookiejar.la
a ./opt/local/lib/kde3/kcookiejar.so
a ./opt/local/lib/kde3/kded.la
a ./opt/local/lib/kde3/kded.so
a ./opt/local/lib/kde3/kded_kcookiejar.la
a ./opt/local/lib/kde3/kded_kcookiejar.so
a ./opt/local/lib/kde3/kded_kdeprintd.la
a ./opt/local/lib/kde3/kded_kdeprintd.so
a ./opt/local/lib/kde3/kded_kdetrayproxy.la
a ./opt/local/lib/kde3/kded_kdetrayproxy.so
a ./opt/local/lib/kde3/kded_kpasswdserver.la

a ./opt/local/lib/kde3/kded_kpasswdserver.so
a ./opt/local/lib/kde3/kded_kssld.la
a ./opt/local/lib/kde3/kded_kssld.so
a ./opt/local/lib/kde3/kded_kwalletd.la
a ./opt/local/lib/kde3/kded_kwalletd.so
a ./opt/local/lib/kde3/kded_proxyscout.la
a ./opt/local/lib/kde3/kded_proxyscout.so
a ./opt/local/lib/kde3/kdeprint_cups.la
a ./opt/local/lib/kde3/kdeprint_cups.so
a ./opt/local/lib/kde3/kdeprint_ext.la
a ./opt/local/lib/kde3/kdeprint_ext.so
a ./opt/local/lib/kde3/kdeprint_lpdunix.la
a ./opt/local/lib/kde3/kdeprint_lpdunix.so
a ./opt/local/lib/kde3/kdeprint_lpr.la
a ./opt/local/lib/kde3/kdeprint_lpr.so
a ./opt/local/lib/kde3/kdeprint_rlpr.la
a ./opt/local/lib/kde3/kdeprint_rlpr.so
a ./opt/local/lib/kde3/kdeprint_tool_escputil.la
a ./opt/local/lib/kde3/kdeprint_tool_escputil.so
a ./opt/local/lib/kde3/kgzipfilter.la
a ./opt/local/lib/kde3/kgzipfilter.so
a ./opt/local/lib/kde3/khtmlimagepart.la
a ./opt/local/lib/kde3/khtmlimagepart.so
a ./opt/local/lib/kde3/kimg_dds.la

a ./opt/local/lib/kde3/kimg_dds.so
a ./opt/local/lib/kde3/kimg_eps.la
a ./opt/local/lib/kde3/kimg_eps.so
a ./opt/local/lib/kde3/kimg_exr.la
a ./opt/local/lib/kde3/kimg_exr.so
a ./opt/local/lib/kde3/kimg_hdr.la
a ./opt/local/lib/kde3/kimg_hdr.so
a ./opt/local/lib/kde3/kimg_ico.la
a ./opt/local/lib/kde3/kimg_ico.so
a ./opt/local/lib/kde3/kimg_jp2.la
a ./opt/local/lib/kde3/kimg_jp2.so
a ./opt/local/lib/kde3/kimg_pcx.la
a ./opt/local/lib/kde3/kimg_pcx.so
a ./opt/local/lib/kde3/kimg_psd.la
a ./opt/local/lib/kde3/kimg_psd.so
a ./opt/local/lib/kde3/kimg_rgb.la
a ./opt/local/lib/kde3/kimg_rgb.so
a ./opt/local/lib/kde3/kimg_tga.la
a ./opt/local/lib/kde3/kimg_tga.so
a ./opt/local/lib/kde3/kimg_tiff.la
a ./opt/local/lib/kde3/kimg_tiff.so
a ./opt/local/lib/kde3/kimg_xcf.la
a ./opt/local/lib/kde3/kimg_xcf.so
a ./opt/local/lib/kde3/kimg_xview.la

a ./opt/local/lib/kde3/kimg_xview.so
a ./opt/local/lib/kde3/kio_file.la
a ./opt/local/lib/kde3/kio_file.so
a ./opt/local/lib/kde3/kio_ftp.la
a ./opt/local/lib/kde3/kio_ftp.so
a ./opt/local/lib/kde3/kio_ghelp.la
a ./opt/local/lib/kde3/kio_ghelp.so
a ./opt/local/lib/kde3/kio_help.la
a ./opt/local/lib/kde3/kio_help.so
a ./opt/local/lib/kde3/kio_http.la
a ./opt/local/lib/kde3/kio_http.so
a ./opt/local/lib/kde3/kio_http_cache_cleaner.la
a ./opt/local/lib/kde3/kio_http_cache_cleaner.so
a ./opt/local/lib/kde3/kio_metainfo.la
a ./opt/local/lib/kde3/kio_metainfo.so
a ./opt/local/lib/kde3/kio_uiserver.la
a ./opt/local/lib/kde3/kio_uiserver.so
a ./opt/local/lib/kde3/kjavaappletviewer.la
a ./opt/local/lib/kde3/kjavaappletviewer.so
a ./opt/local/lib/kde3/klauncher.la
a ./opt/local/lib/kde3/klauncher.so
a ./opt/local/lib/kde3/knotify.la
a ./opt/local/lib/kde3/knotify.so
a ./opt/local/lib/kde3/kspell_aspell.la

a ./opt/local/lib/kde3/kspell_aspell.so
a ./opt/local/lib/kde3/kspell_ispell.la
a ./opt/local/lib/kde3/kspell_ispell.so
a ./opt/local/lib/kde3/kstyle_highcontrast_config.la
a ./opt/local/lib/kde3/kstyle_highcontrast_config.so
a ./opt/local/lib/kde3/kstyle_plastik_config.la
a ./opt/local/lib/kde3/kstyle_plastik_config.so
a ./opt/local/lib/kde3/ktexteditor_docwordcompletion.la
a ./opt/local/lib/kde3/ktexteditor_docwordcompletion.so
a ./opt/local/lib/kde3/ktexteditor_insertfile.la
a ./opt/local/lib/kde3/ktexteditor_insertfile.so
a ./opt/local/lib/kde3/ktexteditor_isearch.la
a ./opt/local/lib/kde3/ktexteditor_isearch.so
a ./opt/local/lib/kde3/ktexteditor_kdatatool.la
a ./opt/local/lib/kde3/ktexteditor_kdatatool.so
a ./opt/local/lib/kde3/libkatepart.la
a ./opt/local/lib/kde3/libkatepart.so
a ./opt/local/lib/kde3/libkcertpart.la
a ./opt/local/lib/kde3/libkcertpart.so
a ./opt/local/lib/kde3/libkdeprint_management_module.la
a ./opt/local/lib/kde3/libkdeprint_management_module.so
a ./opt/local/lib/kde3/libkhtmlpart.la
a ./opt/local/lib/kde3/libkhtmlpart.so
a ./opt/local/lib/kde3/libkmultipart.la

a ./opt/local/lib/kde3/libkmultipart.so
a ./opt/local/lib/kde3/libshellscript.la
a ./opt/local/lib/kde3/libshellscript.so
a ./opt/local/lib/kde3/plugins
a ./opt/local/lib/kde3/plugins/designer
a ./opt/local/lib/kde3/plugins/styles
a ./opt/local/lib/kde3/plugins/styles/highcolor.la
a ./opt/local/lib/kde3/plugins/styles/highcolor.so
a ./opt/local/lib/kde3/plugins/styles/highcontrast.la
a ./opt/local/lib/kde3/plugins/styles/highcontrast.so
a ./opt/local/lib/kde3/plugins/styles/keramik.la
a ./opt/local/lib/kde3/plugins/styles/keramik.so
a ./opt/local/lib/kde3/plugins/styles/kthemestyle.la
a ./opt/local/lib/kde3/plugins/styles/kthemestyle.so
a ./opt/local/lib/kde3/plugins/styles/light.la
a ./opt/local/lib/kde3/plugins/styles/light.so
a ./opt/local/lib/kde3/plugins/styles/plastik.la
a ./opt/local/lib/kde3/plugins/styles/plastik.so
a ./opt/local/lib/kde3/plugins/designer/kdewidgets.la
a ./opt/local/lib/kde3/plugins/designer/kdewidgets.so
a ./opt/local/include/dcopclient.h
a ./opt/local/include/dcopobject.h
a ./opt/local/include/dcopref.h
a ./opt/local/include/dcopstub.h

a ./opt/local/include/dcoptypes.h
a ./opt/local/include/dnssd
a ./opt/local/include/dom
a ./opt/local/include/fixx11h.h
a ./opt/local/include/kabc
a ./opt/local/include/kaboutapplication.h
a ./opt/local/include/kaboutdata.h
a ./opt/local/include/kaboutdialog.h
a ./opt/local/include/kaboutkde.h
a ./opt/local/include/kaccel.h
a ./opt/local/include/kaccelgen.h
a ./opt/local/include/kaccelmanager.h
a ./opt/local/include/kacl.h
a ./opt/local/include/kaction.h
a ./opt/local/include/kactionclasses.h
a ./opt/local/include/kactioncollection.h
a ./opt/local/include/kactionselector.h
a ./opt/local/include/kactionsshortcutlist.h
a ./opt/local/include/kactivelabel.h
a ./opt/local/include/kallocator.h
a ./opt/local/include/kanimwidget.h
a ./opt/local/include/kapp.h
a ./opt/local/include/kapplication.h
a ./opt/local/include/kar.h

a ./opt/local/include/karchive.h
a ./opt/local/include/karrowbutton.h
a ./opt/local/include/kasyncio.h
a ./opt/local/include/kate
a ./opt/local/include/kaudioplayer.h
a ./opt/local/include/kauthicon.h
a ./opt/local/include/kautomount.h
a ./opt/local/include/kbookmark.h
a ./opt/local/include/kbookmarkbar.h
a ./opt/local/include/kbookmarkdombuilder.h
a ./opt/local/include/kbookmarkdrag.h
a ./opt/local/include/kbookmarkexporter.h
a ./opt/local/include/kbookmarkimporter.h
a ./opt/local/include/kbookmarkimporter_crash.h
a ./opt/local/include/kbookmarkimporter_ie.h
a ./opt/local/include/kbookmarkimporter_kde1.h
a ./opt/local/include/kbookmarkimporter_ns.h
a ./opt/local/include/kbookmarkimporter_opera.h
a ./opt/local/include/kbookmarkmanager.h
a ./opt/local/include/kbookmarkmenu.h
a ./opt/local/include/kbookmarknotifier.h
a ./opt/local/include/kbufferedio.h
a ./opt/local/include/kbufferedssocket.h
a ./opt/local/include/kbugreport.h

a ./opt/local/include/kbuttonbox.h
a ./opt/local/include/kcalendarsystem.h
a ./opt/local/include/kcalendarsystemfactory.h
a ./opt/local/include/kcatalogue.h
a ./opt/local/include/kcharselect.h
a ./opt/local/include/kcharsets.h
a ./opt/local/include/kclientsocketbase.h
a ./opt/local/include/kclipboard.h
a ./opt/local/include/kcmdlineargs.h
a ./opt/local/include/kcmenumngr.h
a ./opt/local/include/kcmodule.h
a ./opt/local/include/kcmodulecontainer.h
a ./opt/local/include/kcmoduleinfo.h
a ./opt/local/include/kcmoduleloader.h
a ./opt/local/include/kcmoduleproxy.h
a ./opt/local/include/kcmultidialog.h
a ./opt/local/include/kcolorbtn.h
a ./opt/local/include/kcolorbutton.h
a ./opt/local/include/kcolorcombo.h
a ./opt/local/include/kcolordialog.h
a ./opt/local/include/kcolordlg.h
a ./opt/local/include/kcolordrag.h
a ./opt/local/include/kcombiview.h
a ./opt/local/include/kcombobox.h

a ./opt/local/include/kcommand.h
a ./opt/local/include/kcompletion.h
a ./opt/local/include/kcompletionbox.h
a ./opt/local/include/kconfig.h
a ./opt/local/include/kconfigbackend.h
a ./opt/local/include/kconfigbase.h
a ./opt/local/include/kconfigdata.h
a ./opt/local/include/kconfigdialog.h
a ./opt/local/include/kconfigdialogmanager.h
a ./opt/local/include/kconfigskelton.h
a ./opt/local/include/kcpuinfo.h
a ./opt/local/include/kcrash.h
a ./opt/local/include/kcursor.h
a ./opt/local/include/kcustommenueditor.h
a ./opt/local/include/kdatagramsocket.h
a ./opt/local/include/kdatastream.h
a ./opt/local/include/kdatatool.h
a ./opt/local/include/kdatepicker.h
a ./opt/local/include/kdatepik.h
a ./opt/local/include/kdatetbl.h
a ./opt/local/include/kdatetimewidget.h
a ./opt/local/include/kdatewidget.h
a ./opt/local/include/kdcopactionproxy.h
a ./opt/local/include/kdcoppropertyproxy.h

a ./opt/local/include/kdcopserVICestarter.h
a ./opt/local/include/kde.pot
a ./opt/local/include/kde_file.h
a ./opt/local/include/kde_terminal_interface.h
a ./opt/local/include/kdebug.h
a ./opt/local/include/kdebugclasses.h
a ./opt/local/include/kdedmodule.h
a ./opt/local/include/kdelibs_export.h
a ./opt/local/include/kdemacros.h
a ./opt/local/include/kdeprint
a ./opt/local/include/kdesktopfile.h
a ./opt/local/include/kdesu
a ./opt/local/include/kdeversion.h
a ./opt/local/include/kdialog.h
a ./opt/local/include/kdialogbase.h
a ./opt/local/include/kdirlister.h
a ./opt/local/include/kdirnotify.h
a ./opt/local/include/kdirnotify_stub.h
a ./opt/local/include/kdiroperator.h
a ./opt/local/include/kdirselectdialog.h
a ./opt/local/include/kdirsize.h
a ./opt/local/include/kdirwatch.h
a ./opt/local/include/kdiskfreesp.h
a ./opt/local/include/kdockwidget.h

a ./opt/local/include/kdockwindow.h
a ./opt/local/include/kdrawutil.h
a ./opt/local/include/kdualcolorbtn.h
a ./opt/local/include/kdualcolorbutton.h
a ./opt/local/include/keditcl.h
a ./opt/local/include/keditlistbox.h
a ./opt/local/include/kedittoolbar.h
a ./opt/local/include/kemailsettings.h
a ./opt/local/include/kencodingfiledialog.h
a ./opt/local/include/kextendedsocket.h
a ./opt/local/include/kextsock.h
a ./opt/local/include/kfile.h
a ./opt/local/include/kfiledetailview.h
a ./opt/local/include/kfiledialog.h
a ./opt/local/include/kfilefilter.h
a ./opt/local/include/kfilefiltercombo.h
a ./opt/local/include/kfileiconview.h
a ./opt/local/include/kfileitem.h
a ./opt/local/include/kfilemetainfo.h
a ./opt/local/include/kfilepreview.h
a ./opt/local/include/kfileshare.h
a ./opt/local/include/kfilesharedlg.h
a ./opt/local/include/kfiletreebranch.h
a ./opt/local/include/kfiletreeview.h

a ./opt/local/include/kfiletreeviewitem.h
a ./opt/local/include/kfileview.h
a ./opt/local/include/kfilterbase.h
a ./opt/local/include/kfilterdev.h
a ./opt/local/include/kfind.h
a ./opt/local/include/kfinddialog.h
a ./opt/local/include/kfontcombo.h
a ./opt/local/include/kfontdialog.h
a ./opt/local/include/kfontrequester.h
a ./opt/local/include/kgenericfactory.h
a ./opt/local/include/kgenericfactory.tcc
a ./opt/local/include/kglobal.h
a ./opt/local/include/kglobalaccel.h
a ./opt/local/include/kglobalsettings.h
a ./opt/local/include/kguiitem.h
a ./opt/local/include/khelpmenu.h
a ./opt/local/include/khexedit
a ./opt/local/include/khtml_events.h
a ./opt/local/include/khtml_part.h
a ./opt/local/include/khtml_settings.h
a ./opt/local/include/khtmldefaults.h
a ./opt/local/include/khtmlview.h
a ./opt/local/include/khttpproxysocketdevice.h
a ./opt/local/include/kicondialog.h

a ./opt/local/include/kiconeffect.h
a ./opt/local/include/kiconloader.h
a ./opt/local/include/kicontheme.h
a ./opt/local/include/kiconview.h
a ./opt/local/include/kiconviewsearchline.h
a ./opt/local/include/kidna.h
a ./opt/local/include/kimageeffect.h
a ./opt/local/include/kimagefilepreview.h
a ./opt/local/include/kimageio.h
a ./opt/local/include/kimiface.h
a ./opt/local/include/kimproxy.h
a ./opt/local/include/kimproxyiface.h
a ./opt/local/include/kinputdialog.h
a ./opt/local/include/kinstance.h
a ./opt/local/include/kio
a ./opt/local/include/kiobuffer.h
a ./opt/local/include/kipc.h
a ./opt/local/include/kjanuswidget.h
a ./opt/local/include/kjs
a ./opt/local/include/kkeybutton.h
a ./opt/local/include/kkeydialog.h
a ./opt/local/include/kkeynative.h
a ./opt/local/include/klanguagebutton.h
a ./opt/local/include/klargefile.h

a ./opt/local/include/kled.h
a ./opt/local/include/klibloader.h
a ./opt/local/include/klineedit.h
a ./opt/local/include/klineeditdlg.h
a ./opt/local/include/klistbox.h
a ./opt/local/include/klistview.h
a ./opt/local/include/klistviewsearchline.h
a ./opt/local/include/klocale.h
a ./opt/local/include/klockfile.h
a ./opt/local/include/kmacroexpander.h
a ./opt/local/include/kmainwindow.h
a ./opt/local/include/kmainwindowiface.h
a ./opt/local/include/kmanagerselection.h
a ./opt/local/include/kmdcodec.h
a ./opt/local/include/kmdi
a ./opt/local/include/kmdichildarea.h
a ./opt/local/include/kmdichildfrm.h
a ./opt/local/include/kmdichildfrmcaption.h
a ./opt/local/include/kmdichildview.h
a ./opt/local/include/kmdidefines.h
a ./opt/local/include/kmdiiterator.h
a ./opt/local/include/kmdilistiterator.h
a ./opt/local/include/kmdimainfrm.h
a ./opt/local/include/kmdinulliterator.h

a ./opt/local/include/kmditaskbar.h
a ./opt/local/include/kmditoolviewaccessor.h
a ./opt/local/include/kmediaplayer
a ./opt/local/include/kmenubar.h
a ./opt/local/include/kmessagebox.h
a ./opt/local/include/kmimemagic.h
a ./opt/local/include/kmimesourcefactory.h
a ./opt/local/include/kmimetype.h
a ./opt/local/include/kmimetypechooser.h
a ./opt/local/include/kmimetyperesolver.h
a ./opt/local/include/kmountpoint.h
a ./opt/local/include/kmulticastsocket.h
a ./opt/local/include/kmulticastsocketdevice.h
a ./opt/local/include/kmultipledrag.h
a ./opt/local/include/kmultitabbar.h
a ./opt/local/include/knetworkinterface.h
a ./opt/local/include/knewstuff
a ./opt/local/include/knfsshare.h
a ./opt/local/include/knotifyclient.h
a ./opt/local/include/knotifydialog.h
a ./opt/local/include/knotifywidgetbase.h
a ./opt/local/include/knuminput.h
a ./opt/local/include/knumvalidator.h
a ./opt/local/include/kopenssl.h

a ./opt/local/include/kopenwith.h
a ./opt/local/include/kpalette.h
a ./opt/local/include/kpanelapplet.h
a ./opt/local/include/kpanelappmenu.h
a ./opt/local/include/kpanelextension.h
a ./opt/local/include/kpanelmenu.h
a ./opt/local/include/kparts
a ./opt/local/include/kpassdlg.h
a ./opt/local/include/kpassivepopup.h
a ./opt/local/include/kpixmap.h
a ./opt/local/include/kpixmapeffect.h
a ./opt/local/include/kpixmapio.h
a ./opt/local/include/kpixmapprovider.h
a ./opt/local/include/kpixmapregionselectordialog.h
a ./opt/local/include/kpixmapregionselectorwidget.h
a ./opt/local/include/kpixmapsplitter.h
a ./opt/local/include/kplugininfo.h
a ./opt/local/include/kpluginselector.h
a ./opt/local/include/kpopupmenu.h
a ./opt/local/include/kpreviewwidgetbase.h
a ./opt/local/include/kprintaction.h
a ./opt/local/include/kprinter.h
a ./opt/local/include/kprocctrl.h
a ./opt/local/include/kprocess.h

a ./opt/local/include/kprocio.h
a ./opt/local/include/kprogress.h
a ./opt/local/include/kpropertiesdialog.h
a ./opt/local/include/kpropsdlg.h
a ./opt/local/include/kprotocolinfo.h
a ./opt/local/include/kprotocolmanager.h
a ./opt/local/include/kpty.h
a ./opt/local/include/kpushbutton.h
a ./opt/local/include/krandomsequence.h
a ./opt/local/include/krecentdocument.h
a ./opt/local/include/kregexp.h
a ./opt/local/include/kregexpeditorinterface.h
a ./opt/local/include/kremoteencoding.h
a ./opt/local/include/kreplace.h
a ./opt/local/include/kreplacedialog.h
a ./opt/local/include/kresolver.h
a ./opt/local/include/kresources
a ./opt/local/include/krestrictedline.h
a ./opt/local/include/kreverseresolver.h
a ./opt/local/include/krfcdate.h
a ./opt/local/include/krootpixmap.h
a ./opt/local/include/krootprop.h
a ./opt/local/include/kruler.h
a ./opt/local/include/krun.h

a ./opt/local/include/ksambashare.h
a ./opt/local/include/ksavefile.h
a ./opt/local/include/kscan.h
a ./opt/local/include/ksconfig.h
a ./opt/local/include/kscreensaver.h
a ./opt/local/include/kscreensaver_vroot.h
a ./opt/local/include/kscrollview.h
a ./opt/local/include/kselect.h
a ./opt/local/include/kseparator.h
a ./opt/local/include/kserversocket.h
a ./opt/local/include/kservice.h
a ./opt/local/include/kservicegroup.h
a ./opt/local/include/kserVICetype.h
a ./opt/local/include/ksettings
a ./opt/local/include/ksharedpixmap.h
a ./opt/local/include/ksharedptr.h
a ./opt/local/include/kshell.h
a ./opt/local/include/kshellcompletion.h
a ./opt/local/include/kshortcut.h
a ./opt/local/include/kshortcutdialog.h
a ./opt/local/include/kshortcutlist.h
a ./opt/local/include/kshred.h
a ./opt/local/include/ksimpleconfig.h
a ./opt/local/include/kmimecrypto.h

a ./opt/local/include/ksock.h
a ./opt/local/include/ksockaddr.h
a ./opt/local/include/ksocketaddress.h
a ./opt/local/include/ksocketbase.h
a ./opt/local/include/ksocketdevice.h
a ./opt/local/include/ksocks.h
a ./opt/local/include/ksockssocketdevice.h
a ./opt/local/include/ksortablevaluelist.h
a ./opt/local/include/kspeech.h
a ./opt/local/include/kspeechsink.h
a ./opt/local/include/kspell.h
a ./opt/local/include/kspell2
a ./opt/local/include/kspelldlg.h
a ./opt/local/include/ksplashscreen.h
a ./opt/local/include/ksqueezedtextlabel.h
a ./opt/local/include/kssl.h
a ./opt/local/include/ksslall.h
a ./opt/local/include/ksslcertchain.h
a ./opt/local/include/ksslcertdlg.h
a ./opt/local/include/ksslcertificate.h
a ./opt/local/include/ksslcertificatecache.h
a ./opt/local/include/ksslcertificatefactory.h
a ./opt/local/include/ksslcertificatehome.h
a ./opt/local/include/ksslconfig.h

a ./opt/local/include/ksslconnectioninfo.h
a ./opt/local/include/ksslinfodlg.h
a ./opt/local/include/ksslkeygen.h
a ./opt/local/include/ksslpeerinfo.h
a ./opt/local/include/ksslpemcallback.h
a ./opt/local/include/ksslpkcs12.h
a ./opt/local/include/ksslpkcs7.h
a ./opt/local/include/ksslsession.h
a ./opt/local/include/ksslsettings.h
a ./opt/local/include/ksslsigners.h
a ./opt/local/include/ksslutils.h
a ./opt/local/include/ksslx509map.h
a ./opt/local/include/ksslx509v3.h
a ./opt/local/include/kstandarddirs.h
a ./opt/local/include/kstartupinfo.h
a ./opt/local/include/kstaticdeleter.h
a ./opt/local/include/kstatusbar.h
a ./opt/local/include/kstdaccel.h
a ./opt/local/include/kstdaction.h
a ./opt/local/include/kstddirs.h
a ./opt/local/include/kstdguiitem.h
a ./opt/local/include/kstreamssocket.h
a ./opt/local/include/kstringhandler.h
a ./opt/local/include/kstringvalidator.h

a ./opt/local/include/kstyle.h
a ./opt/local/include/ksvgiconengine.h
a ./opt/local/include/kswitchlanguagedialog.h
a ./opt/local/include/ksycoca.h
a ./opt/local/include/ksycocaentry.h
a ./opt/local/include/ksycocatype.h
a ./opt/local/include/ksyntaxhighlighter.h
a ./opt/local/include/kssystemtray.h
a ./opt/local/include/ktabbar.h
a ./opt/local/include/ktabctl.h
a ./opt/local/include/ktabwidget.h
a ./opt/local/include/ktar.h
a ./opt/local/include/ktempdir.h
a ./opt/local/include/ktempfile.h
a ./opt/local/include/ktextbrowser.h
a ./opt/local/include/ktextedit.h
a ./opt/local/include/ktexteditor
a ./opt/local/include/ktimewidget.h
a ./opt/local/include/ktimezones.h
a ./opt/local/include/ktimezonewidget.h
a ./opt/local/include/ktip.h
a ./opt/local/include/ktoolbar.h
a ./opt/local/include/ktoolbarbutton.h
a ./opt/local/include/ktoolbarlabelaction.h

a ./opt/local/include/ktoolbarradiogroup.h
a ./opt/local/include/ktrader.h
a ./opt/local/include/ktypelist.h
a ./opt/local/include/kuniqueapp.h
a ./opt/local/include/kuniqueapplication.h
a ./opt/local/include/kunittest
a ./opt/local/include/kunload.h
a ./opt/local/include/kurifilter.h
a ./opt/local/include/kurl.h
a ./opt/local/include/kurlbar.h
a ./opt/local/include/kurlcombobox.h
a ./opt/local/include/kurlcompletion.h
a ./opt/local/include/kurldrag.h
a ./opt/local/include/kurllabel.h
a ./opt/local/include/kurlpixmapprovider.h
a ./opt/local/include/kurlrequester.h
a ./opt/local/include/kurlrequesterdlg.h
a ./opt/local/include/kuser.h
a ./opt/local/include/kuserprofile.h
a ./opt/local/include/kvmallocator.h
a ./opt/local/include/kwallet.h
a ./opt/local/include/kwallettypes.h
a ./opt/local/include/kwin.h
a ./opt/local/include/kwindowinfo.h

a ./opt/local/include/kwindowlistmenu.h
a ./opt/local/include/kwinmodule.h
a ./opt/local/include/kwizard.h
a ./opt/local/include/kwordwrap.h
a ./opt/local/include/kxerrorhandler.h
a ./opt/local/include/kxmessages.h
a ./opt/local/include/kxmlgui.h
a ./opt/local/include/kxmlguibuilder.h
a ./opt/local/include/kxmlguiclient.h
a ./opt/local/include/kxmlguifactory.h
a ./opt/local/include/kzip.h
a ./opt/local/include/libkmid
a ./opt/local/include/netwm.h
a ./opt/local/include/netwm_def.h
a ./opt/local/include/qxembed.h
a ./opt/local/include/renamedlgplugin.h
a ./opt/local/include/scriptclientinterface.h
a ./opt/local/include/scriptinterface.h
a ./opt/local/include/scriptmanager.h
a ./opt/local/include/libkmid/alsaout.h
a ./opt/local/include/libkmid/dattypes.h
a ./opt/local/include/libkmid/deviceman.h
a ./opt/local/include/libkmid/fmout.h
a ./opt/local/include/libkmid/gusout.h

a ./opt/local/include/libkmid/libkmid.h
a ./opt/local/include/libkmid/midfile.h
a ./opt/local/include/libkmid/midmapper.h
a ./opt/local/include/libkmid/midiout.h
a ./opt/local/include/libkmid/midispec.h
a ./opt/local/include/libkmid/midistat.h
a ./opt/local/include/libkmid/mt32togm.h
a ./opt/local/include/libkmid/notearray.h
a ./opt/local/include/libkmid/player.h
a ./opt/local/include/libkmid/synthout.h
a ./opt/local/include/libkmid/track.h
a ./opt/local/include/libkmid/voiceman.h
a ./opt/local/include/kunittest/module.h
a ./opt/local/include/kunittest/runner.h
a ./opt/local/include/kunittest/tester.h
a ./opt/local/include/ktexteditor/blockselectioninterface.h
a ./opt/local/include/ktexteditor/clipboardinterface.h
a ./opt/local/include/ktexteditor/codecompletioninterface.h
a ./opt/local/include/ktexteditor/configinterface.h
a ./opt/local/include/ktexteditor/configinterfaceextension.h
a ./opt/local/include/ktexteditor/cursorinterface.h
a ./opt/local/include/ktexteditor/document.h
a ./opt/local/include/ktexteditor/documentinfo.h
a ./opt/local/include/ktexteditor/dynwordwrapinterface.h

a ./opt/local/include/ktexteditor/editinterface.h
a ./opt/local/include/ktexteditor/editinterfaceext.h
a ./opt/local/include/ktexteditor/editor.h
a ./opt/local/include/ktexteditor/editorchooser.h
a ./opt/local/include/ktexteditor/encodinginterface.h
a ./opt/local/include/ktexteditor/highlightinginterface.h
a ./opt/local/include/ktexteditor/markinterface.h
a ./opt/local/include/ktexteditor/markinterfaceextension.h
a ./opt/local/include/ktexteditor/plugin.h
a ./opt/local/include/ktexteditor/popupmenuinterface.h
a ./opt/local/include/ktexteditor/printinterface.h
a ./opt/local/include/ktexteditor/searchinterface.h
a ./opt/local/include/ktexteditor/selectionextdcopinterface.h
a ./opt/local/include/ktexteditor/selectioninterface.h
a ./opt/local/include/ktexteditor/selectioninterfaceext.h
a ./opt/local/include/ktexteditor/sessionconfiginterface.h
a ./opt/local/include/ktexteditor/templateinterface.h
a ./opt/local/include/ktexteditor/texthintinterface.h
a ./opt/local/include/ktexteditor/undointerface.h
a ./opt/local/include/ktexteditor/variableinterface.h
a ./opt/local/include/ktexteditor/view.h
a ./opt/local/include/ktexteditor/viewcursorinterface.h
a ./opt/local/include/ktexteditor/viewstatusmsginterface.h
a ./opt/local/include/ktexteditor/wordwrapinterface.h

a ./opt/local/include/kspell2/backgroundchecker.h
a ./opt/local/include/kspell2/broker.h
a ./opt/local/include/kspell2/configdialog.h
a ./opt/local/include/kspell2/configwidget.h
a ./opt/local/include/kspell2/defaultdictionary.h
a ./opt/local/include/kspell2/dialog.h
a ./opt/local/include/kspell2/dictionary.h
a ./opt/local/include/kspell2/filter.h
a ./opt/local/include/kspell2/highlighter.h
a ./opt/local/include/kspell2/settings.h
a ./opt/local/include/ksettings/componentsdialog.h
a ./opt/local/include/ksettings/dialog.h
a ./opt/local/include/ksettings/dispatcher.h
a ./opt/local/include/ksettings/pluginpage.h
a ./opt/local/include/kresources/configdialog.h
a ./opt/local/include/kresources/configpage.h
a ./opt/local/include/kresources/configwidget.h
a ./opt/local/include/kresources/factory.h
a ./opt/local/include/kresources/manager.h
a ./opt/local/include/kresources/manageriface.h
a ./opt/local/include/kresources/managerimpl.h
a ./opt/local/include/kresources/resource.h
a ./opt/local/include/kresources/selectdialog.h
a ./opt/local/include/kparts/browserextension.h

a ./opt/local/include/kparts/browserinterface.h
a ./opt/local/include/kparts/browserrun.h
a ./opt/local/include/kparts/componentfactory.h
a ./opt/local/include/kparts/dockmainwindow.h
a ./opt/local/include/kparts/event.h
a ./opt/local/include/kparts/factory.h
a ./opt/local/include/kparts/genericfactory.h
a ./opt/local/include/kparts/historyprovider.h
a ./opt/local/include/kparts/mainwindow.h
a ./opt/local/include/kparts/part.h
a ./opt/local/include/kparts/partmanager.h
a ./opt/local/include/kparts/plugin.h
a ./opt/local/include/kparts/statusbarextension.h
a ./opt/local/include/knewstuff/downloaddialog.h
a ./opt/local/include/knewstuff/engine.h
a ./opt/local/include/knewstuff/entry.h
a ./opt/local/include/knewstuff/knewstuff.h
a ./opt/local/include/knewstuff/knewstuffbutton.h
a ./opt/local/include/knewstuff/knewstuffgeneric.h
a ./opt/local/include/knewstuff/knewstuffsecure.h
a ./opt/local/include/knewstuff/provider.h
a ./opt/local/include/knewstuff/providerdialog.h
a ./opt/local/include/knewstuff/uploaddialog.h
a ./opt/local/include/kmediaplayer/player.h

a ./opt/local/include/kmediaplayer/playerdcopobject.h
a ./opt/local/include/kmediaplayer/view.h
a ./opt/local/include/kmdi/global.h
a ./opt/local/include/kmdi/mainwindow.h
a ./opt/local/include/kmdi/tabwidget.h
a ./opt/local/include/kmdi/toolviewaccessor.h
a ./opt/local/include/kjs/completion.h
a ./opt/local/include/kjs/function.h
a ./opt/local/include/kjs/global.h
a ./opt/local/include/kjs/identifier.h
a ./opt/local/include/kjs/interpreter.h
a ./opt/local/include/kjs/list.h
a ./opt/local/include/kjs/lookup.h
a ./opt/local/include/kjs/object.h
a ./opt/local/include/kjs/operations.h
a ./opt/local/include/kjs/property_map.h
a ./opt/local/include/kjs/reference.h
a ./opt/local/include/kjs/reference_list.h
a ./opt/local/include/kjs/scope_chain.h
a ./opt/local/include/kjs/simple_number.h
a ./opt/local/include/kjs/types.h
a ./opt/local/include/kjs/usttring.h
a ./opt/local/include/kjs/value.h
a ./opt/local/include/kio/authinfo.h

a ./opt/local/include/kio/chmodjob.h
a ./opt/local/include/kio/connection.h
a ./opt/local/include/kio/davjob.h
a ./opt/local/include/kio/defaultprogress.h
a ./opt/local/include/kio/file.h
a ./opt/local/include/kio/forwardingslavebase.h
a ./opt/local/include/kio/global.h
a ./opt/local/include/kio/http.h
a ./opt/local/include/kio/http_slave_defaults.h
a ./opt/local/include/kio/ioslave_defaults.h
a ./opt/local/include/kio/job.h
a ./opt/local/include/kio/jobclasses.h
a ./opt/local/include/kio/kdesasl.h
a ./opt/local/include/kio/kmdbase.h
a ./opt/local/include/kio/kmdcodec.h
a ./opt/local/include/kio/kntlm.h
a ./opt/local/include/kio/metainfojob.h
a ./opt/local/include/kio/netaccess.h
a ./opt/local/include/kio/observer.h
a ./opt/local/include/kio/passdlg.h
a ./opt/local/include/kio/paste.h
a ./opt/local/include/kio/previewjob.h
a ./opt/local/include/kio/progressbase.h
a ./opt/local/include/kio/renamedlg.h

a ./opt/local/include/kio/scheduler.h
a ./opt/local/include/kio/sessiondata.h
a ./opt/local/include/kio/skipdlg.h
a ./opt/local/include/kio/slave.h
a ./opt/local/include/kio/slavebase.h
a ./opt/local/include/kio/slaveconfig.h
a ./opt/local/include/kio/slaveinterface.h
a ./opt/local/include/kio/statusbarprogress.h
a ./opt/local/include/kio/tcpslavebase.h
a ./opt/local/include/kio/thumbcreator.h
a ./opt/local/include/kio/uiserver.h
a ./opt/local/include/kio/uiserver_stub.h
a ./opt/local/include/khexedit/byteseditinterface.h
a ./opt/local/include/khexedit/charcolumninterface.h
a ./opt/local/include/khexedit/clipboardinterface.h
a ./opt/local/include/khexedit/valuecolumninterface.h
a ./opt/local/include/khexedit/zoominterface.h
a ./opt/local/include/kdesu/client.h
a ./opt/local/include/kdesu/defaults.h
a ./opt/local/include/kdesu/kcookie.h
a ./opt/local/include/kdesu/kdesu_pty.h
a ./opt/local/include/kdesu/process.h
a ./opt/local/include/kdesu/pty.h
a ./opt/local/include/kdesu/ssh.h

a ./opt/local/include/kdesu/stub.h
a ./opt/local/include/kdesu/su.h
a ./opt/local/include/kdeprint/driver.h
a ./opt/local/include/kdeprint/kiconselectaction.h
a ./opt/local/include/kdeprint/kmjob.h
a ./opt/local/include/kdeprint/kmjobmanager.h
a ./opt/local/include/kdeprint/kmjobviewer.h
a ./opt/local/include/kdeprint/kmmainview.h
a ./opt/local/include/kdeprint/kmmanager.h
a ./opt/local/include/kdeprint/kmobject.h
a ./opt/local/include/kdeprint/kmprinter.h
a ./opt/local/include/kdeprint/kmprinterpage.h
a ./opt/local/include/kdeprint/kmtimer.h
a ./opt/local/include/kdeprint/kpreloadobject.h
a ./opt/local/include/kdeprint/kprintdialog.h
a ./opt/local/include/kdeprint/kprintdialogpage.h
a ./opt/local/include/kdeprint/lpr
a ./opt/local/include/kdeprint/lpr/lprhandler.h
a ./opt/local/include/kdeprint/lpr/lprsettings.h
a ./opt/local/include/kdeprint/lpr/printcapentry.h
a ./opt/local/include/kate/document.h
a ./opt/local/include/kate/view.h
a ./opt/local/include/kabc/address.h
a ./opt/local/include/kabc/addressbook.h

a ./opt/local/include/kabc/addressee.h
a ./opt/local/include/kabc/addresseedialog.h
a ./opt/local/include/kabc/addresseelist.h
a ./opt/local/include/kabc/addresslineedit.h
a ./opt/local/include/kabc/agent.h
a ./opt/local/include/kabc/distributionlist.h
a ./opt/local/include/kabc/distributionlistdialog.h
a ./opt/local/include/kabc/distributionlisteditor.h
a ./opt/local/include/kabc/errorhandler.h
a ./opt/local/include/kabc/field.h
a ./opt/local/include/kabc/format.h
a ./opt/local/include/kabc/formatfactory.h
a ./opt/local/include/kabc/formatplugin.h
a ./opt/local/include/kabc/geo.h
a ./opt/local/include/kabc/key.h
a ./opt/local/include/kabc/ldapclient.h
a ./opt/local/include/kabc/ldapconfigwidget.h
a ./opt/local/include/kabc/ldapurl.h
a ./opt/local/include/kabc/ldif.h
a ./opt/local/include/kabc/ldifconverter.h
a ./opt/local/include/kabc/lock.h
a ./opt/local/include/kabc/locknull.h
a ./opt/local/include/kabc/phonenumbers.h
a ./opt/local/include/kabc/picture.h

a ./opt/local/include/kabc/plugin.h
a ./opt/local/include/kabc/resource.h
a ./opt/local/include/kabc/resourcedir.h
a ./opt/local/include/kabc/resourcefile.h
a ./opt/local/include/kabc/resourceldapkio.h
a ./opt/local/include/kabc/resourceselectdialog.h
a ./opt/local/include/kabc/secretcy.h
a ./opt/local/include/kabc/sortmode.h
a ./opt/local/include/kabc/sound.h
a ./opt/local/include/kabc/stdaddressbook.h
a ./opt/local/include/kabc/timezone.h
a ./opt/local/include/kabc/vcard.h
a ./opt/local/include/kabc/vcardconverter.h
a ./opt/local/include/kabc/vcardformat.h
a ./opt/local/include/kabc/vcardformatplugin.h
a ./opt/local/include/kabc/vcardline.h
a ./opt/local/include/kabc/vcardparser.h
a ./opt/local/include/dom/css_rule.h
a ./opt/local/include/dom/css_stylesheet.h
a ./opt/local/include/dom/css_value.h
a ./opt/local/include/dom/dom2_events.h
a ./opt/local/include/dom/dom2_range.h
a ./opt/local/include/dom/dom2_traversal.h
a ./opt/local/include/dom/dom2_views.h

a ./opt/local/include/dom/dom_core.h
a ./opt/local/include/dom/dom_doc.h
a ./opt/local/include/dom/dom_element.h
a ./opt/local/include/dom/dom_exception.h
a ./opt/local/include/dom/dom_html.h
a ./opt/local/include/dom/dom_misc.h
a ./opt/local/include/dom/dom_node.h
a ./opt/local/include/dom/dom_string.h
a ./opt/local/include/dom/dom_text.h
a ./opt/local/include/dom/dom_xml.h
a ./opt/local/include/dom/html_base.h
a ./opt/local/include/dom/html_block.h
a ./opt/local/include/dom/html_document.h
a ./opt/local/include/dom/html_element.h
a ./opt/local/include/dom/html_form.h
a ./opt/local/include/dom/html_head.h
a ./opt/local/include/dom/html_image.h
a ./opt/local/include/dom/html_inline.h
a ./opt/local/include/dom/html_list.h
a ./opt/local/include/dom/html_misc.h
a ./opt/local/include/dom/html_object.h
a ./opt/local/include/dom/html_table.h
a ./opt/local/include/dnssd/domainbrowser.h
a ./opt/local/include/dnssd/publicservice.h

a ./opt/local/include/dnssd/query.h
a ./opt/local/include/dnssd/remoteservice.h
a ./opt/local/include/dnssd/servicebase.h
a ./opt/local/include/dnssd/servicebrowser.h
a ./opt/local/include/dnssd/settings.h
a ./opt/local/etc/xdg
a ./opt/local/etc/xdg/menus
a ./opt/local/etc/xdg/menus/kde-applications.menu
a ./opt/local/bin/checkXML
a ./opt/local/bin/cupsdconf
a ./opt/local/bin/cupsdoprint
a ./opt/local/bin/dcop
a ./opt/local/bin/dcopclient
a ./opt/local/bin/dcopfind
a ./opt/local/bin/dcopidl
a ./opt/local/bin/dcopidl2cpp
a ./opt/local/bin/dcopidlng
a ./opt/local/bin/dcopobject
a ./opt/local/bin/dcopquit
a ./opt/local/bin/dcopref
a ./opt/local/bin/dcopserver
a ./opt/local/bin/dcopserver_shutdown
a ./opt/local/bin/dcopstart
a ./opt/local/bin/filesharelist

a ./opt/local/bin/fileshareset
a ./opt/local/bin/imagetops
a ./opt/local/bin/kab2kabc
a ./opt/local/bin/kaddprinterwizard
a ./opt/local/bin/kbuildsycoca
a ./opt/local/bin/kcmshell
a ./opt/local/bin/kconf_update
a ./opt/local/bin/kconfig_compiler
a ./opt/local/bin/kcookiejar
a ./opt/local/bin/kde-config
a ./opt/local/bin/kde-menu
a ./opt/local/bin/kded
a ./opt/local/bin/kdeinit
a ./opt/local/bin/kdeinit_shutdown
a ./opt/local/bin/kdeinit_wrapper
a ./opt/local/bin/kdesu_stub
a ./opt/local/bin/kdontchangethehostname
a ./opt/local/bin/kdostartupconfig
a ./opt/local/bin/kfile
a ./opt/local/bin/kfmexec
a ./opt/local/bin/kgrantpty
a ./opt/local/bin/khotnewstuff
a ./opt/local/bin/kinstalltheme
a ./opt/local/bin/kio_http_cache_cleaner

```
a ./opt/local/bin/kio_uiserver
a ./opt/local/bin/kioexec
a ./opt/local/bin/kioslave
a ./opt/local/bin/klauncher
a ./opt/local/bin/kmailservice
a ./opt/local/bin/kpac_dhcp_helper
a ./opt/local/bin/ksendbugmail
a ./opt/local/bin/kshell
a ./opt/local/bin/kstartupconfig
a ./opt/local/bin/ksvgtopng
a ./opt/local/bin/ktelnetSERVICE
a ./opt/local/bin/ktradertest
a ./opt/local/bin/kunittestmodrunner
a ./opt/local/bin/kwrapper
a ./opt/local/bin/lnusertemp
a ./opt/local/bin/make_driver_db_cups
a ./opt/local/bin/make_driver_db_lpr
a ./opt/local/bin/makekdewidgets
a ./opt/local/bin/meinproc
a ./opt/local/bin/preparetips
a ./opt/local/bin/start_kdeinit
a ./opt/local/bin/start_kdeinit_wrapper
--> Activating kdelibs3 @3.5.10_16
x ./
```

- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/
- x ./opt/local/etc/
- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/applications/
- x ./opt/local/share/apps/
- x ./opt/local/share/autostart/
- x ./opt/local/share/config/
- x ./opt/local/share/doc/
- x ./opt/local/share/emoticons/
- x ./opt/local/share/icons/
- x ./opt/local/share/locale/
- x ./opt/local/share/man/
- x ./opt/local/share/mimeInk/
- x ./opt/local/share/services/
- x ./opt/local/share/servicetypes/

- x ./opt/local/share/servicetypes/application.desktop
- x ./opt/local/share/servicetypes/browserview.desktop
- x ./opt/local/share/servicetypes/dcopinstantmessenger.desktop
- x ./opt/local/share/servicetypes/dcoptexttospeech.desktop
- x ./opt/local/share/servicetypes/kbytesedit.desktop
- x ./opt/local/share/servicetypes/kcmodule.desktop
- x ./opt/local/share/servicetypes/kcomprfilter.desktop
- x ./opt/local/share/servicetypes/kdatatool.desktop
- x ./opt/local/share/servicetypes/kdedmodule.desktop
- x ./opt/local/share/servicetypes/kfileplugin.desktop
- x ./opt/local/share/servicetypes/kmediaplayer.desktop
- x ./opt/local/share/servicetypes/kmediaplayerengine.desktop
- x ./opt/local/share/servicetypes/kpart.desktop
- x ./opt/local/share/servicetypes/kplugininfo.desktop
- x ./opt/local/share/servicetypes/kpropsdlgplugin.desktop
- x ./opt/local/share/servicetypes/kregexpeditor.desktop
- x ./opt/local/share/servicetypes/kresources_manager.desktop
- x ./opt/local/share/servicetypes/kresources_plugin.desktop
- x ./opt/local/share/servicetypes/krop.desktop
- x ./opt/local/share/servicetypes/krwp.desktop
- x ./opt/local/share/servicetypes/kscan.desktop
- x ./opt/local/share/servicetypes/kspellclient.desktop
- x ./opt/local/share/servicetypes/ktexteditor.desktop
- x ./opt/local/share/servicetypes/ktexteditoreditor.desktop

- x ./opt/local/share/servicetypes/ktexteditorplugin.desktop
- x ./opt/local/share/servicetypes/kurifilterplugin.desktop
- x ./opt/local/share/servicetypes/renamedlgplugin.desktop
- x ./opt/local/share/servicetypes/scriptinterface.desktop
- x ./opt/local/share/services/bmp.kimgio
- x ./opt/local/share/services/data.protocol
- x ./opt/local/share/services/dds.kimgio
- x ./opt/local/share/services/eps.kimgio
- x ./opt/local/share/services/exr.kimgio
- x ./opt/local/share/services/file.protocol
- x ./opt/local/share/services/ftp.protocol
- x ./opt/local/share/services/ghelp.protocol
- x ./opt/local/share/services/gif.kimgio
- x ./opt/local/share/services/hdr.kimgio
- x ./opt/local/share/services/help.protocol
- x ./opt/local/share/services/http.protocol
- x ./opt/local/share/services/http_cache_cleaner.desktop
- x ./opt/local/share/services/https.protocol
- x ./opt/local/share/services/ico.kimgio
- x ./opt/local/share/services/jp2.kimgio
- x ./opt/local/share/services/jpeg.kimgio
- x ./opt/local/share/services/katepart.desktop
- x ./opt/local/share/services/kbzip2filter.desktop
- x ./opt/local/share/services/kcertpart.desktop

- x ./opt/local/share/services/kded/
- x ./opt/local/share/services/kgzipfilter.desktop
- x ./opt/local/share/services/khtml.desktop
- x ./opt/local/share/services/khtmlimage.desktop
- x ./opt/local/share/services/kio_uiserver.desktop
- x ./opt/local/share/services/kjavaappletviewer.desktop
- x ./opt/local/share/services/kmailservice.protocol
- x ./opt/local/share/services/kmultipart.desktop
- x ./opt/local/share/services/knotify.desktop
- x ./opt/local/share/services/kresources/
- x ./opt/local/share/services/kspell_aspell.desktop
- x ./opt/local/share/services/kspell_ispell.desktop
- x ./opt/local/share/services/ktexteditor_docwordcompletion.desktop
- x ./opt/local/share/services/ktexteditor_insertfile.desktop
- x ./opt/local/share/services/ktexteditor_isearch.desktop
- x ./opt/local/share/services/ktexteditor_kdatatool.desktop
- x ./opt/local/share/services/metainfo.protocol
- x ./opt/local/share/services/mms.protocol
- x ./opt/local/share/services/mmst.protocol
- x ./opt/local/share/services/mmsu.protocol
- x ./opt/local/share/services/mng.kimgio
- x ./opt/local/share/services/pbm.kimgio
- x ./opt/local/share/services/pcx.kimgio
- x ./opt/local/share/services/pgm.kimgio

- x ./opt/local/share/services/png.kimgio
- x ./opt/local/share/services/pnm.protocol
- x ./opt/local/share/services/ppm.kimgio
- x ./opt/local/share/services/psd.kimgio
- x ./opt/local/share/services/rgb.kimgio
- x ./opt/local/share/services/rlogin.protocol
- x ./opt/local/share/services/rtsp.protocol
- x ./opt/local/share/services/rtspt.protocol
- x ./opt/local/share/services/rtspu.protocol
- x ./opt/local/share/services/shellscript.desktop
- x ./opt/local/share/services/ssh.protocol
- x ./opt/local/share/services/telnet.protocol
- x ./opt/local/share/services/tga.kimgio
- x ./opt/local/share/services/tiff.kimgio
- x ./opt/local/share/services/webdav.protocol
- x ./opt/local/share/services/webdavs.protocol
- x ./opt/local/share/services/xbm.kimgio
- x ./opt/local/share/services/xcf.kimgio
- x ./opt/local/share/services/xpm.kimgio
- x ./opt/local/share/services/xv.kimgio
- x ./opt/local/share/services/kresources/kabc/
- x ./opt/local/share/services/kresources/kabc_manager.desktop
- x ./opt/local/share/services/kresources/kabc/dir.desktop
- x ./opt/local/share/services/kresources/kabc/file.desktop

- x ./opt/local/share/services/kresources/kabc/ldapkio.desktop
- x ./opt/local/share/services/kded/kcookiejar.desktop
- x ./opt/local/share/services/kded/kdeprintd.desktop
- x ./opt/local/share/services/kded/kdetrayproxy.desktop
- x ./opt/local/share/services/kded/kpasswdserver.desktop
- x ./opt/local/share/services/kded/kssld.desktop
- x ./opt/local/share/services/kded/kwalletd.desktop
- x ./opt/local/share/services/kded/proxyscout.desktop
- x ./opt/local/share/mimelnk/all/
- x ./opt/local/share/mimelnk/application/
- x ./opt/local/share/mimelnk/audio/
- x ./opt/local/share/mimelnk/image/
- x ./opt/local/share/mimelnk/inode/
- x ./opt/local/share/mimelnk/magic
- x ./opt/local/share/mimelnk/message/
- x ./opt/local/share/mimelnk/model/
- x ./opt/local/share/mimelnk/multipart/
- x ./opt/local/share/mimelnk/text/
- x ./opt/local/share/mimelnk/uri/
- x ./opt/local/share/mimelnk/video/
- x ./opt/local/share/mimelnk/video/avi.desktop
- x ./opt/local/share/mimelnk/video/mp4.desktop
- x ./opt/local/share/mimelnk/video/mpeg.desktop
- x ./opt/local/share/mimelnk/video/quicktime.desktop

- x ./opt/local/share/mimeInk/video/vnd.rn-realvideo.desktop
- x ./opt/local/share/mimeInk/video/x-flic.desktop
- x ./opt/local/share/mimeInk/video/x-matroska.desktop
- x ./opt/local/share/mimeInk/video/x-mng.desktop
- x ./opt/local/share/mimeInk/video/x-ms-asf.desktop
- x ./opt/local/share/mimeInk/video/x-ms-wmv.desktop
- x ./opt/local/share/mimeInk/video/x-msvideo.desktop
- x ./opt/local/share/mimeInk/video/x-ogm.desktop
- x ./opt/local/share/mimeInk/video/x-theora.desktop
- x ./opt/local/share/mimeInk/uri/mms.desktop
- x ./opt/local/share/mimeInk/uri/mmst.desktop
- x ./opt/local/share/mimeInk/uri/mmsu.desktop
- x ./opt/local/share/mimeInk/uri/pnm.desktop
- x ./opt/local/share/mimeInk/uri/rtsp.desktop
- x ./opt/local/share/mimeInk/uri/rtspu.desktop
- x ./opt/local/share/mimeInk/text/calendar.desktop
- x ./opt/local/share/mimeInk/text/css.desktop
- x ./opt/local/share/mimeInk/text/docbook.desktop
- x ./opt/local/share/mimeInk/text/enriched.desktop
- x ./opt/local/share/mimeInk/text/html.desktop
- x ./opt/local/share/mimeInk/text/javascript.desktop
- x ./opt/local/share/mimeInk/text/plain.desktop
- x ./opt/local/share/mimeInk/text/rdf.desktop
- x ./opt/local/share/mimeInk/text/rss.desktop

x ./opt/local/share/mimeInk/text/rtf.desktop
x ./opt/local/share/mimeInk/text/sgml.desktop
x ./opt/local/share/mimeInk/text/vnd.abc.desktop
x ./opt/local/share/mimeInk/text/vnd.wap.wml.desktop
x ./opt/local/share/mimeInk/text/x-adasrc.desktop
x ./opt/local/share/mimeInk/text/x-bibtex.desktop
x ./opt/local/share/mimeInk/text/x-c++hdr.desktop
x ./opt/local/share/mimeInk/text/x-c++src.desktop
x ./opt/local/share/mimeInk/text/x-chdr.desktop
x ./opt/local/share/mimeInk/text/x-csrc.desktop
x ./opt/local/share/mimeInk/text/x-csv.desktop
x ./opt/local/share/mimeInk/text/x-diff.desktop
x ./opt/local/share/mimeInk/text/x-hex.desktop
x ./opt/local/share/mimeInk/text/x-java.desktop
x ./opt/local/share/mimeInk/text/x-katefilelist.desktop
x ./opt/local/share/mimeInk/text/x-latex.desktop
x ./opt/local/share/mimeInk/text/x-ldif.desktop
x ./opt/local/share/mimeInk/text/x-log.desktop
x ./opt/local/share/mimeInk/text/x-lyx.desktop
x ./opt/local/share/mimeInk/text/x-makefile.desktop
x ./opt/local/share/mimeInk/text/x-moc.desktop
x ./opt/local/share/mimeInk/text/x-mswinurl.desktop
x ./opt/local/share/mimeInk/text/x-objchr.desktop
x ./opt/local/share/mimeInk/text/x-objcsrc.desktop

- x ./opt/local/share/mimeInk/text/x-pascal.desktop
- x ./opt/local/share/mimeInk/text/x-perl.desktop
- x ./opt/local/share/mimeInk/text/x-python.desktop
- x ./opt/local/share/mimeInk/text/x-tcl.desktop
- x ./opt/local/share/mimeInk/text/x-tex.desktop
- x ./opt/local/share/mimeInk/text/x-vcalendar.desktop
- x ./opt/local/share/mimeInk/text/x-vcard.desktop
- x ./opt/local/share/mimeInk/text/x-xslfo.desktop
- x ./opt/local/share/mimeInk/text/x-xslt.desktop
- x ./opt/local/share/mimeInk/text/xml.desktop
- x ./opt/local/share/mimeInk/multipart/mixed.desktop
- x ./opt/local/share/mimeInk/multipart/x-mixed-replace.desktop
- x ./opt/local/share/mimeInk/model/vrml.desktop
- x ./opt/local/share/mimeInk/message/news.desktop
- x ./opt/local/share/mimeInk/message/rfc822.desktop
- x ./opt/local/share/mimeInk/inode/block.desktop
- x ./opt/local/share/mimeInk/inode/chardevice.desktop
- x ./opt/local/share/mimeInk/inode/directory-locked.desktop
- x ./opt/local/share/mimeInk/inode/directory.desktop
- x ./opt/local/share/mimeInk/inode/fifo.desktop
- x ./opt/local/share/mimeInk/inode/socket.desktop
- x ./opt/local/share/mimeInk/image/cgm.desktop
- x ./opt/local/share/mimeInk/image/fax-g3.desktop
- x ./opt/local/share/mimeInk/image/fits.desktop

- x ./opt/local/share/mimeInk/image/gif.desktop
- x ./opt/local/share/mimeInk/image/jp2.desktop
- x ./opt/local/share/mimeInk/image/jpeg.desktop
- x ./opt/local/share/mimeInk/image/jpg.desktop
- x ./opt/local/share/mimeInk/image/pjpeg.desktop
- x ./opt/local/share/mimeInk/image/png.desktop
- x ./opt/local/share/mimeInk/image/svg+xml.desktop
- x ./opt/local/share/mimeInk/image/svg+xml.desktop
- x ./opt/local/share/mimeInk/image/tiff.desktop
- x ./opt/local/share/mimeInk/image/wmf.desktop
- x ./opt/local/share/mimeInk/image/x-bmp.desktop
- x ./opt/local/share/mimeInk/image/x-dds.desktop
- x ./opt/local/share/mimeInk/image/x-djvu-2.desktop
- x ./opt/local/share/mimeInk/image/x-djvu.desktop
- x ./opt/local/share/mimeInk/image/x-eps.desktop
- x ./opt/local/share/mimeInk/image/x-exr.desktop
- x ./opt/local/share/mimeInk/image/x-hdr.desktop
- x ./opt/local/share/mimeInk/image/x-ico.desktop
- x ./opt/local/share/mimeInk/image/x-jng.desktop
- x ./opt/local/share/mimeInk/image/x-msod.desktop
- x ./opt/local/share/mimeInk/image/x-pcx.desktop
- x ./opt/local/share/mimeInk/image/x-photo-cd.desktop
- x ./opt/local/share/mimeInk/image/x-portable-bitmap.desktop
- x ./opt/local/share/mimeInk/image/x-portable-greymap.desktop

- x ./opt/local/share/mimeInk/image/x-portable-pixmap.desktop
- x ./opt/local/share/mimeInk/image/x-raw.desktop
- x ./opt/local/share/mimeInk/image/x-rgb.desktop
- x ./opt/local/share/mimeInk/image/x-targa.desktop
- x ./opt/local/share/mimeInk/image/x-vnd.adobe.photoshop.desktop
- x ./opt/local/share/mimeInk/image/x-vnd.trolltech.qpicture.desktop
- x ./opt/local/share/mimeInk/image/x-wmf.desktop
- x ./opt/local/share/mimeInk/image/x-xbm.desktop
- x ./opt/local/share/mimeInk/image/x-xcf-gimp.desktop
- x ./opt/local/share/mimeInk/image/x-xcursor.desktop
- x ./opt/local/share/mimeInk/image/x-xfig.desktop
- x ./opt/local/share/mimeInk/image/x-xpm.desktop
- x ./opt/local/share/mimeInk/audio/aac.desktop
- x ./opt/local/share/mimeInk/audio/ac3.desktop
- x ./opt/local/share/mimeInk/audio/basic.desktop
- x ./opt/local/share/mimeInk/audio/mp4.desktop
- x ./opt/local/share/mimeInk/audio/mpeg.desktop
- x ./opt/local/share/mimeInk/audio/mpegurl.desktop
- x ./opt/local/share/mimeInk/audio/prs.sid.desktop
- x ./opt/local/share/mimeInk/audio/vnd.rn-realaudio.desktop
- x ./opt/local/share/mimeInk/audio/vorbis.desktop
- x ./opt/local/share/mimeInk/audio/x-adpcm.desktop
- x ./opt/local/share/mimeInk/audio/x-aiff.desktop
- x ./opt/local/share/mimeInk/audio/x-flac.desktop

x ./opt/local/share/mimeInk/audio/x-matroska.desktop
x ./opt/local/share/mimeInk/audio/x-midi.desktop
x ./opt/local/share/mimeInk/audio/x-mod.desktop
x ./opt/local/share/mimeInk/audio/x-mp2.desktop
x ./opt/local/share/mimeInk/audio/x-mp3.desktop
x ./opt/local/share/mimeInk/audio/x-mpegurl.desktop
x ./opt/local/share/mimeInk/audio/x-ms-wma.desktop
x ./opt/local/share/mimeInk/audio/x-musepack.desktop
x ./opt/local/share/mimeInk/audio/x-oggflac.desktop
x ./opt/local/share/mimeInk/audio/x-pn-realaudio-plugin.desktop
x ./opt/local/share/mimeInk/audio/x-pn-realaudio.desktop
x ./opt/local/share/mimeInk/audio/x-scpls.desktop
x ./opt/local/share/mimeInk/audio/x-speex.desktop
x ./opt/local/share/mimeInk/audio/x-vorbis.desktop
x ./opt/local/share/mimeInk/audio/x-wav.desktop
x ./opt/local/share/mimeInk/application/chm.desktop
x ./opt/local/share/mimeInk/application/fits.desktop
x ./opt/local/share/mimeInk/application/illustrator.desktop
x ./opt/local/share/mimeInk/application/java.desktop
x ./opt/local/share/mimeInk/application/mathml+xml.desktop
x ./opt/local/share/mimeInk/application/mbox.desktop
x ./opt/local/share/mimeInk/application/msexcel.desktop
x ./opt/local/share/mimeInk/application/mspowerpoint.desktop
x ./opt/local/share/mimeInk/application/msword.desktop

- x ./opt/local/share/mimeInk/application/octet-stream.desktop
- x ./opt/local/share/mimeInk/application/ogg.desktop
- x ./opt/local/share/mimeInk/application/pdf.desktop
- x ./opt/local/share/mimeInk/application/pgp-encrypted.desktop
- x ./opt/local/share/mimeInk/application/pgp-keys.desktop
- x ./opt/local/share/mimeInk/application/pgp-signature.desktop
- x ./opt/local/share/mimeInk/application/pgp.desktop
- x ./opt/local/share/mimeInk/application/pkcs10.desktop
- x ./opt/local/share/mimeInk/application/pkcs7-mime.desktop
- x ./opt/local/share/mimeInk/application/pkcs7-signature.desktop
- x ./opt/local/share/mimeInk/application/postscript.desktop
- x ./opt/local/share/mimeInk/application/relaxng.desktop
- x ./opt/local/share/mimeInk/application/sieve.desktop
- x ./opt/local/share/mimeInk/application/smil.desktop
- x ./opt/local/share/mimeInk/application/vnd.mozilla.xul+xml.desktop
- x ./opt/local/share/mimeInk/application/vnd.ms-asf.desktop
- x ./opt/local/share/mimeInk/application/vnd.ms-excel.desktop
- x ./opt/local/share/mimeInk/application/vnd.ms-powerpoint.desktop
- x ./opt/local/share/mimeInk/application/vnd.ms-word.desktop
- x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.chart.desktop
- x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.formula.desktop
- x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.graphics-template.desktop
- x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.graphics.desktop

x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.image.desktop
x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.presentation-template.desktop
x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.presentation.desktop
x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.spreadsheet-template.desktop
x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.spreadsheet.desktop
x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.text-template.desktop
x ./opt/local/share/mimeInk/application/vnd.oasis.opendocument.text.desktop
x ./opt/local/share/mimeInk/application/vnd.palm.desktop
x ./opt/local/share/mimeInk/application/vnd.rn-realmedia.desktop
x ./opt/local/share/mimeInk/application/vnd.stardivision.calc.desktop
x ./opt/local/share/mimeInk/application/vnd.stardivision.chart.desktop
x ./opt/local/share/mimeInk/application/vnd.stardivision.draw.desktop
x ./opt/local/share/mimeInk/application/vnd.stardivision.impress.desktop
x ./opt/local/share/mimeInk/application/vnd.stardivision.math.desktop
x ./opt/local/share/mimeInk/application/vnd.stardivision.writer-global.desktop
x ./opt/local/share/mimeInk/application/vnd.stardivision.writer.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.base.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.calc.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.calc.template.desktop

x ./opt/local/share/mimeInk/application/vnd.sun.xml.draw.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.draw.template.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.impress.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.impress.template.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.writer.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.writer.master.desktop
x ./opt/local/share/mimeInk/application/vnd.sun.xml.writer.template.desktop
x ./opt/local/share/mimeInk/application/wordperfect.desktop
x ./opt/local/share/mimeInk/application/x-7z.desktop
x ./opt/local/share/mimeInk/application/x-abiword.desktop
x ./opt/local/share/mimeInk/application/x-ace.desktop
x ./opt/local/share/mimeInk/application/x-afm.desktop
x ./opt/local/share/mimeInk/application/x-amipro.desktop
x ./opt/local/share/mimeInk/application/x-applix.desktop
x ./opt/local/share/mimeInk/application/x-applixgraphics.desktop
x ./opt/local/share/mimeInk/application/x-applixspread.desktop
x ./opt/local/share/mimeInk/application/x-applixword.desktop
x ./opt/local/share/mimeInk/application/x-arc.desktop
x ./opt/local/share/mimeInk/application/x-archive.desktop
x ./opt/local/share/mimeInk/application/x-arj.desktop
x ./opt/local/share/mimeInk/application/x-awk.desktop
x ./opt/local/share/mimeInk/application/x-bittorrent.desktop
x ./opt/local/share/mimeInk/application/x-bz2dvi.desktop
x ./opt/local/share/mimeInk/application/x-bzip.desktop

x ./opt/local/share/mimeInk/application/x-bzip2.desktop
x ./opt/local/share/mimeInk/application/x-cda.desktop
x ./opt/local/share/mimeInk/application/x-compress.desktop
x ./opt/local/share/mimeInk/application/x-core.desktop
x ./opt/local/share/mimeInk/application/x-cpio.desktop
x ./opt/local/share/mimeInk/application/x-cue.desktop
x ./opt/local/share/mimeInk/application/x-dbase.desktop
x ./opt/local/share/mimeInk/application/x-deb.desktop
x ./opt/local/share/mimeInk/application/x-debian-package.desktop
x ./opt/local/share/mimeInk/application/x-designer.desktop
x ./opt/local/share/mimeInk/application/x-desktop.desktop
x ./opt/local/share/mimeInk/application/x-dvi.desktop
x ./opt/local/share/mimeInk/application/x-executable-script.desktop
x ./opt/local/share/mimeInk/application/x-executable.desktop
x ./opt/local/share/mimeInk/application/x-font-bdf.desktop
x ./opt/local/share/mimeInk/application/x-font-ghostscript.desktop
x ./opt/local/share/mimeInk/application/x-font-otf.desktop
x ./opt/local/share/mimeInk/application/x-font-pcf.desktop
x ./opt/local/share/mimeInk/application/x-font-snf.desktop
x ./opt/local/share/mimeInk/application/x-font-speedo.desktop
x ./opt/local/share/mimeInk/application/x-font-ttc.desktop
x ./opt/local/share/mimeInk/application/x-font-ttf.desktop
x ./opt/local/share/mimeInk/application/x-font-type1.desktop
x ./opt/local/share/mimeInk/application/x-gettext.desktop

x ./opt/local/share/mimelnk/application/x-gnumeric.desktop
x ./opt/local/share/mimelnk/application/x-graphite.desktop
x ./opt/local/share/mimelnk/application/x-gzdvi.desktop
x ./opt/local/share/mimelnk/application/x-gzip.desktop
x ./opt/local/share/mimelnk/application/x-gzpostscript.desktop
x ./opt/local/share/mimelnk/application/x-hancomword.desktop
x ./opt/local/share/mimelnk/application/x-ica.desktop
x ./opt/local/share/mimelnk/application/x-iso.desktop
x ./opt/local/share/mimelnk/application/x-jar.desktop
x ./opt/local/share/mimelnk/application/x-java-applet.desktop
x ./opt/local/share/mimelnk/application/x-java-jnlp-file.desktop
x ./opt/local/share/mimelnk/application/x-java.desktop
x ./opt/local/share/mimelnk/application/x-javascript.desktop
x ./opt/local/share/mimelnk/application/x-karbon.desktop
x ./opt/local/share/mimelnk/application/x-kchart.desktop
x ./opt/local/share/mimelnk/application/x-kcsrc.desktop
x ./opt/local/share/mimelnk/application/x-kde-wallet.desktop
x ./opt/local/share/mimelnk/application/x-kformula.desktop
x ./opt/local/share/mimelnk/application/x-kivio.desktop
x ./opt/local/share/mimelnk/application/x-kontour.desktop
x ./opt/local/share/mimelnk/application/x-kpovmodeler.desktop
x ./opt/local/share/mimelnk/application/x-kpresenter.desktop
x ./opt/local/share/mimelnk/application/x-krita.desktop
x ./opt/local/share/mimelnk/application/x-kspread.desktop

x ./opt/local/share/mimeInk/application/x-kudesigner.desktop
x ./opt/local/share/mimeInk/application/x-kugar.desktop
x ./opt/local/share/mimeInk/application/x-kword.desktop
x ./opt/local/share/mimeInk/application/x-lha.desktop
x ./opt/local/share/mimeInk/application/x-linguist.desktop
x ./opt/local/share/mimeInk/application/x-lyx.desktop
x ./opt/local/share/mimeInk/application/x-lzop.desktop
x ./opt/local/share/mimeInk/application/x-magicpoint.desktop
x ./opt/local/share/mimeInk/application/x-mimearchive.desktop
x ./opt/local/share/mimeInk/application/x-mpplayer2.desktop
x ./opt/local/share/mimeInk/application/x-msaccess.desktop
x ./opt/local/share/mimeInk/application/x-msdos-program.desktop
x ./opt/local/share/mimeInk/application/x-msmetafile.desktop
x ./opt/local/share/mimeInk/application/x-mswrite.desktop
x ./opt/local/share/mimeInk/application/x-object.desktop
x ./opt/local/share/mimeInk/application/x-ogg.desktop
x ./opt/local/share/mimeInk/application/x-ooimpress.desktop
x ./opt/local/share/mimeInk/application/x-oowriter.desktop
x ./opt/local/share/mimeInk/application/x-pak.desktop
x ./opt/local/share/mimeInk/application/x-perl-module.desktop
x ./opt/local/share/mimeInk/application/x-perl.desktop
x ./opt/local/share/mimeInk/application/x-php.desktop
x ./opt/local/share/mimeInk/application/x-pkcs12.desktop
x ./opt/local/share/mimeInk/application/x-python-bytecode.desktop

- x ./opt/local/share/mimeInk/application/x-python.desktop
- x ./opt/local/share/mimeInk/application/x-quattropro.desktop
- x ./opt/local/share/mimeInk/application/x-rar-compressed.desktop
- x ./opt/local/share/mimeInk/application/x-rar.desktop
- x ./opt/local/share/mimeInk/application/x-rpm.desktop
- x ./opt/local/share/mimeInk/application/x-ruby.desktop
- x ./opt/local/share/mimeInk/application/x-sharedlib.desktop
- x ./opt/local/share/mimeInk/application/x-shellscript.desktop
- x ./opt/local/share/mimeInk/application/x-shockwave-flash.desktop
- x ./opt/local/share/mimeInk/application/x-sqlite2.desktop
- x ./opt/local/share/mimeInk/application/x-sqlite3.desktop
- x ./opt/local/share/mimeInk/application/x-tar.desktop
- x ./opt/local/share/mimeInk/application/x-tarz.desktop
- x ./opt/local/share/mimeInk/application/x-tbz.desktop
- x ./opt/local/share/mimeInk/application/x-tex-gf.desktop
- x ./opt/local/share/mimeInk/application/x-tex-pk.desktop
- x ./opt/local/share/mimeInk/application/x-tgif.desktop
- x ./opt/local/share/mimeInk/application/x-tgz.desktop
- x ./opt/local/share/mimeInk/application/x-trash.desktop
- x ./opt/local/share/mimeInk/application/x-troff-man.desktop
- x ./opt/local/share/mimeInk/application/x-troff.desktop
- x ./opt/local/share/mimeInk/application/x-tzo.desktop
- x ./opt/local/share/mimeInk/application/x-vnd.kde.kexi.desktop
- x ./opt/local/share/mimeInk/application/x-vnd.kde.kplato.desktop

- x ./opt/local/share/mimelnk/application/x-vnd.kde.kugar.mixed.desktop
- x ./opt/local/share/mimelnk/application/x-webarchive.desktop
- x ./opt/local/share/mimelnk/application/x-x509-ca-cert.desktop
- x ./opt/local/share/mimelnk/application/x-xliff.desktop
- x ./opt/local/share/mimelnk/application/x-zerosize.desktop
- x ./opt/local/share/mimelnk/application/x-zip-compressed.desktop
- x ./opt/local/share/mimelnk/application/x-zip.desktop
- x ./opt/local/share/mimelnk/application/x-zoo.desktop
- x ./opt/local/share/mimelnk/application/xhtml+xml.desktop
- x ./opt/local/share/mimelnk/application/xml-dtd.desktop
- x ./opt/local/share/mimelnk/application/xml.desktop
- x ./opt/local/share/mimelnk/application/xsd.desktop
- x ./opt/local/share/mimelnk/all/all.desktop
- x ./opt/local/share/mimelnk/all/allfiles.desktop
- x ./opt/local/share/man/man1/
- x ./opt/local/share/man/man7/
- x ./opt/local/share/man/man8/
- x ./opt/local/share/man/man8/kbuildsycoca.8.gz
- x ./opt/local/share/man/man7/kdeoptions.7.gz
- x ./opt/local/share/man/man7/qtoptions.7.gz
- x ./opt/local/share/man/man1/artsmessage.1.gz
- x ./opt/local/share/man/man1/checkXML.1.gz
- x ./opt/local/share/man/man1/dcop.1.gz
- x ./opt/local/share/locale/all_languages

```
x ./opt/local/share/icons/crystalsvg/  
x ./opt/local/share/icons/default.kde  
x ./opt/local/share/icons/crystalsvg/128x128/  
x ./opt/local/share/icons/crystalsvg/16x16/  
x ./opt/local/share/icons/crystalsvg/22x22/  
x ./opt/local/share/icons/crystalsvg/32x32/  
x ./opt/local/share/icons/crystalsvg/48x48/  
x ./opt/local/share/icons/crystalsvg/64x64/  
x ./opt/local/share/icons/crystalsvg/index.theme  
x ./opt/local/share/icons/crystalsvg/scalable/  
x ./opt/local/share/icons/crystalsvg/scalable/actions/  
x ./opt/local/share/icons/crystalsvg/scalable/apps/  
x ./opt/local/share/icons/crystalsvg/scalable/devices/  
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/applix.svgz  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/ascii.svgz  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/binary.svgz  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/cdimage.svgz  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/cdr.svgz  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/cdtrack.svgz  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/colorscm.svgz  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/core.svgz  
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/deb.svgz
```

x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/document.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/document2.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/dvi.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/empty.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/encrypted.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/exec_wine.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/file_locked.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/file_temporary.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/font.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/font_bitmap.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/font_truetype.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/font_type1.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/gf.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/html.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/image.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/image2.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/karbon_karbon.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/kexi_kexi.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/kmultiple.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/koffice.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/kugardata.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/log.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/make.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/man.svgz

x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/message.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/metafont.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/mozilla_doc.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/netcape_doc.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/pdf.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/pk.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/postscript.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/quicktime.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/readme.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/recycled.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/resource.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/rpm.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/shellscript.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/soffice.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/sound.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_c.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_cpp.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_f.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_h.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_j.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_java.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_l.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_moc.svgz

x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_o.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_p.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_php.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_pl.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_py.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_s.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/source_y.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/spreadsheet.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/tar.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/tex.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/tgz.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/txt.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/txt2.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/unknown.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/vcalendar.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/vcard.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/vectorgfx.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/video.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/widget_doc.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/wordprocessing.svgz
x ./opt/local/share/icons/crystalsvg/scalable/mimetypes/zip.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/desktop.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/exec.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/exec_wine.svgz

x ./opt/local/share/icons/crystalsvg/scalable/filesystems/file_broken.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/file_important.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/file_locked.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_blue.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_blue_open.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_cyan.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_cyan_open.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_favorite.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_green.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_green_open.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_grey.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_home.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_html.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_image.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_important.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_locked.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_man.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_man2.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_open.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_orange.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_orange_open.svgz
z
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_print.svgz

x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_red.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_red_open.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_sound.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_tar.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_txt.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_violet.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_violet_open.svgz
Z
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_yellow.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/folder_yellow_open.svgz
Z
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/home_blue.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/home_white.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/link_overlay.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/lock_overlay.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/network.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/network_local.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/pipe.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/services.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/temporary.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/trashcan_empty.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/trashcan_full.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/www.svgz
x ./opt/local/share/icons/crystalsvg/scalable/filesystems/zip_overlay.svgz

x ./opt/local/share/icons/crystalsvg/scalable/devices/3floppy_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/3floppy_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/5floppy_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/5floppy_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/blockdevice.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/camera_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/camera_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/cdaudio_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/cdaudio_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/cdrom_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/cdrom_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/cdwriter_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/cdwriter_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/chardevice.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/compact_flash_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/compact_flash_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/dvd_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/dvd_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/hdd_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/hdd_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/ipod_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/ipod_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/joystick.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/memory.svgz

x ./opt/local/share/icons/crystalsvg/scalable/devices/memory_stick_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/memory_stick_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/mo_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/mo_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/mo_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/mouse.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/nfs_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/nfs_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/pda_black.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/pda_blue.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/print_class.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/printer1.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/scanner.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/sd_mmc_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/sd_mmc_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/smartmedia_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/smartmedia_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/system.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/tablet.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/tv.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/usbpendrive_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/usbpendrive_unmount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/zip_mount.svgz
x ./opt/local/share/icons/crystalsvg/scalable/devices/zip_unmount.svgz

x ./opt/local/share/icons/crystalsvg/scalable/apps/kmenu.svgz
x ./opt/local/share/icons/crystalsvg/scalable/apps/kttsd.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/about_kde.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/add.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/back.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/bottom.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/colorpicker.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/configure.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/contents2.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/down.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/eraser.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/exit.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/fileclose.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/filenew.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/fileopen.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/fileprint.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/filequickprint.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/finish.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/forward.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/frameprint.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/gohome.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/info.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/launch.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/lock.svgz

x ./opt/local/share/icons/crystalsvg/scalable/actions/mail_generic.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/mail_get.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/mail_new.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/mail_post_to.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/next.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/player_eject.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/player_fwd.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/player_next.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/player_pause.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/player_play.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/player_rew.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/player_start.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/player_stop.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/previous.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/reload.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/reload_all_tabs.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/reload_page.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/remove.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/rotate.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/rotate_ccw.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/rotate_cw.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/share.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/start.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/stop.svgz

x ./opt/local/share/icons/crystalsvg/scalable/actions/switchuser.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/text_bild.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/text_bold.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/text_italic.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/text_strike.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/text_sub.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/text_super.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/text_under.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/top.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/up.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/view_fit_height.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/view_fit_width.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/view_fit_window.svgz
x ./opt/local/share/icons/crystalsvg/scalable/actions/wizard.svgz
x ./opt/local/share/icons/crystalsvg/64x64/actions/
x ./opt/local/share/icons/crystalsvg/64x64/apps/
x ./opt/local/share/icons/crystalsvg/64x64/devices/
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/applix.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/ascii.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/binary.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/bt.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/cdimage.png

x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/cdr.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/cdtrack.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/colorscm.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/core.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/deb.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/document.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/document2.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/dvi.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/empty.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/encrypted.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/exec_wine.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/font.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/font_bitmap.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/font_truetype.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/font_type1.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/gf.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/html.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/image.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/info.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/karbon_karbon.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kchart_chrt.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kformula_kfo.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kivio_flw.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kmultiple.png

x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/koffice.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kpresenter_kpr.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/krita_kra.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kspread_ksp.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kugar_kud.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/kword_kwd.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/log.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/make.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/man.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/message.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/metafont.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/midi.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/misc.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/mozilla_doc.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/netcape_doc.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/pdf.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/pk.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/postscript.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/quicktime.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/readme.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/recycled.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/resource.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/rpm.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/shellscript.png

x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/soffice.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/sound.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_c.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_cpp.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_f.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_h.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_j.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_java.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_l.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_moc.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_o.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_p.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_php.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_pl.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_py.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_s.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/source_y.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/spreadsheet.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/tar.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/template_source.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/tex.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/tgz.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/txt.png

x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/txt2.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/unknown.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/vcalendar.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/vcard.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/vectorgfx.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/video.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/widget_doc.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/wordprocessing.png
x ./opt/local/share/icons/crystalsvg/64x64/mimetypes/zip.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/desktop.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/exec.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/file_broken.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_crystal.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_favorite.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_green.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_green_open.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_grey.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_grey_open.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_home.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_home2.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_html.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_image.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_important.png

x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_locked.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_man.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_open.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_orange.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_orange_open.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_print.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_red.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_red_open.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_sound.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_tar.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_txt.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_video.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_violet.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_violet_open.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_yellow.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/folder_yellow_open.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/link_overlay.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/lock_overlay.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/network.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/network_local.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/pipe.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/trashcan_empty.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/trashcan_full.png
x ./opt/local/share/icons/crystalsvg/64x64/filesystems/www.png

x ./opt/local/share/icons/crystalsvg/64x64/filesystems/zip_overlay.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/3floppy_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/3floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/5floppy_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/5floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/blockdevice.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/camera_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/camera_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/cdaudio_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/cdaudio_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/cdrom_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/cdrom_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/cdwriter_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/cdwriter_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/chardevice.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/compact_flash_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/compact_flash_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/dvd_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/dvd_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/hdd_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/hdd_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/ipod_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/ipod_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/joystick.png

x ./opt/local/share/icons/crystalsvg/64x64/devices/memory.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/memory_stick_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/memory_stick_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/mo_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/mo_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/mouse.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/nfs_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/nfs_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/pda_black.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/pda_blue.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/print_class.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/printer1.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/scanner.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/sd_mmc_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/sd_mmc_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/smart_media_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/smart_media_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/system.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/tablet.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/tv.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/usbpendrive_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/usbpendrive_unmount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/zip_mount.png
x ./opt/local/share/icons/crystalsvg/64x64/devices/zip_unmount.png

x ./opt/local/share/icons/crystalsvg/64x64/apps/kmenu.png
x ./opt/local/share/icons/crystalsvg/64x64/apps/kttsd.png
x ./opt/local/share/icons/crystalsvg/64x64/apps/password.png
x ./opt/local/share/icons/crystalsvg/64x64/actions/favorites.png
x ./opt/local/share/icons/crystalsvg/64x64/actions/fileopen.png
x ./opt/local/share/icons/crystalsvg/64x64/actions/knewstuff.png
x ./opt/local/share/icons/crystalsvg/64x64/actions/player_play.png
x ./opt/local/share/icons/crystalsvg/64x64/actions/share.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/
x ./opt/local/share/icons/crystalsvg/48x48/apps/
x ./opt/local/share/icons/crystalsvg/48x48/devices/
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/applix.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/ascii.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/binary.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/bt.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/cdimage.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/cdr.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/cdtrack.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/colorscm.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/core.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/deb.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/document.png

x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/document2.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/dvi.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/empty.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/encrypted.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/exec_wine.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/font.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/font_bitmap.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/font_truetype.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/font_type1.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/gettext.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/gf.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/html.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/image.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/info.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/karbon_karbon.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kchart_chrt.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kexi_kexi.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kformula_kfo.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kivio_flw.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kmultiple.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/koffice.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kpresenter_kpr.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/krita_kra.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kspread_ksp.png

x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kugar_kud.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/kword_kwd.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/log.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/make.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/man.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/message.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/metafont.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/midi.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/misc.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/mozilla_doc.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/netscape_doc.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/pdf.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/pk.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/postscript.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/quicktime.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/readme.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/recycled.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/resource.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/rpm.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/shellscript.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/soffice.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/sound.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_c.png

x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_cpp.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_f.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_h.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_j.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_java.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_l.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_moc.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_o.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_p.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_php.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_pl.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_py.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_s.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/source_y.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/spreadsheet.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/tar.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/template_source.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/tex.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/tgz.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/txt.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/txt2.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/unknown.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/vcalendar.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/vcard.png

x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/vectorgfx.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/video.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/widget_doc.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/wordprocessing.png
x ./opt/local/share/icons/crystalsvg/48x48/mimetypes/zip.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/desktop.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/exec.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/file_broken.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_crystal.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_favorite.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_green.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_green_open.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_grey.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_grey_open.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_home.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_home2.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_html.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_image.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_important.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_inbox.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_locked.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_man.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_open.png

x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_orange.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_orange_open.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_outbox.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_print.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_red.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_red_open.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_sound.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_tar.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_txt.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_video.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_violet.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_violet_open.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_yellow.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/folder_yellow_open.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/ftp.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/link_overlay.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/lock_overlay.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/network.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/network_local.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/pipe.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/server.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/trashcan_empty.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/trashcan_full.png
x ./opt/local/share/icons/crystalsvg/48x48/filesystems/www.png

x ./opt/local/share/icons/crystalsvg/48x48/filesystems/zip_overlay.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/3floppy_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/3floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/5floppy_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/5floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/blockdevice.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/camera_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/camera_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/cdaudio_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/cdaudio_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/cdrom_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/cdrom_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/cdwriter_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/cdwriter_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/chardevice.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/compact_flash_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/compact_flash_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/dvd_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/dvd_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/hdd_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/hdd_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/ipod_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/ipod_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/joystick.png

x ./opt/local/share/icons/crystalsvg/48x48/devices/memory.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/memory_stick_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/memory_stick_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/mo_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/mo_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/mouse.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/nfs_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/nfs_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/pda_black.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/pda_blue.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/print_class.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/printer1.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/scanner.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/sd_mmc_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/sd_mmc_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/smart_media_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/smart_media_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/system.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/tablet.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/tv.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/usbpendrive_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/usbpendrive_unmount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/zip_mount.png
x ./opt/local/share/icons/crystalsvg/48x48/devices/zip_unmount.png

x ./opt/local/share/icons/crystalsvg/48x48/apps/kmenu.png
x ./opt/local/share/icons/crystalsvg/48x48/apps/kttsd.png
x ./opt/local/share/icons/crystalsvg/48x48/apps/password.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/add.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/back.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/bookmark.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/colorpicker.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/contents2.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/down.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/eraser.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/exit.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/fileclose.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/filenew.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/fileprint.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/filequickprint.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/forward.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/frameprint.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/gear.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/gohome.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/identity.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/indent.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/kde.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/launch.png
x ./opt/local/share/icons/crystalsvg/48x48/actions/lock.png

- x ./opt/local/share/icons/crystalsvg/48x48/actions/mail_new.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/mail_post_to.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/misc.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/next.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/player_playlist.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/presence_away.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/presence_offline.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/presence_online.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/previous.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/reload.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/reload_all_tabs.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/reload_page.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/remove.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/rotate.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/rotate_ccw.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/rotate_cw.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/share.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/stop.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/switchuser.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/unindent.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/up.png
- x ./opt/local/share/icons/crystalsvg/48x48/actions/wizard.png
- x ./opt/local/share/icons/crystalsvg/32x32/actions/
- x ./opt/local/share/icons/crystalsvg/32x32/apps/

x ./opt/local/share/icons/crystalsvg/32x32/devices/
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/applix.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/ascii.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/binary.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/bt.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/cdimage.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/cdr.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/cdtrack.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/colorscm.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/core.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/deb.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/document.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/document2.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/dvi.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/empty.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/exec_wine.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/file_locked.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/file_temporary.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/font.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/font_bitmap.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/font_truetype.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/font_type1.png

x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/gettext.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/gf.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/html.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/image.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/info.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/karbon_karbon.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kchart_chrt.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kexi_kexi.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kformula_kfo.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kivio_flw.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kmultiple.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kpresenter_kpr.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/krita_kra.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kspread_ksp.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kugar_kud.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/kword_kwd.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/log.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/make.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/man.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/message.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/metafont.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/midi.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/misc.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/netscape_doc.png

x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/pdf.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/pk.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/postscript.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/quicktime.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/readme.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/recycled.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/resource.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/rpm.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/shellscript.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/soffice.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/sound.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_c.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_cpp.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_f.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_h.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_j.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_java.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_l.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_moc.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_o.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_p.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_php.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_pl.png

x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_py.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_s.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/source_y.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/spreadsheet.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/tar.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/template_source.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/tex.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/tgz.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/txt.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/txt2.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/unknown.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/vcalendar.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/vcard.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/vectorgfx.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/video.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/widget_doc.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/wordprocessing.png
x ./opt/local/share/icons/crystalsvg/32x32/mimetypes/zip.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/desktop.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/exec.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/file_broken.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_crystal.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_favorite.png

x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_green.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_green_open.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_grey.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_grey_open.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_home.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_home2.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_html.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_image.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_important.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_locked.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_man.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_open.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_orange.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_orange_open.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_print.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_red.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_red_open.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_sound.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_tar.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_txt.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_video.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_violet.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_violet_open.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_yellow.png

x ./opt/local/share/icons/crystalsvg/32x32/filesystems/folder_yellow_open.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/ftp.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/link_overlay.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/lock_overlay.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/network.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/network_local.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/pipe.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/trashcan_empty.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/trashcan_full.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/www.png
x ./opt/local/share/icons/crystalsvg/32x32/filesystems/zip_overlay.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/3floppy_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/3floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/5floppy_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/5floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/blockdevice.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/camera_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/camera_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/cdaudio_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/cdaudio_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/cdrom_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/cdrom_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/cdwriter_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/cdwriter_unmount.png

x ./opt/local/share/icons/crystalsvg/32x32/devices/chardevice.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/compact_flash_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/compact_flash_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/dvd_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/dvd_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/hdd_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/hdd_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/ipod_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/ipod_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/joystick.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/memory.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/memory_stick_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/memory_stick_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/mo_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/mo_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/mouse.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/nfs_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/nfs_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/pda_black.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/pda_blue.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/print_class.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/printer1.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/scanner.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/sd_mmc_mount.png

x ./opt/local/share/icons/crystalsvg/32x32/devices/sd_mmc_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/smart_media_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/smart_media_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/system.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/tablet.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/tv.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/usbpendrive_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/usbpendrive_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/zip_mount.png
x ./opt/local/share/icons/crystalsvg/32x32/devices/zip_unmount.png
x ./opt/local/share/icons/crystalsvg/32x32/apps/kmenu.png
x ./opt/local/share/icons/crystalsvg/32x32/apps/kttsd.png
x ./opt/local/share/icons/crystalsvg/32x32/apps/password.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/about_kde.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/add.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/apply.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/attach.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/back.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/blend.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/bookmark.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/bookmark_add.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/bookmark_folder.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/bookmark_toolbar.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/bookmarks_list_add.png

x ./opt/local/share/icons/crystalsvg/32x32/actions/bottom.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/button_cancel.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/button_ok.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/centrejust.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/charset.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/clear_left.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/colorize.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/colorpicker.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/compfile.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/configure.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/connect_creating.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/connect_established.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/connect_no.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/contents.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/contents2.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/contexthelp.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/decrypted.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/down.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/edit.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/editclear.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/editcopy.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/editcut.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/editdelete.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/editpaste.png

x ./opt/local/share/icons/crystalsvg/32x32/actions/editshred.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/edittrash.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/emptytrash.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/encrypted.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/eraser.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/exec.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/exit.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/fileclose.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/filefind.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/fileimport.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/filenew.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/fileopen.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/fileprint.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/filequickprint.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/filesave.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/filesaveas.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/filter.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/find.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/finish.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/folder_new.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/fonts.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/forward.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/frameprint.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/gear.png

x ./opt/local/share/icons/crystalsvg/32x32/actions/gohome.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/goto.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/halfencrypted.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/help.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/identity.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/indent.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/kde.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/kdevelop_down.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/knewstuff.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/launch.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/leftjust.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/locationbar_erase.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/lock.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_delete.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_find.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_forward.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_generic.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_get.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_new.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_post_to.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_reply.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_replyall.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_replylist.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mail_send.png

x ./opt/local/share/icons/crystalsvg/32x32/actions/make_kdevelop.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_abs.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_brace.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_brackets.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_frac.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_int.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_lsub.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_lsup.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_matrix.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_onetwomatrix.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_paren.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_prod.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_rsub.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_rsup.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_sqrt.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/math_sum.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/messagebox_critical.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/messagebox_info.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/messagebox_warning.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/misc.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/mouse.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_32ndnote.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_cleficon.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_cross.png

x ./opt/local/share/icons/crystalsvg/32x32/actions/music_dottednote.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_eighthnote.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_fermatenote.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_flat.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_fullnote.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_halfnote.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_natur.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_quarternote.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/music_sixteenthnote.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/next.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/openterm.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_eject.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_end.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_fwd.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_pause.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_play.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_playlist.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_rew.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_start.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/player_stop.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/presence_away.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/presence_offline.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/presence_online.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/presence_unknown.png

x ./opt/local/share/icons/crystalsvg/32x32/actions/previous.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/project_open.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/queue.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/rebuild.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/redo.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/reload.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/reload_all_tabs.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/reload_page.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/remove.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/revert.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/rightjust.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/rotate.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/rotate_ccw.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/rotate_cw.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/run.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/save_all.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/share.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/show_side_panel.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/signature.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/spellcheck.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/start.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/stop.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/switchuser.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_block.png

x ./opt/local/share/icons/crystalsvg/32x32/actions/text_bold.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_center.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_italic.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_left.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_right.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_strike.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_sub.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_super.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/text_under.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/today.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/toggle_log.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/top.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/undo.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/unindent.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/unlock.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/up.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_bottom.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_choose.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_detailed.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_fit_height.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_fit_width.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_fit_window.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_icon.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_left_right.png

x ./opt/local/share/icons/crystalsvg/32x32/actions/view_multicolumn.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_remove.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_right.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_sidetree.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_text.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_top_bottom.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/view_tree.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/viewmag+.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/viewmag-.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/viewmag.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/viewmag1.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/viewmagfit.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/window_fullscreen.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/window_new.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/window_nofullscreen.png
x ./opt/local/share/icons/crystalsvg/32x32/actions/wizard.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/
x ./opt/local/share/icons/crystalsvg/22x22/apps/
x ./opt/local/share/icons/crystalsvg/22x22/devices/
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/applix.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/ascii.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/binary.png

x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/bt.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/cdimage.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/cdtrack.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/colorscm.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/core.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/deb.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/document.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/document2.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/dvi.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/empty.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/encrypted.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/exec_wine.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/file_locked.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/file_temporary.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/font.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/font_bitmap.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/font_truetype.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/font_type1.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/gf.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/html.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/image.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/info.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/karbon_karbon.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kchart_chrt.png

x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kexi_kexi.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kformula_kfo.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kivio_flw.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kmultiple.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/koffice.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kpresenter_kpr.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/krita_kra.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kspread_ksp.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/kugar_kud.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/keyword_kwd.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/log.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/make.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/man.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/message.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/metafont.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/midi.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/mozilla_doc.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/netscape_doc.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/news.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/pdf.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/pk.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/postscript.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/quicktime.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/readme.png

x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/recycled.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/rpm.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/shellscript.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/soffice.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/sound.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_c.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_cpp.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_f.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_h.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_j.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_java.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_l.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_moc.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_o.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_p.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_pl.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_py.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_s.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/source_y.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/spreadsheet.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/tar.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/tex.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/tgz.png

x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/txt.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/txt2.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/unknown.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/vcalendar.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/vcard.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/vectorgfx.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/video.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/widget_doc.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/wordprocessing.png
x ./opt/local/share/icons/crystalsvg/22x22/mimetypes/zip.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/desktop.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_green.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_green_open.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_grey.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_grey_open.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_home.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_open.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_orange.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_orange_open.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_print.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_red.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_red_open.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_violet.png

x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_violet_open.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_yellow.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/folder_yellow_open.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/link_overlay.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/network.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/trashcan_empty.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/trashcan_full.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/www.png
x ./opt/local/share/icons/crystalsvg/22x22/filesystems/zip_overlay.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/3floppy_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/3floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/camera_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/camera_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/cdaudio_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/compact_flash_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/compact_flash_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/hdd_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/hdd_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/ipod_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/ipod_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/joystick.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/memory_stick_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/memory_stick_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/print_class.png

x ./opt/local/share/icons/crystalsvg/22x22/devices/printer1.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/sd_mmc_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/sd_mmc_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/smart_media_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/smart_media_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/system.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/usbpendrive_mount.png
x ./opt/local/share/icons/crystalsvg/22x22/devices/usbpendrive_unmount.png
x ./opt/local/share/icons/crystalsvg/22x22/apps/kmenu.png
x ./opt/local/share/icons/crystalsvg/22x22/apps/ktttsd.png
x ./opt/local/share/icons/crystalsvg/22x22/apps/password.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/1downarrow.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/1leftarrow.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/1rightarrow.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/1uparrow.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/2downarrow.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/2leftarrow.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/2rightarrow.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/2uparrow.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/about_kde.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/add.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/airbrush.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/apply.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/attach.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/back.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/blend.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/bookmark.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/bookmark_add.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/bookmark_folder.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/bookmarks_list_add.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/bottom.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/button_cancel.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/button_ok.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/cd.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/centrejust.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/charset.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/clear_left.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/color_fill.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/color_line.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/colorize.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/colorpicker.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/compfile.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/configure.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/connect_creating.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/connect_established.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/connect_no.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/contents.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/contents2.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/contexthelp.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/crop.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/dbgnext.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/dbgrun.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/dbgrunto.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/dbgstep.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/decrypted.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/down.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/edit.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/editclear.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/editcopy.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/editcut.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/editdelete.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/editpaste.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/editshred.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/edittrash.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/emptytrash.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/encrypted.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/eraser.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/exec.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/exit.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/fileclose.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/fileexport.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/filefind.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/fileimport.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/filenew.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/fileopen.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/fileprint.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/filequickprint.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/filesave.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/filesaveas.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/fill.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/filter.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/find.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/finish.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/folder.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/folder_new.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/fontsize-down.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/fontsize-up.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/fork.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/forward.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/frame_chart.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/frame_edit.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/frame_formula.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/frame_image.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/frame_query.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/frame_spreadsheet.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/frame_text.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/frameprint.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/gear.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/gohome.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/goto.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/halfencrypted.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/help.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/history.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/idea.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/identity.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/inline_image.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/inline_table.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/kde.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/key_enter.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/launch.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/leftjust.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/locationbar_erase.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/lock.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_delete.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_find.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_forward.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_generic.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_get.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_new.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_new3.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_post_to.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_post_to3.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_reply.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_replyall.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_replylist.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/mail_send.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/make_kdevelop.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_abs.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_brace.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_brackets.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_frac.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_int.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_lsub.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_lsup.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_matrix.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_onetwomatrix.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_paren.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_prod.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_rsub.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_rsup.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_sqrt.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/math_sum.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/message_reply.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/misc.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/mouse.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/move.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_32ndnote.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_cleficon.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_cross.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_dottednote.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_eighthnote.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_fermatenote.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_flat.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_fullnote.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_halfnote.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_natur.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_quarternote.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/music_sixteenthnote.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/news_subscribe.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/news_unsubscribe.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/next.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/openterm.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/paintbrush.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/pencil.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/player_eject.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/player_end.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/player_fwd.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/player_pause.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/player_play.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/player_playlist.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/player_rew.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/player_start.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/player_stop.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/previous.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/project_open.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/queue.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/rebuild.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/redo.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/reload.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/reload3.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/reload_all_tabs.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/reload_page.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/remove.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/revert.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/rightjust.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/rotate.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/rotate_ccw.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/rotate_cw.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/run.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/save_all.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/share.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/show_side_panel.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/showmenu.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/signature.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/spellcheck.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/start.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/stop.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/switchuser.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_block.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_bold.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_center.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_italic.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_left.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_right.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_strike.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_sub.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_super.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/text_under.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/thumbnail.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/today.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/toggle_log.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/top.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/translate.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/undo.png
x ./opt/local/share/icons/crystalsvg/22x22/actions/unlock.png

- x ./opt/local/share/icons/crystalsvg/22x22/actions/up.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_bottom.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_choose.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_detailed.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_fit_height.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_fit_width.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_fit_window.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_icon.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_left_right.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_multicolumn.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_remove.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_right.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_sidetree.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_text.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_top_bottom.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/view_tree.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/viewmag+.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/viewmag-.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/viewmag.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/viewmag1.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/viewmagfit.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/window_fullscreen.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/window_new.png
- x ./opt/local/share/icons/crystalsvg/22x22/actions/window_nofullscreen.png

x ./opt/local/share/icons/crystalsvg/22x22/actions/wizard.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/
x ./opt/local/share/icons/crystalsvg/16x16/apps/
x ./opt/local/share/icons/crystalsvg/16x16/devices/
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/applix.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/ascii.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/binary.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/bt.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/cdimage.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/cdr.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/cdtrack.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/colorscm.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/core.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/deb.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/document.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/document2.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/dvi.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/empty.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/encrypted.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/exec_wine.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/font.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/font_bitmap.png

x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/font_truetype.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/font_type1.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/gettext.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/gf.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/html.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/image.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/info.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/karbon_karbon.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kchart_chrt.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kexi_kexi.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kformula_kfo.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kivio_flw.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kmultiple.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kpresenter_kpr.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/krita_kra.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kspread_ksp.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kugar_kud.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/kword_kwd.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/log.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/make.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/man.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/message.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/metafont.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/midi.png

x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/misc.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/netscape_doc.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/news.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/pdf.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/pk.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/postscript.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/quicktime.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/readme.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/recycled.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/resource.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/rpm.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/shellscript.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/sound.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_c.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_cpp.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_f.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_h.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_java.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_l.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_moc.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_o.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_php.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_pl.png

x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_py.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_s.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/source_y.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/spreadsheet.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/tar.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/template_source.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/tex.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/tgz.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/txt.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/txt2.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/unknown.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/vcalendar.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/vcard.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/vectorgfx.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/video.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/widget_doc.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/wordprocessing.png
x ./opt/local/share/icons/crystalsvg/16x16/mimetypes/zip.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/desktop.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/exec.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/file_broken.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_crystal.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_favorite.png

x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_green.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_green_open.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_grey.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_grey_open.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_home.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_home2.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_html.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_image.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_important.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_inbox.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_locked.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_man.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_open.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_orange.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_orange_open.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_outbox.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_print.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_red.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_red_open.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_sent_mail.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_sound.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_tar.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_txt.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_video.png

x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_violet.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_violet_open.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_yellow.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/folder_yellow_open.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/ftp.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/link_overlay.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/lock_overlay.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/network.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/network_local.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/pipe.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/server.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/trashcan_empty.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/trashcan_full.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/www.png
x ./opt/local/share/icons/crystalsvg/16x16/filesystems/zip_overlay.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/3floppy_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/3floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/5floppy_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/5floppy_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/blockdevice.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/camera_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/camera_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/cdaudio_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/cdaudio_unmount.png

x ./opt/local/share/icons/crystalsvg/16x16/devices/cdrom_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/cdrom_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/cdwriter_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/cdwriter_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/chardevice.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/compact_flash_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/compact_flash_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/dvd_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/dvd_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/hdd_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/hdd_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/ipod_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/ipod_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/joystick.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/memory.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/memory_stick_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/memory_stick_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/mo_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/mo_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/mouse.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/nfs_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/nfs_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/pda_black.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/pda_blue.png

x ./opt/local/share/icons/crystalsvg/16x16/devices/print_class.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/printer1.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/scanner.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/sd_mmc_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/sd_mmc_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/smart_media_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/smart_media_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/system.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/tablet.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/tv.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/usbpendrive_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/usbpendrive_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/zip_mount.png
x ./opt/local/share/icons/crystalsvg/16x16/devices/zip_unmount.png
x ./opt/local/share/icons/crystalsvg/16x16/apps/kmenu.png
x ./opt/local/share/icons/crystalsvg/16x16/apps/kttsd.png
x ./opt/local/share/icons/crystalsvg/16x16/apps/password.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/1downarrow.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/1leftarrow.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/1rightarrow.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/1uparrow.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/2downarrow.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/2leftarrow.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/2rightarrow.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/2uparrow.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/about_kde.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/add.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/airbrush.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/apply.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/attach.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/back.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/blend.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/bookmark.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/bookmark_add.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/bookmark_folder.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/bookmark_toolbar.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/bookmarks_list_add.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/bottom.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/cancel.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/charset.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/clear_left.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/color_fill.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/color_line.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/colorize.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/colorpicker.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/compfile.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/completion.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/configure.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/configure_shortcuts.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/configure_toolbars.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/connect_creating.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/connect_established.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/connect_no.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/contents.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/contents2.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/contexthelp.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/crop.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/decrypted.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/down.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/edit.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/editclear.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/editcopy.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/editcut.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/editdelete.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/editpaste.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/editshred.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/edittrash.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/emptytrash.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/encrypted.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/eraser.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/exec.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/exit.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/fileclose.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/fileexport.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/filefind.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/fileimport.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/filenew.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/fileopen.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/fileprint.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/filequickprint.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/filesave.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/filesaveas.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/fill.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/filter.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/find.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/finish.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/flag.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/folder_new.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/fontsizeup.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/fontsizeup.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/fork.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/forward.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/frame_edit.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/frame_formula.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/frame_image.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/frame_query.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/frame_spreadsheet.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/frame_text.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/frameprint.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/gear.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/gohome.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/goto.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/halfencrypted.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/help.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/history.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/history_clear.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/idea.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/identity.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/info.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/inline_image.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/inline_table.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/kde.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/kde1.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/kde3.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/kde4.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/kde5.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/kde6.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/key_enter.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/knewstuff.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/launch.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/locationbar_erase.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/lock.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_find.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_forward.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_generic.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_get.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_new.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_post_to.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_reply.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_replyall.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_replylist.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/mail_send.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/make_kdevelop.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_abs.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_brace.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_brackets.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_frac.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_int.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_lsub.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_lsup.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_matrix.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_onetwomatrix.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_paren.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_prod.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/math_rsub.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_rsup.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_sqrt.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/math_sum.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/misc.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/move.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_32ndnote.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_cleficon.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_cross.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_dottednote.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_eighthnote.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_fermatenote.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_flat.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_fullnote.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_halfnote.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_natur.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_quarternote.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/music_sixteenthnote.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/news_subscribe.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/news_unsubscribe.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/next.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/no.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/ok.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/openterm.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/paintbrush.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/pencil.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_eject.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_end.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_fwd.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_pause.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_play.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_playlist.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_rew.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_start.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_stop.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_time.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/player_volume.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/presence_away.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/presence_offline.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/presence_online.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/presence_unknown.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/previous.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/project_open.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/queue.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/rebuild.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/redo.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/reload.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/reload_all_tabs.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/reload_page.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/remove.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/revert.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/rotate.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/rotate_ccw.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/rotate_cw.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/run.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/save_all.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/services.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/share.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/show_side_panel.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/signature.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/spellcheck.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/stamp.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/start.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/stop.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/switchuser.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/tab_breakoff.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/tab_duplicate.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/tab_new.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/tab_new_bg.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/tab_new_raised.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/tab_remove.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/tab_remove_other.png

x ./opt/local/share/icons/crystalsvg/16x16/actions/text.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_block.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_bold.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_center.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_italic.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_left.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_right.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_strike.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_sub.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_super.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/text_under.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/thumbnail.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/today.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/top.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/transform.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/translate.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/undo.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/unlock.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/up.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/view_bottom.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/view_choose.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/view_detailed.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/view_fit_height.png
x ./opt/local/share/icons/crystalsvg/16x16/actions/view_fit_width.png

- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_fit_window.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_icon.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_left_right.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_multicolumn.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_remove.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_right.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_sidetree.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_text.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_top_bottom.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/view_tree.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/viewmag+.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/viewmag-.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/viewmag.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/viewmag1.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/viewmagfit.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/window_fullscreen.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/window_new.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/window_nofullscreen.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/window_suppressed.png
- x ./opt/local/share/icons/crystalsvg/16x16/actions/wizard.png
- x ./opt/local/share/icons/crystalsvg/128x128/actions/
- x ./opt/local/share/icons/crystalsvg/128x128/apps/
- x ./opt/local/share/icons/crystalsvg/128x128/devices/
- x ./opt/local/share/icons/crystalsvg/128x128/filesystems/

x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/applix.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/ascii.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/binary.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/bt.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/cdimage.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/cdr.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/cdtrack.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/colorscm.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/core.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/deb.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/document.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/document2.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/dvi.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/empty.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/encrypted.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/exec_wine.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/font.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/font_bitmap.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/font_truetype.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/font_type1.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/gf.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/html.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/image.png

x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/info.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/karbon_karbon.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/kexi_kexi.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/kmultiple.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/koffice.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/krita_kra.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/log.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/make.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/man.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/message.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/metafont.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/midi.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/misc.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/mozilla_doc.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/netcape_doc.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/pdf.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/pk.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/postscript.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/quicktime.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/readme.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/recycled.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/resource.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/rpm.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/shellscript.png

x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/soffice.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/sound.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_c.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_cpp.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_f.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_h.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_j.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_java.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_l.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_moc.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_o.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_p.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_php.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_pl.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_py.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_s.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/source_y.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/spreadsheet.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/tar.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/template_source.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/tex.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/tgz.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/txt.png

x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/txt2.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/unknown.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/vcalendar.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/vcard.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/vectorgfx.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/video.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/widget_doc.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/wordprocessing.png
x ./opt/local/share/icons/crystalsvg/128x128/mimetypes/zip.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/desktop.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/exec.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/file_broken.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_crystal.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_favorite.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_green.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_green_open.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_grey.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_grey_open.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_home.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_home2.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_html.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_image.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_important.png

x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_locked.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_man.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_open.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_orange.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_orange_open.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_print.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_red.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_red_open.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_sound.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_tar.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_txt.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_video.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_violet.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_violet_open.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_yellow.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/folder_yellow_open.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/link_overlay.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/lock_overlay.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/network.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/network_local.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/pipe.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/trashcan_empty.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/trashcan_full.png
x ./opt/local/share/icons/crystalsvg/128x128/filesystems/www.png

x ./opt/local/share/icons/crystalsvg/128x128/filesystems/zip_overlay.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/blockdevice.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/camera_mount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/camera_unmount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/chardevice.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/compact_flash_mount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/compact_flash_unmount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/hdd_mount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/hdd_unmount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/ipod_mount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/ipod_unmount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/memory_stick_mount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/memory_stick_unmount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/mouse.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/print_class.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/printer1.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/sd_mmc_mount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/sd_mmc_unmount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/smart_media_mount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/smart_media_unmount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/system.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/usbpendrive_mount.png
x ./opt/local/share/icons/crystalsvg/128x128/devices/usbpendrive_unmount.png
x ./opt/local/share/icons/crystalsvg/128x128/apps/kmenu.png

- x ./opt/local/share/icons/crystalsvg/128x128/apps/kttsd.png
- x ./opt/local/share/icons/crystalsvg/128x128/apps/password.png
- x ./opt/local/share/icons/crystalsvg/128x128/actions/fileopen.png
- x ./opt/local/share/icons/crystalsvg/128x128/actions/launch.png
- x ./opt/local/share/icons/crystalsvg/128x128/actions/share.png
- x ./opt/local/share/emoticons/Default/
- x ./opt/local/share/emoticons/Default/angry.png
- x ./opt/local/share/emoticons/Default/bat.png
- x ./opt/local/share/emoticons/Default/beer.png
- x ./opt/local/share/emoticons/Default/biggrin.png
- x ./opt/local/share/emoticons/Default/cake.png
- x ./opt/local/share/emoticons/Default/camera.png
- x ./opt/local/share/emoticons/Default/cat.png
- x ./opt/local/share/emoticons/Default/clock.png
- x ./opt/local/share/emoticons/Default/cocktail.png
- x ./opt/local/share/emoticons/Default/confused.png
- x ./opt/local/share/emoticons/Default/cry.png
- x ./opt/local/share/emoticons/Default/cup.png
- x ./opt/local/share/emoticons/Default/dog.png
- x ./opt/local/share/emoticons/Default/email.png
- x ./opt/local/share/emoticons/Default/embarassed.png
- x ./opt/local/share/emoticons/Default/emoticons.xml
- x ./opt/local/share/emoticons/Default/film.png
- x ./opt/local/share/emoticons/Default/foot_in_mouth.png

x ./opt/local/share/emoticons/Default/innocent.png
x ./opt/local/share/emoticons/Default/kiss.png
x ./opt/local/share/emoticons/Default/lightbulb.png
x ./opt/local/share/emoticons/Default/love.png
x ./opt/local/share/emoticons/Default/note.png
x ./opt/local/share/emoticons/Default/oh.png
x ./opt/local/share/emoticons/Default/omg.png
x ./opt/local/share/emoticons/Default/phone.png
x ./opt/local/share/emoticons/Default/present.png
x ./opt/local/share/emoticons/Default/rose.png
x ./opt/local/share/emoticons/Default/sad.png
x ./opt/local/share/emoticons/Default/shade.png
x ./opt/local/share/emoticons/Default/sleep.png
x ./opt/local/share/emoticons/Default/smile.png
x ./opt/local/share/emoticons/Default/star.png
x ./opt/local/share/emoticons/Default/teeth.png
x ./opt/local/share/emoticons/Default/thumbs_down.png
x ./opt/local/share/emoticons/Default/thumbs_up.png
x ./opt/local/share/emoticons/Default/tongue.png
x ./opt/local/share/emoticons/Default/undecided.png
x ./opt/local/share/emoticons/Default/unhappy.png
x ./opt/local/share/emoticons/Default/unlove.png
x ./opt/local/share/emoticons/Default/wilted_rose.png
x ./opt/local/share/emoticons/Default/wink.png

- x ./opt/local/share/doc/installed-packages/
- x ./opt/local/share/doc/kde/
- x ./opt/local/share/doc/kdelibs3/
- x ./opt/local/share/doc/kdelibs3/COPYING
- x ./opt/local/share/doc/kdelibs3/COPYING.LIB
- x ./opt/local/share/doc/kdelibs3/INSTALL
- x ./opt/local/share/doc/kde/en/
- x ./opt/local/share/doc/kde/en/common/
- x ./opt/local/share/doc/kde/en/kspell/
- x ./opt/local/share/doc/kde/en/kspell/common
- x ./opt/local/share/doc/kde/en/kspell/index.cache.bz2
- x ./opt/local/share/doc/kde/en/kspell/index.docbook
- x ./opt/local/share/doc/kde/en/common/1.png
- x ./opt/local/share/doc/kde/en/common/10.png
- x ./opt/local/share/doc/kde/en/common/2.png
- x ./opt/local/share/doc/kde/en/common/3.png
- x ./opt/local/share/doc/kde/en/common/4.png
- x ./opt/local/share/doc/kde/en/common/5.png
- x ./opt/local/share/doc/kde/en/common/6.png
- x ./opt/local/share/doc/kde/en/common/7.png
- x ./opt/local/share/doc/kde/en/common/8.png
- x ./opt/local/share/doc/kde/en/common/9.png
- x ./opt/local/share/doc/kde/en/common/appheader.html
- x ./opt/local/share/doc/kde/en/common/artistic-license.html

- x ./opt/local/share/doc/kde/en/common/bottom-left.png
- x ./opt/local/share/doc/kde/en/common/bottom-middle.png
- x ./opt/local/share/doc/kde/en/common/bottom-right.png
- x ./opt/local/share/doc/kde/en/common/bottom1.png
- x ./opt/local/share/doc/kde/en/common/bottom2.png
- x ./opt/local/share/doc/kde/en/common/bsd-license.html
- x ./opt/local/share/doc/kde/en/common/docheadergears.png
- x ./opt/local/share/doc/kde/en/common/doctop1.png
- x ./opt/local/share/doc/kde/en/common/doctop1a.png
- x ./opt/local/share/doc/kde/en/common/doctop1b.png
- x ./opt/local/share/doc/kde/en/common/doctop2.png
- x ./opt/local/share/doc/kde/en/common/doxygen.css
- x ./opt/local/share/doc/kde/en/common/favicon.ico
- x ./opt/local/share/doc/kde/en/common/fdl-license
- x ./opt/local/share/doc/kde/en/common/fdl-license.html
- x ./opt/local/share/doc/kde/en/common/fdl-notice.html
- x ./opt/local/share/doc/kde/en/common/footer.html
- x ./opt/local/share/doc/kde/en/common/gpl-license
- x ./opt/local/share/doc/kde/en/common/gpl-license.html
- x ./opt/local/share/doc/kde/en/common/grad.png
- x ./opt/local/share/doc/kde/en/common/header.html
- x ./opt/local/share/doc/kde/en/common/headerbg.png
- x ./opt/local/share/doc/kde/en/common/kde-common.css
- x ./opt/local/share/doc/kde/en/common/kde-default.css

- x ./opt/local/share/doc/kde/en/common/kde-localised.css.template
- x ./opt/local/share/doc/kde/en/common/kde-web.css
- x ./opt/local/share/doc/kde/en/common/kde_gear_64.png
- x ./opt/local/share/doc/kde/en/common/kde_logo.png
- x ./opt/local/share/doc/kde/en/common/kde_logo_bg.png
- x ./opt/local/share/doc/kde/en/common/kmenu.png
- x ./opt/local/share/doc/kde/en/common/lgpl-license
- x ./opt/local/share/doc/kde/en/common/lgpl-license.html
- x ./opt/local/share/doc/kde/en/common/mainfooter.html
- x ./opt/local/share/doc/kde/en/common/mainheader.html
- x ./opt/local/share/doc/kde/en/common/qpl-license.html
- x ./opt/local/share/doc/kde/en/common/shadow.png
- x ./opt/local/share/doc/kde/en/common/top-left.png
- x ./opt/local/share/doc/kde/en/common/top-middle.png
- x ./opt/local/share/doc/kde/en/common/top-right-konqueror.png
- x ./opt/local/share/doc/kde/en/common/web-docbottom.png
- x ./opt/local/share/doc/kde/en/common/web-doctop.png
- x ./opt/local/share/doc/kde/en/common/x11-license.html
- x ./opt/local/share/doc/kde/en/common/xml.dcl
- x ./opt/local/share/doc/installed-packages/kdelibs3
- x ./opt/local/share/doc/installed-packages/kdelibs3-dev
- x ./opt/local/share/doc/installed-packages/kdelibs3-shlibs
- x ./opt/local/share/doc/installed-packages/kdelibs3-ssl
- x ./opt/local/share/doc/installed-packages/kdelibs3-ssl-dev

- x ./opt/local/share/doc/installed-packages/kdelibs3-ssl-shlibs
- x ./opt/local/share/config/colors/
- x ./opt/local/share/config/ipv6blacklist
- x ./opt/local/share/config/katefiletyperc
- x ./opt/local/share/config/katesyntaxhighlightingrc
- x ./opt/local/share/config/kcmartsrc
- x ./opt/local/share/config/kdebug_areas
- x ./opt/local/share/config/kdebugrc
- x ./opt/local/share/config/kdeglobals
- x ./opt/local/share/config/kdeprintrc
- x ./opt/local/share/config/kdesktoprc
- x ./opt/local/share/config/khotnewstuffrc
- x ./opt/local/share/config/knotifyrc
- x ./opt/local/share/config/konsolerc
- x ./opt/local/share/config/ksslcalist
- x ./opt/local/share/config/kthemestylerc
- x ./opt/local/share/config/language.codes
- x ./opt/local/share/config/ui/
- x ./opt/local/share/config/ui/kprintpreviewui.rc
- x ./opt/local/share/config/ui/ui_standards.rc
- x ./opt/local/share/config/colors/40.colors
- x ./opt/local/share/config/colors/Rainbow.colors
- x ./opt/local/share/config/colors/Royal.colors
- x ./opt/local/share/config/colors/Web.colors

- x ./opt/local/share/autostart/kab2kabc.desktop
- x ./opt/local/share/apps/dcopidlng/
- x ./opt/local/share/apps/kabc/
- x ./opt/local/share/apps/katepart/
- x ./opt/local/share/apps/kcertpart/
- x ./opt/local/share/apps/kcm_componentchooser/
- x ./opt/local/share/apps/kconf_update/
- x ./opt/local/share/apps/kdeprint/
- x ./opt/local/share/apps/kdeui/
- x ./opt/local/share/apps/kdewidgets/
- x ./opt/local/share/apps/khtml/
- x ./opt/local/share/apps/kio_uiserver/
- x ./opt/local/share/apps/kjava/
- x ./opt/local/share/apps/knewstuff/
- x ./opt/local/share/apps/knotify/
- x ./opt/local/share/apps/ksgmltools2/
- x ./opt/local/share/apps/kssl/
- x ./opt/local/share/apps/kstyle/
- x ./opt/local/share/apps/ktexteditor_docwordcompletion/
- x ./opt/local/share/apps/ktexteditor_insertfile/
- x ./opt/local/share/apps/ktexteditor_isearch/
- x ./opt/local/share/apps/ktexteditor_kdatatool/
- x ./opt/local/share/apps/LICENSES/
- x ./opt/local/share/apps/proxyscout/

- x ./opt/local/share/apps/proxyscout/eventsrc
- x ./opt/local/share/apps/LICENSES/ARTISTIC
- x ./opt/local/share/apps/LICENSES/BSD
- x ./opt/local/share/apps/LICENSES/GPL_V2
- x ./opt/local/share/apps/LICENSES/LGPL_V2
- x ./opt/local/share/apps/LICENSES/QPL_V1.0
- x ./opt/local/share/apps/ktexteditor_kdatatool/ktexteditor_kdatatoolui.rc
- x ./opt/local/share/apps/ktexteditor_isearch/ktexteditor_isearchui.rc
- x ./opt/local/share/apps/ktexteditor_insertfile/ktexteditor_insertfileui.rc
- x ./opt/local/share/apps/ktexteditor_docwordcompletion/docwordcompletionui.rc
- x ./opt/local/share/apps/kstyle/pixmaps/
- x ./opt/local/share/apps/kstyle/themes/
- x ./opt/local/share/apps/kstyle/themes/b3.themerc
- x ./opt/local/share/apps/kstyle/themes/default.themerc
- x ./opt/local/share/apps/kstyle/themes/highcolor.themerc
- x ./opt/local/share/apps/kstyle/themes/highcontrast.themerc
- x ./opt/local/share/apps/kstyle/themes/keramik.themerc
- x ./opt/local/share/apps/kstyle/themes/light-v2.themerc
- x ./opt/local/share/apps/kstyle/themes/light-v3.themerc
- x ./opt/local/share/apps/kstyle/themes/plastik.themerc
- x ./opt/local/share/apps/kstyle/themes/qtcdde.themerc
- x ./opt/local/share/apps/kstyle/themes/qtmotif.themerc
- x ./opt/local/share/apps/kstyle/themes/qtmotifplus.themerc
- x ./opt/local/share/apps/kstyle/themes/qtplatinum.themerc

- x ./opt/local/share/apps/kstyle/themes/qtsgi.themerc
- x ./opt/local/share/apps/kstyle/themes/qtwindows.themerc
- x ./opt/local/share/apps/kstyle/themes/riscos.themerc
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowdown.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowdown_down.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowleft.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowleft_down.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowright.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowright_down.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowup.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/arrowup_down.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/background.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/check.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/check_checked.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/checkmark.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/combo.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/combo_down.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/hscrollback.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/hscrollbar.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/hscrollbar_down.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/hscrollborder.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/htab.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/menu_back.png

- x ./opt/local/share/apps/kstyle/pixmaps/riscos/radio.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/radio_down.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/raised_border.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/scrollborder.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/slider.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/sunk_border.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/tab_up.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/vscrollback.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/vscrollbar.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/vscrollbar_down.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/vscrollborder.png
- x ./opt/local/share/apps/kstyle/pixmaps/riscos/vtab.png
- x ./opt/local/share/apps/kssl/ca-bundle.crt
- x ./opt/local/share/apps/ksgmltools2/customization/
- x ./opt/local/share/apps/ksgmltools2/docbook/
- x ./opt/local/share/apps/ksgmltools2/docbook/README.kde
- x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/
- x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/BUGS
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/ChangeLog
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/README
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/TODO
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/VERSION
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/WhatsNew
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.graphics.extension.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.graphics.path.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.graphics.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.style.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admon.textlabel.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admonition.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/admonition.title.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/alignment.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/annotate.toc.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/appendix.autolabel.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/arbortext.extensions.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/article.appendix.title.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/author.othername.in.middle

le.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/autotoc.label.separator.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/axf.extensions.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/base.dir.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/biblioentry.item.separator.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/bibliography.collection.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/bibliography.numbered.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/blockquote.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.font.family.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.font.master.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.font.size.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.margin.bottom.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/body.margin.top.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/bridgehead.in.toc.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.defaultcolumn.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.graphics.extension.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.graphics.number.

limit.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.graphics.path.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.graphics.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.list.table.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.unicode.font.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.unicode.number.limit.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.unicode.start.character.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callout.unicode.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/callouts.extension.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ChangeLog

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chapter.autolabel.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.first.sections.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.quietly.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.section.depth.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.sections.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.separate.lots.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.toc.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunk.tocs.and.lots.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.cdata-section-elements.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.doctype-p

ublic.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.doctype-system.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.encoding.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.indent.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.media-type.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.method.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.omit-xml-declaration.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/chunker.output.standalone.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/citerefentry.link.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/collect.xref.targets.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.back.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.body.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.front.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.index.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.lot.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.count.titlepage.xml

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.back.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.body.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.front.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.index.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.lot.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/column.gap.titlepage.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/compact.list.item.spacing.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/component.label.includes.part.label.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/component.title.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/css.decoration.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/current.docid.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/default.float.class.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/default.image.width.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/default.table.width.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/default.units.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/dingbat.font.family.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/double.sided.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/draft.mode.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/draft.watermark.image.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ebnf.assignment.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ebnf.statement.terminator.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ebnf.table.bgcolor.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ebnf.table.border.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/eclipse.autolabel.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/eclipse.plugin.id.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/eclipse.plugin.name.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/eclipse.plugin.provider.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/emphasis.propagates.style.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/entry.propagates.style.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/equation.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/example.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/figure.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/firstterm.only.link.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footer.column.widths.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footer.content.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footer.rule.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footer.on.blank.pages.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footnote.font.size.xml

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footnote.number.format.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footnote.number.symbols.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/footnote.sep.leader.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/fop.extensions.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/formal.object.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/formal.procedures.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/formal.title.placement.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/formal.title.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/funcsynopsis.decoration.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/funcsynopsis.style.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/funcsynopsis.tabular.threshold.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/function.parens.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.id.attributes.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.index.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.legalnotice.lin

k.xml

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.manifest.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.meta.abstract.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.section.toc.level.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/generate.toc.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossary.as.blocks.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossary.collection.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossentry.show.acronym.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glosslist.as.blocks.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossterm.auto.link.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossterm.separation.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/glossterm.width.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/graphic.default.extension.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/graphicsize.extension.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/header.column.widths.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/header.content.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/header.rule.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/headers.on.blank.pages.xml

mL

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.base.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.cellpadding.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.cellspacing.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.cleanup.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.ext.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.extra.head.links.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.longdesc.link.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.longdesc.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.stylesheet.type.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/html.stylesheet.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.alias.file.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.autolabel.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.back.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.forward.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.hideshow.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.home.url.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.home.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump1.title.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump1.url.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump1.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump2.title.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump2.url.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.jump2.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.locate.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.next.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.options.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.prev.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.print.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.refresh.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.stop.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.button.zoom.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.chm.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.default.topic.x

m1

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.display.progress.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.encoding.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.enhanced.decompilation.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.enumerate.images.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.force.map.and.alias.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.binary.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.folders.instead.books.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.section.depth.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.show.root.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.width.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhc.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhk.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhp.tail.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhp.window.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhp.windows.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.hhp.xml

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.map.file.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.only.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.remember.window.position.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.show.advanced.search.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.show.favorites.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.show.menu.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.show.toolbar.text.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.title.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.use.hhk.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/htmlhelp.window.geometry.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/hyphenate.verbatim.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/hyphenate.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ignore.image.scaling.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/img.src.path.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/index.on.role.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/index.on.type.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/index.prefer.titleabbrev.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/index.preferred.page.pro

perties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informal.object.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informalequation.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informalexample.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informalfigure.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/informaltable.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/inherit.keywords.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/insert.olink.page.number.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/insert.olink.pdf.frag.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/insert.xref.page.number.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/l10n.gentext.default.language.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/l10n.gentext.language.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/l10n.gentext.use.xref.language.xml

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/label.from.part.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/line-height.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/linenumbering.everyNth.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/linenumbering.extension.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/linenumbering.separator.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/linenumbering.width.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/link.mailto.url.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/list.block.spacing.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/list.item.spacing.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.graphic.viewport.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.index.markup.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.single.year.ranges.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.valid.html.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/make.year.ranges.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/manifest.in.base.dir.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/manifest.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/manual.toc.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/marker.section.level.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/menuchoice.menu.separator

r.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/menuchoice.separator.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/monospace.font.family.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/monospace.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/monospace.verbatim.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/navig.graphics.extension.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/navig.graphics.path.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/navig.graphics.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/navig.showtitles.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/nominal.image.depth.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/nominal.image.width.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/nominal.table.width.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/normal.para.spacing.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.base.uri.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.debug.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.doctype.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.fragid.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.lang.fallback.sequence.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.outline.ext.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.pubid.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.resolver.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/olink.sysid.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.height.portrait.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.height.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.margin.bottom.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.margin.inner.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.margin.outer.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.margin.top.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.orientation.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.width.portrait.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/page.width.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/paper.type.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/para.propagates.style.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/part.autolabel.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/passivetex.extensions.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/phrase.propagates.style.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/pixels.per.inch.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/points.per.em.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/preface.autolabel.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/prefer.internal.olink.xml

l

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/preferred.mediaobject.role.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/procedure.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/process.empty.source.toc.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/process.source.toc.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.arch.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.attribute.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.condition.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.conformance.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.lang.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.os.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.revision.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.revisionflag.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.role.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.security.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.separator.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.userlevel.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.value.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/profile.vendor.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/punct.honorific.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.defaultlabel.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.inherit.numeration

.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level1.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level2.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level3.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level4.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level5.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.level6.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qanda.title.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/qandadiv.autolabel.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.generate.name.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.generate.title.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.pagebreak.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.separator.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.title.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/refentry.xref.manvolnum.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/region.after.extent.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/region.before.extent.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/root.filename.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/root.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/rootid.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/runinhead.default.title.end.punct.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/runinhead.title.end.punct.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/sans.font.family.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/saxon.callouts.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/saxon.character.representation.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/saxon.linenumbering.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/saxon.tablecolumns.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.autolabel.max.depth.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.autolabel.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.label.includes.component.label.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level1.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level2.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level3.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level4.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level5.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.level6.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level1.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level2.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level3.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level4.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level5.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.level6.properties.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/section.title.properties

.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/segmentedlist.as.table.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/shade.verbatim.style.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/shade.verbatim.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/show.comments.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/show.revisionflag.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/sidebar.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/simplesect.in.toc.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/spacing.paras.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/subscript.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/superscript.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/suppress.footer.navigation.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/suppress.header.navigation.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/suppress.navigation.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/symbol.font.family.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.borders.with.css.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.cell.border.color.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.cell.border.style.

xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.cell.border.thickness.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.cell.padding.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.entry.padding.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.footnote.number.format.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.footnote.number.symbols.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.frame.border.color.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.frame.border.style.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.frame.border.thickness.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/table.table.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/tablecolumns.extension.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/target.database.document.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/targets.filename.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/template.xml

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/tex.math.delims.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/tex.math.file.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/tex.math.in.alt.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/textdata.default.encoding.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/textinsert.extension.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/title.font.family.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/title.margin.left.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.indent.width.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.list.type.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.margin.properties.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.max.depth.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/toc.section.depth.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.footnote.number.format.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.footnotes.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.hyphenate.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.show.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/ulink.target.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.embed.for.svg.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.extensions.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.id.as.filename.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.id.function.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.local.olink.style.xml
l
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.role.as.xrefstyle.xml
l
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.role.for.mediaobject.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/use.svg.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/variablelist.as.blocks.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/variablelist.as.table.xml
l
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/variablelist.max.termlength.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/verbatim.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/wordml.template.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xep.extensions.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xep.index.item.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.label-page.separator.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.label-title.separator.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.properties.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.title-page.separator.xml

r.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/params/xref.with.number.and.title.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/ChangeLog

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/docbook.xsl

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/lists.xsl

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/README

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/sect23.xsl

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/synop.xsl

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/manpages/xref.xsl

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/ChangeLog

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/lib.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/lib.xsl

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/lib/lib.xweb

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/blank.png

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/caution.gif

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/caution.png

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/caution.tif

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/ChangeLog

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/draft.png

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/home.gif

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/home.png

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/important.gif

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/important.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/important.tif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/next.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/next.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/note.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/note.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/note.tif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/prev.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/prev.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/tip.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/tip.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/tip.tif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/toc-blank.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/toc-minus.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/toc-plus.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/up.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/up.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/warning.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/warning.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/warning.tif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/1.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/1.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/10.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/10.png

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/11.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/11.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/12.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/12.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/13.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/13.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/14.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/14.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/15.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/15.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/2.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/2.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/3.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/3.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/4.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/4.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/5.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/5.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/6.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/6.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/7.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/7.png
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/8.gif
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/8.png

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/9.gif
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/9.png
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/images/callouts/ChangeLog
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/admon.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/autoidx-ng.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/autoidx.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/autotoc.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/biblio.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/block.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/callout.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/changebars.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/ChangeLog
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunk-code.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunk-common.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunk.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunker.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunkfast.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/chunktoc.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/component.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/division.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/docbook.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/docbookng.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/ebnf.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/footnote.xsl

- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/formal.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/glossary.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/graphics.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/html-rtf.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/html.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/htmltbl.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/index.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/info.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/inline.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/keywords.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/lists.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/maketoc.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/manifest.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/math.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/oldchunker.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/onechunk.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/param.ent
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/param.xml
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/param.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/param.xweb
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/pi.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/profile-chunk-code.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/profile-chunk.xsl
- x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/profile-docbook.xsl

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/profile-onechunk.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/qandaset.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/refentry.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/sections.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/synop.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/table.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/task.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/titlepage.templates.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/titlepage.templates.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/titlepage.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/toc.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/verbatim.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/html/xref.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/af.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ar.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/autoidx-ng.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/bg.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/bn.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/bs.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ca.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ChangeLog
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/common.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/cs.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/da.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/de.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/el.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/en.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/es.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/et.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/eu.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/fi.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/fr.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/gentext.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/he.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/hr.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/hu.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/id.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/it.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ja.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ko.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/l10n.dtd
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/l10n.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/l10n.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/la.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/labels.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/lt.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/nl.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/nn.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/no.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/olink.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/pi.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/pl.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/pt.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/pt_br.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ro.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/ru.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sk.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sl.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sr.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sr_Latn.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/subtitles.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/sv.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/table.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/targetdatabase.dtd
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/targets.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/th.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/titles.xsl
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/tr.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/uk.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/vi.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/xh.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/zh_cn.xml

x ./opt/local/share/apps/ksgmltools2/docbook/xsl/common/zh_tw.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/calstblx.dtd
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/catalog.xml
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ChangeLog
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbcentx.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbgenent.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbhierx.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbnotnx.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/dbpoolx.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/docbook.cat
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/docbookx.dtd
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/README
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/soextblx.dtd
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsa.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsb.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsc.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsn.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amso.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-amsr.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-box.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-cyr1.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-cyr2.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-dia.ent

x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-grk1.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-grk2.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-grk3.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-grk4.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-lat1.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-lat2.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-num.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-pub.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.2/ent/iso-tech.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/40chg.txt
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/41chg.txt
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/calstblx.dtd
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ChangeLog
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbcentx.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbgenent.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbhierx.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbnotnx.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/dbpoolx.mod
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/docbook.cat
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/docbookx.dtd
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/readme.txt
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/soextblx.dtd
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsa.ent

x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsb.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsc.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsn.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amso.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-amsr.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-box.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-cyr1.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-cyr2.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-dia.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-grk1.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-grk2.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-grk3.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-grk4.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-lat1.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-lat2.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-num.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-pub.ent
x ./opt/local/share/apps/ksgmltools2/docbook/xml-dtd-4.1.2/ent/iso-tech.ent
x ./opt/local/share/apps/ksgmltools2/customization/af/
x ./opt/local/share/apps/ksgmltools2/customization/bg/
x ./opt/local/share/apps/ksgmltools2/customization/ca/
x ./opt/local/share/apps/ksgmltools2/customization/catalog
x ./opt/local/share/apps/ksgmltools2/customization/cs/
x ./opt/local/share/apps/ksgmltools2/customization/da/

- x ./opt/local/share/apps/ksgmltools2/customization/de/
- x ./opt/local/share/apps/ksgmltools2/customization/dtd/
- x ./opt/local/share/apps/ksgmltools2/customization/el/
- x ./opt/local/share/apps/ksgmltools2/customization/en/
- x ./opt/local/share/apps/ksgmltools2/customization/en-GB/
- x ./opt/local/share/apps/ksgmltools2/customization/entities/
- x ./opt/local/share/apps/ksgmltools2/customization/es/
- x ./opt/local/share/apps/ksgmltools2/customization/et/
- x ./opt/local/share/apps/ksgmltools2/customization/fi/
- x ./opt/local/share/apps/ksgmltools2/customization/fo/
- x ./opt/local/share/apps/ksgmltools2/customization/fr/
- x ./opt/local/share/apps/ksgmltools2/customization/he/
- x ./opt/local/share/apps/ksgmltools2/customization/htdig_index.xml
- x ./opt/local/share/apps/ksgmltools2/customization/hu/
- x ./opt/local/share/apps/ksgmltools2/customization/id/
- x ./opt/local/share/apps/ksgmltools2/customization/it/
- x ./opt/local/share/apps/ksgmltools2/customization/ja/
- x ./opt/local/share/apps/ksgmltools2/customization/kde-chunk-online.xml
- x ./opt/local/share/apps/ksgmltools2/customization/kde-chunk.xml
- x ./opt/local/share/apps/ksgmltools2/customization/kde-man.xml
- x ./opt/local/share/apps/ksgmltools2/customization/kde-navig-online.xml
- x ./opt/local/share/apps/ksgmltools2/customization/kde-navig.xml
- x ./opt/local/share/apps/ksgmltools2/customization/kde-nochunk.xml
- x ./opt/local/share/apps/ksgmltools2/customization/kde-style.xml

- x ./opt/local/share/apps/ksgmltools2/customization/kde-ttlpg-online.xsl
- x ./opt/local/share/apps/ksgmltools2/customization/kde-ttlpg.xsl
- x ./opt/local/share/apps/ksgmltools2/customization/kde-web-navig.xsl
- x ./opt/local/share/apps/ksgmltools2/customization/kde-web.xsl
- x ./opt/local/share/apps/ksgmltools2/customization/ko/
- x ./opt/local/share/apps/ksgmltools2/customization/lt/
- x ./opt/local/share/apps/ksgmltools2/customization/nl/
- x ./opt/local/share/apps/ksgmltools2/customization/nn/
- x ./opt/local/share/apps/ksgmltools2/customization/no/
- x ./opt/local/share/apps/ksgmltools2/customization/obsolete/
- x ./opt/local/share/apps/ksgmltools2/customization/pl/
- x ./opt/local/share/apps/ksgmltools2/customization/pt/
- x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/
- x ./opt/local/share/apps/ksgmltools2/customization/README
- x ./opt/local/share/apps/ksgmltools2/customization/ro/
- x ./opt/local/share/apps/ksgmltools2/customization/ru/
- x ./opt/local/share/apps/ksgmltools2/customization/sk/
- x ./opt/local/share/apps/ksgmltools2/customization/sl/
- x ./opt/local/share/apps/ksgmltools2/customization/sr/
- x ./opt/local/share/apps/ksgmltools2/customization/sv/
- x ./opt/local/share/apps/ksgmltools2/customization/tr/
- x ./opt/local/share/apps/ksgmltools2/customization/uk/
- x ./opt/local/share/apps/ksgmltools2/customization/wa/
- x ./opt/local/share/apps/ksgmltools2/customization/xh/

- x ./opt/local/share/apps/ksgmltools2/customization/xsl/
- x ./opt/local/share/apps/ksgmltools2/customization/xx/
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/catalog
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/lang.entities
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/strings.entities
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/user.entities
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/fdl-notice.doc
book
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/gpl-notice.doc
book
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/help-menu.docb
ook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/install-compil
e.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/install-intro.
docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/lgpl-notice.do
cbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/report-bugs.do
cbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underArtisticL

icense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-TW/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/catalog

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/install-compile.docbook

- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/install-intro.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/lgpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/report-bugs.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underArtisticLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underBSDLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underFDL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underGPL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underLGPL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/underX11License.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/zh-CN/entities/update-doc.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/xx/catalog
- x ./opt/local/share/apps/ksgmltools2/customization/xx/contributor.entities
- x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/
- x ./opt/local/share/apps/ksgmltools2/customization/xx/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/xx/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/xx/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xx/entities/update-doc.docbook

k

- x ./opt/local/share/apps/ksgmltools2/customization/xsl/ca.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/cs.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/da.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/de.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/el.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/en.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/es.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/et.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/fi.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/fr.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/hu.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/it.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/ja.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/ko.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/nl.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/nn.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/no.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/pl.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/pt.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/pt_br.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/README
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/ro.xml
- x ./opt/local/share/apps/ksgmltools2/customization/xsl/ru.xml

x ./opt/local/share/apps/ksgmltools2/customization/xsl/sk.xml
x ./opt/local/share/apps/ksgmltools2/customization/xsl/sl.xml
x ./opt/local/share/apps/ksgmltools2/customization/xsl/sr.xml
x ./opt/local/share/apps/ksgmltools2/customization/xsl/sv.xml
x ./opt/local/share/apps/ksgmltools2/customization/xsl/zh_tw.xml
x ./opt/local/share/apps/ksgmltools2/customization/xh/catalog
x ./opt/local/share/apps/ksgmltools2/customization/xh/contributor.entities
x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/
x ./opt/local/share/apps/ksgmltools2/customization/xh/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/xh/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/xh/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/report-bugs.docbook

- x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underArtisticLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underBSDLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underFDL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underGPL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/underX11License.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/xh/entities/update-doc.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/wa/catalog
- x ./opt/local/share/apps/ksgmltools2/customization/wa/contributor.entities
- x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/
- x ./opt/local/share/apps/ksgmltools2/customization/wa/lang.entities
- x ./opt/local/share/apps/ksgmltools2/customization/wa/strings.entities
- x ./opt/local/share/apps/ksgmltools2/customization/wa/user.entities
- x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/fdl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/gpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/help-menu.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/install-compile.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/install-intro.doc

book
x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/wa/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/catalog
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/
x ./opt/local/share/apps/ksgmltools2/customization/uk/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/uk/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/uk/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/uk/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/tr/catalog
x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/
x ./opt/local/share/apps/ksgmltools2/customization/tr/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/tr/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/tr/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/lgpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/report-bugs.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/tr/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sv/catalog

x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/
x ./opt/local/share/apps/ksgmltools2/customization/sv/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/sv/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/sv/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underLGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sv/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/catalog

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/

x ./opt/local/share/apps/ksgmltools2/customization/sr/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/sr/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/sr/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/lgpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/report-bugs.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sr/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/catalog
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/
x ./opt/local/share/apps/ksgmltools2/customization/sl/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/sl/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/sl/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/lgpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sl/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/catalog
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/
x ./opt/local/share/apps/ksgmltools2/customization/sk/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/sk/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/sk/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/install-compile.docbook

```
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/sk/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/catalog
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/
x ./opt/local/share/apps/ksgmltools2/customization/ru/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/ru/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/ru/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/gpl-notice.docbook
```

k
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ru/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/catalog
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/
x ./opt/local/share/apps/ksgmltools2/customization/ro/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/ro/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/ro/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underLGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ro/entities/update-doc.docbook

k

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/catalog

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/install-compil
e.docbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/install-intro.
docbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/lgpl-notice.do
cbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/report-bugs.do
cbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underArtisticL
icense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underBSDLicens
e.docbook

x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underFDL.docbook
ok
x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underGPL.docbook
ok
x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underLGPL.docbook
ok
x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/underX11License.docbook
ok
x ./opt/local/share/apps/ksgmltools2/customization/pt-BR/entities/update-doc.docbook
ok
x ./opt/local/share/apps/ksgmltools2/customization/pt/catalog
x ./opt/local/share/apps/ksgmltools2/customization/pt/contributor.entities
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/
x ./opt/local/share/apps/ksgmltools2/customization/pt/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/pt/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/pt/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/fdl-notice.docbook
ok
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/gpl-notice.docbook
ok
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/install-compile.docbook
ok
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/install-intro.doc

book
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pt/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/catalog
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/
x ./opt/local/share/apps/ksgmltools2/customization/pl/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/pl/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/pl/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/pl/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/obsolete/general.entities
x ./opt/local/share/apps/ksgmltools2/customization/obsolete/kdex-412-10.dtd
x ./opt/local/share/apps/ksgmltools2/customization/obsolete/kdex.dtd
x ./opt/local/share/apps/ksgmltools2/customization/obsolete/modifications.elements

- x ./opt/local/share/apps/ksgmltools2/customization/obsolete/rdbpool.elements
- x ./opt/local/share/apps/ksgmltools2/customization/no/catalog
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/
- x ./opt/local/share/apps/ksgmltools2/customization/no/lang.entities
- x ./opt/local/share/apps/ksgmltools2/customization/no/strings.entities
- x ./opt/local/share/apps/ksgmltools2/customization/no/user.entities
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/fdl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/gpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/help-menu.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/install-compile.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/install-intro.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/lgpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/report-bugs.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/underArtisticLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/underBSDLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/no/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/no/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/no/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/no/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/nn/catalog
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/
x ./opt/local/share/apps/ksgmltools2/customization/nn/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/nn/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/nn/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/nn/entities/underArtisticLice

nse.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/catalog

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/

x ./opt/local/share/apps/ksgmltools2/customization/nl/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/nl/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/nl/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/lgpl-notice.docbo

ok

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/report-bugs.docbo

ok

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/nl/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/catalog

x ./opt/local/share/apps/ksgmltools2/customization/lt/contributor.entities

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/

x ./opt/local/share/apps/ksgmltools2/customization/lt/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/lt/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/lt/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/lgpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/report-bugs.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/lt/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/ko/catalog

x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/

x ./opt/local/share/apps/ksgmltools2/customization/ko/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/ko/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/ko/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/fdl-notice.docbook

k
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/gpl-notice.docbook
k
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ko/entities/update-doc.docbook
k
x ./opt/local/share/apps/ksgmltools2/customization/ja/catalog
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/
x ./opt/local/share/apps/ksgmltools2/customization/ja/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/ja/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/ja/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ja/entities/update-doc.docbook

- x ./opt/local/share/apps/ksgmltools2/customization/it/catalog
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/
- x ./opt/local/share/apps/ksgmltools2/customization/it/lang.entities
- x ./opt/local/share/apps/ksgmltools2/customization/it/strings.entities
- x ./opt/local/share/apps/ksgmltools2/customization/it/user.entities
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/fdl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/gpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/help-menu.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/install-compile.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/install-intro.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/lgpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/report-bugs.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/underArtisticLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/underBSDLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/underFDL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/it/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/it/entities/underLGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/it/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/it/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/id/catalog
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/
x ./opt/local/share/apps/ksgmltools2/customization/id/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/id/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/id/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/id/entities/underArtisticLice

nse.docbook

x ./opt/local/share/apps/ksgmltools2/customization/id/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/id/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/id/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/id/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/id/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/catalog

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/

x ./opt/local/share/apps/ksgmltools2/customization/hu/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/hu/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/hu/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/lgpl-notice.docbo

ok

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/report-bugs.docbo

ok

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/hu/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/catalog

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/

x ./opt/local/share/apps/ksgmltools2/customization/he/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/he/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/he/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/install-compile.d

ocbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/lgpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/report-bugs.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/he/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fr/catalog

x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/

x ./opt/local/share/apps/ksgmltools2/customization/fr/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/fr/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/fr/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underLGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fr/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/catalog
x ./opt/local/share/apps/ksgmltools2/customization/fo/contributor.entities

x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/
x ./opt/local/share/apps/ksgmltools2/customization/fo/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/fo/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/fo/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/underX11License.docbook

ocbook

x ./opt/local/share/apps/ksgmltools2/customization/fo/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/catalog

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/

x ./opt/local/share/apps/ksgmltools2/customization/fi/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/fi/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/fi/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/lgpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/report-bugs.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underBSDLicense.docbook

ocbook

- x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underFDL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underGPL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/underX11License.d

ocbook

- x ./opt/local/share/apps/ksgmltools2/customization/fi/entities/update-doc.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/et/catalog
- x ./opt/local/share/apps/ksgmltools2/customization/et/entities/
- x ./opt/local/share/apps/ksgmltools2/customization/et/lang.entities
- x ./opt/local/share/apps/ksgmltools2/customization/et/strings.entities
- x ./opt/local/share/apps/ksgmltools2/customization/et/user.entities
- x ./opt/local/share/apps/ksgmltools2/customization/et/entities/fdl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/et/entities/gpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/et/entities/help-menu.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/et/entities/install-compile.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/et/entities/install-intro.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/et/entities/lgpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/et/entities/report-bugs.docbook

ok

x ./opt/local/share/apps/ksgmltools2/customization/et/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/et/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/et/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/et/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/et/entities/underLGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/et/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/et/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/es/catalog

x ./opt/local/share/apps/ksgmltools2/customization/es/entities/

x ./opt/local/share/apps/ksgmltools2/customization/es/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/es/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/es/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/es/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/es/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/es/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/es/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/es/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/es/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/es/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/es/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/es/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/es/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/es/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/es/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/es/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/entities/contributor.entities
x ./opt/local/share/apps/ksgmltools2/customization/entities/general.entities
x ./opt/local/share/apps/ksgmltools2/customization/entities/l10n.entities
x ./opt/local/share/apps/ksgmltools2/customization/en-GB/catalog
x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/
x ./opt/local/share/apps/ksgmltools2/customization/en-GB/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/en-GB/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/en-GB/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/lgpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/report-bugs.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en-GB/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/catalog

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/

x ./opt/local/share/apps/ksgmltools2/customization/en/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/en/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/en/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/install-intro.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/lgpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/report-bugs.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/en/entities/underBSDLicense.docbook

- x ./opt/local/share/apps/ksgmltools2/customization/en/entities/underFDL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/en/entities/underGPL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/en/entities/underLGPL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/en/entities/underX11License.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/en/entities/update-doc.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/el/catalog
- x ./opt/local/share/apps/ksgmltools2/customization/el/entities/
- x ./opt/local/share/apps/ksgmltools2/customization/el/lang.entities
- x ./opt/local/share/apps/ksgmltools2/customization/el/strings.entities
- x ./opt/local/share/apps/ksgmltools2/customization/el/user.entities
- x ./opt/local/share/apps/ksgmltools2/customization/el/entities/fdl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/el/entities/gpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/el/entities/help-menu.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/el/entities/install-compile.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/el/entities/install-intro.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/el/entities/lgpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/el/entities/report-bugs.docbook

ok

x ./opt/local/share/apps/ksgmltools2/customization/el/entities/underArtisticLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/el/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/el/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/el/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/el/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/el/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/dtd/kdex.dtd

x ./opt/local/share/apps/ksgmltools2/customization/dtd/modifications.elements

x ./opt/local/share/apps/ksgmltools2/customization/dtd/rdbhier2.elements

x ./opt/local/share/apps/ksgmltools2/customization/dtd/rdbpool.elements

x ./opt/local/share/apps/ksgmltools2/customization/de/catalog

x ./opt/local/share/apps/ksgmltools2/customization/de/entities/

x ./opt/local/share/apps/ksgmltools2/customization/de/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/de/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/de/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/de/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/de/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/de/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/underLGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/de/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/catalog
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/
x ./opt/local/share/apps/ksgmltools2/customization/da/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/da/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/da/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/underLGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/da/entities/update-doc.docbook

k
x ./opt/local/share/apps/ksgmltools2/customization/cs/catalog
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/
x ./opt/local/share/apps/ksgmltools2/customization/cs/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/cs/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/cs/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/fdl-notice.docbook
k
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/gpl-notice.docbook
k
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/cs/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ca/catalog
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/
x ./opt/local/share/apps/ksgmltools2/customization/ca/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/ca/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/ca/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/gpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/help-menu.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/install-compile.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/install-intro.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underArtisticLice

nse.docbook

x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underBSDLicense.docbook

x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underFDL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underLGPL.docbook

x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/underX11License.docbook

x ./opt/local/share/apps/ksgmltools2/customization/ca/entities/update-doc.docbook

x ./opt/local/share/apps/ksgmltools2/customization/bg/catalog

x ./opt/local/share/apps/ksgmltools2/customization/bg/contributor.entities

x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/

x ./opt/local/share/apps/ksgmltools2/customization/bg/lang.entities

x ./opt/local/share/apps/ksgmltools2/customization/bg/strings.entities

x ./opt/local/share/apps/ksgmltools2/customization/bg/user.entities

x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/fdl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/gpl-notice.docbook

x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/help-menu.docbook

x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/install-compile.docbook

x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/install-intro.doc

book
x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/lgpl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/report-bugs.docbook
x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underArtisticLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underBSDLicense.docbook
x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underFDL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underGPL.docbook
x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/underX11License.docbook
x ./opt/local/share/apps/ksgmltools2/customization/bg/entities/update-doc.docbook
x ./opt/local/share/apps/ksgmltools2/customization/af/catalog
x ./opt/local/share/apps/ksgmltools2/customization/af/entities/
x ./opt/local/share/apps/ksgmltools2/customization/af/lang.entities
x ./opt/local/share/apps/ksgmltools2/customization/af/strings.entities
x ./opt/local/share/apps/ksgmltools2/customization/af/user.entities
x ./opt/local/share/apps/ksgmltools2/customization/af/entities/fdl-notice.docbook
x ./opt/local/share/apps/ksgmltools2/customization/af/entities/gpl-notice.docbook

- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/help-menu.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/install-compile.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/install-intro.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/lgpl-notice.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/report-bugs.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/underArtisticLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/underBSDLicense.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/underFDL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/underGPL.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/underX11License.docbook
- x ./opt/local/share/apps/ksgmltools2/customization/af/entities/update-doc.docbook
- x ./opt/local/share/apps/knotify/eventsrc
- x ./opt/local/share/apps/knewstuff/types
- x ./opt/local/share/apps/kjava/icons/
- x ./opt/local/share/apps/kjava/kjava.jar
- x ./opt/local/share/apps/kjava/kjava.policy

- x ./opt/local/share/apps/kjava/pluginsinfo
- x ./opt/local/share/apps/kjava/icons/crystalsvg/
- x ./opt/local/share/apps/kjava/icons/crystalsvg/16x16/
- x ./opt/local/share/apps/kjava/icons/crystalsvg/16x16/actions/
- x ./opt/local/share/apps/kjava/icons/crystalsvg/16x16/actions/java.png
- x ./opt/local/share/apps/kio_uiserver/icons/
- x ./opt/local/share/apps/kio_uiserver/icons/crystalsvg/
- x ./opt/local/share/apps/kio_uiserver/icons/crystalsvg/16x16/
- x ./opt/local/share/apps/kio_uiserver/icons/crystalsvg/16x16/apps/
- x ./opt/local/share/apps/kio_uiserver/icons/crystalsvg/16x16/apps/kio_uiserver.png
- x ./opt/local/share/apps/khtml/css/
- x ./opt/local/share/apps/khtml/domain_info
- x ./opt/local/share/apps/khtml/icons/
- x ./opt/local/share/apps/khtml/khtml.rc
- x ./opt/local/share/apps/khtml/khtml_browser.rc
- x ./opt/local/share/apps/khtml/khtml_popupmenu.rc
- x ./opt/local/share/apps/khtml/icons/crystalsvg/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/128x128/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/22x22/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/32x32/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/48x48/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/64x64/

- x ./opt/local/share/apps/khtml/icons/crystalsvg/64x64/actions/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/64x64/actions/bug.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/48x48/actions/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/48x48/actions/bug.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions/bug.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/32x32/actions/images_display.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/22x22/actions/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/22x22/actions/bug.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/22x22/actions/images_display.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions/bug.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions/images_display.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/16x16/actions/wallet_open.png
- x ./opt/local/share/apps/khtml/icons/crystalsvg/128x128/actions/
- x ./opt/local/share/apps/khtml/icons/crystalsvg/128x128/actions/bug.png
- x ./opt/local/share/apps/khtml/css/html4.css
- x ./opt/local/share/apps/khtml/css/quirks.css
- x ./opt/local/share/apps/kdewidgets/pics/
- x ./opt/local/share/apps/kdewidgets/pics/kactionselector.png
- x ./opt/local/share/apps/kdewidgets/pics/kactivelabel.png
- x ./opt/local/share/apps/kdewidgets/pics/kcharselect.png
- x ./opt/local/share/apps/kdewidgets/pics/kcmodule.png
- x ./opt/local/share/apps/kdewidgets/pics/kcolorbutton.png

x ./opt/local/share/apps/kdewidgets/pics/kcolorcombo.png
x ./opt/local/share/apps/kdewidgets/pics/kcombobox.png
x ./opt/local/share/apps/kdewidgets/pics/kdatepicker.png
x ./opt/local/share/apps/kdewidgets/pics/kdatetable.png
x ./opt/local/share/apps/kdewidgets/pics/kdatetimewidget.png
x ./opt/local/share/apps/kdewidgets/pics/kdatewidget.png
x ./opt/local/share/apps/kdewidgets/pics/kdialog.png
x ./opt/local/share/apps/kdewidgets/pics/kdoublenuminput.png
x ./opt/local/share/apps/kdewidgets/pics/kdoublespinbox.png
x ./opt/local/share/apps/kdewidgets/pics/kdualcolorbutton.png
x ./opt/local/share/apps/kdewidgets/pics/keditlistbox.png
x ./opt/local/share/apps/kdewidgets/pics/kfontcombo.png
x ./opt/local/share/apps/kdewidgets/pics/kfontrequester.png
x ./opt/local/share/apps/kdewidgets/pics/kgradientselector.png
x ./opt/local/share/apps/kdewidgets/pics/khistorycombo.png
x ./opt/local/share/apps/kdewidgets/pics/khsselector.png
x ./opt/local/share/apps/kdewidgets/pics/kiconbutton.png
x ./opt/local/share/apps/kdewidgets/pics/kiconview.png
x ./opt/local/share/apps/kdewidgets/pics/kintnuminput.png
x ./opt/local/share/apps/kdewidgets/pics/kintspinbox.png
x ./opt/local/share/apps/kdewidgets/pics/kkeybutton.png
x ./opt/local/share/apps/kdewidgets/pics/klled.png
x ./opt/local/share/apps/kdewidgets/pics/klinedit.png
x ./opt/local/share/apps/kdewidgets/pics/klistbox.png

x ./opt/local/share/apps/kdewidgets/pics/klistview.png
x ./opt/local/share/apps/kdewidgets/pics/kpalettetable.png
x ./opt/local/share/apps/kdewidgets/pics/kpasswordedit.png
x ./opt/local/share/apps/kdewidgets/pics/kprogress.png
x ./opt/local/share/apps/kdewidgets/pics/kpushbutton.png
x ./opt/local/share/apps/kdewidgets/pics/krestrictedline.png
x ./opt/local/share/apps/kdewidgets/pics/kruler.png
x ./opt/local/share/apps/kdewidgets/pics/ksqueezedtextlabel.png
x ./opt/local/share/apps/kdewidgets/pics/ktextbrowser.png
x ./opt/local/share/apps/kdewidgets/pics/ktextedit.png
x ./opt/local/share/apps/kdewidgets/pics/ktimewidget.png
x ./opt/local/share/apps/kdewidgets/pics/kurlcomborequester.png
x ./opt/local/share/apps/kdewidgets/pics/kurllabel.png
x ./opt/local/share/apps/kdewidgets/pics/kurlrequester.png
x ./opt/local/share/apps/kdeui/about/
x ./opt/local/share/apps/kdeui/pics/
x ./opt/local/share/apps/kdeui/pics/aboutkde.png
x ./opt/local/share/apps/kdeui/pics/ktip-background.png
x ./opt/local/share/apps/kdeui/pics/ktip-bulb.png
x ./opt/local/share/apps/kdeui/about/bar-bottom-left.png
x ./opt/local/share/apps/kdeui/about/bar-bottom-middle.png
x ./opt/local/share/apps/kdeui/about/bar-bottom-right.png
x ./opt/local/share/apps/kdeui/about/bar-middle-left.png
x ./opt/local/share/apps/kdeui/about/bar-middle-right.png

- x ./opt/local/share/apps/kdeui/about/bar-top-left.png
- x ./opt/local/share/apps/kdeui/about/bar-top-middle.png
- x ./opt/local/share/apps/kdeui/about/bar-top-right.png
- x ./opt/local/share/apps/kdeui/about/bottom-left.png
- x ./opt/local/share/apps/kdeui/about/bottom-middle.png
- x ./opt/local/share/apps/kdeui/about/bottom-right.png
- x ./opt/local/share/apps/kdeui/about/box-bottom-left.png
- x ./opt/local/share/apps/kdeui/about/box-bottom-middle.png
- x ./opt/local/share/apps/kdeui/about/box-bottom-right.png
- x ./opt/local/share/apps/kdeui/about/box-middle-left.png
- x ./opt/local/share/apps/kdeui/about/box-middle-right.png
- x ./opt/local/share/apps/kdeui/about/box-top-left.png
- x ./opt/local/share/apps/kdeui/about/box-top-middle.png
- x ./opt/local/share/apps/kdeui/about/box-top-right.png
- x ./opt/local/share/apps/kdeui/about/kde_infopage.css
- x ./opt/local/share/apps/kdeui/about/kde_infopage_rtl.css
- x ./opt/local/share/apps/kdeui/about/top-left.png
- x ./opt/local/share/apps/kdeui/about/top-middle.png
- x ./opt/local/share/apps/kdeprint/apsdriver1
- x ./opt/local/share/apps/kdeprint/apsdriver2
- x ./opt/local/share/apps/kdeprint/cups_logo.png
- x ./opt/local/share/apps/kdeprint/cupsd.conf.template
- x ./opt/local/share/apps/kdeprint/filters/
- x ./opt/local/share/apps/kdeprint/icons/

- x ./opt/local/share/apps/kdeprint/kde_logo.png
- x ./opt/local/share/apps/kdeprint/lprngtooldriver1
- x ./opt/local/share/apps/kdeprint/pics/
- x ./opt/local/share/apps/kdeprint/plugins/
- x ./opt/local/share/apps/kdeprint/preview-mini.png
- x ./opt/local/share/apps/kdeprint/preview.png
- x ./opt/local/share/apps/kdeprint/side.png
- x ./opt/local/share/apps/kdeprint/specials.desktop
- x ./opt/local/share/apps/kdeprint/testprint.ps
- x ./opt/local/share/apps/kdeprint/tiledown.png
- x ./opt/local/share/apps/kdeprint/tileup.png
- x ./opt/local/share/apps/kdeprint/tools/
- x ./opt/local/share/apps/kdeprint/tools/escputil.desktop
- x ./opt/local/share/apps/kdeprint/plugins/cups.print
- x ./opt/local/share/apps/kdeprint/plugins/ext.print
- x ./opt/local/share/apps/kdeprint/plugins/lpdunix.print
- x ./opt/local/share/apps/kdeprint/plugins/lpr.print
- x ./opt/local/share/apps/kdeprint/plugins/rlpr.print
- x ./opt/local/share/apps/kdeprint/pics/kdeprint_collate.png
- x ./opt/local/share/apps/kdeprint/pics/kdeprint_collate_reverse.png
- x ./opt/local/share/apps/kdeprint/pics/kdeprint_color.png
- x ./opt/local/share/apps/kdeprint/pics/kdeprint_duplex_long.png
- x ./opt/local/share/apps/kdeprint/pics/kdeprint_duplex_none.png
- x ./opt/local/share/apps/kdeprint/pics/kdeprint_duplex_short.png

x ./opt/local/share/apps/kdeprint/pics/kdeprint_grayscale.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_landscape.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_nup1.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_nup2.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_nup4.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_nupother.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_portrait.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_prettyprint.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_revlandscape.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_revportrait.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_uncollate.png
x ./opt/local/share/apps/kdeprint/pics/kdeprint_uncollate_reverse.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/48x48/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/64x64/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/64x64/apps/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/64x64/apps/kdeprint_printer.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/64x64/apps/kdeprint_printer_class.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/48x48/apps/

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/48x48/apps/kdeprint_printer.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/48x48/apps/kdeprint_printer_class.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/actions/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_class.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_class_process.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_class_stopped.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_defect.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_process.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_remote.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_remote_process.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_remote_stopped.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_s
topped.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/apps/kdeprint_printer_u
sers.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/32x32/actions/kdeprint_inklev
el.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/apps/
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/apps/kdeprint_printer.p
ng
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/history.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_addpri
nter.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_addpse
udo.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_config
mgr.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_config
srv.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_defaul
thard.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_defaul
tsoft.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_enable

printer.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printer.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printer_infos.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_printstate.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_queuesstate.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_report.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_restartsrv.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_stopprinter.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_testprinter.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/kdeprint_upload_smb.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/22x22/actions/package_utilities.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/actions/

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_computer.

png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_cancelled.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_completed.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_error.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_processing.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_job_stopped.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class_process.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_class_stopped.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_defect.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_processing.png

x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_re mote.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_re mote_process.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_re mote_stopped.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/apps/kdeprint_printer_s topped.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/actions/filterstop.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/actions/kdeprint_restar tsrv.png
x ./opt/local/share/apps/kdeprint/icons/crystalsvg/16x16/actions/kdeprint_upload smb.png
x ./opt/local/share/apps/kdeprint/filters/enscript.desktop
x ./opt/local/share/apps/kdeprint/filters/enscript.xml
x ./opt/local/share/apps/kdeprint/filters/imagetops.desktop
x ./opt/local/share/apps/kdeprint/filters/imagetops.xml
x ./opt/local/share/apps/kdeprint/filters/pdf2ps.desktop
x ./opt/local/share/apps/kdeprint/filters/pdf2ps.xml
x ./opt/local/share/apps/kdeprint/filters/pdfwrite.desktop
x ./opt/local/share/apps/kdeprint/filters/pdfwrite.xml
x ./opt/local/share/apps/kdeprint/filters/poster.desktop
x ./opt/local/share/apps/kdeprint/filters/poster.xml
x ./opt/local/share/apps/kdeprint/filters/ps2pdf.desktop

x ./opt/local/share/apps/kdeprint/filters/ps2pdf.xml
x ./opt/local/share/apps/kdeprint/filters/psbook.desktop
x ./opt/local/share/apps/kdeprint/filters/psbook.xml
x ./opt/local/share/apps/kdeprint/filters/psbook1.desktop
x ./opt/local/share/apps/kdeprint/filters/psbook1.xml
x ./opt/local/share/apps/kdeprint/filters/psbook2.desktop
x ./opt/local/share/apps/kdeprint/filters/psbook2.xml
x ./opt/local/share/apps/kdeprint/filters/psnup.desktop
x ./opt/local/share/apps/kdeprint/filters/psnup.xml
x ./opt/local/share/apps/kdeprint/filters/psselect.desktop
x ./opt/local/share/apps/kdeprint/filters/psselect.xml
x ./opt/local/share/apps/kconf_update/kcookiescfg.upd
x ./opt/local/share/apps/kconf_update/kded.upd
x ./opt/local/share/apps/kconf_update/kdeprintrc.upd
x ./opt/local/share/apps/kconf_update/kio_help.upd
x ./opt/local/share/apps/kconf_update/kioslave.upd
x ./opt/local/share/apps/kconf_update/move_kio_help_cache.sh
x ./opt/local/share/apps/kconf_update/proxytype.pl
x ./opt/local/share/apps/kconf_update/useragent.pl
x ./opt/local/share/apps/kcm_componentchooser/kcm_instantmessenger.desktop
x ./opt/local/share/apps/kcm_componentchooser/kcm_ktexteditor.desktop
x ./opt/local/share/apps/kcertpart/kcertpart.rc
x ./opt/local/share/apps/katepart/katepartreadonlyui.rc
x ./opt/local/share/apps/katepart/katepartui.rc

- x ./opt/local/share/apps/katepart/scripts/
- x ./opt/local/share/apps/katepart/syntax/
- x ./opt/local/share/apps/katepart/syntax/abc.xml
- x ./opt/local/share/apps/katepart/syntax/actionscript.xml
- x ./opt/local/share/apps/katepart/syntax/ada.xml
- x ./opt/local/share/apps/katepart/syntax/ahdl.xml
- x ./opt/local/share/apps/katepart/syntax/alert.xml
- x ./opt/local/share/apps/katepart/syntax/ansic89.xml
- x ./opt/local/share/apps/katepart/syntax/apache.xml
- x ./opt/local/share/apps/katepart/syntax/asm-avr.xml
- x ./opt/local/share/apps/katepart/syntax/asm6502.xml
- x ./opt/local/share/apps/katepart/syntax/asp.xml
- x ./opt/local/share/apps/katepart/syntax/awk.xml
- x ./opt/local/share/apps/katepart/syntax/bash.xml
- x ./opt/local/share/apps/katepart/syntax/bibtex.xml
- x ./opt/local/share/apps/katepart/syntax/c.xml
- x ./opt/local/share/apps/katepart/syntax/cg.xml
- x ./opt/local/share/apps/katepart/syntax/cgis.xml
- x ./opt/local/share/apps/katepart/syntax/changelog.xml
- x ./opt/local/share/apps/katepart/syntax/cisco.xml
- x ./opt/local/share/apps/katepart/syntax/clipper.xml
- x ./opt/local/share/apps/katepart/syntax/cmake.xml
- x ./opt/local/share/apps/katepart/syntax/coldfusion.xml
- x ./opt/local/share/apps/katepart/syntax/commonlisp.xml

- x ./opt/local/share/apps/katepart/syntax/component-pascal.xml
- x ./opt/local/share/apps/katepart/syntax/cpp.xml
- x ./opt/local/share/apps/katepart/syntax/cs.xml
- x ./opt/local/share/apps/katepart/syntax/css-php.xml
- x ./opt/local/share/apps/katepart/syntax/css.xml
- x ./opt/local/share/apps/katepart/syntax/cue.xml
- x ./opt/local/share/apps/katepart/syntax/d.xml
- x ./opt/local/share/apps/katepart/syntax/debianchangelog.xml
- x ./opt/local/share/apps/katepart/syntax/debiancontrol.xml
- x ./opt/local/share/apps/katepart/syntax/desktop.xml
- x ./opt/local/share/apps/katepart/syntax/diff.xml
- x ./opt/local/share/apps/katepart/syntax/doxygen.xml
- x ./opt/local/share/apps/katepart/syntax/e.xml
- x ./opt/local/share/apps/katepart/syntax/eiffel.xml
- x ./opt/local/share/apps/katepart/syntax/euphoria.xml
- x ./opt/local/share/apps/katepart/syntax/ferite.xml
- x ./opt/local/share/apps/katepart/syntax/fgl-4gl.xml
- x ./opt/local/share/apps/katepart/syntax/fgl-per.xml
- x ./opt/local/share/apps/katepart/syntax/fortran.xml
- x ./opt/local/share/apps/katepart/syntax/fstab.xml
- x ./opt/local/share/apps/katepart/syntax/gdl.xml
- x ./opt/local/share/apps/katepart/syntax/gettext.xml
- x ./opt/local/share/apps/katepart/syntax/gls1.xml
- x ./opt/local/share/apps/katepart/syntax/gnuassembler.xml

- x ./opt/local/share/apps/katepart/syntax/haskell.xml
- x ./opt/local/share/apps/katepart/syntax/html-php.xml
- x ./opt/local/share/apps/katepart/syntax/html.xml
- x ./opt/local/share/apps/katepart/syntax/idconsole.xml
- x ./opt/local/share/apps/katepart/syntax/idl.xml
- x ./opt/local/share/apps/katepart/syntax/ilerpg.xml
- x ./opt/local/share/apps/katepart/syntax/inform.xml
- x ./opt/local/share/apps/katepart/syntax/ini.xml
- x ./opt/local/share/apps/katepart/syntax/java.xml
- x ./opt/local/share/apps/katepart/syntax/javadoc.xml
- x ./opt/local/share/apps/katepart/syntax/javascript-php.xml
- x ./opt/local/share/apps/katepart/syntax/javascript.xml
- x ./opt/local/share/apps/katepart/syntax/jsp.xml
- x ./opt/local/share/apps/katepart/syntax/kbasic.xml
- x ./opt/local/share/apps/katepart/syntax/language.dtd
- x ./opt/local/share/apps/katepart/syntax/latex.xml
- x ./opt/local/share/apps/katepart/syntax/ldif.xml
- x ./opt/local/share/apps/katepart/syntax/lex.xml
- x ./opt/local/share/apps/katepart/syntax/lilypond.xml
- x ./opt/local/share/apps/katepart/syntax/literate-haskell.xml
- x ./opt/local/share/apps/katepart/syntax/logtalk.xml
- x ./opt/local/share/apps/katepart/syntax/lpc.xml
- x ./opt/local/share/apps/katepart/syntax/lua.xml
- x ./opt/local/share/apps/katepart/syntax/m3u.xml

- x ./opt/local/share/apps/katepart/syntax/mab.xml
- x ./opt/local/share/apps/katepart/syntax/makefile.xml
- x ./opt/local/share/apps/katepart/syntax/mason.xml
- x ./opt/local/share/apps/katepart/syntax/matlab.xml
- x ./opt/local/share/apps/katepart/syntax/mediawiki.xml
- x ./opt/local/share/apps/katepart/syntax/mips.xml
- x ./opt/local/share/apps/katepart/syntax/modula-2.xml
- x ./opt/local/share/apps/katepart/syntax/mup.xml
- x ./opt/local/share/apps/katepart/syntax/nasm.xml
- x ./opt/local/share/apps/katepart/syntax/objectivec.xml
- x ./opt/local/share/apps/katepart/syntax/ocaml.xml
- x ./opt/local/share/apps/katepart/syntax/octave.xml
- x ./opt/local/share/apps/katepart/syntax/pascal.xml
- x ./opt/local/share/apps/katepart/syntax/perl.xml
- x ./opt/local/share/apps/katepart/syntax/php.xml
- x ./opt/local/share/apps/katepart/syntax/picsrc.xml
- x ./opt/local/share/apps/katepart/syntax/pike.xml
- x ./opt/local/share/apps/katepart/syntax/postscript.xml
- x ./opt/local/share/apps/katepart/syntax/povray.xml
- x ./opt/local/share/apps/katepart/syntax/progress.xml
- x ./opt/local/share/apps/katepart/syntax/prolog.xml
- x ./opt/local/share/apps/katepart/syntax/purebasic.xml
- x ./opt/local/share/apps/katepart/syntax/python.xml
- x ./opt/local/share/apps/katepart/syntax/r.xml

x ./opt/local/share/apps/katepart/syntax/rexx.xml
x ./opt/local/share/apps/katepart/syntax/rhtml.xml
x ./opt/local/share/apps/katepart/syntax/rib.xml
x ./opt/local/share/apps/katepart/syntax/rpmspec.xml
x ./opt/local/share/apps/katepart/syntax/rsiidl.xml
x ./opt/local/share/apps/katepart/syntax/ruby.xml
x ./opt/local/share/apps/katepart/syntax/sather.xml
x ./opt/local/share/apps/katepart/syntax/scheme.xml
x ./opt/local/share/apps/katepart/syntax/sci.xml
x ./opt/local/share/apps/katepart/syntax/sgml.xml
x ./opt/local/share/apps/katepart/syntax/sieve.xml
x ./opt/local/share/apps/katepart/syntax/sml.xml
x ./opt/local/share/apps/katepart/syntax/spice.xml
x ./opt/local/share/apps/katepart/syntax/sql-mysql.xml
x ./opt/local/share/apps/katepart/syntax/sql-postgresql.xml
x ./opt/local/share/apps/katepart/syntax/sql.xml
x ./opt/local/share/apps/katepart/syntax/stata.xml
x ./opt/local/share/apps/katepart/syntax/syntax.template
x ./opt/local/share/apps/katepart/syntax/tcl.xml
x ./opt/local/share/apps/katepart/syntax/tibasic.xml
x ./opt/local/share/apps/katepart/syntax/txt2tags.xml
x ./opt/local/share/apps/katepart/syntax/uscript.xml
x ./opt/local/share/apps/katepart/syntax/velocity.xml
x ./opt/local/share/apps/katepart/syntax/verilog.xml

- x ./opt/local/share/apps/katepart/syntax/vhdl.xml
- x ./opt/local/share/apps/katepart/syntax/vrml.xml
- x ./opt/local/share/apps/katepart/syntax/winehq.xml
- x ./opt/local/share/apps/katepart/syntax/xharbour.xml
- x ./opt/local/share/apps/katepart/syntax/xml.xml
- x ./opt/local/share/apps/katepart/syntax/xmldebug.xml
- x ./opt/local/share/apps/katepart/syntax/xslt.xml
- x ./opt/local/share/apps/katepart/syntax/yacas.xml
- x ./opt/local/share/apps/katepart/syntax/yacc.xml
- x ./opt/local/share/apps/katepart/scripts/indent/
- x ./opt/local/share/apps/katepart/scripts/jstest.desktop
- x ./opt/local/share/apps/katepart/scripts/jstest.js
- x ./opt/local/share/apps/katepart/scripts/script-indent-c-char.js
- x ./opt/local/share/apps/katepart/scripts/script-indent-c-newline.js
- x ./opt/local/share/apps/katepart/scripts/sort.js
- x ./opt/local/share/apps/katepart/scripts/indent/script-indent-c-test.js
- x ./opt/local/share/apps/katepart/scripts/indent/script-indent-c1-test.lua
- x ./opt/local/share/apps/kabc/countrytransl.map
- x ./opt/local/share/apps/kabc/formats/
- x ./opt/local/share/apps/kabc/formats/binary.desktop
- x ./opt/local/share/apps/dcopicdng/Ast.pm
- x ./opt/local/share/apps/dcopicdng/Iter.pm
- x ./opt/local/share/apps/dcopicdng/kalyptus
- x ./opt/local/share/apps/dcopicdng/kalyptusCxxToDcopIDL.pm

- x ./opt/local/share/apps/dcopidlng/kdocAstUtil.pm
- x ./opt/local/share/apps/dcopidlng/kdocParseDoc.pm
- x ./opt/local/share/apps/dcopidlng/kdocUtil.pm
- x ./opt/local/share/applications/kde/
- x ./opt/local/share/applications/kde/kresources.desktop
- x ./opt/local/lib/kde3/
- x ./opt/local/lib/libDCOP.4.2.0.dylib
- x ./opt/local/lib/libDCOP.4.dylib
- x ./opt/local/lib/libDCOP.dylib
- x ./opt/local/lib/libDCOP.la
- x ./opt/local/lib/libkabc.1.2.0.dylib
- x ./opt/local/lib/libkabc.1.dylib
- x ./opt/local/lib/libkabc.dylib
- x ./opt/local/lib/libkabc.la
- x ./opt/local/lib/libkabc_dir.1.0.0.dylib
- x ./opt/local/lib/libkabc_dir.1.dylib
- x ./opt/local/lib/libkabc_dir.dylib
- x ./opt/local/lib/libkabc_dir.la
- x ./opt/local/lib/libkabc_file.1.0.0.dylib
- x ./opt/local/lib/libkabc_file.1.dylib
- x ./opt/local/lib/libkabc_file.dylib
- x ./opt/local/lib/libkabc_file.la
- x ./opt/local/lib/libkabc_ldapkiio.1.0.0.dylib
- x ./opt/local/lib/libkabc_ldapkiio.1.dylib

x ./opt/local/lib/libkabc_ldapkiio.dylib
x ./opt/local/lib/libkabc_ldapkiio.la
x ./opt/local/lib/libkatepartinterfaces.0.0.0.dylib
x ./opt/local/lib/libkatepartinterfaces.0.dylib
x ./opt/local/lib/libkatepartinterfaces.dylib
x ./opt/local/lib/libkatepartinterfaces.la
x ./opt/local/lib/libkdecore.4.2.0.dylib
x ./opt/local/lib/libkdecore.4.dylib
x ./opt/local/lib/libkdecore.dylib
x ./opt/local/lib/libkdecore.la
x ./opt/local/lib/libkdefakes.4.2.0.dylib
x ./opt/local/lib/libkdefakes.4.dylib
x ./opt/local/lib/libkdefakes.dylib
x ./opt/local/lib/libkdefakes.la
x ./opt/local/lib/libkdefakes_nonpic.a
x ./opt/local/lib/libkdefx.4.2.0.dylib
x ./opt/local/lib/libkdefx.4.dylib
x ./opt/local/lib/libkdefx.dylib
x ./opt/local/lib/libkdefx.la
x ./opt/local/lib/libkdeinit_cupsdconf.dylib
x ./opt/local/lib/libkdeinit_cupsdconf.la
x ./opt/local/lib/libkdeinit_dcopserver.dylib
x ./opt/local/lib/libkdeinit_dcopserver.la
x ./opt/local/lib/libkdeinit_kaddprinterwizard.dylib

x ./opt/local/lib/libkdeinit_kaddprinterwizard.la
x ./opt/local/lib/libkdeinit_kbuildsycoca.dylib
x ./opt/local/lib/libkdeinit_kbuildsycoca.la
x ./opt/local/lib/libkdeinit_kcmshell.dylib
x ./opt/local/lib/libkdeinit_kcmshell.la
x ./opt/local/lib/libkdeinit_kconf_update.dylib
x ./opt/local/lib/libkdeinit_kconf_update.la
x ./opt/local/lib/libkdeinit_kcookiejar.dylib
x ./opt/local/lib/libkdeinit_kcookiejar.la
x ./opt/local/lib/libkdeinit_kded.dylib
x ./opt/local/lib/libkdeinit_kded.la
x ./opt/local/lib/libkdeinit_kio_http_cache_cleaner.dylib
x ./opt/local/lib/libkdeinit_kio_http_cache_cleaner.la
x ./opt/local/lib/libkdeinit_kio_uiserver.dylib
x ./opt/local/lib/libkdeinit_kio_uiserver.la
x ./opt/local/lib/libkdeinit_klauncher.dylib
x ./opt/local/lib/libkdeinit_klauncher.la
x ./opt/local/lib/libkdeprint.4.2.0.dylib
x ./opt/local/lib/libkdeprint.4.dylib
x ./opt/local/lib/libkdeprint.dylib
x ./opt/local/lib/libkdeprint.la
x ./opt/local/lib/libkdeprint_management.4.2.0.dylib
x ./opt/local/lib/libkdeprint_management.4.dylib
x ./opt/local/lib/libkdeprint_management.dylib

x ./opt/local/lib/libkdeprint_management.la
x ./opt/local/lib/libkdesasl.1.2.0.dylib
x ./opt/local/lib/libkdesasl.1.dylib
x ./opt/local/lib/libkdesasl.dylib
x ./opt/local/lib/libkdesasl.la
x ./opt/local/lib/libkdesu.4.2.0.dylib
x ./opt/local/lib/libkdesu.4.dylib
x ./opt/local/lib/libkdesu.dylib
x ./opt/local/lib/libkdesu.la
x ./opt/local/lib/libkdeui.4.2.0.dylib
x ./opt/local/lib/libkdeui.4.dylib
x ./opt/local/lib/libkdeui.dylib
x ./opt/local/lib/libkdeui.la
x ./opt/local/lib/libkdnssd.1.0.0.dylib
x ./opt/local/lib/libkdnssd.1.dylib
x ./opt/local/lib/libkdnssd.dylib
x ./opt/local/lib/libkdnssd.la
x ./opt/local/lib/libkhtml.4.2.0.dylib
x ./opt/local/lib/libkhtml.4.dylib
x ./opt/local/lib/libkhtml.dylib
x ./opt/local/lib/libkhtml.la
x ./opt/local/lib/libkimproxy.0.0.0.dylib
x ./opt/local/lib/libkimproxy.0.dylib
x ./opt/local/lib/libkimproxy.dylib

x ./opt/local/lib/libkimproxy.la
x ./opt/local/lib/libkio.4.2.0.dylib
x ./opt/local/lib/libkio.4.dylib
x ./opt/local/lib/libkio.dylib
x ./opt/local/lib/libkio.la
x ./opt/local/lib/libkjava.1.0.0.dylib
x ./opt/local/lib/libkjava.1.dylib
x ./opt/local/lib/libkjava.dylib
x ./opt/local/lib/libkjava.la
x ./opt/local/lib/libkjs.1.2.0.dylib
x ./opt/local/lib/libkjs.1.dylib
x ./opt/local/lib/libkjs.dylib
x ./opt/local/lib/libkjs.la
x ./opt/local/lib/libkmdi.1.0.0.dylib
x ./opt/local/lib/libkmdi.1.dylib
x ./opt/local/lib/libkmdi.dylib
x ./opt/local/lib/libkmdi.la
x ./opt/local/lib/libkmdi2.1.0.0.dylib
x ./opt/local/lib/libkmdi2.1.dylib
x ./opt/local/lib/libkmdi2.dylib
x ./opt/local/lib/libkmdi2.la
x ./opt/local/lib/libkmediaplayer.0.0.0.dylib
x ./opt/local/lib/libkmediaplayer.0.dylib
x ./opt/local/lib/libkmediaplayer.dylib

x ./opt/local/lib/libkmediaplayer.la
x ./opt/local/lib/libkmid.0.0.95.dylib
x ./opt/local/lib/libkmid.0.dylib
x ./opt/local/lib/libkmid.dylib
x ./opt/local/lib/libkmid.la
x ./opt/local/lib/libknewstuff.1.0.0.dylib
x ./opt/local/lib/libknewstuff.1.dylib
x ./opt/local/lib/libknewstuff.dylib
x ./opt/local/lib/libknewstuff.la
x ./opt/local/lib/libkntlm.0.0.0.dylib
x ./opt/local/lib/libkntlm.0.dylib
x ./opt/local/lib/libkntlm.dylib
x ./opt/local/lib/libkntlm.la
x ./opt/local/lib/libkparts.2.1.0.dylib
x ./opt/local/lib/libkparts.2.dylib
x ./opt/local/lib/libkparts.dylib
x ./opt/local/lib/libkparts.la
x ./opt/local/lib/libkresources.1.2.0.dylib
x ./opt/local/lib/libkresources.1.dylib
x ./opt/local/lib/libkresources.dylib
x ./opt/local/lib/libkresources.la
x ./opt/local/lib/libkscreensaver.4.2.0.dylib
x ./opt/local/lib/libkscreensaver.4.dylib
x ./opt/local/lib/libkscreensaver.dylib

x ./opt/local/lib/libkscreensaver.la
x ./opt/local/lib/libkscript.0.0.0.dylib
x ./opt/local/lib/libkscript.0.dylib
x ./opt/local/lib/libkscript.dylib
x ./opt/local/lib/libkscript.la
x ./opt/local/lib/libkspell.4.2.0.dylib
x ./opt/local/lib/libkspell.4.dylib
x ./opt/local/lib/libkspell.dylib
x ./opt/local/lib/libkspell.la
x ./opt/local/lib/libkspell2.1.0.0.dylib
x ./opt/local/lib/libkspell2.1.dylib
x ./opt/local/lib/libkspell2.dylib
x ./opt/local/lib/libkspell2.la
x ./opt/local/lib/libktexteditor.0.0.0.dylib
x ./opt/local/lib/libktexteditor.0.dylib
x ./opt/local/lib/libktexteditor.dylib
x ./opt/local/lib/libktexteditor.la
x ./opt/local/lib/libkunittest.1.0.0.dylib
x ./opt/local/lib/libkunittest.1.dylib
x ./opt/local/lib/libkunittest.dylib
x ./opt/local/lib/libkunittest.la
x ./opt/local/lib/libkutils.1.2.0.dylib
x ./opt/local/lib/libkutils.1.dylib
x ./opt/local/lib/libkutils.dylib

x ./opt/local/lib/libkutils.la
x ./opt/local/lib/libkwalletbackend.1.0.0.dylib
x ./opt/local/lib/libkwalletbackend.1.dylib
x ./opt/local/lib/libkwalletbackend.dylib
x ./opt/local/lib/libkwalletbackend.la
x ./opt/local/lib/libkwalletclient.1.0.1.dylib
x ./opt/local/lib/libkwalletclient.1.dylib
x ./opt/local/lib/libkwalletclient.dylib
x ./opt/local/lib/libkwalletclient.la
x ./opt/local/lib/libvcard.0.0.0.dylib
x ./opt/local/lib/libvcard.0.dylib
x ./opt/local/lib/libvcard.dylib
x ./opt/local/lib/libvcard.la
x ./opt/local/lib/kde3/cupsdconf.la
x ./opt/local/lib/kde3/cupsdconf.so
x ./opt/local/lib/kde3/dcopserver.la
x ./opt/local/lib/kde3/dcopserver.so
x ./opt/local/lib/kde3/kabc_dir.la
x ./opt/local/lib/kde3/kabc_dir.so
x ./opt/local/lib/kde3/kabc_file.la
x ./opt/local/lib/kde3/kabc_file.so
x ./opt/local/lib/kde3/kabc_ldapkio.la
x ./opt/local/lib/kde3/kabc_ldapkio.so
x ./opt/local/lib/kde3/kabcformat_binary.la

x ./opt/local/lib/kde3/kabcformat_binary.so
x ./opt/local/lib/kde3/kaddprinterwizard.la
x ./opt/local/lib/kde3/kaddprinterwizard.so
x ./opt/local/lib/kde3/kbuildsycoca.la
x ./opt/local/lib/kde3/kbuildsycoca.so
x ./opt/local/lib/kde3/kbzip2filter.la
x ./opt/local/lib/kde3/kbzip2filter.so
x ./opt/local/lib/kde3/kcm_kresources.la
x ./opt/local/lib/kde3/kcm_kresources.so
x ./opt/local/lib/kde3/kcmshell.la
x ./opt/local/lib/kde3/kcmshell.so
x ./opt/local/lib/kde3/kconf_update.la
x ./opt/local/lib/kde3/kconf_update.so
x ./opt/local/lib/kde3/kcookiejar.la
x ./opt/local/lib/kde3/kcookiejar.so
x ./opt/local/lib/kde3/kded.la
x ./opt/local/lib/kde3/kded.so
x ./opt/local/lib/kde3/kded_kcookiejar.la
x ./opt/local/lib/kde3/kded_kcookiejar.so
x ./opt/local/lib/kde3/kded_kdeprintd.la
x ./opt/local/lib/kde3/kded_kdeprintd.so
x ./opt/local/lib/kde3/kded_kdetrayproxy.la
x ./opt/local/lib/kde3/kded_kdetrayproxy.so
x ./opt/local/lib/kde3/kded_kpasswdserver.la

x ./opt/local/lib/kde3/kded_kpasswdserver.so
x ./opt/local/lib/kde3/kded_kssld.la
x ./opt/local/lib/kde3/kded_kssld.so
x ./opt/local/lib/kde3/kded_kwalletd.la
x ./opt/local/lib/kde3/kded_kwalletd.so
x ./opt/local/lib/kde3/kded_proxyscout.la
x ./opt/local/lib/kde3/kded_proxyscout.so
x ./opt/local/lib/kde3/kdeprint_cups.la
x ./opt/local/lib/kde3/kdeprint_cups.so
x ./opt/local/lib/kde3/kdeprint_ext.la
x ./opt/local/lib/kde3/kdeprint_ext.so
x ./opt/local/lib/kde3/kdeprint_lpdunix.la
x ./opt/local/lib/kde3/kdeprint_lpdunix.so
x ./opt/local/lib/kde3/kdeprint_lpr.la
x ./opt/local/lib/kde3/kdeprint_lpr.so
x ./opt/local/lib/kde3/kdeprint_rlpr.la
x ./opt/local/lib/kde3/kdeprint_rlpr.so
x ./opt/local/lib/kde3/kdeprint_tool_escputil.la
x ./opt/local/lib/kde3/kdeprint_tool_escputil.so
x ./opt/local/lib/kde3/kgzipfilter.la
x ./opt/local/lib/kde3/kgzipfilter.so
x ./opt/local/lib/kde3/khtmlimagepart.la
x ./opt/local/lib/kde3/khtmlimagepart.so
x ./opt/local/lib/kde3/kimg_dds.la

x ./opt/local/lib/kde3/kimg_dds.so
x ./opt/local/lib/kde3/kimg_eps.la
x ./opt/local/lib/kde3/kimg_eps.so
x ./opt/local/lib/kde3/kimg_exr.la
x ./opt/local/lib/kde3/kimg_exr.so
x ./opt/local/lib/kde3/kimg_hdr.la
x ./opt/local/lib/kde3/kimg_hdr.so
x ./opt/local/lib/kde3/kimg_ico.la
x ./opt/local/lib/kde3/kimg_ico.so
x ./opt/local/lib/kde3/kimg_jp2.la
x ./opt/local/lib/kde3/kimg_jp2.so
x ./opt/local/lib/kde3/kimg_pcx.la
x ./opt/local/lib/kde3/kimg_pcx.so
x ./opt/local/lib/kde3/kimg_psd.la
x ./opt/local/lib/kde3/kimg_psd.so
x ./opt/local/lib/kde3/kimg_rgb.la
x ./opt/local/lib/kde3/kimg_rgb.so
x ./opt/local/lib/kde3/kimg_tga.la
x ./opt/local/lib/kde3/kimg_tga.so
x ./opt/local/lib/kde3/kimg_tiff.la
x ./opt/local/lib/kde3/kimg_tiff.so
x ./opt/local/lib/kde3/kimg_xcf.la
x ./opt/local/lib/kde3/kimg_xcf.so
x ./opt/local/lib/kde3/kimg_xview.la

x ./opt/local/lib/kde3/kimg_xview.so
x ./opt/local/lib/kde3/kio_file.la
x ./opt/local/lib/kde3/kio_file.so
x ./opt/local/lib/kde3/kio_ftp.la
x ./opt/local/lib/kde3/kio_ftp.so
x ./opt/local/lib/kde3/kio_ghelp.la
x ./opt/local/lib/kde3/kio_ghelp.so
x ./opt/local/lib/kde3/kio_help.la
x ./opt/local/lib/kde3/kio_help.so
x ./opt/local/lib/kde3/kio_http.la
x ./opt/local/lib/kde3/kio_http.so
x ./opt/local/lib/kde3/kio_http_cache_cleaner.la
x ./opt/local/lib/kde3/kio_http_cache_cleaner.so
x ./opt/local/lib/kde3/kio_metainfo.la
x ./opt/local/lib/kde3/kio_metainfo.so
x ./opt/local/lib/kde3/kio_uiserver.la
x ./opt/local/lib/kde3/kio_uiserver.so
x ./opt/local/lib/kde3/kjavaappletviewer.la
x ./opt/local/lib/kde3/kjavaappletviewer.so
x ./opt/local/lib/kde3/klauncher.la
x ./opt/local/lib/kde3/klauncher.so
x ./opt/local/lib/kde3/knotify.la
x ./opt/local/lib/kde3/knotify.so
x ./opt/local/lib/kde3/kspell_aspell.la

x ./opt/local/lib/kde3/kspell_aspell.so
x ./opt/local/lib/kde3/kspell_ispell.la
x ./opt/local/lib/kde3/kspell_ispell.so
x ./opt/local/lib/kde3/kstyle_highcontrast_config.la
x ./opt/local/lib/kde3/kstyle_highcontrast_config.so
x ./opt/local/lib/kde3/kstyle_plastik_config.la
x ./opt/local/lib/kde3/kstyle_plastik_config.so
x ./opt/local/lib/kde3/ktexteditor_docwordcompletion.la
x ./opt/local/lib/kde3/ktexteditor_docwordcompletion.so
x ./opt/local/lib/kde3/ktexteditor_insertfile.la
x ./opt/local/lib/kde3/ktexteditor_insertfile.so
x ./opt/local/lib/kde3/ktexteditor_isearch.la
x ./opt/local/lib/kde3/ktexteditor_isearch.so
x ./opt/local/lib/kde3/ktexteditor_kdatatool.la
x ./opt/local/lib/kde3/ktexteditor_kdatatool.so
x ./opt/local/lib/kde3/libkatepart.la
x ./opt/local/lib/kde3/libkatepart.so
x ./opt/local/lib/kde3/libkcertpart.la
x ./opt/local/lib/kde3/libkcertpart.so
x ./opt/local/lib/kde3/libkdeprint_management_module.la
x ./opt/local/lib/kde3/libkdeprint_management_module.so
x ./opt/local/lib/kde3/libkhtmlpart.la
x ./opt/local/lib/kde3/libkhtmlpart.so
x ./opt/local/lib/kde3/libkmultipart.la

```
x ./opt/local/lib/kde3/libkmultipart.so
x ./opt/local/lib/kde3/libshellscript.la
x ./opt/local/lib/kde3/libshellscript.so
x ./opt/local/lib/kde3/plugins/
x ./opt/local/lib/kde3/plugins/designer/
x ./opt/local/lib/kde3/plugins/styles/
x ./opt/local/lib/kde3/plugins/styles/highcolor.la
x ./opt/local/lib/kde3/plugins/styles/highcolor.so
x ./opt/local/lib/kde3/plugins/styles/highcontrast.la
x ./opt/local/lib/kde3/plugins/styles/highcontrast.so
x ./opt/local/lib/kde3/plugins/styles/keramik.la
x ./opt/local/lib/kde3/plugins/styles/keramik.so
x ./opt/local/lib/kde3/plugins/styles/kthemestyle.la
x ./opt/local/lib/kde3/plugins/styles/kthemestyle.so
x ./opt/local/lib/kde3/plugins/styles/light.la
x ./opt/local/lib/kde3/plugins/styles/light.so
x ./opt/local/lib/kde3/plugins/styles/plastik.la
x ./opt/local/lib/kde3/plugins/styles/plastik.so
x ./opt/local/lib/kde3/plugins/designer/kdewidgets.la
x ./opt/local/lib/kde3/plugins/designer/kdewidgets.so
x ./opt/local/include/dcopclient.h
x ./opt/local/include/dcopobject.h
x ./opt/local/include/dcopref.h
x ./opt/local/include/dcopstub.h
```


- x ./opt/local/include/dcoptypes.h
- x ./opt/local/include/dnssd/
- x ./opt/local/include/dom/
- x ./opt/local/include/fixx11h.h
- x ./opt/local/include/kabc/
- x ./opt/local/include/kaboutapplication.h
- x ./opt/local/include/kaboutdata.h
- x ./opt/local/include/kaboutdialog.h
- x ./opt/local/include/kaboutkde.h
- x ./opt/local/include/kaccel.h
- x ./opt/local/include/kaccelgen.h
- x ./opt/local/include/kaccelmanager.h
- x ./opt/local/include/kacl.h
- x ./opt/local/include/kaction.h
- x ./opt/local/include/kactionclasses.h
- x ./opt/local/include/kactioncollection.h
- x ./opt/local/include/kactionselector.h
- x ./opt/local/include/kactionsshortcutlist.h
- x ./opt/local/include/kactivelabel.h
- x ./opt/local/include/kallocator.h
- x ./opt/local/include/kanimwidget.h
- x ./opt/local/include/kapp.h
- x ./opt/local/include/kapplication.h
- x ./opt/local/include/kar.h

- x ./opt/local/include/karchive.h
- x ./opt/local/include/karrowbutton.h
- x ./opt/local/include/kasyncio.h
- x ./opt/local/include/kate/
- x ./opt/local/include/kaudioplayer.h
- x ./opt/local/include/kauthicon.h
- x ./opt/local/include/kautomount.h
- x ./opt/local/include/kbookmark.h
- x ./opt/local/include/kbookmarkbar.h
- x ./opt/local/include/kbookmarkdombuilder.h
- x ./opt/local/include/kbookmarkdrag.h
- x ./opt/local/include/kbookmarkexporter.h
- x ./opt/local/include/kbookmarkimporter.h
- x ./opt/local/include/kbookmarkimporter_crash.h
- x ./opt/local/include/kbookmarkimporter_ie.h
- x ./opt/local/include/kbookmarkimporter_kde1.h
- x ./opt/local/include/kbookmarkimporter_ns.h
- x ./opt/local/include/kbookmarkimporter_opera.h
- x ./opt/local/include/kbookmarkmanager.h
- x ./opt/local/include/kbookmarkmenu.h
- x ./opt/local/include/kbookmarknotifier.h
- x ./opt/local/include/kbufferedio.h
- x ./opt/local/include/kbufferedssocket.h
- x ./opt/local/include/kbugreport.h

- x ./opt/local/include/kbuttonbox.h
- x ./opt/local/include/kcalendarsystem.h
- x ./opt/local/include/kcalendarsystemfactory.h
- x ./opt/local/include/kcatalogue.h
- x ./opt/local/include/kcharselect.h
- x ./opt/local/include/kcharsets.h
- x ./opt/local/include/kclientsocketbase.h
- x ./opt/local/include/kclipboard.h
- x ./opt/local/include/kcmdlineargs.h
- x ./opt/local/include/kcmenumngr.h
- x ./opt/local/include/kcmodule.h
- x ./opt/local/include/kcmodulecontainer.h
- x ./opt/local/include/kcmoduleinfo.h
- x ./opt/local/include/kcmoduleloader.h
- x ./opt/local/include/kcmoduleproxy.h
- x ./opt/local/include/kcmultidialog.h
- x ./opt/local/include/kcolorbtn.h
- x ./opt/local/include/kcolorbutton.h
- x ./opt/local/include/kcolorcombo.h
- x ./opt/local/include/kcolordialog.h
- x ./opt/local/include/kcolordlg.h
- x ./opt/local/include/kcolordrag.h
- x ./opt/local/include/kcombiview.h
- x ./opt/local/include/kcombobox.h

- x ./opt/local/include/kcommand.h
- x ./opt/local/include/kcompletion.h
- x ./opt/local/include/kcompletionbox.h
- x ./opt/local/include/kconfig.h
- x ./opt/local/include/kconfigbackend.h
- x ./opt/local/include/kconfigbase.h
- x ./opt/local/include/kconfigdata.h
- x ./opt/local/include/kconfigdialog.h
- x ./opt/local/include/kconfigdialogmanager.h
- x ./opt/local/include/kconfigskelton.h
- x ./opt/local/include/kcpuinfo.h
- x ./opt/local/include/kcrash.h
- x ./opt/local/include/kcursor.h
- x ./opt/local/include/kcustommenueditor.h
- x ./opt/local/include/kdatagramsocket.h
- x ./opt/local/include/kdatastream.h
- x ./opt/local/include/kdatatool.h
- x ./opt/local/include/kdatepicker.h
- x ./opt/local/include/kdatepik.h
- x ./opt/local/include/kdatetbl.h
- x ./opt/local/include/kdatetimewidget.h
- x ./opt/local/include/kdatewidget.h
- x ./opt/local/include/kdcopactionproxy.h
- x ./opt/local/include/kdcoppropertyproxy.h

- x ./opt/local/include/kdcopserVICestarter.h
- x ./opt/local/include/kde.pot
- x ./opt/local/include/kde_file.h
- x ./opt/local/include/kde_terminal_interface.h
- x ./opt/local/include/kdebug.h
- x ./opt/local/include/kdebugclasses.h
- x ./opt/local/include/kdedmodule.h
- x ./opt/local/include/kdelibs_export.h
- x ./opt/local/include/kdemacros.h
- x ./opt/local/include/kdeprint/
- x ./opt/local/include/kdesktopfile.h
- x ./opt/local/include/kdesu/
- x ./opt/local/include/kdeversion.h
- x ./opt/local/include/kdialog.h
- x ./opt/local/include/kdialogbase.h
- x ./opt/local/include/kdirllister.h
- x ./opt/local/include/kdirnotify.h
- x ./opt/local/include/kdirnotify_stub.h
- x ./opt/local/include/kdiroperator.h
- x ./opt/local/include/kdirselectdialog.h
- x ./opt/local/include/kdirsize.h
- x ./opt/local/include/kdirwatch.h
- x ./opt/local/include/kdiskfreesp.h
- x ./opt/local/include/kdockwidget.h

- x ./opt/local/include/kdockwindow.h
- x ./opt/local/include/kdrawutil.h
- x ./opt/local/include/kdualcolorbtn.h
- x ./opt/local/include/kdualcolorbutton.h
- x ./opt/local/include/keditcl.h
- x ./opt/local/include/keditlistbox.h
- x ./opt/local/include/kedittoolbar.h
- x ./opt/local/include/kemailsettings.h
- x ./opt/local/include/kencodingfiledialog.h
- x ./opt/local/include/kextendedsocket.h
- x ./opt/local/include/kextsock.h
- x ./opt/local/include/kfile.h
- x ./opt/local/include/kfiledetailview.h
- x ./opt/local/include/kfiledialog.h
- x ./opt/local/include/kfilefilter.h
- x ./opt/local/include/kfilefiltercombo.h
- x ./opt/local/include/kfileiconview.h
- x ./opt/local/include/kfileitem.h
- x ./opt/local/include/kfilemetainfo.h
- x ./opt/local/include/kfilepreview.h
- x ./opt/local/include/kfileshare.h
- x ./opt/local/include/kfilesharedlg.h
- x ./opt/local/include/kfiletreebranch.h
- x ./opt/local/include/kfiletreeview.h

- x ./opt/local/include/kfiletreeviewitem.h
- x ./opt/local/include/kfileview.h
- x ./opt/local/include/kfilterbase.h
- x ./opt/local/include/kfilterdev.h
- x ./opt/local/include/kfind.h
- x ./opt/local/include/kfinddialog.h
- x ./opt/local/include/kfontcombo.h
- x ./opt/local/include/kfontdialog.h
- x ./opt/local/include/kfontrequester.h
- x ./opt/local/include/kgenericfactory.h
- x ./opt/local/include/kgenericfactory.tcc
- x ./opt/local/include/kglobal.h
- x ./opt/local/include/kglobalaccel.h
- x ./opt/local/include/kglobalsettings.h
- x ./opt/local/include/kguiitem.h
- x ./opt/local/include/khelpmenu.h
- x ./opt/local/include/khexedit/
- x ./opt/local/include/khtml_events.h
- x ./opt/local/include/khtml_part.h
- x ./opt/local/include/khtml_settings.h
- x ./opt/local/include/khtmldefaults.h
- x ./opt/local/include/khtmlview.h
- x ./opt/local/include/khttpproxysocketdevice.h
- x ./opt/local/include/kicondialog.h

- x ./opt/local/include/kiconeffect.h
- x ./opt/local/include/kiconloader.h
- x ./opt/local/include/kicontheme.h
- x ./opt/local/include/kiconview.h
- x ./opt/local/include/kiconviewsearchline.h
- x ./opt/local/include/kidna.h
- x ./opt/local/include/kimageeffect.h
- x ./opt/local/include/kimagefilepreview.h
- x ./opt/local/include/kimageio.h
- x ./opt/local/include/kimiface.h
- x ./opt/local/include/kimproxy.h
- x ./opt/local/include/kimproxyiface.h
- x ./opt/local/include/kinputdialog.h
- x ./opt/local/include/kinstance.h
- x ./opt/local/include/kio/
- x ./opt/local/include/kiobuffer.h
- x ./opt/local/include/kipc.h
- x ./opt/local/include/kjanuswidget.h
- x ./opt/local/include/kjs/
- x ./opt/local/include/kkeybutton.h
- x ./opt/local/include/kkeydialog.h
- x ./opt/local/include/kkeynative.h
- x ./opt/local/include/klanguagebutton.h
- x ./opt/local/include/klargefile.h

- x ./opt/local/include/kled.h
- x ./opt/local/include/klibloader.h
- x ./opt/local/include/klineedit.h
- x ./opt/local/include/klineeditdlg.h
- x ./opt/local/include/klistbox.h
- x ./opt/local/include/klistview.h
- x ./opt/local/include/klistviewsearchline.h
- x ./opt/local/include/klocale.h
- x ./opt/local/include/klockfile.h
- x ./opt/local/include/kmacroexpander.h
- x ./opt/local/include/kmainwindow.h
- x ./opt/local/include/kmainwindowiface.h
- x ./opt/local/include/kmanagerselection.h
- x ./opt/local/include/kmdcodec.h
- x ./opt/local/include/kmdi/
- x ./opt/local/include/kmdichildarea.h
- x ./opt/local/include/kmdichildfrm.h
- x ./opt/local/include/kmdichildfrmcaption.h
- x ./opt/local/include/kmdichildview.h
- x ./opt/local/include/kmdidefines.h
- x ./opt/local/include/kmdiiterator.h
- x ./opt/local/include/kmdilistiterator.h
- x ./opt/local/include/kdimainfrm.h
- x ./opt/local/include/kmdinulliterator.h

- x ./opt/local/include/kmditaskbar.h
- x ./opt/local/include/kmditoolviewaccessor.h
- x ./opt/local/include/kmediaplayer/
- x ./opt/local/include/kmenubar.h
- x ./opt/local/include/kmessagebox.h
- x ./opt/local/include/kmimemagic.h
- x ./opt/local/include/kmimesourcefactory.h
- x ./opt/local/include/kmimetype.h
- x ./opt/local/include/kmimetypechooser.h
- x ./opt/local/include/kmimetyperesolver.h
- x ./opt/local/include/kmountpoint.h
- x ./opt/local/include/kmulticastsocket.h
- x ./opt/local/include/kmulticastsocketdevice.h
- x ./opt/local/include/kmultipledrag.h
- x ./opt/local/include/kmultitabbar.h
- x ./opt/local/include/knetworkinterface.h
- x ./opt/local/include/knewstuff/
- x ./opt/local/include/knfsshare.h
- x ./opt/local/include/knotifyclient.h
- x ./opt/local/include/knotifydialog.h
- x ./opt/local/include/knotifywidgetbase.h
- x ./opt/local/include/knuminput.h
- x ./opt/local/include/knumvalidator.h
- x ./opt/local/include/kopenssl.h

- x ./opt/local/include/kopenwith.h
- x ./opt/local/include/kpalette.h
- x ./opt/local/include/kpanelapplet.h
- x ./opt/local/include/kpanelappmenu.h
- x ./opt/local/include/kpanelextension.h
- x ./opt/local/include/kpanelmenu.h
- x ./opt/local/include/kparts/
- x ./opt/local/include/kpassdlg.h
- x ./opt/local/include/kpassivepopup.h
- x ./opt/local/include/kpixmap.h
- x ./opt/local/include/kpixmapeffect.h
- x ./opt/local/include/kpixmapio.h
- x ./opt/local/include/kpixmapprovider.h
- x ./opt/local/include/kpixmapregionselectordialog.h
- x ./opt/local/include/kpixmapregionselectorwidget.h
- x ./opt/local/include/kpixmapsplitter.h
- x ./opt/local/include/kplugininfo.h
- x ./opt/local/include/kpluginselector.h
- x ./opt/local/include/kpopupmenu.h
- x ./opt/local/include/kpreviewwidgetbase.h
- x ./opt/local/include/kprintaction.h
- x ./opt/local/include/kprinter.h
- x ./opt/local/include/kprocctrl.h
- x ./opt/local/include/kprocess.h

- x ./opt/local/include/kprocio.h
- x ./opt/local/include/kprogress.h
- x ./opt/local/include/kpropertiesdialog.h
- x ./opt/local/include/kpropsdlg.h
- x ./opt/local/include/kprotocolinfo.h
- x ./opt/local/include/kprotocolmanager.h
- x ./opt/local/include/kpty.h
- x ./opt/local/include/kpushbutton.h
- x ./opt/local/include/krandomsequence.h
- x ./opt/local/include/krecentdocument.h
- x ./opt/local/include/kregexp.h
- x ./opt/local/include/kregexpeditorinterface.h
- x ./opt/local/include/kremoteencoding.h
- x ./opt/local/include/kreplace.h
- x ./opt/local/include/kreplacdialog.h
- x ./opt/local/include/kresolver.h
- x ./opt/local/include/kresources/
- x ./opt/local/include/krestrictedline.h
- x ./opt/local/include/kreverseresolver.h
- x ./opt/local/include/krfcdate.h
- x ./opt/local/include/krootpixmap.h
- x ./opt/local/include/krootprop.h
- x ./opt/local/include/kruler.h
- x ./opt/local/include/krun.h

- x ./opt/local/include/ksambashare.h
- x ./opt/local/include/ksavefile.h
- x ./opt/local/include/kscan.h
- x ./opt/local/include/ksconfig.h
- x ./opt/local/include/kscreensaver.h
- x ./opt/local/include/kscreensaver_vroot.h
- x ./opt/local/include/kscrollview.h
- x ./opt/local/include/kselect.h
- x ./opt/local/include/kseparator.h
- x ./opt/local/include/kserversocket.h
- x ./opt/local/include/kservice.h
- x ./opt/local/include/kservicegroup.h
- x ./opt/local/include/kservicetype.h
- x ./opt/local/include/ksettings/
- x ./opt/local/include/ksharedpixmap.h
- x ./opt/local/include/ksharedptr.h
- x ./opt/local/include/kshell.h
- x ./opt/local/include/kshellcompletion.h
- x ./opt/local/include/kshortcut.h
- x ./opt/local/include/kshortcutdialog.h
- x ./opt/local/include/kshortcutlist.h
- x ./opt/local/include/kshred.h
- x ./opt/local/include/ksimpleconfig.h
- x ./opt/local/include/kmimecrypto.h

- x ./opt/local/include/ksock.h
- x ./opt/local/include/ksockaddr.h
- x ./opt/local/include/ksocketaddress.h
- x ./opt/local/include/ksocketbase.h
- x ./opt/local/include/ksocketdevice.h
- x ./opt/local/include/ksocks.h
- x ./opt/local/include/ksockssocketdevice.h
- x ./opt/local/include/ksortablevaluelist.h
- x ./opt/local/include/kspeech.h
- x ./opt/local/include/kspeechsink.h
- x ./opt/local/include/kspell.h
- x ./opt/local/include/kspell2/
- x ./opt/local/include/kspelldlg.h
- x ./opt/local/include/ksplashscreen.h
- x ./opt/local/include/ksqueezedtextlabel.h
- x ./opt/local/include/kssl.h
- x ./opt/local/include/ksslall.h
- x ./opt/local/include/ksslcertchain.h
- x ./opt/local/include/ksslcertdlg.h
- x ./opt/local/include/ksslcertificate.h
- x ./opt/local/include/ksslcertificatecache.h
- x ./opt/local/include/ksslcertificatefactory.h
- x ./opt/local/include/ksslcertificatehome.h
- x ./opt/local/include/ksslconfig.h

- x ./opt/local/include/ksslconnectioninfo.h
- x ./opt/local/include/ksslinfodlg.h
- x ./opt/local/include/ksslkeygen.h
- x ./opt/local/include/ksslpeerinfo.h
- x ./opt/local/include/ksslpemcallback.h
- x ./opt/local/include/ksslpkcs12.h
- x ./opt/local/include/ksslpkcs7.h
- x ./opt/local/include/ksslsession.h
- x ./opt/local/include/ksslsettings.h
- x ./opt/local/include/ksslsigners.h
- x ./opt/local/include/ksslutils.h
- x ./opt/local/include/ksslx509map.h
- x ./opt/local/include/ksslx509v3.h
- x ./opt/local/include/kstandarddirs.h
- x ./opt/local/include/kstartupinfo.h
- x ./opt/local/include/kstaticdeleter.h
- x ./opt/local/include/kstatusbar.h
- x ./opt/local/include/kstdaccel.h
- x ./opt/local/include/kstdaction.h
- x ./opt/local/include/kstddirs.h
- x ./opt/local/include/kstdguiitem.h
- x ./opt/local/include/kstreamssocket.h
- x ./opt/local/include/kstringhandler.h
- x ./opt/local/include/kstringvalidator.h

- x ./opt/local/include/kstyle.h
- x ./opt/local/include/ksvgiconengine.h
- x ./opt/local/include/kswitchlanguagedialog.h
- x ./opt/local/include/ksycoca.h
- x ./opt/local/include/ksycocaentry.h
- x ./opt/local/include/ksycocatype.h
- x ./opt/local/include/ksyntaxhighlighter.h
- x ./opt/local/include/kssystemtray.h
- x ./opt/local/include/ktabbar.h
- x ./opt/local/include/ktabctl.h
- x ./opt/local/include/ktabwidget.h
- x ./opt/local/include/ktar.h
- x ./opt/local/include/ktempdir.h
- x ./opt/local/include/ktempfile.h
- x ./opt/local/include/ktextbrowser.h
- x ./opt/local/include/ktextedit.h
- x ./opt/local/include/ktexteditor/
- x ./opt/local/include/ktimewidget.h
- x ./opt/local/include/ktimezones.h
- x ./opt/local/include/ktimezonewidget.h
- x ./opt/local/include/ktip.h
- x ./opt/local/include/ktoolbar.h
- x ./opt/local/include/ktoolbarbutton.h
- x ./opt/local/include/ktoolbarlabelaction.h

- x ./opt/local/include/ktoolbarradiogroup.h
- x ./opt/local/include/ktrader.h
- x ./opt/local/include/ktypelist.h
- x ./opt/local/include/kuniqueapp.h
- x ./opt/local/include/kuniqueapplication.h
- x ./opt/local/include/kunittest/
- x ./opt/local/include/kunload.h
- x ./opt/local/include/kurifilter.h
- x ./opt/local/include/kurl.h
- x ./opt/local/include/kurlbar.h
- x ./opt/local/include/kurlcombobox.h
- x ./opt/local/include/kurlcompletion.h
- x ./opt/local/include/kurldrag.h
- x ./opt/local/include/kurllabel.h
- x ./opt/local/include/kurlpixmapprovider.h
- x ./opt/local/include/kurlrequester.h
- x ./opt/local/include/kurlrequesterdlg.h
- x ./opt/local/include/kuser.h
- x ./opt/local/include/kuserprofile.h
- x ./opt/local/include/kvmallocator.h
- x ./opt/local/include/kwallet.h
- x ./opt/local/include/kwallettypes.h
- x ./opt/local/include/kwin.h
- x ./opt/local/include/kwindowinfo.h

- x ./opt/local/include/kwindowlistmenu.h
- x ./opt/local/include/kwinmodule.h
- x ./opt/local/include/kwizard.h
- x ./opt/local/include/kwordwrap.h
- x ./opt/local/include/kxerrorhandler.h
- x ./opt/local/include/kxmessages.h
- x ./opt/local/include/kxmlgui.h
- x ./opt/local/include/kxmlguibuilder.h
- x ./opt/local/include/kxmlguiclient.h
- x ./opt/local/include/kxmlguifactory.h
- x ./opt/local/include/kzip.h
- x ./opt/local/include/libkmid/
- x ./opt/local/include/netwm.h
- x ./opt/local/include/netwm_def.h
- x ./opt/local/include/qxembed.h
- x ./opt/local/include/renamedlgplugin.h
- x ./opt/local/include/scriptclientinterface.h
- x ./opt/local/include/scriptinterface.h
- x ./opt/local/include/scriptmanager.h
- x ./opt/local/include/libkmid/alsaout.h
- x ./opt/local/include/libkmid/dattypes.h
- x ./opt/local/include/libkmid/deviceman.h
- x ./opt/local/include/libkmid/fmout.h
- x ./opt/local/include/libkmid/gusout.h

x ./opt/local/include/libkmid/libkmid.h
x ./opt/local/include/libkmid/midfile.h
x ./opt/local/include/libkmid/midmapper.h
x ./opt/local/include/libkmid/midiout.h
x ./opt/local/include/libkmid/midispec.h
x ./opt/local/include/libkmid/midistat.h
x ./opt/local/include/libkmid/mt32togm.h
x ./opt/local/include/libkmid/notearray.h
x ./opt/local/include/libkmid/player.h
x ./opt/local/include/libkmid/synthout.h
x ./opt/local/include/libkmid/track.h
x ./opt/local/include/libkmid/voiceman.h
x ./opt/local/include/kunittest/module.h
x ./opt/local/include/kunittest/runner.h
x ./opt/local/include/kunittest/tester.h
x ./opt/local/include/ktexteditor/blockselectioninterface.h
x ./opt/local/include/ktexteditor/clipboardinterface.h
x ./opt/local/include/ktexteditor/codecompletioninterface.h
x ./opt/local/include/ktexteditor/configinterface.h
x ./opt/local/include/ktexteditor/configinterfaceextension.h
x ./opt/local/include/ktexteditor/cursorinterface.h
x ./opt/local/include/ktexteditor/document.h
x ./opt/local/include/ktexteditor/documentinfo.h
x ./opt/local/include/ktexteditor/dynwordwrapinterface.h

- x ./opt/local/include/ktexteditor/editinterface.h
- x ./opt/local/include/ktexteditor/editinterfaceext.h
- x ./opt/local/include/ktexteditor/editor.h
- x ./opt/local/include/ktexteditor/editorchooser.h
- x ./opt/local/include/ktexteditor/encodinginterface.h
- x ./opt/local/include/ktexteditor/highlightinginterface.h
- x ./opt/local/include/ktexteditor/markinterface.h
- x ./opt/local/include/ktexteditor/markinterfaceextension.h
- x ./opt/local/include/ktexteditor/plugin.h
- x ./opt/local/include/ktexteditor/popupmenuinterface.h
- x ./opt/local/include/ktexteditor/printinterface.h
- x ./opt/local/include/ktexteditor/searchinterface.h
- x ./opt/local/include/ktexteditor/selectionextdcopinterface.h
- x ./opt/local/include/ktexteditor/selectioninterface.h
- x ./opt/local/include/ktexteditor/selectioninterfaceext.h
- x ./opt/local/include/ktexteditor/sessionconfiginterface.h
- x ./opt/local/include/ktexteditor/templateinterface.h
- x ./opt/local/include/ktexteditor/texthintinterface.h
- x ./opt/local/include/ktexteditor/undointerface.h
- x ./opt/local/include/ktexteditor/variableinterface.h
- x ./opt/local/include/ktexteditor/view.h
- x ./opt/local/include/ktexteditor/viewcursorinterface.h
- x ./opt/local/include/ktexteditor/viewstatusmsginterface.h
- x ./opt/local/include/ktexteditor/wordwrapinterface.h

- x ./opt/local/include/kspell2/backgroundchecker.h
- x ./opt/local/include/kspell2/broker.h
- x ./opt/local/include/kspell2/configdialog.h
- x ./opt/local/include/kspell2/configwidget.h
- x ./opt/local/include/kspell2/defaultdictionary.h
- x ./opt/local/include/kspell2/dialog.h
- x ./opt/local/include/kspell2/dictionary.h
- x ./opt/local/include/kspell2/filter.h
- x ./opt/local/include/kspell2/highlighter.h
- x ./opt/local/include/kspell2/settings.h
- x ./opt/local/include/ksettings/componentsdialog.h
- x ./opt/local/include/ksettings/dialog.h
- x ./opt/local/include/ksettings/dispatcher.h
- x ./opt/local/include/ksettings/pluginpage.h
- x ./opt/local/include/kresources/configdialog.h
- x ./opt/local/include/kresources/configpage.h
- x ./opt/local/include/kresources/configwidget.h
- x ./opt/local/include/kresources/factory.h
- x ./opt/local/include/kresources/manager.h
- x ./opt/local/include/kresources/manageriface.h
- x ./opt/local/include/kresources/managerimpl.h
- x ./opt/local/include/kresources/resource.h
- x ./opt/local/include/kresources/selectdialog.h
- x ./opt/local/include/kparts/browserextension.h

- x ./opt/local/include/kparts/browserinterface.h
- x ./opt/local/include/kparts/browserrun.h
- x ./opt/local/include/kparts/componentfactory.h
- x ./opt/local/include/kparts/dockmainwindow.h
- x ./opt/local/include/kparts/event.h
- x ./opt/local/include/kparts/factory.h
- x ./opt/local/include/kparts/genericfactory.h
- x ./opt/local/include/kparts/historyprovider.h
- x ./opt/local/include/kparts/mainwindow.h
- x ./opt/local/include/kparts/part.h
- x ./opt/local/include/kparts/partmanager.h
- x ./opt/local/include/kparts/plugin.h
- x ./opt/local/include/kparts/statusbarextension.h
- x ./opt/local/include/knewstuff/downloaddialog.h
- x ./opt/local/include/knewstuff/engine.h
- x ./opt/local/include/knewstuff/entry.h
- x ./opt/local/include/knewstuff/knewstuff.h
- x ./opt/local/include/knewstuff/knewstuffbutton.h
- x ./opt/local/include/knewstuff/knewstuffgeneric.h
- x ./opt/local/include/knewstuff/knewstuffsecure.h
- x ./opt/local/include/knewstuff/provider.h
- x ./opt/local/include/knewstuff/providerdialog.h
- x ./opt/local/include/knewstuff/uploaddialog.h
- x ./opt/local/include/kmediaplayer/player.h

- x ./opt/local/include/kmediaplayer/playerdcopobject.h
- x ./opt/local/include/kmediaplayer/view.h
- x ./opt/local/include/kmdi/global.h
- x ./opt/local/include/kmdi/mainwindow.h
- x ./opt/local/include/kmdi/tabwidget.h
- x ./opt/local/include/kmdi/toolviewaccessor.h
- x ./opt/local/include/kjs/completion.h
- x ./opt/local/include/kjs/function.h
- x ./opt/local/include/kjs/global.h
- x ./opt/local/include/kjs/identifier.h
- x ./opt/local/include/kjs/interpreter.h
- x ./opt/local/include/kjs/list.h
- x ./opt/local/include/kjs/lookup.h
- x ./opt/local/include/kjs/object.h
- x ./opt/local/include/kjs/operations.h
- x ./opt/local/include/kjs/property_map.h
- x ./opt/local/include/kjs/reference.h
- x ./opt/local/include/kjs/reference_list.h
- x ./opt/local/include/kjs/scope_chain.h
- x ./opt/local/include/kjs/simple_number.h
- x ./opt/local/include/kjs/types.h
- x ./opt/local/include/kjs/usttring.h
- x ./opt/local/include/kjs/value.h
- x ./opt/local/include/kio/authinfo.h

- x ./opt/local/include/kio/chmodjob.h
- x ./opt/local/include/kio/connection.h
- x ./opt/local/include/kio/davjob.h
- x ./opt/local/include/kio/defaultprogress.h
- x ./opt/local/include/kio/file.h
- x ./opt/local/include/kio/forwardingslavebase.h
- x ./opt/local/include/kio/global.h
- x ./opt/local/include/kio/http.h
- x ./opt/local/include/kio/http_slave_defaults.h
- x ./opt/local/include/kio/ioslave_defaults.h
- x ./opt/local/include/kio/job.h
- x ./opt/local/include/kio/jobclasses.h
- x ./opt/local/include/kio/kdesasl.h
- x ./opt/local/include/kio/kmdbase.h
- x ./opt/local/include/kio/kmdcodec.h
- x ./opt/local/include/kio/kntlm.h
- x ./opt/local/include/kio/metainfojob.h
- x ./opt/local/include/kio/netaccess.h
- x ./opt/local/include/kio/observer.h
- x ./opt/local/include/kio/passdlg.h
- x ./opt/local/include/kio/paste.h
- x ./opt/local/include/kio/previewjob.h
- x ./opt/local/include/kio/progressbase.h
- x ./opt/local/include/kio/renamedlg.h

- x ./opt/local/include/kio/scheduler.h
- x ./opt/local/include/kio/sessiondata.h
- x ./opt/local/include/kio/skipdlg.h
- x ./opt/local/include/kio/slave.h
- x ./opt/local/include/kio/slavebase.h
- x ./opt/local/include/kio/slaveconfig.h
- x ./opt/local/include/kio/slaveinterface.h
- x ./opt/local/include/kio/statusbarprogress.h
- x ./opt/local/include/kio/tcpslavebase.h
- x ./opt/local/include/kio/thumbcreator.h
- x ./opt/local/include/kio/uiserver.h
- x ./opt/local/include/kio/uiserver_stub.h
- x ./opt/local/include/khexedit/byteseditinterface.h
- x ./opt/local/include/khexedit/charcolumninterface.h
- x ./opt/local/include/khexedit/clipboardinterface.h
- x ./opt/local/include/khexedit/valuecolumninterface.h
- x ./opt/local/include/khexedit/zoominterface.h
- x ./opt/local/include/kdesu/client.h
- x ./opt/local/include/kdesu/defaults.h
- x ./opt/local/include/kdesu/kcookie.h
- x ./opt/local/include/kdesu/kdesu_pty.h
- x ./opt/local/include/kdesu/process.h
- x ./opt/local/include/kdesu/pty.h
- x ./opt/local/include/kdesu/ssh.h

- x ./opt/local/include/kdesu/stub.h
- x ./opt/local/include/kdesu/su.h
- x ./opt/local/include/kdeprint/driver.h
- x ./opt/local/include/kdeprint/kiconselectaction.h
- x ./opt/local/include/kdeprint/kmjob.h
- x ./opt/local/include/kdeprint/kmjobmanager.h
- x ./opt/local/include/kdeprint/kmjobviewer.h
- x ./opt/local/include/kdeprint/kmmainview.h
- x ./opt/local/include/kdeprint/kmmanager.h
- x ./opt/local/include/kdeprint/kmobject.h
- x ./opt/local/include/kdeprint/kmprinter.h
- x ./opt/local/include/kdeprint/kmprinterpage.h
- x ./opt/local/include/kdeprint/kmtimer.h
- x ./opt/local/include/kdeprint/kpreloadobject.h
- x ./opt/local/include/kdeprint/kprintdialog.h
- x ./opt/local/include/kdeprint/kprintdialogpage.h
- x ./opt/local/include/kdeprint/lpr/
- x ./opt/local/include/kdeprint/lpr/lprhandler.h
- x ./opt/local/include/kdeprint/lpr/lprsettings.h
- x ./opt/local/include/kdeprint/lpr/printcapentry.h
- x ./opt/local/include/kate/document.h
- x ./opt/local/include/kate/view.h
- x ./opt/local/include/kabc/address.h
- x ./opt/local/include/kabc/addressbook.h

- x ./opt/local/include/kabc/addressee.h
- x ./opt/local/include/kabc/addresseedialog.h
- x ./opt/local/include/kabc/addresseelist.h
- x ./opt/local/include/kabc/addresslineedit.h
- x ./opt/local/include/kabc/agent.h
- x ./opt/local/include/kabc/distributionlist.h
- x ./opt/local/include/kabc/distributionlistdialog.h
- x ./opt/local/include/kabc/distributionlisteditor.h
- x ./opt/local/include/kabc/errorhandler.h
- x ./opt/local/include/kabc/field.h
- x ./opt/local/include/kabc/format.h
- x ./opt/local/include/kabc/formatfactory.h
- x ./opt/local/include/kabc/formatplugin.h
- x ./opt/local/include/kabc/geo.h
- x ./opt/local/include/kabc/key.h
- x ./opt/local/include/kabc/ldapclient.h
- x ./opt/local/include/kabc/ldapconfigwidget.h
- x ./opt/local/include/kabc/ldapurl.h
- x ./opt/local/include/kabc/ldif.h
- x ./opt/local/include/kabc/ldifconverter.h
- x ./opt/local/include/kabc/lock.h
- x ./opt/local/include/kabc/locknull.h
- x ./opt/local/include/kabc/phonenumbers.h
- x ./opt/local/include/kabc/picture.h

- x ./opt/local/include/kabc/plugin.h
- x ./opt/local/include/kabc/resource.h
- x ./opt/local/include/kabc/resourcedir.h
- x ./opt/local/include/kabc/resourcefile.h
- x ./opt/local/include/kabc/resourceldapkio.h
- x ./opt/local/include/kabc/resourceselectdialog.h
- x ./opt/local/include/kabc/secretcy.h
- x ./opt/local/include/kabc/sortmode.h
- x ./opt/local/include/kabc/sound.h
- x ./opt/local/include/kabc/stdaddressbook.h
- x ./opt/local/include/kabc/timezone.h
- x ./opt/local/include/kabc/vcard.h
- x ./opt/local/include/kabc/vcardconverter.h
- x ./opt/local/include/kabc/vcardformat.h
- x ./opt/local/include/kabc/vcardformatplugin.h
- x ./opt/local/include/kabc/vcardline.h
- x ./opt/local/include/kabc/vcardparser.h
- x ./opt/local/include/dom/css_rule.h
- x ./opt/local/include/dom/css_stylesheet.h
- x ./opt/local/include/dom/css_value.h
- x ./opt/local/include/dom/dom2_events.h
- x ./opt/local/include/dom/dom2_range.h
- x ./opt/local/include/dom/dom2_traversal.h
- x ./opt/local/include/dom/dom2_views.h

- x ./opt/local/include/dom/dom_core.h
- x ./opt/local/include/dom/dom_doc.h
- x ./opt/local/include/dom/dom_element.h
- x ./opt/local/include/dom/dom_exception.h
- x ./opt/local/include/dom/dom_html.h
- x ./opt/local/include/dom/dom_misc.h
- x ./opt/local/include/dom/dom_node.h
- x ./opt/local/include/dom/dom_string.h
- x ./opt/local/include/dom/dom_text.h
- x ./opt/local/include/dom/dom_xml.h
- x ./opt/local/include/dom/html_base.h
- x ./opt/local/include/dom/html_block.h
- x ./opt/local/include/dom/html_document.h
- x ./opt/local/include/dom/html_element.h
- x ./opt/local/include/dom/html_form.h
- x ./opt/local/include/dom/html_head.h
- x ./opt/local/include/dom/html_image.h
- x ./opt/local/include/dom/html_inline.h
- x ./opt/local/include/dom/html_list.h
- x ./opt/local/include/dom/html_misc.h
- x ./opt/local/include/dom/html_object.h
- x ./opt/local/include/dom/html_table.h
- x ./opt/local/include/dnssd/domainbrowser.h
- x ./opt/local/include/dnssd/publicservice.h

- x ./opt/local/include/dnssd/query.h
- x ./opt/local/include/dnssd/remoteservice.h
- x ./opt/local/include/dnssd/servicebase.h
- x ./opt/local/include/dnssd/servicebrowser.h
- x ./opt/local/include/dnssd/settings.h
- x ./opt/local/etc/xdg/
- x ./opt/local/etc/xdg/menus/
- x ./opt/local/etc/xdg/menus/kde-applications.menu
- x ./opt/local/bin/checkXML
- x ./opt/local/bin/cupsdconf
- x ./opt/local/bin/cupsdoprint
- x ./opt/local/bin/dcop
- x ./opt/local/bin/dcopclient
- x ./opt/local/bin/dcopfind
- x ./opt/local/bin/dcopidl
- x ./opt/local/bin/dcopidl2cpp
- x ./opt/local/bin/dcopidlng
- x ./opt/local/bin/dcopobject
- x ./opt/local/bin/dcopquit
- x ./opt/local/bin/dcopref
- x ./opt/local/bin/dcopserver
- x ./opt/local/bin/dcopserver_shutdown
- x ./opt/local/bin/dcopstart
- x ./opt/local/bin/filesharelist

- x ./opt/local/bin/fileshareset
- x ./opt/local/bin/imagetops
- x ./opt/local/bin/kab2kabc
- x ./opt/local/bin/kaddprinterwizard
- x ./opt/local/bin/kbuildsycoca
- x ./opt/local/bin/kcmshell
- x ./opt/local/bin/kconf_update
- x ./opt/local/bin/kconfig_compiler
- x ./opt/local/bin/kcookiejar
- x ./opt/local/bin/kde-config
- x ./opt/local/bin/kde-menu
- x ./opt/local/bin/kded
- x ./opt/local/bin/kdeinit
- x ./opt/local/bin/kdeinit_shutdown
- x ./opt/local/bin/kdeinit_wrapper
- x ./opt/local/bin/kdesu_stub
- x ./opt/local/bin/kdontchangethehostname
- x ./opt/local/bin/kdostartupconfig
- x ./opt/local/bin/kfile
- x ./opt/local/bin/kfmexec
- x ./opt/local/bin/kgrantpty
- x ./opt/local/bin/khotnewstuff
- x ./opt/local/bin/kinstalltheme
- x ./opt/local/bin/kio_http_cache_cleaner

```
x ./opt/local/bin/kio_uiserver
x ./opt/local/bin/kioexec
x ./opt/local/bin/kioslave
x ./opt/local/bin/klauncher
x ./opt/local/bin/kmailservice
x ./opt/local/bin/kpac_dhcp_helper
x ./opt/local/bin/ksendbugmail
x ./opt/local/bin/kshell
x ./opt/local/bin/kstartupconfig
x ./opt/local/bin/ksvgtopng
x ./opt/local/bin/ktelnetSERVICE
x ./opt/local/bin/ktradertest
x ./opt/local/bin/kunittestmodrunner
x ./opt/local/bin/kwrapper
x ./opt/local/bin/lnusertemp
x ./opt/local/bin/make_driver_db_cups
x ./opt/local/bin/make_driver_db_lpr
x ./opt/local/bin/makekdewidgets
x ./opt/local/bin/meinproc
x ./opt/local/bin/preparetips
x ./opt/local/bin/start_kdeinit
x ./opt/local/bin/start_kdeinit_wrapper
---> Cleaning kdelibs3
---> Removing work directory for kdelibs3
```



```
---> Fetching archive for opensp
---> opensp-1.5.2_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/v
ar/macports/incoming/verified
---> Attempting to fetch opensp-1.5.2_1.darwin_10.x86_64.tbz2 from http://packa
ges.macports.org/opensp
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
100	2002k	100	2002k	0	0	439k	0	0:00:04	0:00:04	--:--:--	453k

```
---> Attempting to fetch opensp-1.5.2_1.darwin_10.x86_64.tbz2.rmd160 from http:
//packages.macports.org/opensp
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current			
			Dload	Upload	Total	Spent	Left	Speed			
102	512	102	512	0	0	1719	0	--:--:--	--:--:--	--:--:--	3303

```
---> Installing opensp @1.5.2_1
```

```
---> Activating opensp @1.5.2_1
```

```
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
```

- x ./opt/local/include/
- x ./opt/local/lib/
- x ./opt/local/share/
- x ./opt/local/share/OpenSP/
- x ./opt/local/share/doc/
- x ./opt/local/share/locale/
- x ./opt/local/share/locale/de/
- x ./opt/local/share/locale/fr/
- x ./opt/local/share/locale/ja/
- x ./opt/local/share/locale/sv/
- x ./opt/local/share/locale/tr/
- x ./opt/local/share/locale/tr/LC_MESSAGES/
- x ./opt/local/share/locale/tr/LC_MESSAGES/OpenSP.mo
- x ./opt/local/share/locale/sv/LC_MESSAGES/
- x ./opt/local/share/locale/sv/LC_MESSAGES/OpenSP.mo
- x ./opt/local/share/locale/ja/LC_MESSAGES/
- x ./opt/local/share/locale/ja/LC_MESSAGES/OpenSP.mo
- x ./opt/local/share/locale/fr/LC_MESSAGES/
- x ./opt/local/share/locale/fr/LC_MESSAGES/OpenSP.mo
- x ./opt/local/share/locale/de/LC_MESSAGES/
- x ./opt/local/share/locale/de/LC_MESSAGES/OpenSP.mo
- x ./opt/local/share/doc/OpenSP/
- x ./opt/local/share/doc/OpenSP/ABOUT-NLS
- x ./opt/local/share/doc/OpenSP/AUTHORS

- x ./opt/local/share/doc/OpenSP/BUGS
- x ./opt/local/share/doc/OpenSP/COPYING
- x ./opt/local/share/doc/OpenSP/ChangeLog
- x ./opt/local/share/doc/OpenSP/NEWS
- x ./opt/local/share/doc/OpenSP/README
- x ./opt/local/share/doc/OpenSP/doc/
- x ./opt/local/share/doc/OpenSP/doc/archform.htm
- x ./opt/local/share/doc/OpenSP/doc/autoconf.htm
- x ./opt/local/share/doc/OpenSP/doc/build.htm
- x ./opt/local/share/doc/OpenSP/doc/catalog.htm
- x ./opt/local/share/doc/OpenSP/doc/charset.htm
- x ./opt/local/share/doc/OpenSP/doc/features.htm
- x ./opt/local/share/doc/OpenSP/doc/generic.htm
- x ./opt/local/share/doc/OpenSP/doc/ideas.htm
- x ./opt/local/share/doc/OpenSP/doc/index.htm
- x ./opt/local/share/doc/OpenSP/doc/new.htm
- x ./opt/local/share/doc/OpenSP/doc/nsgmls.htm
- x ./opt/local/share/doc/OpenSP/doc/sgmldecl.htm
- x ./opt/local/share/doc/OpenSP/doc/sgmlnorm.htm
- x ./opt/local/share/doc/OpenSP/doc/sgmlsout.htm
- x ./opt/local/share/doc/OpenSP/doc/spam.htm
- x ./opt/local/share/doc/OpenSP/doc/spcat.htm
- x ./opt/local/share/doc/OpenSP/doc/spent.htm
- x ./opt/local/share/doc/OpenSP/doc/sx.htm

- x ./opt/local/share/doc/OpenSP/doc/sysdecl.htm
- x ./opt/local/share/doc/OpenSP/doc/sysid.htm
- x ./opt/local/share/doc/OpenSP/doc/xml.htm
- x ./opt/local/share/doc/OpenSP/doc/xmlwarn.htm
- x ./opt/local/share/OpenSP/HTML32.dcl
- x ./opt/local/share/OpenSP/HTML32.dtd
- x ./opt/local/share/OpenSP/HTML32.soc
- x ./opt/local/share/OpenSP/HTML4-f.dtd
- x ./opt/local/share/OpenSP/HTML4-s.dtd
- x ./opt/local/share/OpenSP/HTML4.dcl
- x ./opt/local/share/OpenSP/HTML4.dtd
- x ./opt/local/share/OpenSP/HTML4.soc
- x ./opt/local/share/OpenSP/HTMLlat1.ent
- x ./opt/local/share/OpenSP/HTMLspec.ent
- x ./opt/local/share/OpenSP/HTMLsym.ent
- x ./opt/local/share/OpenSP/ISOlat1.ent
- x ./opt/local/share/OpenSP/ISOlat1.sgm
- x ./opt/local/share/OpenSP/catalog
- x ./opt/local/share/OpenSP/demo.sgm
- x ./opt/local/share/OpenSP/gensyntax.pl
- x ./opt/local/share/OpenSP/html-1.dtd
- x ./opt/local/share/OpenSP/html-1s.dtd
- x ./opt/local/share/OpenSP/html-s.dtd
- x ./opt/local/share/OpenSP/html.dcl

- x ./opt/local/share/OpenSP/html.dtd
- x ./opt/local/share/OpenSP/html.soc
- x ./opt/local/share/OpenSP/japan.dcl
- x ./opt/local/share/OpenSP/opensp-IMPLIED.dcl
- x ./opt/local/share/OpenSP/unicode.sd
- x ./opt/local/share/OpenSP/unicode.syn
- x ./opt/local/share/OpenSP/xml.dcl
- x ./opt/local/share/OpenSP/xml.soc
- x ./opt/local/lib/libosp.5.dylib
- x ./opt/local/lib/libosp.a
- x ./opt/local/lib/libosp.dylib
- x ./opt/local/lib/libosp.la
- x ./opt/local/include/OpenSP/
- x ./opt/local/include/OpenSP/Allocator.h
- x ./opt/local/include/OpenSP/ArcEngine.h
- x ./opt/local/include/OpenSP/Attribute.h
- x ./opt/local/include/OpenSP/Attributed.h
- x ./opt/local/include/OpenSP/Big5CodingSystem.h
- x ./opt/local/include/OpenSP/Boolean.h
- x ./opt/local/include/OpenSP/CharMap.cxx
- x ./opt/local/include/OpenSP/CharMap.h
- x ./opt/local/include/OpenSP/CharsetDecl.h
- x ./opt/local/include/OpenSP/CharsetInfo.h
- x ./opt/local/include/OpenSP/CharsetRegistry.h

- x ./opt/local/include/OpenSP/CmdLineApp.h
- x ./opt/local/include/OpenSP/CodingSystem.h
- x ./opt/local/include/OpenSP/CodingSystemKit.h
- x ./opt/local/include/OpenSP/ConsoleOutput.h
- x ./opt/local/include/OpenSP/ContentState.h
- x ./opt/local/include/OpenSP/ContentToken.h
- x ./opt/local/include/OpenSP/CopyOwner.cxx
- x ./opt/local/include/OpenSP/CopyOwner.h
- x ./opt/local/include/OpenSP/DescriptorManager.h
- x ./opt/local/include/OpenSP/Dtd.h
- x ./opt/local/include/OpenSP/EUCJPCodingSystem.h
- x ./opt/local/include/OpenSP/ElementType.h
- x ./opt/local/include/OpenSP/Entity.h
- x ./opt/local/include/OpenSP/EntityApp.h
- x ./opt/local/include/OpenSP/EntityCatalog.h
- x ./opt/local/include/OpenSP/EntityDecl.h
- x ./opt/local/include/OpenSP/EntityManager.h
- x ./opt/local/include/OpenSP/ErrnoMessageArg.h
- x ./opt/local/include/OpenSP/ErrorCountEventHandler.h
- x ./opt/local/include/OpenSP/Event.h
- x ./opt/local/include/OpenSP/EventGenerator.h
- x ./opt/local/include/OpenSP/EventsWanted.h
- x ./opt/local/include/OpenSP/ExtendEntityManager.h
- x ./opt/local/include/OpenSP/ExternalId.h

- x ./opt/local/include/OpenSP/Fixed2CodingSystem.h
- x ./opt/local/include/OpenSP/Fixed4CodingSystem.h
- x ./opt/local/include/OpenSP/GenericEventHandler.h
- x ./opt/local/include/OpenSP/Hash.h
- x ./opt/local/include/OpenSP/HashTable.cxx
- x ./opt/local/include/OpenSP/HashTable.h
- x ./opt/local/include/OpenSP/HashTableItemBase.cxx
- x ./opt/local/include/OpenSP/HashTableItemBase.h
- x ./opt/local/include/OpenSP/IList.h
- x ./opt/local/include/OpenSP/IListBase.h
- x ./opt/local/include/OpenSP/IListIter.h
- x ./opt/local/include/OpenSP/IListIterBase.h
- x ./opt/local/include/OpenSP/IQueue.cxx
- x ./opt/local/include/OpenSP/IQueue.h
- x ./opt/local/include/OpenSP/ISet.cxx
- x ./opt/local/include/OpenSP/ISet.h
- x ./opt/local/include/OpenSP/ISetIter.h
- x ./opt/local/include/OpenSP/IdentityCodingSystem.h
- x ./opt/local/include/OpenSP/InputSource.h
- x ./opt/local/include/OpenSP/InternalInputSource.h
- x ./opt/local/include/OpenSP/Link.h
- x ./opt/local/include/OpenSP/LinkProcess.h
- x ./opt/local/include/OpenSP/List.cxx
- x ./opt/local/include/OpenSP/List.h

- x ./opt/local/include/OpenSP/ListIter.h
- x ./opt/local/include/OpenSP/LiteralStorage.h
- x ./opt/local/include/OpenSP/Location.h
- x ./opt/local/include/OpenSP/Lpd.h
- x ./opt/local/include/OpenSP/Markup.h
- x ./opt/local/include/OpenSP/Message.h
- x ./opt/local/include/OpenSP/MessageArg.h
- x ./opt/local/include/OpenSP/MessageBuilder.h
- x ./opt/local/include/OpenSP/MessageEventHandler.h
- x ./opt/local/include/OpenSP/MessageFormatter.h
- x ./opt/local/include/OpenSP/MessageModule.h
- x ./opt/local/include/OpenSP/MessageReporter.h
- x ./opt/local/include/OpenSP/MessageTable.h
- x ./opt/local/include/OpenSP/Mode.h
- x ./opt/local/include/OpenSP/NCVector.h
- x ./opt/local/include/OpenSP/Named.h
- x ./opt/local/include/OpenSP/NamedResource.h
- x ./opt/local/include/OpenSP/NamedResourceTable.h
- x ./opt/local/include/OpenSP/NamedTable.h
- x ./opt/local/include/OpenSP/Notation.h
- x ./opt/local/include/OpenSP/NotationStorage.h
- x ./opt/local/include/OpenSP/OpenElement.h
- x ./opt/local/include/OpenSP/Options.cxx
- x ./opt/local/include/OpenSP/Options.h

- x ./opt/local/include/OpenSP/OutputByteStream.h
- x ./opt/local/include/OpenSP/OutputCharStream.h
- x ./opt/local/include/OpenSP/Owner.cxx
- x ./opt/local/include/OpenSP/Owner.h
- x ./opt/local/include/OpenSP/OwnerTable.cxx
- x ./opt/local/include/OpenSP/OwnerTable.h
- x ./opt/local/include/OpenSP/ParserApp.h
- x ./opt/local/include/OpenSP/ParserEventGeneratorKit.h
- x ./opt/local/include/OpenSP/ParserOptions.h
- x ./opt/local/include/OpenSP/PointerTable.cxx
- x ./opt/local/include/OpenSP/PointerTable.h
- x ./opt/local/include/OpenSP/PosixStorage.h
- x ./opt/local/include/OpenSP/Ptr.cxx
- x ./opt/local/include/OpenSP/Ptr.h
- x ./opt/local/include/OpenSP/RangeMap.cxx
- x ./opt/local/include/OpenSP/RangeMap.h
- x ./opt/local/include/OpenSP/Resource.h
- x ./opt/local/include/OpenSP/RewindStorageObject.h
- x ./opt/local/include/OpenSP/SGMLApplication.h
- x ./opt/local/include/OpenSP/SJISCodingSystem.h
- x ./opt/local/include/OpenSP/SOEntityCatalog.h
- x ./opt/local/include/OpenSP/Sd.h
- x ./opt/local/include/OpenSP/SdText.h
- x ./opt/local/include/OpenSP/SearchResultMessageArg.h

- x ./opt/local/include/OpenSP/SgmlParser.h
- x ./opt/local/include/OpenSP/ShortReferenceMap.h
- x ./opt/local/include/OpenSP/StdioStorage.h
- x ./opt/local/include/OpenSP/StorageManager.h
- x ./opt/local/include/OpenSP/StringC.h
- x ./opt/local/include/OpenSP/StringOf.cxx
- x ./opt/local/include/OpenSP/StringOf.h
- x ./opt/local/include/OpenSP/StringResource.h
- x ./opt/local/include/OpenSP/SubstTable.h
- x ./opt/local/include/OpenSP/Syntax.h
- x ./opt/local/include/OpenSP/Text.h
- x ./opt/local/include/OpenSP/TranslateCodingSystem.h
- x ./opt/local/include/OpenSP/TypeId.h
- x ./opt/local/include/OpenSP/URLStorage.h
- x ./opt/local/include/OpenSP/UTF16CodingSystem.h
- x ./opt/local/include/OpenSP/UTF8CodingSystem.h
- x ./opt/local/include/OpenSP/UnicodeCodingSystem.h
- x ./opt/local/include/OpenSP/UnivCharsetDesc.h
- x ./opt/local/include/OpenSP/Vector.cxx
- x ./opt/local/include/OpenSP/Vector.h
- x ./opt/local/include/OpenSP/XMLCodingSystem.h
- x ./opt/local/include/OpenSP/XcharMap.cxx
- x ./opt/local/include/OpenSP/XcharMap.h
- x ./opt/local/include/OpenSP/config.h

```
x ./opt/local/include/OpenSP/constant.h
x ./opt/local/include/OpenSP/macros.h
x ./opt/local/include/OpenSP/rtti.h
x ./opt/local/include/OpenSP/sptchar.h
x ./opt/local/include/OpenSP/types.h
x ./opt/local/include/OpenSP/xnew.h
x ./opt/local/bin/onsgmls
x ./opt/local/bin/osgmlnorm
x ./opt/local/bin/ospam
x ./opt/local/bin/ospcat
x ./opt/local/bin/ospent
x ./opt/local/bin/osx
---> Cleaning opensp
---> Removing work directory for opensp
---> Fetching archive for libofx
---> libofx-0.9.9_1.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/v
ar/macports/incoming/verified
---> Attempting to fetch libofx-0.9.9_1.darwin_10.x86_64.tbz2 from http://packa
ges.macports.org/libofx
  % Total    % Received % Xferd  Average Speed   Time    Time       Time  Current
                             Dload  Upload  Total  Spent    Left     Speed
100  524k  100  524k    0     0   246k      0  0:00:02  0:00:02 --:--:--  265k
---> Attempting to fetch libofx-0.9.9_1.darwin_10.x86_64.tbz2.rmd160 from http:
//packages.macports.org/libofx
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current				
			Dload Upload	Total	Spent	Left	Speed				
102	512	102	512	0	0	1767	0	--:--:--	--:--:--	--:--:--	3482
---> Installing libofx @0.9.9_1											
---> Activating libofx @0.9.9_1											
x ./											
x ./+COMMENT											
x ./+CONTENTS											
x ./+DESC											
x ./+PORTFILE											
x ./+STATE											
x ./opt/											
x ./opt/local/											
x ./opt/local/bin/											
x ./opt/local/include/											
x ./opt/local/lib/											
x ./opt/local/share/											
x ./opt/local/share/doc/											
x ./opt/local/share/libofx/											
x ./opt/local/share/man/											
x ./opt/local/share/man/man1/											
x ./opt/local/share/man/man1/ofxdump.1.gz											
x ./opt/local/share/libofx/dtd/											
x ./opt/local/share/libofx/dtd/ofc.dtd											

- x ./opt/local/share/libofx/dtd/ofx160.dtd
- x ./opt/local/share/libofx/dtd/ofx201.dtd
- x ./opt/local/share/libofx/dtd/opensp.dcl
- x ./opt/local/share/doc/libofx/
- x ./opt/local/share/doc/libofx/AUTHORS
- x ./opt/local/share/doc/libofx/ChangeLog
- x ./opt/local/share/doc/libofx/COPYING
- x ./opt/local/share/doc/libofx/html/
- x ./opt/local/share/doc/libofx/INSTALL
- x ./opt/local/share/doc/libofx/NEWS
- x ./opt/local/share/doc/libofx/README
- x ./opt/local/share/doc/libofx/totest.txt
- x ./opt/local/share/doc/libofx/html/annotated.html
- x ./opt/local/share/doc/libofx/html/bc_s.png
- x ./opt/local/share/doc/libofx/html/classes.html
- x ./opt/local/share/doc/libofx/html/classLibofxContext.html
- x ./opt/local/share/doc/libofx/html/classOFCAApplication.html
- x ./opt/local/share/doc/libofx/html/classOfxAccountContainer.html
- x ./opt/local/share/doc/libofx/html/classOfxAccountContainer.png
- x ./opt/local/share/doc/libofx/html/classOfxAccountInfoRequest.html
- x ./opt/local/share/doc/libofx/html/classOfxAccountInfoRequest.png
- x ./opt/local/share/doc/libofx/html/classOfxAggregate.html
- x ./opt/local/share/doc/libofx/html/classOfxAggregate.png
- x ./opt/local/share/doc/libofx/html/classOFXApplication.html

x ./opt/local/share/doc/libofx/html/classOfxBalanceContainer.html
x ./opt/local/share/doc/libofx/html/classOfxBalanceContainer.png
x ./opt/local/share/doc/libofx/html/classOfxBankTransactionContainer.html
x ./opt/local/share/doc/libofx/html/classOfxBankTransactionContainer.png
x ./opt/local/share/doc/libofx/html/classOfxDummyContainer.html
x ./opt/local/share/doc/libofx/html/classOfxDummyContainer.png
x ./opt/local/share/doc/libofx/html/classOfxGenericContainer.html
x ./opt/local/share/doc/libofx/html/classOfxGenericContainer.png
x ./opt/local/share/doc/libofx/html/classOfxInvestmentTransactionContainer.html
x ./opt/local/share/doc/libofx/html/classOfxInvestmentTransactionContainer.png
x ./opt/local/share/doc/libofx/html/classOfxMainContainer.html
x ./opt/local/share/doc/libofx/html/classOfxMainContainer.png
x ./opt/local/share/doc/libofx/html/classOfxPaymentRequest.html
x ./opt/local/share/doc/libofx/html/classOfxPaymentRequest.png
x ./opt/local/share/doc/libofx/html/classOfxPushUpContainer.html
x ./opt/local/share/doc/libofx/html/classOfxPushUpContainer.png
x ./opt/local/share/doc/libofx/html/classOfxRequest.html
x ./opt/local/share/doc/libofx/html/classOfxRequest.png
x ./opt/local/share/doc/libofx/html/classOfxSecurityContainer.html
x ./opt/local/share/doc/libofx/html/classOfxSecurityContainer.png
x ./opt/local/share/doc/libofx/html/classOfxStatementContainer.html
x ./opt/local/share/doc/libofx/html/classOfxStatementContainer.png
x ./opt/local/share/doc/libofx/html/classOfxStatementRequest.html
x ./opt/local/share/doc/libofx/html/classOfxStatementRequest.png

x ./opt/local/share/doc/libofx/html/classOfxStatusContainer.html
x ./opt/local/share/doc/libofx/html/classOfxStatusContainer.png
x ./opt/local/share/doc/libofx/html/classOfxTransactionContainer.html
x ./opt/local/share/doc/libofx/html/classOfxTransactionContainer.png
x ./opt/local/share/doc/libofx/html/classtree.html
x ./opt/local/share/doc/libofx/html/classtree_1_1fixed__depth__iterator.html
x ./opt/local/share/doc/libofx/html/classtree_1_1fixed__depth__iterator.png
x ./opt/local/share/doc/libofx/html/classtree_1_1iterator__base.html
x ./opt/local/share/doc/libofx/html/classtree_1_1iterator__base.png
x ./opt/local/share/doc/libofx/html/classtree_1_1iterator__base__less.html
x ./opt/local/share/doc/libofx/html/classtree_1_1post__order__iterator.html
x ./opt/local/share/doc/libofx/html/classtree_1_1post__order__iterator.png
x ./opt/local/share/doc/libofx/html/classtree_1_1pre__order__iterator.html
x ./opt/local/share/doc/libofx/html/classtree_1_1pre__order__iterator.png
x ./opt/local/share/doc/libofx/html/classtree_1_1sibling__iterator.html
x ./opt/local/share/doc/libofx/html/classtree_1_1sibling__iterator.png
x ./opt/local/share/doc/libofx/html/classtree__node__.html
x ./opt/local/share/doc/libofx/html/closed.png
x ./opt/local/share/doc/libofx/html/config_8h_source.html
x ./opt/local/share/doc/libofx/html/context_8cpp_source.html
x ./opt/local/share/doc/libofx/html/context_8hh_source.html
x ./opt/local/share/doc/libofx/html/doxygen.css
x ./opt/local/share/doc/libofx/html/doxygen.png
x ./opt/local/share/doc/libofx/html/file__preproc_8cpp.html

- x ./opt/local/share/doc/libofx/html/file__preproc_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/file__preproc_8hh.html
- x ./opt/local/share/doc/libofx/html/file__preproc_8hh_source.html
- x ./opt/local/share/doc/libofx/html/files.html
- x ./opt/local/share/doc/libofx/html/ftv2blank.png
- x ./opt/local/share/doc/libofx/html/ftv2doc.png
- x ./opt/local/share/doc/libofx/html/ftv2folderclosed.png
- x ./opt/local/share/doc/libofx/html/ftv2folderopen.png
- x ./opt/local/share/doc/libofx/html/ftv2lastnode.png
- x ./opt/local/share/doc/libofx/html/ftv2link.png
- x ./opt/local/share/doc/libofx/html/ftv2mlastnode.png
- x ./opt/local/share/doc/libofx/html/ftv2mnode.png
- x ./opt/local/share/doc/libofx/html/ftv2node.png
- x ./opt/local/share/doc/libofx/html/ftv2plastnode.png
- x ./opt/local/share/doc/libofx/html/ftv2pnode.png
- x ./opt/local/share/doc/libofx/html/ftv2splitbar.png
- x ./opt/local/share/doc/libofx/html/ftv2vertline.png
- x ./opt/local/share/doc/libofx/html/functions.html
- x ./opt/local/share/doc/libofx/html/functions_0x62.html
- x ./opt/local/share/doc/libofx/html/functions_0x63.html
- x ./opt/local/share/doc/libofx/html/functions_0x64.html
- x ./opt/local/share/doc/libofx/html/functions_0x65.html
- x ./opt/local/share/doc/libofx/html/functions_0x66.html
- x ./opt/local/share/doc/libofx/html/functions_0x67.html

- x [./opt/local/share/doc/libofx/html/functions_0x68.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x69.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x6c.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x6d.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x6e.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x6f.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x70.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x72.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x73.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x74.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x75.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x76.html](#)
- x [./opt/local/share/doc/libofx/html/functions_0x77.html](#)
- x [./opt/local/share/doc/libofx/html/functions_enum.html](#)
- x [./opt/local/share/doc/libofx/html/functions_eval.html](#)
- x [./opt/local/share/doc/libofx/html/functions_func.html](#)
- x [./opt/local/share/doc/libofx/html/functions_type.html](#)
- x [./opt/local/share/doc/libofx/html/functions_vars.html](#)
- x [./opt/local/share/doc/libofx/html/getopt1_8c_source.html](#)
- x [./opt/local/share/doc/libofx/html/getopt_8c_source.html](#)
- x [./opt/local/share/doc/libofx/html/globals.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x63.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x64.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x65.html](#)

- x [./opt/local/share/doc/libofx/html/globals_0x66.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x69.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x6c.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x6d.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x6f.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x70.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x71.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x72.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x73.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x74.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x75.html](#)
- x [./opt/local/share/doc/libofx/html/globals_0x77.html](#)
- x [./opt/local/share/doc/libofx/html/globals_enum.html](#)
- x [./opt/local/share/doc/libofx/html/globals_eval.html](#)
- x [./opt/local/share/doc/libofx/html/globals_func.html](#)
- x [./opt/local/share/doc/libofx/html/globals_type.html](#)
- x [./opt/local/share/doc/libofx/html/globals_vars.html](#)
- x [./opt/local/share/doc/libofx/html/gnugetopt_8h_source.html](#)
- x [./opt/local/share/doc/libofx/html/hierarchy.html](#)
- x [./opt/local/share/doc/libofx/html/inc_2libofx_8h.html](#)
- x [./opt/local/share/doc/libofx/html/inc_2libofx_8h_source.html](#)
- x [./opt/local/share/doc/libofx/html/index.html](#)
- x [./opt/local/share/doc/libofx/html/jquery.js](#)
- x [./opt/local/share/doc/libofx/html/libofx-0_89_88_2inc_2libofx_8h.html](#)

- x ./opt/local/share/doc/libofx/html/libofx-0_89_88_2inc_2libofx_8h_source.html
- x ./opt/local/share/doc/libofx/html/messages_8cpp.html
- x ./opt/local/share/doc/libofx/html/messages_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/messages_8hh.html
- x ./opt/local/share/doc/libofx/html/messages_8hh_source.html
- x ./opt/local/share/doc/libofx/html/namespacekp.html
- x ./opt/local/share/doc/libofx/html/namespaces.html
- x ./opt/local/share/doc/libofx/html/nav_f.png
- x ./opt/local/share/doc/libofx/html/nav_h.png
- x ./opt/local/share/doc/libofx/html/navtree.css
- x ./opt/local/share/doc/libofx/html/navtree.js
- x ./opt/local/share/doc/libofx/html/ofc__sgml_8cpp.html
- x ./opt/local/share/doc/libofx/html/ofc__sgml_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/ofc__sgml_8hh.html
- x ./opt/local/share/doc/libofx/html/ofc__sgml_8hh_source.html
- x ./opt/local/share/doc/libofx/html/ofx__aggregate_8hh.html
- x ./opt/local/share/doc/libofx/html/ofx__aggregate_8hh_source.html
- x ./opt/local/share/doc/libofx/html/ofx__container__account_8cpp.html
- x ./opt/local/share/doc/libofx/html/ofx__container__account_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/ofx__container__generic_8cpp.html
- x ./opt/local/share/doc/libofx/html/ofx__container__generic_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/ofx__container__main_8cpp.html
- x ./opt/local/share/doc/libofx/html/ofx__container__main_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/ofx__container__security_8cpp.html

x ./opt/local/share/doc/libofx/html/ofx__container__security_8cpp_source.html
x ./opt/local/share/doc/libofx/html/ofx__container__statement_8cpp.html
x ./opt/local/share/doc/libofx/html/ofx__container__statement_8cpp_source.html
x ./opt/local/share/doc/libofx/html/ofx__container__transaction_8cpp.html
x ./opt/local/share/doc/libofx/html/ofx__container__transaction_8cpp_source.html
x ./opt/local/share/doc/libofx/html/ofx__containers_8hh.html
x ./opt/local/share/doc/libofx/html/ofx__containers_8hh_source.html
x ./opt/local/share/doc/libofx/html/ofx__containers__misc_8cpp.html
x ./opt/local/share/doc/libofx/html/ofx__containers__misc_8cpp_source.html
x ./opt/local/share/doc/libofx/html/ofx__error__msg_8hh.html
x ./opt/local/share/doc/libofx/html/ofx__error__msg_8hh_source.html
x ./opt/local/share/doc/libofx/html/ofx__preproc_8cpp.html
x ./opt/local/share/doc/libofx/html/ofx__preproc_8cpp_source.html
x ./opt/local/share/doc/libofx/html/ofx__preproc_8hh.html
x ./opt/local/share/doc/libofx/html/ofx__preproc_8hh_source.html
x ./opt/local/share/doc/libofx/html/ofx__request_8cpp.html
x ./opt/local/share/doc/libofx/html/ofx__request_8cpp_source.html
x ./opt/local/share/doc/libofx/html/ofx__request_8hh.html
x ./opt/local/share/doc/libofx/html/ofx__request_8hh_source.html
x ./opt/local/share/doc/libofx/html/ofx__request__accountinfo_8cpp.html
x ./opt/local/share/doc/libofx/html/ofx__request__accountinfo_8cpp_source.html
x ./opt/local/share/doc/libofx/html/ofx__request__accountinfo_8hh.html
x ./opt/local/share/doc/libofx/html/ofx__request__accountinfo_8hh_source.html
x ./opt/local/share/doc/libofx/html/ofx__request__statement_8cpp.html

- x ./opt/local/share/doc/libofx/html/ofx__request__statement_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/ofx__request__statement_8hh.html
- x ./opt/local/share/doc/libofx/html/ofx__request__statement_8hh_source.html
- x ./opt/local/share/doc/libofx/html/ofx__sgml_8cpp.html
- x ./opt/local/share/doc/libofx/html/ofx__sgml_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/ofx__sgml_8hh.html
- x ./opt/local/share/doc/libofx/html/ofx__sgml_8hh_source.html
- x ./opt/local/share/doc/libofx/html/ofx__utilities_8cpp.html
- x ./opt/local/share/doc/libofx/html/ofx__utilities_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/ofx__utilities_8hh.html
- x ./opt/local/share/doc/libofx/html/ofx__utilities_8hh_source.html
- x ./opt/local/share/doc/libofx/html/ofxconnect_2cmdline_8c_source.html
- x ./opt/local/share/doc/libofx/html/ofxconnect_2cmdline_8h_source.html
- x ./opt/local/share/doc/libofx/html/ofxdump_2cmdline_8c_source.html
- x ./opt/local/share/doc/libofx/html/ofxdump_2cmdline_8h_source.html
- x ./opt/local/share/doc/libofx/html/open.png
- x ./opt/local/share/doc/libofx/html/resize.js
- x ./opt/local/share/doc/libofx/html/structcmdline__parser__params.html
- x ./opt/local/share/doc/libofx/html/structErrorMsg.html
- x ./opt/local/share/doc/libofx/html/structgengetopt__args__info.html
- x ./opt/local/share/doc/libofx/html/structLibofxFileFormatInfo.html
- x ./opt/local/share/doc/libofx/html/structOfxAccountData.html
- x ./opt/local/share/doc/libofx/html/structOfxCurrency.html
- x ./opt/local/share/doc/libofx/html/structOfxFiLogin.html

- x ./opt/local/share/doc/libofx/html/structOfxFiServiceInfo.html
- x ./opt/local/share/doc/libofx/html/structOfxPayee.html
- x ./opt/local/share/doc/libofx/html/structOfxPayment.html
- x ./opt/local/share/doc/libofx/html/structOfxSecurityData.html
- x ./opt/local/share/doc/libofx/html/structOfxStatementData.html
- x ./opt/local/share/doc/libofx/html/structOfxStatusData.html
- x ./opt/local/share/doc/libofx/html/structOfxTransactionData.html
- x ./opt/local/share/doc/libofx/html/structoption.html
- x ./opt/local/share/doc/libofx/html/tab_a.png
- x ./opt/local/share/doc/libofx/html/tab_b.png
- x ./opt/local/share/doc/libofx/html/tab_h.png
- x ./opt/local/share/doc/libofx/html/tab_s.png
- x ./opt/local/share/doc/libofx/html/tabs.css
- x ./opt/local/share/doc/libofx/html/tree_8hh_source.html
- x ./opt/local/share/doc/libofx/html/win32_8cpp_source.html
- x ./opt/local/share/doc/libofx/html/win32_8hh_source.html
- x ./opt/local/lib/libofx.6.dylib
- x ./opt/local/lib/libofx.a
- x ./opt/local/lib/libofx.dylib
- x ./opt/local/lib/libofx.la
- x ./opt/local/lib/pkgconfig/
- x ./opt/local/lib/pkgconfig/libofx.pc
- x ./opt/local/include/libofx/
- x ./opt/local/include/libofx/libofx.h

```

x ./opt/local/bin/ofx2qif
x ./opt/local/bin/ofxdump
---> Cleaning libofx
---> Removing work directory for libofx
---> Fetching archive for libtool
---> libtool-2.4.2_3.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/
var/macports/incoming/verified
---> Attempting to fetch libtool-2.4.2_3.darwin_10.x86_64.tbz2 from http://pack
ages.macports.org/libtool
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
100  514k  100  514k    0      0  230k      0  0:00:02  0:00:02  --:--:--  247k
---> Attempting to fetch libtool-2.4.2_3.darwin_10.x86_64.tbz2.rmd160 from http
://packages.macports.org/libtool
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
                        Dload  Upload   Total     Spent    Left     Speed
102   512  102   512    0      0  1774      0  --:--:--  --:--:--  --:--:--  3506
---> Installing libtool @2.4.2_3
---> Activating libtool @2.4.2_3
x ./
x ./+COMMENT
x ./+CONTENTS
x ./+DESC
x ./+PORTFILE

```

```
x ./+STATE
x ./opt/
x ./opt/local/
x ./opt/local/bin/
x ./opt/local/include/
x ./opt/local/lib/
x ./opt/local/libexec/
x ./opt/local/share/
x ./opt/local/share/aclocal/
x ./opt/local/share/doc/
x ./opt/local/share/info/
x ./opt/local/share/libtool/
x ./opt/local/share/man/
x ./opt/local/share/man/man1/
x ./opt/local/share/man/man1/glibtool.1.gz
x ./opt/local/share/man/man1/glibtoolize.1.gz
x ./opt/local/share/libtool/config/
x ./opt/local/share/libtool/libltdl/
x ./opt/local/share/libtool/libltdl/COPYING.LIB
x ./opt/local/share/libtool/libltdl/Makefile.am
x ./opt/local/share/libtool/libltdl/Makefile.in
x ./opt/local/share/libtool/libltdl/Makefile.inc
x ./opt/local/share/libtool/libltdl/README
x ./opt/local/share/libtool/libltdl/aclocal.m4
```


x ./opt/local/share/libtool/libltdl/argz.c
x ./opt/local/share/libtool/libltdl/argz.h
x ./opt/local/share/libtool/libltdl/config-h.in
x ./opt/local/share/libtool/libltdl/configure
x ./opt/local/share/libtool/libltdl/configure.ac
x ./opt/local/share/libtool/libltdl/libltdl/
x ./opt/local/share/libtool/libltdl/loaders/
x ./opt/local/share/libtool/libltdl/lt__alloc.c
x ./opt/local/share/libtool/libltdl/lt__dirent.c
x ./opt/local/share/libtool/libltdl/lt__strl.c
x ./opt/local/share/libtool/libltdl/lt_dlloader.c
x ./opt/local/share/libtool/libltdl/lt_error.c
x ./opt/local/share/libtool/libltdl/ltdl.c
x ./opt/local/share/libtool/libltdl/ltdl.h
x ./opt/local/share/libtool/libltdl/slist.c
x ./opt/local/share/libtool/libltdl/loaders/dld_link.c
x ./opt/local/share/libtool/libltdl/loaders/dlopen.c
x ./opt/local/share/libtool/libltdl/loaders/dyld.c
x ./opt/local/share/libtool/libltdl/loaders/load_add_on.c
x ./opt/local/share/libtool/libltdl/loaders/loadlibrary.c
x ./opt/local/share/libtool/libltdl/loaders/preopen.c
x ./opt/local/share/libtool/libltdl/loaders/shl_load.c
x ./opt/local/share/libtool/libltdl/libltdl/lt__alloc.h
x ./opt/local/share/libtool/libltdl/libltdl/lt__dirent.h

- x ./opt/local/share/libtool/libltdl/libltdl/lt__glibc.h
- x ./opt/local/share/libtool/libltdl/libltdl/lt__private.h
- x ./opt/local/share/libtool/libltdl/libltdl/lt__strl.h
- x ./opt/local/share/libtool/libltdl/libltdl/lt_dlloader.h
- x ./opt/local/share/libtool/libltdl/libltdl/lt_error.h
- x ./opt/local/share/libtool/libltdl/libltdl/lt_system.h
- x ./opt/local/share/libtool/libltdl/libltdl/slist.h
- x ./opt/local/share/libtool/config/compile
- x ./opt/local/share/libtool/config/config.guess
- x ./opt/local/share/libtool/config/config.sub
- x ./opt/local/share/libtool/config/depcomp
- x ./opt/local/share/libtool/config/install-sh
- x ./opt/local/share/libtool/config/ltmain.sh
- x ./opt/local/share/libtool/config/missing
- x ./opt/local/share/info/libtool.info
- x ./opt/local/share/info/libtool.info-1
- x ./opt/local/share/info/libtool.info-2
- x ./opt/local/share/doc/libtool/
- x ./opt/local/share/doc/libtool/AUTHORS
- x ./opt/local/share/doc/libtool/COPYING
- x ./opt/local/share/doc/libtool/ChangeLog
- x ./opt/local/share/doc/libtool/NEWS
- x ./opt/local/share/doc/libtool/README
- x ./opt/local/share/doc/libtool/THANKS

```
x ./opt/local/share/doc/libtool/TODO
x ./opt/local/share/aclocal/argz.m4
x ./opt/local/share/aclocal/libtool.m4
x ./opt/local/share/aclocal/ltdl.m4
x ./opt/local/share/aclocal/ltoptions.m4
x ./opt/local/share/aclocal/ltsugar.m4
x ./opt/local/share/aclocal/ltversion.m4
x ./opt/local/share/aclocal/lt~obsolete.m4
x ./opt/local/libexec/gnubin/
x ./opt/local/libexec/gnubin/libtool
x ./opt/local/libexec/gnubin/libtoolize
x ./opt/local/lib/libltdl.7.dylib
x ./opt/local/lib/libltdl.a
x ./opt/local/lib/libltdl.dylib
x ./opt/local/lib/libltdl.la
x ./opt/local/include/libltdl/
x ./opt/local/include/ltdl.h
x ./opt/local/include/libltdl/lt_dlloader.h
x ./opt/local/include/libltdl/lt_error.h
x ./opt/local/include/libltdl/lt_system.h
x ./opt/local/bin/glibtool
x ./opt/local/bin/glibtoolize
---> Cleaning libtool
---> Removing work directory for libtool
```

```
---> Fetching archive for makeicns
---> makeicns-1.4.10a_0.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified
---> Attempting to fetch makeicns-1.4.10a_0.darwin_10.x86_64.tbz2 from http://packages.macports.org/makeicns
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current
			Dload	Upload	Total	Spent	Left	Speed
100	16188	100	16188	0	0	27403	0	--:--:-- --:--:-- --:--:-- 36133

```
---> Attempting to fetch makeicns-1.4.10a_0.darwin_10.x86_64.tbz2.rmd160 from http://packages.macports.org/makeicns
```

% Total	% Received	% Xferd	Average Speed		Time	Time	Time	Current
			Dload	Upload	Total	Spent	Left	Speed
102	512	102	512	0	0	1765	0	--:--:-- --:--:-- --:--:-- 3436

```
---> Installing makeicns @1.4.10a_0
```

```
---> Activating makeicns @1.4.10a_0
```

- x ./
- x ./+COMMENT
- x ./+CONTENTS
- x ./+DESC
- x ./+PORTFILE
- x ./+STATE
- x ./opt/
- x ./opt/local/
- x ./opt/local/bin/

x ./opt/local/bin/makeicns

---> Cleaning makeicns

---> Removing work directory for makeicns

---> Fetching archive for kmymoney

---> kmymoney-1.0.5_6.darwin_10.x86_64.tbz2 doesn't seem to exist in /opt/local/var/macports/incoming/verified

---> Attempting to fetch kmymoney-1.0.5_6.darwin_10.x86_64.tbz2 from http://packages.macports.org/kmymoney

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0

---> Attempting to fetch kmymoney-1.0.5_6.darwin_10.x86_64.tbz2 from http://mse.uk.packages.macports.org/sites/packages.macports.org/kmymoney

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0

---> Attempting to fetch kmymoney-1.0.5_6.darwin_10.x86_64.tbz2 from http://lil.fr.packages.macports.org/kmymoney

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0

---> Fetching distfiles for kmymoney

---> kmymoney2-1.0.5.tar.bz2 doesn't seem to exist in /opt/local/var/macports/distfiles/kmymoney

---> Attempting to fetch kmymoney2-1.0.5.tar.bz2 from <http://hivelocity.dl.sourceforge.net/kmymoney2>

% Total	% Received	% Xferd	Average Dload	Average Upload	Speed	Time Total	Time Spent	Time Left	Current Speed		
100	10.5M	100	10.5M	0	0	262k	0	0:00:41	0:00:41	--:--:--	608k

---> Verifying checksums for kmymoney

---> Checksumming kmymoney2-1.0.5.tar.bz2

---> Extracting kmymoney

---> Extracting kmymoney2-1.0.5.tar.bz2

---> Applying patches to kmymoney

---> Applying patch_kmymoney2-plugins-viewinterface.h.diff

patching file kmymoney2/plugins/viewinterface.h

---> Configuring kmymoney

checking build system type... i686-apple-darwin10.8.0

checking host system type... i686-apple-darwin10.8.0

checking target system type... i686-apple-darwin10.8.0

checking for a BSD-compatible install... /usr/bin/install -c

checking whether build environment is sane... yes

checking for a thread-safe mkdir -p... mkdir -p

checking for gawk... no

checking for mawk... no

checking for nawk... no

checking for awk... awk

checking whether make sets \$(MAKE)... yes

checking for kde-config... /opt/local/bin/kde-config
checking where to install... /opt/local (as requested)
checking for style of include used by make... GNU
checking for gcc... /usr/bin/gcc-4.2
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether /usr/bin/gcc-4.2 accepts -g... yes
checking for /usr/bin/gcc-4.2 option to accept ISO C89... none needed
checking dependency style of /usr/bin/gcc-4.2... gcc3
checking how to run the C preprocessor... /usr/bin/gcc-4.2 -E
checking whether we are using the GNU C++ compiler... yes
checking whether /usr/bin/g++-4.2 accepts -g... yes
checking dependency style of /usr/bin/g++-4.2... gcc3
checking whether /usr/bin/gcc-4.2 is blacklisted... no
checking whether /usr/bin/g++-4.2 supports -Wundef... yes
checking whether /usr/bin/g++-4.2 supports -Wno-long-long... yes
checking whether /usr/bin/g++-4.2 supports -Wno-non-virtual-dtor... yes
checking whether /usr/bin/g++-4.2 supports -fno-reorder-blocks... yes
checking whether /usr/bin/g++-4.2 supports -fno-exceptions... yes
checking whether /usr/bin/g++-4.2 supports -fno-check-new... yes

checking whether /usr/bin/g++-4.2 supports -fno-common... yes
checking whether /usr/bin/g++-4.2 supports -fexceptions... yes
checking whether system headers can cope with -O2 -fno-inline... irrelevant
checking how to run the C++ preprocessor... /usr/bin/g++-4.2 -E
checking whether /usr/bin/g++-4.2 supports -O0... yes
not using lib directory suffix
checking for a sed that does not truncate output... /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ld used by /usr/bin/gcc-4.2... /usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) is GNU ld
... no
checking for /usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld option to reload object files... -r
checking for BSD-compatible nm... /usr/bin/nm
checking whether ln -s works... yes
checking how to recognise dependent libraries... pass_all
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes

checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking dlfcn.h usability... yes
checking dlfcn.h presence... yes
checking for dlfcn.h... yes
checking for g77... no
checking for xlf... no
checking for f77... no
checking for frt... no
checking for pgf77... no
checking for cf77... no
checking for fort77... no
checking for fl32... no
checking for af77... no
checking for xlf90... no
checking for f90... no
checking for pgf90... no
checking for pghpf... no
checking for epcf90... no
checking for gfortran... no
checking for g95... no
checking for xlf95... no

checking for f95... no
checking for fort... no
checking for ifort... no
checking for ifc... no
checking for efc... no
checking for pgf95... no
checking for lf95... no
checking for ftn... no
checking whether we are using the GNU Fortran 77 compiler... no
checking whether accepts -g... no
checking the maximum length of command line arguments... 65536
checking command to parse /usr/bin/nm output from /usr/bin/gcc-4.2 object... ok
checking for objdir... .libs
checking for ar... ar
checking for ranlib... ranlib
checking for strip... strip
checking if /usr/bin/gcc-4.2 static flag works... yes
checking if /usr/bin/gcc-4.2 supports -fno-rtti -fno-exceptions... no
checking for /usr/bin/gcc-4.2 option to produce PIC... -fno-common
checking if /usr/bin/gcc-4.2 PIC flag -fno-common works... yes
checking if /usr/bin/gcc-4.2 supports -c -o file.o... yes
checking whether the /usr/bin/gcc-4.2 linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin10.8.0 dyld

checking how to hardcode library paths into programs... immediate
checking whether stripping libraries is possible... yes
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... no
configure: creating libtool
appending configuration tag "CXX" to libtool
checking for ld used by /usr/bin/g++-4.2... /usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) is GNU ld
... no
checking whether the /usr/bin/g++-4.2 linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) supports shared libraries... yes
checking for /usr/bin/g++-4.2 option to produce PIC... -fno-common
checking if /usr/bin/g++-4.2 PIC flag -fno-common works... yes
checking if /usr/bin/g++-4.2 supports -c -o file.o... yes
checking whether the /usr/bin/g++-4.2 linker (/usr/libexec/gcc/i686-apple-darwin10/4.2.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin10.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking whether stripping libraries is possible... yes

checking for dlopen in -ldl... (cached) yes
checking whether a program can dlopen itself... (cached) yes
checking whether a statically linked program can dlopen itself... (cached) yes
appending configuration tag "F77" to libtool
checking for msgfmt... /opt/local/bin/msgfmt
checking for gmsgfmt... /opt/local/bin/msgfmt
checking for kde-xgettext... :
checking if C++ programs can be compiled... yes
checking for strlcat... yes
checking if strlcat needs custom prototype... no
checking for strlcpy... yes
checking if strlcpy needs custom prototype... no
checking for main in -lutil... yes
checking for main in -lcompat... no
checking for crypt in -lcrypt... no
checking for crypt in -lc... yes
checking for socklen_t... yes
checking for dnet_ntoa in -ldnet... no
checking for dnet_ntoa in -ldnet_stub... no
checking for inet_ntoa... yes
checking for connect... yes
checking for remove... yes
checking for shmat... yes
checking for sys/types.h... (cached) yes

checking for stdint.h... (cached) yes
checking sys/bitypes.h usability... no
checking sys/bitypes.h presence... no
checking for sys/bitypes.h... no
checking for poll in -lpoll... yes
checking Carbon/Carbon.h usability... yes
checking Carbon/Carbon.h presence... yes
checking for Carbon/Carbon.h... yes
checking CoreAudio/CoreAudio.h usability... yes
checking CoreAudio/CoreAudio.h presence... yes
checking for CoreAudio/CoreAudio.h... yes
checking if res_init needs -lresolv... yes
checking for res_init... yes
checking if res_init needs custom prototype... no
checking for killpg in -lucb... no
checking for int... yes
checking size of int... 4
checking for short... yes
checking size of short... 2
checking for long... yes
checking size of long... 8
checking for char *... yes
checking size of char *... 8
checking for dlopen in -ldl... (cached) yes

checking for shl_unload in -ldld... no
checking for size_t... yes
checking size of size_t... 8
checking for unsigned long... yes
checking size of unsigned long... 8
checking sizeof size_t == sizeof unsigned long... yes
checking for PIE support... yes
checking if enabling -pie/fPIE support... yes
checking crt_externs.h usability... yes
checking crt_externs.h presence... yes
checking for crt_externs.h... yes
checking for _NSGetEnviron... yes
checking for vsnprintf... yes
checking for snprintf... yes
checking for pthread_create in -lpthread... yes
checking for extra includes... no
checking for extra libs... no
checking for libz... -lz
checking for libpng... -lpng -lz -lm
checking for libjpeg6b... no
checking for libjpeg... -ljpeg

configure: WARNING:

There is an installation error in jpeg support. You seem to have only one of either the headers `_or_` the libraries installed. You may need to either

provide correct --with-extra-... options, or the development package of libjpeg6b. You can get a source package of libjpeg from <http://www.ijg.org/>
Disabling JPEG support.

```
checking for perl... /opt/local/bin/perl
checking for Qt... libraries /opt/local/lib/qt3/lib, headers /opt/local/lib/qt3/
include using -mt
checking for moc... /opt/local/lib/qt3/bin/moc
checking for uic... /opt/local/lib/qt3/bin/uic
checking whether uic supports -L ... yes
checking whether uic supports -nounload ... yes
yes
checking for rpath... yes
checking for KDE... libraries /opt/local/lib, headers /opt/local/include
checking if UIC has KDE plugins available... yes
checking for KDE paths... defaults
checking for dcopidl... /opt/local/bin/dcopidl
checking for dcopidl2cpp... /opt/local/bin/dcopidl2cpp
checking for meinproc... /opt/local/bin/meinproc
checking for kconfig_compiler... /opt/local/bin/kconfig_compiler
checking for dcopidlng... /opt/local/bin/dcopidlng
checking for makekdewidgets... /opt/local/bin/makekdewidgets
checking for xmllint... /opt/local/bin/xmllint
checking grepping for visibility push/pop in headers... yes
```

checking whether /usr/bin/g++-4.2 supports -fvisibility=hidden... yes
checking if Qt is patched for -fvisibility... yes
checking if minimum KDE version is available... yes
checking for atoll... yes
checking for strtoll... yes
checking for round in -lm... yes
checking if CPPUNIT tests should be built (default=yes)... yes
checking if unit-tests requiring an online connection should be built (default=no)... no
checking for cppunit-config... no
checking for CPPUNIT - version >= 1.8.0... no
configure: WARNING: Unable to locate cppunit-config. Tests will not be built
checking if the PDF document generation is desired... auto
checking for recode... no
checking for html2ps... no
checking for ps2pdf... no
checking for pkg-config... /opt/local/bin/pkg-config
checking pkg-config is at least version 0.9.0... yes
checking if the OFX importer plugin is desired... auto
checking if OFX direct connect is desired... yes
checking OpenSP/macros.h usability... yes
checking OpenSP/macros.h presence... yes
checking for OpenSP/macros.h... yes
checking for OFX... yes


```
checking if library for Qt-Designer widgets should be installed... no
checking if the SQLITE3 support is desired... auto
checking if the SQLITE3 support is already present... no
checking sqlite3.h usability... yes
checking sqlite3.h presence... yes
checking for sqlite3.h... yes
checking if the environment variable QTDIR is set... /opt/local/lib/qt3
sed: 1: "Makefile": invalid command code M
sed: 1: "Makefile": invalid command code M
Generating symlinks to header files
checking if libkgpgfile should be compiled... yes
checking if libkdchart should be compiled... yes
checking if kmymoney2 should be compiled... yes
checking if po should be compiled... yes
checking if developer-doc should be compiled... yes
checking if doc should be compiled... yes
checking if contrib should be compiled... yes
configure: creating ./config.status
wrong input (flag != 4) at admin/conf.change.pl line 117, <> line 1378.
config.status: creating kmymoney2/widgets/makekdewidgets
config.status: creating Makefile
config.status: creating libkgpgfile/Makefile
config.status: creating libkdchart/Makefile
config.status: creating kmymoney2/Makefile
```

config.status: creating kmymoney2/converter/Makefile
config.status: creating kmymoney2/dialogs/Makefile
config.status: creating kmymoney2/dialogs/settings/Makefile
config.status: creating kmymoney2/html/Makefile
config.status: creating kmymoney2/html/images/Makefile
config.status: creating kmymoney2/icons/Makefile
config.status: creating kmymoney2/icons/Tango/Makefile
config.status: creating kmymoney2/icons/Tango/128x128/Makefile
config.status: creating kmymoney2/icons/Tango/128x128/apps/Makefile
config.status: creating kmymoney2/icons/Tango/16x16/Makefile
config.status: creating kmymoney2/icons/Tango/16x16/actions/Makefile
config.status: creating kmymoney2/icons/Tango/22x22/Makefile
config.status: creating kmymoney2/icons/Tango/22x22/actions/Makefile
config.status: creating kmymoney2/icons/Tango/32x32/Makefile
config.status: creating kmymoney2/icons/Tango/32x32/apps/Makefile
config.status: creating kmymoney2/icons/Tango/48x48/Makefile
config.status: creating kmymoney2/icons/Tango/48x48/apps/Makefile
config.status: creating kmymoney2/icons/Tango/64x64/Makefile
config.status: creating kmymoney2/icons/Tango/64x64/apps/Makefile
config.status: creating kmymoney2/icons/Tango/scalable/Makefile
config.status: creating kmymoney2/icons/hicolor/Makefile
config.status: creating kmymoney2/icons/hicolor/16x16/Makefile
config.status: creating kmymoney2/icons/hicolor/16x16/actions/Makefile
config.status: creating kmymoney2/icons/hicolor/22x22/Makefile

config.status: creating kmymoney2/icons/hicolor/22x22/actions/Makefile
config.status: creating kmymoney2/icons/hicolor/32x32/Makefile
config.status: creating kmymoney2/icons/hicolor/32x32/apps/Makefile
config.status: creating kmymoney2/icons/hicolor/48x48/Makefile
config.status: creating kmymoney2/icons/hicolor/48x48/apps/Makefile
config.status: creating kmymoney2/icons/hicolor/64x64/Makefile
config.status: creating kmymoney2/icons/hicolor/64x64/apps/Makefile
config.status: creating kmymoney2/icons/oxygen/Makefile
config.status: creating kmymoney2/icons/oxygen/128x128/Makefile
config.status: creating kmymoney2/icons/oxygen/128x128/apps/Makefile
config.status: creating kmymoney2/icons/oxygen/16x16/Makefile
config.status: creating kmymoney2/icons/oxygen/16x16/actions/Makefile
config.status: creating kmymoney2/icons/oxygen/22x22/Makefile
config.status: creating kmymoney2/icons/oxygen/22x22/actions/Makefile
config.status: creating kmymoney2/icons/oxygen/32x32/Makefile
config.status: creating kmymoney2/icons/oxygen/32x32/apps/Makefile
config.status: creating kmymoney2/icons/oxygen/48x48/Makefile
config.status: creating kmymoney2/icons/oxygen/48x48/apps/Makefile
config.status: creating kmymoney2/icons/oxygen/64x64/Makefile
config.status: creating kmymoney2/icons/oxygen/64x64/apps/Makefile
config.status: creating kmymoney2/icons/oxygen/scalable/Makefile
config.status: creating kmymoney2/misc/Makefile
config.status: creating kmymoney2/mymoney/Makefile
config.status: creating kmymoney2/mymoney/storage/Makefile

config.status: creating kmy money2/pics/Makefile
config.status: creating kmy money2/plugins/Makefile
config.status: creating kmy money2/plugins/interfaces/Makefile
config.status: creating kmy money2/plugins/ofximport/Makefile
config.status: creating kmy money2/plugins/ofximport/dialogs/Makefile
config.status: creating kmy money2/reports/Makefile
config.status: creating kmy money2/templates/Makefile
config.status: creating kmy money2/templates/C/Makefile
config.status: creating kmy money2/templates/de_AT/Makefile
config.status: creating kmy money2/templates/de_CH/Makefile
config.status: creating kmy money2/templates/de_DE/Makefile
config.status: creating kmy money2/templates/dk/Makefile
config.status: creating kmy money2/templates/el_GR/Makefile
config.status: creating kmy money2/templates/en_GB/Makefile
config.status: creating kmy money2/templates/en_US/Makefile
config.status: creating kmy money2/templates/es_AR/Makefile
config.status: creating kmy money2/templates/es_ES/Makefile
config.status: creating kmy money2/templates/es_MX/Makefile
config.status: creating kmy money2/templates/fr_CA/Makefile
config.status: creating kmy money2/templates/fr_CH/Makefile
config.status: creating kmy money2/templates/fr_FR/Makefile
config.status: creating kmy money2/templates/gl_ES/Makefile
config.status: creating kmy money2/templates/hu_HU/Makefile
config.status: creating kmy money2/templates/it/Makefile

config.status: creating kmymoney2/templates/jp/Makefile
config.status: creating kmymoney2/templates/nl_NL/Makefile
config.status: creating kmymoney2/templates/pt_BR/Makefile
config.status: creating kmymoney2/templates/pt_PT/Makefile
config.status: creating kmymoney2/templates/ro_RO/Makefile
config.status: creating kmymoney2/templates/ru_RU/Makefile
config.status: creating kmymoney2/templates/sk/Makefile
config.status: creating kmymoney2/templates/tr_TR/Makefile
config.status: creating kmymoney2/templates/zh_CN/Makefile
config.status: creating kmymoney2/templates/zh_HK/Makefile
config.status: creating kmymoney2/templates/zh_TW/Makefile
config.status: creating kmymoney2/views/Makefile
config.status: creating kmymoney2/widgets/Makefile
config.status: creating kmymoney2/wizards/Makefile
config.status: creating kmymoney2/wizards/newaccountwizard/Makefile
config.status: creating kmymoney2/wizards/newuserwizard/Makefile
config.status: creating kmymoney2/wizards/wizardpages/Makefile
config.status: creating po/Makefile
config.status: creating developer-doc/Makefile
config.status: creating developer-doc/phb/Makefile
config.status: creating doc/Makefile
config.status: creating doc/en/Makefile
config.status: creating contrib/Makefile
config.status: creating config.h

config.status: executing depfiles commands

Configure results (user options):

OFX plugin: yes
OFX direct connect: yes
Chart support: yes
SQLITE3 support: yes

Configure results (developer options):

Memory leak check support: no
Qt-Designer library support: no
PDF document generation: no
CPPUNIT support: no

You are missing the CPPUNIT headers and libraries
The unit test framework support won't be compiled.
This is not relevant for the usage of the application.
Unit tests are only required by the developers.

Good - your configure finished. Start make now

```
xinstall: /opt/local/var/macports/sources/rsync.macports.org/release/tarballs/ports/kde/kmymoney/files/KMyMoney.applescript -> /opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/KMyMoney.applescript
---> Building kmymoney
make: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5'
/usr/bin/make all-recursive
make[1]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5'
Making all in qt-sqlite3-0.2
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/qt-sqlite3-0.2'
```

```
cd sqlite3 && /opt/local/lib/qt3/bin/qmake sqlite3.pro "QMAKE=/opt/local/lib/qt3
/bin/qmake" -o Makefile
cd sqlite3 && /usr/bin/make -f Makefile
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/
kmymoney2-1.0.5/qt-sqlite3-0.2/sqlite3'
/usr/bin/g++-4.2 -c -pipe -O2 -Wall -W -Os -fPIC -D__DARWIN_X11__ -DQT_NO_DEBUG
-DQT_PLUGIN -I/opt/local/lib/qt3/mkspecs/default -I. -I../..../..../..../..../
../lib/qt3/include -I/include -o smain.o smain.cpp
/usr/bin/g++-4.2 -c -pipe -O2 -Wall -W -Os -fPIC -D__DARWIN_X11__ -DQT_NO_DEBUG
-DQT_PLUGIN -I/opt/local/lib/qt3/mkspecs/default -I. -I../..../..../..../..../
../lib/qt3/include -I/include -o qsql_sqlite3.o qsql_sqlite3.cpp
/usr/bin/g++-4.2 -c -pipe -O2 -Wall -W -Os -fPIC -D__DARWIN_X11__ -DQT_NO_DEBUG
-DQT_PLUGIN -I/opt/local/lib/qt3/mkspecs/default -I. -I../..../..../..../..../
../lib/qt3/include -I/include -o qsqlcachedresult.o qsqlcachedresult.cpp
test -d ../sqldrivers/ || mkdir -p ../sqldrivers/
/bin/rm -f libqsqlite3.so
/usr/bin/g++-4.2 -Wl,-dylib_file,/System/Library/Frameworks/OpenGL.framework/Ver
sions/A/Libraries/libGL.dylib:/System/Library/Frameworks/OpenGL.framework/Versio
ns/A/Libraries/libGL.dylib -arch x86_64 -bundle -o libqsqlite3.so smain.o qsql_s
qlite3.o qsqlcachedresult.o -L/opt/local/lib -L/lib -lsqlite3 -lqt-mt
ld: warning: directory '/lib' following -L not found
/bin/mv -f libqsqlite3.so ../sqldrivers/
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
```



```
s_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/k  
mymoney2-1.0.5/qt-sqlite3-0.2/sqlite3'  
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/k  
mymoney2-1.0.5/qt-sqlite3-0.2'  
Making all in libkgpgfile  
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor  
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/  
kmymoney2-1.0.5/libkgpgfile'  
/opt/local/lib/qt3/bin/moc ./kgpgfile.h -o kgpgfile.moc  
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C  
ONFIG_H -I. -I.. -I/opt/local/include -I/opt/local/lib/qt3/include -I.. -DQT_  
THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lo  
ng -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual  
dctor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcep  
tions -MT kgpgfile.lo -MD -MP -MF .deps/kgpgfile.Tpo -c -o kgpgfile.lo kgpgfile  
.cpp  
mv -f .deps/kgpgfile.Tpo .deps/kgpgfile.Plo  
/bin/sh ../libtool --silent --tag=CXX --mode=link /usr/bin/g++-4.2 -Wno-long-  
long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtua  
l-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexc  
ptions -L/opt/local/lib -L/opt/local/lib/qt3/lib -R /opt/local/lib -R /opt/l  
ocal/lib -R /opt/local/lib/qt3/lib -L/opt/local/lib -Wl,-headerpad_max_install_n  
ames -Wl,-dylib_file,/System/Library/Frameworks/OpenGL.framework/Versions/A/Libr
```

```
aries/libGL.dylib:/System/Library/Frameworks/OpenGL.framework/Versions/A/Librari
es/libGL.dylib -arch x86_64 -o libkgpgfile.la kgpgfile.lo
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/k
mymoney2-1.0.5/libkgpgfile'
Making all in libkdchart
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/
kmymoney2-1.0.5/libkdchart'
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChart.lo -MD -MP -MF .deps/KDChart.Tpo -c -o KDChart.lo KDChart.cpp
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartAreaPainter.lo -MD -MP -MF .deps/KDChartAreaPainter.Tpo -c -o K
DChartAreaPainter.lo KDChartAreaPainter.cpp
mv -f .deps/KDChartAreaPainter.Tpo .deps/KDChartAreaPainter.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
```

```
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T  
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon  
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d  
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept  
ions -MT KDChartAxesPainter.lo -MD -MP -MF .deps/KDChartAxesPainter.Tpo -c -o K  
DChartAxesPainter.lo KDChartAxesPainter.cpp  
mv -f .deps/KDChart.Tpo .deps/KDChart.Plo  
/opt/local/lib/qt3/bin/moc ./KDChartAxisParams.h -o KDChartAxisParams.moc  
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C  
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T  
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon  
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d  
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept  
ions -MT KDChartBarPainter.lo -MD -MP -MF .deps/KDChartBarPainter.Tpo -c -o KDC  
hartBarPainter.lo KDChartBarPainter.cpp  
mv -f .deps/KDChartBarPainter.Tpo .deps/KDChartBarPainter.Plo  
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C  
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T  
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon  
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d  
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept  
ions -MT KDChartBaseSeries.lo -MD -MP -MF .deps/KDChartBaseSeries.Tpo -c -o KDC  
hartBaseSeries.lo KDChartBaseSeries.cpp  
mv -f .deps/KDChartBaseSeries.Tpo .deps/KDChartBaseSeries.Plo
```

```
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT KDChartBWPainter.lo -MD -MP -MF .deps/KDChartBWPainter.Tpo -c -o KDChartBWPainter.lo KDChartBWPainter.cpp
mv -f .deps/KDChartAxesPainter.Tpo .deps/KDChartAxesPainter.Plo
/opt/local/lib/qt3/bin/moc ./KDChartCustomBox.h -o KDChartCustomBox.moc
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT KDChartDataIntern.lo -MD -MP -MF .deps/KDChartDataIntern.Tpo -c -o KDChartDataIntern.lo KDChartDataIntern.cpp
mv -f .deps/KDChartDataIntern.Tpo .deps/KDChartDataIntern.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT KDChartHiLoPainter.lo -MD -MP -MF .deps/KDChartHiLoPainter.Tpo -c -o KDChartHiLoPainter.lo KDChartHiLoPainter.cpp
```

```
mv -f .deps/KDChartBWPainter.Tpo .deps/KDChartBWPainter.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartLinesPainter.lo -MD -MP -MF .deps/KDChartLinesPainter.Tpo -c -o
KDChartLinesPainter.lo KDChartLinesPainter.cpp
mv -f .deps/KDChartHiLoPainter.Tpo .deps/KDChartHiLoPainter.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartPainter.lo -MD -MP -MF .deps/KDChartPainter.Tpo -c -o KDChartPa
ainter.lo KDChartPainter.cpp
mv -f .deps/KDChartLinesPainter.Tpo .deps/KDChartLinesPainter.Plo
/opt/local/lib/qt3/bin/moc ./KDChartParams.h -o KDChartParams.moc
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartParams_frame.lo -MD -MP -MF .deps/KDChartParams_frame.Tpo -c -o
```

```
KDChartParams_frame.lo KDChartParams_frame.cpp
mv -f .deps/KDChartParams_frame.Tpo .deps/KDChartParams_frame.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartParams_io.lo -MD -MP -MF .deps/KDChartParams_io.Tpo -c -o KDCha
rtParams_io.lo KDChartParams_io.cpp
mv -f .deps/KDChartPainter.Tpo .deps/KDChartPainter.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartPiePainter.lo -MD -MP -MF .deps/KDChartPiePainter.Tpo -c -o KDC
hartPiePainter.lo KDChartPiePainter.cpp
mv -f .deps/KDChartPiePainter.Tpo .deps/KDChartPiePainter.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartPlaneSeries.lo -MD -MP -MF .deps/KDChartPlaneSeries.Tpo -c -o K
```

```
DChartPlaneSeries.lo KDChartPlaneSeries.cpp
mv -f .deps/KDChartPlaneSeries.Tpo .deps/KDChartPlaneSeries.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartPolarPainter.lo -MD -MP -MF .deps/KDChartPolarPainter.Tpo -c -o
KDChartPolarPainter.lo KDChartPolarPainter.cpp
mv -f .deps/KDChartPolarPainter.Tpo .deps/KDChartPolarPainter.Plo
/opt/local/lib/qt3/bin/moc ./KDChartPropertySet.h -o KDChartPropertySet.moc
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartRingPainter.lo -MD -MP -MF .deps/KDChartRingPainter.Tpo -c -o K
DChartRingPainter.lo KDChartRingPainter.cpp
mv -f .deps/KDChartRingPainter.Tpo .deps/KDChartRingPainter.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
```

```
ions -MT KDChartSeriesCollection.lo -MD -MP -MF .deps/KDChartSeriesCollection.T
po -c -o KDChartSeriesCollection.lo KDChartSeriesCollection.cpp
mv -f .deps/KDChartSeriesCollection.Tpo .deps/KDChartSeriesCollection.Plo
/opt/local/lib/qt3/bin/moc ./KDChartTableBase.h -o KDChartTableBase.moc
/opt/local/lib/qt3/bin/moc ./KDChartTextPiece.h -o KDChartTextPiece.moc
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartVectorSeries.lo -MD -MP -MF .deps/KDChartVectorSeries.Tpo -c -o
KDChartVectorSeries.lo KDChartVectorSeries.cpp
mv -f .deps/KDChartVectorSeries.Tpo .deps/KDChartVectorSeries.Plo
/opt/local/lib/qt3/bin/moc ./KDChartVectorTable.h -o KDChartVectorTable.moc
/opt/local/lib/qt3/bin/moc ./KDChartWidget.h -o KDChartWidget.moc
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDDrawText.lo -MD -MP -MF .deps/KDDrawText.Tpo -c -o KDDrawText.lo KDD
rawText.cpp
mv -f .deps/KDDrawText.Tpo .deps/KDDrawText.Plo
/opt/local/lib/qt3/bin/moc ./KDFrame.h -o KDFrame.moc
```



```
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT KDFrameProfileSection.lo -MD -MP -MF .deps/KDFrameProfileSection.Tpo -c -o KDFrameProfileSection.lo KDFrameProfileSection.cpp
mv -f .deps/KDChartParams_io.Tpo .deps/KDChartParams_io.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT KDXMLTools.lo -MD -MP -MF .deps/KDXMLTools.Tpo -c -o KDXMLTools.lo KDXMLTools.cpp
mv -f .deps/KDFrameProfileSection.Tpo .deps/KDFrameProfileSection.Plo
/opt/local/lib/qt3/bin/moc ./KDChartEnums.h -o KDChartEnums.moc
/opt/local/lib/qt3/bin/moc ./KDChartAxisParamsWrapper.h -o KDChartAxisParamsWrapper.moc
/opt/local/lib/qt3/bin/moc ./KDChartCustomBoxWrapper.h -o KDChartCustomBoxWrapper.moc
/opt/local/lib/qt3/bin/moc ./KDChartParamsWrapper.h -o KDChartParamsWrapper.moc
/opt/local/lib/qt3/bin/moc ./KDChartTableDataWrapper.h -o KDChartTableDataWrapper.moc
```

```
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT KDChartAxisParams.lo -MD -MP -MF .deps/KDChartAxisParams.Tpo -c -o KDChartAxisParams.lo KDChartAxisParams.cpp
mv -f .deps/KDXMLTools.Tpo .deps/KDXMLTools.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT KDChartCustomBox.lo -MD -MP -MF .deps/KDChartCustomBox.Tpo -c -o KDChartCustomBox.lo KDChartCustomBox.cpp
mv -f .deps/KDChartAxisParams.Tpo .deps/KDChartAxisParams.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT KDChartParams.lo -MD -MP -MF .deps/KDChartParams.Tpo -c -o KDChartParams.lo KDChartParams.cpp
mv -f .deps/KDChartCustomBox.Tpo .deps/KDChartCustomBox.Plo
```

```
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartPropertySet.lo -MD -MP -MF .deps/KDChartPropertySet.Tpo -c -o K
DChartPropertySet.lo KDChartPropertySet.cpp
mv -f .deps/KDChartPropertySet.Tpo .deps/KDChartPropertySet.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartTableBase.lo -MD -MP -MF .deps/KDChartTableBase.Tpo -c -o KDCha
rtTableBase.lo KDChartTableBase.cpp
mv -f .deps/KDChartTableBase.Tpo .deps/KDChartTableBase.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartTextPiece.lo -MD -MP -MF .deps/KDChartTextPiece.Tpo -c -o KDCha
rtTextPiece.lo KDChartTextPiece.cpp
mv -f .deps/KDChartTextPiece.Tpo .deps/KDChartTextPiece.Plo
```

```
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartVectorTable.lo -MD -MP -MF .deps/KDChartVectorTable.Tpo -c -o K
DChartVectorTable.lo KDChartVectorTable.cpp
mv -f .deps/KDChartVectorTable.Tpo .deps/KDChartVectorTable.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDChartWidget.lo -MD -MP -MF .deps/KDChartWidget.Tpo -c -o KDChartWidg
et.lo KDChartWidget.cpp
mv -f .deps/KDChartParams.Tpo .deps/KDChartParams.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept
ions -MT KDFrame.lo -MD -MP -MF .deps/KDFrame.Tpo -c -o KDFrame.lo KDFrame.cpp
mv -f .deps/KDChartWidget.Tpo .deps/KDChartWidget.Plo
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
```

```
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T  
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon  
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d  
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept  
ions -MT KDChartEnums.lo -MD -MP -MF .deps/KDChartEnums.Tpo -c -o KDChartEnums.  
lo KDChartEnums.cpp  
mv -f .deps/KDFrame.Tpo .deps/KDFrame.Plo  
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C  
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T  
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon  
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d  
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept  
ions -MT KDChartAxisParamsWrapper.lo -MD -MP -MF .deps/KDChartAxisParamsWrapper  
.Tpo -c -o KDChartAxisParamsWrapper.lo KDChartAxisParamsWrapper.cpp  
mv -f .deps/KDChartEnums.Tpo .deps/KDChartEnums.Plo  
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C  
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T  
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon  
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d  
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept  
ions -MT KDChartCustomBoxWrapper.lo -MD -MP -MF .deps/KDChartCustomBoxWrapper.T  
po -c -o KDChartCustomBoxWrapper.lo KDChartCustomBoxWrapper.cpp  
mv -f .deps/KDChartAxisParamsWrapper.Tpo .deps/KDChartAxisParamsWrapper.Plo  
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C
```

```
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T  
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon  
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d  
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept  
ions -MT KDChartParamsWrapper.lo -MD -MP -MF .deps/KDChartParamsWrapper.Tpo -c  
-o KDChartParamsWrapper.lo KDChartParamsWrapper.cpp  
mv -f .deps/KDChartCustomBoxWrapper.Tpo .deps/KDChartCustomBoxWrapper.Plo  
/bin/sh ../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_C  
ONFIG_H -I. -I.. -I. -I/opt/local/include -I/opt/local/lib/qt3/include -DQT_T  
HREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-lon  
g -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-d  
tor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexcept  
ions -MT KDChartTableDataWrapper.lo -MD -MP -MF .deps/KDChartTableDataWrapper.T  
po -c -o KDChartTableDataWrapper.lo KDChartTableDataWrapper.cpp  
mv -f .deps/KDChartTableDataWrapper.Tpo .deps/KDChartTableDataWrapper.Plo  
mv -f .deps/KDChartParamsWrapper.Tpo .deps/KDChartParamsWrapper.Plo  
/bin/sh ../libtool --silent --tag=CXX --mode=link /usr/bin/g++-4.2 -Wno-long-  
long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtua  
l-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexc  
ptions -L/opt/local/lib -L/opt/local/lib/qt3/lib -no-undefined -L/opt/local/  
lib -Wl,-headerpad_max_install_names -Wl,-dylib_file,/System/Library/Frameworks/  
OpenGL.framework/Versions/A/Libraries/libGL.dylib:/System/Library/Frameworks/Ope  
nGL.framework/Versions/A/Libraries/libGL.dylib -arch x86_64 -o libkmm_kdchart.la  
-rpath /opt/local/lib KDChart.lo KDChartAreaPainter.lo KDChartAxesPainter.lo KD
```

```
ChartAxisParams.lo KDChartBarPainter.lo KDChartBaseSeries.lo KDChartBWPainter.lo
KDChartCustomBox.lo KDChartDataIntern.lo KDChartHiLoPainter.lo KDChartLinesPainter.lo
KDChartPainter.lo KDChartParams.lo KDChartParams_frame.lo KDChartParams_io.lo
KDChartPiePainter.lo KDChartPlaneSeries.lo KDChartPolarPainter.lo KDChartPropertySet.lo
KDChartRingPainter.lo KDChartSeriesCollection.lo KDChartTableBase.lo KDChartTextPiece.lo
KDChartVectorSeries.lo KDChartVectorTable.lo KDChartWidget.lo KDDrawText.lo KDFrame.lo
KDFrameProfileSection.lo KDXMLTools.lo KDChartEnums.lo KDChartAxisParamsWrapper.lo
KDChartCustomBoxWrapper.lo KDChartParamsWrapper.lo KDChartTableDataWrapper.lo -lqt-mt -lz -lpng -lz -lm -lpthread -lkdecore
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney2-1.0.5/libkdchart'
Making all in kmymoney2
make[2]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney2-1.0.5/kmymoney2'
/opt/local/bin/kconfig_compiler ./kmymoney2.kcfg ./kmymoneysettings.kcfg; ret=$?; \
    if test "$ret" != 0; then rm -f kmymoneysettings.h ; exit $ret ; fi
if test -h ../kmymoney/kmymoneysettings.h; then rm ../kmymoney/kmymoneysettings.h; fi
ln -s `pwd`/kmymoneysettings.h ../kmymoney/kmymoneysettings.h
/usr/bin/make all-recursive
make[3]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
```

```
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/  
kmymoney2-1.0.5/kmymoney2'
```

Making all in mymoney

```
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor  
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/  
kmymoney2-1.0.5/kmymoney2/mymoney'
```

Making all in storage

```
make[5]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor  
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/  
kmymoney2-1.0.5/kmymoney2/mymoney/storage'
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local  
lib/qt3/include -I../.. -I. -I../..../kmymoney2/dialogs -DQT_THREAD_SUP  
PORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef  
-Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-  
exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT  
imymoneystorageformat.o -MD -MP -MF .deps/imymoneystorageformat.Tpo -c -o imymo  
neystorageformat.o imymoneystorageformat.cpp
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local  
lib/qt3/include -I../.. -I. -I../..../kmymoney2/dialogs -DQT_THREAD_SUP  
PORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef  
-Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-  
exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT  
mymoneystoragexml.o -MD -MP -MF .deps/mymoneystoragexml.Tpo -c -o mymoneystorag  
exml.o mymoneystoragexml.cpp
```



```
mv -f .deps/imymoneystorageformat.Tpo .deps/imymoneystorageformat.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../... -I/opt/local/include -I/opt/local/lib/qt3/include -I../... -I. -I../.../kymoney2/dialogs -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneystoragedump.o -MD -MP -MF .deps/mymoneystoragedump.Tpo -c -o mymoneystoragedump.o mymoneystoragedump.cpp
mv -f .deps/mymoneystoragedump.Tpo .deps/mymoneystoragedump.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../... -I/opt/local/include -I/opt/local/lib/qt3/include -I../... -I. -I../.../kymoney2/dialogs -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyseqaccessmgr.o -MD -MP -MF .deps/mymoneyseqaccessmgr.Tpo -c -o mymoneyseqaccessmgr.o mymoneyseqaccessmgr.cpp
mv -f .deps/mymoneystoragexml.Tpo .deps/mymoneystoragexml.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../... -I/opt/local/include -I/opt/local/lib/qt3/include -I../... -I. -I../.../kymoney2/dialogs -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneydatabasemgr.o -MD -MP -MF .deps/mymoneydatabasemgr.Tpo -c -o mymoneydatabasemgr.o mymoneydatabasemgr.cpp
```

```
mv -f .deps/mymoneydatabasemgr.Tpo .deps/mymoneydatabasemgr.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../... -I/opt/local/include -I/opt/local/lib/qt3/include -I../... -I. -I../.../kymoney2/dialogs -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT imymoneystorage.o -MD -MP -MF .deps/imymoneystorage.Tpo -c -o imymoneystorage.o imymoneystorage.cpp
```

```
mv -f .deps/imymoneystorage.Tpo .deps/imymoneystorage.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../... -I/opt/local/include -I/opt/local/lib/qt3/include -I../... -I. -I../.../kymoney2/dialogs -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT imymoneyserialize.o -MD -MP -MF .deps/imymoneyserialize.Tpo -c -o imymoneyserialize.o imymoneyserialize.cpp
```

```
mv -f .deps/imymoneyserialize.Tpo .deps/imymoneyserialize.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../... -I/opt/local/include -I/opt/local/lib/qt3/include -I../... -I. -I../.../kymoney2/dialogs -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneystorageanon.o -MD -MP -MF .deps/mymoneystorageanon.Tpo -c -o mymoneystorageanon.o mymoneystorageanon.cpp
```


ranlib libstorage.a

make[5]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/mymoney/storage'

make[5]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/mymoney'

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneymoney.lo -MD -MP -MF .deps/mymoneymoney.Tpo -c -o mymoneymoney.lo mymoneymoney.cpp
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyfinancialcalculator.lo -MD -MP -MF .deps/mymoneyfinancialcalculator.Tpo -c -o mymoneyfinancialcalculator.lo mymoneyfinancialcalculator.cpp
```

```
mv -f .deps/mymoneyfinancialcalculator.Tpo .deps/mymoneyfinancialcalculator.Plo
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE
```

```
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneytransactionfilter.lo -MD -MP -MF .deps/mymoneytransactionfilter.Tpo -c -o mymoneytransactionfilter.lo mymoneytransactionfilter.cpp
mv -f .deps/mymoneymoney.Tpo .deps/mymoneymoney.Plo
/bin/sh .././libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyobject.lo -MD -MP -MF .deps/mymoneyobject.Tpo -c -o mymoneyobject.lo mymoneyobject.cpp
mv -f .deps/mymoneyobject.Tpo .deps/mymoneyobject.Plo
/bin/sh .././libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneykeyvaluecontainer.lo -MD -MP -MF .deps/mymoneykeyvaluecontainer.Tpo -c -o mymoneykeyvaluecontainer.lo mymoneykeyvaluecontainer.cpp
```

```
mv -f .deps/mymoneytransactionfilter.Tpo .deps/mymoneytransactionfilter.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyobserver.lo -MD -MP -MF .deps/mymoneyobserver.Tpo -c -o mymoneyobserver.lo mymoneyobserver.cpp
mv -f .deps/mymoneyobserver.Tpo .deps/mymoneyobserver.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneysubject.lo -MD -MP -MF .deps/mymoneysubject.Tpo -c -o mymoneysubject.lo mymoneysubject.cpp
mv -f .deps/mymoneysubject.Tpo .deps/mymoneysubject.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneysplit.lo -MD -MP -MF .deps/mymoneysplit.Tpo -c -o mymoneysplit.lo mymoneysplit.cpp
```

```
mv -f .deps/mymoneykeyvaluecontainer.Tpo .deps/mymoneykeyvaluecontainer.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQ_T_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQ_T_MAC -no-cpp-precomp -fexceptions -MT mymoneyinstitution.lo -MD -MP -MF .deps/mymoneyinstitution.Tpo -c -o mymoneyinstitution.lo mymoneyinstitution.cpp
mv -f .deps/mymoneysplit.Tpo .deps/mymoneysplit.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQ_T_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQ_T_MAC -no-cpp-precomp -fexceptions -MT mymoneyexception.lo -MD -MP -MF .deps/mymoneyexception.Tpo -c -o mymoneyexception.lo mymoneyexception.cpp
mv -f .deps/mymoneyinstitution.Tpo .deps/mymoneyinstitution.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQ_T_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQ_T_MAC -no-cpp-precomp -fexceptions -MT mymoneyinvesttransaction.lo -MD -MP -MF .deps/mymoneyinvesttransaction.Tpo -c -o mymoneyinvesttransaction.lo mymoneyinvesttransaction.c
```

```
pp
mv -f .deps/mymoneyexception.Tpo .deps/mymoneyexception.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyutils.lo -MD -MP -MF .deps/mymoneyutils.Tpo -c -o mymoneyutils.lo mymoneyutils.cpp
mv -f .deps/mymoneyinvesttransaction.Tpo .deps/mymoneyinvesttransaction.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneysecurity.lo -MD -MP -MF .deps/mymoneysecurity.Tpo -c -o mymoneysecurity.lo mymoneysecurity.cpp
mv -f .deps/mymoneyutils.Tpo .deps/mymoneyutils.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneytransaction.lo -MD -MP -MF .deps/mymoneytransact
```



```
ion.Tpo -c -o mymoneytransaction.lo mymoneytransaction.cpp
mv -f .deps/mymoneysecurity.Tpo .deps/mymoneysecurity.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyscheduled.lo -MD -MP -MF .deps/mymoneyscheduled.Tpo -c -o mymoneyscheduled.lo mymoneyscheduled.cpp
mymoneyscheduled.cpp:1006: warning: unused parameter 'var'
mv -f .deps/mymoneytransaction.Tpo .deps/mymoneytransaction.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneypayee.lo -MD -MP -MF .deps/mymoneypayee.Tpo -c -o mymoneypayee.lo mymoneypayee.cpp
mv -f .deps/mymoneyscheduled.Tpo .deps/mymoneyscheduled.Plo
/opt/local/lib/qt3/bin/moc ./mymoneyfile.h -o mymoneyfile.moc
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wn
```

```
o-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-p
recomp -fexceptions -MT mymoneycategory.lo -MD -MP -MF .deps/mymoneycategory.Tp
o -c -o mymoneycategory.lo mymoneycategory.cpp
mv -f .deps/mymoneypayee.Tpo .deps/mymoneypayee.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I..
/.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wn
o-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-p
recomp -fexceptions -MT mymoneyaccount.lo -MD -MP -MF .deps/mymoneyaccount.Tpo
-c -o mymoneyaccount.lo mymoneyaccount.cpp
mv -f .deps/mymoneycategory.Tpo .deps/mymoneycategory.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I..
/.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wn
o-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-p
recomp -fexceptions -MT mymoneyreport.lo -MD -MP -MF .deps/mymoneyreport.Tpo -c
-o mymoneyreport.lo mymoneyreport.cpp
mv -f .deps/mymoneyaccount.Tpo .deps/mymoneyaccount.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I..
/.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wn
```

```
o-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-p
recomp -fexceptions -MT mymoneystatement.lo -MD -MP -MF .deps/mymoneystatement.
Tpo -c -o mymoneystatement.lo mymoneystatement.cpp
mv -f .deps/mymoneystatement.Tpo .deps/mymoneystatement.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I..
/.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wn
o-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-p
recomp -fexceptions -MT mymoneyprice.lo -MD -MP -MF .deps/mymoneyprice.Tpo -c -
o mymoneyprice.lo mymoneyprice.cpp
mv -f .deps/mymoneyprice.Tpo .deps/mymoneyprice.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I..
/.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wn
o-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-p
recomp -fexceptions -MT mymoneybudget.lo -MD -MP -MF .deps/mymoneybudget.Tpo -c
-o mymoneybudget.lo mymoneybudget.cpp
mv -f .deps/mymoneyreport.Tpo .deps/mymoneyreport.Plo
/opt/local/lib/qt3/bin/moc ./mymoneyobjectcontainer.h -o mymoneyobjectcontainer.
moc
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I..
```

```
./.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyforecast.lo -MD -MP -MF .deps/mymoneyforecast.Tpo -c -o mymoneyforecast.lo mymoneyforecast.cpp
mv -f .deps/mymoneybudget.Tpo .deps/mymoneybudget.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyfile.lo -MD -MP -MF .deps/mymoneyfile.Tpo -c -o mymoneyfile.lo mymoneyfile.cpp
mv -f .deps/mymoneyforecast.Tpo .deps/mymoneyforecast.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT mymoneyobjectcontainer.lo -MD -MP -MF .deps/mymoneyobjectcontainer.Tpo -c -o mymoneyobjectcontainer.lo mymoneyobjectcontainer.cpp
mv -f .deps/mymoneyobjectcontainer.Tpo .deps/mymoneyobjectcontainer.Plo
mv -f .deps/mymoneyfile.Tpo .deps/mymoneyfile.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=link /usr/bin/g++-4.2 -Wno-lo
```

```
ng-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -L/opt/local/lib -L/opt/local/lib/qt3/lib -version-info 5:0:0 -L/opt/local/lib -Wl,-headerpad_max_install_names -Wl,-dylib_file,/System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/libGL.dylib:/System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/libGL.dylib -arch x86_64 -o libkmm_mymoney.la -rpath /opt/local/lib mymoneymoney.lo mymoneyfinancialcalculator.lo mymoneytransactionfilter.lo mymoneyobject.lo mymoneykeyvaluecontainer.lo mymoneyjobserver.lo mymoneysubject.lo mymoneysplit.lo mymoneyinstitution.lo mymoneyexception.lo mymoneyinvesttransaction.lo mymoneyutils.lo mymoneysecurity.lo mymoneytransaction.lo mymoneyscheduled.lo mymoneypayee.lo mymoneyfile.lo mymoneycategory.lo mymoneyaccount.lo mymoneyreport.lo mymoneystatement.lo mymoneyprice.lo mymoneybudget.lo mymoneyobjectcontainer.lo mymoneyforecast.lo
make[5]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/mymoney'
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/mymoney'
Making all in widgets
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/widgets'
/usr/bin/make -C .. kmymoneysettings.h
```

```
rm -rf transactionsortoption.h;
../../admin/fixuifiles ./transactionsortoption.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./transactionsortoption.ui | /opt/local/bi
n/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#includ
e <kwizard.h>,g" >> transactionsortoption.h ;
make[5]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kymoney/kymoney/work/
kymoney2-1.0.5/kymoney2'
make[5]: `kymoneysettings.h' is up to date.
make[5]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kymoney/kymoney/work/k
ymoney2-1.0.5/kymoney2'
/opt/local/lib/qt3/bin/moc ./kymoneyselector.h -o kymoneyselector.moc
/opt/local/lib/qt3/bin/moc ./kymoneyaccounttreebase.h -o kymoneyaccounttreebas
e.moc
/opt/local/lib/qt3/bin/moc ./kymoneydateinput.h -o kymoneydateinput.moc
/opt/local/lib/qt3/bin/moc ./kymoneyonlinequoteconfig.h -o kymoneyonlinequotec
onfig.moc
/opt/local/lib/qt3/bin/moc ./kymoneycompletion.h -o kymoneycompletion.moc
/opt/local/lib/qt3/bin/moc ./kymoneycalendar.h -o kymoneycalendar.moc
/opt/local/lib/qt3/bin/moc ./kymoneyaccounttreebudget.h -o kymoneyaccounttreeb
udget.moc
/opt/local/lib/qt3/bin/moc ./kymoneylineedit.h -o kymoneylineedit.moc
```

```
/opt/local/lib/qt3/bin/moc ./kymoneyaccountselector.h -o kymoneyaccountselecto  
r.moc  
/opt/local/lib/qt3/bin/moc ./kymoneywizard_p.h -o kymoneywizard_p.moc.cpp  
/opt/local/lib/qt3/bin/moc ./kymoneyaccounttreeforecast.h -o kymoneyaccounttre  
eforecast.moc  
/opt/local/lib/qt3/bin/moc ./kaccounttemplateselector.h -o kaccounttemplateselec  
tor.moc  
/opt/local/lib/qt3/bin/moc ./kymoneydatetbl.h -o kymoneydatetbl.moc  
/opt/local/lib/qt3/bin/moc ./kymoneyedit.h -o kymoneyedit.moc  
/opt/local/lib/qt3/bin/moc ./kymoneytitlelabel.h -o kymoneytitlelabel.moc  
/opt/local/lib/qt3/bin/moc ./kymoneypriceview.h -o kymoneypriceview.moc  
/opt/local/lib/qt3/bin/moc ./kymoneybriefschedule.h -o kymoneybriefschedule.mo  
c  
/opt/local/lib/qt3/bin/moc ./registersearchline.h -o registersearchline.moc  
/opt/local/lib/qt3/bin/moc ./kymoneyaccountcompletion.h -o kymoneyaccountcompl  
etion.moc  
/opt/local/lib/qt3/bin/moc ./kbudgetvalues.h -o kbudgetvalues.moc  
/opt/local/lib/qt3/bin/moc ./kymoneyaccountcombo.h -o kymoneyaccountcombo.moc  
/opt/local/lib/qt3/bin/moc ./kymoneychecklistitem.h -o kymoneychecklistitem.mo  
c  
/opt/local/lib/qt3/bin/moc ./kymoneywizard.h -o kymoneywizard.moc  
/opt/local/lib/qt3/bin/moc ./kymoneyaccounttree.h -o kymoneyaccounttree.moc  
/opt/local/lib/qt3/bin/moc ./kymoneylistviewitem.h -o kymoneylistviewitem.moc  
/opt/local/lib/qt3/bin/moc ./kymoneygpgconfig.h -o kymoneygpgconfig.moc
```

```
/opt/local/lib/qt3/bin/moc ./kymoneycalculator.h -o kymoneycalculator.moc
/opt/local/lib/qt3/bin/moc ./kymoneyscheduledcalendar.h -o kymoneyscheduledcalendar.moc
/opt/local/lib/qt3/bin/moc ./transactionform.h -o transactionform.moc
/opt/local/lib/qt3/bin/moc ./klistviewsearchline.h -o klistviewsearchline.moc
/opt/local/lib/qt3/bin/moc ./kymoneycombo.h -o kymoneycombo.moc
/opt/local/lib/qt3/bin/moc ./kymoneycategory.h -o kymoneycategory.moc
/opt/local/lib/qt3/bin/moc ./register.h -o register.moc
/opt/local/lib/qt3/bin/moc ./kymoneyscheduleddatatable.h -o kymoneyscheduleddatatable.moc
/opt/local/lib/qt3/bin/moc ./kguiutils.h -o kguiutils.moc
/opt/local/lib/qt3/bin/moc ./kymoneycurrencyselector.h -o kymoneycurrencyselector.moc
/usr/bin/make -C ../dialogs kcurrencycalculatordecl.h
make[5]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kymoney/kymoney/work/kymoney2-1.0.5/kymoney2/dialogs'
rm -rf kcurrencycalculatordecl.h;
../../admin/fixuifiles ./kcurrencycalculatordecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -nounload -L ../../kymoney2/widgets/.libs ./kcurrencycalculatordecl.ui | /opt/local/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwizard.h>,g" >> kcurrencycalculatordecl.h ;
rm -rf kbudgetvaluesdecl.h;
```



```
../.. /admin/fixuifiles ./kbudgetvaluesdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../.. /kymoney2/widgets/.libs ./kbudgetvaluesdecl.ui | /opt/local/bin/pe  
rl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <k  
wizard.h>,g" >> kbudgetvaluesdecl.h ;  
make[5]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport  
s_sources_rsync.macports.org_release_tarballs_ports_kde_kymoney/kymoney/work/k  
ymoney2-1.0.5/kymoney2/dialogs'  
rm -rf kaccounttemplateselectordecl.h;  
../.. /admin/fixuifiles ./kaccounttemplateselectordecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../.. /kymoney2/widgets/.libs ./kaccounttemplateselectordecl.ui | /opt/l  
ocal/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,  
#include <kwizard.h>,g" >> kaccounttemplateselectordecl.h ;  
chmod +x makekdewidgets  
./makekdewidgets -g KMyMoney -n CustomWidgetPlugin -o kmmwidgets.cpp -i kymoney  
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.or  
g_release_tarballs_ports_kde_kymoney/kymoney/work/kymoney2-1.0.5/kymoney2/wi  
dgets/kymoney.widgets  
/bin/sh ../.. /libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV  
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../  
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0  
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -  
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
```

```
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyset
tings.lo -MD -MP -MF .deps/libkymoney_la-kymoneysettings.Tpo -c -o libkymoney
_la-kymoneysettings.lo `test -f '../kymoneysettings.cpp' || echo './'`../kymo
neysettings.cpp
rm -rf kymoneygpgconfigdecl.h;
../../admin/fixuifiles ./kymoneygpgconfigdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kymoneygpgconfigdecl.ui | /opt/local/bi
n/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#includ
e <kwizard.h>,g" >> kymoneygpgconfigdecl.h ;
rm -rf kymoneyonlinequoteconfigdecl.h;
../../admin/fixuifiles ./kymoneyonlinequoteconfigdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kymoneyonlinequoteconfigdecl.ui | /opt/
local/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>
,#include <kwizard.h>,g" >> kymoneyonlinequoteconfigdecl.h ;
rm -rf kymoneyreportconfigtab1decl.h;
../../admin/fixuifiles ./kymoneyreportconfigtab1decl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kymoneyreportconfigtab1decl.ui | /opt/l
ocal/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,
#include <kwizard.h>,g" >> kymoneyreportconfigtab1decl.h ;
rm -rf kymoneyreportconfigtab2decl.h;
../../admin/fixuifiles ./kymoneyreportconfigtab2decl.ui; \
```

```
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kymoneyreportconfigtab2decl.ui | /opt/l
ocal/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,
#include <kwizard.h>,g" >> kymoneyreportconfigtab2decl.h ;
rm -rf kymoneyreportconfigtab3decl.h;
../../admin/fixuifiles ./kymoneyreportconfigtab3decl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kymoneyreportconfigtab3decl.ui | /opt/l
ocal/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,
#include <kwizard.h>,g" >> kymoneyreportconfigtab3decl.h ;
rm -rf kymoneyreportconfigtabchartdecl.h;
../../admin/fixuifiles ./kymoneyreportconfigtabchartdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kymoneyreportconfigtabchartdecl.ui | /o
pt/local/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard
.h>,#include <kwizard.h>,g" >> kymoneyreportconfigtabchartdecl.h ;
rm -rf kymoneyreportcontroldecl.h;
../../admin/fixuifiles ./kymoneyreportcontroldecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kymoneyreportcontroldecl.ui | /opt/loca
l/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#in
clude <kwizard.h>,g" >> kymoneyreportcontroldecl.h ;
rm -rf kschedulebriefwidget.h;
../../admin/fixuifiles ./kschedulebriefwidget.ui; \
```

```
/opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../kmy money2/widgets/.libs ./kschedulebriefwidget.ui | /opt/local/bin  
/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include  
 <kwizard.h>,g" >> kschedulebriefwidget.h ;  
/opt/local/lib/qt3/bin/moc kbudgetvaluesdecl.h -o kbudgetvaluesdecl.moc  
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV  
E_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../  
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0  
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -  
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -  
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkmy money_la-kaccounttem  
plateselector.lo -MD -MP -MF .deps/libkmy money_la-kaccounttemplateselector.Tpo -  
c -o libkmy money_la-kaccounttemplateselector.lo `test -f 'kaccounttemplateselect  
or.cpp' || echo './`kaccounttemplateselector.cpp  
mv -f .deps/libkmy money_la-kaccounttemplateselector.Tpo .deps/libkmy money_la-kac  
counttemplateselector.Plo  
/opt/local/lib/qt3/bin/moc kaccounttemplateselectordecl.h -o kaccounttemplatesel  
ectordecl.moc  
if test -h ../../kmy money/transactionsortooption.h; then rm ../../kmy money/transa  
ctionsortooption.h; fi  
ln -s `pwd`/transactionsortooption.h ../../kmy money/transactionsortooption.h  
/opt/local/lib/qt3/bin/moc transactionsortooption.h -o transactionsortooption.moc  
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV  
E_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../
```

```
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkmy_money_la-kmmwidgets.
lo -MD -MP -MF .deps/libkmy_money_la-kmmwidgets.Tpo -c -o libkmy_money_la-kmmwidge
ts.lo `test -f 'kmmwidgets.cpp' || echo './`kmmwidgets.cpp
mv -f .deps/libkmy_money_la-kmmwidgets.Tpo .deps/libkmy_money_la-kmmwidgets.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkmy_money_la-kmy_moneycom
pletion.lo -MD -MP -MF .deps/libkmy_money_la-kmy_moneycompletion.Tpo -c -o libkmy_m
oney_la-kmy_moneycompletion.lo `test -f 'kmy_moneycompletion.cpp' || echo './`kmy
moneycompletion.cpp
mv -f .deps/libkmy_money_la-kmy_moneysettings.Tpo .deps/libkmy_money_la-kmy_moneyset
tings.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkmy_money_la-kmy_moneyacc
```

```
ountcombo.lo -MD -MP -MF .deps/libkymoney_la-kymoneyaccountcombo.Tpo -c -o lib
kymoney_la-kymoneyaccountcombo.lo `test -f 'kymoneyaccountcombo.cpp' || echo
 './'`kymoneyaccountcombo.cpp
mv -f .deps/libkymoney_la-kymoneycompletion.Tpo .deps/libkymoney_la-kymoneyc
ompletion.Plo
mv -f .deps/libkymoney_la-kymoneyaccountcombo.Tpo .deps/libkymoney_la-kymone
yaccountcombo.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyacc
ountcompletion.lo -MD -MP -MF .deps/libkymoney_la-kymoneyaccountcompletion.Tpo
-c -o libkymoney_la-kymoneyaccountcompletion.lo `test -f 'kymoneyaccountcomp
letion.cpp' || echo './'`kymoneyaccountcompletion.cpp
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneycur
rencyselector.lo -MD -MP -MF .deps/libkymoney_la-kymoneycurrencyselector.Tpo -
c -o libkymoney_la-kymoneycurrencyselector.lo `test -f 'kymoneycurrencyselect
```

```
or.cpp' || echo './`kymoneycurrencyselector.cpp
mv -f .deps/libkymoney_la-kymoneyaccountcompletion.Tpo .deps/libkymoney_la-km
ymoneyaccountcompletion.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyacc
ountselector.lo -MD -MP -MF .deps/libkymoney_la-kymoneyaccountselector.Tpo -c
-o libkymoney_la-kymoneyaccountselector.lo `test -f 'kymoneyaccountselector.c
pp' || echo './`kymoneyaccountselector.cpp
mv -f .deps/libkymoney_la-kymoneycurrencyselector.Tpo .deps/libkymoney_la-kmy
moneycurrencyselector.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneydat
etbl.lo -MD -MP -MF .deps/libkymoney_la-kymoneydatetbl.Tpo -c -o libkymoney_l
a-kymoneydatetbl.lo `test -f 'kymoneydatetbl.cpp' || echo './`kymoneydatetbl
.cpp
mv -f .deps/libkymoney_la-kymoneydatetbl.Tpo .deps/libkymoney_la-kymoneydate
```

tbl.Plo

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneycalculator.lo -MD -MP -MF .deps/libkymoney_la-kymoneycalculator.Tpo -c -o libkymoney_la-kymoneycalculator.lo `test -f 'kymoneycalculator.cpp' || echo './'`kymoneycalculator.cpp
```

```
mv -f .deps/libkymoney_la-kymoneyaccountselector.Tpo .deps/libkymoney_la-kymoneyaccountselector.Plo
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneycategory.lo -MD -MP -MF .deps/libkymoney_la-kymoneycategory.Tpo -c -o libkymoney_la-kymoneycategory.lo `test -f 'kymoneycategory.cpp' || echo './'`kymoneycategory.cpp
```

```
mv -f .deps/libkymoney_la-kymoneycalculator.Tpo .deps/libkymoney_la-kymoneycalculator.Plo
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE
```



```
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../  
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0  
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -  
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -  
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneycom  
bo.lo -MD -MP -MF .deps/libkymoney_la-kymoneycombo.Tpo -c -o libkymoney_la-km  
ymoneycombo.lo `test -f 'kymoneycombo.cpp' || echo './'`kymoneycombo.cpp  
mv -f .deps/libkymoney_la-kymoneycategory.Tpo .deps/libkymoney_la-kymoneycat  
egory.Plo
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV  
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../  
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0  
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -  
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -  
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneylin  
eedit.lo -MD -MP -MF .deps/libkymoney_la-kymoneylineedit.Tpo -c -o libkymoney  
_la-kymoneylineedit.lo `test -f 'kymoneylineedit.cpp' || echo './'`kymoneylin  
eedit.cpp
```

```
mv -f .deps/libkymoney_la-kymoneylineedit.Tpo .deps/libkymoney_la-kymoneylin  
eedit.Plo
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV  
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../  
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0  
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
```

```
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyedi
t.lo -MD -MP -MF .deps/libkymoney_la-kymoneyedit.Tpo -c -o libkymoney_la-kmym
oneyedit.lo `test -f 'kymoneyedit.cpp' || echo './`kymoneyedit.cpp
mv -f .deps/libkymoney_la-kymoneyedit.Tpo .deps/libkymoney_la-kymoneyedit.Pl
o
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneydat
einput.lo -MD -MP -MF .deps/libkymoney_la-kymoneydateinput.Tpo -c -o libkymon
ey_la-kymoneydateinput.lo `test -f 'kymoneydateinput.cpp' || echo './`kymone
ydateinput.cpp
mv -f .deps/libkymoney_la-kymoneycombo.Tpo .deps/libkymoney_la-kymoneycombo.
Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyacc
ounttree.lo -MD -MP -MF .deps/libkymoney_la-kymoneyaccounttree.Tpo -c -o libkm
```

```
ymoney_la-kymoneyaccounttree.lo `test -f 'kymoneyaccounttree.cpp' || echo './'
`kymoneyaccounttree.cpp
mv -f .deps/libkymoney_la-kymoneydateinput.Tpo .deps/libkymoney_la-kymoneyda
teinput.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneytit
lelabel.lo -MD -MP -MF .deps/libkymoney_la-kymoneytitlelabel.Tpo -c -o libkym
oney_la-kymoneytitlelabel.lo `test -f 'kymoneytitlelabel.cpp' || echo './' `kmy
moneytitlelabel.cpp
mv -f .deps/libkymoney_la-kymoneyaccounttree.Tpo .deps/libkymoney_la-kymoney
accounttree.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kguiutils.l
o -MD -MP -MF .deps/libkymoney_la-kguiutils.Tpo -c -o libkymoney_la-kguiutils.
lo `test -f 'kguiutils.cpp' || echo './' `kguiutils.cpp
mv -f .deps/libkymoney_la-kymoneytitlelabel.Tpo .deps/libkymoney_la-kymoneyt
```

itllabel.Plo

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -W02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyaccounttreebase.lo -MD -MP -MF .deps/libkymoney_la-kymoneyaccounttreebase.Tpo -c -o libkymoney_la-kymoneyaccounttreebase.lo `test -f 'kymoneyaccounttreebase.cpp' || echo './'`kymoneyaccounttreebase.cpp
```

```
mv -f .deps/libkymoney_la-kguiutils.Tpo .deps/libkymoney_la-kguiutils.Plo
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../ -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -W02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyaccounttreebudget.lo -MD -MP -MF .deps/libkymoney_la-kymoneyaccounttreebudget.Tpo -c -o libkymoney_la-kymoneyaccounttreebudget.lo `test -f 'kymoneyaccounttreebudget.cpp' || echo './'`kymoneyaccounttreebudget.cpp
```

```
mv -f .deps/libkymoney_la-kymoneyaccounttreebudget.Tpo .deps/libkymoney_la-kymoneyaccounttreebudget.Plo
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../../
```

```
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyacc
ounttreeforecast.lo -MD -MP -MF .deps/libkymoney_la-kymoneyaccounttreeforecast
.Tpo -c -o libkymoney_la-kymoneyaccounttreeforecast.lo `test -f 'kymoneyaccou
nttreeforecast.cpp' || echo './`kymoneyaccounttreeforecast.cpp
mv -f .deps/libkymoney_la-kymoneyaccounttreebase.Tpo .deps/libkymoney_la-kmym
oneyaccounttreebase.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-register.lo
-MD -MP -MF .deps/libkymoney_la-register.Tpo -c -o libkymoney_la-register.lo
`test -f 'register.cpp' || echo './`register.cpp
mv -f .deps/libkymoney_la-kymoneyaccounttreeforecast.Tpo .deps/libkymoney_la-
kymoneyaccounttreeforecast.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
```

```
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-registerite
m.lo -MD -MP -MF .deps/libkymoney_la-registeritem.Tpo -c -o libkymoney_la-regi
steritem.lo `test -f 'registeritem.cpp' || echo './'`registeritem.cpp
mv -f .deps/libkymoney_la-registeritem.Tpo .deps/libkymoney_la-registeritem.Pl
o
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-transaction
.lo -MD -MP -MF .deps/libkymoney_la-transaction.Tpo -c -o libkymoney_la-transa
ction.lo `test -f 'transaction.cpp' || echo './'`transaction.cpp
mv -f .deps/libkymoney_la-register.Tpo .deps/libkymoney_la-register.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-scheduledtr
ansaction.lo -MD -MP -MF .deps/libkymoney_la-scheduledtransaction.Tpo -c -o lib
kymoney_la-scheduledtransaction.lo `test -f 'scheduledtransaction.cpp' || echo
 './'`scheduledtransaction.cpp
mv -f .deps/libkymoney_la-scheduledtransaction.Tpo .deps/libkymoney_la-schedul
```

edtransaction.Plo

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -W02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-stdtransactiondownloaded.lo -MD -MP -MF .deps/libkymoney_la-stdtransactiondownloaded.Tpo -c -o libkymoney_la-stdtransactiondownloaded.lo `test -f 'stdtransactiondownloaded.cpp' || echo './'`stdtransactiondownloaded.cpp
mv -f .deps/libkymoney_la-stdtransactiondownloaded.Tpo .deps/libkymoney_la-stdtransactiondownloaded.Plo
```

```
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -W02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-stdtransactionmatched.lo -MD -MP -MF .deps/libkymoney_la-stdtransactionmatched.Tpo -c -o libkymoney_la-stdtransactionmatched.lo `test -f 'stdtransactionmatched.cpp' || echo './'`stdtransactionmatched.cpp
```

```
mv -f .deps/libkymoney_la-transaction.Tpo .deps/libkymoney_la-transaction.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../..
```

```
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-transaction
form.lo -MD -MP -MF .deps/libkymoney_la-transactionform.Tpo -c -o libkymoney_l
a-transactionform.lo `test -f 'transactionform.cpp' || echo './'`transactionform
.cpp
mv -f .deps/libkymoney_la-stdtransactionmatched.Tpo .deps/libkymoney_la-stdtra
nsactionmatched.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneyche
cklistitem.lo -MD -MP -MF .deps/libkymoney_la-kymoneychecklistitem.Tpo -c -o l
ibkymoney_la-kymoneychecklistitem.lo `test -f 'kymoneychecklistitem.cpp' || e
cho './'`kymoneychecklistitem.cpp
mv -f .deps/libkymoney_la-transactionform.Tpo .deps/libkymoney_la-transactionf
orm.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
```



```
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneylis
tviewitem.lo -MD -MP -MF .deps/libkymoney_la-kymoneylistviewitem.Tpo -c -o lib
kymoney_la-kymoneylistviewitem.lo `test -f 'kymoneylistviewitem.cpp' || echo
 './'`kymoneylistviewitem.cpp
mv -f .deps/libkymoney_la-kymoneychecklistitem.Tpo .deps/libkymoney_la-kymon
eychecklistitem.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kymoneysel
ector.lo -MD -MP -MF .deps/libkymoney_la-kymoneyselector.Tpo -c -o libkymoney
_la-kymoneyselector.lo `test -f 'kymoneyselector.cpp' || echo './'`kymoneysel
ector.cpp
mv -f .deps/libkymoney_la-kymoneylistviewitem.Tpo .deps/libkymoney_la-kymone
ylistviewitem.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAV
E_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
02 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkymoney_la-kbudgetvalu
```

```
es.lo -MD -MP -MF .deps/libkymoney_la-kbudgetvalues.Tpo -c -o libkymoney_la-kb
udgetvalues.lo `test -f 'kbudgetvalues.cpp' || echo './'`kbudgetvalues.cpp
mv -f .deps/libkymoney_la-kymoneyselector.Tpo .deps/libkymoney_la-kymoneysele
ctor.Plo
rm -f kbudgetvaluesdecl.cpp
echo '#include <kdialog.h>' > kbudgetvaluesdecl.cpp
echo '#include <klocale.h>' >> kbudgetvaluesdecl.cpp
echo '#ifndef KMM_I18N' >> kbudgetvaluesdecl.cpp
echo '#define KMM_I18N' >> kbudgetvaluesdecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> kbudgetvaluesdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kbudg
etvaluesdecl.cpp
echo '#endif' >> kbudgetvaluesdecl.cpp
../../admin/fixuifiles ./kbudgetvaluesdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs -tr tr2i18n -i kbudgetvaluesdecl.h ./kbudg
etvaluesdecl.ui > kbudgetvaluesdecl.cpp.temp ; ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kbudgetvalue
sdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\" ),QString::null
,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kbudgetvaluesdec
l,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(,g" | /opt/local/bin/per
l -pe "s,tr2i18n,kmm_i18n,g">> kbudgetvaluesdecl.cpp ;\
    rm -f kbudgetvaluesdecl.cpp.temp ;\
```

```
if test "$ret" = 0; then echo '#include "kbudgetvaluesdecl.moc"' >> kbud
getvaluesdecl.cpp; else rm -f kbudgetvaluesdecl.cpp ; exit $ret ; fi
rm -f kaccounttemplateselectordecl.cpp
echo '#include <kdialog.h>' > kaccounttemplateselectordecl.cpp
echo '#include <klocale.h>' >> kaccounttemplateselectordecl.cpp
echo '#ifndef KMM_I18N' >> kaccounttemplateselectordecl.cpp
echo '#define KMM_I18N' >> kaccounttemplateselectordecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> kaccounttemplateselectordecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kaccoun
ttemplateselectordecl.cpp
echo '#endif' >> kaccounttemplateselectordecl.cpp
../../admin/fixuifiles ./kaccounttemplateselectordecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs -tr tr2i18n -i kaccounttemplateselectordec
l.h ./kaccounttemplateselectordecl.ui > kaccounttemplateselectordecl.cpp.temp ;
ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kaccounttemp
lateselectordecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QS
tring::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kacco
unttemplateselectordecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(:, : KWizard(,g
" | /opt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kaccounttemplateselectordec
l.cpp ;\
    rm -f kaccounttemplateselectordecl.cpp.temp ;\
```

```
    if test "$ret" = 0; then echo '#include "kaccounttemplateselectordecl.mo
c"' >> kaccounttemplateselectordecl.cpp; else rm -f kaccounttemplateselectordecl
.cpp ; exit $ret ; fi
rm -f transactionsortoption.cpp
echo '#include <kdialog.h>' > transactionsortoption.cpp
echo '#include <klocale.h>' >> transactionsortoption.cpp
echo '#ifndef KMM_I18N' >> transactionsortoption.cpp
echo '#define KMM_I18N' >> transactionsortoption.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> transactionsortoption.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> transac
tionsortoption.cpp
echo '#endif' >> transactionsortoption.cpp
../../admin/fixuifiles ./transactionsortoption.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs -tr tr2i18n -i transactionsortoption.h ./t
ransactionsortoption.ui > transactionsortoption.cpp.temp ; ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" transac
tionsortoption.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QString::
null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_transac
tionsortoption,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(g" | /opt/local
/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> transactionsortoption.cpp ;\
    rm -f transactionsortoption.cpp.temp ;\
    if test "$ret" = 0; then echo '#include "transactionsortoption.moc"' >>
```

```
transactionsortooption.cpp; else rm -f transactionsortooption.cpp ; exit $ret ; fi
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkmyoney_la-kbudgetvaluesdecl.lo -MD -MP -MF .deps/libkmyoney_la-kbudgetvaluesdecl.Tpo -c -o libkmyoney_la-kbudgetvaluesdecl.lo `test -f 'kbudgetvaluesdecl.cpp' || echo './`kbudgetvaluesdecl.cpp
mv -f .deps/libkmyoney_la-kbudgetvalues.Tpo .deps/libkmyoney_la-kbudgetvalues.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../ -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkmyoney_la-kaccounttemplateselectordecl.lo -MD -MP -MF .deps/libkmyoney_la-kaccounttemplateselectordecl.Tpo -c -o libkmyoney_la-kaccounttemplateselectordecl.lo `test -f 'kaccounttemplateselectordecl.cpp' || echo './`kaccounttemplateselectordecl.cpp
mv -f .deps/libkmyoney_la-kbudgetvaluesdecl.Tpo .deps/libkmyoney_la-kbudgetvaluesdecl.Plo
/bin/sh ../../libtool --silent --tag=CXX --mode=compile /usr/bin/g++-4.2 -DHAVE
```

```
E_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../
.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0
-U_CHECK_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -
O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -
fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT libkmymoney_la-transaction
sortoption.lo -MD -MP -MF .deps/libkmymoney_la-transactionsortoption.Tpo -c -o l
ibkmymoney_la-transactionsortoption.lo `test -f 'transactionsortoption.cpp' || e
cho './'`transactionsortoption.cpp
mv -f .deps/libkmymoney_la-kaccounttemplateselectordecl.Tpo .deps/libkmymoney_la
-kaccounttemplateselectordecl.Plo
mv -f .deps/libkmymoney_la-transactionsortoption.Tpo .deps/libkmymoney_la-transa
ctionsortoption.Plo
/bin/sh .././libtool --silent --tag=CXX --mode=link /usr/bin/g++-4.2 -U_CHECK
_MEMORY -DKMM_DESIGNER -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions `ls ../mymoney/*.lo` -L/opt/local/lib
-L/opt/local/lib/qt3/lib -rpath /opt/local/lib/qt3/lib/./plugins/designer -lkd
eui -lkdecore -lqt-mt -lz -lpng -lz -lm -lpthread -L/opt/local/lib -Wl,-headerp
ad_max_install_names -Wl,-dylib_file,/System/Library/Frameworks/OpenGL.framework
/Versions/A/Libraries/libGL.dylib:/System/Library/Frameworks/OpenGL.framework/Ve
rsions/A/Libraries/libGL.dylib -arch x86_64 -o libkmymoney_la libkmymoney_la-km
mwidgets.lo libkmymoney_la-kmymoneysettings.lo libkmymoney_la-kmymoneycompletion
.lo libkmymoney_la-kmymoneyaccountcombo.lo libkmymoney_la-kmymoneyaccountcomplet
ion.lo libkmymoney_la-kmymoneycurrencyselector.lo libkmymoney_la-kmymoneyaccount
```

selector.lo libkymoney_la-kymoneydatetbl.lo libkymoney_la-kymoneycalculator.
lo libkymoney_la-kymoneycategory.lo libkymoney_la-kymoneycombo.lo libkymone
y_la-kymoneylineedit.lo libkymoney_la-kymoneyedit.lo libkymoney_la-kymoneyd
ateinput.lo libkymoney_la-kymoneyaccounttree.lo libkymoney_la-kymoneytitlela
bel.lo libkymoney_la-kguiutils.lo libkymoney_la-kymoneyaccounttreebase.lo lib
kymoney_la-kymoneyaccounttreebudget.lo libkymoney_la-kymoneyaccounttreeforec
ast.lo libkymoney_la-register.lo libkymoney_la-registeritem.lo libkymoney_la-
transaction.lo libkymoney_la-scheduledtransaction.lo libkymoney_la-stdtransact
iondownloaded.lo libkymoney_la-stdtransactionmatched.lo libkymoney_la-transact
ionform.lo libkymoney_la-kymoneychecklistitem.lo libkymoney_la-kymoneylistvi
ewitem.lo libkymoney_la-kymoneyselector.lo libkymoney_la-transactionsortoptio
n.lo libkymoney_la-kbudgetvalues.lo libkymoney_la-kbudgetvaluesdecl.lo libkym
oney_la-kaccounttemplateselector.lo libkymoney_la-kaccounttemplateselectordecl.
lo

/usr/bin/make all-am

make[5]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kymoney/kymoney/work/
kymoney2-1.0.5/kymoney2/widgets'

/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/li
b/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kbudgetvalues.o -MD -MP -MF .deps/
kbudgetvalues.Tpo -c -o kbudgetvalues.o kbudgetvalues.cpp

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kguiutils.o -MD -MP -MF .deps/kguiutils.Tpo -c -o kguiutils.o kguiutils.cpp
mv -f .deps/kguiutils.Tpo .deps/kguiutils.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT klistviewsearchline.o -MD -MP -MF .deps/klistviewsearchline.Tpo -c -o klistviewsearchline.o klistviewsearchline.cpp
mv -f .deps/kbudgetvalues.Tpo .deps/kbudgetvalues.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneyaccountcombo.o -MD -MP -MF .deps/kmymoneyaccountcombo.Tpo -c -o kmymoneyaccountcombo.o kmymoneyaccountcombo.cpp
mv -f .deps/klistviewsearchline.Tpo .deps/klistviewsearchline.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
```



```
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyaccountcompletion.o -MD -MP -MF .deps/kymoneyaccountcompletion.Tpo -c -o kymoneyaccountcompletion.o kymoneyaccountcompletion.cpp
```

```
mv -f .deps/kymoneyaccountcombo.Tpo .deps/kymoneyaccountcombo.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyaccountselector.o -MD -MP -MF .deps/kymoneyaccountselector.Tpo -c -o kymoneyaccountselector.o kymoneyaccountselector.cpp
```

```
mv -f .deps/kymoneyaccountcompletion.Tpo .deps/kymoneyaccountcompletion.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyaccounttreebase.o -MD -MP -MF .deps/kymoneyaccounttreebase.Tpo -c -o kymoneyaccounttreebase.o kymoneyaccounttreebase.cpp
```

```
mv -f .deps/kymoneyaccountselector.Tpo .deps/kymoneyaccountselector.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
```

```
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyaccounttree.o -MD -MP -MF .deps/kymoneyaccounttree.Tpo -c -o kymoneyaccounttree.o kymoneyaccounttree.cpp
mv -f .deps/kymoneyaccounttreebase.Tpo .deps/kymoneyaccounttreebase.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyaccounttreebudget.o -MD -MP -MF .deps/kymoneyaccounttreebudget.Tpo -c -o kymoneyaccounttreebudget.o kymoneyaccounttreebudget.cpp
mv -f .deps/kymoneyaccounttree.Tpo .deps/kymoneyaccounttree.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyaccounttreeforecast.o -MD -MP -MF .deps/kymoneyaccounttreeforecast.Tpo -c -o kymoneyaccounttreeforecast.o kymoneyaccounttreeforecast.cpp
mv -f .deps/kymoneyaccounttreebudget.Tpo .deps/kymoneyaccounttreebudget.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
```

```
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneybriefschedule.o -MD -MP -MF .deps/kymoneybriefschedule.Tpo -c -o kymoneybriefschedule.o kymoneybriefschedule.cpp
```

```
mv -f .deps/kymoneybriefschedule.Tpo .deps/kymoneybriefschedule.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneycalculator.o -MD -MP -MF .deps/kymoneycalculator.Tpo -c -o kymoneycalculator.o kymoneycalculator.cpp
```

```
mv -f .deps/kymoneyaccounttreeforecast.Tpo .deps/kymoneyaccounttreeforecast.Po  
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneycalendar.o -MD -MP -MF .deps/kymoneycalendar.Tpo -c -o kymoneycalendar.o kymoneycalendar.cpp
```

```
mv -f .deps/kymoneycalculator.Tpo .deps/kymoneycalculator.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
```

```
-O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneycategory.o -MD -MP -MF .deps/kymoneycategory.Tpo -c -o kymoneycategory.o kymoneycategory.cpp
mv -f .deps/kymoneycalendar.Tpo .deps/kymoneycalendar.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneychecklistitem.o -MD -MP -MF .deps/kymoneychecklistitem.Tpo -c -o kymoneychecklistitem.o kymoneychecklistitem.cpp
mv -f .deps/kymoneychecklistitem.Tpo .deps/kymoneychecklistitem.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneycombo.o -MD -MP -MF .deps/kymoneycombo.Tpo -c -o kymoneycombo.o kymoneycombo.cpp
mv -f .deps/kymoneycategory.Tpo .deps/kymoneycategory.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneycompletion.o -MD -MP -MF .
```

```
deps/kymoneycompletion.Tpo -c -o kymoneycompletion.o kymoneycompletion.cpp
mv -f .deps/kymoneycompletion.Tpo .deps/kymoneycompletion.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneycurrencyselector.o -MD -MP -MF .deps/kymoneycurrencyselector.Tpo -c -o kymoneycurrencyselector.o kymoneycurrencyselector.cpp
mv -f .deps/kymoneycurrencyselector.Tpo .deps/kymoneycurrencyselector.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneydateinput.o -MD -MP -MF .deps/kymoneydateinput.Tpo -c -o kymoneydateinput.o kymoneydateinput.cpp
mv -f .deps/kymoneycombo.Tpo .deps/kymoneycombo.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneydatetbl.o -MD -MP -MF .deps/kymoneydatetbl.Tpo -c -o kymoneydatetbl.o kymoneydatetbl.cpp
mv -f .deps/kymoneydateinput.Tpo .deps/kymoneydateinput.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyedit.o -MD -MP -MF .deps/kymoneyedit.Tpo -c -o kymoneyedit.o kymoneyedit.cpp
mv -f .deps/kymoneydatetbl.Tpo .deps/kymoneydatetbl.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyforecastlistviewitem.o -MD -MP -MF .deps/kymoneyforecastlistviewitem.Tpo -c -o kymoneyforecastlistviewitem.o kymoneyforecastlistviewitem.cpp
mv -f .deps/kymoneyforecastlistviewitem.Tpo .deps/kymoneyforecastlistviewitem.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneygpgconfig.o -MD -MP -MF .deps/kymoneygpgconfig.Tpo -c -o kymoneygpgconfig.o kymoneygpgconfig.cpp
mv -f .deps/kymoneyedit.Tpo .deps/kymoneyedit.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib
```

```
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneylineedit.o -MD -MP -MF .deps/kmymoneylineedit.Tpo -c -o kmymoneylineedit.o kmymoneylineedit.cpp
mv -f .deps/kmymoneygpgconfig.Tpo .deps/kmymoneygpgconfig.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneylistviewitem.o -MD -MP -MF .deps/kmymoneylistviewitem.Tpo -c -o kmymoneylistviewitem.o kmymoneylistviewitem.cpp
mv -f .deps/kmymoneylineedit.Tpo .deps/kmymoneylineedit.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneyonlinequoteconfig.o -MD -MP -MF .deps/kmymoneyonlinequoteconfig.Tpo -c -o kmymoneyonlinequoteconfig.o kmymoneyonlinequoteconfig.cpp
mv -f .deps/kmymoneylistviewitem.Tpo .deps/kmymoneylistviewitem.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
```

```
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
  -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneypriceview.o -MD -MP -MF .d
eps/kmymoneypriceview.Tpo -c -o kmymoneypriceview.o kmymoneypriceview.cpp
mv -f .deps/kmymoneyonlinequoteconfig.Tpo .deps/kmymoneyonlinequoteconfig.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
  -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneyscheduledcalendar.o -MD -M
P -MF .deps/kmymoneyscheduledcalendar.Tpo -c -o kmymoneyscheduledcalendar.o kmym
oneyscheduledcalendar.cpp
mv -f .deps/kmymoneypriceview.Tpo .deps/kmymoneypriceview.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
  -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneyscheduleddatetbl.o -MD -MP
  -MF .deps/kmymoneyscheduleddatetbl.Tpo -c -o kmymoneyscheduleddatetbl.o kmymone
yscheduleddatetbl.cpp
mv -f .deps/kmymoneyscheduledcalendar.Tpo .deps/kmymoneyscheduledcalendar.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
```



```
-O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyselector.o -MD -MP -MF .de
ps/kymoneyselector.Tpo -c -o kymoneyselector.o kymoneyselector.cpp
mv -f .deps/kymoneyscheduleddatetbl.Tpo .deps/kymoneyscheduleddatetbl.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneytitlelabel.o -MD -MP -MF .
deps/kymoneytitlelabel.Tpo -c -o kymoneytitlelabel.o kymoneytitlelabel.cpp
mv -f .deps/kymoneyselector.Tpo .deps/kymoneyselector.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneywizard.o -MD -MP -MF .deps
/kymoneywizard.Tpo -c -o kymoneywizard.o kymoneywizard.cpp
mv -f .deps/kymoneytitlelabel.Tpo .deps/kymoneytitlelabel.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT register.o -MD -MP -MF .deps/regis
ter.Tpo -c -o register.o register.cpp
```

```
mv -f .deps/kmymoneywizard.Tpo .deps/kmymoneywizard.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT registeritem.o -MD -MP -MF .deps/registeritem.Tpo -c -o registeritem.o registeritem.cpp
mv -f .deps/registeritem.Tpo .deps/registeritem.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT registersearchline.o -MD -MP -MF .deps/registersearchline.Tpo -c -o registersearchline.o registersearchline.cpp
mv -f .deps/registersearchline.Tpo .deps/registersearchline.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT transaction.o -MD -MP -MF .deps/transaction.Tpo -c -o transaction.o transaction.cpp
mv -f .deps/register.Tpo .deps/register.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
```

```
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT scheduledtransaction.o -MD -MP -MF
.deps/scheduledtransaction.Tpo -c -o scheduledtransaction.o scheduledtransactio
n.cpp
```

```
mv -f .deps/scheduledtransaction.Tpo .deps/scheduledtransaction.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
```

```
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT stdtransactiondownloaded.o -MD -MP
-MF .deps/stdtransactiondownloaded.Tpo -c -o stdtransactiondownloaded.o stdtran
sactiondownloaded.cpp
```

```
mv -f .deps/stdtransactiondownloaded.Tpo .deps/stdtransactiondownloaded.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
```

```
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT stdtransactionmatched.o -MD -MP -M
F .deps/stdtransactionmatched.Tpo -c -o stdtransactionmatched.o stdtransactionma
tched.cpp
```

```
mv -f .deps/transaction.Tpo .deps/transaction.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
```

```
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
  -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT transactioneditorcontainer.o -MD -
MP -MF .deps/transactioneditorcontainer.Tpo -c -o transactioneditorcontainer.o t
ransactioneditorcontainer.cpp
mv -f .deps/stdtransactionmatched.Tpo .deps/stdtransactionmatched.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
  -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT transactionform.o -MD -MP -MF .dep
s/transactionform.Tpo -c -o transactionform.o transactionform.cpp
mv -f .deps/transactioneditorcontainer.Tpo .deps/transactioneditorcontainer.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
  -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kaccounttemplateselector.o -MD -MP
  -MF .deps/kaccounttemplateselector.Tpo -c -o kaccounttemplateselector.o kaccoun
ttemplateselector.cpp
mv -f .deps/transactionform.Tpo .deps/transactionform.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
```

```
-O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT transactionsoption.o -MD -MP -MF .deps/transactionsoption.Tpo -c -o transactionsoption.o transactionsoption.cpp
mv -f .deps/kaccounttemplateselector.Tpo .deps/kaccounttemplateselector.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT selectedtransaction.o -MD -MP -MF .deps/selectedtransaction.Tpo -c -o selectedtransaction.o selectedtransaction.cpp
mv -f .deps/selectedtransaction.Tpo .deps/selectedtransaction.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -O3 -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kbudgetvaluesdecl.o -MD -MP -MF .deps/kbudgetvaluesdecl.Tpo -c -o kbudgetvaluesdecl.o kbudgetvaluesdecl.cpp
mv -f .deps/transactionsoption.Tpo .deps/transactionsoption.Po
/opt/local/lib/qt3/bin/moc kmymoneygpgconfigdecl.h -o kmymoneygpgconfigdecl.moc
/opt/local/lib/qt3/bin/moc kmymoneyonlinequoteconfigdecl.h -o kmymoneyonlinequoteconfigdecl.moc
/opt/local/lib/qt3/bin/moc kmymoneyreportconfigtab1decl.h -o kmymoneyreportconfi
```

```
gtab1decl.moc
/opt/local/lib/qt3/bin/moc kmymoneyreportconfigtab2decl.h -o kmymoneyreportconfi
gtab2decl.moc
/opt/local/lib/qt3/bin/moc kmymoneyreportconfigtab3decl.h -o kmymoneyreportconfi
gtab3decl.moc
/opt/local/lib/qt3/bin/moc kmymoneyreportconfigtabchartdecl.h -o kmymoneyreportc
onfigtabchartdecl.moc
/opt/local/lib/qt3/bin/moc kmymoneyreportcontroldecl.h -o kmymoneyreportcontrold
ecl.moc
/opt/local/lib/qt3/bin/moc kschedulebriefwidget.h -o kschedulebriefwidget.moc
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kaccounttemplateselectordecl.o -MD
-MP -MF .deps/kaccounttemplateselectordecl.Tpo -c -o kaccounttemplateselectorde
cl.o kaccounttemplateselectordecl.cpp
mv -f .deps/kbudgetvaluesdecl.Tpo .deps/kbudgetvaluesdecl.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneywizard_p.moc.o -MD -MP -MF
.deps/kmymoneywizard_p.moc.Tpo -c -o kmymoneywizard_p.moc.o kmymoneywizard_p.mo
```

```
c.cpp
mv -f .deps/kaccounttemplateselectordecl.Tpo .deps/kaccounttemplateselectordecl.
Po
rm -f kmymoneygpgconfigdecl.cpp
echo '#include <kdialog.h>' > kmymoneygpgconfigdecl.cpp
echo '#include <klocale.h>' >> kmymoneygpgconfigdecl.cpp
echo '#ifndef KMM_I18N' >> kmymoneygpgconfigdecl.cpp
echo '#define KMM_I18N' >> kmymoneygpgconfigdecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> kmymoneygpgconfigdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kmymone
ygpgconfigdecl.cpp
echo '#endif' >> kmymoneygpgconfigdecl.cpp
../../../../admin/fixuifiles ./kmymoneygpgconfigdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs -tr tr2i18n -i kmymoneygpgconfigdecl.h ./k
mymoneygpgconfigdecl.ui > kmymoneygpgconfigdecl.cpp.temp ; ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kmymoneygpgc
onfigdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QString::
null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kmymoneygpgc
onfigdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard\,g" | /opt/local
/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kmymoneygpgconfigdecl.cpp ;\
    rm -f kmymoneygpgconfigdecl.cpp.temp ;\
    if test "$ret" = 0; then echo '#include "kmymoneygpgconfigdecl.moc"' >>
```

```
kymoneygpgconfigdecl.cpp; else rm -f kymoneygpgconfigdecl.cpp ; exit $ret ; fi
rm -f kymoneyonlinequoteconfigdecl.cpp
echo '#include <kdialog.h>' > kymoneyonlinequoteconfigdecl.cpp
echo '#include <klocale.h>' >> kymoneyonlinequoteconfigdecl.cpp
echo '#ifndef KMM_I18N' >> kymoneyonlinequoteconfigdecl.cpp
echo '#define KMM_I18N' >> kymoneyonlinequoteconfigdecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> kymoneyonlinequoteconfigdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kymone
yonlinequoteconfigdecl.cpp
echo '#endif' >> kymoneyonlinequoteconfigdecl.cpp
../../admin/fixuifiles ./kymoneyonlinequoteconfigdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs -tr tr2i18n -i kymoneyonlinequoteconfigde
cl.h ./kymoneyonlinequoteconfigdecl.ui > kymoneyonlinequoteconfigdecl.cpp.temp
; ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kymoneyonli
nequoteconfigdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),Q
String::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kym
oneyonlinequoteconfigdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(
,g" | /opt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kymoneyonlinequoteconfig
decl.cpp ;\
    rm -f kymoneyonlinequoteconfigdecl.cpp.temp ;\
    if test "$ret" = 0; then echo '#include "kymoneyonlinequoteconfigdecl.m
```



```
oc" >> kmymoneyonlinequoteconfigdecl.cpp; else rm -f kmymoneyonlinequoteconfigd
ecl.cpp ; exit $ret ; fi
rm -f kmymoneyreportconfigtab1decl.cpp
echo '#include <kdialog.h>' > kmymoneyreportconfigtab1decl.cpp
echo '#include <klocale.h>' >> kmymoneyreportconfigtab1decl.cpp
echo '#ifndef KMM_I18N' >> kmymoneyreportconfigtab1decl.cpp
echo '#define KMM_I18N' >> kmymoneyreportconfigtab1decl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> kmymoneyreportconfigtab1decl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kmymone
yreportconfigtab1decl.cpp
echo '#endif' >> kmymoneyreportconfigtab1decl.cpp
../../admin/fixuifiles ./kmymoneyreportconfigtab1decl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs -tr tr2i18n -i kmymoneyreportconfigtab1dec
l.h ./kmymoneyreportconfigtab1decl.ui > kmymoneyreportconfigtab1decl.cpp.temp ;
ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kmymoneyrepo
rtconfigtab1decl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QS
tring::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kmymo
neyreportconfigtab1decl,g" | /opt/local/bin/perl -pe "s,: QWizard\(:, : KWizard(,g
" | /opt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kmymoneyreportconfigtab1dec
l.cpp ;\
    rm -f kmymoneyreportconfigtab1decl.cpp.temp ;\
```

```

        if test "$ret" = 0; then echo '#include "kymoneyreportconfigtab1decl.mo
c"' >> kymoneyreportconfigtab1decl.cpp; else rm -f kymoneyreportconfigtab1decl
.cpp ; exit $ret ; fi
rm -f kymoneyreportconfigtab2decl.cpp
echo '#include <kdialog.h>' > kymoneyreportconfigtab2decl.cpp
echo '#include <klocale.h>' >> kymoneyreportconfigtab2decl.cpp
echo '#ifndef KMM_I18N' >> kymoneyreportconfigtab2decl.cpp
echo '#define KMM_I18N' >> kymoneyreportconfigtab2decl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> kymoneyreportconfigtab2decl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kymone
yreportconfigtab2decl.cpp
echo '#endif' >> kymoneyreportconfigtab2decl.cpp
../../admin/fixuifiles ./kymoneyreportconfigtab2decl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs -tr tr2i18n -i kymoneyreportconfigtab2dec
l.h ./kymoneyreportconfigtab2decl.ui > kymoneyreportconfigtab2decl.cpp.temp ;
ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kymoneyrepo
rtconfigtab2decl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QS
tring::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kymo
neyreportconfigtab2decl,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(,g
" | /opt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kymoneyreportconfigtab2dec
l.cpp ;\

```

```
rm -f kmymoneyreportconfigtab2decl.cpp.temp ;\  
if test "$ret" = 0; then echo '#include "kmymoneyreportconfigtab2decl.mo  
c"' >> kmymoneyreportconfigtab2decl.cpp; else rm -f kmymoneyreportconfigtab2decl  
.cpp ; exit $ret ; fi  
mv -f .deps/kmymoneywizard_p.moc.Tpo .deps/kmymoneywizard_p.moc.Po  
rm -f kmymoneyreportconfigtab3decl.cpp  
echo '#include <kdialog.h>' > kmymoneyreportconfigtab3decl.cpp  
echo '#include <klocale.h>' >> kmymoneyreportconfigtab3decl.cpp  
echo '#ifndef KMM_I18N' >> kmymoneyreportconfigtab3decl.cpp  
echo '#define KMM_I18N' >> kmymoneyreportconfigtab3decl.cpp  
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct  
x, msg); }' >> kmymoneyreportconfigtab3decl.cpp  
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kmymone  
yreportconfigtab3decl.cpp  
echo '#endif' >> kmymoneyreportconfigtab3decl.cpp  
../../admin/fixuifiles ./kmymoneyreportconfigtab3decl.ui; \  
/opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../kmymoney2/widgets/.libs -tr tr2i18n -i kmymoneyreportconfigtab3dec  
l.h ./kmymoneyreportconfigtab3decl.ui > kmymoneyreportconfigtab3decl.cpp.temp ;  
ret=$?; \  
/opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kmymoneyrepo  
rtconfigtab3decl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QS  
tring::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kmymo  
neyreportconfigtab3decl,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard\(:g
```

```
" | /opt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kmymoneyreportconfigtab3decl.cpp ;\  
    rm -f kmymoneyreportconfigtab3decl.cpp.temp ;\  
    if test "$ret" = 0; then echo '#include "kmymoneyreportconfigtab3decl.mo  
c"' >> kmymoneyreportconfigtab3decl.cpp; else rm -f kmymoneyreportconfigtab3decl  
.cpp ; exit $ret ; fi  
rm -f kmymoneyreportconfigtabchartdecl.cpp  
echo '#include <kdialog.h>' > kmymoneyreportconfigtabchartdecl.cpp  
echo '#include <klocale.h>' >> kmymoneyreportconfigtabchartdecl.cpp  
echo '#ifndef KMM_I18N' >> kmymoneyreportconfigtabchartdecl.cpp  
echo '#define KMM_I18N' >> kmymoneyreportconfigtabchartdecl.cpp  
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct  
x, msg); }' >> kmymoneyreportconfigtabchartdecl.cpp  
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kmymone  
yreportconfigtabchartdecl.cpp  
echo '#endif' >> kmymoneyreportconfigtabchartdecl.cpp  
../../admin/fixuifiles ./kmymoneyreportconfigtabchartdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../kmymoney2/widgets/.libs -tr tr2i18n -i kmymoneyreportconfigtabchar  
tdecl.h ./kmymoneyreportconfigtabchartdecl.ui > kmymoneyreportconfigtabchartdecl  
.cpp.temp ; ret=$?; \  
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kmymoneyrepo  
rtconfigtabchartdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"  
\" ),QString::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_k
```

```
mymoneyreportconfigtabchartdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\C,: KW  
izard\C,g" | /opt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kymoneyreportconfi  
gtabchartdecl.cpp ;\  
    rm -f kymoneyreportconfigtabchartdecl.cpp.temp ;\  
    if test "$ret" = 0; then echo '#include "kymoneyreportconfigtabchartdec  
l.moc"' >> kymoneyreportconfigtabchartdecl.cpp; else rm -f kymoneyreportconfig  
tabchartdecl.cpp ; exit $ret ; fi  
rm -f kymoneyreportcontroldecl.cpp  
echo '#include <kdialog.h>' > kymoneyreportcontroldecl.cpp  
echo '#include <klocale.h>' >> kymoneyreportcontroldecl.cpp  
echo '#ifndef KMM_I18N' >> kymoneyreportcontroldecl.cpp  
echo '#define KMM_I18N' >> kymoneyreportcontroldecl.cpp  
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct  
x, msg); }' >> kymoneyreportcontroldecl.cpp  
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kymone  
yreportcontroldecl.cpp  
echo '#endif' >> kymoneyreportcontroldecl.cpp  
../../admin/fixuifiles ./kymoneyreportcontroldecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../kymoney2/widgets/.libs -tr tr2i18n -i kymoneyreportcontroldecl.h  
./kymoneyreportcontroldecl.ui > kymoneyreportcontroldecl.cpp.temp ; ret=$?; \  
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kymoneyrepo  
rtcontroldecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QStri  
ng::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kymoney
```

```
reportcontroldecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(:, : KWizard(:,g" | /o
pt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kmymoneyreportcontroldecl.cpp ;\
    rm -f kmymoneyreportcontroldecl.cpp.temp ;\
    if test "$ret" = 0; then echo '#include "kmymoneyreportcontroldecl.moc"'
>> kmymoneyreportcontroldecl.cpp; else rm -f kmymoneyreportcontroldecl.cpp ; ex
it $ret ; fi
rm -f kschedulebriefwidget.cpp
echo '#include <kdialog.h>' > kschedulebriefwidget.cpp
echo '#include <klocale.h>' >> kschedulebriefwidget.cpp
echo '#ifndef KMM_I18N' >> kschedulebriefwidget.cpp
echo '#define KMM_I18N' >> kschedulebriefwidget.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> kschedulebriefwidget.cpp
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneygpgconfigdecl.o -MD -MP -M
F .deps/kmymoneygpgconfigdecl.Tpo -c -o kmymoneygpgconfigdecl.o kmymoneygpgconfi
gdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> kschedu
lebriefwidget.cpp
echo '#endif' >> kschedulebriefwidget.cpp
../..../admin/fixuifiles ./kschedulebriefwidget.ui; \
```

```
/opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -nounload -L ../../kymoney2/widgets/.libs -tr tr2i18n -i kschedulebriefwidget.h ./kschedulebriefwidget.ui > kschedulebriefwidget.cpp.temp ; ret=$?; \  
/opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" kschedulebriefwidget.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QString::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_kschedulebriefwidget,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(,g" | /opt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> kschedulebriefwidget.cpp ;\  
rm -f kschedulebriefwidget.cpp.temp ;\  
if test "$ret" = 0; then echo '#include "kschedulebriefwidget.moc"' >> kschedulebriefwidget.cpp; else rm -f kschedulebriefwidget.cpp ; exit $ret ; fi  
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyonlinequoteconfigdecl.o -MD -MP -MF .deps/kymoneyonlinequoteconfigdecl.Tpo -c -o kymoneyonlinequoteconfigdecl.o kymoneyonlinequoteconfigdecl.cpp  
mv -f .deps/kymoneygpgconfigdecl.Tpo .deps/kymoneygpgconfigdecl.Po  
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyreportconfigtab1decl.o -MD
```

```
-MP -MF .deps/kymoneyreportconfigtab1decl.Tpo -c -o kymoneyreportconfigtab1de
cl.o kymoneyreportconfigtab1decl.cpp
mv -f .deps/kymoneyonlinequoteconfigdecl.Tpo .deps/kymoneyonlinequoteconfigdec
l.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyreportconfigtab2decl.o -MD
-MP -MF .deps/kymoneyreportconfigtab2decl.Tpo -c -o kymoneyreportconfigtab2de
cl.o kymoneyreportconfigtab2decl.cpp
mv -f .deps/kymoneyreportconfigtab1decl.Tpo .deps/kymoneyreportconfigtab1decl.
Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kymoneyreportconfigtab3decl.o -MD
-MP -MF .deps/kymoneyreportconfigtab3decl.Tpo -c -o kymoneyreportconfigtab3de
cl.o kymoneyreportconfigtab3decl.cpp
mv -f .deps/kymoneyreportconfigtab2decl.Tpo .deps/kymoneyreportconfigtab2decl.
Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
```



```
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneyreportconfigtabchartdecl.o
-MD -MP -MF .deps/kmymoneyreportconfigtabchartdecl.Tpo -c -o kmymoneyreportconf
igtabchartdecl.o kmymoneyreportconfigtabchartdecl.cpp
mv -f .deps/kmymoneyreportconfigtab3decl.Tpo .deps/kmymoneyreportconfigtab3decl.
Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kmymoneyreportcontroldecl.o -MD -M
P -MF .deps/kmymoneyreportcontroldecl.Tpo -c -o kmymoneyreportcontroldecl.o kmym
oneyreportcontroldecl.cpp
mv -f .deps/kmymoneyreportconfigtabchartdecl.Tpo .deps/kmymoneyreportconfigtabch
artdecl.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/lo
cal/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe
-Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-comm
on -DQT_MAC -no-cpp-precomp -fexceptions -MT kschedulebriefwidget.o -MD -MP -MF
.deps/kschedulebriefwidget.Tpo -c -o kschedulebriefwidget.o kschedulebriefwidge
t.cpp
mv -f .deps/kmymoneyreportcontroldecl.Tpo .deps/kmymoneyreportcontroldecl.Po
```

```
mv -f .deps/kschedulebriefwidget.Tpo .deps/kschedulebriefwidget.Po
rm -f libwidgets.a
ar cru libwidgets.a kbudgetvalues.o kguiutils.o klistviewsearchline.o kmymoneyac
countcombo.o kmymoneyaccountcompletion.o kmymoneyaccountselector.o kmymoneyaccou
nttreebase.o kmymoneyaccounttree.o kmymoneyaccounttreebudget.o kmymoneyaccounttr
eeforecast.o kmymoneybriefschedule.o kmymoneycalculator.o kmymoneycalendar.o kmy
moneycategory.o kmymoneychecklistitem.o kmymoneycombo.o kmymoneycompletion.o kmy
moneycurrencyselector.o kmymoneydateinput.o kmymoneydatetbl.o kmymoneyedit.o kmy
moneyforecastlistviewitem.o kmymoneygpgconfig.o kmymoneylineedit.o kmymoneylistv
iewitem.o kmymoneyonlinequoteconfig.o kmymoneypriceview.o kmymoneyscheduledcalen
dar.o kmymoneyscheduleddatetbl.o kmymoneyselector.o kmymoneytitleLabel.o kmymone
ywizard.o register.o registeritem.o registersearchline.o transaction.o scheduled
transaction.o stdtransactiondownloaded.o stdtransactionmatched.o transactionedit
orcontainer.o transactionform.o kaccounttemplateselector.o transactionsortoption
.o selectedtransaction.o kbudgetvaluesdecl.o kmymoneygpgconfigdecl.o kmymoneyonl
inequoteconfigdecl.o kmymoneyreportconfigtab1decl.o kmymoneyreportconfigtab2decl
.o kmymoneyreportconfigtab3decl.o kmymoneyreportconfigtabchartdecl.o kmymoneyrep
ortcontroldecl.o kschedulebriefwidget.o kaccounttemplateselectordecl.o transacti
onsortoption.o kmymoneywizard_p.moc.o
ranlib libwidgets.a
make[5]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/k
mymoney2-1.0.5/kmymoney2/widgets'
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
```

```
s_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/widgets'
```

```
Making all in dialogs
```

```
make[4]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/dialogs'
```

```
Making all in settings
```

```
make[5]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/dialogs/settings'
```

```
rm -rf ksettingsgeneraldecl.h;
```

```
rm -rf ksettingsregisterdecl.h;
```

```
../../../../admin/fixuifiles ./ksettingsregisterdecl.ui; \
```

```
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -nounload -L ../../../../kmymoney2/widgets/.libs ./ksettingsregisterdecl.ui | /opt/local/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwizard.h>,g" >> ksettingsregisterdecl.h ;
```

```
../../../../admin/fixuifiles ./ksettingsgeneraldecl.ui; \
```

```
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -nounload -L ../../../../kmymoney2/widgets/.libs ./ksettingsgeneraldecl.ui | /opt/local/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwizard.h>,g" >> ksettingsgeneraldecl.h ;
```

```
rm -rf ksettingsgpgdecl.h;
```

```
rm -rf ksettingscolorsdecl.h;
```

```
../../../../admin/fixuifiles ./ksettingsgpgdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../../../kmy money2/widgets/.libs ./ksettingsgpgdecl.ui | /opt/local/bin/  
perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include  
<kwizard.h>,g" >> ksettingsgpgdecl.h ;  
../../../../admin/fixuifiles ./ksettingscolorsdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../../../kmy money2/widgets/.libs ./ksettingscolorsdecl.ui | /opt/local/b  
in/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inclu  
de <kwizard.h>,g" >> ksettingscolorsdecl.h ;  
rm -rf ksettingsfontsdecl.h;  
../../../../admin/fixuifiles ./ksettingsfontsdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../../../kmy money2/widgets/.libs ./ksettingsfontsdecl.ui | /opt/local/bi  
n/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#includ  
e <kwizard.h>,g" >> ksettingsfontsdecl.h ;  
rm -rf ksettingssschedulesdecl.h;  
../../../../admin/fixuifiles ./ksettingssschedulesdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../../../kmy money2/widgets/.libs ./ksettingssschedulesdecl.ui | /opt/loca  
l/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#in  
clude <kwizard.h>,g" >> ksettingssschedulesdecl.h ;  
rm -rf ksettingsonlinequotesdecl.h;  
../../../../admin/fixuifiles ./ksettingsonlinequotesdecl.ui; \  

```

```
/opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kymoney2/widgets/.libs ./ksettingsonlinequotesdecl.ui | /opt/l
ocal/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,
#include <kwizard.h>,g" >> ksettingsonlinequotesdecl.h ;
rm -rf ksettingshomedec1.h;
../../../../admin/fixuifiles ./ksettingshomedec1.ui; \
/opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kymoney2/widgets/.libs ./ksettingshomedec1.ui | /opt/local/bin
/per1 -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include
<kwizard.h>,g" >> ksettingshomedec1.h ;
rm -rf ksettingsforecastdec1.h;
../../../../admin/fixuifiles ./ksettingsforecastdec1.ui; \
/opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kymoney2/widgets/.libs ./ksettingsforecastdec1.ui | /opt/local
/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inc
lude <kwizard.h>,g" >> ksettingsforecastdec1.h ;
/opt/local/lib/qt3/bin/moc ./ksettingsgeneral.h -o ksettingsgeneral.moc
/opt/local/lib/qt3/bin/moc ./ksettingsregister.h -o ksettingsregister.moc
/opt/local/lib/qt3/bin/moc ./ksettingsgpg.h -o ksettingsgpg.moc
/opt/local/lib/qt3/bin/moc ./ksettingscolors.h -o ksettingscolors.moc
/opt/local/lib/qt3/bin/moc ./ksettingsfonts.h -o ksettingsfonts.moc
/opt/local/lib/qt3/bin/moc ./ksettingssschedules.h -o ksettingssschedules.moc
/opt/local/lib/qt3/bin/moc ./ksettingsonlinequotes.h -o ksettingsonlinequotes.mo
c
```

```
/opt/local/lib/qt3/bin/moc ./ksettingshome.h -o ksettingshome.moc
/opt/local/lib/qt3/bin/moc ./ksettingsforecast.h -o ksettingsforecast.moc
/opt/local/lib/qt3/bin/moc ./ksettingsplugins.h -o ksettingsplugins.moc
/opt/local/lib/qt3/bin/moc ksettingsgeneraldecl.h -o ksettingsgeneraldecl.moc
/opt/local/lib/qt3/bin/moc ksettingsregisterdecl.h -o ksettingsregisterdecl.moc
/opt/local/lib/qt3/bin/moc ksettingsgpgdecl.h -o ksettingsgpgdecl.moc
/opt/local/lib/qt3/bin/moc ksettingscolorsdecl.h -o ksettingscolorsdecl.moc
/opt/local/lib/qt3/bin/moc ksettingsfontsdecl.h -o ksettingsfontsdecl.moc
/opt/local/lib/qt3/bin/moc ksettingssschedulesdecl.h -o ksettingssschedulesdecl.mo
c
/opt/local/lib/qt3/bin/moc ksettingsonlinequotesdecl.h -o ksettingsonlinequotesd
ecl.moc
/opt/local/lib/qt3/bin/moc ksettingshomedecl.h -o ksettingshomedecl.moc
/opt/local/lib/qt3/bin/moc ksettingsforecastdecl.h -o ksettingsforecastdecl.moc
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/loca
l/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsgeneral.o -MD -MP
-MF .deps/ksettingsgeneral.Tpo -c -o ksettingsgeneral.o ksettingsgeneral.cpp
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/loca
l/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
```

```
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsregister.o -MD -MP
-MF .deps/ksettingsregister.Tpo -c -o ksettingsregister.o ksettingsregister.cpp
mv -f .deps/ksettingsregister.Tpo .deps/ksettingsregister.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsgpg.o -MD -MP -MF .deps/ksettingsgpg.Tpo -c -o ksettingsgpg.o ksettingsgpg.cpp
mv -f .deps/ksettingsgeneral.Tpo .deps/ksettingsgeneral.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingscolors.o -MD -MP -MF .deps/ksettingscolors.Tpo -c -o ksettingscolors.o ksettingscolors.cpp
mv -f .deps/ksettingscolors.Tpo .deps/ksettingscolors.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsfonts.o -MD -MP -MF .deps/ksettingsfonts.Tpo -c -o ksettingsfonts.o ksettingsfonts.cpp
mv -f .deps/ksettingsgpg.Tpo .deps/ksettingsgpg.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsschedules.o -MD -MP -MF .deps/ksettingsschedules.Tpo -c -o ksettingsschedules.o ksettingsschedules.cpp
```

```
mv -f .deps/ksettingsschedules.Tpo .deps/ksettingsschedules.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsonlinequotes.o -MD -MP -MF .deps/ksettingsonlinequotes.Tpo -c -o ksettingsonlinequotes.o ksettingsonlinequotes.cpp
```

```
mv -f .deps/ksettingsonlinequotes.Tpo .deps/ksettingsonlinequotes.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingshome.o -MD -MP -MF .deps/ksettingshome.Tpo -c -o ksettingshome.o ksettingshome.cpp
```

```
mv -f .deps/ksettingshome.Tpo .deps/ksettingshome.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local
```



```
l/lib/qt3/include -I../../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsforecast.o -MD -MP
-MF .deps/ksettingsforecast.Tpo -c -o ksettingsforecast.o ksettingsforecast.cpp
mv -f .deps/ksettingshome.Tpo .deps/ksettingshome.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../.. -I/opt/local/include -I/opt/loca
l/lib/qt3/include -I../../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsplugins.o -MD -MP
-MF .deps/ksettingsplugins.Tpo -c -o ksettingsplugins.o ksettingsplugins.cpp
mv -f .deps/ksettingsforecast.Tpo .deps/ksettingsforecast.Po
rm -f ksettingsgeneraldecl.cpp
echo '#include <kdialog.h>' > ksettingsgeneraldecl.cpp
echo '#include <klocale.h>' >> ksettingsgeneraldecl.cpp
echo '#ifndef KMM_I18N' >> ksettingsgeneraldecl.cpp
echo '#define KMM_I18N' >> ksettingsgeneraldecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> ksettingsgeneraldecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettin
gsgeneraldecl.cpp
echo '#endif' >> ksettingsgeneraldecl.cpp
../../../admin/fixuifiles ./ksettingsgeneraldecl.ui; \
```

```
/opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kmy money2/widgets/.libs -tr tr2i18n -i ksettingsgeneraldecl.h .
/ksettingsgeneraldecl.ui > ksettingsgeneraldecl.cpp.temp ; ret=$?; \
/opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingsgen
eraldecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QString::n
ull,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksettingsgene
raldecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(,g" | /opt/local/b
in/perl -pe "s,tr2i18n,kmm_i18n,g">> ksettingsgeneraldecl.cpp ;\
rm -f ksettingsgeneraldecl.cpp.temp ;\
if test "$ret" = 0; then echo '#include "ksettingsgeneraldecl.moc"' >> k
settingsgeneraldecl.cpp; else rm -f ksettingsgeneraldecl.cpp ; exit $ret ; fi
mv -f .deps/ksettingsplugins.Tpo .deps/ksettingsplugins.Po
rm -f ksettingsregisterdecl.cpp
echo '#include <kdialog.h>' > ksettingsregisterdecl.cpp
echo '#include <klocale.h>' >> ksettingsregisterdecl.cpp
echo '#ifndef KMM_I18N' >> ksettingsregisterdecl.cpp
echo '#define KMM_I18N' >> ksettingsregisterdecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> ksettingsregisterdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettin
gsregisterdecl.cpp
echo '#endif' >> ksettingsregisterdecl.cpp
../../../../admin/fixuifiles ./ksettingsregisterdecl.ui; \
/opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
```

```

load -L ../../../../kymoney2/widgets/.libs -tr tr2i18n -i ksettingsregisterdecl.h
./ksettingsregisterdecl.ui > ksettingsregisterdecl.cpp.temp ; ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingsreg
isterdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QString::
null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksettingsreg
isterdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(:, : KWizard(,g" | /opt/local
/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> ksettingsregisterdecl.cpp ;\
    rm -f ksettingsregisterdecl.cpp.temp ;\
    if test "$ret" = 0; then echo '#include "ksettingsregisterdecl.moc"' >>
ksettingsregisterdecl.cpp; else rm -f ksettingsregisterdecl.cpp ; exit $ret ; fi
rm -f ksettingsgpgdecl.cpp
echo '#include <kdialog.h>' > ksettingsgpgdecl.cpp
echo '#include <klocale.h>' >> ksettingsgpgdecl.cpp
echo '#ifndef KMM_I18N' >> ksettingsgpgdecl.cpp
echo '#define KMM_I18N' >> ksettingsgpgdecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> ksettingsgpgdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettin
gsgpgdecl.cpp
echo '#endif' >> ksettingsgpgdecl.cpp
../../../../admin/fixuifiles ./ksettingsgpgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kymoney2/widgets/.libs -tr tr2i18n -i ksettingsgpgdecl.h ./kse
ttingsgpgdecl.ui > ksettingsgpgdecl.cpp.temp ; ret=$?; \

```

```
/opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingsgpgdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\" ),QString::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksettingsgpgdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(,g" | /opt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> ksettingsgpgdecl.cpp ;\n    rm -f ksettingsgpgdecl.cpp.temp ;\n    if test "$ret" = 0; then echo '#include "ksettingsgpgdecl.moc"' >> ksettingsgpgdecl.cpp; else rm -f ksettingsgpgdecl.cpp ; exit $ret ; fi\nrm -f ksettingscolorsdecl.cpp\necho '#include <kdialog.h>' > ksettingscolorsdecl.cpp\necho '#include <klocale.h>' >> ksettingscolorsdecl.cpp\necho '#ifndef KMM_I18N' >> ksettingscolorsdecl.cpp\necho '#define KMM_I18N' >> ksettingscolorsdecl.cpp\necho 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ctx, msg); }' >> ksettingscolorsdecl.cpp\necho 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettingscolorsdecl.cpp\necho '#endif' >> ksettingscolorsdecl.cpp\n../../../../admin/fixuifiles ./ksettingscolorsdecl.ui; \n    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -nounload -L ../../../../kmy money2/widgets/.libs -tr tr2i18n -i ksettingscolorsdecl.h ./ksettingscolorsdecl.ui > ksettingscolorsdecl.cpp.temp ; ret=$?; \n    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingscolorsdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\" ),QString::nu
```

```
ll,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksettingscolor
sdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(,g" | /opt/local/bin
/perl -pe "s,tr2i18n,kmm_i18n,g">> ksettingscolorsdecl.cpp ;\
    rm -f ksettingscolorsdecl.cpp.temp ;\
    if test "$ret" = 0; then echo '#include "ksettingscolorsdecl.moc"' >> ks
ettingscolorsdecl.cpp; else rm -f ksettingscolorsdecl.cpp ; exit $ret ; fi
rm -f ksettingsfontsdecl.cpp
echo '#include <kdialog.h>' > ksettingsfontsdecl.cpp
echo '#include <klocale.h>' >> ksettingsfontsdecl.cpp
echo '#ifndef KMM_I18N' >> ksettingsfontsdecl.cpp
echo '#define KMM_I18N' >> ksettingsfontsdecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> ksettingsfontsdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettin
gsfontsdecl.cpp
echo '#endif' >> ksettingsfontsdecl.cpp
../../../../admin/fixuifiles ./ksettingsfontsdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kmy money2/widgets/.libs -tr tr2i18n -i ksettingsfontsdecl.h ./k
settingsfontsdecl.ui > ksettingsfontsdecl.cpp.temp ; ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingsfon
tsdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\" ),QString::nul
l,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksettingsfontsd
ecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(: KWizard(,g" | /opt/local/bin/p
```

```
erl -pe "s,tr2i18n,kmm_i18n,g">> ksettingsfontsdecl.cpp ;\  
    rm -f ksettingsfontsdecl.cpp.temp ;\  
    if test "$ret" = 0; then echo '#include "ksettingsfontsdecl.moc"' >> kse  
ttingsfontsdecl.cpp; else rm -f ksettingsfontsdecl.cpp ; exit $ret ; fi  
rm -f ksettingsschedulesdecl.cpp  
echo '#include <kdialog.h>' > ksettingsschedulesdecl.cpp  
echo '#include <klocale.h>' >> ksettingsschedulesdecl.cpp  
echo '#ifndef KMM_I18N' >> ksettingsschedulesdecl.cpp  
echo '#define KMM_I18N' >> ksettingsschedulesdecl.cpp  
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct  
x, msg); }' >> ksettingsschedulesdecl.cpp  
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettin  
gsschedulesdecl.cpp  
echo '#endif' >> ksettingsschedulesdecl.cpp  
../../../../admin/fixuifiles ./ksettingsschedulesdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../../../../kmy money2/widgets/.libs -tr tr2i18n -i ksettingsschedulesdecl.h  
./ksettingsschedulesdecl.ui > ksettingsschedulesdecl.cpp.temp ; ret=$?; \  
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingssc  
hedgesdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QString:  
:null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksettingssc  
hedgesdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(\,: KWizard\(\,g" | /opt/loc  
al/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> ksettingsschedulesdecl.cpp ;\  
    rm -f ksettingsschedulesdecl.cpp.temp ;\  

```

```

        if test "$ret" = 0; then echo '#include "ksettingsschedulesdecl.moc"' >>
ksettingsschedulesdecl.cpp; else rm -f ksettingsschedulesdecl.cpp ; exit $ret ;
fi
rm -f ksettingsonlinequotesdecl.cpp
echo '#include <kdialog.h>' > ksettingsonlinequotesdecl.cpp
echo '#include <klocale.h>' >> ksettingsonlinequotesdecl.cpp
echo '#ifndef KMM_I18N' >> ksettingsonlinequotesdecl.cpp
echo '#define KMM_I18N' >> ksettingsonlinequotesdecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> ksettingsonlinequotesdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettin
gsonlinequotesdecl.cpp
echo '#endif' >> ksettingsonlinequotesdecl.cpp
../../../../admin/fixuifiles ./ksettingsonlinequotesdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kmy money2/widgets/.libs -tr tr2i18n -i ksettingsonlinequotesdec
l.h ./ksettingsonlinequotesdecl.ui > ksettingsonlinequotesdecl.cpp.temp ; ret=$?
; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingsonl
inequotesdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QStri
ng::null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksetting
sonlinequotesdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(\,: KWizard\(\,g" | /o
pt/local/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> ksettingsonlinequotesdecl.cpp ;\
    rm -f ksettingsonlinequotesdecl.cpp.temp ;\

```

```
    if test "$ret" = 0; then echo '#include "ksettingsonlinequotesdecl.moc"'
  >> ksettingsonlinequotesdecl.cpp; else rm -f ksettingsonlinequotesdecl.cpp ; ex
it $ret ; fi
rm -f ksettingshomedec1.cpp
echo '#include <kdialog.h>' > ksettingshomedec1.cpp
echo '#include <klocale.h>' >> ksettingshomedec1.cpp
echo '#ifndef KMM_I18N' >> ksettingshomedec1.cpp
echo '#define KMM_I18N' >> ksettingshomedec1.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> ksettingshomedec1.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettin
gshomedec1.cpp
echo '#endif' >> ksettingshomedec1.cpp
../../../../admin/fixuifiles ./ksettingshomedec1.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kmy money2/widgets/.libs -tr tr2i18n -i ksettingshomedec1.h ./ks
ettingshomedec1.ui > ksettingshomedec1.cpp.temp ; ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingshom
edec1.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QString::null
,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksettingshomedec
l,g" | /opt/local/bin/perl -pe "s,: QWizard\\(, : KWizard(,g" | /opt/local/bin/per
l -pe "s,tr2i18n,kmm_i18n,g">> ksettingshomedec1.cpp ;\
    rm -f ksettingshomedec1.cpp.temp ;\
    if test "$ret" = 0; then echo '#include "ksettingshomedec1.moc"' >> kset
```



```

tingshomedekl.cpp; else rm -f ksettingshomedekl.cpp ; exit $ret ; fi
rm -f ksettingsforecastdecl.cpp
echo '#include <kdialog.h>' > ksettingsforecastdecl.cpp
echo '#include <klocale.h>' >> ksettingsforecastdecl.cpp
echo '#ifndef KMM_I18N' >> ksettingsforecastdecl.cpp
echo '#define KMM_I18N' >> ksettingsforecastdecl.cpp
echo 'inline QString kmm_i18n(const char* msg, const char* ctx) { return i18n(ct
x, msg); }' >> ksettingsforecastdecl.cpp
echo 'inline QString kmm_i18n(const char* msg) { return i18n(msg); }' >> ksettin
gsforecastdecl.cpp
echo '#endif' >> ksettingsforecastdecl.cpp
../../../../admin/fixuifiles ./ksettingsforecastdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../../../kmy money2/widgets/.libs -tr tr2i18n -i ksettingsforecastdecl.h
./ksettingsforecastdecl.ui > ksettingsforecastdecl.cpp.temp ; ret=$?; \
    /opt/local/bin/perl -pe "s,tr2i18n( \"\" ),QString::null,g" ksettingsfor
ecastdecl.cpp.temp | /opt/local/bin/perl -pe "s,tr2i18n( \"\"\", \"\"\" ),QString::
null,g" | /opt/local/bin/perl -pe "s,image([0-9][0-9]*)_data,img\$1_ksettingsfor
ecastdecl,g" | /opt/local/bin/perl -pe "s,: QWizard\(:, KWizard\(:g" | /opt/local
/bin/perl -pe "s,tr2i18n,kmm_i18n,g">> ksettingsforecastdecl.cpp ;\
    rm -f ksettingsforecastdecl.cpp.temp ;\
    if test "$ret" = 0; then echo '#include "ksettingsforecastdecl.moc"' >>
ksettingsforecastdecl.cpp; else rm -f ksettingsforecastdecl.cpp ; exit $ret ; fi
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../../../.. -I/opt/local/include -I/opt/loca

```

```
l/lib/qt3/include -I../../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsgeneraldecl.o -MD
-MP -MF .deps/ksettingsgeneraldecl.Tpo -c -o ksettingsgeneraldecl.o ksettingsgen
eraldecl.cpp
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../.. -I/opt/local/include -I/opt/loca
l/lib/qt3/include -I../../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsregisterdecl.o -MD
-MP -MF .deps/ksettingsregisterdecl.Tpo -c -o ksettingsregisterdecl.o ksettings
registerdecl.cpp
```

```
mv -f .deps/ksettingsgeneraldecl.Tpo .deps/ksettingsgeneraldecl.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../.. -I/opt/local/include -I/opt/loca
l/lib/qt3/include -I../../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsgpgdecl.o -MD -MP
-MF .deps/ksettingsgpgdecl.Tpo -c -o ksettingsgpgdecl.o ksettingsgpgdecl.cpp
```

```
mv -f .deps/ksettingsregisterdecl.Tpo .deps/ksettingsregisterdecl.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../../.. -I/opt/local/include -I/opt/loca
l/lib/qt3/include -I../../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
```

```
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingscolorsdecl.o -MD -
MP -MF .deps/ksettingscolorsdecl.Tpo -c -o ksettingscolorsdecl.o ksettingscolors
decl.cpp
```

```
mv -f .deps/ksettingsgpgdecl.Tpo .deps/ksettingsgpgdecl.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local
lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
```

```
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsfontsdecl.o -MD -M
P -MF .deps/ksettingsfontsdecl.Tpo -c -o ksettingsfontsdecl.o ksettingsfontsdecl
.cpp
```

```
mv -f .deps/ksettingscolorsdecl.Tpo .deps/ksettingscolorsdecl.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local
lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
```

```
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsschedulesdecl.o -M
D -MP -MF .deps/ksettingsschedulesdecl.Tpo -c -o ksettingsschedulesdecl.o ksetti
ngsschedulesdecl.cpp
```

```
mv -f .deps/ksettingsfontsdecl.Tpo .deps/ksettingsfontsdecl.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local
lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
```

```
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsonlinequotesdecl.o
-MD -MP -MF .deps/ksettingsonlinequotesdecl.Tpo -c -o ksettingsonlinequotesdecl
.o ksettingsonlinequotesdecl.cpp
mv -f .deps/ksettingsschedulesdecl.Tpo .deps/ksettingsschedulesdecl.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local
lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingshomedecl.o -MD -MP
-MF .deps/ksettingshomedecl.Tpo -c -o ksettingshomedecl.o ksettingshomedecl.cpp
mv -f .deps/ksettingsonlinequotesdecl.Tpo .deps/ksettingsonlinequotesdecl.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local
lib/qt3/include -I../.. -I. -DQT_THREAD_SUPPORT -I/opt/local/include -L
/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O
2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -f
no-common -DQT_MAC -no-cpp-precomp -fexceptions -MT ksettingsforecastdecl.o -MD
-MP -MF .deps/ksettingsforecastdecl.Tpo -c -o ksettingsforecastdecl.o ksettings
forecastdecl.cpp
mv -f .deps/ksettingshomedecl.Tpo .deps/ksettingshomedecl.Po
mv -f .deps/ksettingsforecastdecl.Tpo .deps/ksettingsforecastdecl.Po
rm -f libsettings.a
ar cru libsettings.a ksettingsgeneral.o ksettingsregister.o ksettingsgpg.o ksett
ingscolors.o ksettingsfonts.o ksettingsschedules.o ksettingsonlinequotes.o ksett
```

```
ingshome.o ksettingsforecast.o ksettingsplugins.o ksettingsgeneraldecl.o ksetting
gsregisterdecl.o ksettingsgpgdecl.o ksettingscolorsdecl.o ksettingsfontsdecl.o k
settingschedulesdecl.o ksettingsonlinequotesdecl.o ksettingshomedeclo ksetting
sforecastdecl.o
ranlib libsettings.a
make[5]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macport
s_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/k
mymoney2-1.0.5/kmymoney2/dialogs/settings'
make[5]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macpor
ts_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/
kmymoney2-1.0.5/kmymoney2/dialogs'
rm -rf kaccountselectdlgdecl.h;
rm -rf kbackupdlgdecl.h;
../../admin/fixuifiles ./kbackupdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs ./kbackupdlgdecl.ui | /opt/local/bin/perl
-pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwiz
ard.h>,g" >> kbackupdlgdecl.h ;
../../admin/fixuifiles ./kaccountselectdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs ./kaccountselectdlgdecl.ui | /opt/local/bi
n/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#includ
e <kwizard.h>,g" >> kaccountselectdlgdecl.h ;
rm -rf kchooseimportexportdlgdecl.h;
```

```
../.. /admin/fixuifiles ./kchooseimportexportdlgdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../.. /kymoney2/widgets/.libs ./kchooseimportexportdlgdecl.ui | /opt/loc  
al/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#i  
nclude <kwizard.h>,g" >> kchooseimportexportdlgdecl.h ;  
rm -rf kconfirmmanualenterdlgdecl.h;  
../.. /admin/fixuifiles ./kconfirmmanualenterdlgdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../.. /kymoney2/widgets/.libs ./kconfirmmanualenterdlgdecl.ui | /opt/loc  
al/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#i  
nclude <kwizard.h>,g" >> kconfirmmanualenterdlgdecl.h ;  
./kchooseimportexportdlgdecl.ui has no UI version, please fix it  
rm -rf kcsvprogressdlgdecl.h;  
rm -rf kcurrencyeditdlgdecl.h;  
../.. /admin/fixuifiles ./kcsvprogressdlgdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../.. /kymoney2/widgets/.libs ./kcsvprogressdlgdecl.ui | /opt/local/bin/  
perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include  
<kwizard.h>,g" >> kcsvprogressdlgdecl.h ;  
../.. /admin/fixuifiles ./kcurrencyeditdlgdecl.ui; \  
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun  
load -L ../.. /kymoney2/widgets/.libs ./kcurrencyeditdlgdecl.ui | /opt/local/bin  
/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include  
<kwizard.h>,g" >> kcurrencyeditdlgdecl.h ;
```

```
./kcsvprogressdlgdecl.ui has no UI version, please fix it
rm -rf keditequityentrydecl.h;
../../admin/fixuifiles ./keditequityentrydecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs ./keditequityentrydecl.ui | /opt/local/bin
/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include
<kwizard.h>,g" >> keditequityentrydecl.h ;
rm -rf keditscheduledlgdecl.h;
../../admin/fixuifiles ./keditscheduledlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs ./keditscheduledlgdecl.ui | /opt/local/bin
/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include
<kwizard.h>,g" >> keditscheduledlgdecl.h ;
rm -rf kendingbalancedlgdecl.h;
rm -rf kenterscheduledlgdecl.h;
../../admin/fixuifiles ./kendingbalancedlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs ./kendingbalancedlgdecl.ui | /opt/local/bi
n/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#includ
e <kwizard.h>,g" >> kendingbalancedlgdecl.h ;
../../admin/fixuifiles ./kenterscheduledlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs ./kenterscheduledlgdecl.ui | /opt/local/bi
n/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#includ
```

```
e <kwizard.h>,g" >> kenterscheduledlgdecl.h ;
rm -rf kequitypriceupdatedlgdecl.h;
../../admin/fixuifiles ./kequitypriceupdatedlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kequitypriceupdatedlgdecl.ui | /opt/local/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwizard.h>,g" >> kequitypriceupdatedlgdecl.h ;
rm -rf kexportdlgdecl.h;
../../admin/fixuifiles ./kexportdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kexportdlgdecl.ui | /opt/local/bin/perl
-pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwiz
ard.h>,g" >> kexportdlgdecl.h ;
rm -rf kfindtransactiondlgdecl.h;
../../admin/fixuifiles ./kfindtransactiondlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kfindtransactiondlgdecl.ui | /opt/local/
bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#incl
ude <kwizard.h>,g" >> kfindtransactiondlgdecl.h ;
rm -rf kgncimportoptionsdlgdecl.h;
../../admin/fixuifiles ./kgncimportoptionsdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kgncimportoptionsdlgdecl.ui | /opt/local
/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inc
```



```
lude <kwizard.h>,g" >> kgncimportoptionsdlgdecl.h ;
rm -rf kimportdlgdecl.h;
../../admin/fixuifiles ./kimportdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kimportdlgdecl.ui | /opt/local/bin/perl
-pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwiz
ard.h>,g" >> kimportdlgdecl.h ;
rm -rf kymoneypricedlgdecl.h;
../../admin/fixuifiles ./kymoneypricedlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kymoneypricedlgdecl.ui | /opt/local/bin
/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include
<kwizard.h>,g" >> kymoneypricedlgdecl.h ;
rm -rf knewaccountdlgdecl.h;
rm -rf knewbankdlgdecl.h;
../../admin/fixuifiles ./knewaccountdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./knewaccountdlgdecl.ui | /opt/local/bin/p
erl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <
kwizard.h>,g" >> knewaccountdlgdecl.h ;
../../admin/fixuifiles ./knewbankdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./knewbankdlgdecl.ui | /opt/local/bin/perl
-pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwiz
```

```
zard.h>,g" >> knewbankdlgdecl.h ;
rm -rf knewequityentrydecl.h;
../../admin/fixuifiles ./knewequityentrydecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./knewequityentrydecl.ui | /opt/local/bin/
perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include
<kwizard.h>,g" >> knewequityentrydecl.h ;
rm -rf knewfiledlgdecl.h;
../../admin/fixuifiles ./knewfiledlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./knewfiledlgdecl.ui | /opt/local/bin/perl
-pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kw
izard.h>,g" >> knewfiledlgdecl.h ;
rm -rf knewinvestmentwizarddecl.h;
../../admin/fixuifiles ./knewinvestmentwizarddecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./knewinvestmentwizarddecl.ui | /opt/local
/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inc
lude <kwizard.h>,g" >> knewinvestmentwizarddecl.h ;
rm -rf knewloanwizarddecl.h;
../../admin/fixuifiles ./knewloanwizarddecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./knewloanwizarddecl.ui | /opt/local/bin/p
erl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <
```

```
kwizard.h>,g" >> knewloanwizarddecl.h ;
rm -rf konlinequoteconfigurationdecl.h;
../../admin/fixuifiles ./konlinequoteconfigurationdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./konlinequoteconfigurationdecl.ui | /opt/
local/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>
,#include <kwizard.h>,g" >> konlinequoteconfigurationdecl.h ;
rm -rf kreconciledlgdecl.h;
../../admin/fixuifiles ./kreconciledlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./kreconciledlgdecl.ui | /opt/local/bin/pe
rl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <k
wizard.h>,g" >> kreconciledlgdecl.h ;
rm -rf ksecuritylisteditordecl.h;
../../admin/fixuifiles ./ksecuritylisteditordecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./ksecuritylisteditordecl.ui | /opt/local/
bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#incl
ude <kwizard.h>,g" >> ksecuritylisteditordecl.h ;
rm -rf ksplitcorrectiondlg.h;
../../admin/fixuifiles ./ksplitcorrectiondlg.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kymoney2/widgets/.libs ./ksplitcorrectiondlg.ui | /opt/local/bin/
perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include
```

```
<kwizard.h>,g" >> ksplitcorrectiondlg.h ;
rm -rf ksplittransactiondlgdecl.h;
../../admin/fixuifiles ./ksplittransactiondlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs ./ksplittransactiondlgdecl.ui | /opt/local
/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inc
lude <kwizard.h>,g" >> ksplittransactiondlgdecl.h ;
rm -rf kupdatestockpricedlgdecl.h;
../../admin/fixuifiles ./kupdatestockpricedlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs ./kupdatestockpricedlgdecl.ui | /opt/local
/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inc
lude <kwizard.h>,g" >> kupdatestockpricedlgdecl.h ;
rm -rf mymoneyqifprofileeditordecl.h;
../../admin/fixuifiles ./mymoneyqifprofileeditordecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs ./mymoneyqifprofileeditordecl.ui | /opt/lo
cal/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#
include <kwizard.h>,g" >> mymoneyqifprofileeditordecl.h ;
rm -rf kgncpricesourcedlgdecl.h;
../../admin/fixuifiles ./kgncpricesourcedlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmy money2/widgets/.libs ./kgncpricesourcedlgdecl.ui | /opt/local/b
in/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inclu
```

```
de <kwizard.h>,g" >> kgncpricesourcedlgdecl.h ;
rm -rf kmymoneyfileinfodlgdecl.h;
../../admin/fixuifiles ./kmymoneyfileinfodlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs ./kmymoneyfileinfodlgdecl.ui | /opt/local/
bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#incl
ude <kwizard.h>,g" >> kmymoneyfileinfodlgdecl.h ;
rm -rf kselectdatabasedlgdecl.h;
../../admin/fixuifiles ./kselectdatabasedlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs ./kselectdatabasedlgdecl.ui | /opt/local/b
in/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inclu
de <kwizard.h>,g" >> kselectdatabasedlgdecl.h ;
rm -rf kpayeereassigndlgdecl.h;
../../admin/fixuifiles ./kpayeereassigndlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs ./kpayeereassigndlgdecl.ui | /opt/local/bi
n/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#includ
e <kwizard.h>,g" >> kpayeereassigndlgdecl.h ;
rm -rf kcategoryreassigndlgdecl.h;
../../admin/fixuifiles ./kcategoryreassigndlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs ./kcategoryreassigndlgdecl.ui | /opt/local
/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#inc
```

```
lude <kwizard.h>,g" >> kcategoryreassigndlgdecl.h ;
rm -rf kplugindlg.h;
rm -rf knewbudgetdlgdecl.h;
../..../admin/fixuifiles ./kplugindlg.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../..../kymoney2/widgets/.libs ./kplugindlg.ui | /opt/local/bin/perl -pi
-e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwizard.
h>,g" >> kplugindlg.h ;
../..../admin/fixuifiles ./knewbudgetdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../..../kymoney2/widgets/.libs ./knewbudgetdlgdecl.ui | /opt/local/bin/pe
rl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <k
wizard.h>,g" >> knewbudgetdlgdecl.h ;
rm -rf kselecttransactionsdlgdecl.h;
rm -rf ksortoptiondlg.h;
../..../admin/fixuifiles ./ksortoptiondlg.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../..../kymoney2/widgets/.libs ./ksortoptiondlg.ui | /opt/local/bin/perl
-pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include <kwiz
ard.h>,g" >> ksortoptiondlg.h ;
../..../admin/fixuifiles ./kselecttransactionsdlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../..../kymoney2/widgets/.libs ./kselecttransactionsdlgdecl.ui | /opt/loc
al/bin/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#i
```

```
nclude <kwizard.h>,g" >> kselecttransactionsdlgdecl.h ;
rm -rf kloadtemplatedlgdecl.h;
../../admin/fixuifiles ./kloadtemplatedlgdecl.ui; \
    /opt/local/lib/qt3/bin/uic -L /opt/local/lib/kde3/plugins/designer -noun
load -L ../../kmymoney2/widgets/.libs ./kloadtemplatedlgdecl.ui | /opt/local/bin
/perl -pi -e "s,public QWizard,public KWizard,g; s,#include <qwizard.h>,#include
<kwizard.h>,g" >> kloadtemplatedlgdecl.h ;
/opt/local/lib/qt3/bin/moc ./kreportconfigurationfilterdlg.h -o kreportconfigura
tionfilterdlg.moc
/opt/local/lib/qt3/bin/moc ./kcurrencycalculator.h -o kcurrencycalculator.moc
/opt/local/lib/qt3/bin/moc ./kcurrencyeditdlg.h -o kcurrencyeditdlg.moc
/opt/local/lib/qt3/bin/moc ./keditequityentrydlg.h -o keditequityentrydlg.moc
/opt/local/lib/qt3/bin/moc ./keditloanwizard.h -o keditloanwizard.moc
/opt/local/lib/qt3/bin/moc ./knewloanwizard.h -o knewloanwizard.moc
/opt/local/lib/qt3/bin/moc ./kenterscheduledlg.h -o kenterscheduledlg.moc
/opt/local/lib/qt3/bin/moc ./keditscheduledlg.h -o keditscheduledlg.moc
/opt/local/lib/qt3/bin/moc ./mymoneyqifprofileeditor.h -o mymoneyqifprofileedito
r.moc
/opt/local/lib/qt3/bin/moc ./kaccountselectdlg.h -o kaccountselectdlg.moc
/opt/local/lib/qt3/bin/moc ./kupdatestockpricedlg.h -o kupdatestockpricedlg.moc
/opt/local/lib/qt3/bin/moc ./knewequityentrydlg.h -o knewequityentrydlg.moc
/opt/local/lib/qt3/bin/moc ./kstartdlg.h -o kstartdlg.moc
/opt/local/lib/qt3/bin/moc ./kreconciledlg.h -o kreconciledlg.moc
/opt/local/lib/qt3/bin/moc ./knewfiledlg.h -o knewfiledlg.moc
```

```
/opt/local/lib/qt3/bin/moc ./knewbankdlg.h -o knewbankdlg.moc
/opt/local/lib/qt3/bin/moc ./knewaccountdlg.h -o knewaccountdlg.moc
/opt/local/lib/qt3/bin/moc ./kfindtransactiondlg.h -o kfindtransactiondlg.moc
/opt/local/lib/qt3/bin/moc ./kendingbalancedlg.h -o kendingbalancedlg.moc
/opt/local/lib/qt3/bin/moc ./ksplittransactiondlg.h -o ksplittransactiondlg.moc
/opt/local/lib/qt3/bin/moc ./kimportdlg.h -o kimportdlg.moc
/opt/local/lib/qt3/bin/moc ./kexportdlg.h -o kexportdlg.moc
/opt/local/lib/qt3/bin/moc ./kcsvprogressdlg.h -o kcsvprogressdlg.moc
/opt/local/lib/qt3/bin/moc ./kchooseimportexportdlg.h -o kchooseimportexportdlg.
moc
/opt/local/lib/qt3/bin/moc ./kbackupdlg.h -o kbackupdlg.moc
/opt/local/lib/qt3/bin/moc ./kequitypriceupdatedlg.h -o kequitypriceupdatedlg.mo
c
/opt/local/lib/qt3/bin/moc ./kmymoneypricedlg.h -o kmymoneypricedlg.moc
/opt/local/lib/qt3/bin/moc ./knewinvestmentwizard.h -o knewinvestmentwizard.moc
/opt/local/lib/qt3/bin/moc ./ksecuritylisteditor.h -o ksecuritylisteditor.moc
/opt/local/lib/qt3/bin/moc ./kgncimportoptionsdlg.h -o kgncimportoptionsdlg.moc
/opt/local/lib/qt3/bin/moc ./konlinequoteconfigurationdlg.h -o konlinequoteconfi
gurationdlg.moc
/opt/local/lib/qt3/bin/moc ./kgncpricesourcedlg.h -o kgncpricesourcedlg.moc
/opt/local/lib/qt3/bin/moc ./kmymoneyfileinfodlg.h -o kmymoneyfileinfodlg.moc
/opt/local/lib/qt3/bin/moc ./kselectdatabasedlg.h -o kselectdatabasedlg.moc
/opt/local/lib/qt3/bin/moc ./kpayeereassigndlg.h -o kpayeereassigndlg.moc
/opt/local/lib/qt3/bin/moc ./kcategoryreassigndlg.h -o kcategoryreassigndlg.moc
```



```
/opt/local/lib/qt3/bin/moc ./kconfirmmanualenterdlg.h -o kconfirmmanualenterdlg.moc
/opt/local/lib/qt3/bin/moc ./transactioneditor.h -o transactioneditor.moc
/opt/local/lib/qt3/bin/moc ./investtransactioneditor.h -o investtransactioneditor.moc
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT investactivities.o -MD -MP -MF .deps/investactivities.Tpo -c -o investactivities.o investactivities.cpp
/opt/local/lib/qt3/bin/moc ./kbalancechartdlg.h -o kbalancechartdlg.moc
/opt/local/lib/qt3/bin/moc ./kgpgkeyselectiondlg.h -o kgpgkeyselectiondlg.moc
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT transactionmatcher.o -MD -MP -MF .deps/transactionmatcher.Tpo -c -o transactionmatcher.o transactionmatcher.cpp
investactivities.cpp:42: warning: unused parameter 'reason'
investactivities.cpp:373: warning: unused parameter 'reason'
mv -f .deps/transactionmatcher.Tpo .deps/transactionmatcher.Po
```

```
/opt/local/lib/qt3/bin/moc ./kbalancewarning.h -o kbalancewarning.moc
/opt/local/lib/qt3/bin/moc ./knewbudgetdlg.h -o knewbudgetdlg.moc
/opt/local/lib/qt3/bin/moc ./kselecttransactionsdlg.h -o kselecttransactionsdlg.
moc
/opt/local/lib/qt3/bin/moc ./kmergetransactionsdlg.h -o kmergetransactionsdlg.mo
c
/opt/local/lib/qt3/bin/moc ./kloadtemplatedlg.h -o kloadtemplatedlg.moc
/opt/local/lib/qt3/bin/moc ./kmymoneysplittable.h -o kmymoneysplittable.moc
/opt/local/lib/qt3/bin/moc kaccountselectdlgdecl.h -o kaccountselectdlgdecl.moc
/opt/local/lib/qt3/bin/moc kbackupdlgdecl.h -o kbackupdlgdecl.moc
/opt/local/lib/qt3/bin/moc kchooseimportexportdlgdecl.h -o kchooseimportexportdl
gdecl.moc
/opt/local/lib/qt3/bin/moc kconfirmmanualenterdlgdecl.h -o kconfirmmanualenterdl
gdecl.moc
/opt/local/lib/qt3/bin/moc kcsvprogressdlgdecl.h -o kcsvprogressdlgdecl.moc
/opt/local/lib/qt3/bin/moc kcurrencycalculatordecl.h -o kcurrencycalculatordecl.
moc
/opt/local/lib/qt3/bin/moc kcurrencyscheduledlgdecl.h -o kcurrencyscheduledlgdecl.moc
/opt/local/lib/qt3/bin/moc keditequityentrydecl.h -o keditequityentrydecl.moc
/opt/local/lib/qt3/bin/moc keditscheduledlgdecl.h -o keditscheduledlgdecl.moc
/opt/local/lib/qt3/bin/moc kendingbalancedlgdecl.h -o kendingbalancedlgdecl.moc
/opt/local/lib/qt3/bin/moc kenterscheduledlgdecl.h -o kenterscheduledlgdecl.moc
/opt/local/lib/qt3/bin/moc kequitypriceupdatedlgdecl.h -o kequitypriceupdatedlgd
ecl.moc
```

```
/opt/local/lib/qt3/bin/moc kexportdlgdecl.h -o kexportdlgdecl.moc
/opt/local/lib/qt3/bin/moc kfindtransactiondlgdecl.h -o kfindtransactiondlgdecl.
moc
/opt/local/lib/qt3/bin/moc kgncimportoptionsdlgdecl.h -o kgncimportoptionsdlgdec
l.moc
/opt/local/lib/qt3/bin/moc kimportdlgdecl.h -o kimportdlgdecl.moc
/opt/local/lib/qt3/bin/moc kmymoneypricedlgdecl.h -o kmymoneypricedlgdecl.moc
/opt/local/lib/qt3/bin/moc knewaccountdlgdecl.h -o knewaccountdlgdecl.moc
/opt/local/lib/qt3/bin/moc knewbankdlgdecl.h -o knewbankdlgdecl.moc
/opt/local/lib/qt3/bin/moc knewequityentrydecl.h -o knewequityentrydecl.moc
/opt/local/lib/qt3/bin/moc knewfiledlgdecl.h -o knewfiledlgdecl.moc
/opt/local/lib/qt3/bin/moc knewinvestmentwizarddecl.h -o knewinvestmentwizarddec
l.moc
/opt/local/lib/qt3/bin/moc knewloanwizarddecl.h -o knewloanwizarddecl.moc
/opt/local/lib/qt3/bin/moc konlinequoteconfigurationdecl.h -o konlinequoteconfig
urationdecl.moc
/opt/local/lib/qt3/bin/moc kreconciledlgdecl.h -o kreconciledlgdecl.moc
/opt/local/lib/qt3/bin/moc ksecuritylisteditordecl.h -o ksecuritylisteditordecl.
moc
/opt/local/lib/qt3/bin/moc ksplitcorrectiondlg.h -o ksplitcorrectiondlg.moc
/opt/local/lib/qt3/bin/moc ksplittransactiondlgdecl.h -o ksplittransactiondlgdec
l.moc
/opt/local/lib/qt3/bin/moc kupdatestockpricedlgdecl.h -o kupdatestockpricedlgdec
l.moc
```

```
/opt/local/lib/qt3/bin/moc mymoneyqifprofileeditordecl.h -o mymoneyqifprofileeditordecl.moc
/opt/local/lib/qt3/bin/moc kgncpricesourcedlgdecl.h -o kgncpricesourcedlgdecl.moc
/opt/local/lib/qt3/bin/moc kmymoneyfileinfodlgdecl.h -o kmymoneyfileinfodlgdecl.moc
/opt/local/lib/qt3/bin/moc kselectdatabasedlgdecl.h -o kselectdatabasedlgdecl.moc
/opt/local/lib/qt3/bin/moc kpayeereassigndlgdecl.h -o kpayeereassigndlgdecl.moc
/opt/local/lib/qt3/bin/moc kcategoryreassigndlgdecl.h -o kcategoryreassigndlgdecl.moc
/opt/local/lib/qt3/bin/moc kplugindlg.h -o kplugindlg.moc
/opt/local/lib/qt3/bin/moc knewbudgetdlgdecl.h -o knewbudgetdlgdecl.moc
/opt/local/lib/qt3/bin/moc kselecttransactionsdlgdecl.h -o kselecttransactionsdlgdecl.moc
/opt/local/lib/qt3/bin/moc ksortoptiondlg.h -o ksortoptiondlg.moc
/opt/local/lib/qt3/bin/moc kloadtemplatedlgdecl.h -o kloadtemplatedlgdecl.moc
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kmymoney2/mymoney -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kreportconfigurationfilterdlg.o -MD -MP -MF .deps/kreportconfigurationfilterdlg.Tpo -c -o kreportconfigurationfilterdlg.o kreportconfigurationfilter
```

dlg.cpp

```
mv -f .deps/investactivities.Tpo .deps/investactivities.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kcurrencycalculator.o -MD -MP -MF .deps/kcurrencycalculator.Tpo -c -o kcurrencycalculator.o kcurrencycalculator.cpp
```

```
mv -f .deps/kreportconfigurationfilterdlg.Tpo .deps/kreportconfigurationfilterdlg.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexceptions -MT kcurrencyleditdlg.o -MD -MP -MF .deps/kcurrencyleditdlg.Tpo -c -o kcurrencyleditdlg.o kcurrencyleditdlg.cpp
```

```
mv -f .deps/kcurrencycalculator.Tpo .deps/kcurrencycalculator.Po
```

```
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/lib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
```

```
ptions -MT kedittequityentrydlg.o -MD -MP -MF .deps/kedittequityentrydlg.Tpo -c -
o kedittequityentrydlg.o kedittequityentrydlg.cpp
mv -f .deps/kcurrencyeditdlg.Tpo .deps/kcurrencyeditdlg.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
ptions -MT keditloanwizard.o -MD -MP -MF .deps/keditloanwizard.Tpo -c -o keditl
oanwizard.o keditloanwizard.cpp
mv -f .deps/kedittequityentrydlg.Tpo .deps/kedittequityentrydlg.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
ptions -MT knewloanwizard.o -MD -MP -MF .deps/knewloanwizard.Tpo -c -o knewloan
wizard.o knewloanwizard.cpp
mv -f .deps/keditloanwizard.Tpo .deps/keditloanwizard.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
```

```
ptions -MT kenterscheduledlg.o -MD -MP -MF .deps/kenterscheduledlg.Tpo -c -o ke
nterscheduledlg.o kenterscheduledlg.cpp
mv -f .deps/kenterscheduledlg.Tpo .deps/kenterscheduledlg.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
ptions -MT krecentfileitem.o -MD -MP -MF .deps/krecentfileitem.Tpo -c -o krecen
tfileitem.o krecentfileitem.cpp
mv -f .deps/knewloanwizard.Tpo .deps/knewloanwizard.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
ptions -MT keditscheduledlg.o -MD -MP -MF .deps/keditscheduledlg.Tpo -c -o kedi
tscheduledlg.o keditscheduledlg.cpp
mv -f .deps/krecentfileitem.Tpo .deps/krecentfileitem.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
```

```
ptions -MT mymoneyqifprofileeditor.o -MD -MP -MF .deps/mymoneyqifprofileeditor.
Tpo -c -o mymoneyqifprofileeditor.o mymoneyqifprofileeditor.cpp
mv -f .deps/mymoneyqifprofileeditor.Tpo .deps/mymoneyqifprofileeditor.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
ptions -MT kaccountselectdlg.o -MD -MP -MF .deps/kaccountselectdlg.Tpo -c -o ka
ccountselectdlg.o kaccountselectdlg.cpp
mv -f .deps/keditscheduledlg.Tpo .deps/keditscheduledlg.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
ptions -MT kupdatestockpricedlg.o -MD -MP -MF .deps/kupdatestockpricedlg.Tpo -c
-o kupdatestockpricedlg.o kupdatestockpricedlg.cpp
mv -f .deps/kupdatestockpricedlg.Tpo .deps/kupdatestockpricedlg.Po
/usr/bin/g++-4.2 -DHAVE_CONFIG_H -I. -I../.. -I/opt/local/include -I/opt/local/l
ib/qt3/include -I../.. -I. -I../..../libkdchart -I../..../kymoney2/mymoney -DQT
_THREAD_SUPPORT -I/opt/local/include -L/opt/local/lib -DKMM_DEBUG=0 -Wno-long-l
ong -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual
-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precomp -fexce
```