


```
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/it'
Making all in jp
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2/templates/jp'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/jp'
Making all in nl_NL
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/nl_NL'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/nl_NL'
Making all in pt_BR
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/pt_BR'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/pt_BR'
Making all in pt_PT
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/pt_PT'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/pt_PT'
Making all in ro_RO
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/ro_RO'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/ro_RO'
Making all in ru_RU
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/ru_RU'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/ru_RU'
Making all in sk
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/sk'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/sk'
Making all in tr_TR
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/tr_TR'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/tr_TR'
Making all in zh_CN
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/zh_CN'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/zh_CN'
Making all in zh_HK
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/zh_HK'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/zh_HK'
Making all in zh_TW
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/zh_TW'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates/zh_TW'
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates'
make[5]: Nothing to be done for 'all-am'.
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates'
make[4]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/templates'
Making all in plugins
make[4]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins'
/usr/bin/make all-recursive
make[5]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins'
Making all in interfaces
make[6]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/interfaces'
make[7]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/interfaces'
make[7]: Nothing to be done for 'all-am'.
make[7]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/interfaces'
make[6]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/interfaces'
Making all in ofximport
make[6]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/ofximport'
Making all in dialogs
make[7]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/ofximport/dialogs'
make[7]: Nothing to be done for 'all'.
make[7]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/ofximport/dialogs'
make[7]: Entering directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/ofximport'
/bin/sh ../libtool --silent --tag=CXX --mode=link /usr/bin/g++4.2 -Wno-long-long -Wundef -Wall -W -Wpointer-arith -O2 -pipe -Os -arch x86_64 -Wno-non-virtual-dtor -fno-exceptions -fno-check-new -fno-common -DQT_MAC -no-cpp-precop -fexceptions -module -avoid-version -module -no-undefined -R /opt/local/lib -R /opt/local/lib -R /opt/local/lib/qt3/lib -L/opt/local/lib -L/opt/local/lib -lhtml -lkdecore -lkdeui -lqt-mt -lz -lpng -lz -lm -lpthread -L../libs -L/opt/local/lib -WL -headerpad_max_install_names -WL -dylib_file,/System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/libGL.dylib:/System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/libGL.dylib -arch x86_64 -o kmm_ofximport.la -rpath /opt/local/lib/kde3 ofximporterplugin.lo ofxpartner.lo -L/opt/local/lib -lafx dialogs/libdialogs.la ../libkmm_plugin.la ../libkmm_plugin.la ../../kmymoney2/mymo
ney/libkmm_mymoney.la
Undefined symbols:
"KIO::http_post(KURL const&, QMemArray<char> const&, bool)", referenced from:
  OfxHttpRequest::OfxHttpRequest(QString const&, KURL const&, QMemArray<char> const&, QMap<QString, QString> const&, KURL const&, bool) in ofxpartner.o
  KOfxDirectConnectDlg::init() in libdialogs.a(kofxdirectconnectdlg.o)
"KIO::Job::addMetaData(QString const&, QString const&)", referenced from:
  OfxHttpRequest::OfxHttpRequest(QString const&, KURL const&, QMemArray<char> const&, QMap<QString, QString> const&, KURL const&, bool) in ofxpartner.o
  KOfxDirectConnectDlg::init() in libdialogs.a(kofxdirectconnectdlg.o)
"KURLRequester::url() const", referenced from:
  KOnlineBankingSetupWizard::finishFiPage() in libdialogs.a(konlinebankingsetupwizard.o)
  KOnlineBankingSetupWizard::finishFiPage() in libdialogs.a(konlinebankingsetupwizard.o)
"KURLRequester::KURLRequester(QWidget*, char const*)", referenced from:
  KOnlineBankingSetupDecl::KOnlineBankingSetupDecl(QWidget*, char const*, bool, unsigned int) in libdialogs.a(konlinebankingsetupdecl.o)
"KIO::Job::showErrorDialog(QWidget*)", referenced from:
  OfxHttpRequest::slotOfxFinished(KIO::Job*) in ofxpartner.o
  KOfxDirectConnectDlg::slotOfxFinished(KIO::Job*) in libdialogs.a(kofxdirectconnectdlg.o)
ld: symbol(s) not found
collect2: ld returned 1 exit status
make[7]: *** [kmm_ofximport.la] Error 1
make[7]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/ofximport'
make[6]: *** [all-recursive] Error 1
make[6]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins/ofximport'
make[5]: *** [all-recursive] Error 1
make[5]: Leaving directory '/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins'
make[4]: *** [all] Error 2
```

```
make[4]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2/plugins'
make[3]: *** [all-recursive] Error 1
make[3]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2'
make[2]: *** [all] Error 2
make[2]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5/kmymoney2'
make[1]: *** [all-recursive] Error 1
make[1]: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5'
make: *** [all] Error 2
make: Leaving directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5'
Command failed:  cd "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/work/kmymoney2-1.0.5" && /usr/bin/make -j2 -w all
Exit code: 2
Error: org.macports.build for port kmymoney returned: command execution failed
Warning: targets not executed for kmymoney: org.macports.activate org.macports.build org.macports.destroot org.macports.install
Please see the log file for port kmymoney for details:
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_kde_kmymoney/kmymoney/main.log
To report a bug, follow the instructions in the guide:
http://guide.macports.org/#project.tickets
Error: Processing of port kmymoney failed
Macintosh:~ bismillah7867865
```