

```
version:1
:debug:main epoch: in tree: 0 installed: 0
:debug:main pcre 8.38_0 exists in the ports tree
:debug:main pcre 8.38_0  is the latest installed
:debug:main pcre 8.38_0 +universal is active
:debug:main Merging existing variants '+universal' into variants
:debug:main new fully merged portvariants: universal +
:debug:main Changing to port directory: /opt/local/var/macports/sources/
rsync.macports.org/release/tarballs/ports-devel/pcre
:debug:main OS darwin/15.5.0 (Mac OS X 10.11) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from /opt/local/var/macports/
sources/rsync.macports.org/release/tarballs/ports/_resources/port1.0/
variant_descriptions.conf
:debug:main Executing variant universal provides universal
:debug:main Running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main No need to upgrade! pcre 8.38_0 >= pcre 8.38_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main bzip2 1.0.6_0 exists in the ports tree
:debug:main bzip2 1.0.6_0  is the latest installed
:debug:main bzip2 1.0.6_0 +universal is active
:debug:main Merging existing variants '+universal' into variants
:debug:main new fully merged portvariants: universal +
:debug:main Changing to port directory: /opt/local/var/macports/sources/
rsync.macports.org/release/tarballs/ports/archivers/bzip2
:debug:main OS darwin/15.5.0 (Mac OS X 10.11) arch i386
:debug:main Reading variant descriptions from /opt/local/var/macports/
sources/rsync.macports.org/release/tarballs/ports/_resources/port1.0/
variant_descriptions.conf
:debug:main universal variant already exists, so not adding the default one
:debug:main Executing variant universal provides universal
:debug:main Running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main No need to upgrade! bzip2 1.0.6_0 >= bzip2 1.0.6_0
:debug:main epoch: in tree: 20090923 installed: 20090923
:debug:main libedit 20150325-3.1_0 exists in the ports tree
:debug:main libedit 20150325-3.1_0  is the latest installed
:debug:main libedit 20150325-3.1_0 +universal is active
```

```
:debug:main Merging existing variants '+universal' into variants
:debug:main new fully merged portvariants: universal +
:debug:main Changing to port directory: /opt/local/var/macports/sources/
rsync.macports.org/release/tarballs/ports-devel/libedit
:debug:main OS darwin/15.5.0 (Mac OS X 10.11) arch i386
:debug:main Reading variant descriptions from /opt/local/var/macports/
sources/rsync.macports.org/release/tarballs/ports/_resources/port1.0/
variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from /opt/local/var/macports/
sources/rsync.macports.org/release/tarballs/ports/_resources/port1.0/group/
muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Executing variant universal provides universal
:debug:main Running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main No need to upgrade! libedit 20150325-3.1_0 >= libedit
20150325-3.1_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main ncurses 6.0_0 exists in the ports tree
:debug:main ncurses 6.0_0 is the latest installed
:debug:main ncurses 6.0_0 +universal is active
:debug:main Merging existing variants '+universal' into variants
:debug:main new fully merged portvariants: universal +
:debug:main Changing to port directory: /opt/local/var/macports/sources/
rsync.macports.org/release/tarballs/ports-devel/ncurses
:debug:main OS darwin/15.5.0 (Mac OS X 10.11) arch i386
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from /opt/local/var/macports/
sources/rsync.macports.org/release/tarballs/ports/_resources/port1.0/
variant_descriptions.conf
:debug:main Executing variant universal provides universal
:debug:main Running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main No need to upgrade! ncurses 6.0_0 >= ncurses 6.0_0
:debug:main epoch: in tree: 0 installed: 0
:debug:main zlib 1.2.8_0 exists in the ports tree
:debug:main zlib 1.2.8_0 is the latest installed
:debug:main zlib 1.2.8_0 +universal is active
:debug:main Merging existing variants '+universal' into variants
```

```
:debug:main new fully merged portvariants: universal +
:debug:main Changing to port directory: /opt/local/var/macports/sources/
rsync.macports.org/release/tarballs/ports/archivers/zlib
:debug:main OS darwin/15.5.0 (Mac OS X 10.11) arch i386
:debug:main Sourcing PortGroup xcodeversion 1.0 from /opt/local/var/
macports/sources/rsync.macports.org/release/tarballs/ports/_resources/
port1.0/group/xcodeversion-1.0.tcl
:debug:main adding the default universal variant
:debug:main Reading variant descriptions from /opt/local/var/macports/
sources/rsync.macports.org/release/tarballs/ports/_resources/port1.0/
variant_descriptions.conf
:debug:main Executing variant universal provides universal
:debug:main Running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main No need to upgrade! zlib 1.2.8_0 >= zlib 1.2.8_0
:debug:main epoch: in tree: 1 installed: 1
:debug:main openssl 1.0.2h_1 exists in the ports tree
:debug:main openssl 1.0.2h_1 +universal is the latest installed
:debug:main openssl 1.0.2h_1 +universal is active
:debug:main Merging existing variants '+universal' into variants
:debug:main new fully merged portvariants: universal +
:debug:main Changing to port directory: /opt/local/var/macports/sources/
rsync.macports.org/release/tarballs/ports-devel/openssl
:debug:main OS darwin/15.5.0 (Mac OS X 10.11) arch i386
:debug:main Reading variant descriptions from /opt/local/var/macports/
sources/rsync.macports.org/release/tarballs/ports/_resources/port1.0/
variant_descriptions.conf
:debug:main Sourcing PortGroup muniversal 1.0 from /opt/local/var/macports/
sources/rsync.macports.org/release/tarballs/ports/_resources/port1.0/group/
muniversal-1.0.tcl
:debug:main universal variant already exists, so not adding the default one
:debug:main Executing variant universal provides universal
:debug:main Running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Finished running callback
portconfigure::add_automatic_compiler_dependencies
:debug:main Running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main Finished running callback
portbuild::add_automatic_buildsystem_dependencies
:debug:main No need to upgrade! openssl 1.0.2h_1 >= openssl 1.0.2h_1
:msg:main ---> Computing dependencies for nginx:info:main .:debug:main
nginx has no conflicts
:debug:main Searching for dependency: pcre
:debug:main Found Dependency: receipt exists for pcre
```

```
:debug:main Searching for dependency: zlib
:debug:main Found Dependency: receipt exists for zlib
:debug:main Searching for dependency: openssl
:debug:main Found Dependency: receipt exists for openssl
:msg:main
:debug:main Executing org.macports.main (nginx)
:debug:main changing euid/egid - current euid: 0 - current egid: 0
:debug:main egid changed to: 20
:debug:main euid changed to: 503
:debug:main Skipping completed org.macports.archivefetch (nginx)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:main Skipping completed org.macports.fetch (nginx)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:main Skipping completed org.macports.checksum (nginx)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:main Skipping completed org.macports.extract (nginx)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:main Skipping completed org.macports.patch (nginx)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:main Skipping completed org.macports.configure (nginx)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Mon May 30 09:13:32 CEST 2016
:notice:build ---> Building nginx
:debug:build Executing org.macports.build (nginx)
:debug:build Environment:
CC_PRINT_OPTIONS='YES'
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_www_nginx/nginx/work/.CC_PRINT_OPTIONS'
CPATH='/opt/local/include'
LIBRARY_PATH='/opt/local/lib'
MACOSX_DEPLOYMENT_TARGET='10.11'
:debug:build Assembled command: 'cd "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_www_nginx/nginx/work/nginx-1.11.0" && /usr/bin/make -j16 -w build'
:debug:build Executing command line: cd "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_www_nginx/nginx/work/nginx-1.11.0" && /usr/bin/make -j16 -w build
:info:build make: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_www_nginx/nginx/work/nginx-1.11.0'
:info:build /Applications/Xcode.app/Contents/Developer/usr/bin/make -f
objs/Makefile
:info:build make[1]: Entering directory `/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_www_nginx/nginx/work/nginx-1.11.0'
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -Os -I/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_www_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \

```

```
:info:build      -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_core_module.o \
:info:build      /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_core_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build      -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_flv_module.o \
:info:build      /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_flv_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build      -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_mp4_module.o \
:info:build      /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_mp4_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build      -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_netcall_module.o \
:info:build      /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_netcall_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build      -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_stat_module.o \
:info:build      /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_stat_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build      -o objs/addon/nginx-rtmp-module-1.1.7/
```

```
ngx_rtmp_control_module.o \
:info:build          /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_control_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build           -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_relay_module.o \
:info:build          /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_relay_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build           -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_bandwidth.o \
:info:build          /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_bandwidth.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build           -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_exec_module.o \
:info:build          /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_exec_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build           -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_auto_push_module.o \
:info:build          /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_auto_push_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build           -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_notify_module.o \
```

```
:info:build          /opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_notify_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build          -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_log_module.o \
:info:build          /opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_log_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build          -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_limit_module.o \
:info:build          /opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_limit_module.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build          -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_bitop.o \
:info:build          /opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_bitop.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build          -o objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_proxy_protocol.o \
:info:build          /opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_proxy_protocol.c
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build          -o objs/addon/hls/ngx_rtmp_hls_module.o \
:info:build          /opt/local/var/macports/build/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
```

```
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_hls_module.c
:info:build /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_core_module.c:548:46:
error: operand of type 'ngx_sockaddr_t' where arithmetic or pointer type is
required
:info:build /usr/bin/clang -c -pipe -Os -arch x86_64 -I/opt/local/include -
Os -I/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7 -I src/core -I src/event -I
src/event/modules -I src/os/unix -I objs -I src/http -I src/http/modules \
:info:build           -o objs/addon/dash/ngx_rtmp_dash_module.o \
:info:build           /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/dash/ngx_rtmp_dash_module.c
:info:build      if (ngx_memcmp(ls[i].sockaddr + off, u.sockaddr + off,
len) != 0) {
:info:build                                     ^
:info:build src/core/ngx_string.h:144:73: note: expanded from macro
'ngx_memcmp'
:info:build #define ngx_memcmp(s1, s2, n) memcmp((const char *) s1, (const
char *) s2, n)
:info:build
^~
:info:build /opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-rtmp-module-1.1.7/ngx_rtmp_core_module.c:568:30:
error: passing 'ngx_sockaddr_t' to parameter of incompatible type 'const
void *'
:info:build     ngx_memcpy(ls->sockaddr, u.sockaddr, u.socklen);
:info:build                                     ^
:info:build src/core/ngx_string.h:102:54: note: expanded from macro
'ngx_memcpy'
:info:build #define ngx_memcpy(dst, src, n) (void) memcpy(dst, src, n)
:info:build
^~
:info:build /usr/include/secure/_string.h:65:33: note: expanded from macro
'memcpy'
:info:build    __builtin___memcpy_chk (dest, src, len, __darwin_obsz0
(dest))
:info:build
^~
:info:build 2 errors generated.
:info:build make[1]: *** [objs/addon/nginx-rtmp-module-1.1.7/
ngx_rtmp_core_module.o] Error 1
:info:build make[1]: *** Waiting for unfinished jobs....
:info:build make[1]: Leaving directory `/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-1.11.0'
:info:build make: *** [build] Error 2
:info:build make: Leaving directory `/opt/local/var/macports/build/
_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_w
ww_nginx/nginx/work/nginx-1.11.0'
```

```
:info:build Command failed: cd "/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_www_nginx/nginx/work/nginx-1.11.0" && /usr/bin/make -j16 -w build
:info:build Exit code: 2
:error:build org.macports.build for port nginx returned: command execution failed
:debug:build Error code: CHILDSTATUS 58232 2
:debug:build Backtrace: command execution failed
    while executing
"system -nice 0 $fullcmdstring"
    ("eval" body line 1)
    invoked from within
"eval system $notty $nice \$fullcmdstring"
    invoked from within
"command_exec build"
    (procedure "portbuild::build_main" line 8)
    invoked from within
"portbuild::build_main org.macports.build"
    ("eval" body line 1)
    invoked from within
"eval $procedure $targetname"
:info:build Warning: targets not executed for nginx: org.macports.activate
org.macports.build org.macports.destroot org.macports.install
:notice:build Please see the log file for port nginx for details:
    /opt/local/var/macports/logs/
_ opt_local_var_macports_sources_rsync.macports.org_release_tarballs_ports_www_nginx/nginx/main.log
```