

```
version:1
:debug:clean Starting logging for gtk3 @3.24.38_0+universal+x11
:debug:sysinfo macOS 13.4.1 (darwin/22.5.0) arch arm
:debug:sysinfo MacPorts 2.8.1
:debug:sysinfo Xcode none, CLT 14.3.1.0.1.1683849156
:debug:sysinfo SDK 13
:debug:sysinfo MACOSX_DEPLOYMENT_TARGET: 13.0
:debug:clean Attempting ln -sf
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/work
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk3
/work
:debug:clean dropping privileges: euid changed to 502, egid changed to 502.
:debug:main Executing org.macports.main (gtk3)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:archivefetch archivefetch phase started at Mon Jul 17 23:25:45 EDT 2023
:msg:archivefetch ---> Fetching archive for gtk3
:debug:archivefetch Executing org.macports.archivefetch (gtk3)
:debug:archivefetch euid/egid changed to: 0/0
:debug:archivefetch chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch euid/egid changed to: 502/502
:info:archivefetch ---> gtk3-3.24.38_0+universal+x11.darwin_22.arm64-x86_64.tbz2 doesn't
seem to exist in /opt/local/var/macports/incoming/verified
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://packages.macports.org/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://ywg.ca.packages.macports.org/mirror/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from http://mirror.fcix.net/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:fetch fetch phase started at Mon Jul 17 23:25:45 EDT 2023
:notice:fetch ---> Fetching distfiles for gtk3
:debug:fetch elevating privileges for fetch: euid changed to 0, egid changed to 0.
:debug:fetch dropping privileges: euid changed to 502, egid changed to 502.
:debug:fetch Executing org.macports.fetch (gtk3)
:info:fetch ---> gtk+-3.24.38.tar.xz does not exist in
/opt/local/var/macports/distfiles/gtk3
:notice:fetch ---> Attempting to fetch gtk+-3.24.38.tar.xz from
http://ftp.gnome.org/pub/GNOME/sources/gtk+/3.24/
:debug:fetch Privilege de-escalation not attempted as not running as root.
:debug:checksum checksum phase started at Mon Jul 17 23:25:48 EDT 2023
:notice:checksum ---> Verifying checksums for gtk3
:debug:checksum Executing org.macports.checksum (gtk3)
:info:checksum ---> Checksumming gtk+-3.24.38.tar.xz
:debug:checksum Calculated (rmd160) is 4b48beab01bc1337c5e5120a68c390ab95e9af16
:debug:checksum Correct (rmd160) checksum for gtk+-3.24.38.tar.xz
:debug:checksum Calculated (sha256) is
celldecf018b25bdd8505544a4f87242854ec88be054d9ade5f3a20444dd8ee7
:debug:checksum Correct (sha256) checksum for gtk+-3.24.38.tar.xz
:debug:checksum Calculated (size) is 12398104
:debug:checksum Correct (size) checksum for gtk+-3.24.38.tar.xz
:debug:checksum Privilege de-escalation not attempted as not running as root.
:debug:extract extract phase started at Mon Jul 17 23:25:49 EDT 2023
:notice:extract ---> Extracting gtk3
:debug:extract setting option extract.cmd to /opt/local/bin/xz
:debug:extract Executing proc-pre-org.macports.extract-extract-0
:debug:extract Executing org.macports.extract (gtk3)
:info:extract ---> Extracting gtk+-3.24.38.tar.xz
:debug:extract setting option extract.args to
'/opt/local/var/macports/distfiles/gtk3/gtk+-3.24.38.tar.xz'
:debug:extract Environment:
```

```
:debug:extract CC_PRINT_OPTIONS='YES'
:debug:extract
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:extract CPATH='/opt/local/include'
:debug:extract DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:extract LIBRARY_PATH='/opt/local/lib'
:debug:extract MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:extract MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:extract SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:extract Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work" && /opt/local/bin/xz -dc
'/opt/local/var/macports/distfiles/gtk3/gtk+-3.24.38.tar.xz' | /usr/bin/tar -xf -
:debug:extract system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work" && /opt/local/bin/xz -dc
'/opt/local/var/macports/distfiles/gtk3/gtk+-3.24.38.tar.xz' | /usr/bin/tar -xf -
:debug:extract euid/egid changed to: 0/0
:debug:extract chowned
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work to macports
:debug:extract euid/egid changed to: 502/502
:debug:extract Privilege de-escalation not attempted as not running as root.
:debug:patch patch phase started at Mon Jul 17 23:25:50 EDT 2023
:debug:patch Executing org.macports.patch (gtk3)
:notice:patch ---> Applying patches to gtk3
:info:patch ---> Applying patch-meson.build-x11-enabled.diff
:debug:patch Environment:
:debug:patch CC_PRINT_OPTIONS='YES'
:debug:patch
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:patch CPATH='/opt/local/include'
:debug:patch DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:patch LIBRARY_PATH='/opt/local/lib'
:debug:patch MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:patch SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:patch Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38" && /usr/bin/patch -p0 <
'/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk
3/files/patch-meson.build-x11-enabled.diff'
:debug:patch system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38" && /usr/bin/patch -p0 <
'/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk
3/files/patch-meson.build-x11-enabled.diff'
:info:patch patching file meson.build
:info:patch ---> Applying patch-quartz-calayer-contentformat.diff
:debug:patch Environment:
:debug:patch CC_PRINT_OPTIONS='YES'
:debug:patch
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:patch CPATH='/opt/local/include'
:debug:patch DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:patch LIBRARY_PATH='/opt/local/lib'
:debug:patch MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:patch SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:patch Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38" && /usr/bin/patch -p0 <
'/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk
3/files/patch-quartz-calayer-contentformat.diff'
```

```
:debug:patch system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38" && /usr/bin/patch -p0 <
'/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk
3/files/patch-quartz-calayer-contentsformat.diff'
:info:patch patching file 'gdk/quartz/GdkQuartzView.c'
:info:patch ---> Applying patch-quartz-nseventtype.diff
:debug:patch Environment:
:debug:patch CC_PRINT_OPTIONS='YES'
:debug:patch
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:patch CPATH='/opt/local/include'
:debug:patch DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:patch LIBRARY_PATH='/opt/local/lib'
:debug:patch MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:patch SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:patch Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38" && /usr/bin/patch -p0 <
'/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk
3/files/patch-quartz-nseventtype.diff'
:debug:patch system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38" && /usr/bin/patch -p0 <
'/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk
3/files/patch-quartz-nseventtype.diff'
:info:patch patching file 'gdk/quartz/gdkdisplaylinksource.c'
:info:patch ---> Applying patch-quartz-meson-appleframeworks.diff
:debug:patch Environment:
:debug:patch CC_PRINT_OPTIONS='YES'
:debug:patch
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:patch CPATH='/opt/local/include'
:debug:patch DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:patch LIBRARY_PATH='/opt/local/lib'
:debug:patch MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:patch SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:patch Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38" && /usr/bin/patch -p0 <
'/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk
3/files/patch-quartz-meson-appleframeworks.diff'
:debug:patch system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38" && /usr/bin/patch -p0 <
'/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk
3/files/patch-quartz-meson-appleframeworks.diff'
:info:patch patching file 'gdk/quartz/meson.build'
:debug:patch Privilege de-escalation not attempted as not running as root.
:debug:configure configure phase started at Mon Jul 17 23:25:50 EDT 2023
:notice:configure ---> Configuring gtk3
:debug:configure Preferred compilers: clang macports-clang-15 macports-clang-14 macports-
clang-13 macports-clang-12 macports-clang-11
:debug:configure Using compiler 'Xcode Clang'
:debug:configure Executing proc-pre-org.macports.configure-configure-0
:debug:configure Active variants check for source-type install considers depends_fetch
depends_extract depends_lib depends_build depends_run: xz atk gdk-pixbuf2 glib2 gobject-
introspection harfbuzz iso-codes libepoxy pango mesa at-spi2-atk fontconfig libxkbcommon-x11
xorg-libXi xorg-libXrandr xorg-libXcursor xorg-libXinerama xorg-libXdamage xorg-libXcomposite
xorg-libXfixes gtk-doc pkgconfig diffutils-for-muniversal meson ninja shared-mime-info
hicolor-icon-theme
:debug:configure Ignoring active_variants requirement for cairo because source-type install
only considers depends_fetch depends_extract depends_lib depends_build depends_run and those
```

```
do not contain cairo
:debug:configure Checking pango for active variants for depspec
'path:lib/pkgconfig/pango.pc:pango'
:debug:configure pango is installed with the following variants: +quartz+universal+x11
:debug:configure   required: x11, forbidden:
:debug:configure   accepted
:debug:configure Executing proc-pre-org.macports.configure-configure-1
:debug:configure Executing proc-pre-org.macports.configure-configure-2
:error:configure gtk3 requires at least one architecture runnable on this
:error:configure machine to be able to build universally. Please add at least
:error:configure one of the following architectures to `universal_archs` in
:error:configure "/opt/local/etc/macports/macports.conf":
:error:configure   ppc64 ppc
:info:configure ---> Patching gtk+-3.0.pc.in: s/@host@/powerpc-apple-darwin22.5.0/
:debug:configure Executing reinplace: /usr/bin/sed s/@host@/powerpc-apple-darwin22.5.0/
</opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gtk+-3.0.pc.in >@file17
:debug:configure euid/egid changed to: 0/0
:debug:configure chowned
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gtk+-3.0.pc.in to macports
:debug:configure euid/egid changed to: 502/502
:debug:configure euid/egid changed to: 0/0
:debug:configure setting attributes on
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gtk+-3.0.pc.in
:debug:configure euid/egid changed to: 502/502
:info:configure ---> Patching gdk-3.0.pc.in: s/@host@/powerpc-apple-darwin22.5.0/
:debug:configure Executing reinplace: /usr/bin/sed s/@host@/powerpc-apple-darwin22.5.0/
</opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gdk-3.0.pc.in >@file17
:warn:configure reinplace s/@host@/powerpc-apple-darwin22.5.0/ didn't change anything in
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gdk-3.0.pc.in
:debug:configure euid/egid changed to: 0/0
:debug:configure chowned
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gdk-3.0.pc.in to macports
:debug:configure euid/egid changed to: 502/502
:debug:configure euid/egid changed to: 0/0
:debug:configure setting attributes on
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gdk-3.0.pc.in
:debug:configure euid/egid changed to: 502/502
:info:configure ---> Patching gail-3.0.pc.in: s/@host@/powerpc-apple-darwin22.5.0/
:debug:configure Executing reinplace: /usr/bin/sed s/@host@/powerpc-apple-darwin22.5.0/
</opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gail-3.0.pc.in >@file17
:warn:configure reinplace s/@host@/powerpc-apple-darwin22.5.0/ didn't change anything in
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gail-3.0.pc.in
:debug:configure euid/egid changed to: 0/0
:debug:configure chowned
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gail-3.0.pc.in to macports
:debug:configure euid/egid changed to: 502/502
:debug:configure euid/egid changed to: 0/0
:debug:configure setting attributes on
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gail-3.0.pc.in
:debug:configure euid/egid changed to: 502/502
:info:configure ---> Patching gtk+-unix-print-3.0.pc.in: s/@host@/powerpc-apple-
darwin22.5.0/
:debug:configure Executing reinplace: /usr/bin/sed s/@host@/powerpc-apple-darwin22.5.0/
</opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
```

```
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gtk+-unix-print-3.0.pc.in >@file17
:debug:configure euid/egid changed to: 0/0
:debug:configure chowned
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gtk+-unix-print-3.0.pc.in to macports
:debug:configure euid/egid changed to: 502/502
:debug:configure euid/egid changed to: 0/0
:debug:configure setting attributes on
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38/gtk+-unix-print-3.0.pc.in
:debug:configure euid/egid changed to: 502/502
:debug:configure Executing org.macports.configure (gtk3)
:info:configure ---> Configuring gtk3 for architecture arm64
:debug:configure setting option configure.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-arm64
:debug:configure setting option autoreconf.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-arm64
:debug:configure setting option autoconf.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-arm64
:debug:configure Environment:
:debug:configure CC='/usr/bin/clang -arch arm64'
:debug:configure CC_PRINT_OPTIONS='YES'
:debug:configure
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:configure CFLAGS='-pipe -Os -fstrict-aliasing -arch arm64 -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure CPATH='/opt/local/include'
:debug:configure CPPFLAGS='-I/opt/local/include -DX_LOCALE -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure CUPS_CONFIG='/usr/bin/cups-config'
:debug:configure CXX='/usr/bin/clang++ -arch arm64'
:debug:configure CXXFLAGS='-pipe -Os -arch arm64 -stdlib=libc++ -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:configure F90FLAGS='-pipe -Os -m64'
:debug:configure FCFLAGS='-pipe -Os -m64'
:debug:configure FFLAGS='-pipe -Os -m64'
:debug:configure INSTALL='/usr/bin/install -c'
:debug:configure LDFLAGS='-L/opt/local/lib -Wl,-headerpad_max_install_names -arch arm64 -Wl,-
syslibroot,/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure LIBRARY_PATH='/opt/local/lib'
:debug:configure MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:configure MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:configure OBJC='/usr/bin/clang -arch arm64'
:debug:configure OBJCFLAGS='-pipe -Os -arch arm64 -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure OBJCXX='/usr/bin/clang++'
:debug:configure OBJCXXFLAGS='-pipe -Os -stdlib=libc++ -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:configure Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-arm64" && /opt/local/bin/meson setup -
-prefix=/opt/local -Dtests=false -Dgtk_doc=false -Dman=true -Dintrospection=true -
Ddemos=false -Dexamples=false -Dprofiler=false -Dwayland_backend=false -Dx11_backend=true -
Dquartz_backend=false -Dxinerama=yes
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-arm64
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64 --cross-file=arm64-darwin
:debug:configure system: cd
```

```
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-arm64" && /opt/local/bin/meson setup -
-prefix=/opt/local -Dtests=false -Dgtk_doc=false -Dman=true -Dintrospection=true -
Ddemos=false -Dexamples=false -Dprofiler=false -Dwayland_backend=false -Dx11_backend=true -
Dquartz_backend=false -Dxinerama=yes
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-arm64
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64 --cross-file=arm64-darwin
:info:configure The Meson build system
:info:configure Version: 1.1.1
:info:configure Source dir:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-arm64
:info:configure Build dir:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:info:configure Build type: cross build
:info:configure Project name: gtk+
:info:configure Project version: 3.24.38
:info:configure C compiler for the host machine: /usr/bin/clang -arch arm64 (clang 14.0.3
"Apple clang version 14.0.3 (clang-1403.0.22.14.1)")
:info:configure C linker for the host machine: /usr/bin/clang -arch arm64 ld64 857.1
:info:configure C compiler for the build machine: cc (clang 14.0.3 "Apple clang version
14.0.3 (clang-1403.0.22.14.1)")
:info:configure C linker for the build machine: cc ld64 857.1
:info:configure Build machine cpu family: aarch64
:info:configure Build machine cpu: aarch64
:info:configure Host machine cpu family: aarch64
:info:configure Host machine cpu: arm64
:info:configure Target machine cpu family: aarch64
:info:configure Target machine cpu: arm64
:info:configure Has header "crt/externs.h" : NO
:info:configure Has header "dlfcn.h" : YES
:info:configure Has header "ftw.h" : YES
:info:configure Has header "inttypes.h" : YES
:info:configure Has header "linux/memfd.h" : NO
:info:configure Has header "linux/input.h" : NO
:info:configure Has header "dev/evdev/input.h" : NO
:info:configure Has header "locale.h" : YES
:info:configure Has header "memory.h" : YES
:info:configure Has header "stdint.h" : YES
:info:configure Has header "stdlib.h" : YES
:info:configure Has header "string.h" : YES
:info:configure Has header "strings.h" : YES
:info:configure Has header "sys/mman.h" : YES
:info:configure Has header "sys/param.h" : YES
:info:configure Has header "sys/stat.h" : YES
:info:configure Has header "sys/sysinfo.h" : NO
:info:configure Has header "sys/systeminfo.h" : NO
:info:configure Has header "sys/time.h" : YES
:info:configure Has header "sys/types.h" : YES
:info:configure Has header "unistd.h" : YES
:info:configure Library m found: YES
:info:configure Checking for function "dcgettext" with dependency -lm: NO
:info:configure Checking for function "getpagesize" with dependency -lm: YES
:info:configure Checking for function "getresuid" with dependency -lm: NO
:info:configure Checking for function "lstat" with dependency -lm: YES
:info:configure Checking for function "mmap" with dependency -lm: YES
:info:configure Checking for function "nearbyint" with dependency -lm: YES
:info:configure Checking for function "posix_fallocate" with dependency -lm: NO
:info:configure Checking for function "_lock_file" with dependency -lm: NO
:info:configure Checking for function "flockfile" with dependency -lm: YES
:info:configure Checking for function "mkstemp" with dependency -lm: YES
:info:configure Checking for function "mallinfo" with dependency -lm: NO
```

:info:configure Checking for function "round" with dependency -lm: YES
:info:configure Checking for function "rint" with dependency -lm: YES
:info:configure Checking for function "log2" with dependency -lm: YES
:info:configure Checking for function "exp2" with dependency -lm: YES
:info:configure Checking for function "sincos" with dependency -lm: NO
:info:configure Checking for function "trunc" with dependency -lm: YES
:info:configure Checking for function "localtime_r" with dependency -lm: YES
:info:configure Checking for function "fmin" with dependency -lm: YES
:info:configure Header "math.h" has symbol "isinf" : YES
:info:configure Header "math.h" has symbol "isnan" : YES
:info:configure Compiler for C supports arguments -fno-strict-aliasing: YES
:info:configure Compiler for C supports arguments -Wpointer-arith: YES
:info:configure Compiler for C supports arguments -Wimplicit-function-declaration: YES
:info:configure Compiler for C supports arguments -Wformat=2: YES
:info:configure Compiler for C supports arguments -Wformat-security: YES
:info:configure Compiler for C supports arguments -Wnested-externs: YES
:info:configure Compiler for C supports arguments -Wold-style-definition: YES
:info:configure Compiler for C supports arguments -Wundef: YES
:info:configure Compiler for C supports arguments -Wunused: YES
:info:configure Compiler for C supports arguments -Wcast-align: YES
:info:configure Compiler for C supports arguments -Wmissing-noreturn: YES
:info:configure Compiler for C supports arguments -Wmissing-format-attribute: YES
:info:configure Compiler for C supports arguments -Wmissing-include-dirs: YES
:info:configure Compiler for C supports arguments -Wlogical-op: NO
:info:configure Compiler for C supports arguments -Wignored-qualifiers: YES
:info:configure Compiler for C supports arguments -Wno-discarded-qualifiers: NO
:info:configure Compiler for C supports arguments -Werror=implicit: YES
:info:configure Compiler for C supports arguments -Werror=nonnull: YES
:info:configure Compiler for C supports arguments -Werror=init-self: YES
:info:configure Compiler for C supports arguments -Werror=main: YES
:info:configure Compiler for C supports arguments -Werror=missing-braces: YES
:info:configure Compiler for C supports arguments -Werror=sequence-point: YES
:info:configure Compiler for C supports arguments -Werror=return-type: YES
:info:configure Compiler for C supports arguments -Werror=trigraphs: YES
:info:configure Compiler for C supports arguments -Werror=array-bounds: YES
:info:configure Compiler for C supports arguments -Werror=write-strings: YES
:info:configure Compiler for C supports arguments -Werror=address: YES
:info:configure Compiler for C supports arguments -Werror=int-to-pointer-cast: YES
:info:configure Compiler for C supports arguments -Werror=pointer-to-int-cast: YES
:info:configure Compiler for C supports arguments -Werror=empty-body: YES
:info:configure Compiler for C supports arguments -Werror=write-strings: YES (cached)
:info:configure Found pkg-config: /opt/local/bin/pkg-config (0.29.2)
:info:configure Run-time dependency glib-2.0 found: YES 2.76.4
:info:configure Run-time dependency gobject-2.0 found: YES 2.76.4
:info:configure Run-time dependency gio-unix-2.0 found: YES 2.76.4
:info:configure Run-time dependency gmodule-2.0 found: YES 2.76.4
:info:configure Run-time dependency cairo found: YES 1.17.6
:info:configure Run-time dependency cairo-gobject found: YES 1.17.6
:info:configure Run-time dependency pango found: YES 1.50.7
:info:configure Run-time dependency fribidi found: YES 1.0.13
:info:configure Run-time dependency pangoft2 found: YES 1.50.7
:info:configure Run-time dependency freetype2 found: YES 24.3.18
:info:configure Run-time dependency pangocairo found: YES 1.50.7
:info:configure Run-time dependency gdk-pixbuf-2.0 found: YES 2.42.10
:info:configure Run-time dependency epoxy found: YES 1.5.10
:info:configure Run-time dependency atk found: YES 2.38.0
:info:configure Run-time dependency harfbuzz found: YES 6.0.0
:info:configure Run-time dependency xkbcommon found: YES 1.5.0
:info:configure Run-time dependency iso-codes found: YES 4.7.0
:info:configure Run-time dependency cairo-xlib found: YES 1.17.6
:info:configure Run-time dependency xrandr found: YES 1.5.3
:info:configure Dependency xrandr found: YES 1.5.3 (cached)
:info:configure Run-time dependency x11 found: YES 1.8.6
:info:configure Run-time dependency xrender found: YES 0.9.11
:info:configure Run-time dependency xi found: YES 1.8.1


```
:info:configure Header "langinfo.h" has symbol "_NL_PAPER_WIDTH" : NO
:info:configure Header "langinfo.h" has symbol "_NL_TIME_FIRST_WEEKDAY" : NO
:info:configure Configuring de.gresource.xml using configuration
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-resources)
:info:configure Configuring fr.gresource.xml using configuration
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-resources)
:info:configure Configuring es.gresource.xml using configuration
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-resources)
:info:configure Configuring zh.gresource.xml using configuration
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-resources)
:info:configure cups-config found: NO need ['>=1.7']
:info:configure Found CMake: /opt/local/bin/cmake (3.24.4)
:info:configure Run-time dependency cups found: YES 2.3.4
:info:configure Run-time dependency colord found: NO (tried pkgconfig, framework and cmake)
:info:configure Configuring config.h using configuration
:info:configure Configuring gail-3.0.pc using configuration
:info:configure Configuring gdk-3.0.pc using configuration
:info:configure Configuring gdk-x11-3.0.pc using configuration
:info:configure Configuring gtk+-3.0.pc using configuration
:info:configure Configuring gtk+-x11-3.0.pc using configuration
:info:configure Configuring gtk+-unix-print-3.0.pc using configuration
:info:configure Program msgfmt found: YES (/opt/local/bin/msgfmt)
:info:configure Program msginit found: YES (/opt/local/bin/msginit)
:info:configure Program msgmerge found: YES (/opt/local/bin/msgmerge)
:info:configure Program xgettext found: YES (/opt/local/bin/xgettext)
:info:configure Program xsltproc found: YES (/opt/local/bin/xsltproc)
:info:configure Message: Not executing post-install steps automatically when cross compiling
:info:configure Message:
:info:configure -----
:info:configure GTK+ 3.24.38 (3.0)
:info:configure   Display backends: x11 [disabled: Broadway Quartz Wayland Win32]
:info:configure   Print backends: file lpr cups [disabled: PAPI test]
:info:configure   Cloud support: false
:info:configure   Colord support: auto
:info:configure   Profiler: false
:info:configure   Introspection: true
:info:configure   Documentation: false
:info:configure   Man pages: true
:info:configure   Build tests: false
:info:configure   Installed tests: false
:info:configure   Demos: false
:info:configure   Examples: false
:info:configure Directories:
:info:configure   prefix: /opt/local
:info:configure   includedir: /opt/local/include
:info:configure   libdir: /opt/local/lib
:info:configure   datadir: /opt/local/share
:info:configure -----
:info:configure Build targets in project: 301
:info:configure NOTICE: Future-deprecated features used:
:info:configure * 1.1.0: {'"boolean option" keyword argument "value" of type str'}
:info:configure gtk+ 3.24.38
:info:configure   User defined options
:info:configure   Cross files      : arm64-darwin
:info:configure   prefix          : /opt/local
:info:configure   demos           : false
:info:configure   examples        : false
:info:configure   gtk_doc         : false
:info:configure   introspection   : true
:info:configure   man             : true
:info:configure   profiler        : false
```

```
:info:configure      quartz_backend : false
:info:configure      tests           : false
:info:configure      wayland_backend: false
:info:configure      x11_backend     : true
:info:configure      xinerama        : yes
:info:configure Found ninja-1.11.1 at /opt/local/bin/ninja
:info:configure WARNING: Cross file does not specify strip binary, result will not be
stripped.
:debug:configure setting option autoconf.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38
:debug:configure setting option autoreconf.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38
:debug:configure setting option configure.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38
:debug:configure setting option configure.compiler to clang
:debug:configure setting option configure.f90 to {}
:debug:configure setting option configure.f77 to {}
:debug:configure setting option configure.fc to {}
:debug:configure setting option configure.cc to /usr/bin/clang
:debug:configure setting option configure.cxx to /usr/bin/clang++
:debug:configure setting option configure.objc to /usr/bin/clang
:info:configure ---> Configuring gtk3 for architecture x86_64
:debug:configure setting option configure.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64
:debug:configure setting option autoreconf.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64
:debug:configure setting option autoconf.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64
:debug:configure Environment:
:debug:configure CC='/usr/bin/clang -arch x86_64'
:debug:configure CC_PRINT_OPTIONS='YES'
:debug:configure
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:configure CFLAGS='-pipe -Os -fstrict-aliasing -arch x86_64 -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure CPATH='/opt/local/include'
:debug:configure CPPFLAGS='-I/opt/local/include -DX_LOCALE -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure CUPS_CONFIG='/usr/bin/cups-config'
:debug:configure CXX='/usr/bin/clang++ -arch x86_64'
:debug:configure CXXFLAGS='-pipe -Os -arch x86_64 -stdlib=libc++ -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:configure F90FLAGS='-pipe -Os'
:debug:configure FCFLAGS='-pipe -Os'
:debug:configure FFLAGS='-pipe -Os'
:debug:configure INSTALL='/usr/bin/install -c'
:debug:configure LDFLAGS='-L/opt/local/lib -Wl,-headerpad_max_install_names -arch x86_64 -
Wl,-syslibroot,/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure LIBRARY_PATH='/opt/local/lib'
:debug:configure MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:configure MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:configure OBJC='/usr/bin/clang -arch x86_64'
:debug:configure OBJCFLAGS='-pipe -Os -arch x86_64 -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:debug:configure OBJCXX='/usr/bin/clang++'
:debug:configure OBJCXXFLAGS='-pipe -Os -stdlib=libc++ -
isysroot/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
```

```
:debug:configure SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:configure Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64" && /opt/local/bin/meson setup
--prefix=/opt/local -Dtests=false -Dgtk_doc=false -Dman=true -Dintrospection=true -
Ddemos=false -Dexamples=false -Dprofiler=false -Dwayland_backend=false -Dx11_backend=true -
Dquartz_backend=false -Dxinerama=yes
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/build-x86_64 --cross-file=x86_64-darwin
:debug:configure system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64" && /opt/local/bin/meson setup
--prefix=/opt/local -Dtests=false -Dgtk_doc=false -Dman=true -Dintrospection=true -
Ddemos=false -Dexamples=false -Dprofiler=false -Dwayland_backend=false -Dx11_backend=true -
Dquartz_backend=false -Dxinerama=yes
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/build-x86_64 --cross-file=x86_64-darwin
:info:configure The Meson build system
:info:configure Version: 1.1.1
:info:configure Source dir:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64
:info:configure Build dir:
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/build-x86_64
:info:configure Build type: cross build
:info:configure Project name: gtk+
:info:configure Project version: 3.24.38
:info:configure C compiler for the host machine: /usr/bin/clang -arch x86_64 (clang 14.0.3
"Apple clang version 14.0.3 (clang-1403.0.22.14.1)")
:info:configure C linker for the host machine: /usr/bin/clang -arch x86_64 ld64 857.1
:info:configure C compiler for the build machine: cc (clang 14.0.3 "Apple clang version
14.0.3 (clang-1403.0.22.14.1)")
:info:configure C linker for the build machine: cc ld64 857.1
:info:configure Build machine cpu family: aarch64
:info:configure Build machine cpu: aarch64
:info:configure Host machine cpu family: x86_64
:info:configure Host machine cpu: x86_64
:info:configure Target machine cpu family: x86_64
:info:configure Target machine cpu: x86_64
:info:configure Has header "crt/externs.h" : NO
:info:configure Has header "dlfcn.h" : YES
:info:configure Has header "ftw.h" : YES
:info:configure Has header "inttypes.h" : YES
:info:configure Has header "linux/memfd.h" : NO
:info:configure Has header "linux/input.h" : NO
:info:configure Has header "dev/evdev/input.h" : NO
:info:configure Has header "locale.h" : YES
:info:configure Has header "memory.h" : YES
:info:configure Has header "stdint.h" : YES
:info:configure Has header "stdlib.h" : YES
:info:configure Has header "string.h" : YES
:info:configure Has header "strings.h" : YES
:info:configure Has header "sys/mman.h" : YES
:info:configure Has header "sys/param.h" : YES
:info:configure Has header "sys/stat.h" : YES
:info:configure Has header "sys/sysinfo.h" : NO
:info:configure Has header "sys/systeminfo.h" : NO
:info:configure Has header "sys/time.h" : YES
:info:configure Has header "sys/types.h" : YES
:info:configure Has header "unistd.h" : YES
```

:info:configure Library m found: YES
:info:configure Checking for function "dcgettext" with dependency -lm: NO
:info:configure Checking for function "getpagesize" with dependency -lm: YES
:info:configure Checking for function "getresuid" with dependency -lm: NO
:info:configure Checking for function "lstat" with dependency -lm: YES
:info:configure Checking for function "mmap" with dependency -lm: YES
:info:configure Checking for function "nearbyint" with dependency -lm: YES
:info:configure Checking for function "posix_fallocate" with dependency -lm: NO
:info:configure Checking for function "_lock_file" with dependency -lm: NO
:info:configure Checking for function "flockfile" with dependency -lm: YES
:info:configure Checking for function "mkstemp" with dependency -lm: YES
:info:configure Checking for function "mallinfo" with dependency -lm: NO
:info:configure Checking for function "round" with dependency -lm: YES
:info:configure Checking for function "rint" with dependency -lm: YES
:info:configure Checking for function "log2" with dependency -lm: YES
:info:configure Checking for function "exp2" with dependency -lm: YES
:info:configure Checking for function "sincos" with dependency -lm: NO
:info:configure Checking for function "trunc" with dependency -lm: YES
:info:configure Checking for function "localtime_r" with dependency -lm: YES
:info:configure Checking for function "fmin" with dependency -lm: YES
:info:configure Header "math.h" has symbol "isinf" : YES
:info:configure Header "math.h" has symbol "isnan" : YES
:info:configure Compiler for C supports arguments -fno-strict-aliasing: YES
:info:configure Compiler for C supports arguments -Wpointer-arith: YES
:info:configure Compiler for C supports arguments -Wimplicit-function-declaration: YES
:info:configure Compiler for C supports arguments -Wformat=2: YES
:info:configure Compiler for C supports arguments -Wformat-security: YES
:info:configure Compiler for C supports arguments -Wnested-externs: YES
:info:configure Compiler for C supports arguments -Wold-style-definition: YES
:info:configure Compiler for C supports arguments -Wundef: YES
:info:configure Compiler for C supports arguments -Wunused: YES
:info:configure Compiler for C supports arguments -Wcast-align: YES
:info:configure Compiler for C supports arguments -Wmissing-noreturn: YES
:info:configure Compiler for C supports arguments -Wmissing-format-attribute: YES
:info:configure Compiler for C supports arguments -Wmissing-include-dirs: YES
:info:configure Compiler for C supports arguments -Wlogical-op: NO
:info:configure Compiler for C supports arguments -Wignored-qualifiers: YES
:info:configure Compiler for C supports arguments -Wno-discarded-qualifiers: NO
:info:configure Compiler for C supports arguments -Werror=implicit: YES
:info:configure Compiler for C supports arguments -Werror=nonnull: YES
:info:configure Compiler for C supports arguments -Werror=init-self: YES
:info:configure Compiler for C supports arguments -Werror=main: YES
:info:configure Compiler for C supports arguments -Werror=missing-braces: YES
:info:configure Compiler for C supports arguments -Werror=sequence-point: YES
:info:configure Compiler for C supports arguments -Werror=return-type: YES
:info:configure Compiler for C supports arguments -Werror=trigraphs: YES
:info:configure Compiler for C supports arguments -Werror=array-bounds: YES
:info:configure Compiler for C supports arguments -Werror=write-strings: YES
:info:configure Compiler for C supports arguments -Werror=address: YES
:info:configure Compiler for C supports arguments -Werror=int-to-pointer-cast: YES
:info:configure Compiler for C supports arguments -Werror=pointer-to-int-cast: YES
:info:configure Compiler for C supports arguments -Werror=empty-body: YES
:info:configure Compiler for C supports arguments -Werror=write-strings: YES (cached)
:info:configure Found pkg-config: /opt/local/bin/pkg-config (0.29.2)
:info:configure Run-time dependency glib-2.0 found: YES 2.76.4
:info:configure Run-time dependency gobject-2.0 found: YES 2.76.4
:info:configure Run-time dependency gio-unix-2.0 found: YES 2.76.4
:info:configure Run-time dependency gmodule-2.0 found: YES 2.76.4
:info:configure Run-time dependency cairo found: YES 1.17.6
:info:configure Run-time dependency cairo-gobject found: YES 1.17.6
:info:configure Run-time dependency pango found: YES 1.50.7
:info:configure Run-time dependency fri bidi found: YES 1.0.13
:info:configure Run-time dependency pangoft2 found: YES 1.50.7
:info:configure Run-time dependency freetype2 found: YES 24.3.18
:info:configure Run-time dependency pangocairo found: YES 1.50.7

```
:info:configure Run-time dependency gdk-pixbuf-2.0 found: YES 2.42.10
:info:configure Run-time dependency epoxy found: YES 1.5.10
:info:configure Run-time dependency atk found: YES 2.38.0
:info:configure Run-time dependency harfbuzz found: YES 6.0.0
:info:configure Run-time dependency xkbcommon found: YES 1.5.0
:info:configure Run-time dependency iso-codes found: YES 4.7.0
:info:configure Run-time dependency cairo-xlib found: YES 1.17.6
:info:configure Run-time dependency xrandr found: YES 1.5.3
:info:configure Dependency xrandr found: YES 1.5.3 (cached)
:info:configure Run-time dependency x11 found: YES 1.8.6
:info:configure Run-time dependency xrender found: YES 0.9.11
:info:configure Run-time dependency xi found: YES 1.8.1
:info:configure Run-time dependency xext found: YES 1.3.5
:info:configure Run-time dependency xcursor found: YES 1.2.1
:info:configure Run-time dependency xdamage found: YES 1.1.6
:info:configure Run-time dependency xfixes found: YES 6.0.1
:info:configure Run-time dependency xcomposite found: YES 0.4.6
:info:configure Run-time dependency fontconfig found: YES 2.14.2
:info:configure Run-time dependency atk-bridge-2.0 found: YES 2.38.0
:info:configure Checking for function "XkbQueryExtension" with dependency x11: YES
:info:configure Checking for function "XSyncQueryExtension" with dependency xext: YES
:info:configure Checking for function "XGetEventData" with dependency x11: YES
:info:configure Has header "X11/extensions/XInput2.h" with dependency xi: YES
:info:configure Checking for function "XIAllowTouchEvent" with dependency xi: YES
:info:configure Checking whether type "XIScrollClassInfo" has member "number" with dependency
xi: YES
:info:configure Checking whether type "XIGesturePinchEvent" has member "type" with dependency
xi: YES
:info:configure Run-time dependency xinerama found: YES 1.1.5
:info:configure Header "X11/extensions/Xinerama.h" has symbol "XineramaQueryExtension" with
dependency xinerama: YES
:info:configure Checking for function "ngettext" : NO
:info:configure Library intl found: YES
:info:configure Checking for function "bind_textdomain_codeset" with dependency -lintl: YES
:info:configure Program g-ir-scanner found: YES (/opt/local/bin/g-ir-scanner)
:info:configure Program gen-gdk-gresources-xml.py found: YES
(/opt/local/Library/Frameworks/Python.framework/Versions/3.11/bin/python3.11
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64/gdk/gen-gdk-gresources-xml.py)
:info:configure Configuring gdk.gresource.xml with command
:info:configure Found pkg-config: /opt/local/bin/pkg-config (0.29.2)
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-
resources)
:info:configure Program glib-mkenums found: YES (/opt/local/bin/glib-mkenums)
:info:configure Program glib-mkenums found: YES (/opt/local/bin/glib-mkenums)
:info:configure Program glib-genmarshal found: YES (/opt/local/bin/glib-genmarshal)
:info:configure Configuring gdkconfig.h using configuration
:info:configure Configuring gdkversionmacros.h using configuration
:info:configure Run-time dependency gobject-introspection-1.0 found: YES 1.76.1
:info:configure Build-time dependency gobject-introspection-1.0 found: YES 1.76.1
:info:configure Program g-ir-scanner found: YES (/opt/local/bin/g-ir-scanner)
:info:configure Dependency gobject-introspection-1.0 found: YES 1.76.1 (cached)
:info:configure Program g-ir-compiler found: YES (/opt/local/bin/g-ir-compiler)
:info:configure Program gen-gtk-gresources-xml.py found: YES
(/opt/local/Library/Frameworks/Python.framework/Versions/3.11/bin/python3.11
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64/gtk/gen-gtk-gresources-xml.py)
:info:configure Configuring gtk.gresources.xml with command
:info:configure Program sassc found: NO
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-
resources)
:info:configure Program gdbus-codegen found: YES (/opt/local/bin/gdbus-codegen)
:info:configure Program glib-genmarshal found: YES (/opt/local/bin/glib-genmarshal)
:info:configure Program glib-mkenums found: YES (/opt/local/bin/glib-mkenums)
:info:configure Program glib-mkenums found: YES (/opt/local/bin/glib-mkenums)
```

```
:info:configure Program glib-mkenums found: YES (/opt/local/bin/glib-mkenums)
:info:configure Program glib-mkenums found: YES (/opt/local/bin/glib-mkenums)
:info:configure Program gtypefuncs.py found: YES
(/opt/local/Library/Frameworks/Python.framework/Versions/3.11/bin/python3.11
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38-x86_64/gtk/gtypefuncs.py)
:info:configure Configuring gtkversion.h using configuration
:info:configure Dependency x11 found: YES 1.8.6 (cached)
:info:configure Program glib-compile-schemas found: YES (/opt/local/bin/glib-compile-schemas)
:info:configure Has header "langinfo.h" : YES
:info:configure Header "langinfo.h" has symbol "_NL_MEASUREMENT_MEASUREMENT" : NO
:info:configure Header "langinfo.h" has symbol "_NL_PAPER_HEIGHT" : NO
:info:configure Header "langinfo.h" has symbol "_NL_PAPER_WIDTH" : NO
:info:configure Header "langinfo.h" has symbol "_NL_TIME_FIRST_WEEKDAY" : NO
:info:configure Configuring de.gresource.xml using configuration
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-
resources)
:info:configure Configuring fr.gresource.xml using configuration
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-
resources)
:info:configure Configuring es.gresource.xml using configuration
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-
resources)
:info:configure Configuring zh.gresource.xml using configuration
:info:configure Program glib-compile-resources found: YES (/opt/local/bin/glib-compile-
resources)
:info:configure cups-config found: NO need ['>=1.7']
:info:configure Found CMake: /opt/local/bin/cmake (3.24.4)
:info:configure Run-time dependency cups found: YES 2.3.4
:info:configure Run-time dependency colord found: NO (tried pkgconfig, framework and cmake)
:info:configure Configuring config.h using configuration
:info:configure Configuring gail-3.0.pc using configuration
:info:configure Configuring gdk-3.0.pc using configuration
:info:configure Configuring gdk-x11-3.0.pc using configuration
:info:configure Configuring gtk+-3.0.pc using configuration
:info:configure Configuring gtk+-x11-3.0.pc using configuration
:info:configure Configuring gtk+-unix-print-3.0.pc using configuration
:info:configure Program msgfmt found: YES (/opt/local/bin/msgfmt)
:info:configure Program msginit found: YES (/opt/local/bin/msginit)
:info:configure Program msgmerge found: YES (/opt/local/bin/msgmerge)
:info:configure Program xgettext found: YES (/opt/local/bin/xgettext)
:info:configure Program xsltproc found: YES (/opt/local/bin/xsltproc)
:info:configure Message: Not executing post-install steps automatically when cross compiling
:info:configure Message:
:info:configure -----
:info:configure GTK+ 3.24.38 (3.0)
:info:configure   Display backends: x11 [disabled: Broadway Quartz Wayland Win32]
:info:configure   Print backends: file lpr cups [disabled: PAPI test]
:info:configure   Cloud support: false
:info:configure   Colord support: auto
:info:configure   Profiler: false
:info:configure   Introspection: true
:info:configure   Documentation: false
:info:configure   Man pages: true
:info:configure   Build tests: false
:info:configure   Installed tests: false
:info:configure   Demos: false
:info:configure   Examples: false
:info:configure Directories:
:info:configure   prefix: /opt/local
:info:configure   includedir: /opt/local/include
:info:configure   libdir: /opt/local/lib
:info:configure   datadir: /opt/local/share
:info:configure -----
:info:configure Build targets in project: 301
```

```
:info:configure NOTICE: Future-deprecated features used:
:info:configure * 1.1.0: {'"boolean option" keyword argument "value" of type str'}
:info:configure gtk+ 3.24.38
:info:configure User defined options
:info:configure Cross files      : x86_64-darwin
:info:configure prefix          : /opt/local
:info:configure demos           : false
:info:configure examples        : false
:info:configure gtk_doc         : false
:info:configure introspection   : true
:info:configure man             : true
:info:configure profiler        : false
:info:configure quartz_backend  : false
:info:configure tests          : false
:info:configure wayland_backend: false
:info:configure x11_backend     : true
:info:configure xinerama       : yes
:info:configure Found ninja-1.11.1 at /opt/local/bin/ninja
:info:configure WARNING: Cross file does not specify strip binary, result will not be
stripped.
:debug:configure setting option autoconf.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38
:debug:configure setting option autoreconf.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38
:debug:configure setting option configure.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/gtk+-3.24.38
:debug:configure setting option configure.compiler to clang
:debug:configure setting option configure.f90 to {}
:debug:configure setting option configure.f77 to {}
:debug:configure setting option configure.fc to {}
:debug:configure setting option configure.cc to /usr/bin/clang
:debug:configure setting option configure.cxx to /usr/bin/clang++
:debug:configure setting option configure.objc to /usr/bin/clang
:debug:configure Executing portconfigure::configure_finish
:debug:configure Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Mon Jul 17 23:26:06 EDT 2023
:notice:build ---> Building gtk3
:debug:build Executing org.macports.build (gtk3)
:info:build ---> Building gtk3 for architecture arm64
:debug:build setting option build.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:debug:build Environment:
:debug:build CC_PRINT_OPTIONS='YES'
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:build CPATH='/opt/local/include'
:debug:build DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:build LIBRARY_PATH='/opt/local/lib'
:debug:build MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:build MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:build SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:build Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:debug:build system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build ninja: error: unknown target 'CC=/usr/bin/clang -arch arm64'
```

```
:info:build Command failed: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build Exit code: 1
:error:build Failed to build gtk3: command execution failed
:debug:build Error code: NONE
:debug:build Backtrace: command execution failed
:debug:build      while executing
:debug:build "$procedure $targetname"
:error:build See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/main.log for details.
version:1
:debug:main Starting logging for gtk3 @3.24.38_0+universal+x11
:debug:sysinfo macOS 13.4.1 (darwin/22.5.0) arch arm
:debug:sysinfo MacPorts 2.8.1
:debug:sysinfo Xcode none, CLT 14.3.1.0.1.1683849156
:debug:sysinfo SDK 13
:debug:sysinfo MACOSX_DEPLOYMENT_TARGET: 13.0
:debug:main dropping privileges: euid changed to 502, egid changed to 502.
:debug:main Executing org.macports.main (gtk3)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:archivefetch archivefetch phase started at Mon Jul 17 23:30:36 EDT 2023
:msg:archivefetch ---> Fetching archive for gtk3
:debug:archivefetch Executing org.macports.archivefetch (gtk3)
:debug:archivefetch euid/egid changed to: 0/0
:debug:archivefetch chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch euid/egid changed to: 502/502
:info:archivefetch ---> gtk3-3.24.38_0+universal+x11.darwin_22.arm64-x86_64.tbz2 doesn't
seem to exist in /opt/local/var/macports/incoming/verified
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://packages.macports.org/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://ywg.ca.packages.macports.org/mirror/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from http://mirror.fcix.net/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.fetch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.checksum (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.extract (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.patch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.configure (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Mon Jul 17 23:30:37 EDT 2023
:notice:build ---> Building gtk3
:debug:build Executing org.macports.build (gtk3)
:info:build ---> Building gtk3 for architecture arm64
:debug:build setting option build.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:debug:build Environment:
:debug:build CC_PRINT_OPTIONS='YES'
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:build CPATH='/opt/local/include'
:debug:build DEVELOPER_DIR='/Library/Developer/CommandLineTools'
```



```
:debug:build LIBRARY_PATH='/opt/local/lib'
:debug:build MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:build MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:build SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:build Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:debug:build system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build ninja: error: unknown target 'CC=/usr/bin/clang -arch arm64'
:info:build Command failed: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build Exit code: 1
:error:build Failed to build gtk3: command execution failed
:debug:build Error code: NONE
:debug:build Backtrace: command execution failed
:debug:build while executing
:debug:build "$procedure $targetname"
:error:build See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/main.log for details.
version:1
:debug:main Starting logging for gtk3 @3.24.38_0+universal+x11
:debug:sysinfo macOS 13.4.1 (darwin/22.5.0) arch arm
:debug:sysinfo MacPorts 2.8.1
:debug:sysinfo Xcode none, CLT 14.3.1.0.1.1683849156
:debug:sysinfo SDK 13
:debug:sysinfo MACOSX_DEPLOYMENT_TARGET: 13.0
:debug:main dropping privileges: euid changed to 502, egid changed to 502.
:debug:main Executing org.macports.main (gtk3)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:archivefetch archivefetch phase started at Mon Jul 17 23:32:03 EDT 2023
:msg:archivefetch ---> Fetching archive for gtk3
:debug:archivefetch Executing org.macports.archivefetch (gtk3)
:debug:archivefetch euid/egid changed to: 0/0
:debug:archivefetch chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch euid/egid changed to: 502/502
:info:archivefetch ---> gtk3-3.24.38_0+universal+x11.darwin_22.arm64-x86_64.tbz2 doesn't
seem to exist in /opt/local/var/macports/incoming/verified
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://packages.macports.org/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://ywg.ca.packages.macports.org/mirror/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from http://mirror.fcix.net/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.fetch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.checksum (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.extract (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.patch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.configure (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Mon Jul 17 23:32:04 EDT 2023
```

```
:notice:build ---> Building gtk3
:debug:build Executing org.macports.build (gtk3)
:info:build ---> Building gtk3 for architecture arm64
:debug:build setting option build.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:debug:build Environment:
:debug:build CC_PRINT_OPTIONS='YES'
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:build CPATH='/opt/local/include'
:debug:build DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:build LIBRARY_PATH='/opt/local/lib'
:debug:build MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:build MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:build SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:build Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:debug:build system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build ninja: error: unknown target 'CC=/usr/bin/clang -arch arm64'
:info:build Command failed: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build Exit code: 1
:error:build Failed to build gtk3: command execution failed
:debug:build Error code: NONE
:debug:build Backtrace: command execution failed
:debug:build while executing
:debug:build "$procedure $targetname"
:error:build See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/main.log for details.
version:1
:debug:main Starting logging for gtk3 @3.24.38_0+universal+x11
:debug:sysinfo macOS 13.4.1 (darwin/22.5.0) arch arm
:debug:sysinfo MacPorts 2.8.1
:debug:sysinfo Xcode none, CLT 14.3.1.0.1.1683849156
:debug:sysinfo SDK 13
:debug:sysinfo MACOSX_DEPLOYMENT_TARGET: 13.0
:debug:main dropping privileges: euid changed to 502, egid changed to 502.
:debug:main Executing org.macports.main (gtk3)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:archivefetch archivefetch phase started at Tue Jul 18 13:54:47 EDT 2023
:msg:archivefetch ---> Fetching archive for gtk3
:debug:archivefetch Executing org.macports.archivefetch (gtk3)
:debug:archivefetch euid/egid changed to: 0/0
:debug:archivefetch chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch euid/egid changed to: 502/502
:info:archivefetch ---> gtk3-3.24.38_0+universal+x11.darwin_22.arm64-x86_64.tbz2 doesn't
seem to exist in /opt/local/var/macports/incoming/verified
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://packages.macports.org/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://ywg.ca.packages.macports.org/mirror/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from http://mirror.fcix.net/macports/packages/gtk3
```

```
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.fetch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.checksum (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.extract (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.patch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.configure (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Tue Jul 18 13:54:48 EDT 2023
:notice:build ---> Building gtk3
:debug:build Executing org.macports.build (gtk3)
:info:build ---> Building gtk3 for architecture arm64
:debug:build setting option build.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:debug:build Environment:
:debug:build CC_PRINT_OPTIONS='YES'
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:build CPATH='/opt/local/include'
:debug:build DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:build LIBRARY_PATH='/opt/local/lib'
:debug:build MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:build MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:build SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:build Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:debug:build system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build ninja: error: unknown target 'CC=/usr/bin/clang -arch arm64'
:info:build Command failed: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build Exit code: 1
:error:build Failed to build gtk3: command execution failed
:debug:build Error code: NONE
:debug:build Backtrace: command execution failed
:debug:build while executing
:debug:build "$procedure $targetname"
:error:build See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/main.log for details.
version:1
:debug:main Starting logging for gtk3 @3.24.38_0+universal+x11
:debug:sysinfo macOS 13.4.1 (darwin/22.5.0) arch arm
:debug:sysinfo MacPorts 2.8.1
:debug:sysinfo Xcode none, CLT 14.3.1.0.1.1683849156
:debug:sysinfo SDK 13
:debug:sysinfo MACOSX_DEPLOYMENT_TARGET: 13.0
:debug:main dropping privileges: euid changed to 502, egid changed to 502.
:debug:main Executing org.macports.main (gtk3)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:archivefetch archivefetch phase started at Tue Jul 18 14:02:59 EDT 2023
:msg:archivefetch ---> Fetching archive for gtk3
:debug:archivefetch Executing org.macports.archivefetch (gtk3)
```

```
:debug:archivefetch  euid/egid changed to: 0/0
:debug:archivefetch  chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch  euid/egid changed to: 502/502
:info:archivefetch  --->  gtk3-3.24.38_0+universal+x11.darwin_22.arm64-x86_64.tbz2 doesn't
seem to exist in /opt/local/var/macports/incoming/verified
:msg:archivefetch  --->  Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://packages.macports.org/gtk3
:debug:archivefetch  Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch  --->  Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://ywg.ca.packages.macports.org/mirror/macports/packages/gtk3
:debug:archivefetch  Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch  --->  Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from http://mirror.fcix.net/macports/packages/gtk3
:debug:archivefetch  Fetching archive failed: The requested URL returned error: 404
:debug:archivefetch  Privilege de-escalation not attempted as not running as root.
:debug:archivefetch  Skipping completed org.macports.fetch (gtk3)
:debug:archivefetch  Privilege de-escalation not attempted as not running as root.
:debug:archivefetch  Skipping completed org.macports.checksum (gtk3)
:debug:archivefetch  Privilege de-escalation not attempted as not running as root.
:debug:archivefetch  Skipping completed org.macports.extract (gtk3)
:debug:archivefetch  Privilege de-escalation not attempted as not running as root.
:debug:archivefetch  Skipping completed org.macports.patch (gtk3)
:debug:archivefetch  Privilege de-escalation not attempted as not running as root.
:debug:archivefetch  Skipping completed org.macports.configure (gtk3)
:debug:archivefetch  Privilege de-escalation not attempted as not running as root.
:debug:build  build phase started at Tue Jul 18 14:03:00 EDT 2023
:notice:build  --->  Building gtk3
:debug:build  Executing org.macports.build (gtk3)
:info:build  --->  Building gtk3 for architecture arm64
:debug:build  setting option build.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:debug:build  Environment:
:debug:build  CC_PRINT_OPTIONS='YES'
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:build  CPATH='/opt/local/include'
:debug:build  DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:build  LIBRARY_PATH='/opt/local/lib'
:debug:build  MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:build  MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:build  SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:build  Executing:  cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:debug:build  system:  cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build  ninja: error: unknown target 'CC=/usr/bin/clang -arch arm64'
:info:build  Command failed:  cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build  Exit code: 1
:error:build  Failed to build gtk3: command execution failed
:debug:build  Error code: NONE
:debug:build  Backtrace: command execution failed
:debug:build  while executing
:debug:build  "$procedure $targetname"
:error:build  See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/main.log for details.
```

```
version:1
:debug:main Starting logging for gtk3 @3.24.38_0+universal+x11
:debug:sysinfo macOS 13.4.1 (darwin/22.5.0) arch arm
:debug:sysinfo MacPorts 2.8.1
:debug:sysinfo Xcode none, CLT 14.3.1.0.1.1683849156
:debug:sysinfo SDK 13
:debug:sysinfo MACOSX_DEPLOYMENT_TARGET: 13.0
:debug:main dropping privileges: euid changed to 502, egid changed to 502.
:debug:main Executing org.macports.main (gtk3)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:archivefetch archivefetch phase started at Tue Jul 18 15:16:19 EDT 2023
:msg:archivefetch ---> Fetching archive for gtk3
:debug:archivefetch Executing org.macports.archivefetch (gtk3)
:debug:archivefetch euid/egid changed to: 0/0
:debug:archivefetch chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch euid/egid changed to: 502/502
:info:archivefetch ---> gtk3-3.24.38_0+universal+x11.darwin_22.arm64-x86_64.tbz2 doesn't
seem to exist in /opt/local/var/macports/incoming/verified
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://packages.macports.org/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://ywg.ca.packages.macports.org/mirror/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from http://mirror.fcix.net/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.fetch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.checksum (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.extract (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.patch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.configure (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Tue Jul 18 15:16:20 EDT 2023
:notice:build ---> Building gtk3
:debug:build Executing org.macports.build (gtk3)
:info:build ---> Building gtk3 for architecture arm64
:debug:build setting option build.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:debug:build Environment:
:debug:build CC_PRINT_OPTIONS='YES'
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:build CPATH='/opt/local/include'
:debug:build DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:build LIBRARY_PATH='/opt/local/lib'
:debug:build MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:build MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:build SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:build Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:debug:build system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build ninja: error: unknown target 'CC=/usr/bin/clang -arch arm64'
```

```
:info:build Command failed: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build Exit code: 1
:error:build Failed to build gtk3: command execution failed
:debug:build Error code: NONE
:debug:build Backtrace: command execution failed
:debug:build      while executing
:debug:build "$procedure $targetname"
:error:build See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/main.log for details.
version:1
:debug:main Starting logging for gtk3 @3.24.38_0+universal+x11
:debug:sysinfo macOS 13.4.1 (darwin/22.5.0) arch arm
:debug:sysinfo MacPorts 2.8.1
:debug:sysinfo Xcode none, CLT 14.3.1.0.1.1683849156
:debug:sysinfo SDK 13
:debug:sysinfo MACOSX_DEPLOYMENT_TARGET: 13.0
:debug:main Attempting ln -sf
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work
/opt/local/var/macports/sources/rsync.macports.org/macports/release/tarballs/ports/gnome/gtk3
/work
:debug:main dropping privileges: euid changed to 502, egid changed to 502.
:debug:main Executing org.macports.main (gtk3)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:archivefetch archivefetch phase started at Tue Jul 18 23:48:45 EDT 2023
:msg:archivefetch ---> Fetching archive for gtk3
:debug:archivefetch Executing org.macports.archivefetch (gtk3)
:debug:archivefetch euid/egid changed to: 0/0
:debug:archivefetch chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch euid/egid changed to: 502/502
:info:archivefetch ---> gtk3-3.24.38_0+universal+x11.darwin_22.arm64-x86_64.tbz2 doesn't
seem to exist in /opt/local/var/macports/incoming/verified
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://packages.macports.org/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://ywg.ca.packages.macports.org/mirror/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from http://mirror.fcix.net/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.fetch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.checksum (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.extract (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.patch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.configure (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Tue Jul 18 23:48:49 EDT 2023
:notice:build ---> Building gtk3
:debug:build Executing org.macports.build (gtk3)
:info:build ---> Building gtk3 for architecture arm64
:debug:build setting option build.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rel
ease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:debug:build Environment:
:debug:build CC_PRINT_OPTIONS='YES'
```

```
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:build CPATH='/opt/local/include'
:debug:build DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:build LIBRARY_PATH='/opt/local/lib'
:debug:build MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:build MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:build SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:build Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:debug:build system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build ninja: error: unknown target 'CC=/usr/bin/clang -arch arm64'
:info:build Command failed: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build Exit code: 1
:error:build Failed to build gtk3: command execution failed
:debug:build Error code: NONE
:debug:build Backtrace: command execution failed
:debug:build while executing
:debug:build "$procedure $targetname"
:error:build See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/main.log for details.
version:1
:debug:main Starting logging for gtk3 @3.24.38_0+universal+x11
:debug:sysinfo macOS 13.4.1 (darwin/22.5.0) arch arm
:debug:sysinfo MacPorts 2.8.1
:debug:sysinfo Xcode none, CLT 14.3.1.0.1.1683849156
:debug:sysinfo SDK 13
:debug:sysinfo MACOSX_DEPLOYMENT_TARGET: 13.0
:debug:main dropping privileges: euid changed to 502, egid changed to 502.
:debug:main Executing org.macports.main (gtk3)
:debug:main Privilege de-escalation not attempted as not running as root.
:debug:archivefetch archivefetch phase started at Sat Jul 22 13:02:32 EDT 2023
:msg:archivefetch ---> Fetching archive for gtk3
:debug:archivefetch Executing org.macports.archivefetch (gtk3)
:debug:archivefetch euid/egid changed to: 0/0
:debug:archivefetch chowned /opt/local/var/macports/incoming to macports
:debug:archivefetch euid/egid changed to: 502/502
:info:archivefetch ---> gtk3-3.24.38_0+universal+x11.darwin_22.arm64-x86_64.tbz2 doesn't
seem to exist in /opt/local/var/macports/incoming/verified
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://packages.macports.org/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from https://ywg.ca.packages.macports.org/mirror/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:msg:archivefetch ---> Attempting to fetch gtk3-3.24.38_0+universal+x11.darwin_22.arm64-
x86_64.tbz2 from http://mirror.fcix.net/macports/packages/gtk3
:debug:archivefetch Fetching archive failed: The requested URL returned error: 404
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.fetch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.checksum (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.extract (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
```

```
:debug:archivefetch Skipping completed org.macports.patch (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:archivefetch Skipping completed org.macports.configure (gtk3)
:debug:archivefetch Privilege de-escalation not attempted as not running as root.
:debug:build build phase started at Sat Jul 22 13:02:36 EDT 2023
:notice:build ---> Building gtk3
:debug:build Executing org.macports.build (gtk3)
:info:build ---> Building gtk3 for architecture arm64
:debug:build setting option build.dir to
/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64
:debug:build Environment:
:debug:build CC_PRINT_OPTIONS='YES'
:debug:build
CC_PRINT_OPTIONS_FILE='/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.ma
cports.org_macports_release_tarballs_ports_gnome_gtk3/gtk3/work/.CC_PRINT_OPTIONS'
:debug:build CPATH='/opt/local/include'
:debug:build DEVELOPER_DIR='/Library/Developer/CommandLineTools'
:debug:build LIBRARY_PATH='/opt/local/lib'
:debug:build MACOSX_DEPLOYMENT_TARGET='13.0'
:debug:build MACPORTS_LEGACY_SUPPORT_DISABLED='1'
:debug:build SDKROOT='/Library/Developer/CommandLineTools/SDKs/MacOSX13.sdk'
:info:build Executing: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:debug:build system: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build ninja: error: unknown target 'CC=/usr/bin/clang -arch arm64'
:info:build Command failed: cd
"/opt/local/var/macports/build/_opt_local_var_macports_sources_rsync.macports.org_macports_re
lease_tarballs_ports_gnome_gtk3/gtk3/work/build-arm64" && /opt/local/bin/ninja -j10
CC='/usr/bin/clang -arch arm64' CC_FOR_BUILD='/usr/bin/clang -arch arm64' -v
:info:build Exit code: 1
:error:build Failed to build gtk3: command execution failed
:debug:build Error code: NONE
:debug:build Backtrace: command execution failed
:debug:build while executing
:debug:build "$procedure $targetname"
:error:build See
/opt/local/var/macports/logs/_opt_local_var_macports_sources_rsync.macports.org_macports_rele
ase_tarballs_ports_gnome_gtk3/gtk3/main.log for details.
```